BELLSOUTH® / CLEC Agreement

Customer Name: Tristar Communications

TriStar Communications Renegotiation	2
Adoption Paper	3
Attachment 7	16
Attachment 7 Rates	34
Attach. 2 Amendment	43

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

By and Between

BellSouth Telecommunications, Inc.

And

Tristar Communications

AGREEMENT

This Agreement, which shall become effective as of April 1, 2000, is entered into by and between TriStar Communications, ("TriStar") corporation on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, TriStar has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and KMC Telecom Holdings, Inc. dated October 6, 2000 for the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, TriStar and BellSouth hereby agree as follows:

1. TriStar and BellSouth shall adopt in its entirety, with the exception of those changes outlined below, the KMC Telecom Holdings, Inc. Interconnection Agreement ("KMC Agreement") dated October 6, 2000 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The KMC Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO.
	PAGES
Adoption Papers	12
General Terms and Conditions	29
Attachment 1	33
Attachment 1 Rates	1
Attachment 2	78

Attachment 2 Rates	71
Attachment 3	29
Attachment 3 Rates	5
Attachment 4	71
Attachment 5	12
Attachment 5 Rates	1
Attachment 6	10
Attachment 7	20
Attachment 7 Rates	1
Attachment 8	2
Attachment 9	108
Attachment 10	10
Attachment 11	11
Attachment 12	3
Amendment dated 02/05/01	11
Amendment dated 02/27/01	5
Amendment dated 04/06/01	24
Amendment dated 06/21/01	116
Amendment dated 08/31/01	36
Amendment dated 5/1/02	33
Amendment dated 5/16/02	337
Amendment dated 5/31/02	9
TOTAL	1078

- 2. The Parties agree to include the following Sections in Attachment 2 of the KMC Agreement.
 - 7.1.3.1 Unbundled Local Switching, together with Common Transport and, if necessary, Tandem Switching, provides to TriStar local subscribers local calling and the ability to presubscribe to a primary carrier for intraLATA toll service and a primary carrier for interLATA toll service.
 - 7.1.3.2 Provided that TriStar purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an TriStar local end user, or originated by a BellSouth local end user and terminated to an TriStar local end user, or terminated to a BellSouth local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge TriStar the UNE elements for the BellSouth facilities

- utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and TriStar shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 7.1.3.3 Where TriStar purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an TriStar end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge TriStar the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and TriStar shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 7.1.3.4 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill TriStar the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.
- 3. The Parties mutually agree to include the following new Section in Attachment 2 of the KMC Agreement.
 - 10.7.3.2 BellSouth shall bill, and Tristar shall pay, for all applicable usage elements associated with Loop/Port Combinations at the rates set forth in Exhibit A and as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site. If traffic that is terminated by either Party constitutes ISP-bound traffic as described in the FCC's Order on Remand and Report and Order in CC Docket No. 96-98 and 99-68 released April 27, 2001 ("ISP Order on Remand"), and the originating Party has paid the terminating Party the end office switching charge for terminating the call, then the originating Party may request a credit from the terminating Party for the end office switching element for such ISP-bound traffic. The Party requesting the credit shall provide such request in writing and shall provide detailed records illustrating that, in accordance with the FCC's ISP Order on Remand, the ratio of originating to terminating

locally dialed minutes of use on a state wide basis exceeds a 3:1 threshold. Such request and subsequent true-up, if needed, shall occur no more than semi-annually.

- 4. The Parties hereby mutually agree to delete in their entirety Sections 6.1.1, 6.1.2, 6.1.3 and all subsections of 6.1.3, and 6.1.4 of Attachment 3 of the KMC Agreement and to replace them with the following:
 - 6.1.1 Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.
 - 6.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls between specific wire centers established as a local call by the ruling regulatory body.
 - 6.1.2 ISP-bound Traffic is defined as calls to an Internet Service Provider or Information Service Provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by the calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction. Additionally, any traffic that is dialed by using a 7 or 10 digit local dialing pattern and is delivered to a Party under this Agreement in excess of a 3:1 ratio of terminating to originating traffic will be considered to be ISP-bound Traffic.
 - 6.1.3 Pursuant to the FCC's Intercarrier Compensation for ISP Bound Traffic, Order on Remand and Report and Order, CC Dkt. Nos. 96-98 and 99-68, FCC 01-31 (rel. April 27, 2001) ("ISP Remand Order"), BellSouth hereby elects upon the effective date of the ISP Remand Order, to take advantage of the price and rate caps contained in that Order. The Parties will compensate each other on a mutual and reciprocal basis for transport and termination of Local Traffic at the rates set forth in Exhibit A of Attachment 3 to this Agreement. The Parties will compensate each other on a bill and keep basis for transport and termination of ISP-bound Traffic.

- 6.1.4 The elemental rates set forth in Exhibit A of this Attachment shall apply for MTA described in 1.9 above and for Transit Traffic as described in Sections 6.10 and 6.10.1 below.
- 5. The Parties hereby mutually agree to delete in its entirety Section 15 of Attachment 2 of the KMC Agreement and to replace it with the following:
 - 15. Dark Fiber Transport
 - 15.1 Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for TriStar to utilize Dark Fiber Transport.
 - 15.2 Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
 - 15.3 Requirements
 - 15.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
 - 15.3.1.1 If TriStar's request for Dark Fiber is denied, upon written request of TriStar, subject to the requirements of nondisclosure and confidentiality set forth in the General Terms and Conditions of this Agreement, BellSouth will disclose the specific reasons for the denial. If TriStar disputes the availability of the Dark Fiber after receiving BellSouth's rationale, it may invoke the dispute resolution process set forth in the General Terms and Conditions.
 - 15.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove

- such equipment at TriStar's request subject to time and materials charges.
- 15.3.3 TriStar is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 15.3.4 BellSouth shall use its best efforts to provide to TriStar information regarding the location, availability and performance of Dark Fiber within ten (10) business days after receiving a request ("Service Inquiry") from TriStar ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to ninety (90) days after Confirmation, BellSouth shall hold such requested Dark Fiber for TriStar's use an may not allow any other party to use such media, including BellSouth. If a Dark Fiber firm order is not received within the ninety-day period, the fiber will revert to BellSouth's Dark Fiber inventory.
- 15.3.5 If the requested Dark Fiber Transport is available,
 BellSouth shall use its commercially reasonable efforts to
 provision the Dark Fiber Transport to TriStar within twenty
 (20) business days after TriStar submits a valid, error free
 LSR. Provisioning includes identification of appropriate
 connection points (e.g., Light Guide Interconnection (LGX)
 or splice points) to enable TriStar to connect or splice
 TriStar provided transmission media (e.g., optical fiber) or
 equipment to the Dark Fiber Transport.
- 15.3.6 TriStar may splice at the end points and test Dark Fiber Transport obtained from BellSouth using TriStar or TriStar designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber Transport. For fiber in underground conduit, BellSouth shall provide a minimum of 25 feet of excess cable to allow the uncoiled fiber to reach from the manhole to a splicing van.
- 6. The Parties hereby mutually agree to incorporate the following Section 3.6 into Attachment 4 of the KMC Agreement:
 - 3.6 Co-carrier cross connect (CCXC). The primary purpose of collocating CLEC equipment is to interconnect with BellSouth's network or access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will

permit TriStar to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross connect language. At no point in time shall TriStar use the Collocation Space for the sole or primary purpose of cross-connecting to other CLECs.

- 3.6.1 The CCXC, shall be provisioned through facilities owned by TriStar. Such connections to other carriers may be made using either optical or electrical facilities. TriStar may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. TriStar may not self provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. TriStar is responsible for ensuring the integrity of the signal.
- 3.6.2 TriStar shall be responsible for obtaining authorization from the other CLEC(s) involved. TriStar must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. TriStar-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, TriStar may have the option of constructing its own dedicated support structure.
- 3.6.3 To order CCXCs TriStar must submit an application or subsequent application. If no modification to the Collocation Space is requested other than the placement of CCXCs the Subsequent Application Fee for CCXC as defined in Exhibit C will apply. If modifications in addition to the placement of CCXCs are requested the normal Application or Subsequent Application Fee will apply.
- 7. The Parties hereby mutually agree to delete in its entirety Section 21.1 of General Terms and Conditions of the KMC Agreement and to replace it with the following Section 21.1:
 - 21.1 BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to TriStar any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252 in that respective state. The Parties shall adopt all rates, terms and conditions concerning such other

interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The rates, terms and conditions adopted by the Parties shall be effective as of the date the Agreement is amended. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement which was adopted.

- 8. The Parties mutually agree to include the following new Section in Attachment 12 of the KMC Agreement:
 - 11.0 Upon request, a service or product requested by another carrier through the BFR/NBR process shall be available pursuant to an amendment to TriStar on the same rates, terms and conditions as set forth in the other carrier's amendment for such service or product.
- 9. The Parties hereby mutually agree to delete in its entirety Section 10.7 of Attachment 2 of the KMC Agreement and to replace it with the following Section 10.7:
 - 10.7 UNE Port/Loop Combinations
 - 10.7.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
 - 10.7.2 BellSouth shall make available Currently Combined and not Currently Combined UNE port/loop combinations.
 - 10.7.3 Except as set forth in section 5.6.3 below, the rates at which BellSouth shall provide Currently Combined UNE port/loop combinations and not Currently Combined UNE

- port/loop combinations in the states of Georgia and Tennessee shall be the cost-based rates in Exhibit C.
- 10.7.4 The rates at which BellSouth shall provide not Currently Combined UNE shall credit TriStar's billing account for dial around compensation. TriStar shall pass such compensation to the payphone service provider it serves.
- 10.7.5 When TriStar orders loop/port combinations, and identifies to BellSouth the type of telecommunications service it intends to deliver to its end user customer through that combination (e.g., POTS, ISDN), BellSouth will provide the requested elements with all the functionality, and with at least the same quality of performance and operations systems support (ordering, provisioning, maintenance, billing and recording), that BellSouth provides through its own network to its local exchange service customers receiving equivalent service, unless TriStar desires a lesser or greater quality of performance that may be requested through the Bona Fide Request process. For example, loop/ port combinations ordered by TriStar for POTS service will include, without limitation, MLT testing, real time due date assignment, dispatch scheduling via the offered interfaces in attachment 6, service turn-up without interruption of customer service, and speed and quality of maintenance, at parity with BellSouth's delivery of service to its POTS customers served through equivalent BellSouth loop and switch ports. BellSouth will provide ordering, provisioning and maintenance services at parity with the same services BellSouth provides to it's own end users or resold services as measured in Attachment 9 Performance Measures.
- 10.7.6 Combination Offerings
- 10.7.6.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.6.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common

- transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.6.4 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port..
- 10.7.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10.7.6.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 10. The Parties hereby mutually agree to delete in its entirety Section 5.2.1 of the General Terms and Conditions of the KMC Agreement and to replace it with the following Section 5.2.1:
 - 5.2.1 Rates. So long as TriStar provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to TriStar one (1) primary White Pages listing per TriStar subscriber at no charge

other than applicable service order charges as set forth in Section A4 of the BellSouth General Subscriber Services Tariffs. These service order charges are applicable for resale services only. These service order charges are in addition to the OSS charges which are applicable for all services.

- 11. The Parties hereby mutually agree to delete in its entirety Attachment 7 of the KMC Agreement and to replace it with the new Attachment 7 which is attached hereto and incorporated herein by this reference.
- 12. In the event that TriStar consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of TriStar under this Agreement.
- The term of this Agreement shall be from the effective date as set forth above and shall expire as set forth in section 2.1 of the KMC Agreement. For the purposes of determining the expiration date of this Agreement pursuant to section 2.1 of the KMC Agreement, the effective date shall be October 6, 2000.
- 14. TriStar shall accept and incorporate any amendments to the KMC Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 15 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

CLEC Account Team 9th Floor 600 North 19th Street Birmingham, Alabama 35203 and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

TriStar Communications

Mr. Elise Gross 3350 NW 22nd Terrace Suite 1100B Pompano Beach, Florida 33069

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.	TriStar Communications
On File	On File
Signature	Signature
E. A. Shiroishi	Elise Gross
Name	Name
Managing Director Title	President Title
8/13/02	8/12/02
Date	Date

Attachment 7

Billing

TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	7
3.	RAO Hosting	8
4.	Optional Daily Usage File	12
5.	Access Daily Usage File	15
Ra	ntes	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

All negotiated rates, terms and conditions set forth in this Attachment pertain to billing and billing accuracy certifications.

- 1.1 Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that TriStar requests. BellSouth will bill and record in accordance with this Agreement those charges TriStar incurs as a result of TriStar purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. BellSouth's bills to Talk America for unbundled network elements and resold services purchased by Talk America shall include the item, quantity and price of such purchased services. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the Ordering and Billing Forum (OBF). Except as otherwise specified in the Agreement, the Parties agree that systems utilized for billing unbundled network elements and resold services shall be compliant with the most current policies and/or guidelines of the OBF. The Parties will work cooperatively to resolve adjustments or reconciliation arising from bill format issues.
- 1.1.1 For any service(s) BellSouth orders from TriStar, TriStar shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 BellSouth will bill TriStar in advance for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances.
- 1.1.4 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth.
- 1.1.5 BellSouth will not perform billing and collection services for TriStar as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.

The Parties will be reasonable in working together to allow additional payment time for bills that are corrupt or distributed late (13 days past bill date). Bills are typically expected to be received by the billed Party within 6 days of the bill date. The billed Party will not contact the billing Party until 7 days after that time to initiate consideration for additional payment time. Additional payment time will

not be considered reasonable if the delay is caused by the delivery carrier, such as the U. S. Postal Service.

- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, TriStar will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA) and a tax exemption certificate, if applicable.
- 1.2.1 Payment Responsibility. Payment of all charges less disputed amounts as described in section 2 of this Attachment billed by one Party will be the responsibility of other Party. Each Party shall make payment to the other Party. Neither Party is responsible for payments not received by the other Party from the other Party's customer. Neither Party will become involved in billing disputes that may arise between the other Party and the other Party's customer. Payments made to each Party as payment on account will be credited to an accounts receivable master account as directed by the other Party at the time of payment and not to an end user's account.
- 1.3 Payment Due. The payment will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by the billing Party. Payment shall be applied to billed Party's account on the date payment is received by the billing Party and not on the date that the payment is posted to billed Party's account. In the event payment is not applied to the billed Party's account on the date payment is received by the billing Party, any late fees assessed against such payment after the payment receipt date shall be credited.
- 1.3.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.5, below, shall apply.
- 1.4 <u>Tax Exemption</u>. Upon proof of tax exempt certification from TriStar, the total amount billed to TriStar will not include those taxes or fees for which the CLEC is exempt. Applicable taxes charged to Talk America will be credited, from the date the tax exemption certificate is received, where Talk America provides proof of tax

exempt certification. TriStar will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of TriStar.

- 1.5 Late Payment. If any portion of the payment is received by either Party after the payment due date as set forth preceding, or if any portion of the payment is received by either Party in funds that are not immediately available to the receiving Party, then a late payment charge shall be due to the receiving Party. The late payment charge shall be the portion of the payment not received by the payment due date times a late factor or late payment interest rate plus any flat rate late payment fee as prescribed in the billing Party's tariffs and will be applied on a per bill basis. The late payment factor, late payment charge or late payment interest shall be as set forth in the following tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and nondesigned loops, Section A2 of the BellSouth General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the BellSouth Private Line Service Tariff; for network elements and other services and local interconnection charges billed to Talk America, Section E2 of the BellSouth Intrastate Access Tariff, or for local interconnection charges billed to BellSouth, the Payment Arrangement Section of the applicable Talk America state tariff or 1.5% in North Carolina. The Parties shall assess interest and/or late payment charges on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs. The Parties will be charged a fee for all returned checks as set forth in Section A2 of the BellSouth General Subscriber Services Tariff for Talk America returned checks or the Payment Arrangement Section of the applicable Talk America state tariff or \$25.00 in North Carolina for BellSouth returned checks or pursuant to the applicable state law.
- 1.6 <u>Discontinuing Service to TriStar</u>. The procedures for discontinuing service to TriStar are as follows:
- 1.6.1 BellSouth reserves the right to suspend or terminate service for nonpayment of services pursuant to the terms hereof, or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by TriStar of the rules and regulations contained in BellSouth's tariffs.
- 1.6.2 If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth may provide written notice to TriStar that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty (30) days notice to TriStar at the billing address to discontinue the provision of existing services to TriStar at any time thereafter.

- 1.6.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.6.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and TriStar's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to TriStar without further notice.
- 1.6.5 If payment is not received or reasonably satisfactory arrangements made for payment by the date given in the written notification, TriStar's services will be discontinued. Upon discontinuance of service on TriStar's account, service to TriStar's end users will be denied. BellSouth will reestablish service at the request of the end user or TriStar for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. TriStar is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.7 Deposit Policy. When purchasing services from BellSouth, TriStar will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release TriStar from its obligation to make complete and timely payments of its bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security in a non discriminatory manner. Upon request of Talk America, BellSouth will review the circumstances upon which BellSouth has based the level of security and, if the circumstances so warrant, BellSouth will reduce the security provided by Talk America and, if the security is in the form of cash then a refund of the difference will be credited to Talk America's next bill. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event that a cash security deposit exceeds two months' estimated billing, BellSouth will lower the cash security deposit such that it no longer exceeds two months' estimated billing and refund the difference to Talk America by way of a credit to Talk America's next bill. In the event TriStar fails to remit to BellSouth any deposit requested pursuant to this Section, service to TriStar may be terminated in accordance with the terms of Section 1.6 of this Attachment, and any security deposits will be applied to TriStar's account(s).

- 1.8 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, to rejection of additional orders from TriStar and to disconnection of services for nonpayment of charges, shall be forwarded to Finance Department, Talk America, 6805 Route 202, New Hope, PA 18938, (215) 862-1960 (facsimile) or to the individual and/or address subsequently provided by TriStar as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, a final notice of disconnection of services purchased by TriStar under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.9 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment.

2. BILLING DISPUTES

- 2.1 Billing disputes shall be handled pursuant to the terms of this section.
 - Each Party agrees to notify the other Party in writing within a reasonable time upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 2.1.1 If the dispute is not resolved within sixty (60) days of the dispute date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution.
- 2.1.2 If the dispute is not resolved within ninety (90) days of the dispute date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.
- 2.1.3 If the dispute is not resolved within one hundred and twenty (120) days of the dispute date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.
- 2.1.4 If the dispute is not resolved within one hundred and fifty (150) days of the dispute date, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.1.5 For purposes of this Section 2, a billing dispute means a dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. Notice of a dispute may be given by a Party at any time, either before or after an amount is paid, and a Party's

payment of an amount shall not constitute a waiver of such Party's right to subsequently dispute its obligations to pay such amount or to seek a refund of any amount paid, in accordance with this Attachment. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. Once the billing dispute is resolved, the disputing Party will make payment of any of the disputed amount owed to the billing Party by the next bill date or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party by the next bill date upon resolution of the dispute.

2.2 In the event disputed charges are resolved in favor of the billed Party, the billed Party will receive credit for any late payment charge and/or late payment interest amounts assessed in connection with such disputed charges.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to TriStar by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 TriStar shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Compensation amounts, if applicable, will be billed by BellSouth to TriStar on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- TriStar must have its own unique hosted RAO code. Requests for establishment of RAO status where BellSouth is the selected CMDS interfacing host, require written notification from TriStar to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of TriStar and will coordinate all associated conversion activities.
- 3.5 BellSouth will receive messages from TriStar that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.

- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from TriStar.
- 3.7 All data received from TriStar that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- All data received from TriStar that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by TriStar and will forward them to TriStar on a daily basis.
- 3.10 Transmission of message data between BellSouth and TriStar will be via CONNECT:Direct.
- 3.11 All messages and related data exchanged between BellSouth and TriStar will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 3.12 TriStar will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for TriStar to send data to BellSouth more than sixty (60) days past the message date(s), TriStar will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and TriStar to notify all affected Parties.
- 3.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or TriStar) identified and agreed to, the company responsible for creating the data (BellSouth or TriStar) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the

responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from TriStar, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify TriStar of the error condition. TriStar will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, TriStar will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide TriStar with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 3.18 RAO Compensation
- 3.18.1 Rates for message distribution service provided by BellSouth for TriStar are as set forth in Exhibit A to this Attachment.
- 3.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- 3.18.3 Data circuits (private line or dial-up) will be required between BellSouth and TriStar for the purpose of data transmission. Where a dedicated line is required, TriStar will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. TriStar will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to TriStar. Additionally, all message toll charges associated with the use of the dial circuit by TriStar will be the responsibility of TriStar. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 3.18.4 All equipment, including modems and software, that is required on the TriStar end for the purpose of data transmission will be the responsibility of TriStar.
- 3.19 Intercompany Settlements Messages
- 3.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by TriStar as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that

originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between TriStar and the involved company(ies), unless that company is participating in NICS.

- 3.19.2 Both traffic that originates outside the BellSouth region by TriStar and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by TriStar, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by TriStar, involves a company other than TriStar, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.19.3 Once TriStar is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 3.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of TriStar. BellSouth will distribute copies of these reports to TriStar on a monthly basis.
- 3.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of TriStar. BellSouth will distribute copies of these reports to TriStar on a monthly basis.
- 3.19.6 BellSouth will collect the revenue earned by TriStar from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of TriStar. BellSouth will remit the revenue billed by TriStar to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on TriStar. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to TriStar via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.19.7 BellSouth will collect the revenue earned by TriStar within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of TriStar. BellSouth will remit the revenue billed by TriStar within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to TriStar via a monthly CABS miscellaneous bill.
- 3.19.8 BellSouth and TriStar agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from TriStar, BellSouth will provide the Optional Daily Usage File (ODUF) service to TriStar pursuant to the terms and conditions set forth in this section.
- 4.2 TriStar shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a TriStar customer.
- 4.4 Charges for delivery of the ODUF will appear on TriStars' monthly bills. The charges are as set forth in Exhibit A to this Attachment. The following charges would apply:
- 4.4.1 ODUF: Message Processing, per Magnetic Tape provisioned or ODUF: Data Transmission (CONNECT:DIRECT), per message depending on the distribution method chosen by TriStar;
- 4.4.2 ODUF: Message Processing, per message element will be charged for billable messages in the ODUF file; and/or,
- 4.4.3 ODUF: Recording, per message and ODUF: Message Processing, per message for Operator Services/Directory Assistance messages should TriStar record its own call detail for billing but contract with BellSouth to provide Operator Services/Directory Assistance service.
- 4.5 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of TriStar will be the responsibility of TriStar. If, however, TriStar should encounter significant volumes of errored messages that prevent processing by TriStar within its systems, BellSouth will work with TriStar to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the Optional Daily Usage Feed.

4.7.1 USAGE TO BE TRANSMITTED

- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to TriStar:
 - Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.)

- Measured billable Local
- Directory Assistance messages
- IntraLATA Toll
- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 4.7.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to TriStar.
- 4.7.1.4 In the event that TriStar detects a duplicate on ODUF they receive from BellSouth, TriStar will drop the duplicate message (TriStar will not return the duplicate to BellSouth).

4.7.2 **PHYSICAL FILE CHARACTERISTICS**

- 4.7.2.1 ODUF will be distributed to TriStar via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and TriStar for the purpose of data transmission. Where a dedicated line is required, TriStar will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. TriStar will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will

be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to TriStar. Additionally, all message toll charges associated with the use of the dial circuit by TriStar will be the responsibility of TriStar. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on TriStar's end for the purpose of data transmission will be the responsibility of TriStar.

4.7.3 **PACKING SPECIFICATIONS**

- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to TriStar which BellSouth RAO that is sending the message. BellSouth and TriStar will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by TriStar and resend the data as appropriate.

The data will be packed using ATIS EMI records.

4.7.4 **PACK REJECTION**

4.7.4.1 TriStar will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. TriStar will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to TriStar by BellSouth.

4.7.5 **CONTROL DATA**

4.7.5.1 TriStar will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate TriStar received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by TriStar for reasons stated in the above section.

4.7.6 **TESTING**

4.7.6.1 Upon request from TriStar, BellSouth shall send test files to TriStar for ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that TriStar set up a production (LIVE) file. The live test may consist of TriStar's employees making test calls for the types of services TriStar requests on ODUF. These test calls are logged by

TriStar, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from TriStar, BellSouth will provide the Access Daily Usage File (ADUF) service to TriStar pursuant to the terms and conditions set forth in this section.
- 5.2 TriStar shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that TriStar has purchased from BellSouth
- 5.4 Charges for delivery of ADUF will appear on TriStar's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of TriStar will be the responsibility of TriStar. If, however, TriStar should encounter significant volumes of errored messages that prevent processing by TriStar within its systems, BellSouth will work with TriStar to determine the source of the errors and the appropriate resolution.

5.6 USAGE TO BE TRANSMITTED

- 5.6.1 The following messages recorded by BellSouth will be transmitted to TriStar:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 When TriStar purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:
- 5.6.2.1 Originating from Network Element and carried by Interexchange Carrier:
- 5.6.2.1.1 BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF.
- 5.6.2.2 Originating from network element and carried by BellSouth (TriStar is BellSouth's toll customer).
- 5.6.2.3 Terminating on network element and carried by Interexchange Carrier:

- 5.6.2.3.1 BellSouth will bill network element to TriStar and send access record to TriStar.
- 5.6.2.4 Terminating on network element and carried by BellSouth:
- 5.6.2.4.1 BellSouth will bill network element to TriStar and send access record to TriStar.
- 5.6.3 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to TriStar.
- 5.6.4 In the event that TriStar detects a duplicate on ADUF they receive from BellSouth, TriStar will drop the duplicate message (TriStar will not return the duplicate to BellSouth.)

5.6.5 **PHYSICAL FILE CHARACTERISTICS**

- 5.6.5.1 ADUF will be distributed to TriStar via CONNECT:Direct. The Access Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and TriStar for the purpose of data transmission. Where a dedicated line is required, TriStar will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. TriStar will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to TriStar. Additionally, all message toll charges associated with the use of the dial circuit by TriStar will be the responsibility of TriStar. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on TriStar's end for the purpose of data transmission will be the responsibility of TriStar.

5.6.6 **PACKING SPECIFICATIONS**

- 5.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to TriStar which BellSouth RAO is sending the message. BellSouth and TriStar will use the invoice sequencing to

control data exchange. BellSouth will be notified of sequence failures identified by TriStar and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.7 **PACK REJECTION**

5.6.7.1 TriStar will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. TriStar will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to TriStar by BellSouth.

5.6.8 **CONTROL DATA**

TriStar will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate TriStar received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by TriStar for reasons stated in the above section.

5.6.9 <u>Testing</u>

5.6.9.1 Upon request from TriStar, BellSouth shall send a test file of generic data to TriStar via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

7. <u>ENHANCED OPTIONAL DAILY USAGE FILE</u>

- 7.1 Upon written request from Talk America, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Talk America pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 7.2 Talk America shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on the Talk America's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 7.5 Messages that error in the billing system of Talk America will be the responsibility of Talk America. If, however, Talk America should encounter significant volumes of errored messages that prevent processing by Talk America within its systems, BellSouth will work with Talk America to determine the source of the errors and the appropriate resolution.
- 7.7 The following specifications shall apply to the Optional Daily Usage File feed.

7.6.1 USAGE TO BE TRANSMITTED

7.6.1.1 The following messages recorded by BellSouth will be transmitted to Talk America:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators

Bill to Number

- 7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Talk America.
- 7.6.1.3 In the event that Talk America detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Talk America will drop the duplicate message (Talk America will not return the duplicate to BellSouth).

7.6.2 PHYSICAL FILE CHARACTERISTICS

7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Talk America over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Talk America's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte

format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Talk America for the purpose of data transmission. Where a dedicated line is required, Talk America will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Talk America will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Talk America. Additionally, all message toll charges associated with the use of the dial circuit by Talk America will be the responsibility of Talk America. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Talk America's end for the purpose of data transmission will be the responsibility of Talk America.

7.6.3 PACKING SPECIFICATIONS

- 7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Talk America which BellSouth RAO that is sending the message. BellSouth and Talk America will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Talk America and resend the data as appropriate.

The data will be packed using ATIS EMI records.

DUF/ADUF	/CMDS - Alabama				•	•	•	•	•	•			Attachment:	7	Exhibit: A	
I											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
ļ											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ŀ		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
ŀ		- ""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$					+	_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DDUF/ADUF/CI	MDS															
ACCES	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										↓
	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0002										
	ODUF: Message Processing, per message				N/A	0.0033										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	55.19										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001			_							

04/12/02 Page 1 of 9

ODUF/ADUI	F/CMDS - Florida												Attachment:	7	Exhibit: A	
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		DA.	TES(\$)			Elec				Manual Svc	
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300		NA.	i Ε3(φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
				-	†	Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	<u>.u</u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.014391										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTIO	NAL DAILY USAGE FILE (ODUF)					0.000										
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

04/12/02 Page 2 of 9

ODUF/ADU	F/CMDS - Georgia								•				Attachment:	7	Exhibit: A	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incrementa Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		.4
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

04/12/02 Page 3 of 9

DDUF/ADUI	F/CMDS - Kentucky			•		•	•	•	•	•			Attachment:	7	Exhibit: A	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			Elec per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Sv
		m									per Lore	per Lore	Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DDUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

04/12/02 Page 4 of 9

DDUF/ADUF	F/CMDS - Louisiana								•				Attachment:	7	Exhibit: A	
												Submitted		Charge -	Charge -	Charge -
ATE 000V	DATE EL EMENTO	Interi	-	500				TEO(A)			Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DDUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

04/12/02 Page 5 of 9

DUF/ADUF	/CMDS - Mississippi												Attachment:	7	Exhibit: A	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			Elec per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svo
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUF/ADUF/CI																
	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTION	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

04/12/02 Page 6 of 9

												Attachment:	<u>, </u>	Exhibit: A	<u> </u>
											Submitted		Charge -	Charge -	Charge -
DATE ELEMENTO	Interi	.	500			D.4.	FFO(6)			Elec				Manual Svc	
RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
					Do-	Nonre	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	<u> </u>
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ILY USAGE FILE (ADUF)															
F: Message Processing, per message				N/A	0.004										
T. Data Tanansiasias (CONNECT-DIDECT)				NI/A	0.004										
				IN/A	0.001										
				NI/A	0.0003										
		-													
															
F: Message Processing, per Magnetic Tape provisioned				IN/A	54.61										
F: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0004										
ED MESSAGE DISTRIBUTION SERVICE (CMDS)															
S: Message Processing, per message				N/A	0.004										
S: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
F: F: S	Message Processing, per message Data Transmission (CONNECT:DIRECT), per message AILY USAGE FILE (ODUF) Recording, per message Message Processing, per message Message Processing, per Magnetic Tape provisioned Data Transmission (CONNECT:DIRECT), per message MESSAGE DISTRIBUTION SERVICE (CMDS) Message Processing, per message Data Transmission (CONNECT:DIRECT), per message Data Transmission (CONNECT:DIRECT), per message	Message Processing, per message Data Transmission (CONNECT:DIRECT), per message AILY USAGE FILE (ODUF) Recording, per message Message Processing, per message Message Processing, per Magnetic Tape provisioned Data Transmission (CONNECT:DIRECT), per message D MESSAGE DISTRIBUTION SERVICE (CMDS) Message Processing, per message Data Transmission (CONNECT:DIRECT), per message Data Transmission (CONNECT:DIRECT), per message D Data Transmission (CONNECT:DIRECT), per message	Message Processing, per message Data Transmission (CONNECT:DIRECT), per message AILY USAGE FILE (ODUF) Recording, per message Message Processing, per message Message Processing, per Magnetic Tape provisioned Data Transmission (CONNECT:DIRECT), per message D MESSAGE DISTRIBUTION SERVICE (CMDS) Message Processing, per message Data Transmission (CONNECT:DIRECT), per message Data Transmission (CONNECT:DIRECT), per message	: Message Processing, per message : Data Transmission (CONNECT:DIRECT), per message AILY USAGE FILE (ODUF) : Recording, per message : Message Processing, per message : Message Processing, per Magnetic Tape provisioned : Data Transmission (CONNECT:DIRECT), per message D MESSAGE DISTRIBUTION SERVICE (CMDS) : Message Processing, per message	Message Processing, per message N/A Data Transmission (CONNECT:DIRECT), per message N/A AILY USAGE FILE (ODUF) Recording, per message N/A Message Processing, per message N/A Message Processing, per Magnetic Tape provisioned N/A Data Transmission (CONNECT:DIRECT), per message N/A D MESSAGE DISTRIBUTION SERVICE (CMDS) Message Processing, per message N/A D LATA Transmission (CONNECT:DIRECT), per message N/A	: Message Processing, per message N/A 0.004 :: Data Transmission (CONNECT:DIRECT), per message N/A 0.001 AILY USAGE FILE (ODUF) :: Recording, per message N/A 0.0003 :: Message Processing, per message N/A 0.0032 :: Message Processing, per Magnetic Tape provisioned N/A 54.61 :: Data Transmission (CONNECT:DIRECT), per message N/A 0.0004 D MESSAGE DISTRIBUTION SERVICE (CMDS) N/A 0.004 :: Message Processing, per message N/A 0.004 :: Data Transmission (CONNECT:DIRECT), per message N/A 0.001	Rec First	First Add'	PUSAGE FILE (ADUF) I Message Processing, per message Data Transmission (CONNECT:DIRECT), per message N/A N/A N/A N/A N/A N/A N/A N/	Rec First Add'I First Add'I LY USAGE FILE (ADUF) : Message Processing, per message : Data Transmission (CONNECT:DIRECT), per message N/A 0.001	Rec First Add'I First Add'I SOMEC LY USAGE FILE (ADUF) : Message Processing, per message Data Transmission (CONNECT:DIRECT), per message N/A N/A 0.001 Recording, per message N/A 0.003 Message Processing, per message N/A 0.0032 Message Processing, per Magnetic Tape provisioned Data Transmission (CONNECT:DIRECT), per message N/A 0.0003 M/A 0.0032 Message Processing, per Magnetic Tape provisioned N/A 0.0004 Data Transmission (CONNECT:DIRECT), per message N/A 0.0004 Data Transmission (CONNECT:DIRECT), per message N/A 0.0004	Rec First Add'I First Add'I SOMEC SOMAN YUSAGE FILE (ADUF) E Message Processing, per message N/A N/A N/A N/A N/A N/A N/A N/	1st Nonrecurring Nonrecurring Nonrecurring Some Some	Nonrecurring Nonrecurring Nonrecurring Nonrecurring Disconnect OSS Rates(\$)	Nonrecurring Nonrecurring Nonrecurring Disconnect OSS Rates(S)

04/12/02 Page 7 of 9

ODUF	/ADUF	/CMDS - South Carolina												Attachment:	7	Exhibit: A	
													Svc Order Submitted			Incremental	Incremental Charge -
												Elec			Charge - Manual Svc	Charge - Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/C																
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.008061										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
	OPTIO	IAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000216										
		ODUF: Message Processing, per message				N/A	0.004704										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004				•						
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

04/12/02 Page 8 of 9

ODUI	F/ADUF	/CMDS - Tennessee												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA [*]	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF	ADUF/C	MDS															
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.004										
		ABUE B . T															
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000044										
		ODUF: Message Processing, per message				N/A	0.0027366										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										<u> </u>
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appli	icable BellSou	th tariff or as n	egotiated by t	he Parties upon	request by e	ther Party.					

04/12/02 Page 9 of 9

AMENDMENT TO THE

AGREEMENT BETWEEN TRISTAR COMMUNICATIONS

AND

BELLSOUTH TELECOMMUNICATIONS, INC. **DATED AUGUST 13, 2002**

Pursuant to this Amendment, (the "Amendment"), Tristar Communications and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated August 13, 2002 ("Agreement").

WHEREAS, BellSouth and Tristar Communications entered into the Agreement on August 13, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Attachment 2, Network Elements and Other Services, is hereby deleted in its entirety and replaced with a new Attachment 2, attached as Exhibit 1.
- 2. Attachment 2, Exhibit C, Network Elements and Other Services Rates, is hereby deleted in its entirety and replaced with a new Attachment 2, Exhibit C, Unbundled Network Elements Rates, attached as Exhibit 2.
- 3. All of the other provisions of the Agreement, dated August 13, 2002, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Tristar Communications	BellSouth Telecommunications, Inc.
By: <u>Signature on File</u>	By: Signature on File
Name: Nathan Goss	Name: Elizabeth R. A. Shiroishi
Title: Vice President	Title: Assistant Director
Date: <u>11-18-02</u>	Date: <u>11-18-02</u>

Attachment 2

Page 1

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

l	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	. 25
4	LOCAL SWITCHING	. 35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	. 48
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE	. 53
8	LINE INFORMATION DATABASE (LIDB)	. 53
9	SIGNALING	. 56
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE).	. 62
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	. 68
12	CALLING NAME (CNAM) DATABASE SERVICE	. 68
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	. 70
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	. 71
LID	B Storage Agreement Exhibit	: A
Rate	es Exhibit	B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Tristar in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Tristar. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Tristar to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Tristar used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Tristar, and to the extent technically feasible, provide to Tristar access to its Network Elements for the provision of Tristar's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Tristar may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Tristar chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Tristar to the demarcation point associated with Tristar's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Tristar may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 Rates
- 1.7.1 The prices that Tristar shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Tristar purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.7.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.7.3 If Tristar modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Tristar in accordance with FCC No. 1 Tariff, Section 5.
- 1.7.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Tristar's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Tristar can use the Special Construction process to request that BellSouth place facilities in order to meet Tristar's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Tristar in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Tristar may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Tristar has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Tristar shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Tristar using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Tristar will be responsible for testing and isolating troubles on the Loops. Tristar must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Tristar will be required to provide the results of the Tristar test which indicate a problem on the BellSouth provided loop.
- Once Tristar has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Tristar reports a trouble on a non-designed or designed loop and no trouble actually exists, BellSouth will charge Tristar for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.

2.1.9 Order Coordination and Order Coordination-Time Specific

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Tristar to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Tristar's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical

conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Tristar to order a specific time for OC to take place. BellSouth will make every effort to accommodate Tristar's specific conversion time request. However, BellSouth reserves the right to negotiate with Tristar a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Tristar may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Tristar specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Tristar when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Tristar's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Tristar pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option –	Charged for Dispatch inside and outside
(Non- Designed)				ordered as Engineering	Central Office
Designea)				Information	

				Document	
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Tristar must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Tristar will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in

two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Tristar. Tristar may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Tristar may request further testing on new UVL-SL1 loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Tristar. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Tristar to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled HDSL Compatible Loop

- 2.3.2.6 4-wire Unbundled DS1 Digital Loop
- 2.3.2.7 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.8 DS3 Loop
- 2.3.2.9 STS-1 Loop
- 2.3.2.10 OC-3 Loop
- 2.3.2.11 OC-12 Loop
- 2.3.2.12 OC-48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Tristar will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.

A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. OC-3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC-12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.
- 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Tristar.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Tristar to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any

intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Tristar can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Tristar may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Tristar to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Tristar may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Tristar, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Tristar will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders,

etc.), so that Tristar can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Tristar will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

- 2.5.4 In those cases where Tristar has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 Tristar shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Tristar desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for Tristar, Tristar will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by Tristar is available at the location for which the ULM was requested, Tristar will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, Tristar will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Tristar has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Tristar. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Tristar (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Tristar will then have the option of paying the one-time SC rates to place the loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Tristar to connect Tristar's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Tristar may access the end user's customer-premises wiring by any of the following means and Tristar shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 1) BellSouth shall allow Tristar to connect its loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Tristar's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Tristar to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Tristar's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Tristar may request BellSouth to do additional work to the NID on a time and material basis. When Tristar deploys its own local loops with respect to multiple-line termination devices, Tristar shall specify the quantity of NIDs connections that it requires within such device.
- 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Tristar requests a UCSL and it is not available, Tristar may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Tristar's use on this cross-connect panel. Tristar will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Tristar shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Tristar's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Tristar is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Tristar's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Tristar's request for Unbundled Sub-Loops, Tristar may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Tristar will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Tristar can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Tristar's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Tristar will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Tristar requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Tristar for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber

configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing Multi-Dwelling Units (MDUs) and/or Multi-Tenant Units (MTUs) in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Tristar will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Tristar for each pair activated commensurate to the price specified in Tristar's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Tristar's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Tristar will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Tristar may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Tristar. Tristar will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.

- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 **Unbundled Loop Concentration (ULC)**

- 2.8.5.1 BellSouth will provide to Tristar Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to Tristar at Tristar's collocation site. System B will allow up to 192
 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be
 upgraded to a System B. A minimum of two DS1s is required for each system
 (i.e., System A requires two DS1s and System B would require an additional two
 DS1s or four in total). All DS1 interfaces will terminate to Tristar's collocation
 space. ULC service is offered with concentration (2 DS1s for 96 channels) or
 without concentration (4 DS1s for 96 channels) and with or without protection. A
 Loop Interface element will be required for each loop that is terminated onto the
 ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Tristar may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Tristar's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Tristar's sub-loops to be

concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Tristar's demarcation point associated with Tristar's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Tristar is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Tristar's sub-loops to be placed on the USLC and transported to Tristar's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Tristar's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Tristar to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 Tristar is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Tristar information regarding the location, availability and performance of Dark Fiber

Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Tristar.

2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Tristar within twenty (20) business days after Tristar submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Tristar to connect Tristar provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Tristar LMU information so that Tristar can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Tristar intends to install and the services Tristar wishes to provide. This section addresses LMU as a preordering transaction, distinct from Tristar ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Tristar LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Tristar as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 Tristar may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Tristar and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR

must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Tristar's ability to provide advanced data services over the ordered loop type. Further, if Tristar orders loops that do not require a specific facility medium (i.e. copper only) or loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Tristar is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Tristar may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Tristar needs further loop information in order to determine loop service capability, Tristar may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Tristar may reserve up to ten Loop facilities. For a Manual LMUSI, Tristar may reserve up to three Loop facilities.
- 2.9.3.2 Tristar may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Tristar. During and prior to Tristar placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Tristar does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Tristar will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Tristar does not reserve facilities upon an initial LMUSI, Tristar's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Tristar has reserved multiple Loop facilities on a single reservation, Tristar may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Tristar, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Tristar. If the ordered Loop type is not available, Tristar may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Tristar access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Tristar the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Tristar shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Tristar on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section

2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Tristar requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Tristar shall pay for the Loop to be restored to its original state.

- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Tristar desires to continue providing xDSL service on such Loop, Tristar shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Tristar notice in a reasonable time prior to disconnect, which notice shall give Tristar an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Tristar purchases the full stand-alone loop, Tristar may elect the type of loop it will purchase. Tristar will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Tristar purchases a voice grade Loop, Tristar acknowledges that such Loop may not remain xDSL compatible.
- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide Tristar with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Tristar must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Tristar may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Tristar's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.

- 3.2.1.3 Once a splitter is installed on behalf of Tristar in a central office in which Tristar is located, Tristar shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Tristar shall pay the electronic or manual ordering charges as applicable when Tristar orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Tristar's data.

3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Tristar access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Tristar's xDSL equipment in Tristar's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Tristar with a carrier notification letter, informing Tristar of change. Tristar shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Tristar shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Tristar's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Tristar's DS0 termination point as possible. Tristar shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Tristar on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Tristar DS0 at such time that a Tristar end user's service is established.

3.4 **CLEC Provided Splitter**

- 3.4.1 Tristar may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Tristar may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 shall apply.
- 3.4.2 Any splitters installed by Tristar in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Tristar may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 Tristar shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Tristar the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Tristar access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Tristar shall pay the rates for such services, as described in Exhibit B.

3.6 **Maintenance and Repair**

- 3.6.1 Tristar shall have access for repair and maintenance purposes to any loop for which it has access to the High Frequency Spectrum. If Tristar is using a BellSouth owned splitter, Tristar may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Tristar provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Tristar will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Tristar shall inform its end users to direct data problems to Tristar, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Tristar, BellSouth will notify Tristar. Tristar will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Tristar will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing

BellSouth with the verbal CFA pair changes, BellSouth may discontinue Tristar's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Tristar shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Tristar will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Tristar or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Tristar for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Tristar or its authorized agent to determine if the loop is compatible for Line Splitting Service. Tristar or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and Tristar or its authorized agent submits an LSR to BellSouth to change the loop.

3.8 **Provisioning Line Splitting and Splitter Space**

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Tristar or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device

(NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.9 Ordering

- 3.9.1 Tristar shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Tristar the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Tristar access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Tristar shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide loop modification to Tristar on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.10 Maintenance

3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Tristar will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.10.2 Tristar shall inform its end users to direct data problems to Tristar, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.10.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.10.5 If Tristar is not the data provider, Tristar shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide Tristar access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Tristar the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the subloop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Tristar shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to Tristar on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a loop for access to the High Frequency spectrum if modification of that loop significantly degrades BellSouth's voice service. If Tristar requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the loop, Tristar shall pay for the loop to be restored to its original state.
- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Tristar desires to continue providing xDSL service on such sub-loop, Tristar shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Tristar notice in a reasonable time prior to disconnect, which notice shall give Tristar an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Tristar purchases the full stand-alone sub-loop, Tristar may elect the type of sub-loop it will purchase. Tristar will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Tristar purchases a voice grade Loop, Tristar acknowledges that such sub-loop may not remain xDSL compatible.
- 3.11.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 **Provisioning of High Frequency Spectrum and Splitter Space**
- 3.12.1 BellSouth will provide Tristar with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Tristar must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.

- 3.12.1.2 Tristar may provide its own splitters or may order splitters in a remote site once the Tristar has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Tristar's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.12.1.3 Once a splitter is installed on behalf of Tristar in a remote site in which Tristar is located, Tristar shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Tristar shall pay applicable for High Frequency Spectrum end-user activation.

3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Tristar's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Tristar will provide a cable facility to the BellSouth FDI. BellSouth will splice the Tristar's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Tristar's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Tristar's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Tristar's Remote Terminal (RT) collocation space and routed back to the Tristar's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Tristar with a carrier notification letter informing Tristar of change. Tristar shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Tristar's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Tristar's DS0 termination point as possible. Tristar shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Tristar DS0 at such time that a Tristar end user's service is established.

3.14 **CLEC Owned Splitter**

3.14.1 Tristar may at its option purchase, install and maintain splitters in its collocation arrangements. Tristar may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency

Spectrum. Existing Collocation rules and procedures shall apply. Tristar will be required to activate cable pairs in no less than 8 (eight) pair increments.

Any splitters installed by Tristar in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Tristar may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.15 **Ordering**

- 3.15.1 Tristar shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Tristar the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.15.4 BellSouth will provide Tristar access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Tristar shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Tristar's data.

3.16 **Maintenance and Repair**

- 3.16.1 Tristar shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Tristar is using a BellSouth owned splitter, Tristar may access the sub-loop at the point where the data signal exits. If Tristar provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Tristar will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Tristar shall inform its end users to direct data problems to Tristar, unless both voice and data services are impaired, in which event the end users should call BellSouth.

- 3.16.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Tristar, BellSouth will notify Tristar. Tristar will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Tristar will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Tristar's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Tristar for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Tristar for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Tristar when

Tristar serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that Tristar orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Tristar the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Tristar's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Tristar purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Tristar local end user, or originated by a BellSouth local end user and terminated to a Tristar local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Tristar the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Tristar shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Tristar purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Tristar end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Tristar the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Tristar shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Tristar the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Tristar selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Tristar will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 **Remote Call Forwarding**

- 4.2.10.1 As an option, BellSouth shall make available to Tristar an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Tristar will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Tristar the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the

URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Tristar all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Tristar.

4.2.12 **Local Switching Interfaces**.

- 4.2.12.1 Tristar shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Tristar and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Tristar.

- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Tristar's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Tristar's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Tristar's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Tristar. AIN Selective Carrier Routing will provide Tristar with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Tristar shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Tristar, the routing of Tristar's end user calls shall be pursuant to information provided by Tristar and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Tristar shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Tristar end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Tristar shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required

forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to Tristar's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Tristar, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Tristar following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Tristar following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Tristar following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Tristar seeks to offer;
- 4.5.2.3 BellSouth has not permitted Tristar to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor

has Tristar obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and

- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Tristar are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Tristar are not already combined by BellSouth in the location requested by Tristar but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Tristar are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled loops and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Tristar with EELs where they are available.
- 5.2.2 BellSouth will provide access to EELs in the combinations set forth in Section 5.4.1 below.
- 5.2.3 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Tristar's collocation space in a BellSouth central office. The circuit must be connected to the Tristar's switch for the purpose of provisioning circuit telephone exchange service to the Tristar's end-user customers. Tristar may connect EELs within the Tristar's collocation space to other transport terminating into Tristar's switch. Tristar may also connect the local loops listed in Section 5.3.1.3 to an appropriate Unbundled Local Channel to form additional EELs which terminate in Tristar's switch. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Tristar's request, terminate to a CLEC's Point of Presence ("POP"). Tristar will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seg. below. Upon BellSouth's request, Tristar shall indicate under what local usage option Tristar seeks to qualify. Tristar shall be deemed to providing a significant amount of local exchange service over the requested combination if one of the options listed in

Section 5.3.1 et seq. is met. BellSouth shall have the right to audit Tristar's EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

- Tristar may not convert existing special access services to combinations of loop and transport network elements, whether or not Tristar self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Tristar uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Tristar requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Tristar shall provide to BellSouth a certification that Tristar is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Tristar seeks to qualify for conversion of special access circuits. Tristar shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** Tristar certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Tristar's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Tristar is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Tristar can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** Tristar certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at Tristar's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

- 5.3.1.3 **Option 3:** Tristar certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Tristar does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.2 In addition, there may be extraordinary circumstances where Tristar is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Tristar may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon Tristar's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Tristar's records in order to verify compliance with the local usage option provided by Tristar pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Tristar shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Tristar shall reimburse BellSouth for the cost of the audit. If, based on the audit, Tristar is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth will convert such combinations of loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Tristar for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Tristar is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.
- 5.3.4 In the event Tristar converts special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section, Tristar shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.4 Rates

- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.4.1.12 4wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop

- 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that Tristar requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for interLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, as long as such combinations are Ordinarily Combined in BellSouth's network.
- 5.5.3 Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations described in Section 5.5.6 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations not described in Section 5.5.6 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 5.5.4 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.4.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville,

TN; and New Orleans, LA, MSAs to Tristar if Tristar's customer has 4 or more DS0 equivalent lines.

- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.5 BellSouth shall make 911 updates in the BellSouth 911 database for Tristar's UNE port/loop combinations. BellSouth will not bill Tristar for 911 surcharges. Tristar is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.6 Combination Offerings
- 5.5.6.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching,

unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6 **Other UNE Combinations**

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Tristar in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Tristar requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5.6.2 Rates

The rates for Ordinarily Combined UNE Combinations shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations shall be the sum of the recurring rates for the stand-alone network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Tristar requests a Not Typically Combined Combination, or to the extent Tristar requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Tristar for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Tristar.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring,

such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Tristar exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Tristar to connect such interoffice facilities to equipment designated by Tristar, including but not limited to, Tristar's collocated facilities; and
- Permit, to the extent technically feasible, Tristar to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Tristar's Point of Presence ("POP") and Tristar's collocation space in the BellSouth Serving Wire Center for Tristar's POP, and

6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. As a circuit (e.g., DS0, DS1, DS3) dedicated to Tristar. 6.2.1.3.2 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Tristar designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Tristar shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 BellSouth Technical References:

- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)
 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Tristar may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Tristar's channelization equipment must adhere strictly to form and protocol standards. Tristar must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Tristar's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Tristar's POP to Tristar's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Tristar to utilize Dark Fiber Transport.
- 6.4.2 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 Tristar is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

- 6.4.2.3 BellSouth shall use its best efforts to provide to Tristar information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Tristar. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Tristar within twenty (20) business days after Tristar submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Tristar to connect Tristar provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Tristar's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Tristar.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Tristar must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements

- 8.2.1 BellSouth will offer to Tristar any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Tristar's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Tristar what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Tristar, BellSouth shall provide Tristar with a list of the customer data items, which Tristar would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Tristar data to the LIDB shall be solely at the direction of Tristar. Such direction from Tristar will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Tristar data upon Tristar's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Tristar customer records will be missing from LIDB, as measured by Tristar audits. BellSouth will audit Tristar records in LIDB against DBAS to identify record mismatches and provide this data to a designated Tristar contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Tristar within one business day of audit. Once reconciled records are received back from Tristar, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Tristar to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of Tristar's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Tristar with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Tristar and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Tristar data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Tristar in writing.
- 8.2.13 BellSouth shall provide Tristar performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Tristar at least at parity with BellSouth Customer Data. BellSouth shall obtain from Tristar the screening information associated with LIDB Data Screening of Tristar data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Tristar under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Tristar customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Tristar shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Tristar shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Tristar-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Tristar's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Tristar local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Tristar local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Tristar or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Tristar database, then Tristar agrees to provide BellSouth with the Destination Point Code for Tristar database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Tristar or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Tristar, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Tristar's SS7 network to exchange TCAP queries and responses with a Tristar SCP.
- 9.4.2 SS7 AIN Access shall provide Tristar SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Tristar SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Tristar SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements

- 9.4.3.1 BellSouth shall provide the following STP options to connect Tristar or Tristar-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Tristar local switching systems; and,
- 9.4.3.1.2 A B-link interface from Tristar local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Tristar local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Tristar switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Tristar local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Tristar switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Tristar from any signaling point or network interconnected through BellSouth's SS7 network where the Tristar SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service

Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Tristar local signaling transfer point switches or Tristar local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Tristar local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Tristar or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Tristar local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the

Tristar local signaling transfer point switches and BellSouth or other third-party local switch.

- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Tristar local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Tristar local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Tristar or Tristar-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Tristar local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Tristar STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of

interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Tristar local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Tristar switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to Tristar end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.
- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.

10.2.10	Process operator-assisted directory assistance calls.
10.2.11	Adhere to equal access requirements, providing Tristar local end users the same IXC access as provided to BellSouth end users.
10.2.12	Exercise at least the same level of fraud control in providing Operator Service to Tristar that BellSouth provides for its own operator service.
10.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
10.2.14	Direct customer account and other similar inquiries to the customer service center designated by Tristar.
10.2.15	Provide call records to Tristar in accordance with ODUF standards specified in Attachment 7.
10.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
10.3	<u>Directory Assistance Service</u>
10.3.1	Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
10.3.2	Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Tristar's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
10.3.3	<u>Directory Assistance Service Updates</u>
10.3.3.1	BellSouth shall update end user listings changes daily. These changes include:
10.3.3.1.1	New end user connections;
10.3.3.1.2	End user disconnections;
10.3.3.1.3	End user address changes.
10.3.3.2	These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
10.4	Branding for Operator Call Processing and Directory Assistance

- 10.4.1 BellSouth's branding feature provides a definable announcement to Tristar end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Tristar to have its calls custom branded with Tristar's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- 10.4.2 BellSouth offers three branding offering options to Tristar when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Tristar, the order is considered firm after ten business days. Should Tristar decide to cancel the order, written notification to Tristar's Local Contract Manager is required. If Tristar decides to cancel after ten business days from receipt of the custom branding order, Tristar shall pay all charges per the order.
- 10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 10.4.4.1 Where Tristar purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Tristar's end user calls to that provider through Selective Call Routing.
- 10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Tristar to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, Tristar specific and unique line class codes are programmed in each BellSouth end office switch where Tristar intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Tristar's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Tristar intends to provide Tristar -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.

- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Tristar to order dedicated trunking from each BellSouth end office identified by Tristar, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Tristar Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Tristar to the BellSouth TOPS. These calls are routed to "No Announcement."
- The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Tristar shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Tristar must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Tristar must submit a manual order form which requires, among other things, Tristar's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Tristar shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Tristar's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Tristar end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.12 BellSouth Branding is the default branding offering.

10.4.4.13 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Tristar applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Tristar shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Tristar is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 Facilities Based Carrier Branding

- 10.4.5.1 All Service Levels require Tristar to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Tristar requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of Tristar;
- 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of Tristar;
- 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of

providing Directory Assistance type services to Tristar end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Tristar agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Tristar agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

- 10.5.2 BellSouth shall initially provide Tristar with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from Tristar to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Tristar's previous update. Delivery of updates will commence immediately after Tristar receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Tristar mutually develop CONNECT: Direct TM electronic connectivity. Tristar will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Tristar authorizes the inclusion of Tristar Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 **Direct Access to Directory Assistance Service**

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Tristar's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Tristar with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Tristar by BellSouth upon subscription to the service. Subscription to DADAS requires that Tristar utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide Tristar access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Tristar after Tristar provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Tristar requests otherwise and shall be updated if Tristar requests, provided Tristar supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface), it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- The interface between the E911 Switch or Tandem and the ALI/DMS database for Tristar end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Tristar the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Tristar shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Tristar's access to BellSouth's CNAM Database Services and shall be addressed to Tristar's Local Contract Manager.

- BellSouth's provision of CNAM Database Services to Tristar requires interconnection from Tristar to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Tristar shall provide its own CNAM SSP. Tristar's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Tristar elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Tristar desires to query.
- 12.6 If Tristar queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Tristar for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Tristar in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Tristar to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Tristar CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Tristar the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Tristar. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Tristar service logic and data from unauthorized access.
- When Tristar selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Tristar to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Tristar access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Tristar to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 <u>Basic 911 Service Provisioning.</u> BellSouth will provide to Tristar a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Tristar will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Tristar will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Tristar will be required to begin using E911 procedures.
- 14.3 <u>E911 Service Provisioning.</u> Tristar shall install a minimum of two dedicated trunks originating from the Tristar serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s)

interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Tristar will be required to provide BellSouth daily updates to the E911 database. Tristar will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Tristar will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Tristar shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Tristar beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Tristar shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Tristar may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge

- In the event Tristar provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Tristar will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Tristar creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Tristar.
- C. Special billing number a ten-digit number that identifies a billing account established by Tristar.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Tristar that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Tristar.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Tristar.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Tristar and pursuant to which BellSouth, its LIDB customers and Tristar shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Tristar's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Tristar understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Tristar, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Tristar's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and

Version 3Q02: 09/06/02

Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Tristar has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Tristar of fraud alerts so that Tristar may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Tristar pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Tristar for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Tristar's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Tristar's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Tristar and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Tristar. It shall be the responsibility of Tristar and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Tristar will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Tristar. BellSouth will not issue line-based calling cards in the name of Tristar's individual End Users. In the event that Tristar wants to include calling card numbers assigned by Tristar in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Tristar will not be charged a fee for storage services provided by BellSouth to Tristar as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Tristar in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

UNRI	NDI F	D NETWORK ELEMENTS - Alabama												Attachment:	2	Evhi	bit: C
2.120			1			1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
CAILC	OKI	KATE EEEMENTO	m	Zone	500	0000			KAT LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	rurring	Nonrecurring	Disconnect		l .	OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	nart of	a com	hination refers to Ge	eographically	/ Deaveraged II									COMPAR	COMPAN
		www.interconnection.bellsouth.com/become_a_clec/html/inter				cograpmoun	y Deaveragea o	112 201103. 10	view ocorgrap	miouny Deaver	agea one zor	ic Desiguini	ons by 0 0,	reier to liner	net Website.		
OPERA		L SUPPORT SYSTEMS	l	I	1	1	1				l	1	ı		l		
OI LIV		(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator i	it prefers the state	specific elec	tronic service o	rdering charge	es as ordered b	v the State Co	mmissions T	he electron	ic service o	dering charg	e currently co	ntained in thi	s rate
		t is the BellSouth regional electronic service ordering charge.															0.440
		(2) Any element that can be ordered electronically will be bill															ly For
		elements that cannot be ordered electronically at present per t															
						e in this cate	gory reflects th	e charge that v	would be billed	to a CLEC on	ce electronic o	proering cap	abilities co	me on-line to	r that element	. Otherwise,	tne manuai
	oraerir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	omits ai	LSK	o BellSouth.						1						
		Electronic OSS Charge, per LSR, submitted via BST's OSS				COMEC		2.52									
-		interactive interfaces (Regional)	!	<u> </u>	 	SOMEC	ļ	3.50		4.67		-					
LINE C	DVICE	Manual Service Order Charge, per LSR, Disconnect Only (AL) DATE ADVANCEMENT CHARGE	!	<u> </u>	 	SOMAN	ļ			1.97		-					
UNE SI			D-UO:	461: 5:	O No 4 To 2" O 2"	<u> </u>						1	ļ		-		
-	NOTE:	The Expedite charge will be maintained commensurate with	Religor	itn's F	No.1 Taritt, Section	on 5 as appli	icable.					-					
	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		LALL LINE	CDACD		000.00					1				
INIBIA	DI ED I	Day			ALL UNE	SDASP		200.00									
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP					10.50		47.50	00.10			4= 00				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30		15.66				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16					15.66				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85					15.66				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				15.66				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15									
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.09									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15		15.66				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.15									
	1	Unbundled Copper Loop, Non-Designed Billing for BST	1														
		providing make-up	ļ	<u> </u>	UEQ	UEQMU		13.44					15.66				
		Loop Testing - Basic 1st Half Hour	<u> </u>	<u> </u>	UEQ	URET1		34.16					15.66				
<u></u>		Loop Testing - Basic Additional Half Hour	<u> </u>	<u> </u>	UEQ	URETA		19.85					15.66				
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch	1		LIEO	LIDENIA											
LINIBUT	DI EE :	(UCL-ND)	<u> </u>	<u> </u>	UEQ	UREWO		14.27	7.43				15.66				
ONBON		EXCHANGE ACCESS LOOP	<u> </u>	<u> </u>	ļ	-	1								1		
<u></u>	2-WIRE	ANALOG VOICE GRADE LOOP	<u> </u>	<u> </u>		1											
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		LIEDOD LIEDOS												
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		15.66				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		HEDOD HEDOD	LIEADO	10.50	07.01	47.50	00.70			45.00				
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30		15.66		1		
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	_	HEDOD HEDOD	LIEALO	04.05	07.01	47.50	00.70			45.00				
		Zone 2	<u> </u>	2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30	1	15.66				
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	_	HEDOD HEDOD	LIEADO	04.05	07.01	47.50	00.70			45.00				
		Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30		15.66		1		
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	_	LIEDOD LIEDOS												
-		Zone 3	ļ	3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30	-	15.66				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	_	HEDOD HEDOD	LIEADO	04.01	07.01	47.50	00.70			45.00				
<u> </u>	IINE :	Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30		15.66		1		
<u> </u>	UNE L	oop Rates for Line Splitting	<u> </u>	_	LIEDDY	LIEDLY	40.70								1		
-		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	ļ	1	UEPRX	UEPLX	12.70					-					
-		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	2	UEPRX	UEPLX	21.19					1	ļ		-		
L		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	I	3	UEPRX	UEPLX	34.80				l	1	l		l		

UNBU	JNDLE	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															 '
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															i '
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				[_]
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				ł '
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	22.85	88.00	55.00	47.24	7.44		15.00				
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				ł '
	1	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.14	18.09	00.00	77.27	7		10.00				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44		15.66				1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		15.66				L
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44		15.66				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09	00.00				45.00				
	4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP			UEA	UREWO		87.72	36.36	-			15.66				
-	4-VVIKE	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
		4-Wire Analog Voice Grade Loop - Zone 1		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09		941.1							ī
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				15.66				i
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN UDN	U1L2X OCOSL	48.55	117.24	79.77	52.88	10.54		15.66				
		Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		18.09 91.63	44.16				15.66				
	2-WIDE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODN	UKLVVO		91.03	44.10				13.00				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		1	- 1	1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54		15.66				ł
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		2	- 1	2	UDC	UDC2X	32.85	117.24	79.77	52.88	10.54		15.66				i .
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															ł
		3	- 1	3	UDC	UDC2X	48.55	117.24	79.77	52.88	10.54		15.66				
	O MIDE	CLEC to CLEC Conversion Charge without outside dispatch	ATIDLE	1.000	UDC	UREWO		91.63	44.16				15.66				
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP 2 Wire Unbundled ADSL Loop including manual service inquiry	AIIBLE	LOOP	1												
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44	1	15.66				1
		2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>		J. L.L., (22.00	24			.0.50				ĺ
		& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44	1	15.66				1
		2 Wire Unbundled ADSL Loop including manual service inquiry															1
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		15.66				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		15.66				ł
	-	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	11.01	90.00	57.00	41.24	7.44	-	00.01		1		
		facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44	1	15.66				1
		2 Wire Unbundled ADSL Loop without manual service inquiry &		T -				22.20	230								i
L	<u> </u>	facility reservaton - Zone 3	<u></u>	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44	<u> </u>	15.66		<u> </u>		<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09	· · · · · · · · · · · · · · · · · · ·								
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40				15.66				ļ
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44		15.66				l
—	1	2 Wire Unbundled HDSL Loop including manual service inquiry	1	+-	OI IL	UI ILZA	0.74	110.00	00.00	41.24	7.44		10.00				
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		15.66				l '
	•	•	•		•			· · ·				•				•	

LINBLINDI E	D NETWORK ELEMENTS - Alabama												Attachment:	2	Evhi	bit: C
CHECHEL	- Alabama	1			1	l					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		15.66				l
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									L
	2 Wire Unbundled HDSL Loop without manual service inquiry															i .
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled HDSL Loop without manual service inquiry		_													i .
	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44		15.66				+
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44		15.66				i .
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.44	18.09	57.00	41.24	7.44		15.66				
-	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OFF	UKLVVO		00.14	40.40				13.00				
7-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	IDEE	1		+									 		
	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		15.66		1		1
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILAX	10.50	140.00	00.00	01.70	0.70		10.00				—
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		15.66				1
	4-Wire Unbundled HDSL Loop including manual service inquiry			0.12	0.12.00	10.00	1 10.00	00.00	010	00		10.00				
	and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73		15.66				i .
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		18.09									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15.66				i .
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15.66				i .
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		15.66				i .
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									[
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				15.66				l
4-WIR	E DS1 DIGITAL LOOP															l
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				L
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
ļ	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09	10.00				4= 00				
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05				15.66				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI	LIDI 40	20.00	400.07	88.80	50.44	44.50		45.00				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	26.09 35.95	126.27 126.27	88.80	59.14 59.14	14.50 14.50		15.66 15.66				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	37.88	126.27	88.80	59.14	14.50		15.66				+
\vdash	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 		UDL	UDL19	26.09	126.27	88.80	59.14	14.50		15.66		1		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1		UDL	UDL56	35.95	126.27	88.80	59.14	14.50		15.66		 		
 	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	†		UDL	UDL56	37.88	126.27	88.80	59.14	14.50		15.66		 		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	37.00	18.09	33.00	55.14	14.50		10.00				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50		15.66		1		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	†	2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50		15.66		1		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				ſ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									ſ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				15.66				
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Short including manual service															1
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44		15.66				!
1 1 -	2 Wire Unbundled Copper Loop/Short including manual service	1]		1
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop/Short without manual service	l .								_						1
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44		15.66		 		
	2-Wire Unbundled Copper Loop/Short without manual service	Ι.			LIOL DIA	40 =0	04 10	F4.00	47.0.	- · · ·		45.00				1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44	1	15.66				<u> </u>

HINDHIND	1 = -	NETWORK ELEMENTS - Alabama												Attachma::4:	•	EF-11	hit. C
ONBOND	LEL	NETWORK ELEMENTS - Alabama										Svc Order	Suc Orde-	Attachment: Incremental		Exhil Incremental	oit: C Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	v	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	.	NATE ELEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44		15.66				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
		inquiry and facility reservation - Zone 1		1	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44		15.66				
		2-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44		15.66				
		2-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80.00	112.46	65.30	47.24	7.44		15.66				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15	ļ					ļ		
		2-Wire Unbundled Copper Loop/Long - without manual service		١									4.5.5				
		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44		15.66				
		2-Wire Unbundled Copper Loop/Long - without manual service	Ι.	2	UCL	UCL2W	FF 0.1	04.40	54.30	47.04	7.44		15.66		1		
\vdash		inquiry and facility reservation - Zone 2		- 2	UUL	UCLZW	55.01	91.46	54.30	47.24	7.44		15.66	-	 		
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	l .	3	UCL	UCL2W	80.00	91.46	54.30	47.24	7.44		15.66		1		
\vdash	-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL2W	80.00	91.46 8.15	54.30 8.15	41.24	7.44		10.00	1	1		
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		0.10	0.10								
		(UCL-Des)			UCL	UREWO		97.23	42.48				15.66				
4-V	VIRE	COPPER LOOP			002	OKETTO		57.25	42.40				10.00				
—		4-Wire Copper Loop/Short - including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		15.66				
		4-Wire Copper Loop/Short - including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15.66				
		4-Wire Copper Loop/Short - including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		15.66				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 1	I	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				
		4-Wire Copper Loop/Short - without manual service inquiry and		_													
-		facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73		15.66				
		4-Wire Copper Loop/Short - without manual service inquiry and		3	UCL	LICLAW	20.24	444.04	67.05	F4 70	0.70		45.00				
		facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	- '	3	UCL	UCL4W UCLMC	28.21	114.21 8.15	67.05 8.15	51.70	9.73		15.66				
-		4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLIVIC		0.10	0.10	-							
		inquiry and facility reservation - Zone 1		1	UCL	UCL4L	49.35	135.21	88.05	51.70	9.73		15.66				
		4-Wire Unbundled Copper Loop/Long - includes manual svc.	1	<u> </u>		JULTE	40.00	100.21	00.03	31.70	3.73		10.00		 		
		inquiry and facility reservation - Zone 2		2	UCL	UCL4L	92.45	135.21	88.05	51.70	9.73		15.66				
		4-Wire Unbundled Copper Loop/Long - includes manual svc.							22.30	1					1		
		inquiry and facility reservation - Zone 3		3	UCL	UCL4L	127.39	135.21	88.05	51.70	9.73		15.66		1		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		4-Wire Unbundled Copper Loop/Long - without manual svc.															
		inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73		15.66				
	T	4-Wire Unbundled Copper Loop/Long - without manual svc.]		
		inquiry and facility reservation - Zone 2		2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66		ļ		
		4-Wire Unbundled Copper Loop/Long - without manual svc.	l .	_											1		
\vdash		inquiry and facility reservation - Zone 3		3	UCL	UCL40	127.39	114.21	67.05	51.70	9.73		15.66				
\vdash		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch			UCL UCL	UCLMC UREWO		8.15 97.23	8.15 42.48	 			15.66	-	 		
LOOP MOI					UUL	UKEVVU		91.23	42.48	 	-		10.00	1	-		
LOOP WILL	711710	ATION			UAL, UHL, UCL,	1				t				1	1		
					UEQ, ULS, UEA,					I			1		1		
					UEANL. UDL. UDC.					I			1		1		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UDN, UDL, USL,					I			1		1		
		pair less than or equal to 18k ft	- 1		UEPSR, UEPSB	ULM2L		0.00	0.00				15.66				
		Unbundled Loop Modification, Removal of Load Coils - 2 wire			UCL, ULS, UEQ,												
		greater than 18k ft	- 1		UEPSR, UEPSB	ULM2G		170.51	170.51	I			15.66		1		
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00		<u></u>		15.66	<u></u>			

UNBUN	IDLE	D NETWORK ELEMENTS - Alabama												Attachment:			ibit: C
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		-
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification Removal of Load Coils - 4 Wire						470.54	470.54				45.00				
		pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	ı		UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL, UEPSR, UEPSB	ULM4G ULMBT		170.51 32.41	170.51 32.41				15.66 15.66				
SUB-LOC		District the state of the state															
S	sub-Lo	pop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		244.42					15.66				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.64					15.66				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		177.45					15.66				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		55.15					15.66				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70		15.66				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70		15.66				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07		15.66				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07		15.66				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70		15.66				†
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76	65.80	30.96	45.25	6.70		15.66				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44.19	49.71	9.07		15.66				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07		15.66				ļ
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	-	15.66				
<u> </u>		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								↓
U	nbun	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			LIEE	LULANON		,					4= 0-				
		Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		175.78	5.10				15.66				
		Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		175.78	5.10				15.66				
u		Tap Removal, per PR unloaded dled Network Terminating Wire (UNTW)			UEF	ULM4T		278.20	6.11				15.66				<u> </u>
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01					15.66				

IINDIII	NDI EI	NETWORK ELEMENTS - Alabama												Attachment	<u> </u>	Exhi	-i4. C
UNDU	NDLE	J NET WORK ELEMENTS - Alabama		1			1					Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Motwor	k Interface Device (NID)						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	Networ	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38			-	15.66				
-		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63.97	49.11				15.66				
-		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87				15.66				
-						UNDC4											
SUB-LO	ODC	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87				15.66				
		op Feeder															
	Sub-Lo				UEA,					-							
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC				LICDEW		044.40					45.00				
\vdash		Distribution Facility set-up		 	UDN,UCL,UDL,UDC	USBFW		244.42		 			15.66				
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		1	UEA,	USBFX		22.64	22.64	I			15.66				
\vdash		Set-up		 	UDN,UCL,UDL,UDC					 							
 		USL Feeder DS1 Set-up at DSX location, per DS1 termination	-	1	USL	USBFZ		519.95	11.32	 		1	15.66		-		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			UEA	USBFA	8.03	93.00	FC 40	54.54	40.07		45.00				
		Grade - Zone 1		1	UEA	USBFA	8.03	93.00	56.48	54.51	13.67		15.66				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		2	1154	LICDE A	40.00	00.00	50.40		10.0=		45.00				
 		Grade - Zone 2	-	2	UEA	USBFA	12.00	93.00	56.48	54.51	13.67	1	15.66		-		
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		3		LIODEA	00.00	00.00	50.40	54.54	40.07		45.00				
		Voice Grade - Zone 3		3	UEA	USBFA	20.39	93.00	56.48	54.51	13.67		15.66				
-		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.09									
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice							=0.40				4= 00				
		Grade - Zone 1		1	UEA	USBFB	8.03	93.00	56.48	54.51	13.67		15.66				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		_			40.00		=0.40				4= 00				
		Grade - Zone 2		2	UEA	USBFB	12.00	93.00	56.48	54.51	13.67		15.66				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		_													
		Grade - Zone 3		3	UEA	USBFB	20.39	93.00	56.48	54.51	13.67		15.66				
-		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.09									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,							=0.40								
		Voice Grade - Zone 1		1	UEA	USBFC	8.03	93.00	56.48	54.51	13.67		15.66				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		_		l											
		Voice Grade - Zone 2		2	UEA	USBFC	12.00	93.00	56.48	54.51	13.67		15.66				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		_		l											
		Battery, Voice Grade - Zone 3		3	UEA	USBFC	20.39	93.00	56.48	54.51	13.67		15.66				
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.09									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
 		Grade - Zone 1		1	UEA	USBFD	19.21	107.56	70.09	62.05	17.40		15.66		1		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice				LIODED	00 :-	407.50	70.00	00.5=	47.0		45.00				
		Grade - Zone 2		2	UEA	USBFD	23.47	107.56	70.09	62.05	17.40		15.66				
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		_	 	LICDES	00.00	407.50	70.00	00.6=	47.00		45.00				
\vdash		Grade - Zone 3		3	UEA	USBFD	39.63	107.56	70.09	62.05	17.40		15.66		1		
 		Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	UEA	OCOSL		18.09		.					1		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		١.		LIODEE	40.01	407.50	70.00	00.5=	47.0		45.00				
		Grade - Zone 1		1	UEA	USBFE	19.21	107.56	70.09	62.05	17.40		15.66				
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_	 	LICET	00.4-	407.50	70.00	00.6=	47.00		45.00				
\vdash		Grade - Zone 2		2	UEA	USBFE	23.47	107.56	70.09	62.05	17.40		15.66		1		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1 _		LIODES			=								
\vdash		Grade - Zone 3		3	UEA	USBFE	39.63	107.56	70.09	62.05	17.40		15.66		1		
		Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	UEA	OCOSL	110-	18.09	00.00	55.01	10.00		45.00				
 		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	14.87	106.16	68.69	55.64	13.29		15.66		1		
\vdash		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.69	106.16	68.69	55.64	13.29		15.66		1		
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	32.51	106.16	68.69	55.64	13.29	-	15.66				
\vdash		Order Coordination For Specified Conversion Time, Per LSR		L .	UDN	OCOSL	44.00	18.09	00.00	FF 0.	40.00		45.00		1		
 		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.87	106.16	68.69	55.64	13.29		15.66				
 		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.69	106.16	68.69	55.64	13.29		15.66				
 		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3		USBFS	32.51	106.16	68.69	55.64	13.29		15.66				
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55.09	101.85	64.38	62.05	17.40		15.66		1		
 		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	124.69	101.85	64.38	62.05	17.40		15.66				
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	294.62	101.85	64.38	62.05	17.40		15.66				
\vdash		Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	USL	OCOSL		18.09	40.00	50.00	40.00		45.60				
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.75	83.78	46.32	53.02	10.67		15.66				

UNBUN	NDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: C
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
		2		2	UCL	USBFH	4.93	83.78	46.32	53.02	10.67		15.66				
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				HODELL	0.00	00.70	40.00	50.00	40.07		45.00				
		3		3	UCL	USBFH	3.96	83.78	46.32	53.02	10.67		15.66				
		Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL UCL	OCOSL USBFJ	12.71	18.09 100.99	63.53	57.90	13.26		15.66				-
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.69	100.99	63.53	57.90	13.26		15.66				
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	14.37	100.99	63.53	57.90	13.26		15.66				
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	14.07	18.09	00.00	07.00	10.20		10.00				+
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	19.20	101.85	64.38	62.05	17.40		15.66				
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.64	101.85	64.38	62.05	17.40		15.66				
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	23.75	101.85	64.38	62.05	17.40		15.66				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40		15.66				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	l	1									1]		
		Zone 2		2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40		15.66				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				
		Order Coordination For Specified Time Conversion, per LSR		<u> </u>	UDL	OCOSL		18.09									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	LICDED	40.00	404.05	04.00	CO 05	47.40		45.00				
		Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	19.20	101.85	64.38	62.05	17.40		15.66				
		Zone 2		2	UDL	USBFP	21.64	101.85	64.38	62.05	17.40		15.66				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	USDI F	21.04	101.03	04.30	02.03	17.40		15.00				
		Zone 3		3	UDL	USBFP	23.75	101.85	64.38	62.05	17.40		15.66				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	20.70	18.09	04.00	02.00	17.40		10.00				
SUB-LO	OPS	,															
		op Feeder															
		Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	13.55										
		Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3,400.58	407.00	160.47	90.97		15.66				
		Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	13.55										
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	I		UDLSX	USBF7	357.36	3,400.58	407.00	160.47	90.97		15.66				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	I		UDLO3	1L5SL	10.28										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per	l .														
		Month Control of the	<u> </u>	<u> </u>	UDLO3	USBF5	54.89			100 17			4= 00				
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	I		UDLO3	USBF2 1L5SL	538.69 12.66	3,400.58	407.00	160.47	90.97		15.66				
		Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>	1	UDL12	ILSSL	12.00			-							-
		Month	١,		UDL12	USBF6	620.18										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	l i		UDL12	USBF3	1,729.00	3,400.58	407.00	160.47	90.97		15.66				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	i		UDL48	1L5SL	41.51	3, 100.00	407.00	100.47	50.97		10.00	1	1		
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per	<u> </u>							1				1	Ì		<u> </u>
		Month	1	1	UDL48	USBF9	310.30			1			1	I	1		
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	ı		UDL48	USBF4	1,495.00	3,586.58	407.00	160.47	90.97		15.66				
		Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	350.09	804.67	407.00	160.47	90.97		15.66				
UNBUNE	DLED L	OOP CONCENTRATION															
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	364.17	325.41	325.41				15.66				1
		Unbundled Loop Concentration - System B (TR008)		<u> </u>	ULC	UCT8B	43.70	135.59	135.59	ļ			15.66				
		Unbundled Loop Concentration - System A (TR303)	<u> </u>		ULC	UCT3A	395.12	325.41	325.41	 			45.00	-	 	ļ	↓
		Unbundled Loop Concentration - System B (TR303)	l	-	ULC	UCT3B	73.64	135.59	135.59	40.70	4 70		15.66	 	 		
		Unbundled Loop Concentration - DS1 Loop Interface Card	<u> </u>	<u> </u>	ULC	UCTCO	4.16	63.29	46.07	16.79	4.70	-	15.66	-		-	
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)	l	1	UDN	ULCC1	6.60	10.54	10.48	5.39	5.36		15.66	I	1		
		Unbundled Loop Concentration - UDC Loop Interface (Brite	1	-	ODIN	OLOGI	0.00	10.54	10.48	5.39	5.36	}	15.00	+	1	1	1
		Card)	l		UDC	ULCCU	6.60	10.54	10.48	5.39	5.36		15.66	1			
-+		Unbundled Loop Concentration2 Wire Voice-Loop Start or			550	02000	0.00	10.54	10.40	5.59	5.36		13.00	 			
		Ground Start Loop Interface (POTS Card)	l	1	UEA	ULCC2	1.65	10.54	10.48	5.39	5.36		15.66	I	1		
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery				1	50			2.20	2.30		12.20	1	1		
		Loop Interface (SPOTS Card)	l	1	UEA	ULCCR	9.81	10.54	10.48	5.39	5.36		15.66		Ì		

IINBIIND	DLED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhil	nit: C
SINDOND	VELD INC. WORK ELEWIEN 13 - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to the second									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
	(Specials Card)			UEA	ULCC4	5.85	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	28.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			UDL	007	0.07	40.54	40.40	5.00	5.00		45.00				
-	Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC7	8.67	10.54	10.48	5.39	5.36	-	15.66				
	Interface			UDL	ULCC5	8.67	10.54	10.48	5.39	5.36		15.66				
 	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			ODL	OLCOS	0.07	10.54	10.40	5.55	3.30		13.00				
	Interface			UDL	ULCC6	8.67	10.54	10.48	5.39	5.36		15.66				
UNE OTHE	ER, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		1							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	•			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHE	ER, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
 	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				LICREO	0.00	0.00									
-	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			002		0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAP	ACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per				l											
	month			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
LOOP MAR				UDLOX	UDLST	319.03	431.32	203.94	119.49	03.30		15.00				
LOOP MAP	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility					-	20.00	20.00	†		1			1		
	queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	PSUMK		0.59	0.59								
	QUENCY SPECTRUM															
	NE SHARING								ļ							
SP	LITTERS-CENTRAL OFFICE BASED				05 :		,									
\vdash	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		15.66		 		
	Line Sharing Splitter, per System 24 Line Capacity	—		ULS	ULSDB	38.99	188.79	0.00	177.98	0.00	-	15.66		 		
+	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	-		ULS	ULSD8	12.73	377.58	0.00	355.96	0.00		15.66				
	deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00		15.66				
FN	ID USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPFC	TRUM A		02000		55.47	0.00	70.04	0.00		10.00				
	Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92		15.66		1		
	Line Sharing - per Subsequent Activity per Line			-					1							
	Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19	I			15.66		1		
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19				15.66				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83		15.66				
	NE SPLITTING															
EN	ID USER ORDERING-CENTRAL OFFICE BASED			LIEDOD LIESOS	LIDECO											
	Line Splitting - per line activation DLEC owned splitter	I		UEPSR UEPSB	UREOS	0.61			L		L			l		

HNBHNDI	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhil	nit: C
CINDUNDL	LLD IAL I WORK ELLIVIEW 13 - Alabama	1			1	1					Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			Disconnect				Rates(\$)		
—	Live October and Proceedings BOT and the leader	— —		LIEDOD LIEDOD	LIDEDD	0.04	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	1		UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	37.01 37.01	21.19 21.19	20.02	9.83 9.83		15.66				
DEM	MOTE SITE HIGH FREQUENCY SPECTRUM	I		UEPSK UEPSB	UKEBV	0.61	37.01	21.19	20.02	9.83		15.66				
	ITTERS-REMOTE SITE				-				-							
- O. L.	Remote Site Line Share BellSouth Owned Splitter, 24 Port	<u> </u>		ULS	ULSRB	38.18	221.09	0.00	254.79	0.00		15.66				
	Remote Site Line Share Cable Pair Activation CLEC Owned at	<u> </u>		020	020112	33.10	221.00	0.00	20 0	0.00		10.00				
	RS and Deactivation	- 1		ULS	ULSTG		74.38	0.00	46.77	0.00		15.66				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	M AKA	REMOT	E SITE LINE SHARI	NG											
	Remote Site Line Share Line Activationfor End User Served at															
	RS, BST Splitter	l l		ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15.66				
	RS Line Share Line Activation for End User served at RS, CLEC	1 .												1		
LINIDI INDI -	Splitter Splitter	<u> </u>		ULS	ULSTC	0.61	37.01	21.19	20.02	9.83		15.66		ļ		
	D DEDICATED TRANSPORT TE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billi-	a nori-	d - bolow Des-e	month Dea/	QTQ_1_fa	nthe		 					 		
	EROFFICE CHANNEL - DEDICATED TRANSPORT	IIII DIIIIII	g peno	a - below D33=offe	111011111, 1233/	313-1=10ur 1110	iiiis		-							
INTE	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	!							 					<u> </u>		
	Per Mile per month	1		U1TVX	1L5XX	0.008838			1					1		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			01117	120701	0.000000										
	Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-														
	Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1														
	Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
+	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	10.73	40.34	27.41	10.74	0.90		13.00				
	per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility					0.00000			İ							
	Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
\vdash	Termination Participate Partic	ļ		U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1		LIATOA	41.577	0.40			1					1		
\vdash	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		U1TD1	1L5XX	0.18			 					 		
1 1	Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
 	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 		01101	01111	55.10	03.21	01.01	10.33	17.44		10.00				
	month	1		U1TD3	1L5XX	4.09			1					1		
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	<u>L</u>		U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46	<u> </u>	15.66		<u> </u>		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month	<u> </u>		U1TS1	1L5XX	4.09										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			=0.												
H	Termination	<u> </u>		U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66		ļ		
	CAL CHANNEL - DEDICATED TRANSPORT FE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a porio	d - bolo	uu DS2-ono menth	D62/6T6.4-4	four months			 					 		
NOI	Local Channel - Dedicated - 2-Wire Voice Grade	y perio	u - pelc	ULDVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66		-		
 	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	!		ULDVX	ULDR2	13.97	193.10	33.17	36.64	3.20		15.66		<u> </u>		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade	1		UNDVX	ULDV4	14.93	193.53	33.60	27.11	3.67		15.66		1		
	Local Channel - Dedicated - DS1 - Zone 1	†	1	ULDD1	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1 - Zone 2	1	2	ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92		•								•
	Local Channel - Dedicated - DS3 - Facility Termination	<u> </u>		ULDD3	ULDF3	416.54	451.52	263.94	119.49	83.58		15.66				
	Local Channel - Dedicated - STS-1- Per Mile per month	ļ		ULDS1	1L5NC	6.92		200 -				15.5				
	Local Channel - Dedicated - STS-1 - Facility Termination	l	l	ULDS1	ULDFS	408.49	451.52	263.94	119.49	83.58		15.66				

UNBUN	DLE	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
5.1.2611		7											Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATEGO	PV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	IX I	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic-
																DISC 1St	Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK FI	BEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	60.32										ł
		NRC Dark Fiber - Local Channel			UDF	UDFC4	00.02	639.09	137.87	317.06	197.66		15.66				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
		Thereof per month - Interoffice Channel			UDF	1L5DF	22.34										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		639.09	137.87	317.06	197.66		15.66				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DL	60.32										ł
		Thereof per month - Local Loop NRC Dark Fiber - Local Loop			UDF	UDFL4	60.32	639.09	137.87	317.06	197.66		15.66				-
8XX ACC		EN DIGIT SCREENING		1	ODI	0DI L4	 	0.55.09	137.07	317.00	197.00		13.00				
T		8XX Access Ten Digit Screening, Per Call			OHD	Ì	0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.58	0.44				15.66				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			0.15								4.5.0.0				1
-		POTS Translations		<u> </u>	OHD	1		5.94	0.81	4.57	0.54	 	15.66				
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54		15.66				ł
		8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOI IX		5.54	0.01	4.57	0.54		13.00				
		Per 8XX Number			OHD	N8FCX		2.58	1.29				15.66				ł
		8XX Access Ten Digit Screening, Multiple InterLATA CXR					ĺ										
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73				15.66				
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44				15.66				
		8XX Access Ten Digit Screening, Call Handling and Destination			CLID	NOEDV		0.50					45.00				ł
		Features 8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD OHD	N8FDX	0.000565	2.58					15.66				-
		8XX Access Ten Digit Screening, w/ 6/12 No. Delivery			OHD		0.000565										l
LINE INF		TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.00002										
		LIDB Validation Per Query			OQU		0.012002										1
OLONIALI		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.32		42.08			15.66				
SIGNALI		CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44		15.66				-
		CCS7 Signaling Connection, Fer Sorops Facility CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83	33.33	33.33	10.44	10.44		13.00				
		CCS7 Signaling Usage, Per Call Setup Message			000	1.00/1	0.0000142										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				l
		CCS7 Signaling Connection, Per link (B link) (also known as D			LIDD	TDD	45.40	05.50	05.50	40.44	40.44		45.00				ł
\vdash		link) CCS7 Signaling Usage, Per ISUP Message		 	UDB UDB	TPP++	15.46 0.0000142	35.53	35.53	16.44	16.44	 	15.66				
 		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33					1					
		CCS7 Signaling Point Code, per Originating Point Code		1			555.50										
		Establishment or Change, per STP affected		<u></u>	UDB	CCAPO	<u> </u>	29.01	29.01	35.57	35.57	<u> </u>	15.66				<u> </u>
E911 SE	RVICE																
 		Local Channel - Dedicated - 2-wr Voice Grade		<u> </u>			13.97	193.10	33.17	36.64	3.20	ļ	15.66				<u> </u>
 		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		 		-	0.008838					<u> </u>					<u> </u>
		Termination					21.13	40.54	27.41	16.74	6.90		15.66				1
		Local Channel - Dedicated - DS1 - Zone 1		†			35.76	177.47	153.72	22.19	15.26		15.66				
		Local Channel - Dedicated - DS1 - Zone 2					49.98	177.47	153.72	22.19	15.26		15.66				
		Local Channel - Dedicated - DS1 - Zone 3					107.63	177.47	153.72	22.19	15.26		15.66				
		Interoffice Transport - Dedicated - DS1 Per Mile					0.18										
		Intereffice Transport Dedicated DC4 Des Feelits Territories					60.16	00.07	04.04	40.05	44.44		45.00				
CALLING		Interoffice Transport - Dedicated - DS1 Per Facility Termination E (CNAM) SERVICE		 		1	60.16	89.27	81.81	16.35	14.44	 	15.66				
CALLING		CNAM For DB Owners - Service Establishment		l	OQV			22.95		21.11		1					
		CNAM For Non DB Owners - Service Establishment		1	OQV	1		22.95		21.11							
		CNAM For DB Owners - Service Provisioning With Point Code					ĺ										
		Establishment		<u> </u>	OQV			990.88	732.84	268.93	197.74						l

HND	INDI =	D NETWORK ELEMENTS - Alabama												Attackment.	2	Eut."	bit: C
UND	NULE	D NETWORK ELEMENTS - Alabama			ı	1	ı					Cur Onden	Cur Ouden	Attachment:			
														Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	curring	Nonrecurring	Disconnect	1	l	oss	Rates(\$)	l	l.
	1					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1	CNAM For Non DB Owners - Service Provisioning With Point							71441	101	71441						00
		Code Establishment			oqv			342.33	245.14	275.25	197.74						
-	1	CNAM for DB Owners, Per Query			OQV		0.000902										
		CNAM for Non DB Owners, Per Query			OQV		0.000902										
LNP C	uery Se																
		LNP Charge Per query					0.000757										
		LNP Service Establishment Manual						12.52		11.51			15.66				
		LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74		15.66				
OPER	ATOR C	ALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST															
1	1	LIDB	1	1		İ	1.20			I			1		I		
		Oper. Call Processing - Oper. Provided, Per Min Using															
		Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST															
		LIDB					0.20										
		Oper. Call Processing - Fully Automated, per Call - Using															
		Foreign LIDB					0.20										
INWA	RD OPE	RATOR SERVICES															
		Inward Operator Services - Verification, Per Minute					1.15										
		Inward Operator Services - Verification and Emergency Interrupt															
		- Per Minute					1.15										
BRAN	DING - C	PERATOR CALL PROCESSING															
	Facilit	/ based CLEC															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.66				
		Loading of Custom Branded OA Announcement per shelf/NAV															
		per OCN				CBAOL		500.00	500.00				15.66				
	UNEP																
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.66				
		Loading of Custom Branded OA Announcement per shelf/NAV															
		per OCN						500.00	500.00				15.66				
	Unbra	nding via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.66				
DIREC		SSISTANCE SERVICES															
	DIREC	TORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call		<u> </u>			0.275										
	DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)	<u> </u>													
		Directory Assistance Call Completion Access Service (DACC),					0.40										
<u> </u>		Per Call Attempt ER SERVICES INTERCEPT ACCESS SERVICE					0.10										
DIDE		SSISTANCE SERVICES		-													
DIKE		TORY ASSISTANCE DATA BASE SERVICE (DADS)															
-	DIKEC	Directory Assistance Data Base Service (DaDs)					0.04										
-	1	Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month				DBSOF	150.00										
DDAN	DING - F	DIRECTORY ASSISTANCE				DBSOF	150.00										
BRAN		/ Based CLEC	1	1		+				1		-			1		
-	Facilit	Recording and Provisioning of DA Custom Branded				+						1					
1	1	Announcement	1	1	AMT	CBADA		6,000.00	6,000.00	I			15.66		I		
-	+	Loading of Custom Branded Announcement per Switch	1	1	AMT	CBADA		1,170.00	1,170.00	 		 	15.66		 	1	
-	UNEP		 		, well	35,150		1,170.00	1,170.00	t			10.00		t		
	31121	Recording of DA Custom Branded Announcement	 	l		+		3,000.00	3,000.00	-			15.66		-		
	1	Loading of DA Custom Branded Announcement per Switch per	 	1		+		5,500.00	5,000.00	 			10.00		 		
1	1	OCN	1			1		1,170.00	1,170.00	I			15.66		I		
	Unhra	nding via OLNS for UNEP CLEC	 	l		+		1,170.00	1,170.00	-			10.00		-		
—	U.151 a	Loading of DA per OCN (1 OCN per Order)	 	1		+		420.00	420.00	 			15.66		 		
	1	Loading of DA per Switch per OCN	1	1		+		16.00	16.00	t			15.66		†	1	
SELF	TIVE R	DUTING	1			1		10.00	10.00	1			10.00		1		
<u> </u>	1	Selective Routing Per Unique Line Class Code Per Request Per	†	†		1				t					t		
1		Switch	1	1		USRCR		84.70	84.70	14.11	14.11		15.66		1		
VIRT	AL COL	LOCATION	1	t		1		2 0		1					t		
						1				4							

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Application Cost			AMTFS	EAF		1,205.26	1,205.26	0.51	0.51		15.66				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		859.71	859.71	22.49	22.49		15.66				
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.83										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	14.97										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66				
				UEA,UHL,UCL,UDL,												
1	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73		15.66	1			
	virtual Collocation - 4-wire Cross Connects (100p)			AMTFS,UDL12,	UEAC4	0.05	12.39	11.87	6.39	5.73		15.00				<u> </u>
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79		15.66				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ODEOX, ONEDO	ONDOX	14.10	20.00	10.20	7.00	0.02		10.00				
1	Support Structure, per linear foot			AMTFS	VE1CB	0.0026								1		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															1
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.37					15.66				
1	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		F0F 07					45.00		1		
+-	Virtual Collocation Cable Records - per request	-		AMTFS	VE1CE VE1BA	 	535.37 1,518.57	1,518.57	265.99	265.99	1	15.66 15.66	 	-		
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66				
-+-	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each	-		CIVILLO	AF IDD	-	000.03	000.03	310.24	3/0.24	 	10.00	+	1	1	
1	100 pair			AMTFS	VE1BC		9.62	9.62	11.79	11.79		15.66	I	1		
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.50	4.50	5.52	5.52		15.66	I	 	1	†
1	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66	t	1		1
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66				
1	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.93	10.73				15.66	1		İ	İ
İ	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.05	13.86				15.66				1
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.17	16.98				15.66				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.93	10.73				15.66				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86				15.66				

LINDLIN	IDI E	D NETWORK ELEMENTS - Alabama												A44b	•	FL:	Lit. C
ONDU	NULE	DINET WORK ELEMENTS - AIADAMA		ı			I					Syc Order	Svc Order	Attachment: Incremental		Incremental	bit: C Incremental
												Submitted	Submitted				Charge -
												Elec	Manually	Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
OA! LO		NATE ELEMENTO	m		500	0000			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98				15.66				
VIRTUA	L COLI	LOCATION															
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				L											
-		Wire Analog - Res		-	UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
-		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		-	ULFSF	VLTINZ	0.03	12.30	11.00	0.03	3.44	1	13.00				
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			02. 02		0.00	.2.00		0.00	0.11		10.00				
		Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN		<u> </u>	UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66	<u> </u>	<u> </u>		<u> </u>
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		1	l	l					_		l	1	1		
		ISDN DS1			UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44		15.66				
VIRTUA	L COLI	LOCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR, UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
DHAGIC	AL CO	Splitting LLOCATION			UEPSK, UEPSB	VEILS	0.03	12.30	11.80	6.03	5.44	-	15.66				
FITTSIC	AL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR, UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
AIN SEL	ECTIV	E CARRIER ROUTING			02. 01., 02. 02	. 2.20	0.00	.2.00		0.00	0.11		10.00				
		Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70			15.66				
		End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70		15.66				
		Query NRC, per query			SRC		0.002749										
AIN - BE	LLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69		15.66				
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09		15.66				
-		AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09	-	15.66				
		AIN SMS Access Service - For Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		7.03	7.00	9.09	9.09		13.00				
		ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06		15.66				
		AIN SMS Access Service - Security Card, Per User ID Code,				1											
		Initial or Replacement		1	A1N	CAMRC		41.88	41.88	11.71	11.71		15.66	1	1		
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
		AIN SMS Access Service - Session, Per Minute					0.59										
		AIN SMS Access Service - Company Performed Session, Per		1										1	1		
AIN' T		Minute				+	0.73							 	 		-
AIN - BE	LLSO	JTH AIN TOOLKIT SERVICE		 								1		 	 		
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup		1	CAM	BAPSC		39.44	39.44	40.69	40.69		15.66	1	1		
\vdash		AIN Toolkit Service - Training Session, Per Customer		 	O, 4VI	BAPVX		4,202.17	4,202.17	40.09	40.09	-	15.66	 	 		
		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				J/ 11 V/		7,202.17	7,202.17			1	10.00	1	1		1
		DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09		15.66				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1											
		DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09		15.66				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09		15.66				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1									4.5.5	1	1		
\vdash		DN, 10-Digit PODP		<u> </u>		BAPTO		34.47	34.47	14.36	14.36		15.66	 	 		ļ
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP		1		BAPTC		34.47	34.47	14.00	14.36		15.00	1	1		
\vdash		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DAFIC		34.47	34.47	14.36	14.36		15.66	1	1		1
		DN, Feature Code		1		BAPTF		34.47	34.47	14.36	14.36		15.66	1	1		
 		AIN Toolkit Service - Query Charge, Per Query				2/4 11	0.05	0-1.47	04.47	17.50	14.00		10.00				
		and receive control query charge, i or query		L	l .	1	0.00			l .							

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental			Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50		45.00				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAIVI	BAPIVIS	10.17	7.83	7.83	5.50	5.50		15.66				
	Subscription			CAM	BAPLS	2.87	8.66	8.66				15.66				
-	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	DAPLO	2.01	0.00	0.00			-	15.00				
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50		15.66				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAW	DAFDS	7.55	7.03	7.03	5.50	5.50		13.00				
	Service Subscription			CAM	BAPES	0.10	8.66	8.66				15.66				
ENHANCED	EXTENDED LINK (EELs)			O7 W1	D/ 11 LO	0.10	0.00	0.00				10.00				
	E: New Density Zone 1 EELs are available in the following MSA	s: Orlan	ido. FL	: Miami. FL: Ft. Lau	iderdale. FL:	Atlanta, Ga: Ne	w Orleans, LA.									
	E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem					1										
	E: In all states, EEL network elements shown below also apply t					erted to UNE ra	tes. A Switch	As is Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	ecurring rates	do not apply	.)
	E: In All States the EEL network elements apply to ordinarily co															ľ
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT					1		,		,		1				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			` ,												
	Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	DS1 Channelization System Per Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	UEAL2	44.00	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVA	UEALZ	22.00	00.00	55.00	41.24	7.44		13.66				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVA	ULALZ	30.14	88.00	33.00	41.24	7.44		13.00				
	per month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
 	Nonrecurring Currently Combined Network Elements Switch -As-			CHOVA	10110	0.00	0.00	7.72				10.00				
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR		0.1000		0.00	0.00	0.00	0.00		10.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	1	T	(===)		1								1		İ
	Transport Combination - Zone 1	1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66		1		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		i –					. , , .		-		- · · ·		İ		İ
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66]		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month		<u> </u>	UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -	1		L		I						1		1		
\vdash	per month	ļ	<u> </u>	UNCVX	1D1VG	0.56	6.58	4.72				15.66				
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	١.	1110101								4		1		
\vdash	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66		 		ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	_	LINCVY	LIEAL 4	20.50	404.07	04.54	50.44	44.50		45.00		1		
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	1	15.66				l

CATEGORY MATE ELEMENTS Material Decision Deci	LINBUNDI E	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	nit: C
Part Part	CINDONDEL					1						Svc Order					Incremental
APPLICATION PRATE REMEMBER Same Rose Back USC PRATE PR																	Charge -
CATEGORY RATE ELEMENTS			to the second														Manual Svc
Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)				,				Order vs.
Note			m						***			per Lor	per Lor				Electronic-
Notice N																	Disc Add'l
ADDITION ADDITION																Diac 1at	Disc Add I
Content of Africa Analysis Notes (1904 p. 1906) Content Street Conte							Per										
Institution Transport Comprisation - Zone 3 3 DisCott URS 15 16 15 16 15 16 15 16 15 16 15 16 15 16 16							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Visice Gross COCT DST to DSS Charmed System contribution DACOX DITURE 0.56 6.55 4.72 15.66																	
Def month UNION				3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
Number-corring Controlled Network Elements Switch - March Number Controlled Network Elements Switch - March Number Controlled Network																	
In Charge					UNCVX	1D1VG	0.56	6.58	4.72				15.66				
A WIRE SERGE PLETINED DIGITAL LOOP WITH DESIDENCE TRANSPORT (EEL)													4=00				
Parts A Vero SROPPS Digital Crisical Logis on a DST Interortice 1 (MACDX UDLS6 26.00 128.27 88.80 59.14 14.50 15.66	4 14/15		INITEDO					5.59	5.59	6.98	6.98		15.66				
Transport Combination - Zone 1	4-WIR		INTERC	PFFICE	TRANSPORT (EEL)	1											
First 4-wee Settings Digital Grade Loop in a DST Interoffice 2 UNCDX UELS6 35.96 128.27 88.80 59.14 14.50 15.66				4	LINCDY	LIDI EG	26.00	126.27	99.90	E0 14	14.50		15.66				
Transport Combination - Zone 2 2				-	UNCDX	UDLS6	26.09	120.21	00.00	59.14	14.50		13.00				
First 4-Viver SR69spb Digital Grade Lope in a DS1 Interceffice Transport Central Commission - Zero 3 UNCDX UDL66 37.86 128.27 88.80 59.14 14.50 15.66 Transport Central Commission - Perf Miles UNCDX UNCD				2	LINCDY	LIDLES	25.05	126.27	99 90	50.14	14.50		15.66				
Transport Combination - Zone 3					UNCDA	ODESO	33.93	120.21	00.00	35.14	14.50		13.00				
Interestrice Transport Conditional - 1981 for combination Feeling LINCIX LILSI	1 1			3	UNCDX	UDI 56	37.88	126 27	88 80	59 14	14 50		15 66				
Per Month				-	5.10DA	55200	57.00	120.21	33.00	00.14	14.50		10.00				
Intendifice Transport - Desicated - DST - combination Per Control System DST to DSD combination Per Control System DST to DSD combination Per Control System DST to DSD combination Per Control System DST to DSD combination Per Control System DST to DSD combination Per Control System DST to DSD channel System - per Control System DST to DSD channel System - per Control System DST to DSD channel System - per Control System DST to DSD channel System - per Control Syste	1 1				UNC1X	1L5XX	0.18					1	1		1		
Termination Per Month					0110111	120701	0.10										
Channelization - Channel System DS1 to DS0 Combination Per Month					UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
Month																	
OCU-OP-COCI (data) - DS1 to DSC Channel System - per					UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
Additional A-Wire SROpto Digital Grade Loop in ame DST 1 UNCDX		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
Interdifect Transport Combination - Zone 1					UNCDX	1D1DD	1.19	6.58	4.72				15.66				
Additional A-Wire Stiftight Combination - Zone 2 2 UNCDX		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
Additional 4-Wire SRidge Digital Grade Loopin same DS1 hteroffice Transport Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14 14.50 15.66 DC-U-DP COCI (data) - DS1 to DS0 Channel System - UNCDX 1D1DD 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 to DS0 Channel System - UNCDX 1D1DD 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 to DS0 Channel System - UNCDX 1D1DD 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 to DS0 Channel System - UNCDX 1D1DD 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 to DS0 Channel System - UNCDX 1D1DD 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 to DS0 Channel System - UNCDX 1D1DD 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1DA 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1DA 1.19 6.58 4.72 15.66 DC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1BA 1.19 CC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1BA 1.19 CC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1BA 1.19 CC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1BA 1.19 CC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1BA 1.19 CC-U-DP COCI (data) - DS1 theroffice 1 UNCDX 1D1BA 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC-U-DP COCI (data) - DS1 combination - Per Mile 1.19 CC																	
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14 14.50 15.66				2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
COUL-DP COCI (data) - DSI to DS0 Channel System - UNCDX																	
Oxforecuring Currently Combined Network Elements Switch -As- Is Charge				3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
Nonrecurring Currently Combined Network Elements Switch -As- UNCTX									. =-				4= 00				
S Charge UNCIX					UNCDX	10100	1.19	6.58	4.72				15.66				
## AWIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT (EEL.) ## AWIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT (EEL.) ## First 4-Wire 64Kpps Digital Grade Loop in a DSI Interoffice Transport Combination - Zone 1 ## UNCDX UDL64 26.09 126.27 88.80 59.14 14.50 15.66 ## Transport Combination - Zone 2 ## UNCDX UDL64 35.95 126.27 88.80 59.14 14.50 15.66 ## Transport Combination - Zone 3 ## UNCDX UDL64 37.88 126.27 88.80 59.14 14.50 15.66 ## Transport Combination - Zone 3 ## UNCDX UDL64 37.88 126.27 88.80 59.14 14.50 15.66 ## Interoffice Transport - Dedicated - DSI combination - Per Mile Per Month Interoffice Transport - Dedicated - DSI combination - Per Mile Transport - Dedicated - DSI combination - Per Mile UNCIX USCA USCA USCA USCA USCA USCA USCA USCA					LINICAY	LINICCO		5.50	5.50	0.00	0.00		45.00				
First 4-Wire 64Kbps Digital Grade Loop in a DSt Interoffice 1 UNCDX UDL64 26.09 126.27 88.80 59.14 14.50 15.66	4 W/ID		INTER	EEICE				5.59	5.59	6.98	6.98		15.00				
Transport Combination - Zone 1	4-9916		INTERC	FFICE	TRANSPORT (EEL)	1											
First 4-Wire 64Kbps Digital Grade Loop in a DSI Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 35.95 126.27 88.80 59.14 14.50 15.66				1	LINCDX	LIDI 64	26.09	126 27	88 80	59 14	14 50		15.66				
Transport Combination - Zone 2 2 UNCDX UDL64 35.95 126.27 88.80 59.14 14.50 15.66					ONODA	ODLOT	20.03	120.21	00.00	33.14	14.50		13.00				
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice 3 UNCDX UDL64 37.88 126.27 88.80 59.14 14.50 15.66	1 1			2	UNCDX	UDL64	35.95	126 27	88 80	59 14	14 50	1	15.66		1		
Transport Combination - Zone 3 3 UNCDX UDL64 37.88 126.27 88.80 59.14 14.50 15.66						32237	55.55	120.27	55.50	00.14	14.50		10.00		1		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 15.66 Interoffice Transport - Dedicated - DS1 to DS0 combination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 15.66 Interoffice Transport - Dedicated - DS1 to DS0 combination Per Month UNC1X MQ1 107.19 91.04 62.57 10.54 9.79 15.66 Interoffice Transport - Dedicated - DS1 to DS0 combination Per Month UNC1X MQ1 107.19 91.04 62.57 10.54 9.79 15.66 Interoffice Transport - Dedicated - DS1 to DS0 Channel System UNCDX UDLD	1 1			3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	1	15.66		1		
Per Month UNC1X 1L5XX 0.18											1.00						
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	1 1	Per Month			UNC1X	1L5XX	0.18					1	1		1		
Termination Per Month		Interoffice Transport - Dedicated - DS1 combination - Facility															
Month		Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66		<u> </u>		
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)																	
Combination - per month (2.4-64kbs) UNCDX 1D1DD 1.19 6.58 4.72 15.66					UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1																	
Interoffice Transport Combination - Zone 1	\vdash				UNCDX	1D1DD	1.19	6.58	4.72				15.66		ļ		
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 35.95 126.27 88.80 59.14 14.50 15.66					LINODY	LIDI 6 t						1	4		1		
Interoffice Transport Combination - Zone 2	\vdash			1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66		 		
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 37.88 126.27 88.80 59.14 14.50 15.66				_	LINCDY	LIDI 64	25.25	400.07	20.00	50.4.	44.50	1	45.00		1		
Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 37.88 126.27 88.80 59.14 14.50 15.66	\vdash			2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice				2	LINCDY	LIDL64	27 00	126 27	00 00	EQ 14	14 50		15.66				
Combination - per month (2.4-64kbs)	\vdash			3	ONODA	UDL04	31.88	120.27	00.80	59.14	14.50		13.00				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge					UNCDX	1D1DD	1 10	6 59	4 72				15.66				
Is Charge	 				5ODA	,,,,,,,,	1.19	0.30	7.12	1		 	10.00		 		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1 1				UNC1X	UNCCC		5.59	5 59	6 98	6 98	1	15.66		1		
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	4-WIR		EROFFI	CE TRA		3000		0.09	5.55	3.30	0.90		10.00		1		
	1.13.11					1									1		
		Transport - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4 Wire DC4 Digital Leap in Combination with DC4 Intereffice						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility					00.40		2121				4= 00				
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
4-WIDI	Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEE	CE TD/	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIRI	First DS1Loop in DS3 Interoffice Transport Combination - Zone	KOFFI		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	176.20	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72				15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
2-WIRI	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
4 14//51	Is Charge	EDOC	ICE TO	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				<u> </u>
4-WIRI	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport	EKUFF	ICE IK	ANSPURI (EEL)	-						 					
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				1
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.008838										
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
DS3 D	Is Charge GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	UNCVX T (EEL)	UNCCC		5.59	5.59	6.98	6.98	-	15.66				

UNBLIND	LFF	NETWORK ELEMENTS - Alabama												Attachment:	2	Fyhi	bit: C
21420140		ALL TOTAL ELEMENTO AIGUAINA		1								Svc Order	Svc Order	Incremental		Incremental	
			1	1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
o, i i z o o i i	•		m			0000			= = (+)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - DS3 combination - Per															
		Mile per month			UNC3X	1L5ND	8.89										
		High Capacity Unbundled Local Loop - DS3 combination -															
		Facility Termination per month			UNC3X	UE3PX	327.71	451.52	263.94	119.49	83.58		15.66				
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
STS	S1 DI	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)												
		High Capacity Unbundled Local Loop - STS1 combination - Per															
		Mile per month	1		UNCSX	1L5ND	8.89						1		Ì		1
		High Capacity Unbundled Local Loop - STS1 combination -															
		Facility Termination per month	<u> </u>	<u>L</u>	UNCSX	UDLS1	339.21	451.52	263.94	119.49	83.58	<u> </u>	15.66		<u> </u>	<u> </u>	<u>1</u>
		Interoffice Transport - Dedicated - STS1 combination - Per Mile															
		per month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS1 combination - Facility															
		Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
2-W	VIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.18										
		Interoffice Transport - Dedicated - DS1 combintion - Facility															
		Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
		Channelization - Channel System DS1 to DS0 combination -															
		per month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINONIX	110404	0.50	0.50	4.70				45.00				
-		combination - per month			UNCNX	UC1CA	2.56	6.58	4.72				15.66				
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINICNIY	1141.07	04.00	447.04	70 77	50.00	40.54		45.00		1		1
\vdash		Combination - Zone 1	 	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66		 	-	
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66		1		1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	_	ONCINA	UILZX	32.85	111.24	19.77	5∠.88	10.54		10.00		-		
	ľ	Combination - Zone 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66		1		1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	 	3	CINCINA	UILZA	40.00	111.24	19.11	5∠.08	10.54		13.00		1	1	
	ľ	combintaion- per month			UNCNX	UC1CA	2.56	6.58	4.72								1
 		Nonrecurring Currently Combined Network Elements Switch -As-		1	5.15177	2010/1	2.00	0.00	7.12								
	Į	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				1
4-W	VIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T				3.55	0.00	5.50	0.50		.0.00		1		t
		First DS1 Loop in STS1 Interoffice Transport Combination -		T		1									1		
	I	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				1
		First DS1 Loop in STS1 Interoffice Transport Combination -															
	Į	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				1
		First DS1 Loop in STS1 Interoffice Transport Combination -															
		Zone 3	<u></u>	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				<u> </u>
		Interoffice Transport - Dedicated - STS1 combination - Per Mile															1
		Per Month	<u> </u>	<u>L</u>	UNCSX	1L5XX	4.09			<u> </u>					<u> </u>	<u></u>	<u></u>
		Interoffice Transport - Dedicated - STS1 combination - Facility															
		Termination			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				<u> </u>
		STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	176.20	178.14	93.97	33.26	31.83		15.66				
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72								
		Additional DS1Loop in STS1 Interoffice Transport Combination -	1									<u> </u>	1]		1
	ļ	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	1	15.66				1

UNBUND	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: C
CATEGOR		Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	» Diagonari		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
		 				Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in STS1 Interoffice Transport Combination -	 					FIRST	Addi	FIRSt	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			ONOTA	OOLXX	134.10	202.41	107.04	44.70	11.71		13.00				
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As	-														1
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-W	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERC	FFICE	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	20.00	400.07	00.00	50.44	14.50		15.66				
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	-	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			OHODA	ODLOG	00.00	120.21	00.00	00.14	14.00		10.00				
	Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As	1		LINORY	111000		5.50	5.50	0.00	0.00		45.00				
4-14	Is Charge IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERC	EEICE 1	DANG	UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-11	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	PFFICE	KANSI	PORT (EEL)												
	Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															1
	Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-		UNCDX	1L5XX	0.008838										1
	Facility Termination			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As			UNCDA	UTIDO	13.12	40.34	27.41	10.74	0.90		13.00				
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
ADDITIONA	L NETWORK ELEMENTS								0.00							
Wh	en used as a part of a currently combined facility, the non-recur	rng cha	rges do	not apply, but a S	Switch As Is c	harge does app	oly.									
	en used as ordinarily combined network elements in All States, t					As Is Charge	does not.									
Nor	recurring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As	_	 	ONCVA	UNUCC		5.59	5.39	0.98	0.98	1	15.00				
	Is Charge - 56/64 kbps		1	UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As	-					0.00	0.00	0.00	5.55						
	Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As	-														
PIO.	Is Charge - STS1 FE: Local Channel - Dedicated Transport - minimum billing perio	d Dala	W Dea	UNCSX	UNCCC	r months	5.59	5.59	6.98	6.98	1	15.66	 	 		
NO	Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade	u - Belo	W D23:	UNCXV	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66		-		
	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 4-Wire Voice Grade	1	1	UNCXV	ULDV4	14.93	193.53	33.60	37.11	3.67		15.66				
	Local Channel - Dedicated - Wile Voice Chade Local Channel - Dedicated - DS1 per month Zone 1	1	1	UNC1X	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66	İ	İ		†
	Local Channel - Dedicated -DS1 Per Month Zone 2	1	2	UNC1X	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66	1	1		
	Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92										
	Local Channel - Dedicated - DS3 - Facility Termination	<u> </u>	ļ	UNC3X	ULDF3	416.54	451.52	263.94	119.49	83.58		15.66				<u> </u>
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	1	1	UNCSX	1L5NC ULDFS	6.92 408.49	451.52	263.94	119.49	83.58		15.66				-
Ont	ional Features & Functions:	+	 	OINCOV	ULDES	408.49	451.52	203.94	119.49	83.58	-	10.00	-	-		
	LTIPLEXERS	+	†		+						 		 	 		
	==	<u> </u>	1		- 1						1	l .	1	I.		

UNBUND	DLED NETWORK F	LEMENTS - Alabama												Attachment:	2	Fxhi	ibit: C
			Interi										Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge -		Incremental Charge -
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	01	P04 to P00 01 and 10 atom			LIVEDA	1404	101.00	First	Add'l	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		DS1 to DS0 Channel System			UXTD1	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				+
	month (2.4-64kbs				UDL	1D1DD	1.12	6.58	4.72				15.66				
		I (BRITE) - DS1 to DS0 Channel Systsem - per							. ==								
	month	DI DOM - DOO OL			UDN	UC1CA	2.41	6.58	4.72				15.66				
		CI - DS1 to DS0 Channel System - per month			UEA UXTD3	1D1VG	0.53	6.58 178.14	4.72	33.26	31.83		15.66				+
		nnel System per month			UXTS1	MQ3 MQ3	166.13		93.97 93.97	33.26	31.83		15.66 15.66				-
		annel System per month it (DS1 COCI) used with Loop per month			USL	UC1D1	166.13 12.70	178.14 6.58	4.72	33.20	31.83		15.66				+
		it (DS1 COCI) used with Local Channel per			USL	OCIDI	12.70	0.36	4.72				13.00				-
	month				ULDD1	UC1D1	12.70	6.58	4.72				15.66				
		it (DS1 COCI) used with Interoffice Channel			LIATE	110454	40.70	0.50	4.70				45.00				
C	per month				U1TD1	UC1D1	12.70	6.58	4.72				15.66				-
Su		Loop Feeder Loop, 4-Wire DS1 - Statewide		0144	UNC1X	USBFG											-
-		Loop Feeder Loop, 4-Wire DS1 - Statewide	1		UNC1X	USBFG	55.09	101.85	64.38	62.05	17.40	1					+
		Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	124.69	101.85	64.38	62.05	17.40						+
		Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X	USBFG	294.62	101.85	64.38	62.05	17.40						+
		Loop Feeder Loop, 4-Wire DS1 - Zone 4			UNC1X	USBFG	204.02	101.00	04.00	02.00	17.40						+
UNBUNDL		E SWITCHING(PORTS)		<u> </u>	0.10.17	002.0											+
	change Ports	2 3 3 3															1
		rt Rate includes all available features in GA,	KY. LA	& TN. tl	he desired feature	es will need to b	e ordered usin	a retail USOCs	3								
		LINE PORT RATES (RES)	Τ΄	,													
	Exchange Ports -	2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports -	2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		15.66				
	Full and Dark	O.M. Andre Live Bost estados de Bre			LIEDOD	LIEDDO	4.00	0.00	0.07	4.40	4.00		45.00				
		2-Wire Analog Line Port outgoing only - Res. 2-Wire VG unbundled AL extended local			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33		15.66				
	dialing parity Por	t with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - with Caller ID (LL	2-Wire VG unbundled res, low usage line port IM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33		15.66				
		2-Wire VG Alabama Residence Dialing Plan															
	without Caller Id	undled Low Usage Line Port without Caller ID			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33		15.66				
	Capability	amaroa zon coago zino i on minoar canci iz			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33		15.66				
	Subsequent Activ	rity			UEPSR	USASC	0.00	0.00	0.00				15.66				
FE	ATURES	•															
	All Available Verti				UEPSR	UEPVF	1.98	0.00	0.00				15.66				
2-V		LINE PORT RATES (BUS)															
	Exchange Ports - Bus	2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33		15.66				
		2-Wire VG unbundled Line Port with vith Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33		15.66				
	·				UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33		15.66				
		2-Wire Analog Line Port outgoing only - Bus. 2-Wire VG unbundled AL extended local	1		ULFOD	UEPBU	1.38	∠.38	2.21	1.42	1.33		13.00			1	+
	dialing parity Por	t with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33		15.66				
	Caller ID - Bus	2-Wire VG unbundled incoming only port with			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - without Caller ID	2-Wire Voice Alabama Business Dialing Plan			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33		15.66				
		undled Incoming Only Port without Caller ID			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33		15.66				
	Subsequent Activ	ritv			UEPSB	USASC	0.00	0.00	0.00				15.66				
FE	ATURES	-					0.00	3.50	3.30								
	All Available Verti	cal Features	1		UEPSB	UEPVF	1.98	0.00	0.00				15.66				1
EX	CHANGE PORT RATE																
	2-Wire VG Unbur	ndled 2-Way PBX Trunk - Res	1		UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90		15.66				

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						l I	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates(\$)		l .
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90	SOWIEC	15.66	SOWAN	SUMAN	SOWAN	SUMAN
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90	1	15.66				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90	1	15.66				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90	1	15.66				
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90	1	15.66				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90	1	15.66				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90	1	15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		LIEDOD	HEDYE	4.00	04.0=	446=	40.01	0.00		45.00				
	Capable Port		1	UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90		15.66				ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEBOD	LIEDY"		2.2									
	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l	1				[]							
	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90		15.66				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.66				
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66				
EXCH	IANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33		15.66				
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switche	ed data transm	nission by B-Ch	annels assoc	iated with 2	wire ISDN	oorts.			
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ble only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	termined via	the Bona Fid	de Request/	New Business	Request Pro	cess.	
IINDIINDI ED																
OMBUMPLED	LOCAL EXCHANGE SWITCHING(PORTS)													-		
	LOCAL EXCHANGE SWITCHING(PORTS) IANGE PORT RATES															
				UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76		15.66				
	IANGE PORT RATES Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76		15.66				
	IANGE PORT RATES Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	IANGE PORT RATES Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPP2 UEPDD U1PMA	8.05 60.09 9.79	119.31 202.02 72.77	95.69	59.90 72.59 47.79	3.76 2.46 10.74		15.66				
	IANGE PORT RATES Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPDD UEPTX UEPSX	UEPDD U1PMA	60.09 9.79	202.02		72.59	2.46						
EXCH	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	vitched	usage	UEPDD UEPTX UEPSX UEPTX UEPSX	UEPDD U1PMA UEPVF	60.09 9.79 1.98	202.02 72.77 0.00	95.69 52.99 0.00	72.59 47.79	2.46 10.74		15.66 15.66	oorts.			
EXCH	IANGE PORT RATES Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sw			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c	UEPDD U1PMA UEPVF ircuit switch	60.09 9.79 1.98 ed voice and/or	202.02 72.77 0.00 circuit switche	95.69 52.99 0.00 ed data transm	72.59 47.79 hission by B-Ch	2.46 10.74 nannels assoc	iated with 2	15.66 15.66 -wire ISDN p		Request Pro	Cess.	
EXCH	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered :: Transmission/usage charges associated with POTS circuit sw :: Access to B Channel or D Channel Packet capabilities will be			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New	UEPDD U1PMA UEPVF ircuit switche Business Re	60.09 9.79 1.98 ed voice and/or equest Process.	202.02 72.77 0.00 circuit switche Rates for the	95.69 52.99 0.00 ed data transm packet capabi	72.59 47.79 hission by B-Ch lities will be de	2.46 10.74 nannels assoc	iated with 2	15.66 15.66 -wire ISDN p		Request Pro	cess.	
EXCH	IANGE PORT RATES Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered :: Transmission/usage charges associated with POTS circuit sve: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switch Business Re	60.09 9.79 1.98 ed voice and/or equest Process. 0.00	202.02 72.77 0.00 circuit switche Rates for the	95.69 52.99 0.00 ed data transm packet capabi	72.59 47.79 hission by B-Ch lities will be de	2.46 10.74 nannels assoc etermined via	iated with 2	15.66 15.66 -wire ISDN ple Request/		Request Pro	cess.	
NOTE NOTE	IANGE PORT RATES Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sve: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New	UEPDD U1PMA UEPVF ircuit switche Business Re	60.09 9.79 1.98 ed voice and/or equest Process.	202.02 72.77 0.00 circuit switche Rates for the	95.69 52.99 0.00 ed data transm packet capabi	72.59 47.79 hission by B-Ch lities will be de	2.46 10.74 nannels assoc	iated with 2	15.66 15.66 -wire ISDN p		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: :: Transmission/usage charges associated with POTS circuit sv :: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switch Business Re	60.09 9.79 1.98 ed voice and/or equest Process. 0.00	202.02 72.77 0.00 circuit switche Rates for the	95.69 52.99 0.00 ed data transm packet capabi	72.59 47.79 hission by B-Ch lities will be de	2.46 10.74 nannels assoc etermined via	iated with 2	15.66 15.66 -wire ISDN ple Request/		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sv Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56	72.59 47.79 hission by B-Ch lities will be de	2.46 10.74 nannels assoc etermined via 1 20.06	iated with 2	15.66 15.66 -wire ISDN ple Request/		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: :: Transmission/usage charges associated with POTS circuit sv :: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switch Business Re	60.09 9.79 1.98 ed voice and/or equest Process. 0.00	202.02 72.77 0.00 circuit switche Rates for the	95.69 52.99 0.00 ed data transm packet capabi	72.59 47.79 hission by B-Ch lities will be de	2.46 10.74 nannels assoc etermined via	iated with 2	15.66 15.66 -wire ISDN ple Request/		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX	60.09 9.79 1.98 ed voice and/or quest Process. 0.00 84.32	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81	95.69 52.99 0.00 ad data transm packet capabi 0.00 101.56	72.59 47.79 hission by B-Ch lities will be de 79.18	2.46 10.74 nannels associ termined via 1 20.06	iated with 2	15.66 15.66 wire ISDN p de Request/ 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: :: Transmission/usage charges associated with POTS circuit sw :: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UEPEX UERAC	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56	72.59 47.79 ission by B-Ch lities will be de 79.18	2.46 10.74 nannels assoc termined via 1 20.06	iated with 2: the Bona Fid	15.66 15.66 -wire ISDN pie Request/ 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered :: Transmission/usage charges associated with POTS circuit sv :: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy ythrough BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERLC UERTE	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38	95.69 52.99 0.00 od data transm packet capabi 101.56 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 15.66 wire ISDN pde Request/ 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sw: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN Port Channel Profiles Ports - 4-Wire ISDN DS1 Port DINDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PORT with REMOTE CALL FORWARDING SERVICE RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UEPEX UERAC	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56	72.59 47.79 ission by B-Ch lities will be de 79.18	2.46 10.74 nannels assoc termined via 1 20.06	iated with 2	15.66 15.66 -wire ISDN pie Request/ 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: Transmission/usage charges associated with POTS circuit sveich and the company of the compan	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy ythrough BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERLC UERTE	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38	95.69 52.99 0.00 od data transm packet capabi 101.56 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 15.66 wire ISDN pde Request/ 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: :: Transmission/usage charges associated with POTS circuit swided in the company of	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UEPEX UERAC UERLC UERTE UERTR	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38	95.69 52.99 0.00 d data transm packet capabi 0.00 101.56 2.27 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 wire ISDN ple Request/ 15.66 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sveich and the second of	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy ythrough BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERLC UERTE	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38	95.69 52.99 0.00 od data transm packet capabi 101.56 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 15.66 wire ISDN pde Request/ 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sv Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN Post Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PEMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF Ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERLC UERTE UERTR	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38	95.69 52.99 0.00 old data transm packet capabi 0.00 101.56 2.27 2.27 2.27 0.10	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: "Transmission/usage charges associated with POTS circuit swidth and the second provided in the profile of the second provided in the profile of the provided in the provided	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UEPEX UERAC UERLC UERTE UERTR	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38	95.69 52.99 0.00 d data transm packet capabi 0.00 101.56 2.27 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 wire ISDN ple Request/ 15.66 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit sv Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN Post Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PEMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF Ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERLC UERTE UERTR	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38	95.69 52.99 0.00 old data transm packet capabi 0.00 101.56 2.27 2.27 2.27 0.10	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swith Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swith Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PORT with REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNDLED REMOTE CALL FORWARDING - Bus	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERTE UERTR USAC2 USACC	60.09 9.79 1.98 ed voice and/or quest Process. 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38 2.38	95.69 52.99 0.00 od data transm packet capabi 0.00 101.56 2.27 2.27 2.27 0.10 0.10	72.59 47.79 iission by B-Ch iities will be de 79.18 1.42 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33 1.33	iated with 2	15.66 15.66 wire ISDN pie Request/ 15.66 15.66 15.66 15.66 15.66 15.66		Request Pro	Cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered: "Transmission/usage charges associated with POTS circuit swidth and the second provided in the profile of the second provided in the profile of the provided in the provided	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF Ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERLC UERTE UERTR	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38	95.69 52.99 0.00 old data transm packet capabi 0.00 101.56 2.27 2.27 2.27 0.10	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33	iated with 2	15.66 15.66 		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swiich access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PORT with REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus	availal		UEPDD UEPTX UEPSX UEPTX UEPSX Will also apply to c UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERTE UERTR USACC USACC UERAC	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38 0.10 0.10	95.69 52.99 0.00 ad data transm packet capabi 101.56 2.27 2.27 2.27 0.10 0.10	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33 1.33	iated with 2	15.66 15.66 wire ISDN ple Request/ 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swith Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPTX UEPSX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERTE UERTR USAC2 USACC UERAC UERAC	60.09 9.79 1.98 ed voice and/or Quest Process. 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38 0.10 0.10	95.69 52.99 0.00 od data transm packet capabii 101.56 2.27 2.27 2.27 0.10 0.10 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42 1.42 1.42 1.42	2.46 10.74 nannels associtermined via 1 20.06 1.33 1.33 1.33 1.33	iated with 2	15.66 15.66 wire ISDN pie Request/ 15.66 15.66 15.66 15.66 15.66 15.66		Request Pro	Cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swill be exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 2-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PEMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERLC UERTE USAC2 USAC2 USACC UERAC UERAC	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switched 0.00 203.81 2.38 2.38 2.38 2.38 2.38 2.38 2.38	95.69 52.99 0.00 d data transm packet capabi 0.00 101.56 2.27 2.27 2.27 0.10 0.10 2.27 2.27 2.27	72.59 47.79 iission by B-Ch iities will be de 79.18 1.42 1.42 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33 1.33 1.33 1.33	iated with 2:	15.66 15.66 wire ISDN pie Request/ 15.66 15.66 15.66 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swith a commission/usage ed associated with potential swill be exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPTX UEPSX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERTE UERTR USAC2 USACC UERAC UERAC	60.09 9.79 1.98 ed voice and/or Quest Process. 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 2.38 0.10 0.10	95.69 52.99 0.00 od data transm packet capabii 101.56 2.27 2.27 2.27 0.10 0.10 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42 1.42 1.42 1.42	2.46 10.74 nannels associtermined via 1 20.06 1.33 1.33 1.33 1.33	iated with 2:	15.66 15.66 wire ISDN pie Request/ 15.66 15.66 15.66 15.66 15.66 15.66		Request Pro	cess.	
NOTE NOTE UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swards and the company of the capabilities will be exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, Expanded and	availal		UEPDD UEPTX UEPSX UEPTX UEPSX WIII also apply to c UEPTX UEPSX WIII also apply to c UEPTX UEPSX UEPTX UEPSX UEPTX UEPTX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERAC UERTE UERTR USAC2 USACC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC	60.09 9.79 1.98 ed voice and/or cquest Process. 0.00 84.32 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81 2.38 2.38 2.38 0.10 0.10 0.10 2.38 2.38 2.38 2.38	95.69 52.99 0.00 d data transm packet capabi 101.56 2.27 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 2.27	72.59 47.79 ission by B-Ch ities will be de 79.18 1.42 1.42 1.42 1.42 1.42 1.42 1.42 1.42	2.46 10.74 nannels associtermined via 1 20.06 1.33 1.33 1.33 1.33 1.33 1.33	iated with 2	15.66 15.66 wire ISDN pie Request/ 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66		Request Pro	Cess.	
NOTE NOTE UNBU UNBU UNBU UNBU	Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - DITS Port - 4-Wire DS1 Port with DID capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Transmission/usage charges associated with POTS circuit swith a commission/usage ed associated with potential swill be exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	availal		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switch Business Re U1UMA UEPEX UERAC UERLC UERTE USAC2 USAC2 USACC UERAC UERAC	60.09 9.79 1.98 ed voice and/or equest Process. 0.00 84.32 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switched 0.00 203.81 2.38 2.38 2.38 2.38 2.38 2.38 2.38	95.69 52.99 0.00 d data transm packet capabi 0.00 101.56 2.27 2.27 2.27 0.10 0.10 2.27 2.27 2.27	72.59 47.79 iission by B-Ch iities will be de 79.18 1.42 1.42 1.42 1.42	2.46 10.74 nannels assoc termined via 1 20.06 1.33 1.33 1.33 1.33 1.33	iated with 2	15.66 15.66 wire ISDN pie Request/ 15.66 15.66 15.66 15.66 15.66		Request Pro	cess.	

CATEGORY	.ED NETWORK ELEMENTS - Alabama											Svc Order		Incremental	Incremental	Incrementa
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service - Conversion -			LIEDVO	110400		0.40	0.40				45.00				
	Switch-as-is			UEPVB	USAC2		0.10	0.10				15.66				
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACC		0.10	0.10				15.66				
IINDIINDI E	allowed change (PIC and LPIC) D LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		0.10	0.10				13.00				
	Office Switching (Port Usage)	-			1											
Liiu	End Office Switching Function, Per MOU					0.0007025										
	End Office Trunk Port - Shared, Per MOU					0.0007623										
Tan	dem Switching (Port Usage) (Local or Access Tandem)					0.0001000										
	Tandem Switching Function Per MOU					0.000095										
	Tandem Trunk Port - Shared, Per MOU					0.0002015										
Con	nmon Transport				İ	,			İ						İ	
	Common Transport - Per Mile, Per MOU				İ	0.0000023			İ						İ	
	Common Transport - Facilities Termination Per MOU					0.0003224										
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
Cos	t Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Cor	nmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
Feat	ures shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	ection in the same	manner as th	ey are applied	to the Stand-A	lone Unbundle	d Port section	of this Rate E	xhibit.					
	Office and Tandem Switching Usage and Common Transport Us															
	first and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	d Combos. For Cur	rrently Comb	ined Combos th	ne nonrecurrin	g charges shal	ll be those iden	tified in the N	lonrecurring	j - Currently	Combined se	ections.		
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE	Loop Rates			HEDDY	LIEDLY	44.55										
\longrightarrow	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	11.55 20.04										
\longrightarrow	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX UEPRX	UEPLX	33.65										
2.W	ire Voice Grade Line Port Rates (Res)		3	UEPRA	UEPLX	33.00			-							
2-44	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63		15.66				
-+	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63		15.66				
-+	2-Wire voice Grade unbundled Alabama extended local dialing			OLITOR	OLI ILO	1.10	40.10	10.00	24.01	0.00		10.00				
	parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															
	without Caller ID	1		UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63		15.66		1		
	2-Wire voice unbundled Low Usage Line Port without Caller ID							-								
	Capability	<u></u>		UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63	<u></u>	15.66			<u> </u>	
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00				15.66				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10				15.66				
ADD	OITIONAL NRCs															
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	l														
	Activity	 		UEPRX	USAS2	0.00	0.00	0.00			1	15.66		-		1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	 			+				ļ l		1			-		1
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	 	1		+	12.70			ļ l		1			-		1
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	2		+	21.19					 	-		-		1
			3		+	34.80			 					-	-	1
	2 Wire VG Loop/Port Combo Zone 2													•	1	1
LIME	2-Wire VG Loop/Port Combo - Zone 3		3			000					1					
UNE	Loop Rates		1	LIEPBX	LIEPI X											
UNE			1	UEPBX UEPBX	UEPLX UEPLX	11.55 20.04										

IINP	IINDI E	D NETWORK ELEMENTS - Alabama												Attachment:	2	Euh:	bit: C
UND	UNDLE	D NETWORK ELEMENTS - Alabama	1									Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates(\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Unbundled Alabama Business Dialing Plan without			OLI DX	OI LD1	1.10	40.10	10.00	24.01	0.00		10.00				
		Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled Incoming Only Port without Caller ID				1								İ		1	
L		Capability	<u> </u>		UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63	<u> </u>	15.66	<u> </u>	<u> </u>	<u> </u>	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35	_	•		•						_
	FEATU							,									
		All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00				15.66				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ			+				-						-	
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPBX	USAC2		0.10	0.10	1			45.00		1		
	ADDIT	Switch-as-is ONAL NRCs			DEPBX	USAC2		0.10	0.10	1			15.66				
	ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								-		-	-			-	
		Activity			UEPBX	USAS2		0.00	0.00				15.66				
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	UUAUZ		0.00	0.00				13.00				
		ort/Loop Combination Rates				+											
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70			İ							
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
	- 1177	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20		15.66				
-	LOCAL	. NUMBER PORTABILITY			UEFRG	UEPKD	1.15	09.06	32.41	37.43	6.20	-	15.00			-	
	LOUAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00	†			15.66				
	FEATU				OLITIO	LIVI OI	5.15	0.00	0.00				13.00				
	,	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00	İ			15.66				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90				15.66				
	ADDIT	ONAL NRCs															
1		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1							1					1		
		Subsequent Activity	ļ		UEPRG	USAS2	0.00	0.00	0.00				15.66				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l					7.00	7.00				45.00			1	
	2-14/15/5	Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 			+		7.32	7.32	_		-	15.66			 	
-		ort/Loop Combination Rates	1			+				 		-		1	1	+	
	ONE P	2-Wire VG Loop/Port Combo - Zone 1	 	1		+	12.70			 				-		 	
1	1	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	21.19			I		<u> </u>			 	I	
		2-Wire VG Loop/Port Combo - Zone 3		3		† 1	34.80			1						1	
	UNE L	pop Rates				†								1			
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65		•								
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)				1				ļ					ļ	ļ	
			1		LIEDDY	LIEDES									1		
	-	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		15.66	ļ	 	-	
<u> </u>	-	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	 		UEPPX UEPPX	UEPPO UEPP1	1.15	69.08 69.08	32.41 32.41	37.43 37.43	6.20 6.20		15.66 15.66	1	 	!	
L	1	Line Side Oribundied incoming PBA Trunk Port - Bus	<u> </u>	l	ULFFA	UEFFI	1.15	80.69	32.41	31.43	ზ.20	I	15.00	L	<u> </u>	1	

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
0.1.20.1.2											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			LIEDDY	LIEDAG	4.45	00.00	00.44	07.40	0.00		45.00				i
	Calling Port			UEPPX UEPPX	UEPA2 UEPLD	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08 69.08	32.41	37.43 37.43	6.20 6.20		15.66				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41				15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	-		UEPPX	UEPXB	1.15 1.15	69.08	32.41 32.41	37.43 37.43	6.20 6.20		15.66 15.66				
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20	1	15.66				
h + +	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		ULFFX	OLFAD	1.13	09.00	32.41	37.43	0.20	1	13.00				
	Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20		15.66				i
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.15	03.00	32.41	37.43	0.20		13.00				
	Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		15.66				i
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	t		U-11/A	OLI AL	1.13	03.00	J2.41	37.43	0.20		10.00				
	Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		15.66				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					0	55.00	32.41	31.40	5.20						
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		15.66				i
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20		15.66				
LOCAL	NUMBER PORTABILITY			02.17	02. AC	0	00.00	02	011.10	0.20		10.00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.66				
FEATU	JRES															
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00				15.66				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90				15.66				i
ADDIT	IONAL NRCs															i
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.66				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.32	7.32				15.66				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19										<u> </u>
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										
UNE L	oop Rates	ļ														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	20.04										
0 14/:	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
Z-VVIIE	Voice Grade Line Ports (COIN)				_											
]	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		15.66				1
	2-Wire Coin 2-Way with Operator Screening (AL, KY)	1	\vdash	UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63	 	15.66				
 	2-Wire Coin 2-Way with Operator Screening (AL, KY) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		OLFOO	OLFINE	1.13	40.19	19.63	24.91	0.03		15.00				
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		15.66				1
 	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		0_1 00	JEI IVA	1.13	70.13	13.00	27.31	0.03		10.00				
	(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63		15.66				i
	2-Wire Coin 2-Way with Operator Screening & Blocking:	1			020	1.10	40.13	10.00	24.51	0.00		10.00				
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63		15.66				i
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		15.66				i
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63		15.66				1
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63	<u> </u>	15.66				1
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	40.19	19.83	24.91	6.63		15.66				<u> </u>
LOCAI	NUMBER PORTABILITY								I							·

HINRHNE) ED	NETWORK ELEMENTS - Alabama												Attachment:	2	Evh:	bit: C
UNDUNL	JLED	NETWORK ELEMENTS - Alabama		ı		1						Svc Order		Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	24	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
GATEGOR	``	KATE ELEMENTO	m	20110	500	0000			itA1 LO(ψ)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ocal Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NC		CURRING CHARGES - CURRENTLY COMBINED															
		-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10				15.66				
AD		NAL NRCs		<u> </u>													
		P-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				45.00				
		ICTIVITY VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ODT /		USAS2		0.00	0.00				15.66				
		t/Loop Combination Rates	LINE	-OKI (I	KEO)	1						-			-		-
ON		-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
\vdash		-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	24.23					<u> </u>	 		I	 	I
\vdash		-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52								1	1	1
UN		p Rates		Ť			552								1		1
		-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38								1		
	2	-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
	2	-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
2-V		oice Grade Line Port Rates (Res)															
		-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77		15.66				
		-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77		15.66				
		-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77		15.66				
		-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		15.66				
		-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	4.00	00.00	F7.07	40.00	0.77		45.00				
\vdash		LUM) -Wire Voice Unbundled Alabama Residence Dialing Plan			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		15.66				
		vithout Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		15.66				
IN.		FICE TRANSPORT			OLFIK	OLFWA	1.50	90.30	31.21	40.00	6.77		13.00				
H-1		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		ermination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	lr	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								-							
		r Fraction Mile			UEPFR	1L5XX	0.008838										
FE	ATUR	ES															
		II Features Offered			UEPFR	UEPVF	1.98	0.00	0.00				15.66				
LO		NUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				ļ											
		!-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	LICACO		0.40	4.6=				45.00		I	1	I
\vdash		Combination - Conversion - Switch-as-is -Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 	UEPFR	USAC2		8.48	1.87	 			15.66		 	ļ	
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87				15.66			1	
2-1	WIRE \	/OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (USACC	+	0.48	1.07	1			13.00		t	1	t
		t/Loop Combination Rates	LINE	J. (1		+	 			 			 		t	 	t
		-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	15.76					1			†	1	†
		-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	24.23			1					1	1	1
		-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UN		p Rates															
		-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
		-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
$\sqcup \!\!\! \perp$		-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14								1		
2-V		oice Grade Line Port (Bus)				LIEBBI	1.5	00.77					4 = 6 -				
$\vdash \!$		-Wire voice unbundled port without Caller ID - bus		-	UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77		15.66		1		1
\vdash		!-Wire voice unbundled port with Caller + E484 ID - bus		 	UEPFB UEPFB	UEPBC UEPBO	1.38 1.38	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77		15.66 15.66		 	 	
\vdash		-Wire voice unbundled port outgoing only - bus -Wire voice Grade unbundled Alabama extended local dialing	1		UEPFB	DEARO	1.38	90.38	57.27	48.66	8.77	-	15.66		 	-	
		earity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77		15.66		I	1	I
\vdash		-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77		15.66		t	1	t
\vdash		!-Wire Voice Unbundled Alabama Business Dialing Plan without			S_11D	JE: D1	1.50	30.36	51.21	40.00	0.77	<u> </u>	10.00		I	 	I
		Caller ID	1	1	UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77		15.66		I	Ì	I
1 1	IC																

CATEGORY Local INTEROFFIC Interc Termin Interc FEATURES All Fe NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch-as-is ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3	Interi	Zone	BCS UEPFB UEPFB UEPFB UEPFB	USOC LNPCX U1TV2 1L5XX UEPVF	Rec 0.35 21.13 0.008838 1.98	Nonrec First 40.54	RATES(\$) curring Add'I 27.41	Nonrecurring First	Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st		Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Local INTEROFFIC Interor Termi Interor Or Fra FEATURES AII Fe NONRECURE 2-Wir Comb 2-Wir UNE POrt/Loc UNE POrt/Loc 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	al Number Portability (1 per port) CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch-as-is lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) coop Combination Rates lire VG Loop/IO Tranport/Port Combo - Zone 1 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 3	m	Zone	UEPFB UEPFB UEPFB	LNPCX U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	urring Add'l	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Local INTEROFFIC Interor Termi Interor Or Fra FEATURES AII Fe NONRECURE 2-Wir Comb 2-Wir UNE POrt/Loc UNE POrt/Loc 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	al Number Portability (1 per port) CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch-as-is lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) coop Combination Rates lire VG Loop/IO Tranport/Port Combo - Zone 1 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 3	m	Zone	UEPFB UEPFB UEPFB	LNPCX U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	urring Add'l	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Local INTEROFFIC Interor Termi Interor Or Fra FEATURES AII FE NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Loc UNE POT/Loc UNE Loop R: 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	al Number Portability (1 per port) CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch-as-is lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) coop Combination Rates lire VG Loop/IO Tranport/Port Combo - Zone 1 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 3	m	Zone	UEPFB UEPFB UEPFB	LNPCX U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	urring Add'l	First	Add'l	per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Local INTEROFFIC Interor Termi Interor Or Fra FEATURES AII FE NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Loc UNE POT/Loc UNE Loop R: 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	al Number Portability (1 per port) CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch-as-is lire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) coop Combination Rates lire VG Loop/IO Tranport/Port Combo - Zone 1 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB UEPFB	LNPCX U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	urring Add'l	First	Add'l	•		Electronic- 1st OSS	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
INTEROFFIC Interc Termin Interc Or Fre FEATURES AII Fe NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo UNE POT/Lo UNE Loop R: 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch with change [CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	Add'l	First	Add'l	SOMEC	SOMAN	1st OSS	Add'I Rates(\$)	Disc 1st	Disc Add'l
INTEROFFIC Interc Termin Interc Or Fre FEATURES AII Fe NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo 2-Wir	CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch with change [CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	Add'l	First	Add'l	SOMEC	SOMAN	OSS	Rates(\$)		
INTEROFFIC Interc Termin Interc or Fre FEATURES AII Fe NONRECURR 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo 2-Wir	CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch with change [CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
INTEROFFIC Interc Termin Interc or Fre FEATURES AII Fe NONRECURR 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo 2-Wir	CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch with change [CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	U1TV2 1L5XX UEPVF	0.35 21.13 0.008838	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
INTEROFFIC Interc Termin Interc Or Fre FEATURES AII Fe NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo 2-Wir	CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch with change [CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	U1TV2 1L5XX UEPVF	21.13					SOWIEC	SOWAN	SOMAN	SOWIAN	SOMAN	SOMAN
INTEROFFIC Interc Termin Interc Or Fre FEATURES AII Fe NONRECURE 2-Wir Comb 2-Wir 2-Wir UNE POT/Lo 2-Wir	CE TRANSPORT roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port high many conversion - Switch with change [CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	U1TV2 1L5XX UEPVF	21.13	40.54	27.41	16.74							
Intercontent of the c	roffice Transport - Dedicated - 2 Wire Voice Grade - Facility mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED lire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch-as-is lire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates lire VG Loop/IO Tranport/Port Combo - Zone 1 lire VG Loop/IO Tranport/Port Combo - Zone 2 lire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	1L5XX UEPVF	0.008838	40.54	27.41	16.74							
Termi Interc Or Fre FEATURES All Fe NONRECURF 2-Wir Comb 2-Wir Comb 2-Wir UNE Port/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	mination roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile			UEPFB UEPFB	1L5XX UEPVF	0.008838	40.54	27.41	16 74							,
Intercore frequency of Free Features Features Nonrecure 2-Wir 2-Wir 2-Wir UNE Port/Lor 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port hibination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB UEPFB	1L5XX UEPVF	0.008838	40.54	27.41								
or Fra FEATURES All Fe NONRECURE 2-Wir Comb 2-Wire Comb 2-Wire 2-Wire UNE Port/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	raction Mile Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED fire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch-as-is fire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) cop Combination Rates fire VG Loop/IO Tranport/Port Combo - Zone 1 fire VG Loop/IO Tranport/Port Combo - Zone 2 fire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB	UEPVF				10.14	0.90						
FEATURES All Fe NONRECURE 2-Wir Comt 2-Wir Comt 2-Wire 2-Wire UNE Port/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED life Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch-as-is life Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates life VG Loop/IO Tranport/Port Combo - Zone 1 life VG Loop/IO Tranport/Port Combo - Zone 2 life VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB	UEPVF											1
All Fe NONRECURF 2-Wir Comb 2-Wire UNE Port/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	Features Offered RRING CHARGES (NRCs) - CURRENTLY COMBINED ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch-as-is ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3					1.98										
NONRECURF 2-Wir Comb 2-WIRE VOIC UNE POrt/Lo UNE Loop Ri 2-Wir UNE Loop Ri 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wire 2-Wir 2-Wire 2-Wire 2-Wire 2-Wire 2-Wire	RRING CHARGES (NRCs) - CURRENTLY COMBINED ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch-as-is ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3					1.98	0.00	0.00				15.66				
2-Wir Comb 2-Wire VOIC UNE Port/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	ire Loop / Dedicated IO Transport / 2 Wire Line Port hbination - Conversion - Switch-as-is ire Loop / Dedicated IO Transport / 2 Wire Line Port hbination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB			0.00	0.00				15.00				
Comb 2-Wire Comb 2-WIRE VOIC UNE POT/Lo 2-Wir 2-Wir 1-2-Wir UNE Loop R: 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	hbination - Conversion - Switch-as-is ire Loop / Dedicated IO Transport / 2 Wire Line Port hbination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB												
2-Wire Comb 2-WIRE VOIC UNE POrt/Lo. 2-Wir 2-Wir 2-Wir UNE Loop R 2-Wir 2-Wir 2-Wir 2-Wire 2-Wire 2-Wire 2-Wire Voice	ire Loop / Dedicated IO Transport / 2 Wire Line Port abination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3			ULPED	HIGAMO	l	8.48	1.87				15.66				i
Comb 2-WIRE VOIC UNE POrt/Loo 2-Wir 2-Wir 2-Wir UNE Loop Ri 2-Wir 2-Wir 2-Wir 2-Wir 2-Wire 2-Wire 2-Wire Voice	nbination - Conversion - Switch with change ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3				USAC2		8.48	1.87				15.00				
2-WIRE VOIC UNE Port/Lo 2-Wir 2-Wir 2-Wir UNE Loop Re 2-Wir 2-Wir 2-Wir 2-Wir 2-Wire 2-Wire 2-Wire	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3			UEPFB	LIEACO	l	0.40	4.07				45.00				i
UNE Port/Lo 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir 2-Wir	oop Combination Rates ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3		1	UEPFB	USACC		8.48	1.87				15.66				
2-Wir 2-Wir 2-Wir UNE Loop R 2-Wir 2-Wir 2-Wir 2-Wire 2-Wire Voice	ire VG Loop/IO Tranport/Port Combo - Zone 1 ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3	ı	<u> </u>		+ +											
2-Wir 2-Wir UNE Loop Ri 2-Wir 2-Wir 2-Wir 2-Wire 2-Wire Voice	ire VG Loop/IO Tranport/Port Combo - Zone 2 ire VG Loop/IO Tranport/Port Combo - Zone 3				+ +	45 =0										
2-Wir UNE Loop Ra 2-Wir 2-Wir 2-Wir 2-Wire Voice	ire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	1		+ +	15.76										
UNE Loop Ra 2-Wir 2-Wir 2-Wir 2-Wire Voice			2			24.23										
2-Wir 2-Wir 2-Wire 2-Wire Voice	Rates		3			37.52										
2-Wir 2-Wire 2-Wire Voice																
2-Wire Voice	ire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38										
2-Wire Voice	ire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85										
	ire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14										
Line S	e Grade Line Port Rates (BUS - PBX)															
Line																1
	Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		15.66				
	Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34		15.66				
	Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34		15.66				1
	ire Voice Unbundled 2-Way Combination PBX Alabama															1
	ing Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34		15.66				
	ire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34		15.66				1
	ire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34		15.66				1
	ire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34		15.66				
2-Wir	ire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34		15.66				
2-Wir	ire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34		15.66				
2-Wir	ire Voice Unbundled PBX LD Terminal Switchboard IDD															
	able Port	<u></u>		UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34	<u></u>	15.66				<u> </u>
	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	ninistrative Calling Port	l		UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34		15.66				ı
2-Wir	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					İ										
	m Calling Port	l		UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34		15.66				ı
	ire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	count Room Calling Port	l		UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34		15.66				ı
	ire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34		15.66				
	MBER PORTABILITY				1	1										
	al Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
	CE TRANSPORT						2.20	2.30								
	roffice Transport - Dedicated - 2 Wire Voice Grade - Facility				†	İ										
	mination	1		UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						ı
Interr	roffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			1	0		=:		2.00						
	raction Mile	1		UEPFP	1L5XX	0.008838										i
FEATURES		1	i i			0.000000										
	Features Offered	1		UEPFP	UEPVF	1.98	0.00	0.00				15.66				
	RRING CHARGES (NRCs) - CURRENTLY COMBINED	l				50	0.00	0.00				.0.50				
	ire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		+											
	nbination - Conversion - Switch-as-is	1		UEPFP	USAC2	l	8.48	1.87				15.66				i
	Fire Loop / Dedicated IO Transport / 2 Wire Line Port	-		OLITI	JUNUZ	+	0.40	1.07				15.00				i
	nbination - Conversion - Switch with change	1		UEPFP	USACC	l	8.48	1.87				15.66				i
	T/LOOP COMBINATIONS - COST BASED RATES	 	1	02111	30,100	+	0.40	1.07				15.00				
	ICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT	1		+ -	+			-							

LIND	IINDI E	D NETWORK ELEMENTS - Alabama													Attachment:	2	Eul.:	bit: C
UND	UNDLE		1	1			ı	I					Svc Order	Sve Order	Incremental		Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
													Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS		usoc			RATES(\$)			per LSR			Order vs.	Order vs.	Order vs.
															Order vs. Electronic-			
																	Disc 1st	
															1st	Add'l	DISC 1St	Disc Add'l
								Rec	Nonred	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				22.40										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.88										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				44.17										
-		pop Rates	-	1	LIEDDY		LIECDA	44.00			1							
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	-	2	UEPPX		UECD1 UECD1	14.38 22.85			-			-		-		
	+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX		UECD1	36.14					1	1				
-		ort Rate		Ŭ	OLI I X		OLOD1	00.14										
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.02	207.31	73.74	107.14	11.20		15.66				
		CURRING CHARGES - CURRENTLY COMBINED	1	i –								20			İ	1	İ	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															
		Switch-as-is	<u> </u>	<u>L</u>	UEPPX		USAC1		7.31	1.87	<u></u>					<u></u>	<u> </u>	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
		with BellSouth Allowable Changes	<u> </u>	<u> </u>	UEPPX		USA1C		7.31	1.87								
<u> </u>	ADDITI	ONAL NRCs	1	<u> </u>														
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.78	26.78								
	Teleph	one Number/Trunk Group Establisment Charges			UEPPX		NDT	0.00	0.00	0.00								
		DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers	1		UEPPX		NDT ND4	0.00	0.00	0.00	-		ļ					
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers	-		UEPPX		ND6	0.00	0.00	0.00								
	+	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SIDE	E PORT														
	UNE Po	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		27.28										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	LIEDDD	HEDDD		07.00										
-		UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	2	UEPPB	UEPPR		37.86										
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
	UNFI	pop Rates	-	3	OLITE	OLITIK		55.04										
	0.12 2	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
		ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28		15.66				
<u> </u>	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>									<u> </u>				ļ	
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDE	LIEDDE	LICACD	0.00	20.54	07.00	I			45.00		I		
	ADDIT	Combination - Conversion ONAL NRCs	1	!	UEPPB	UEPPR	USACB	0.00	38.51	27.02	_		1	15.66		 		
-		NUMBER PORTABILITY	 	 				-			 		}		1	 	1	
<u> </u>		Local Number Portability (1 per port)	+	 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 		 			 		
		NNEL USER PROFILE ACCESS:	1	1	52.10	OLITIK	_111 O/\	0.55	0.00	0.00	†		1			†	1	
		CVS/CSD (DMS/5ESS)	†	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1					1		
		CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							1	
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			<u> </u>					
		CVS (EWSD)	ļ		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	ļ					ļ		
<u> </u>	HOEE .	CSD FERMINAL PROFILE	 	<u> </u>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	.		1		-	1	-	
-	USER	TERMINAL PROFILE	1	1	LIEDDD	LIEDDO	LIALINAA	0.00	0.00	0.00	 					 		
<u> </u>	VEDTI	User Terminal Profile (EWSD only) CAL FEATURES	+	 	UEPPB	UEPPR	UTUIVIA	0.00	0.00	0.00	 		1		-		1	
-		All Vertical Features - One per Channel B User Profile	1	 	UEPPB	UEPPR	UEPVF	1.98	0.00	0.00	 		1	1	1	 	1	
-		OFFICE CHANNEL MILEAGE	1	!	OLI FD	OLFFR	OLI VI	1.50	0.00	0.00	t		1		1	t	1	
	A	v IIIILEAVE	1	1	L		l	l l			1		·	1	L	L	L	L

UNBUND	LED	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: C
0.120112	===											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OAT LOOK!	.	NATE ELEMENTO	m	200	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-	1	Nonrec	rurring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	I.	
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
h + + + + + + + + + + + + + + + + + + +		Interoffice Channel mileage each, including first mile and				+		11100	Addi	11130	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
		facilities termination			UEPPB UEPPR	M1GNC	21.14	40.54	27.41	16.74	6.90						
-		Interoffice Channel mileage each, additional mile				M1GNM	0.008838	0.00	0.00	10.74	0.00	<u> </u>	0.00				
4-W		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITB OLITIC	WITCHWI	0.000000	0.00	0.00				0.00				
		rt/Loop Combination Rates				-											
0.41		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				-											
		Zone 1		1	UEPPP		166.87										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	OLITI		100.07										-
		Zone 2		2	UEPPP		238.50										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			0=111	†	230.30			 	 	1		 	 		
]]		Zone 3	1	3	UEPPP	1	398.85			Ì				Ì	I		
LINE		op Rates			OLI I I	†	390.03			 	 	1		 	 		
OINE		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	82.55					1	1		1		1
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	154.18			-	-	1	-	-	-	-	+
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	314.52			-	-	1	-	-	-	-	+
LIME		rt Rate		3	UEFFF	USL4F	314.32								-		
UNE		Exchange Ports - 4-Wire ISDN DS1 Port		-	UEPPP	UEPPP	84.32	456.28	259.10	123.88	31.77	1	15.66	-	-	-	+
NO		CURRING CHARGES - CURRENTLY COMBINED			UEFFF	UEFFF	04.32	430.20	239.10	123.00	31.77		13.00				
NOI		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															-
					UEPPP	110400	0.00	440.07	70.50				45.00				
455		Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.07	78.56				15.66				-
ADL		DNAL NRCs															
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
ļ		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									ļ
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
LOC		NUMBER PORTABILITY			LIEBBB	LUBOU											
L		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INT		ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								ļ
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								ļ
New		Additional "B" Channel				L											
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53				1					_
CAL		YPES			LIEDDD	DD701						1					_
\vdash		Inward			UEPPP	PR7C1	0.00	0.00	0.00			1					_
\vdash		Outward			UEPPP	PR7C0	0.00	0.00	0.00		 				-	1	
 		Two-way			UEPPP	PR7CC	0.00	0.00	0.00		 				-	1	
Inte		ce Channel Mileage			LIEDDD	41.514.5						1					_
\vdash		Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44	1	15.66				_
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18					1					_
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				+	+ +				 				-	1	
UNE		rt/Loop Combination Rates			LIEDDO	+					 				-	1	
\vdash		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	<u> </u>	142.64					1					_
\vdash		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	<u> </u>	214.26					1					_
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	<u> </u>	374.61					1					_
UNE		op Rates		<u> </u>	LUEBBO							1					_
$oxed{oxed}$		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	154.18										ļ
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52										
UNE		rt Rate				 	L						ļ				
\vdash		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17		15.66	ļ	.		
NON		CURRING CHARGES - CURRENTLY COMBINED				 	1							ļ	.		
	ŀ	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1	l	1				Ì				Ì	I		
		- Switch-as-is			UEPDC	USAC4		129.49	67.02]]	l	15.66				

ATTEMPTS																	
ATTER CREATION RATE CLERKINS RES WESC RES RES USOC RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RATES(S) RES RES RATES(S) RATES RATES RATES	UNBUNDLE	D NETWORK ELEMENTS - Alabama															
RATE ELEMENTS Here Zunn Res USC RATE RA																	
## CATEGORY RATE ELEMENTS ## Zone BCS USDC ## RATE(H) ## LESS part SR Outer vs. Dolle																	Charge -
March Marc	_	_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Decrease Decrease	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note Section Note												-	-	Electronic-	Electronic-	Electronic-	Electronic-
Page Page														1st	Add'l	Disc 1st	Disc Add'l
A-SPEC OF Digital Long - JAWING DRITS Trush Port Combrolish SPEC OF Digital Long - JAWING DRITS Trush Port Combrolish SPEC OF DIGITAL SPEC OF DIGITA																	
Avere Dist Taper at larger 4 AWY DOTS Trans Port Center-concerved DEPCC USAVIA 129.40 67.00 15.66							Rec										
Crowners with BST Changes UPPCC UD640A 126.40 67.02 15.60								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Nive DR Digital Looy 1-Nive DOTS Trusk PAC - Oxford Port On Proceedings 126.48 67.02 15.66 1.00 1.																	
Committee with Changes Trunck					UEPDC	USAWA		129.49	67.02				15.66				
Approximation Approximatio																	
A Visio DS1 Logs / A Visio DD15 Tours Port - NRC Debts D					UEPDC	USAWB		129.49	67.02				15.66				
Subsequent Clanical Antidistan Chairs - 2-Way Trust	ADDIT																ļ
All																	
Charant Actinical/Chain - 1-Way, Outward Trunk ULPPC ULPTID 14.48 14.48 15.66					UEPDC	UDTTA		14.48	14.48				15.66				
A-Wine DS1 Log / 4-Wes DOTTS Trust Port - Subget Charn Actionation Per Chart - Model DD																	
Activation/Chair Invested Trans Avoids DID					UEPDC	UDTTB		14.48	14.48				15.66				
### A-Wins DS1 Loop / A-Wins DDTS Trush Port - Subspirit Charles ### Activation Per Charles - Wins Trush with DD ### Activation Per Charles ### Activation P			1			l							1				
Achientic Per Chara- Inward Trunk with DID					UEPDC	UDTTC		14.48	14.48				15.66				<u> </u>
A-Wise OST Loop 1-4-Wise DOTTS Trust Port - Subsignit Chain LIEFEC UDTTE 14.48 14.49 15.66			1														
BPCAR SERO SUBSTITUTION					UEPDC	UDTTD		14.48	14.48				15.66				<u> </u>
BIPCART SZERO SUBSTITUTION UEPDC CCOSF 0.00 600.00																	
BSZS: Superfarame Format		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.48	14.48				15.66				ļ
Settle	BIPOL																ļ
Alternate Mark Inversion																	ļ
AMA Superframe Format					UEPDC	CCOEF		0.00	600.00								ļ
AMA - Extended SuperFrame Format UEPDC MOCPPO 0.00	Alterna																
Telephone Number/Trunk Group Establishment Charges UPPDC UDTGX 0.00																	
Telephone Number for 1-Way Urturk Group UEPDC UDTGY 0.00					UEPDC	MCOPO		0.00	0.00								
Telephone Number for 1-Way Invanced Trunk Group UEPDC UDTGZ 0.00	Teleph				LIEBBO	LIBTOY	0.00										
Telephone Number for 1-Way Inward Trunk Group Vilhout DID UEPDC UDTG2 0.00																	
DID Numbers for each Group of 20 DID Numbers DIPPOC ND4 0.00 0																	
DID Numbers, Non-consocutive DID Numbers, Per Number UEPPC NDS 0.00 0																	
Reserve DIO Nos. UEPDC ND6 0.00 0.								0.00									ļ
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDTS Trunk Port																	
Dedicated DSf (Interoffice Channel Mileage) - EVECO for 4-Wire DST Digital Loop with 4-Wire DDTS Trunk Port																	
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities UEPDC ILNO1 60.16 89.27 81.81 16.35 14.44 15.66							0.00	0.00	0.00								ļ
Termination UEPDC 1LNO1 60.16 89.27 81.81 16.35 14.44 15.66	Dedica		Digita	Loop	with 4-Wire DDITS I	runk Port											
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC ILNOA 0.18 0.00					LIEDDO	41.0104	00.40	00.07	04.04	40.05	44.44		45.00				
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		15.66				
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		Intereffice Channel Mileson Additional acts are mile 0.0 miles			LIEDDO	41 NIO A	0.40	0.00	0.00								
Termination UEPDC					UEPDC	ILNOA	0.18	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 9-25 UEPDC 1LNOB 0.18 0.00 0.00					LIEDDO	41.000	0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOB 0.18 0.00 0.0					UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC					LIEDDO	41 NOD	0.40	0.00	0.00								
Termination UEPDC					UEPDC	ILINOB	0.18	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 25+ miles					LIEDDO	11 NO2	0.00	0.00	0.00	0.00							
Local Number Portability, per DS0 Activated	-	remination)			OLPDO	ILINU3	0.00	0.00	0.00	0.00					-		
Local Number Portability, per DS0 Activated		Interoffice Channel Mileage - Additional rate per mile. 25: miles			LIEDOC	11 NOC	0.19	0.00	0.00								
Central Office Termininating Point	 									0.00					-		
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT	 							0.00	0.00	0.00		1					
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	4-WIDI		-		0L1 <i>D</i> 0	0.0	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop - UNE Zone 1			vations			†											
UNE D\$1 Loop - UNE Zone 1					her of norts used	1											
4-Wire DS1 Loop - UNE Zone 1			-ypc ai	u	So. Si porto asea	1											
4-Wire DS1 Loop - UNE Zone 2 2 UEPMG	0.12			1	UEPMG	USLDC	82 55	0.00	0 00				l				
4-Wire DS1 Loop - UNE Zone 3 3 UEPMG USLDC 314.52 0.00 0.00 0.00												<u> </u>	1				†
UNE DSO Channel Ization Capacities (D4 Channel Bank Configurations) UEPMG VUM24 101.40 0.00 0.00 0.00	 														1		†
24 DSO Channel Capacity - 1 per DS1	UNF D		ns)		0	30250	314.02	3.30	0.00						1		†
48 DSO Channel Capacity - 1 per 2 DS1s UEPMG VUM48 202.80 0.00 0.00 0.00 96 DSO Channel Capacity - 1 per 4 DS1s UEPMG VUM96 405.60 0.00 0.00 0.00 144 DSO Channel Capacity - 1 per 6 DS1s UEPMG VUM14 608.40 0.00 0.00 0.00 192 DSO Channel Capacity - 1 per 8 DS1s UEPMG VUM19 811.20 0.00 0.00 0.00 240 DSO Channel Capacity - 1 per 10 DS1s UEPMG VUM20 1,014.00 0.00 0.00 0.00	15.72.5		,		UEPMG	VUM24	101.40	0.00	0.00								†
96 DSO Channel Capacity -1 per 4 DS1s	 																†
144 DS0 Channel Capacity - 1 per 6 DS1s	 														1		†
192 DS0 Channel Capacity -1 per 8 DS1s															1		†
240 DS0 Channel Capacity - 1 per 10 DS1s UEPMG VUM20 1,014.00 0.00 0.00																	
															1		†
	 	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00						1		†

UNBUND	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
0475000	, DATE EL EMENTO	Interi	-	500	11000			DATEO(6)			Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															-100 101	
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2,433.60	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00			-					
Nor	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chanr	aoliztio					0.00			<u> </u>					
	inimum System configuration is One (1) DS1, One (1) D4 Channe						Stelli				1					
											1					
Mui	tiples of this configuration functioning as one are considered A	ad'i atte	r tne m	inimum system con	riguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36				15.66				
	tem Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and										
Nev	(Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65		15.66				
Bip	olar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent				1						İ					
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -		1	OLI MO	00001	0.00	0.00	000.00								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
				UEPING	CCOEF	0.00	0.00	600.00								
Alte	rnate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exc	hange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		15.66				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		15.66				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		15.66				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		 	UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00	<u> </u>	15.66				
-	2-Wire Channelized PBX Area Calling Service Combination Port		1	OLITA	OLI DIVI	0.00	0.00	0.00	0.00	0.00	1	15.00				
	(AL Only)			UEPPX	UEPA4	1.15	0.00	0.00				15.66				
				UEPPX	UEPA4	1.15	0.00	0.00			ļ	15.00				
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only)			UEPPX	UEPA3	1.15	0.00	0.00				15.66				
Fea	ture Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank		1	UEPPX	1PQWM	0.56	54.55					15.66				
	Feature (Service) Activation for each Trunk Port Terminated in		1							1			-			1
	D4 Bank			UEPPX	1PQWU	0.56	77.03					15.66				
Tele	ephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			1					
	DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00	İ	İ	İ	i		1	İ	
	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00			1			1	1	
 	Reserve Non-Consecutive DID Numbers		 	UEPPX	ND6	0.00	0.00	0.00			 			1	 	
 	Reserve DID Numbers		 	UEPPX	NDV	0.00	0.00	0.00	1	1	1	1		1	1	
 	al Number Portability		 	OLI I A	ND V	0.00	0.00	0.00	-	-	}			-	 	
LOC			 	LIEDDY	LNPCP	0.45	0.00	0.00			 	 		-	 	
	Local Number Portability - 1 per port		1	UEPPX	LINPUP	3.15	0.00	0.00	-	-	1			1	1	
	TURES - Vertical and Optional										 					
Loc	al Switching Features Offered with Line Side Ports Only				1	ļ					ļ					
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00]					
1 1	2-Wire Voice Unbundled Alabama Business Dialing Plan without				1					1					1	1
	Caller ID	<u></u>	Ш.	UEPBX	UEPWB	14.00	90.00	90.00	<u> </u>	<u></u>	<u> </u>	15.66		<u> </u>	<u> </u>	<u> </u>
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE F	PORT (RES)												
	Port/Loop Combination Rates		, ·		1						Ì					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		İ	28.38			İ	İ	İ			1		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		 	36.85					1	1		t	†	<u> </u>
 	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		†	50.14					 			1	 	
11517			_ <u> </u>		+	50.14			-	-	}	-		-	 	
UNI	Loop Rates		<u> </u>	HEDED	LIECES	1100				1	1			-		
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85]	l	1					1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
0.1.201.222											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.000 0.000 0.000 0.000 0.000 0.000		_	LIEDED	LIFOFO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0.145	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
2-Wire	e Voice Grade Line Port Rates (Res)			UEPFR	UEPRL	14.00	125.00	80.00	70.00	15.00		45.00				
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	125.00	80.00	70.00	15.00		15.66 15.66				
-	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	125.00	80.00	70.00	15.00		15.66				
-	2-Wire voice dribdridled port outgoing only 1 les 2-Wire voice Grade unbundled Alabama extended local dialing			OLFIK	OLFRO	14.00	123.00	80.00	70.00	13.00		13.00				
	parity port with Caller ID - res			UEPFR	UEPAR	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire voice unbundles res, low usage line port with Caller ID			OLITIK	OLITAR	14.00	120.00	00.00	70.00	10.00		10.00				
	(LUM)			UEPFR	UEPAP	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															
	without Caller ID	1		UEPFR	UEPWA	14.00	125.00	80.00	70.00	15.00		15.66				1
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	<u></u>		UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90				<u></u>		<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							-		-						1
	or Fraction Mile	ļ		UEPFR	1L5XX	0.008838										
FEAT																
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.66				
LOCA	L NUMBER PORTABILITY															
<u> </u>	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
ļ	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87				15.66				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07				45.00				
0.14/10	Combination - Conversion - Switch-With-Change E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		ODT (UEPFR	USACC		8.48	1.87				15.66				
	Port/Loop Combination Rates	I LINE F	יואט-	503)												
ONL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.38										
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			36.85										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			50.14										-
UNFI	oop Rates		Ŭ			00.14										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire voice Grade unbundled Alabama extended local dialing															1
	parity port with Caller ID - bus	ļ		UEPFB	UEPAW	14.00	125.00	80.00	70.00	15.00		15.66				
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus	ļ		UEPFB	UEPB1	14.00	125.00	80.00	70.00	15.00		15.66				├
	2-Wire Voice Unbundled Alabama Business Dialing Plan without	1		LIEDED	LIEDWS		40= 0=					4-0-				1
	Caller ID	<u> </u>		UEPFB	UEPWB	14.00	125.00	80.00	70.00	15.00		15.66		ļ		├
LOCA	L NUMBER PORTABILITY	!		HEDED	LNDCY	0.05								1		├
INTER	Local Number Portability (1 per port)	1		UEPFB	LNPCX	0.35										
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+						1			1		
	Termination	1		UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						1
 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	†		<u> </u>	511 VZ	21.13	40.54	21.41	10.74	0.30						
	or Fraction Mile	1		UEPFB	1L5XX	0.008838										1
FEAT		1				5.500000										t
	All Features Offered	1		UEPFB	UEPVF	0.00	0.00	0.00				15.66				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	†			1	2.20	2.20	2.30								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is	<u> </u>		UEPFB	USAC2		8.48	1.87	<u> </u>		<u> </u>	15.66		<u> </u>		1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change	L		UEPFB	USACC		8.48	1.87			<u> </u>	15.66				1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	ort/Loop Combination Rates															

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: C
-1123HDE				1							Svc Order	Svc Order		Incremental		Incremental
i												Submitted		Charge -	Charge -	Charge -
i											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)						Order vs.	Order vs.	Order vs.
1		m			3333			==(+)			per LSR	per LSR	Order vs.			
ł													Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.38										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			36.85										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			50.14										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85										
1	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
1																
ı l	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	119.27	69.85	61.18	8.34		15.66				
i 1	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	119.27	69.85	61.18	8.34		15.66				
1	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	119.27	69.85	61.18	8.34		15.66				
i 1	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
ı I	Calling Port			UEPFP	UEPA2	14.00	119.27	69.85	61.18	8.34		15.66				
i t	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	14.00	119.27	69.85	61.18	8.34		15.66				
i t	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
ı l	Capable Port			UEPFP	UEPXE	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
i l	Administrative Calling Port			UEPFP	UEPXL	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
ı l	Room Calling Port			UEPFP	UEPXM	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
ı l	Discount Room Calling Port			UEPFP	UEPXO	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	119.27	69.85	61.18	8.34		15.66				
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
INTE	ROFFICE TRANSPORT															
i l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
ı l	Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
i l	or Fraction Mile			UEPFP	1L5XX	0.008838										
FEAT	TURES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.66				
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
<u></u>	Combination - Conversion - Switch-as-is	<u></u>	L	UEPFP	USAC2	<u> </u>	8.48	1.87			<u></u>	15.66	<u> </u>	<u> </u>		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
ı l	Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87				15.66				
	Loop Rates															
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
	st Based Rates are applied where BellSouth is required by FCC															
	atures shall apply to the Unbundled Port/Loop Combination - C															
3. En	d Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section o	of this rate exh	ibit shall apply	to all combina	ations of loop	/port network e	ements excep	t for UNE C	coin Port/Lo	op Combinat	ions.		
4. Th	e first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	r Currently Co	mbined Combo	s, the nonrect	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NR	Cs may
	also and are categorized accordingly.	•			-							-	-			-
appliv	arket Rates for Unbundled Centrex Port/Loop Combination will	be nea	otiated	on an Individual C	ase Basis, un	til further notice	э.									
				1	1											
5. Ma		")			1											
5. Ma UNE-I	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7														
5. Ma UNE-l 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	,														
5. Ma UNE-l 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
5. Ma UNE-l 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	-	1	UEP91		12.70										
5. Ma UNE-l 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	1	UEP91		12.70										
5. Ma UNE-l 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	-	1 2	UEP91		12.70 21.19										
5. Ma UNE-l 2-Wire	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	<u> </u>													

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: C
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual So Order vs Electronic
							NI			B'			1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001111	
LINE D	ort/Loop Combination Rates (Design)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		37.29										
UNEL	poop Rate		3	UEF91		37.29										
ONL E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14									İ	1
UNE P	orts															
	tes (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				_
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
-	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local	Number Portability			LIEBOA	LNIBOO	0.05										
F4	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur	All Standard Features Offered, per port			UEP91	UEPVF	1.98					 	 				
+	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52				1				1	\vdash
	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98	700.02				 					
NARS					J VO	1.55					1	 				
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00							İ	1
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76		15.66				
Interof	fice Channel Mileage - 2-Wire							•								
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838										
lFeatur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е	1	Ī	1	1				l	1	l	l	l	I	1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.001
						Rec	Nonrec			g Disconnect				Rates(\$)		
						i i i	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
	East and Authorities and D. A. Ohannell Brade EV. Francisco College			UEP91	400140	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.56			-	-						
	Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	IPQW7	0.56					1					1
	Different Wire Center			UEP91	1PQWP	0.56										
	Billiotetic Wile Getter			OLI OI	ii Qiii	0.00										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1			5.50			1	1				1	1	1
	Slot	1	1	UEP91	1PQWQ	0.56			I	I					1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	i –	UEP91	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port		<u> </u>	UEP91	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21					15.66				
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02					15.66				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73					15.66				
	-P CENTREX - 5ESS (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															_
UNE	Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				_				-	-						
	Non-Design	1	4	UEP95		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		12.70										
	Non-Design		2	UEP95		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 30		21.10										+
	Non-Design		3	UEP95		34.80										
UNE	Port/Loop Combination Rates (Design)		Ŭ	02. 00		0 1.00			1					1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ		UEP95	UECS1	20.04			ļ	ļ	ļ			ļ	ļ	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65					ļ					_
L	2-Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>	1	UEP95	UECS2	14.38			_	-	ļ			-	 	↓
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 	2	UEP95	UECS2 UECS2	22.85 36.14			.	!	 			!	 	
LINIE	Port Rate	├	3	UEP95	UEUSZ	30.14			-	-	1				-	
	States		1						 	 	1			 		+
All S	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	<u> </u>	UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63	 	15.66		t	 	
 	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	 	<u> </u>	UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66		t	 	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	†					.0.50	251	3.30				1	1	1
	Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66		1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				T.											
	Center)2 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66		1		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area	<u></u>	<u>L</u>	UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				_								_			
	- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
1 1	2-Wire Voice Grade Port Terminated on 800 Service Term -													1		
	Basic Local Area		1	UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63	ļ	15.66			ļ	ļ
AL, I	KY, LA, MS, SC, & TN Only							·							1	1

<u>JNBU</u>	NDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2		bit: C
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOE	UEPQM	4.45	00.00	F7.07	40.00	0.77		45.00				
		Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQIVI	1.15	90.38	57.27	48.66	8.77	1	15.66	-			
		Term			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
		Teini		1	OLI 33	OLI QZ	1.15	30.30	51.21	40.00	0.77	1	13.00				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
	Local S	Switching									3.00						
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Featur																
		All Standard Features Offered, per port			UEP95	UEPVF	1.98										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Missal	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
		laneous Terminations Trunk Side				-											
	2-Wile	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				-
	4-\Miro	Digital (1.544 Megabits)			UEF95	CENDO	6.05	119.51	10.74	59.90	3.76		15.00				-
	4-44116	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				-
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.46	50.05	72.00	2.40		15.66				
	Interof	fice Channel Mileage - 2-Wire			02.00		0.00	0					10.00				
		Interoffice Channel Facilities Termination			UEP95	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.008838										
	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot	<u> </u>	<u> </u>	UEP95	1PQW7	0.56					ļ					1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	l	1	LIEDOS	4D014/D	0.50							I	1		1
		Different Wire Center	l	-	UEP95	1PQWP	0.56			 		 		 	 		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP95	1PQWV	0.56							1			1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	OEF93	IFQVVV	0.06			 		 	-		-	-	
		ISlot	l		UEP95	1PQWQ	0.56							1			1
		Feature Activation on D-4 Channel Bank WATS Loop Slot	1	 	UEP95	1PQWA	0.56			 				 	 		
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	1		0_1 00	11 3447	0.50						<u> </u>	I	 	1	—
		NRC Conversion Currently Combined Switch-As-Is with allowed	1											1	1		t
		changes, per port	l	1	UEP95	USAC2		0.10	0.10				15.66	I	1		1
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58				15.66				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21					15.66				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21					15.66				
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73					15.66				
		CENTREX - DMS100 (Valid in All States)							-		-						
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP9D		21.19										1

UNBUNDI	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhil	nit: C
ONDOND	LED NET WORK ELEMENTS - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring		201150	001111		Rates(\$)	001441	001141
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Design		3	UEP9D		34.80										
UNF	E Port/Loop Combination Rates (Design)		3	OLI 3D		34.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		37.29										
UNE	E Loop Rate	<u> </u>		LIEBOD	LIEGG!	=-								ļ		
 	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1 2	UEP9D	UECS1	11.55			ļ					 		
 -	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP9D UEP9D	UECS1	20.04 33.65								-		
 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS1	14.38			1		1	1		1		
 	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	36.14								1		
UNE	E Port Rate				1	33.14			Ì					Ì		
	LSTATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIEDVD	4.45	40.40	40.00	04.04	0.00		45.00				
-	Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLF 9D	OLFIL	1.13	40.19	19.03	24.51	0.03		13.00				
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1		LIEDOD	LIED.C.									1		
\vdash	Area	ļ		UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area	1		UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		15.66		1		
 	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1		OLFBD	UEFIS	1.15	40.19	19.83	24.91	0.03	1	10.00				
	Area	1		UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66		1		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		J J	JE1 111	1.13	70.19	13.03	27.31	0.03		10.00		1		
	Indication))3 Basic Local Area	1		UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15.66		1		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3						_									
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)							· · · · · · · · · · · · · · · · · · ·						1		
	2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1		LIEDOD	LIEDVO		00.00	F7.0-	40.00	o		45.00		1		
H	Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area	1		UEP9D	UEPYP	4 45	00.30	E7 07	48.66	8.77		15.60		1		
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	 		OLFBD	UEFIF	1.15	90.38	57.27	40.00	0.77		15.66				
	Basic Local Area	1		UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66		1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1			3 Q	1.10	55.56	01.21	40.00	0.77		10.00		1		
	Basic Local Area	1		UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77		15.66		1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			l												·
	Basic Local Area	l		UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77	İ	15.66				

IINDI	INDI F	D NETWORK ELEMENTS - Alabama												Attachment:	2	Evh:	bit: C
UNDU	INDLE		1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
		Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
		Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
		Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.45	00.00	F7.07	40.00	0.77		45.00				
	<u> </u>	Term			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	4.45	40.40	40.00	04.04	0.00		45.00				
-	 	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic	-		UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66	-	-	-	
		Local Area	l		UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66	1	1		I
-	AL. KY	, LA, MS, SC, & TN Only		 	OLI 3D	JL1 12	1.13	70.13	10.00	24.51	0.03		13.00	 	 		
-	, IXI	2-Wire Voice Grade Port (Centrex)		 	UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66	 	 		
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				t
		2-Wire Voice Grade Port (Centrex 656 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63		15.66			İ	
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp											4= 00				
	<u> </u>	Indication)3			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63		15.66				
		2-ville voice Grade Fort (Certitex from all Serving wife Certier)			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77	1	15.66				
		2-Wile Voice Grade Fort (Certifex diller SWC /EB3-F3E1)2, 3			OLF3D	ULFQU	1.13	90.36	31.21	40.00	6.77		13.00				-
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	l		UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		15.66				
					*	1											
L	<u></u>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	L		UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77	<u> </u>	15.66	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77		15.66				
1					l	1 7				_				1	1		
	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	ļ		UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77		15.66	ļ	ļ		1
		O Mire Veige Conde Dest (Control 1997 - ONIO (EDO MESSO)	l		LIEDOD	LIEDOS		00.00	F7.0-	40.00	o		45.00				
-	 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	 	ļ	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		15.66	 	 	1	+
		2 Miro Voigo Crado Port (Contro Valle - CMC /EBC MEGAC)	l		LIEDOD	LIEDO7	4 4-	00.00	E7.07	40.00	0.77		45.00	1	1		1
-	├	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	!	 	UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		15.66	-	-		
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term	l		UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66	1	1		
-		161111	 		טבו שט	ULFQL	1.15	30.30	31.21	40.00	0.77		13.00			-	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66	1	1		
		2-Wire Voice Grade Port Terminated in 61 Wegamik of equivalent	1		UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66	1	1		f
	Local S	Switching			- +-		0	0			2.00						
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
	Local N	Number Portability				1											
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP9D	UEPVF	1.98										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98		-								

LIND	INDI E	D NETWORK ELEMENTS - Alabama												Attachment:	<u> </u>	El-1	hit. C
ONB	MULE	DINET WORK ELEMIENTS - AIADAITIA	1				I					Svc Order		Attachment: Incremental		Incremental	bit: C Incremental
			1									Submitted	Svc Order Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OA! L		KATE EEEMENTO	m	20.10	500	0000			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
		aneous Terminations															
-		Trunk Side			UEP9D	CEND6	8.05	440.04	18.74	59.90	3.76		45.00				
		Trunk Side Terminations, each Digital (1.544 Megabits)			UEP9D	CENDO	8.05	119.31	18.74	59.90	3.76	1	15.66				
		DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.46	33.03	12.00	2.40	1	15.66				
		fice Channel Mileage - 2-Wire			OLI 3D	WITIDO	0.00	14.40					13.00				
		Interoffice Channel Facilities Termination	1		UEP9D	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66	1	1		
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.008838		=:		5.00						
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e								l					l	İ
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.56										
		Facture Activistics on D.4 Channel Book British Line Land Clat			UEP9D	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	IFQVVV	0.56										
		Slot			UEP9D	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 03		0.00										
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10				15.66				
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58				15.66				
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21					15.66				
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21					15.66				
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					15.66				
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>			1						<u> </u>		 	 	ļ	ļ
	UNE Po	ort/Loop Combination Rates (Non-Design)	<u> </u>			1						<u> </u>		 	 	ļ	ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	4	UEP9E		12.70										
-	-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	-	ULFSE	+	12.70			 	-	1		 	-	1	1
		Non-Design	1	2	UEP9E		21.19							1	1		
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†		J_1 J_	1	21.13					1		 	 		
		Non-Design		3	UEP9E		34.80										
	UNE Po	ort/Loop Combination Rates (Design)			-		2 20			1				İ	1		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									l					İ	İ
L	<u> </u>	Design	<u> </u>	1	UEP9E	1	15.53			<u> </u>	<u></u>	<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1											1]		
		Design		3	UEP9E	<u> </u>	37.29										
		pop Rate	<u> </u>	_	HEDOE	LIEGG!											
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9E	UECS1	11.55					<u> </u>		 	 	ļ	ļ
<u> </u>	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP9E UEP9E	UECS1	20.04			1	-	}		 	 	1	1
<u> </u>	1	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9E UEP9E	UECS1	33.65 14.38			<u> </u>		 		-	-		
-		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85							1		-	-
-	!	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP9E	UECS2	36.14					 		 	<u> </u>		
-	UNF P	ort Rate	 	-	OL: 3L	52002	30.14					 		 	<u> </u>		
—		, KY, LA, MS, & TN only	 			+						1					
	- 1L, L,	,,, III olily	!	1							L	·	L	l	l	L	L

UNRI	JNDI F	D NETWORK ELEMENTS - Alabama												Attachment:	2	Fyhi	bit: C
3.400	,,, <u>u</u>			l			ı					Svc Order	Svc Order	Incremental		Incremental	Incremental
			l	1								Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc		Manual Svc
CAIL	JONI	KATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		Managarinia	- Di			000	Detec(f)		
	<u> </u>						Rec				g Disconnect				Rates(\$)		
	 	0.115 1/1 0 1 0 1 0 1 0 1 0 1 1 1 1 1 1						First	Add'l	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
l	1	- Basic Local Area	l		UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63	1	15.66	Ì	I		
		2-Wire Voice Grade Port Terminated on 800 Service Term -								1							
		Basic Local Area	l		UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63	İ	15.66		1		
	AL. KY	, LA, MS, & TN Only		i e			0				2.00		12.00	1	1		
-	,,	2-Wire Voice Grade Port (Centrex)	1	1	UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66		 	 	
-	 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	!	UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66	 	t	1	
-	 	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	!	UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66	 	t	1	
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLFBL	ULFQII	1.13	40.19	19.03	24.91	0.03		13.00		-	-	
					UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	1	Center)2			UEF9E	UEPQIVI	1.10	90.36	31.21	40.00	0.77		13.00				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	UEDO7	4.45	00.00	57.07	40.00	0.77		45.00				
	 	Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
		L 2 . 2															
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	Miscel	laneous Terminations															
		Trunk Side				1				1							
		Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
	4-Wire	Digital (1.544 Megabits)				1				1							
		DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	1	DS0 Channel Activated Per Channel		i –	UEP9E	M1HDO	0.00	14.46	22.00	1			15.66	İ	1		
	Interof	fice Channel Mileage - 2-Wire	1	1		1	3.50			l .	1			1	t	†	
		Interoffice Channel Facilities Termination	1	1	UEP9E	MIGBC	21.13	40.54	27.41	16.74	6.90	1	15.66	†	†	t	
	1	Interoffice Channel mileage, per mile or fraction of mile	l	1	UEP9E	MIGBM	0.008838		241	13.14	3.50	1	.0.00	 	—		
-	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	t	0_1 0L	.viiCDIVI	0.000000			1					 	 	
		nnel Bank Feature Activations	ř	1		1				†	 	1	 	 	—		
	J-7 U116	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	!	UEP9E	1PQWS	0.56			†			 	-	 		
 	+	- Calara , Survation on 5 4 Granner Bank Gentles Loop Glot	 	 	J_1 J_	11 9770	0.50			1	1		1	1	t	1	
l	1	Foature Activation on D.4 Channel Bank EV line Side Lean Slat	l		UEP9E	1PQW6	0.56				Ì	1	l	Ì	I		
 	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLFBL	IF Q VVO	0.36			1	 		 	 	 	 	
		ISlot	l		UEP9E	1PQW7	0.56					İ	1		1		
	+	1	l	1	UEF9E	IPQW/	0.56			 	 		 	 	 	1	
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	l		LIEDOE	4 DOW/D	0.50				Ì	1	l	Ì	I		
	1	Different Wire Center		<u> </u>	UEP9E	1PQWP	0.56								1	1	
l	1		l								Ì	1	l	Ì	I		
	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9E	1PQWV	0.56			ļ							
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l		l	1					Ì	1	l	Ì	I		
<u></u>	1	Slot	<u> </u>		UEP9E	1PQWQ	0.56			ļ	ļ				ļ	1	
l	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56			<u> </u>							

HINRHAD) ED	NETWORK ELEMENTS - Alabama												Attachment:	2	Euki	bit: C
ONDOND	,LED	THE TWORK ELEMENTS - AIDDAINA	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svc
CATEGORY	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nor		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
\vdash		changes, per port			UEP9E	USAC2		0.10	0.10				15.66				
		Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN		37.75	16.58				15.66				
\vdash		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21		-			15.66				
		New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP9E UEP9E	M1ACC URECA	0.00	667.21 72.73					15.66 15.66				
LIN		ENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLF9L	UNLCA	0.00	12.13				1	13.00				
		G Loop/2-Wire Voice Grade Port (Centrex) Combo										1	1				
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	.							1					1		
		Non-Design		1	UEP93		12.70								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	<u> </u>						1					1	1	
		Non-Design	1	2	UEP93		21.19			I					I	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										Ì					
		Non-Design	<u> </u>	3	UEP93	<u> </u>	34.80			<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
UN		rt/Loop Combination Rates (Design)															
	2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP93		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		37.29										
UNI		pp Rate			115500												
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP93	UECS1 UECS1	20.04			-							
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93 UEP93	UECS1	33.65 14.38			-							
		2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP93	UECS2	22.85										
—		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14					1	1				
LIN		rt Rate		3	OLF 93	01032	30.14			†		1					
		LA, MS, & TN only															
, . <u></u> ,		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area	1		UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66		I	1	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local										Ì					
		Area	1		UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66		I	1	
	2	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area	<u></u>		UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66	<u></u>	<u></u>	L	<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1]	<u> </u>
		Term - Basic Local Area	<u> </u>		UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77	<u> </u>	15.66				
1 1	2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			l	1				1	_				1		
\vdash		Basic Local Area	ļ		UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66		.		
1 1		2-Wire Voice Grade Port Terminated on 800 Service Term -	1						40						1		
$\vdash \vdash$		Basic Local Area	!	<u> </u>	UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66		-		
\vdash		2-Wire Voice Grade Port (Centrex)	1	1	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63	1	15.66		1	ļ	
		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	1	1	UEP93 UEP93	UEPQB UEPQH	1.15 1.15	40.19	19.83	24.91	6.63 6.63	1	15.66 15.66		1	ļ	
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	-	UEF93	UEPUH	1.15	40.19	19.83	24.91	6.63		10.00		 		
		2-vvire voice Grade Port (Centrex from dill Serving vvire Center)2	1		UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66		1		
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		OLF 30	ULF QIVI	1.15	90.38	51.21	40.00	0.77	1	10.00	1	t	1	1
		Zerwine voice Grade Port, Dill Serving whe Center - 600 Service	1		UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66		I	1	
\vdash			 		<u> </u>	JL1 44	1.13	30.30	51.21	70.00	0.77	 	10.00		t	 	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66		I	1	
		2-Wire Voice Grade Port Terminated on 800 Service Term	†		UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66		1	1	İ
Lor		witching	†				5		.0.50	251	5.50				1	1	
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488					Ì					
Lor	cal N	umber Portability										Ì					
	_	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										

ARONDLE	D NETWORK ELEMENTS - Alabama			1							T -		Attachment:			bit: C
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual So Order vs Electronic Disc Add
		ļ				1	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	DISC 1St	DISC Add
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature	es .															
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.46					15.66				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.008838										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		1	UEP93	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each	ļ	1	UEP93	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block		1	UEP93	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block		1	UEP93	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion		1	UEP93	URECA	0.00	72.73					15.66				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	<u> </u>	 													
	- Requres Interoffice Channel Mileage		1		-						1					
Note 3	- Requires Specific Customer Premises Equipment Rates displaying an "R" in Interim column are interim and sub		1								l	l				

IINRIIN	DI FI	NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -		
																D130 131	DISC Add I
							Rec	Nonred			Disconnect	001150	001111		Rates(\$)	2014411	001111
-	ho "7e	one" shown in the sections for stand-alone loops or loops as	nort of	0 00m	hinatian refere to Co	o aronhioolly	Degraraged III	First	Add'l	First	Add'l			SOMAN refer to Inter		SOMAN	SOMAN
		one snown in the sections for stand-alone loops or loops as www.interconnection.bellsouth.com/become_a_clec/html/inter				eograpnically	Deaveraged U	NE Zones. 10	view Georgrap	onically Deaver	aged UNE Zor	ie Desiganti	ons by C O	, refer to inter	net website:		
		. SUPPORT SYSTEMS	Connec	lion.ni	III 	I	l I			ı		I	1	ı			
		1) Electronic Service Order: CLEC should contact its contract	ct negot	iator i	it prefers the state :	specific elect	ronic service o	rdering charge	es as ordered b	ov the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															ly For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				o iii tiiio oato	gory remedia in	o onargo mar i	Toura be billed	. 10 4 0220 011	oc cicoti oillo (oracining out	Jubilities 66	inc on tine to	i tilat cicilicii	. Otherwise,	tile manaai
		Manual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1.83							
		Electronic OSS Charge, per LSR, submitted via BST's OSS	1									Ì					
		interactive interfaces (Regional)				SOMEC		3.50									
		DATE ADVANCEMENT CHARGE															
N	OTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	on 5 as appli	cable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per				00.400											
LINDLIND	LEDE	Day XCHANGE ACCESS LOOP			ALL UNE	SDASP		200.00							-		
		ANALOG VOICE GRADE LOOP															<u> </u>
- 2	-VVIIVE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		11.90				<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		11.90				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65					11.90				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95					11.90				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			LIFANII			40.40									ĺ
		billing for BST providing make-up Manual Order Coordination for UVL-SL1s (per loop)			UEANL UEANL	UEANM UEAMC		13.49 9.00									
		Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		9.00							1		
		(per LSR)			UEANL	OCOSL		23.02									
2.	-WIRE	Unbundled COPPER LOOP			0271112	00002		20.02									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı		UEQ	UEQ2X	10.92	44.98	20.90	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	19.38	44.98	20.90	19.65	5.09		11.90				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															İ
		Designed (per loop)			UEQ	USBMC		9.00									-
		Unbundled Copper Loop, Non-Designed Billing for BST providing make-up			UEQ	UEQMU		13.49					11.90				İ
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65					11.90				<u> </u>
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95					11.90				
		CLEC to CLEC Conversion Charge Without Outside Dispatch				_											
		(UCL-ND)			UEQ	UREWO		14.27	7.43				11.90				
		XCHANGE ACCESS LOOP															
2-	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.													
-		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57		11.90		-		
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OD	OLABO	10.03	49.01	22.00	20.02	0.37		11.30				
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		11.90				1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1									Ì					
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57		11.90				
1 [2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		l -											_		1
\vdash		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	26.07	40.57	22.02	25.00	6.57		11.00		1		1
<u> </u>	NELA	Zone 3 pp Rates for Line Splitting		3	UEFOR UEFOB	UEABO	26.97	49.57	22.83	25.62	6.57		11.90		+		
⊢ − '		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPRX	UEPLX	12.94	0.102	0.102			1		1	†		—
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	17.06	0.102	0.102								
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3			UEPRX	UEPLX	31.87	0.102	0,102			İ	İ				

CITECITE													Attachment:	2	Fyhi	ibit: C
	LED NETWORK ELEMENTS - Florida	1			1						Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													100	Auu	Disc ist	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	1 1 E A		47.40	405.75	00.47	00.50	40.04		44.00				
\vdash	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		11.90				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01		11.90				
\vdash	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.67	23.02	02.47	03.33	12.01		11.90				1
\vdash	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OCCCE		20.02									
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	02,1	0271112		100.70	02.11	00.00	.2.01		11.00				
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1									1		
	Battery Signaling - Zone 3	<u></u>	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	<u> </u>	11.90		<u> </u>		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				
4-W	IRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL		23.02	00.05				44.00				ļ
2 14	CLEC to CLEC Conversion Charge without outside dispatch IRE ISDN DIGITAL GRADE LOOP			UEA	UREWO		87.71	36.35				11.90				
2-44	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71		11.90				1
	Order Coordination For Specified Conversion Time (per LSR)		Ť	UDN	OCOSL	10.02	23.02	0	02.20			11.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15				11.90				
2-W	IRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_													
	3	<u> </u>	3	UDC	UDC2X	48.62	147.69	94.41	62.23	10.71		11.90				
0.14	CLEC to CLEC Conversion Charge without outside dispatch IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	ATIDIT	1.000	UDC	UREWO		91.61	44.15				11.90		1		
Z-W	2 Wire Unbundled ADSL Loop including manual service inquiry	AIIBLE	LOOP		+									-		
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		11.90				
\vdash	2 Wire Unbundled ADSL Loop including manual service inquiry	 	-	O, 4L	JALZA	0.30	143.00	103.03	73.05	10.03		11.50				
	& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry					50		.00.00	. 5.56	.0.50						
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		11.90				<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_				,					l				
\vdash	facility reservaton - Zone 2	ļ	2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		11.90				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_			00.01	404.55	74 .0	00.01	0.10		44.60				
\vdash	facility reservaton - Zone 3	-	3	UAL UAL	UAL2W	20.94	124.83	71.12	60.64	9.12		11.90				-
\vdash	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 		UAL	OCOSL UREWO		23.02 86.19	40.39				11.90				-
2-IV	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UNL	OKEVVO		00.19	40.39				11.90		1		1
Z-VV	2 Wire Unbundled HDSL Loop including manual service inquiry	DEE I			1											
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		11.90				
	2 Wire Unbundled HDSL Loop including manual service inquiry		•				.00.00		. 3.00	.0.00		50				
1 1	& facility reservation - Zone 2	1	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63		11.90				

IINRI	INDI E	D NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
DIAD	JINDLE	NETWORK ELEMENTS - Florida										Svc Order	Svc Order			Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		2 Wire Unbundled HDSL Loop without manual service inquiry															İ
		and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12		11.90				
		2 Wire Unbundled HDSL Loop without manual service inquiry		_													ĺ
		and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		11.90				
		2 Wire Unbundled HDSL Loop without manual service inquiry		_													İ
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02	40.00				44.00				
	4 14/100	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE I	000	UHL	UREWO		86.12	40.39				11.90				-
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	-009													-
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61		11.90				
		4-Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHL4X	10.00	193.31	130.90	77.15	12.01		11.90				+
		and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		11.90				
		4-Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTIL4X	13.44	193.31	130.30	77.13	12.01		11.90				
		and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		11.90				İ
		Order Coordination for Specified Conversion Time (per LSR)		·	UHL	OCOSL	21.00	23.02	100.00	77.10	12.01		11.00				
		4-Wire Unbundled HDSL Loop without manual service inquiry			01.12	00002		20.02									
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		11.90				ĺ
		4-Wire Unbundled HDSL Loop without manual service inquiry		·	01.12	0.12.111	10.00	100.02	110.11	02			11.00				
		and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22		11.90				İ
		4-Wire Unbundled HDSL Loop without manual service inquiry								4							
		and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53		11.90				
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	100.54	313.75	181.48	61.22	13.53		11.90				
		4-Wire DS1 Digital Loop - Zone 3		3		USLXX	178.39	313.75	181.48	61.22	13.53		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04				11.90				
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56		11.90				
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85	67.08	15.56		11.90				
-	1	4 Wire Unbundled Digital 19.2 Kbps	1		UDL UDL	UDL19 UDL56	55.99 22.20	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56		11.90 11.90				
<u> </u>	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				
-	-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	55.99	161.56	108.85	67.08	15.56		11.90		-		
-	+	Order Coordination for Specified Conversion Time (per LSR)	 	J	UDL	OCOSL	55.89	23.02	100.00	67.08	10.00		11.90		1		
-	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56		11.90				
-	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		UDL	UDL64	31.56	161.56	108.85	67.08	15.56		11.90				
-	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		UDL	UDL64	55.99	161.56	108.85	67.08	15.56		11.90				—
	1	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UDL	OCOSL	33.55	23.02	.00.00	300	.0.00		50				
	1	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74				11.90				
	2-WIRE	Unbundled COPPER LOOP			-								50				
	1	2-Wire Unbundled Copper Loop/Short including manual service															
	1	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63		11.90				1
		2-Wire Unbundled Copper Loop/Short including manual service															
	1	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63		11.90				1
		2 Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 3	l	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		11.90				1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		11.90				<u> </u>
		2-Wire Unbundled Copper Loop/Short without manual service			·				·								1
L		inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12		11.90				L

HINDHIND	DLED NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
UNDUND	DLED NETWORK ELEWIENTS - FIORIDA										Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.42	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL2L	04.70	148.50	102.82	75.05	15.63		44.00				
\vdash	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL2L	24.76	148.50	102.82	75.05	15.03		11.90				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	43.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	45.54	9.00	9.00	73.03	13.03		11.50				
\vdash	2-Wire Unbundled Copper Loop/Long - without manual service				JOLIVIO		3.00	3.00				 				
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service															İ
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				1
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL -Des)			UCL	UREWO		97.21	42.47				11.90				
4-V	VIRE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				
\vdash	4-Wire Copper Loop/Short - including manual service inquiry			UCL	UCL43	10.01	177.07	132.76	77.15	17.73		11.90				
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		Ü	UCL	UCLMC	20.02	9.00	9.00	77.10	17.70		11.00				
	4-Wire Copper Loop/Short - without manual service inquiry and			002	0020		0.00	0.00								
	facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		,	1101												1
\vdash	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	31.10	177.87	132.76	77.15	17.73		11.90				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73		11.90				1
\vdash	4-Wire Unbundled Copper Loop/Long - includes manual svc.			UUL	JOL4L	44 .∠0	1//.0/	132.70	11.15	11.13		11.90		1		1
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	78.42	177.87	132.76	77.15	17.73		11.90				1
\vdash	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	70.72	9.00	9.00	,,	17.75		11.50				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.				1		2.20	2.30						İ		İ
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	31.10	153.18	100.03	62.74	11.22		11.90				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	44.20	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.											1]
$\vdash \vdash$	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	78.42	153.18	100.03	62.74	11.22		11.90				ļ
\vdash	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00				44.00		ļ		ļ
1002 ***	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90				
LOOP MOL	DIFICATION			UAL. UHL. UCL.										-		
				UEQ, ULS, UEA,								1				1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		0.00	0.00				11.90				
\vdash	Unbundled Loop Modification, Removal of Load Coils - 2 wire			,,			5.50	3.30								
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		343.12	343.12				11.90				1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft	<u></u>		UHL, UCL	ULM4L	<u> </u>	0.00	0.00	<u> </u>		<u> </u>	11.90		<u> </u>		<u> </u>

UNBUN	IDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: C
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec		curring		g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification Removal of Load Coils - 4 Wire							0.40.40								
		pair greater than 18k ft			UCL UAL, UHL, UCL,	ULM4G		343.12	343.12	<u> </u>			11.90				
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.52	10.52				11.90				
SUB-LOC	OPS	por uniburidica resp			002	OLIVID.		10.02	10.02				11.00				
S	Sub-Lo	oop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		487.23					11.90				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		6.25					11.90				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	Ι.		LIFANII	LICECO		400.05					44.00				
-		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		169.25					11.90	-			
		Set-Up	l i		UEANL	USBSD		38.65					11.90				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26		11.90				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26		11.90				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANE	CODIVIC		9.00									1
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		11.90				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		11.90				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	115 4411	1100114	40.50	00.00	00.40	10.71	0.00		44.00				
		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		11.90	-			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	l 1		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		11.90				†
		, , , , , , , , , , , , , , , , , , , ,							-								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEANL	USBMC		9.00						1			
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26		11.90				
- 		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26	 	11.90	†		 	
 		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	12.98	60.19	21.78	47.50	5.26		11.90				†
														1			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00									
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		11.90				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS4X UCS4X	7.61 13.51	68.83 68.83	30.42 30.42		6.60 6.60		11.90 11.90				
		+ write copper unbunicied sub-Loop Distribution - Zone 3	-	3	ULF	UU34X	13.51	58.83	30.42	49.71	00.00	-	11.90	-		-	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00									
lu	Jnbun	dled Sub-Loop Modification					<u> </u>										
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR	ļ		UEF	ULM2X		10.11					11.90	1			
		Unbundled Sub-loop Modification - 4-W Copper Dist Load			HEE	LILMAY		40.44					44.00				
		Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		10.11		 	-		11.90	 			
		Tap Removal, per PR unloaded			UEF	ULM4T		15.58					11.90				
lu		dled Network Terminating Wire (UNTW)				J=1.71	1	10.00		İ			11.50				
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02		1	l		11.90	1		İ	
N	letwor	k Interface Device (NID)															

LINBLINDI E	D NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
ONBONDEE	D NETWORK ELEMENTS - Florida	1			ı						Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-			1	Managa		Names a committee	. Di			000	Detec(f)		
-			-			Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001111	001111
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		First 71.49	Add'I 48.87	First	Add'l	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN	SOMAN
								48.87 89.07								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89					11.90				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63				11.90				
OUD LOOPS	Network Interface Device Cross Connect - 4W		-	UENTW	UNDC4		7.63	7.63				11.90				
SUB-LOOPS																
Sub-L	oop Feeder		-	UEA.												
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UDN.UCL.UDL.UDC	USBFW		487.23					44.00				
	Distribution Facility set-up		-		USBFW		487.23					11.90				
1 1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	1		UEA,	LICDEY		0.05	0.05				44.00				
\vdash	Set-up	 	 	UDN,UCL,UDL,UDC	USBFX		6.25	6.25				11.90		 		
\vdash	USL Feeder DS1 Set-up at DSX location, per DS1 termination	 	-	USL	USBFZ		522.41	11.32				11.90		 		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice	1		UEA	USBFA	6.41	00.75	54.04	50.45	40.07		44.00		I		
\vdash	Grade - Zone 1	1	7	UEA	OSBLA	6.41	92.75	51.24	58.45	13.07		11.90		1		
1 1	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	1	_	 	LICDE *	0.40	00.7-	54.01	50.45	10.07		44.00		I		
\vdash	Grade - Zone 2	1	2	UEA	USBFA	9.10	92.75	51.24	58.45	13.07		11.90		 	-	-
1 1	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	1	3	1154	USBFA	40.45	00.75	54.04	50.45	40.07		44.00		I		
	Voice Grade - Zone 3		3	UEA		16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice							=								
	Grade - Zone 1		1	UEA	USBFB	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		_					=								
	Grade - Zone 2		2	UEA	USBFB	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		3					=								
	Grade - Zone 3		3	UEA	USBFB	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1					=								
	Voice Grade - Zone 1		1	UEA	USBFC	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,				LIODEO	0.40	00.75	54.04	50.45	40.07		44.00				
	Voice Grade - Zone 2		2	UEA	USBFC	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse				LIODEO	10.15	00.75	54.04	50.45	40.07		44.00				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	USBFD	40.47	400.00	64.46	CO 54	14.83		11.90				
	Grade - Zone 1		1	UEA	USBFD	12.47	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		2	UEA	LIODED	47.70	400.00	04.40	00.54	44.00		44.00				
	Grade - Zone 2		2	UEA	USBFD	17.73	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		3	UEA	USBFD	31.45	106.92	64.46	CO 54	14.83		11.90				
\vdash	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR	 	3	UEA	OCOSL	31.45	23.02	64.46	63.54	14.83		11.90		 		
\vdash		 	 	OLA	UUUSL		23.02							 		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	1	UEA	USBFE	12.47	106.00	64.40	62.54	14.83		11.00		I		
\vdash	Grade - Zone 1	 	1	UEA	USBFE	12.4/	106.92	64.46	63.54	14.83		11.90		 		
1 1	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	1	2	UEA	USBFE	17.73	106.92	64.46	63.54	14.83		11.90		1		
\vdash		 		UEA	USBFE	17.73	106.92	64.46	ხა.54	14.83		11.90		 		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	3	UEA	LICET	24.45	400.00	04.40	00.54	44.00		44.00		1		
\vdash	Grade - Zone 3	 	3		USBFE	31.45	106.92 23.02	64.46	63.54	14.83		11.90		 		
\vdash	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	 	1	UEA UDN	OCOSL USBFF	14.83	109.71	66.68	60.21	12.49		11.90		 		
\vdash	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	 		UDN	USBFF	14.83	109.71	66.68	60.21	12.49		11.90		 		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	 	3	UDN	USBFF	37.39	109.71	66.68	60.21	12.49		11.90		 		
\vdash	Order Coordination For Specified Conversion Time, Per LSR	 	3	UDN	OCOSL	31.39	23.02	80.08	00.21	12.49		11.90			-	
 	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	1	UDC	USBFS	14.83	109.71	66.68	60.21	12.49	1	11.90		1		
\vdash	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 	2	UDC	USBFS	14.83 21.07	109.71	66.68	60.21	12.49		11.90				
\vdash	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	 		UDC	USBFS	37.39	109.71	66.68	60.21	12.49		11.90				
 	Unbundled Sub-Loop Feeder, 2 Wife ODC (IDSL compatible)	1		USL	USBFG	42.59	133.77	78.02	85.16	21.21	1	11.90		1		
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	2	USL	USBFG	60.53	133.77	78.02	85.16	21.21	1	11.90		1		
 	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	USL	USBFG	107.39	133.77	78.02	85.16	21.21	1	11.90		1		
 	Order Coordination For Specified Conversion Time, Per LSR	1	3	USL	OCOSL	107.39	23.02	10.02	00.10	۷۱.۷۱	1	11.90		 	1	1
\vdash	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	-	UCL	USBFH	3.76	85.27	42.24	58.54	10.82		11.90		-		
	Torroundied Sub-Loop reeder, 2-write Copper Loop - Zone 1			UCL	USBEIT	3.76	05.27	42.24	50.54	10.82		11.90		1		

UNBUN	IDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
		2		2	UCL	USBFH	5.35	85.27	42.24	58.54	10.82		11.90				
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				HODELL	0.40	05.07	10.01	50.54	40.00		44.00				
		3		3	UCL	USBFH	9.49	85.27	42.24	58.54	10.82		11.90				_
		Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL UCL	OCOSL USBFJ	7.32	23.02 99.66	57.20	60.98	12.28		11.90				-
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.40	99.66	57.20	60.98	12.28	1	11.90				
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	18.46	99.66	57.20		12.28	1	11.90				
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	10.40	23.02	07.20	00.00	12.20		11.50				+
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	14.48	100.62	58.16	63.54	14.83		11.90				†
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	20.59	100.62	58.16	63.54	14.83		11.90				
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	36.53	100.62	58.16	63.54	14.83		11.90				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	14.48	100.62	58.16	63.54	14.83		11.90				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFO	20.59	100.62	58.16	63.54	14.83		11.90				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFO	36.53	100.62	58.16	63.54	14.83		11.90				
		Order Coordination For Specified Time Conversion, per LSR		<u> </u>	UDL	OCOSL		23.02									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	LICDED	44.40	400.00	50.40	CO 54	44.00		44.00				
		Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	14.48	100.62	58.16	63.54	14.83		11.90				
		Zone 2		2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83		11.90				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	USDI F	20.39	100.02	36.10	03.34	14.03		11.50				
		Zone 3		3	UDL	USBFP	36.53	100.62	58.16	63.54	14.83		11.90				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	00.00	23.02	00.10	00.04	14.00		11.50				
SUB-LO	OPS																
		oop Feeder															
		Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.69										
		Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58		11.90				
		Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	15.69										
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	402.09	3,402.59	407.15	166.83	94.58		11.90				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	I		UDLO3	1L5SL	11.90										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month			UDLO3	USBF5	62.98	0.400.50	107.15	400.00	04.50		44.00				_
		Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month		<u> </u>	UDLO3 UDL12	USBF2 1L5SL	547.22 14.65	3,402.59	407.15	166.83	94.58		11.90	-			
		Sub Loop Feeder - OC-12 - Per Mille Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per	-	-	UDL12	ILOOL	14.05			1		 	-	 	-		
		Month	Li	1	UDL12	USBF6	502.47							I	1		
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	i i		UDL12	USBF3	1,577.00	3,402.59	407.15	166.83	94.58	1	11.90	†	1		
		Sub Loop Feeder - OC-48 - Per Mile Per Month	i		UDL48	1L5SL	48.06	2, 102.00			000			1	1		
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month	ı	L	UDL48	USBF9	251.80					<u></u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
		Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,589.00	3,588.59	407.15	168.35	95.43		11.90				
		Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	331.15	804.98	407.15	168.35	95.43		11.90				
UNBUND	DLED L	OOP CONCENTRATION												ļ	ļ		<u> </u>
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42			ļ	11.90	ļ	ļ		<u> </u>
		Unbundled Loop Concentration - System B (TR008)		ļ	ULC	UCT8B	53.44	149.76	149.76				11.90	-			↓
		Unbundled Loop Concentration - System A (TR303)	1		ULC	UCT3A	487.33	359.42	359.42	ļ		<u> </u>	11.90	1	 		
		Unbundled Loop Concentration - System B (TR303)	-	 	ULC ULC	UCT3B	90.05 5.04	149.76 71.70	149.76 51.52	18.49	4.82	1	11.90 11.90		-		
		Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite	-	-	OLC	UCTCO	5.04	/1./0	51.52	18.49	4.82	 	11.90	+	1		1
		Card)		1	UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90	I	1		
+		Unbundled Loop Concentration - UDC Loop Interface (Brite			ODI4	OLOO1	0.00	10.59	10.30	0.77	0.73	 	11.50	t	1		1
		Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90	1			
		Unbundled Loop Concentration2 Wire Voice-Loop Start or	1			02000	0.00	10.09	10.00	5.77	0.70		11.50	1	1		
		Ground Start Loop Interface (POTS Card)		1	UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90	I	1		
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
		Loop Interface (SPOTS Card)		1	UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90		Ì		

UNRII	NDI F	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhil	nit: C
SINDO	NULE											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			lustani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface					= .0	40.50									
		(Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
-		Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90				
		Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			ODL	OLCC1	10.51	10.59	10.50	0.77	0.73		11.90				
		Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop			002	02000	10.01	10.00	10.00	0	0.10		11.00				
		Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE OT	THER, P	PROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	-				UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00		ļ					ļ		
UNE O	THER, P	PROVISIONING ONLY - NO RATE				ļ				ļ							
										I			1		1		
		Habitan Had Contact Name Description Code and are			UAL,UCL,UDC,UDL,	LINEON	2.22	0.00									
-		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00		1							
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LIGREO	0.00	0.00		I			1		1		
-	-	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	-		OLA,UDIN,UCL,UDC	USDFU	0.00	0.00		 			 		1		
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00		†							
		Unbundled DS1 Loop - Expanded Superframe Format option -			002	00001	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	10.92										
		High Capacity Unbundled Local Loop - STS-1 - Facility			LIDLOY	1101.04	400.00	550.07	040.04	100.10	00.04		44.00			4.00	
1.000.1		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP N	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
\vdash		Loop Makeup - Preordering With Reservation, per spare facility			OIVIIX	CIVITLEV		J2.17	J2.17	 							
		queried (Manual).			UMK	UMKLP		55.07	55.07	I			1		1		
		Loop MakeupWith or Without Reservation, per working or			-			22.01	22.07	1							
		spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784	1			1		1		
HIGH F	REQUE	NCY SPECTRUM															
		HARING															
	SPLITT	TERS-CENTRAL OFFICE BASED							•								
		Line Sharing Splitter, per System 96 Line Capacity - True up								_]]		
		pending approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
		Line Sharing Splitter, per System 24 Line Capacity - True up	_			111 000	20.00	070.40	0.00	0.47.00	0.00		44.00		1		
-		pending approval by PSC	R		ULS	ULSDB ULSD8	29.93 8.33	379.13	0.00	347.90	0.00		11.90 11.90		 		
-		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULODO	8.33	379.13	0.00	347.90	0.00		11.90				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00		11.90				
-	FND III	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM		SLODG		173.00	0.00	31.42	0.00		11.50		 		
	,,,	Line Sharing - per Line Activation -(BST Owned Splitter)	5. 20		ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
		a surg parameter (Sor Surios Spinios)					0.01	20.00	220		5.51				1		
		Line Sharing - per Subsequent Activity per Line Rearrangement								I			1		1		
	<u></u>	- True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44	<u> </u>		<u> </u>	11.90		<u> </u>		
		Line Sharing - per Subsequent Activity per Line Rearrangement								I			1		1		
		- True up pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44	1			11.90				

LINDUN	DI E	NETWORK ELEMENTS Florido												A44 1 4	•	F.A.	
ONBON	ULEL	NETWORK ELEMENTS - Florida	1	1		1	I					Svo Ordor	Suc Order	Attachment: Incremental		Incremental	bit: C Incremental
				1													
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	οv	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGO	N I	RATE ELEMENTS	m	Zone	B03	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
—							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	0020	11.90			00	
ш	NE SI	PLITTING			020	02000	0.01		10.01	20.01			11.00				
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61		11.90				
		Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	1,134	29.68	21.28	19.57	9.61		11.90				
RI		E SITE HIGH FREQUENCY SPECTRUM															
		ERS-REMOTE SITE															
		Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	25.00	150.00	0.00	150.00	0.00		11.90				
		Remote Site Line Share Cable Pair Activation CLEC Owned at															
		RS and deactivation	1		ULS	ULSTG		74.38	0.00	46.77	0.00	1	11.90				1
EI	ND US	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	M AKA	REMOT													
		Remote Site Line Share Line Activationfor End User Served at					i - 1								İ		
		RS, BST Splitter	1		ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90				1
		RS Line Share Line Activation for End User served at RS, CLEC															
		Splitter	l ı		ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				
UNBUNDI	LED D	EDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
		OFFICE CHANNEL - DEDICATED TRANSPORT		Ĭ		1											
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination .			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination .			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month	l		U1TDX	1L5XX	0.0091										1
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility				1											
		Termination	l		U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				1
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.1856										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility							<u> </u>								1
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				<u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															1
		month			U1TD3	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - DS3 - Facility	l			1									I		1
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per							·								1
		month			U1TS1	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	l									1					1
		Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
		CHANNEL - DEDICATED TRANSPORT	<u> </u>			1]										
N/	OTE: I	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio														1
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				1
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				 '
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				 '
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat	l		5. 0.	55-											1 '
		Zone 1	<u> </u>	1	ULDVX	ULDR2	19.66	265.84	46.97	37.63	4.00		11.90				<u></u>

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec			g Disconnect		•		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
	Zone 2		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat			1 II D) 0/	ULDR2	40.50	005.04	10.07	07.00	4.00		44.00				
	Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		3	ULDVX UNDVX	ULDK2	49.58 20.45	265.84 266.54	46.97 47.67	37.63 44.22	4.00 5.33	-	11.90 11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	UNDVX	ULDV4	29.06	266.54	47.67	44.22	5.33	1	11.90				1
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		3	UNDVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				-
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36.49	216.65	183.54		16.95		11.90				
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	51.85	216.65	183.54		16.95		11.90				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	92.00	216.65	183.54		16.95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.50										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
DARK FIBE					1								ļ	ļ		ļ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												1	1		
	Thereof per month - Local Channel			UDF	1L5DC	55.04	754.04	100.00				44.00				
-	NRC Dark Fiber - Local Channel			UDF	UDFC4		751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	26.85										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.00	751.34	193.88			1	11.90				1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	ODI	0DI 14		731.34	193.00			1	11.90				
	Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	00.01	751.34	193.88				11.90				
8XX ACCES	S TEN DIGIT SCREENING										1					
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service															ĺ
	Per 8XX Number			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4.15	4.15				11.90				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			0.15									1	1		
LINE NECE	query MATION DATA BASE ACCESS (LIDB)		<u> </u>	OHD	-	0.0006252			1	-			 	 	-	
LINE INFOR	LIDB Common Transport Per Query		<u> </u>	OQT	+	0.0000203			 		 				-	
	LIDB Common Transport Per Query LIDB Validation Per Query	1	-	OQU	+	0.0000203			1	1	1	1	1	1	1	+
	LIDB Originating Point Code Establishment or Change	-		OQU OQT, OQU	NRPBX	0.0130939	55.13	55.13	55.13	55.13	1	11.90	 	 		+
SIGNALING				J., J.			00.10	55.15	00.10	55.15	 	11.30				†
1	CCS7 Signaling Termination, Per STP Port	1		UDB	PT8SX	135.05			1		1		1	1		1
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607			1	l	1		İ		İ	1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				1
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152	_									1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				
E911 SERVI																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				

HNRU	NDI E	D NETWORK ELEMENTS - Florida												Attachment:	2	Euh:	bit: C
UNBU	NULE		1	1	I							Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted					
												Elec	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually		Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect		1	OSS	Rates(\$)		
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00	COME	11.90	COMPAR	COMPAR	COMPAR	COMPAR
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00		11.90				
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.000										
		Termination					25.32	47.35	31.78	18.31	7.03		11.90				
		Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
		Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05		11.90				
		Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05		11.90				
		Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
		·															
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1				88.44	105.54	98.47	21.47	19.05	1	11.90	Ì	Ì	I	
CALLIN	IG NAM	E (CNAM) SERVICE															
		CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
		CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
		CNAM For DB Owners - Service Provisioning With Point Code															
		Establishment	<u> </u>	<u>L</u>	OQV	<u> </u>	<u> </u>	1,592.00	1,177.00	352.36	259.09		11.90	<u> </u>	<u> </u>	<u></u>	
		CNAM For Non DB Owners - Service Provisioning With Point															
		Code Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
		CNAM for DB Owners, Per Query			OQV		0.001024										
		CNAM for Non DB Owners, Per Query			OQV		0.001024										
LNP Qu	ery Ser																
		LNP Charge Per query			OQV		0.000852										
		LNP Service Establishment Manual						13.83	13.83	12.71	12.71		11.90				
		LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40		11.90				
OPERA	TOR CA	ALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min Using BST															
		LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using															
		Foreign LIDB					1.24										
		Oper. Call Processing - Fully Automated, per Call - Using BST															
		LIDB				-	0.20										
		Oper. Call Processing - Fully Automated, per Call - Using					0.00										
INIVATADI	0000	Foreign LIDB				-	0.20										
INWAR	D OPER	Inward Operator Services - Verification, Per Call				-	1.00										
		Inward Operator Services - Verification, Per Call Inward Operator Services - Verification and Emergency Interrupt				-	1.00										
		- Per Call					1.95										
BRAND	ING - O	PERATOR CALL PROCESSING					1.55										
		based CLEC				1											
	· dointy	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				11.90				
		Loading of Custom Branded OA Announcement per shelf/NAV				ODNOC		7,000.00	1,000.00				11.50				
		per OCN				CBAOL		500.00	500.00				11.90				
	UNEP (02/102		000.00	000.00				11.00				
		Recording of Custom Branded OA Announcement						7.000.00	7.000.00				11.90				
		Loading of Custom Branded OA Announcement per shelf/NAV		1		Ì		,	,,,,,,,,,		1			İ	İ	1	
		per OCN						500.00	500.00				11.90				
	Unbran	iding via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				
		SSISTANCE SERVICES							•								
	DIRECT	TORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call					0.275										
		TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
		Directory Assistance Call Completion Access Service (DACC),															
L		Per Call Attempt	<u> </u>	<u></u>	<u> </u>		0.10				<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	
		SSISTANCE SERVICES															
	DIRECT	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing					0.04										
		Directory Assistance Data Base Service, per month				DBSOF	150.00		-								
BRAND	ING - D	IRECTORY ASSISTANCE															

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manually per LSR PLSR Order vs. Electronic- Ele	Exhibit: C	\top	2	Attachment:												BUNDLED NETWORK ELEMENTS - Florida	INRUNDI E
CATEGORY RATE ELEMENTS Interior Market		al In				Svc Order						1		П	1	SOMBLED RETWORK ELLINENTS - FIUTIUA	CHDONDEE
CATEGORY RATE ELEMENTS Inter	Charge - Charge												1				
CATEGORY RATE R.EMENTS Mark 2006 RATE (4.5) per L.SR Order vo. Deter vo.	anual Svc Manual S														lustani		
Pacing Reset CLEC	Order vs. Order v								RATES(\$)			USOC	BCS	Zone		EGORY RATE ELEMENTS	CATEGORY
Secretary Secr	lectronic- Electron				per Lore	por Lore									m		
Page Page	Disc 1st Disc Ad																
Facility State CLEE	2.00 .01	Щ.															
Feding Stated CLEC Recording and Provisioning of DA Custom Bursted AMT CRADA 6,000.00 1,10											Rec			\sqcup			
Recording and Previousing of Dis Custors Recorded ART CBADA 6,000.00 6,000.00 11.80	SOMAN SOMA	——	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First						5	F
AMT GRADA G00000 6,00000 1150		+	 											-			Facility
Conting of Custom Branched Amountement per Switch AFF CREAC 1,170.00				1 '	11 00				6 000 00	6 000 00		CBADA	AMT				
Descripting of DAC Customs Branched Autocurcement 3,000.00 11.50		+	 	 										₩	-		
Recording of DA Customs Branded Announcement of Switch per 1,170.00 11,90 1,170.00 1,170.00 1,170.00 1,190 1		+	 		11.50				1,170.00	1,170.00		CDADC	AIVII				LINED
Losding of the Colored Connected Announcement per Switch per		+	 		11 90				3 000 00	3 000 00							O.V.E.
DON 1,170.00 1,170.00 1,170.00 1,170.00 1,170.00 1,100		+			11.00				0,000.00	0,000.00							
Unbranding via OLMS for UNEP CLEC				1 '	11.90				1,170.00	1,170.00							
Loseing of DA per Switch per QOX 11:90 11:90		\top							,							Unbranding via OLNS for UNEP CLEC	Unbrar
Loseing of DA per Switch per QOX 11:90 11:90					11.90				420.00	420.00		<u> </u>					
Seactive Noting Per Unique Line Class Code Per Request Per USRCR					11.90				16.00	16.00							
Switch USRCR 93.55 93.55 11.46 11.46 11.90		$oldsymbol{\bot}$															SELECTIVE RO
With Collocation - Application Cost				1]							[<u> </u>	1 1	I		
Virtual Collocation - Application Code AMTES EAF 4,122,00 1,249,00 11,90		丄	↓	 '	11.90		11.46	11.46	93.55	93.55		USRCR	ļ				
Virtual Collocation - Cable Installation Cost, per cable AMTFS ESPCX 12.45 965.00 11.90		_												\sqcup			VIRTUAL COL
Writial Collocation - Floor Spaces, per sig. 11.		+	├	 '					1,249.00		10.1-						
Writual Collocation - Power, per fused amp		+	 	 '	11.90					965.00							
Virtual Collocation - Cable Support Structure, per entrance cable AMTES ESPSX 13.35		+	 														
Cable		+	 								6.95	ESPAN	AIVITO				
UENALUEALUNIL COLUME COL				1 '							13 35	ESDSY	AMTES				
Coulst, UH, Luct, U Coulsting		+	 	\vdash							13.33	LOI OX		1		Cable	
EQ. AMTFS, UDL, UNCDX, UNCDX, UNCDX UNCX, UNCDX, UNCX, UNCDX, UNCX, UN				1 '													
Virtual Collocation - 2-wire Cross Connects (loop)				l '													
UEA_UHL_UCL_UDL, AMTFS, UAL, UDN, UNCXV_UNCDX UEAC4				1 '													
UEA_UHL_UCL_UDL_ AMTFS, UAL_UDN, UNCVX_UNCDX UEAC4				1 '	11.90				11.57	11.57	0.0502	UEAC2				Virtual Collocation - 2-wire Cross Connects (loop)	
Martis Lucia Luc				(
Virtual Collocation - 4-wire Cross Connects (loop)				l '													
AMTFS, UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, UDD12, ULD48, UDF CNC2F 6.71 2.431.00 11.90 11.90				l '													
UDL03, UT148, UDL03, ULD04, UDF CNC4F 6.71 2,431.00				L	11.90				11.57	11.57	0.0502	UEAC4				Virtual Collocation - 4-wire Cross Connects (loop)	
U1T12, U1T03, UD12, UD148, UDF				1 '													
Virtual Collocation - 2-Fiber Cross Connects				l '													
Virtual Collocation - 2-Fiber Cross Connects				l '													
AMTFS,UDL12, UDL03, U1T48, UT112, UT103, ULD03, ULD12, UDL04, UF103, UDL07, U				l '								01100=					
UDLO3, UT148, U1T12, U1T03, ULD03, ULD12, ULD04, UDF		+	 		11.90					2,431.00	6.71	CNC2F				Virtual Collocation - 2-Fiber Cross Connects	
Uitage U				1 '													
Virtual Collocation - 4-Fiber Cross Connects				1 '													
Virtual Collocation - 4-Fiber Cross Connects				1 '													
Virtual collocation - Special Access & UNE, cross-connect per DS1 USL, UK, UK, ULDD1, U1TD1, USLEL, UNLD1 CNC1X 7.50 155.00 14.00 11.90 11.90 11.90 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear fot Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				1 '	11 90					2 431 00	6.71	CNC4F				Virtual Collocation - 4-Fiber Cross Connects	
Virtual collocation - Special Access & UNE, cross-connect per DS1 ULR, UXTD1, UNC1X, ULDD1, UTD1, USLEL, UNLD1 CNC1X 7.50 155.00 14.00 11.90 11.90 11.90 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear fot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		+	 		11.00					2,401.00	0.71	5110-11			-	VIII CONOCULION - 1 1001 CHOSS CONTINUES	
Virtual collocation - Special Access & UNE, cross-connect per UNC1X, ULDD1, U1TD1, USLEL, UNLD1 CNC1X 7.50 155.00 14.00 11.90				1 '	1												
Virtual collocation - Special Access & UNE, cross-connect per U1TD1, USLEL, UNLD1 CNC1X 7.50 155.00 14.00 11.90				1	1												
DS1				1	1											Virtual collocation - Special Access & UNE, cross-connect per	
USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 CND3X 56.25 151.90 11.83 11.90 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot AMTFS,CLO VE1CB 0.0028 Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				1 '	11.90				14.00	155.00	7.50	CNC1X					
Virtual collocation - Special Access & UNE, cross-connect per DS3 U1TS1, ULDS1, UDLSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		\top		1													
Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot AMTFS, CLO VE1CB 0.0028 Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear fit AMTFS, CLO VE1CD 0.0041 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable VE1CD 0.0041				1 '													
Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				1	1												
DS3				1	1												
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				1 '						,		ouns:					
Support Structure, per linear foot AMTFS,CLO VE1CB 0.0028 Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft AMTFS, CLO VE1CD 0.0041 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		—		 '	11.90				11.83	151.90	56.25	CND3X	UDLSX, UNLD3	↓			
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				1	1						0.0000	VE40B	AMTEC CLO				
Cable Support Structure, per linear ft AMTFS, CLO VE1CD 0.0041 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		+	├	 '							0.0028	VETCB	AWITES,CLO	\longmapsto			
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				1 '							0.0044	VE1CD	AMTES CLO				
		+	+	 	-						0.0041	VEICD	AWITO, ULU	\vdash	+		-
				1	11.90					535 54		VE1CC	AMTES				
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		+	 		11.50					300.04		1.2.00		 	1		
Cable Support Structure, per cable AMTFS VE1CE 535.54 11.90				1 '	11.90					535.54		VE1CE	AMTFS				

CATEGORY	.ED NETWORK ELEMENTS - Florida				1	ı							Attachment:	_	I ⊏XNI	bit: C
CATEGORY			i								Svc Order	Svc Order	Incremental		Incremental	Incremental
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
	NATE ELEMENTO	m	Zone	БОО	0000			NATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records - per request		_	MTFS	VE1BA		1,525.00	1,525.00	267.08	267.08	JONEC	JONAN	JOINAIN	JONAN	JOHAN	JOHAN
 	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		 	WIII O	VETDA		1,020.00	1,020.00	207.00	201.00						
	record		_	MTFS	VE1BB		656.50	656.50	379.78	379.78						
—	Virtual Collocation Cable Records - VG/DS0 Cable, per each		t t	uviii O	VETEB		000.00	000.00	010.10	070.70						
	100 pair		_	MTFS	VE1BC		9.66	9.66	11.84	11.84						
 	Virtual Collocation Cable Records - DS1, per T1TIE			MTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE			MTFS	VE1BE		15.82	15.82	19.40	19.40						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		t f		12.02		10.02	10.02	10.10	10.10						
	records		Δ.	MTFS	VE1BF		169.67	169.67	154.89	154.89						
	Virtual collocation - Security Escort - Basic, per quarter hour			MTFS	SPTBQ		10.89					11.90				
	2000, por quartor flour		t ť			1								1		
	Virtual collocation - Security Escort - Overtime, per quarter hour			MTFS	SPTOQ]	13.64					11.90		Ì		
	, , , , , , , , , , , , , , , , , , ,															
	Virtual collocation - Security Escort - Premium, per quarter hour		Α.	MTFS	SPTPQ]	16.40					11.90		Ì		
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS		Α.	MTFS	VE11S	226.39	1,950.00					11.90				
	Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS		A	MTFS	VE11X	11.51	1,950.00					11.90				
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT		P	MTFS	VE13S	56.97	528.00					11.90				
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT		P	MTFS	VE13X	10.06	528.00					11.90				
	Virtual collocation - Maintenance in CO - Basic, per quarter hour		A	MTFS	SPTRE		10.89					11.90				
	Virtual collocation - Maintenance in CO - Overtime, per quarter															
	hour		A	MTFS	SPTOE		13.64					11.90				
	Virtual collocation - Maintenance in CO - Premium per quarter															
	hour		P	MTFS	SPTPE		16.40					11.90				
VIRTUAL C	DLLOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res		l	JEPSR	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus		l	JEPSP	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res		L	JEPSE	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus		l	JEPSB	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
\vdash	ISDN			JEPSX	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		.	IEDTV	VE4D0	0.0500	44.53	44.57				44.00				
+	ISDN			JEPTX	VE1R2	0.0502	11.57	11.57				11.90		-		
1 1	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1		J	IEDEV	VE1R4	0.0502	11.57	11.57				44.00		1		
VIDTUAL O	JISDN DS1 DLLOCATION			JEPEX	VE1K4	0.0502	11.57	11.57	 			11.90		 		
VIRTUAL C			-													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		l 1,	JEPSR, UEPSB	VE1LS	0.0502	11.57					11.90				
DHAGICAL	COLLOCATION			JEFSK, UEFSB	VEILS	0.0502	11.57					11.90				
PHISICAL	Physical Collocation-2 Wire Cross Connects (Loop) for Line	-	+		+	1			-					1	1	
	Splitting			JEPSR, UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58		11.90		1		
AIN SELEC	TIVE CARRIER ROUTING		 	LI OIN, OLFOD	LILO	0.0210	0.22	1.22	5.14	4.30		11.50		1	1	
T SEEEC	Regional Service Establishment		c	SRC	SRCEC		193,444.00		7,737.00			11.90		 		
\vdash	End Office Establishment	†		RC	SRCEO		187.36	187.36	0.69	0.69		11.90		 		
	Query NRC, per query			RC	3	0.0031868	107.00	107.00	0.00	0.00		11.50		1		
AIN - BELL	SOUTH AIN SMS ACCESS SERVICE					2.230.000			1					1		
	AIN SMS Access Service - Service Establishment, Per State,													1		
	Initial Setup			\1N	CAMSE]	43.56	43.56	44.93	44.93		11.90		Ì		
	· ·					i								İ	İ	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			\1N	CAMDP]	8.64	8.64	10.03	10.03		11.90		1		
	AIN SMS Access Service - Port Connection - ISDN Access			\1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code		A	\1N	CAMAU		38.66	38.66	29.88	29.88		11.90				

LINDUND: 7	D NETWORK ELEMENTS Florido												A 1	•		0
ONRONDE	ED NETWORK ELEMENTS - Florida	1									C C	C C 1	Attachment:			bit: C
					1								Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per					0.4000										
AIN DELLO	Minute DUTH AIN TOOLKIT SERVICE	1				0.4609										
AIN - BELLSC	AlN Toolkit Service - Service Establishment Charge, Per State,	1														
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service - Training Session, Per Customer	1		O7 4V1	BAPVX		8,439.00	8,439.00	44.00	44.00		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				27.11 77.1		0,100.00	0,100.00				11.00				
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate	ļ			BAPTM		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			DADTO		00.00	00.00	45.00	45.00		44.00		1		
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPIC		36.00	36.06	15.00	13.66		11.90				
	DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Query Charge, Per Query	1			D/ 11	0.0535927	00.00	00.00	10.00	10.00		11.50				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPLS	2.72	0.50	0.50				11.90				
-	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	BAPLS	3.73	9.56	9.56				11.90				
	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			O/ uvi	D/ II DO	4.70	0.04	0.04	0.00	0.00		11.00				
	Service Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
	XTENDED LINK (EELs)													İ		
NOTE	: New Density Zone 1 EELs are available in the following MSA	s: Orlan	do, FL	; Miami, FL; Ft. Laud	derdale, FL;	Atlanta, Ga; Nev	v Orleans, LA,									
NOTE	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N	C; and Nashville, TN												
	In all states, EEL network elements shown below also apply t												UNEs.(Non-re	curring rates	do not apply	.)
	: In All States the EEL network elements apply to ordinarily co				tcn As Is Cha	rge.) When or	dering ordinar	ily combined	network elemei	nts, Non-recur	ring rates de	o apply.		 		-
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE I'R	ANSPORT (EEL)	-				-							
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90		1		
 	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	 	-	0110 1/	JULALE	12.24	121.39	00.34	42.79	2.01		11.50		 		
	Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1				0	.200	00.04	.20	2.51				İ		
	Transport Combination - Zone 3	1	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90		1		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month	1		UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility				l											
	Termination per month	<u> </u>		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90		ļ		ļ
	DS1 Channelization System Per Month	!		UNC1X	MQ1	146.77	51.83	10.75	0.74	4.04		11.90		 		-
\vdash	Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90		1		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	<u> </u>	J	J L / 1L L	12.24	121.05	00.04	72.13	2.01		11.50		1		1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1		-			00		1					İ		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	·															

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Voice Grade COCI - DS1 to DS0 Channel System combination -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				<u> </u>
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
4.330	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC)FFICE	TRANSPORT (EEL))											
	Transport Combination - Zone 1 First 4-wire 56kbps Digital Grade Loop in a DS1 Interdifice First 4-wire 56kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Per Month Interoffice Transport - Dedicated - DS1 - combination - Facility			UNC1X	1L5XX	0.1856										
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -	-	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
4-WI	Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1		FFICE	UNC1X TRANSPORT (EEL)	UNCCC		8.98	8.98	8.98	8.98		11.90				-
7.441	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				

UNBUNDL	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
ONDONDE.	TOTAL TIONA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
OAT LOOK!	NATE ELEMENTO	m	20110	500	0000			ππι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	rurring	Nonrecurring	Disconnect		l .	220	Rates(\$)		
			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				1
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDA	UDL04	33.99	121.33	00.34	42.13	2.01		11.90				
	Per Month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TLOAK	0.1000										
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				1
	Channelization - Channel System DS1 to DS0 combination Per			UNCIX	01111	00.44	174.40	122.40	45.01	17.93		11.90				——
	Month			UNC1X	MQ1	146.77	51.83	10.75				11.90				1
-	OCU-DP COCI (data) - DS1 to DS0 Channel System			UNCIX	IVIQI	140.77	31.03	10.73			-	11.90				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				1
-	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	2.10	12.10	0.77	0.71	4.04	-	11.90				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				ı
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<u> </u>	UNCDA	UDL64	22.20	127.59	60.34	42.79	2.01		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				1
				UNCDA	UDL64	31.30	127.59	60.34	42.79	2.01		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		3	LINICDY	UDL64	EE 00	127.50	60.54	40.70	2.04		11.90		Ì		1
\vdash	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL04	55.99	127.59	60.54	42.79	2.81		11.90		-		
				LINICDY	4D4DD	0.40	40.40	0.77	0.74	4.04		44.00				ı
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															1
4 14/15	Is Charge	- DOFF	OF TD (UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE IRA	NSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	LINGAY	1101.307	70.74	047.75	101.00	54.44	44.45		44.00				1
	Transport - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				└
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_													1
	Transport - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				└
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_			470.00										1
	Transport - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>04											1
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE IRA	NSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															1
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		_	LINIOAN	1101.307		c							Ì		1
	Z		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				├
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1 _											Ì		1
\vdash	[3]		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				├
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIONY	41.5307	0.00										1
	Per Month			UNC3X	1L5XX	3.87										├
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINIONY	LIATEO	4 074 00	044.5	400.00	00.00	40.00		44.60				1
\vdash	month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23	1	11.90				
\vdash	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00	1	11.90				
L	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84	1	11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1 .	LINICAV	LICLY	7071	047.7-	404.00				44.00		Ì		1
\vdash	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90		1		
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINIOAN	1101.207	400 = 1	047	404.00	F	44		44.60				1
L	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	1	11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINIOAN	1101.307	.=	c							Ì		1
$oxed{oxed}$	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90		ļ		
	DS3 Interface Unit (DS1 COCI) combination per month		 	UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90		ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	•			1		_	_	_	_		l				1
	Is Charge	<u> </u>		UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)	1											
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1		1					_	1	l		l		1
	Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	1	11.90]		<u></u>

LINBLINDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge -	
													1st	Add'I	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		<u>l</u>	oss	Rates(\$)		'
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	FEROFF	ICE TR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport		_	LINCVV	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				1
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX												
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSPO	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90	_			
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856	127.00	00.00	72.79	2.01		11.50				
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				1
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	combination - per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport						First	Auu i	Filst	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				<u> </u>
		combintaion- per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI	RANSPORT (EEL)												
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				ļ
		Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				<u> </u>
		Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	3.87										<u> </u>
		Termination			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
		STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19	10.10	3.39	0.71			44.00				
		DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				├──
		Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANSI		-				0.00							
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
		- Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
		Combination - 2016 5 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		J	UNCDX	1L5XX	0.0091	121.39	00.34	42.19	2.01		11.50				
		Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANSI	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0091										<u> </u>
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		11.90				
ADDITI	יא ומוחר	Nonrecurring Currently Combined Network Elements Switch -As- is Charge ETWORK ELEMENTS			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
וווטטא	CIAME IA	LI WORK ELLMENTO	<u> </u>	1		i .				ı		1	l		L	L	

UNBL	JNDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			Manual Svo
CATE	JUKI	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	When u	ised as a part of a currently combined facility, the non-recurr	ng chai	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
		ised as ordinarily combined network elements in All States, the															
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>		1											
i		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	0.1000		0.00	0.00	0.00	0.00		11.00				
		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	_	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDA	UNCCC		0.90	0.90	0.90	0.90		11.90				
					LINICAV	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-	l														
		Is Charge - DS3	 		UNC3X	UNCCC		8.98	8.98	8.98	8.98	ļ	11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-	l									İ	1		I	Ì	İ
		ls Charge - STS1	<u> </u>		UNCSX	UNCCC	L	8.98	8.98	8.98	8.98		11.90				L
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3=	one month, DS3 ar	nd above=fou	r months										
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		1	UNCVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90			İ	İ
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	49.58	265.84	46.97	37.63	4.00	İ	11.90		İ	İ	İ
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				
	_	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90				
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade Zone3		3	UNCXV	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
				1		ULDV4	36.49		183.54	24.30	16.95						
		Local Channel - Dedicated - DS1 per month Zone 1			UNC1X			216.65					11.90				
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				
		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8.50										
		Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	8.50										
		Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
	Optiona	al Features & Functions:															
	MULTIF	PLEXERS															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODL	10100	2.10	10.07	7.00				11.30				
		month			UDN	UC1CA	3.66	10.07	7.08				11.90				
						1D1VG											
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month	 	—	UEA		1.38	10.07	7.08	40.01	00.0=	 	11.90		 	 	
		DS3 to DS1 Channel System per month	.		UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07	1	11.90		1		
		STS1 to DS1 Channel System per month	 		UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07	ļ	11.90				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per	l										l				
		month			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel	l										1				
		per month	l		U1TD1	UC1D1	13.76	10.07	7.08				11.90				
	Sub-Lo	op Feeder															
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		sw	UNC1X	USBFG							l				
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	42.59	133.77	78.02	85.16	21.21	İ	İ		İ	İ	İ
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	1	2	UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21	i	1		1	1	1
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	-	_	UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21	 			t	 	
	1	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1		UNC1X	USBFG	107.39	100.11	10.02	05.10	21.21	 	1		 	 	
LIMBIT	NDI ED '	OCAL EXCHANGE SWITCHING(PORTS)	 	-4	OINOIA	OODI-G						-	-		 		
UNBUI			 	—		+	ļ					 	 		 	 	
		ge Ports			- dealers of the - to		a andered of					 	 		 	 	
		Although the Port Rate includes all available features in GA, I	ΛΥ, LA	s. IN,th	ie desired features	will need to I	e oraered usin	g retail USOCs	5			1	ļ		1	1	
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)	 		LIEBOB.	LIEBE:						ļ					
		Exchange Ports - 2-Wire Analog Line Port- Res.	<u> </u>		UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90		ļ	ļ	
			l									l	1		I	Ì	İ
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>		UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
			l									l]	-			
1					UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80	1	44.00	ı	1	Ì	1
ļ		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSK	UEPRU	1.40	3.74	3.63	1.00	1.80		11.90				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with			UEPSR	UEPRO	1.40	3.74	3.03	1.00	1.80		11.90				

IINPI	INDI E	D NETWORK ELEMENTS - Florida												Attachment:	2	Euk:	bit: C
UNDU	MULE	I NETWORK ELEWENTS - Florida	1	ı								Svc Order	Svc Order			Incremental	Incremental
												Submitted	Submitted				
															Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		-	-				Nonrec		Nonrecurring	- Dianamant			000	Rates(\$)		
							Rec										
		5 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Florida Residence Area															
		Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire VG unbundled Florida extended															
		dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire VG unbundled Florida extended															
		dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
1	1	Capability	1	1	UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80		11.90	Ì	Ì	Ì	
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				11.90				
	FEATU																
		All Available Vertical Features	1	1	UEPSR	UEPVF	2.26	0.00	0.00	İ			11.90	İ	İ	İ	İ
		VOICE GRADE LINE PORT RATES (BUS)			-					1			i	İ	İ	İ	
	1	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1	1						1			1	1	1	1	
	1	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OD	OLIDE	1.40	0.14	0.00	1.00	1.00	1	11.50				
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
		unbundied port with Caller+E404 ID - Bus.		1	OLI OD	OLI DO	1.40	3.74	3.03	1.00	1.00		11.30				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
				 	UEFSB	UEPBU	1.40	3.74	3.03	1.00	1.00		11.90				
		Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	4.40	2.74	2.02	4.00	4.00		44.00				
		Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80		11.90				
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				11.90				
	FEATU					ļ.,											
		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.00	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	1	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	1	Administrative Calling Port	1	1	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187	1	11.90	Ì	Ì	Ì	
	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			-					1			i	İ	İ	İ	
	1	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				
	†	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1				22.00		:=:00	2101		11100	1	1	1	
1	1	Discount Room Calling Port	1	1	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187	1	11.90	Ì	Ì	Ì	
—	 	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187	1	11.90	 	 	 	
 	 	Subsequent Activity	 	 	UEPSP	USASC	0.00	0.00	0.00	12.33	0.7 107	1	11.90	1	1	1	1
	FEATU		 	1	0L1 01	30/30	0.00	0.00	0.00	 		 	11.50	1	1	1	1
1		All Available Vertical Features	 	1	UEPSP UEPSE	UEPVF	2.26	0.00	0.00	 		+	11.90	 	 	 	1
 		IAII Available vertical Features INGE PORT RATES (COIN)	 	├	OLFOF UEPOE	UEFVF	2.26	0.00	0.00	 		 	11.90				
	EACHA		 	├		+	4 40	0.74	2.00	4.00	4.00	 	44.00				
<u> </u>	NOTE	Exchange Ports - Coin Port	l., .	<u> </u>			1.40	3.74	3.63	1.88	1.80	1	11.90	L		ļ	
		Transmission/usage charges associated with POTS circuit sv														L	
		Access to B Channel or D Channel Packet capabilities will be	e availal	oie only	tnrougn BFR/New	business Re	quest Process.	kates for the	packet capabi	IIIIIes WIII be de	etermined via t	ne Bona Fid	ie Kequest/	New Busines	s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)	ļ														
	EXCHA	INGE PORT RATES	ļ		uesev.												
<u> </u>	<u> </u>	Exchange Ports - 2-Wire DID Port	<u> </u>	<u> </u>	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26	1	11.90			1.83	ļ
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	l	1				I			l	Ì	Ì	Ì	I
		capability			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		11.90			1.83	

UNR	JNDLF	D NETWORK ELEMENTS - Florida												Attachment:	2	Fyhi	bit: C
3,45	J. 10 L L	THE THORK ELLINEITO TIONGS	1			1	l					Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>					Nonred		Monroourrin	g Disconnect			000	Rates(\$)		
			<u> </u>				Rec	First	Add'l		·	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Freehouse Deste - O Wire ICDN Dest (Coe Notes heles)	<u> </u>		LIEDTY LIEDCY	U1PMA	0.00			First	Add'l	SUMEC		SUMAN	SOWAN		SOWAN
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-		UEPTX UEPSX UEPTX UEPSX	UEPVF	8.83	46.83	50.68	27.64	11.93		11.90 11.90			1.83	
	NOTE	All Features Offered					2.26	0.00	0.00							1.83	
		Transmission/usage charges associated with POTS circuit sv													L		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only						lities will be d	etermined via t	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
1	1										_		<u> </u>				
	<u> </u>	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -				1						1					
1	1	Switch-as-is	1	1	UEPVR	USAC2	Ì	0.102	0.102	Ì	1		11.90				
	1	Unbundled Remote Call Forwarding Service - Conversion with				1		332	052	1	1	Ì	150		1		1
		allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
	LINBUR	IDLED REMOTE CALL FORWARDING - Bus			OLI VIX	OOACC		0.102	0.102								
-	ONDON	I				1						1					
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
		Official Remote Call Forwarding Service, Area Calling - Bus			UEFVB	UERAC	1.40	3.74	3.03	1.00	1.00		11.90				
		Haland Hala Barretta Call Francis Construction Calling Barretta			LIED) /D	LIEBLO	4.40	0.74	0.00	4.00	4.00		44.00				
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90				
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102				11.90				
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
UNBU	NDLED L	OCAL SWITCHING, PORT USAGE															
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0007662										
		End Office Trunk Port - Shared, Per MOU					0.000164										
		n Switching (Port Usage) (Local or Access Tandem)				1	2.300.04			1	1	Ì	i		1		
—	· andor	Tandem Switching Function Per MOU	 			1	0.0001319			 	t	 	 		1		
\vdash	†	Tandem Trunk Port - Shared, Per MOU	 	-		1	0.0001313				t	 	 				
\vdash	Comm	on Transport		-		1	0.000233				 	t	1		1		
-	Comine	Common Transport - Per Mile, Per MOU	 	1		1	0.0000035			1	 	1	1	1	 	1	1
-	1	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	 	-		1	0.000035	-		 	+	}	 	1	 	1	1
LIMB	NDI ED 5		 	!		 	0.0004372	ļ		 	 	1	 		1		-
ONBO		PORT/LOOP COMBINATIONS - COST BASED RATES	 - = /= :			l data III-iI-	 	tables O - 1	ala Dante		-			1	-	1	1
<u> </u>		ased Rates are applied where BellSouth is required by FCC ar								L	L	L					
<u> </u>		es shall apply to the Unbundled Port/Loop Combination - Cos											L	L			
<u> </u>		fice and Tandem Switching Usage and Common Transport Us															
L		st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos t	he nonrecurrin	g charges sha	II be those ide	ntified in the N	lonrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				ļ							ļ]
	UNE Po	ort/Loop Combination Rates				ļ							ļ				
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3	-		25.80										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77						İ				
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63			İ	1	İ	İ				
	2-Wire	Voice Grade Line Port Rates (Res)				1	250			1	1	Ì	i		1		
—		2-Wire voice unbundled port - residence	 		UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37	†	11.90		1		
-	1	2-Wire voice unbundled port with Caller ID - res	1	-	UEPRX	UEPRC	1.17	53.31	26.46	27.50		1	11.90	1	1	1	1
	1	2-14116 AOIGE AUDAHAIEA BOIT MITH CHIEF ID - 162	1		OLFINA	ULFRU	1.17	33.31	∠0.46	21.30	0.37	1	11.90	l	1	l	l

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES(\$) BCS USOC RATES(\$) Svc Order Submitted Submitted Elec Manually per LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER LSR PER L	IINRIINDI E	NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	hit: C
ACTEGIONY RATE ELEMENTS THE PLANT STATE	CHECHDLEL	ALTWORK ELEMENTS - FIORIDA	1									Svc Order					Incremental
ACTIONNY RATE ELEMENTS RATE ELEMENT			1										1				Charge -
## 2000 ## 200																	Manual Svc
Bertonic Bertonic	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								Order vs.
Note			m						,			per Lor	per Lor				Electronic-
Part																	Disc Add'l
CPPR CPPR																DISC 1St	DISC Aud I
Description Description							Poc	Nonre	curring								
2-We verb unbunded Pixels And Calleg with Caller D - 60 UPPR UPPR 1.17 53.31 36.44 27.50 6.37 11.50												SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
2-Wire voice offended rest, for usage interpol wind Caller D UEPRX UEPAP 1.17 53.31 26.46 27.50 6.37 11.50		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire voice offended rest, for usage interpol wind Caller D UEPRX UEPAP 1.17 53.31 26.46 27.50 6.37 11.50																	
LLDA					UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wise vace unknowned Fords secreted dailing port for use with CREAT and Claim? (and Care of								====	00.40								
With CRECY and Caller IP UEPRX UEPAX 1.17 53.31 28.46 27.50 8.37 11.00					UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire water ununded Fords extended disrip part two tiles with CMCXV, without Called Deposition of the Company of the Compan					HEDDY	LIEDAA	4.47	50.04	00.40	07.50	0.07		44.00				
With CREXT, without Caller D regalably UEPRX UEPAB 1.17 53.31 28.46 27.50 6.37 11.90	_				UEPKX	UEPAT	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire vote unknoted Foretak Arma Calling Port without Calling UEPRX UEPA9 1.17 53.31 26.46 27.50 8.37 11.50					LIEDDY	LIEDAO	1 17	52 21	26.46	27.50	0 27		11 00				
Di Coppellini					OLFKA	ULFAG	1.17	33.31	20.40	27.50	0.37	1	11.90				
2-Wine vote unbunded now Usage Line Port without Caller ID UEPRX UEPRT 1.17 53.51 26.46 27.50 8.37 11.50					LIEPRY	LIEPAG	1 17	53 31	26.46	27 50	8 37		11 90				
Capability			1		SE. 100	521710	1.17	30.01	20.40	27.50	5.57		11.30				
FEATURES			1		UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		11.90		1		
Cock Marker Port Reduction Comparison	FEATU		†					22.31							1		
COCAL NUMBER PORTABILITY			1		UEPRX	UEPVF	2.26	0.00	0.00				11.90				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
Serich-as-is USPRX USAC2 0.102 0.102 11.90	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
Setting Wile Control Computer (Control Contr		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
Switch with change					UEPRX	USAC2		0.102	0.102				11.90				
ADDITIONAL NRCS																	
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPRX USAS2 0.00 0.0					UEPRX	USACC		0.102	0.102				11.90				
Activity Activity Color GRADE LOOP WITH 2-WIRE LINE PORT (BUS) UNE PORT/Loop Combination Rates																	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates					UEPRX	USAS2	0.00	0.00	0.00				11.90				
2-Wire Vol Loop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 2	UNE PO			4			40.04										
2-Wire Volce Grade Loop (SL1) - Zone 1	_					-											
UNE Loop Rates						+											
2-Wire Voice Grade Loop (SL1) - Zone 1	LINE LO			3			23.60					1					
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPBX				1	HEDRY	LIEDLY	0.77										
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPBX UEPLX 24.63																	
2-Wire Voice Grade Line Port (Bus)																	
2-Wire voice unbundled port without Caller ID - bus UEPBX UEPBK U.F				Ŭ	02. 5%	02. ZX	2 1.00										
2-Wire voice unbundled port with Caller + E484 ID - bus UEPBX UEPBC 1.17 53.31 26.46 27.50 8.37 11.90	1 11110		1		UEPBX	UEPBL	1,17	53,31	26.46	27.50	8.37		11.90		1		
2-Wire voice unbundled port outgoing only - bus UEPBX UE			†												1		
2-Wire voice unbundled incoming only port with Caller ID - Bus UEPBX UPBB 1.17 53.31 26.46 27.50 8.37 11.90			†												1		
Capability UEPBX UEPBE 1.17 53.31 26.46 27.50 8.37 11.90													11.90				
Capability		2-Wire voice unbundled Incoming Only Port without Caller ID															
Local Number Portability (1 per port)			<u> </u>		UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37		11.90				
FEATURES																	
All Features Offered					UEPBX	LNPCX	0.35	·									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-sa-is UEPBX USAC2 0.102 0.102 11.90 11.90 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPBX USACC 0.102 0.102 11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90 1			<u> </u>														
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			ļ		UEPBX	UEPVF	2.26	0.00	0.00				11.90		ļ		
Switch-as-is	NONRE		ļ							ļ							
2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change UEPBX USACC 0.102 0.102 11.90			1		LIEDDY	110463									1		
Switch with change			 		UEPBX	USAC2		0.102	0.102				11.90				
ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPBX USAS2 0.00 0.00 11.90			1		LIEDDY	110400		0.400	0.400				44.00				
2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPBX	ADDITI		 		UEPBX	USACC		0.102	0.102				11.90				
Activity			1			1								1	1	1	1
2-Wire Voice GRADE LOOP WiTH 2-Wire Line PORT (RES - PBX) UNE Port/Loop Combination Rates University For Voice Voi			1		LIEDRY	118482		0.00	0.00				11 00				
UNE Port/Loop Combination Rates	2-WIDE		1		OLFDA	UUAUZ		0.00	0.00				11.90	1	1	1	1
2-Wire VG Loop/Port Combo - Zone 1			 			1				1				1	1	1	1
2-Wire VG Loop/Port Combo - Zone 2 2 15.05	ONE PO		!	1		+	10 94			1					 		
2-Wire VG Loop/Port Combo - Zone 3 3 25.80			1			1				1		<u> </u>			 		
	 		!			+				1					 		
I JUNE LOUD RAILES			1	Ť			20.00										

HINDHIND	I ED	NETWORK ELEMENTS - Florida												Attachment:	<u> </u>	Evhi	ibit: C
ONDOND		NETWORK ELEMENTS - Florida	1	1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -			Charge -
												Elec			Charge -	Charge -	
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OAT LOOK	•	NATE ELEMENTO	m	200	500	0000			ππι ΔΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	- 1							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		ь
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77		7144.		7.44					00	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63					1					
2-W		/oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		11.90				
LO	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	0.00	0.00	0.00				11.90				
FE/	ATUR																
		All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			1	=:20	2.00	2.00				50		İ		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		İ		1			İ	İ				İ		
		Conversion - Switch-As-Is	1	1	UEPRG	USAC2		8.45	1.91				11.90		Ì		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		-		1								İ		
		Conversion - Switch with Change	1	1	UEPRG	USACC		8.45	1.91				11.90		Ì		
ADI		DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				11.90				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86				11.90				
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNI		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24.63										
2-W	/ire V	/oice Grade Line Port Rates (BUS - PBX)															
		,															
	Į.	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		11.90				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73		11.90				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73		11.90				
	- 1:	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port	<u></u>	<u></u>	UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73		11.90		L		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
l		Administrative Calling Port	<u> </u>	L	UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73	<u></u>	11.90		<u> </u>		<u> </u>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port	<u></u>	<u></u>	UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73		11.90		L		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port	<u></u>	<u></u>	UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73		11.90				
LO	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				
FE/	ATUF																
		All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	T	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
		Conversion - Switch-As-Is	<u> </u>		UEPPX	USAC2		8.45	1.91				11.90				<u> </u>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
		Conversion - Switch with Change	<u> </u>		UEPPX	USACC		8.45	1.91				11.90				
ADI	DITIC	DNAL NRCs															

UNBLINDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
CHDONDE	THE INDICATE LEGISLATO - HORIGA										Svc Order		Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Auu I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.86	7.86				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT	<u> </u>													
UNE	Port/Loop Combination Rates		_			10.01										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.05										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25.80										
UNE	oop Rates	├	1	UEPCO	UEPLX	9.77						 			-	
	2-Wire Voice Grade Loop (SL1) - Zone 1	 	2											 		
—	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	_	UEPCO UEPCO	UEPLX UEPLX	13.88 24.63					1	ļ		 	1	
3-/8/:	e Voice Grade Line Ports (COIN)	├	3	ULFCO	UEPLA	24.03						 			-	
2-99110	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	-	-		+ -										 	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)	1	1	UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		11.90		I	Ì	
 	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1	ULFCO	UEFZF	1.17	33.31	20.46	21.50	0.37	1	11.90		1		
	(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPFA	1.17	55.51	20.40	21.50	0.37		11.90				
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37		11.90				
-	2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEFCG	1.17	55.51	20.40	27.50	0.37	1	11.90				
	(AL. FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37		11.90				
-	2-Wire Coin Outward with Operator Screening and Blocking:			OLFCO	OLFKK	1.17	33.31	20.40	21.30	0.37	1	11.90				
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLI OI	1.17	33.31	20.40	27.50	0.57		11.30				
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin Outward Smartline with 900/976 (all states except			OLI OO	OLI OIL	1.17	00.01	20.40	27.00	0.07		11.00				
	I A)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37		11.90				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			02. 00	02. 0.0		00.01	20.10	21.00	0.07		11.00				
ADDI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	53.31	26.46	27.50	8.37		11.90				
LOCA	L NUMBER PORTABILITY			02. 00	0.1200	1.00	00.01	20.10	27.00	0.07		11.00				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.102	0.102				11.90		1		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1													
1 1	Switch with change	1	1	UEPCO	USACC		0.102	0.102				11.90		I	Ì	
ADDI	TIONAL NRCs	1			1											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	<u> </u>	<u></u>	UEPCO	USAS2		0.00	0.00				11.90		<u> </u>		
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I	RES)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
$oxed{oxed}$	2-Wire Voice Grade Loop (SL2) - Zone 2	<u> </u>	2	UEPFR	UECF2	17.40								ļ		
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFR	UECF2	30.87			ļ					ļ	ļ	
2-Wire	Voice Grade Line Port Rates (Res)				<u> </u>									.		
	2-Wire voice unbundled port - residence	<u> </u>	<u> </u>	UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73		11.90		ļ		
	2-Wire voice unbundled port with Caller ID - res	<u> </u>	<u> </u>	UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73		11.90		ļ		
\vdash	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73		11.90		.		
		1	1	l	1]			l		I	Ì	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res	ļ	<u> </u>	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID	1		LIEDED	LIEDAS		,=							I	1	
	(LUM)	ļ	<u> </u>	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		11.90				
INTER	OFFICE TRANSPORT		<u> </u>									l				

HNBHND	I ED N	IETWORK ELEMENTS - Florida												Attachment:	2	Evt.:	ibit: C
ONBOND	LED N	IETWORK ELEMENTS - FIORIDA	1	1		1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted Elec			Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
OAT LOOK!	•	KATE EEEMENTO	m	20.10	200	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dan	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inte	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		mination			UEPFR	U1TV2	25.32	47.35	31.78								
		eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		Fraction Mile			UEPFR	1L5XX	0.0091										
FEA	ATURES																
		Features Offered		ļ	UEPFR	UEPVF	2.26	0.00	0.00				11.90				
LOC		MBER PORTABILITY		ļ	LIEBER	LUBOY											
NO		cal Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		RRING CHARGES (NRCs) - CURRENTLY COMBINED				-						ļ					
		Vire Loop / Dedicated IO Transport / 2 Wire Line Port mbination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90	1	I	1	
		Vire Loop / Dedicated IO Transport / 2 Wire Line Port	1	 	OLITI	USAUZ		10.97	3.73	 			11.90	 	 	 	1
1 1		mbination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73				11.90		1		
2-W		DICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINF	PORT (20/100		10.07	0.70				11.30		-		<u> </u>
		Loop Combination Rates		J (,										1		
		Vire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64								1		
		Vire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
		Vire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNF	E Loop																
	2-W	Vire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
		Vire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-W	Vire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
2-W	/ire Voic	ce Grade Line Port (Bus)															
		Vire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73		11.90				
		Vire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73		11.90				
		Vire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73		11.90				
L		Vire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73		11.90				
LOC		MBER PORTABILITY			LIEDED	LNDOV	0.05										
INT		cal Number Portability (1 per port) ICE TRANSPORT		1	UEPFB	LNPCX	0.35								-		
INI		eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-													
		rmination			UEPFB	U1TV2	25.32	47.35	31.78								
		eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEFFB	UTIVZ	25.52	47.35	31.70				-		-		
		Fraction Mile			UEPFB	1L5XX	0.0091										
FF/	ATURES				OLITO	120701	0.0001										
		Features Offered	1	1	UEPFB	UEPVF	2.26	0.00	0.00			1	11.90	 	I	 	1
NO		RRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1		3=. 7.	2.20	0.00	0.00				11.50	1	1	1	
1.01		Vire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1										1	1	1	
		mbination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73				11.90		1		
	2-W	Vire Loop / Dedicated IO Transport / 2 Wire Line Port															
$\sqcup \sqcup \sqcup$	Cor	mbination - Conversion - Switch with change	<u> </u>	<u> </u>	UEPFB	USACC		16.97	3.73				11.90		<u> </u>		
		DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNF		oop Combination Rates															
		Vire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
igspace		Vire VG Loop/IO Tranport/Port Combo - Zone 2		2		ļ	18.80			ļ				ļ	ļ	ļ	
		Vire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		ļ	32.27					ļ					ļ
UNE	E Loop		1	!	LIEDED	LIEGES						ļ					ļ
$\vdash \vdash$		Vire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFP UEPFP	UECF2 UECF2	12.24								-		
$\vdash \vdash$		Vire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP	UECF2 UECF2	17.40 30.87					1	-	 	 	 	1
2 14		Vire Voice Grade Loop (SL2) - Zone 3 ce Grade Line Port Rates (BUS - PBX)	1	3	UEPFP	UEUF2	30.87					 		-		-	1
Z-VV	ine vol	ce Grade Line Fort Rates (DUS - PBA)	1	1		1				1		}		1	 	1	
1 1	Line	e Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73		11.90		1		
$\vdash \vdash$		e Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73		11.90		 		1
$\vdash \vdash$		e Side Unbundled Incoming PBX Trunk Port - Bus	1	 	UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73	 	11.90	 	 	 	+
\vdash		Vire Voice Unbundled PBX LD Terminal Ports	1	1	UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73		11.90		-		1
		Vire Voice Unbundled 1 BX EB Terminal 1 Orts Vire Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73		11.90	1	1	1	
					UEPFP							1					1
		Vire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73		11.90				

LIND	INDI E	D NETWORK ELEMENTS - Florida													Attachment:	<u> </u>	Exhil	-i4. C
UND	NULL		l			1							Svc Order		Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
			١										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS		USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								_									D130 131	DISC Add I
								Rec	Nonrec		Nonrecurring					Rates(\$)		
									First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP		UEPXD	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD																
		Capable Port			UEPFP		UEPXE	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED		LIEDVI	4 40	474.04	100.05	75.00	40.70		44.00				
	1	Administrative Calling Port			UEPFP		UEPXL	1.40	174.81	100.65	75.88	12.73	1	11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP		UEPXM	1.40	174.81	100.65	75.88	12.73		11.90				
-	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLFIF		ULFAIVI	1.40	174.01	100.03	75.00	12.73	1	11.90				
		Discount Room Calling Port			UEPFP		UEPXO	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP		UEPXS	1.40	174.81	100.65	75.88	12.73		11.90				
	LOCAL	NUMBER PORTABILITY	1		<u></u>		5-1 /\bu	1.40	174.01	100.03	75.00	12.73	1	11.00		 		
	100/1	Local Number Portability (1 per port)			UEPFP		LNPCP	3.15	0.00	0.00				11.90				
	INTER	OFFICE TRANSPORT					-	55	2.20	2.30	1					1		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						1							İ			
L	<u> </u>	Termination	<u></u>		UEPFP		U1TV2	25.32	47.35	31.78	<u> </u>		<u> </u>	<u> </u>	<u> </u>			
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				j												
L	1	or Fraction Mile	<u></u>		UEPFP		1L5XX	0.0091			<u> </u>		<u> </u>	<u></u>				
	FEATU																	
		All Features Offered			UEPFP		UEPVF	2.26	0.00	0.00				11.90				
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch-as-is			UEPFP		USAC2		16.97	3.73				11.90				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch with change			UEPFP		USACC		16.97	3.73				11.90				
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	DODT															
	2-WIRE	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT								-							
	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				20.95					1					
	<u> </u>	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2				26.11										
	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				39.58					1					
	UNF	pop Rates		- 3				33.30										
	OIL E	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12.24						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17.40						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.87						11.90			1.83	
	UNE P	ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.71	214.16	98.29				11.90			1.83	
	NONR	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -								-								
	1	Switch-as-is			UEPPX		USAC1		7.85	1.87				11.90				
1		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	l															
<u> </u>		with BellSouth Allowable Changes	ļ		UEPPX	J	USA1C		7.85	1.87			ļ	11.90				
<u> </u>	ADDIT	IONAL NRCs	ļ		LIEDDY		110404		00.00	00.00				44.60				
<u> </u>	Televit	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	<u> </u>	_	UEPPX		USAS1		32.26	32.26	ļ			11.90				
\vdash	releph	one Number/Trunk Group Establisment Charges	 		HEDDY		NDT	0.00	0.00	0.00	 		1	44.00	-	 	1.83	
\vdash	+	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group	!		UEPPX		NDT	0.00	0.00	0.00	 		 	11.90		-	1.83	
1		lof 20 DID Numbers	l		UEPPX		NDZ	0.00	0.00	0.00				11.90		1	1.83	
—	1	Additional DID Numbers for each Group of 20 DID Numbers	 		UEPPX		ND4	0.00	0.00	0.00	1		1	11.90	1	1	1.83	
	1	DID Numbers, Non- consecutive DID Numbers , Per Number	-	1	UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				11.90			1.83	
	 	Reserve DID Numbers	l		UEPPX		NDV	0.00	0.00	0.00				11.90		1	1.83	
	LOCAL	NUMBER PORTABILITY							2.20	2.30					İ			
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00					İ			
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT					-				İ					
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -							_]		-
		UNE Zone 1		1	UEPPB L	JEPPR	_	22.63										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1					\Box]		
	1	UNE Zone 2	l	2	UEPPB U	JEPPR		29.05			l					Ì		

UNRI	INDI F	D NETWORK ELEMENTS - Florida													Attachment:	2	Evhil	bit: C
5.450		J. H. J. H. J. L. ELEWIER 10 - 1 IOHUA											Svc Order		Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
													Elec		Manual Svc			Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	E	BCS	USOC			RATES(\$)				,				
0,			m		_		0000			= = (+)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
															Electronic-		Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	1							1	Nonred	urring	Nonrecurring	n Disconnect		I	OSS	Rates(\$)		I.
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-					11131	Auu i	11130	Auu	JONEC	JONAN	JONAN	JOHAN	JONIAN	JOHAN
		UNE Zone 3		3	UEPPB	UEPPR		45.84										
-	LINEL	pop Rates	-	3	UEPPB	UEFFR		45.04										
-					LIEDDD	LIEDDD	1101.07	45.05						44.00			4.00	
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USLZX	15.25						11.90			1.83	
				_														
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
		ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
1		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port														1		
	<u></u>	Combination - Conversion	<u> </u>	<u> </u>	UEPPB	UEPPR	USACB	0.00	25.22	17.00		<u></u>		11.90			1.83	<u></u>
		ONAL NRCs																
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
		NNEL USER PROFILE ACCESS:											İ					
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00				l				
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD				UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS &	TNI	02	02	0.000	0.00	0.00	0.00								
-		FERMINAL PROFILE	1	1														
		User Terminal Profile (EWSD only)		-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
		CAL FEATURES			OLFFB	OLFFR	UTUIVIA	0.00	0.00	0.00						-		
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
		OFFICE CHANNEL MILEAGE	-	-	UEPPB	UEPPK	UEFVF	2.20	0.00	0.00				11.90				
	INTER																	
		Interoffice Channel mileage each, including first mile and			LIEDDD	LIEDDD	1440110	05 0004	47.05	04.70	40.04	7.00		44.00			4.00	
		facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90			1.83	
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	KPORI															
	UNE P	ort/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			153.48										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			183.28										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE														1		
	<u></u>	Zone 3		3	UEPPP			261.12				<u></u>						
	UNE L	pop Rates													_			
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100.54						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38					İ	11.90			1.83	
	UNE P	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74	488.36	276.65			İ	11.90			1.83	
		CURRING CHARGES - CURRENTLY COMBINED											İ			1		
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
		Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
	ADDIT	ONAL NRCs	1	1	J		3001	0.00	04.17	01.00			 	11.50		†	1.00	
—	755111	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	 	-			 						 			t		
1	1	Inward/two way Tel Nos. (except NC)		1	UEPPP		PR7TF		0.5412				l	11.90		I	1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	CLITE		1 10/11		0.0412				1	11.90		 	1.00	
1	1	Outward Tel Numbers (All States except NC)		1	UEPPP		PR7TO		12.71	12.71			l	11.90		I	1.83	
<u> </u>	 		 	 	UEPPP		FRIIU	 	12.77	12./1			-	11.90		 	1.83	
	1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	LIEDDE		DDZZT		05.40	05.40			l	44.00		I	4.00	I
	1.000	Subsequent Inward Tel Numbers	1		UEPPP		PR7ZT		25.42	25.42			ļ	11.90			1.83	
	LOCAL	NUMBER PORTABILITY	1				LUBOU	,					ļ					
	L	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75					ļ					
	INTER	ACE (Provsioning Only)		<u> </u>										ļ		ļ		ļ
		Voice/Data			UEPPP		PR71V	0.00	0.00	0.00			ļ	<u> </u>				<u> </u>
		Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel																

UNBUN	IDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.
•														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		New or Additional - Voice/Data B Channel	1		UEPPP	PR7BV	0.00	First 15.48	Add'l	First	Add'l	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN 1.83	SOMAN
		New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	1		UEPPP	PR7BF	0.00	15.48				-	11.90			1.83	
		New or Additional Inward Data B Channel	1		UEPPP	PR7BD	0.00	15.48					11.90			1.83	
	CALL T		1		OLITI	TITTE	0.00	10.40					11.50			1.00	
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
lı	nteroff	ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	MUDE	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	 				-								-		
		ort/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC	-	125.69	-					11.90		-	1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC		155.49						11.90			1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		233.33						11.90			1.83	
L		oop Rates	1			İ							50				
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38						11.90			1.83	
L		ort Rate															
		4-Wire DDITS Digital Trunk Port	ļ		UEPDC	UDD1T	54.95	464.86	259.23				11.90			1.83	
	NONKE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		95.31	46.71				11.90			1.83	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
Α	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEDDO	LIDTTA		45.00	15.69				44.00			4.00	
		Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA	-	15.69	15.69				11.90			1.83	
		Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
E	SIPOLA	AR 8 ZERO SUBSTITUTION	ļ		LIEDDO	00005	1	0.00	055.00				44.00			4.00	
		B8ZS - Superframe Format B8ZS - Extended Superframe Format	<u> </u>		UEPDC UEPDC	CCOSF CCOEF		0.00	655.00 655.00				11.90 11.90			1.83 1.83	
	Alterna	te Mark Inversion	1	\vdash	OLFDO	OUOEF		0.00	000.00			1	11.90		1	1.03	
<u> </u>		AMI -Superframe Format	 		UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format	1		UEPDC	MCOPO		0.00	0.00						Ì		
T		one Number/Trunk Group Establisment Charges													<u> </u>		
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00		·				11.90			1.83	
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
		Telephone Number for 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0.00						11.90			1.83	
		DID Numbers, Establish Trunk Group and Provide First Group	1		LIEDDO	ND7	0.00	2.00	2.22				44.00		1	4.00	
		of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers	 		UEPDC UEPDC	NDZ ND4	0.00	0.00	0.00			-	11.90 11.90		-	1.83 1.83	
		DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number	 		UEPDC	ND4 ND5	0.00						11.90		-	1.83	
		Reserve Non-Consecutive DID Nos.	 		UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
		Reserve DID Numbers	1		UEPDC	NDV	0.00	0.00	0.00				11.90		1	1.83	
	Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digital	Loop			2.00	2.00	2.00				50				
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	

IINRII	INDI E	D NETWORK ELEMENTS - Florida												Attachment:	2	Evh:	bit: C
UNDU	NULE	DINE I WORK ELEMENTS - FIORICA		l			T					Svc Order	Svc Order			Incremental	
							ĺ					Submitted	Submitted		Charge -		Charge -
																Charge -	
CATEG	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEG	JOKI	RATE ELEMENTS	m	Zone	БСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	g Disconnect	1		088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per fille - 0-0 filles			OLFDC	ILINOA	0.1030	0.00	0.00			1	-		-		
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25			OLFDC	TLINOZ	0.00	0.00	0.00			1	-		-		
		miles			UEPDC	1LNOB	0.1856	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	ILINOB	0.1000	0.00	0.00			1	-		-		
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		remination)		<u> </u>	UEPDC	ILINO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00						1		
		Local Number Portability, per DS0 Activated		-	UEPDC	LNPCP	0.1856 3.15	0.00	0.00	0.00	-	 		-		 	
		Central Office Termininating Point		1	UEPDC	CTG	0.00	0.00	0.00	0.00	-	 	 	-		-	-
	4-WIDE	E DS1 LOOP WITH CHANNELIZATION WITH PORT		 	OLPDO	UIG	0.00			 		 			 		
		: DS1 LOOP WITH CHANNELIZATION WITH PORT n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivation	 		1	 			 		 			 		
					har of parts	1	 			 		 			 		
		system can have up to 24 combinations of rates depending on S1 Loop	type ar	ia num	per of ports used	1	 			 		 			 		
	ONE D	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00	 		 	 		-		
							100.54	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2			UEPMG UEPMG	USLDC		0.00	0.00								
	LINE D	4-Wire DS1 Loop - UNE Zone 3		3	UEPING	USLDC	178.38	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	-	LIEDMO	1/1/10/4	440.00	0.00	0.00				44.00			4.00	
		24 DSO Channel Capacity - 1 per DS1		-	UEPMG UEPMG	VUM24 VUM48	118.06	0.00	0.00				11.90 11.90			1.83	
		48 DSO Channel Capacity - 1 per 2 DS1s				VUM48 VUM96	236.12		0.00							1.83	
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG		472.24	0.00	0.00				11.90			1.83	
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	ļ <u>.</u>	672 DS0 Channel Capacity - 1 per 28 DS1s	<u> </u>	L	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multipi	es of this configuration functioning as one are considered Ac	ad'i afte	r tne m	inimum system con	riguration is	counted.										
		NRC - Conversion (Currently Combined) with or without			LIEDMO	110404	0.00	00.77					44.00		1		
	Court	BellSouth Allowed Changes	L C: -	<u> </u>	UEPMG	USAC4	0.00	96.77	4.24	ļ	 	ļ	11.90	-	 	1	1
		Additions at End User Locations Where 4-Wire DS1 Loop with				mation Curre	ently Exists and			ļ	 	<u> </u>		1	-		ļ
	New (N	lot Currently Combined) in all states, except in Density Zone 1	оттор	o WSA	5	1	 			ļ	-	 			1	-	-
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		1	LIEDMO	VILIME 4	0.00	700.11	100.01	145.00	47.01		44.00		I	Ì	l
	Dia - I	and Assoc Fea Activation		1	UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24	ļ	11.90	-	 	1	1
	Ribolai	r 8 Zero Substitution		1		1	 			ļ	 	ļ	-	-	 	1	1
		Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00005	0.00	2.22	055.00				44.00		1		
		Activity Only		<u> </u>	UEPMG	CCOSF	0.00	0.00	655.00	1	1	1	11.90	1	1	1	
		Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055									1		
		Subsequent Activity Only		<u> </u>	UEPMG	CCOEF	0.00	0.00	655.00	ļ	 	<u> </u>	11.90	1	-		ļ
	Alterna	ate Mark Inversion (AMI)			LIEDMO	110000						1			1		
		Superframe Format		<u> </u>	UEPMG	MCOSF	0.00	0.00	0.00			ļ					
	Fuz '	Extended Superframe Format		L.	UEPMG	MCOPO	0.00	0.00	0.00	ļ	 	<u> </u>		1	-		ļ
		nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	rort		1				ļ	 	<u> </u>		1	-		ļ
	⊏xchar	nge Ports		1		1	 			ļ	 	ļ	-	-	 	1	1
		Line Cide Combination Channelly 1 BDV To 11 Box 5		1	LIEDDY	LIEDOY	1.00	2.22	0.00	0.00			44.00		I	1.00	l
		Line Side Combination Channelized PBX Trunk Port - Business		<u> </u>	UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00	_	11.90			1.83	ļ
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
				1	HEDDY	HEDAY									I		l
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	F	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		<u> </u>	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	<u> </u>	11.90	1	-	1.83	├
	Feature	Activations - Unbundled Loop Concentration		ļ			ļ			ļ		ļ					<u> </u>
		Feature (Service) Activation for each Line Port Terminated in D4													1		
		Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93	<u>l</u>	11.90			1.83	

	D NETWORK ELEMENTS - Florida	,	,	T		1							Attachment:			bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Frature (Contine) Astination for each Trueli Dort Tourisetted in		-		-	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90			1.83	
Teleph	none Number/ Group Establishment Charges for DID Service		1	OLITA	II QWO	0.00	70.10	10.42	30.03	10.33		11.30			1.03	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Numbers - groups of 20 - Valid all States		<u> </u>	UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers		1	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00				11.90 11.90				
+	Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00				11.90				
Local	Number Portability					0.00										
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only	1	ļ	HEDDY	LIEDVE	0.00	0.00	0.00				44.00			4.00	
IINDI ED I	All Features Available PORT LOOP COMBINATIONS - MARKET RATES		1	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	t Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or ex-	itch ports per	FCC and/or St	ate Commissio	n rules								
	ncludes:	Linbani	1	our switching or sw	Titori porto per	1 00 ana/or oc	ate commission	ii ruico.								
Unbun	dled port/loop combinations that are Currently Combined or I	Not Cur	rently (Combined in Zone	1 of the Top 8	MSAS in BellS	outh's region	or end users v	with 4 or more	DS0 equivalen	t lines.					
The To	pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	lale, Mia	ami); G/	A (Atlanta); LA (Nev	w Orleans); NO	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gastoni	ia-Rock Hill); 1	N (Nashvill	e).				
	uth currently is developing the billing capability to mechanica								ng charges for i	not currently o	ombined in	FL and NC	In the interio	m where Bell	South cannot	bill Market
	BellSouth shall bill the rates in the Cost-Based section preceded			the Market Rates a	nd reserves th	e right to true-	up the billing o	lifference.	1						1	
The M	arket Rate for unbundled ports includes all available features	ın all st	ates.													
(USOC	ffice and Tandem Switching Usage and Common Transport Us: URECU).															
(USOC For No Addition 2-WIRI	:: URECU). t Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
(USOC For No Addition 2-WIRI	: URECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates					s for each Port										
(USOC For No Addition 2-WIRI	EURECU). It Currently Combined scenarios the Nonrecurring charges are conal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		in the F			s for each Port										
(USOC For No Addition 2-WIRI	:: URECU). It Currently Combined scenarios the Nonrecurring charges are notal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		in the F			23.77 27.88										
(USOC For No Additio 2-WIRI UNE P	:: URECU). th Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		in the F			s for each Port										
(USOC For No Additio 2-WIRI UNE P	:: URECU). It Currently Combined scenarios the Nonrecurring charges are notal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		in the F			23.77 27.88										
(USOC For No Additio 2-WIRI UNE P	:: URECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 coop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2 3 1 1 2	First and Additional	UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88										
(USOC For No Addition 2-WIRI UNE P	EURECU). In Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2 3	First and Additiona	I NRC column	23.77 27.88 38.63										
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	USOC. For Co	urrently Combi				s are listed				
(USOC For No Addition 2-WIRI UNE P	:: URECU). It Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00	greently Combi				s are listed				
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	USOC. For Co	urrently Combi				s are listed				
(USOC For No Addition 2-WIRI UNE P	EURECU). In Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00 90.00	90.00 90.00				11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00 90.00	90.00 90.00				11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). In Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled see, low usage line port with Caller ID CLUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00 90.00				11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are ponal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). In Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90				
USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90				
USOC For No Addition 2-WIRI UNE P	EURECU). In Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAA1 UEPA8	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
USOC FOR NO Addition UNE P UNE L 2-Wire	EURECU). It Currently Combined scenarios the Nonrecurring charges are nonal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 1-NUMBER PORTABILITY Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAF UEPAF UEPAF UEPAF UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
(USOC For No Addition 2-WIRI UNE P	EURECU). It Currently Combined scenarios the Nonrecurring charges are potal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability 1- NUMBER PORTABILITY 1- Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAB UEPAB UEPAB UEPAB	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
USOC For No Addition 2-WIRI UNE P UNE L 2-Wire LOCAL	EURECU). It Currently Combined scenarios the Nonrecurring charges are nonal NRCs may apply also and are categorized accordingly. E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 1-NUMBER PORTABILITY Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAA1 UEPA8	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90 11.90				

HINBLIND	ED NETWORK ELEMENTS - Florida												Attachment:	2	Evh:	bit: C
ONBONDE		1									Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPRX	USACC		41.50	41.50				11.90				
ADDI	FIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.14/15	Subsequent			UEPRX	USAS2		0.00	0.00				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates															
UNE	2-Wire VG Loop/Port Combo - Zone 1		1			23.77										
—	2-Wire VG Loop/Port Combo - Zone 1		2			27.88										
-	2-Wire VG Loop/Port Combo - Zone 3		3			38.63					1					
LINE	Loop Rates		3			30.03										
10.12	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	9.77				1				1	1	
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	13.88				1				1	1	
	2-Wire Voice Grade Loop (SL1) - Zone 3	†	3	UEPBX	UEPLX	24.63				1				1	1	
2-Wir	e Voice Grade Line Port (Bus)	1			1									İ	İ	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled port outgoing only - bus	<u> </u>		UEPBX	UEPBO	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
NONF	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
4000	change			UEPBX	USACC		41.50	41.50				11.90				
ADDI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00				11.90				
2-14/15	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBA	U3A32		0.00	0.00			1	11.90				
	Port/Loop Combination Rates				+											
OIAL I	2-Wire VG Loop/Port Combo - Zone 1		1			23.77										
—	2-Wire VG Loop/Port Combo - Zone 2		2			27.88										
	2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UNE	Loop Rates	1	Ť		1	22.20				İ				1		l
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	9.77										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	13.88										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wir	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1]	
	Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY	<u> </u>			<u> </u>											
$\sqcup \sqcup \sqcup$	Local Number Portability (1 per port)	ļ		UEPRG	LNPCP	3.15	0.00	0.00		ļ				ļ	ļ	
FEAT	URES	ļ		UEDDO.												
L	All Features Offered	<u> </u>		UEPRG	UEPVF	0.00	0.00	0.00				11.90		-	 	
NONE	ECURRING CHARGES - CURRENTLY COMBINED	!	<u> </u>		1				1	 				!	 	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	1		UEPRG	USAC2		41.50	41.50				11.90		1		
\vdash	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	 	-	ULFRU	USAUZ		41.50	41.50	-	-		11.90		-	-	-
	Change	1		UEPRG	USACC		41.50	41.50				11.90		1		
ADDI:	TIONAL NRCs	!	1	OLI NO	JOACC		41.50	41.50				11.90		 	<u> </u>	
ADDI	2 Wire Loop/Line Side Port Combination - Non feature -	 			1				1	1				t	1	1
	Subsequent Activity- Nonrecurring	1					0.00	0.00				11.90		I	1	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1			1		0.00	2.00				50		<u> </u>		
	Group	1					7.09	7.09				11.90		I	1	
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	†							1	1				1	1	İ
	Port/Loop Combination Rates	†							1	1				1	1	İ
	2-Wire VG Loop/Port Combo - Zone 1		1			23.77										

IINBIIND	I ED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhil	hit: C
UNDUND	LED	NETWORK ELEMENTS - FIORIDA	1			1					1	Svc Order		Incremental		Incremental	Incremental
												Submitted Elec	Submitted		Charge -	Charge -	Charge -
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	٠	RATE ELEMENTS	m	Zone	603	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	-					+		Nonrec	urring	Nonrecurring Dis	connect			088	Rates(\$)		
	_						Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	2-Wire VG Loop/Port Combo - Zone 2		2			07.00	FIIST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			27.88 38.63										
				3			38.63										
UNI		op Rates			LIEDDY	LIEDLY	0.77										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	24.63										
2-W	/ire V	oice Grade Line Port Rates (BUS - PBX)															
	L				l												
		ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				11.90				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				11.90				
		ine Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPP1	14.00	90.00	90.00				11.90		ļ		
		2-Wire Voice Unbundled PBX LD Terminal Ports	ļ		UEPPX	UEPLD	14.00	90.00	90.00				11.90				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ļ		UEPPX	UEPXA	14.00	90.00	90.00				11.90				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00			·	11.90				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				
	2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Δ	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				11.90				
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE/	ATUR																
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				11.90				
NO		CURRING CHARGES - CURRENTLY COMBINED															
	2	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
-		2-Wire Voice Grade Loop/ Line Port Combination - Switch with			02.17	00,102		11.00	11.00		+		11.00				
		Change			UEPPX	USACC		41.50	41.50				11.90				
ADI		NAL NRCs			OLITA	00/100		41.00	41.00				11.00				
AD.		MAL MICOS															
	2	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1		UEPPX	USAS2	0.00	0.00	0.00	i			11.90		Ì		
 		2 Wire Loop/Line Side Port Combination - Non feature -	1	-	OLI I A	JUNUZ	0.00	0.00	0.00	 			11.50		 		
		Subsequent Activity- Nonrecurring	1					0.00	0.00				11.90				
		PBX Subsequent Activity - Nonrecurring	 			1 +		0.00	0.00	 			11.90		 		
i I			1	1				7.00	7.00	i			11.00		Ì		
		Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	L	 		+		7.09	7.09				11.90				
		voice GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR t/Loop Combination Rates	N I			+				 							
UNI		2-Wire VG Coin Port/Loop Combo – Zone 1	 	1		+	23.77			 					 		
 			1			 				 	-				 		
 		2-Wire VG Coin Port/Loop Combo – Zone 2	 	2		+	27.88			 					 		
		2-Wire VG Coin Port/Loop Combo – Zone 3	!	3		+	38.63										
UNI		op Rates	 	.	LIEBOO	LIEDLY				_					ļ		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPCO	UEPLX	9.77										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2	!	2	UEPCO	UEPLX	13.88										
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 3	!	3	UEPCO	UEPLX	24.63			$oxed{oxed}$							
2-W		oice Grade Line Port Rates (Coin)	ļ			 											
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		l	1				i					Ì		
		900/976, 1+DDD (FL)	ļ		UEPCO	UEP2F	14.00	90.00	90.00				11.90		ļ		
1 1		2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1														
		FL)	ļ		UEPCO	UEPFA	14.00	90.00	90.00				11.90		ļ		
		2-Wire Coin 2-Way with Operator Screening and Blocking:	1			I				i 1	T				<u> </u>		
		900/976, 1+DDD, 011+, and Local (FL)	<u> </u>		UEPCO	UEPCG	14.00	90.00	90.00				11.90				
		2-Wire Coin Outward with Operator Screening and 011 Blocking	1														
I	(,	AL, FL)	<u>L</u>	<u></u>	UEPCO	UEPRK	14.00	90.00	90.00	<u>l </u>			11.90	<u></u>	<u> </u>		

HINDH	UDI EI	D NETWORK ELEMENTS - Florida												Attachment:	2	Evh:	bit: C
UNBUI	NDLE	NETWORK ELEMENTS - Florida					I					Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
071120			m		200	5555						per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l		
														ist	Addi	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONKE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLFCO	USACZ		41.50	41.50			1	11.90				
		Change			UEPCO	USACC		41.50	41.50				1				
	ADDITI	ONAL NRCs			02, 00	20/100		71.30	41.30								
						+									1		1
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				11.90				
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (F	RES)												
		ort/Loop Combination Rates		,, ·	• 4										1		1
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26.24										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31.40										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.87										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
	2-Wire	Voice Grade Line Port Rates (Res)															
-		2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	180.00	110.00	85.00	20.00		11.90				
-		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	180.00	110.00	85.00	20.00		11.90				
-		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	14.00	180.00	110.00	85.00	20.00		11.90				
-		2-Wire voice unburidied Florida Alea Calling with Caller ID Fles 2-Wire voice unbundles res, low usage line port with Caller ID			OLFIK	OLFAI	14.00	100.00	110.00	65.00	20.00	1	11.90				
		(LUM)			UEPFR	UEPAP	14.00	180.00	110.00	85.00	20.00		11.90				
	INTER	DFFICE TRANSPORT			OLITIK	OLI 74	14.00	100.00	110.00	00.00	20.00		11.00				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFR	1L5XX	0.0091										
	FEATU	RES															
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				11.90				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
 	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		40.0-	0.70				44.00				
-		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.07	3.73				11.90				
H	2-WIDE	Combination - Conversion - Switch-with-Change VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (USACC		16.97	3.73			-	11.90		1		1
		ort/Loop Combination Rates	LINE	OK 1 (E	200)	+	1								1		1
H - H	-IVE 116	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	26.24						 				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	31.40										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	44.87										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	180.00	110.00	85.00	20.00		11.90				l

LINID	IND! E	D NETWORK ELEMENTS - Florida												Attackment:	2	Evt.	hit: C
ONB	MULE	NET WORK ELEMENTS - LIGHTS										Svc Order	Svc Order	Attachment: Incremental		Incremental	bit: C Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SOBA	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			1		+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
	+					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	I . Number Portability				1		FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	LOCAL	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
-	INITED	OFFICE TRANSPORT			OLFIB	LINEUX	0.55			-			-		-	-	
-	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+				-			-		-	-	
		Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLFIB	UTIVZ	25.52	47.55	31.70								
		or Fraction Mile			UEPFB	1L5XX	0.0091										
-	FEATU				OLFIB	ILJAA	0.0091			-			-		-	-	
-		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	-			11.90		-	-	
—		ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	1	CLIID	OLI VI	0.00	0.00	0.00			1	11.50	1	 	 	
—	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	1		+						1	 	1	 	 	
		Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		16.97	3.73				11.90		1	1	
-	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	OLITB	USAUZ		10.97	3.73			1	11.90		1	1	
1		Combination - Conversion - Switch with change	1	1	UEPFB	USACC		16.97	3.73			1	11.90		I	I	
-	2 WIDE				OLFIB	USACC		10.97	3.73	-			11.90		-	-	
-		EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) ort/Loop Combination Rates	1	1		+						1	1		1	1	
—	DIVE P	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1		+	26.24					1	 	1	 	 	
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	31.40			-			-		-	-	
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	44.87			-			-		-	-	
-	LINEL	pop Rates		3		+	44.07			-			-		-	-	
-	ONE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24			-			-		-	-	
-	+	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40			-			-		-	-	
	<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	30.87										
-	2-Wiro	Voice Grade Line Port Rates (BUS - PBX)		3	OLFIF	ULCI Z	30.07			-			-		-	-	
-	Z-VVIIE	Voice Grade Line Fort Rates (BOS - FBX)				+				-			-		-	-	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	180.00	110.00	85.00	20.00		11.90				
	+	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90				
-	+	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00		11.90		-	-	
-	1	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00		11.90				
	+	2-Wire Voice Unbundled 1-BX ED Terminal 1-Orts 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	180.00	110.00	85.00	20.00		11.90				
	+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	180.00	110.00	85.00	20.00		11.90				
	+	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	14.00	180.00	110.00	85.00	20.00		11.90				
-	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	180.00	110.00	85.00	20.00		11.90		-	-	
-	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFIF	ULFAD	14.00	100.00	110.00	05.00	20.00		11.90		-	-	
		Capable Port			UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00		11.90				
\vdash	+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	 	OLITE	OLFAL	14.00	100.00	110.00	05.00	20.00		11.90		 	 	
1		Administrative Calling Port	1	1	UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00	1	11.90		I	I	
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	OLITE	OLFAL	14.00	100.00	110.00	05.00	20.00	1	11.90		1	1	
1		Room Calling Port	1	1	UEPFP	UEPXM	14.00	180.00	110.00	85.00	20.00	1	11.90		I	I	
—	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	1	CLITI	OLI AIVI	14.00	100.00	110.00	00.00	20.00	1	11.50	1	 	 	
		Discount Room Calling Port		1	UEPFP	UEPXO	14.00	180.00	110.00	85.00	20.00		11.90		1	1	
\vdash	+	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPFP	UEPXS	14.00	180.00	110.00	85.00	20.00		11.90		 	 	
—	LOCAL	. NUMBER PORTABILITY	 	1	CLITI	JLI AU	14.00	100.00	110.00	05.00	20.00	1	11.50	1	 	 	
\vdash	LOCAL	Local Number Portability (1 per port)	1	 	UEPFP	LNPCP	3.15	0.00	0.00	 			11.90		 	 	
\vdash	INTER	DFFICE TRANSPORT	 	 	02111	_141 01	5.15	0.00	0.00	 			11.30		 	 	
\vdash	IN TERM	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	 		+				 			-		 	 	
1		Termination	1	1	UEPFP	U1TV2	25.32	47.35	31.78			1			I	I	
\vdash	+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		 	OLITI	OTIVE	20.02	77.33	31.70				1		 	1	
1		or Fraction Mile	1	1	UEPFP	1L5XX	0.0091					1			I	I	
\vdash	FEATU		 	 	02111	TEON	5.0031			 			-		 	 	
		All Features Offered	 	1	UEPFP	UEPVF	0.00	0.00	0.00				11.90		 	 	
—	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	1	<u></u>	JL: VI	0.00	0.00	0.00				11.50		 	 	
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	l			-								-	-	
		Combination - Conversion - Switch-as-is	1	1	UEPFP	USAC2		16.97	3.73			1	11.90		I	I	
—	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		- 0, 102			3.70			1	50		—		
1		Combination - Conversion - Switch with change	1	1	UEPFP	USACC		16.97	3.73			1	11.90		I	I	
UNRII	NDLFD	PORT/LOOP COMBINATIONS - MARKET BASED RATES		1		2000		10.01	0.70				11.50	1	t	†	
320		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1		+						1	†		—		
		ort/Loop Combination Rates		1			-								 	 	
	J		1	·						1		ı	<u> </u>	L	1	1	

HINDH	NDI E	D NETWORK ELEMENTS - Florida													Attack mant:	2	Evt:	hit: C
OINDU	NULE	DINETANOKY EFEMIEN 19 - LIQUIGA	1				1						Svc Order		Attachment: Incremental		Exhil Incremental	Incremental
			1															
													Submitted Elec	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone		cs	USOC			RATES(\$)				,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	_		0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							-		Nonrec	urrina	Nonrecurring	Disconnect	-	l	088	Rates(\$)		
-								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				67.04	FIIST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
								67.24										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				72.40										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				85.87										
	UNE LO	pop Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12.24						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17.40						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.87						11.90			1.83	
		ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	55.00	850.00	75.00				11.90			1.83	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1									1]				
	<u></u>	Switch-As-Is Top 8 MSAs only	<u></u>		UEPPX		USAC1		850.00	75.00	<u> </u>	<u></u>	<u></u>	11.90		<u> </u>		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	1	with BellSouth Allowable Changes Top 8 MSAs only	1	1	UEPPX		USA1C		850.00	75.00	I			11.90		Ì		
	ADDITI	ONAL NRCs							-									
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1		UEPPX		USAS1		32.26	32.26	İ	İ	1	11.90		İ		
		one Number/Trunk Group Establisment Charges	1								İ	İ	1	1		İ		
		DID Trunk Termination (One Per Port)	1		UEPPX		NDT	0.00	0.00	0.00	t	1		11.90		1	1.83	
		DID Numbers, Establish Trunk Group and Provide First Group			OL: IX			0.00	0.00	0.00				11.00				
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00			1	11.90			1.83	
					UEPPX									11.90			1.83	
		Reserve Non-Consecutive DID numbers					ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00			ļ	11.90			1.83	
	LOCAL	NUMBER PORTABILITY						0.45										
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORI														
	UNE Po	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		85.25										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		91.67										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		108.46										
	UNE Lo	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	21.67			I			11.90		Ì	1.83	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
		ort Rate	1				†				İ	İ		· · ·		İ		
		Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	70.00	525.00	400.00	İ	İ	1	11.09		İ	1.83	
		CURRING CHARGES - CURRENTLY COMBINED	1					1 2.00	1_1.00		1			50		İ		
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1				† †				t	1				1		
		Combination - Conversion - Top 8 MSAs only	1		UEPPR	UEPPR	USACB	0.00	215.00	215.00	I			11.90		Ì	1.83	
—	ΔΠΡΙΤΙ	ONAL NRCs	 	-	J 1 D	J=. 1 1X	2000	0.00	210.00	210.00	t		1	11.50		 	1.00	
		NUMBER PORTABILITY	 	1			1				t		1	l		1		
\vdash	LOCAL	Local Number Portability (1 per port)	 	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	t		1	l		1		
	B-CUA	NNEL USER PROFILE ACCESS:	1	1	OLFFD	JLFFK	LINEON	0.35	0.00	0.00		-	 	-		-		
—	D-CHAI	CVS/CSD (DMS/5ESS)	 	 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	 		 	-				
—			 	 	UEPPB	UEPPR		0.00	0.00	0.00	 		 	-				
-		CVS (EWSD)	 	 			U1UCB				-		 	-				
-	D CITY	CSD	C MC ^	TNI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 		1	 		 		
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	∪,IVIS, &	IN)			-						ļ	ļ		ļ		
.	USER	FERMINAL PROFILE	!		LIEBBE	LIEBBE	ļ											
		User Terminal Profile (EWSD only)	ļ		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	ļ							
	VERTIC	CAL FEATURES	ļ				<u> </u>				ļ							
		All Vertical Features - One per Channel B User Profile	<u> </u>	<u> </u>	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00	ļ		ļ	11.90		ļ		
	INTER	OFFICE CHANNEL MILEAGE]															
		Interoffice Channel mileage each, including first mile and	1	1			ı J							1				
	<u></u>	facilities termination	<u>L</u>	<u></u>	UEPPB	UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03	<u> </u>	11.90	<u></u>	<u> </u>	1.83	<u></u>

UNRUN	IDI F	D NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
3.1001		- TIONIC ELEMENTO - FIORICA										Svc Order		Incremental		Incremental	Incremental
			l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														
	JNE Po	ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 1		1	UEPPP		970.74										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 2		2	UEPPP		1,000.54										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 3		3	UEPPP		1,078.39										
	JNE Lo	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	70.74						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	100.54						11.90			1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	178.39						11.90			1.83	
l	JNE Po	ort Rate															
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00				11.90			1.83	
l li	IONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
		Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
		Inward/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	NTERF	FACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
1	lew or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	20.00					11.90			1.83	
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	20.00					11.90			1.83	
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	20.00					11.90			1.83	
	CALL T	TYPES							-								
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	nteroff	fice Channel Mileage						·									
		Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE Po	ort/Loop Combination Rates						, in the second second									
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		820.74	·					11.90			1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		850.54	, The state of the					11.90			1.83	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	928.39						11.90			1.83	
	JNE Lo	pop Rates													1	1	
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74					<u> </u>	11.90		ļ	1.83	
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54						11.90		1	1.83	
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.39						11.90		.	1.83	
	JNE Po	ort Rate			L	1						<u> </u>			ļ	ļ	
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10	<u> </u>	11.90		ļ	1.83	
	IONRE	CURRING CHARGES - CURRENTLY COMBINED				1									.	.	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1	l	1									I	I	
		- Switch-As-Is Top 8 MSAs only		<u> </u>	UEPDC	USAC4	ļ	95.31	46.71				11.90		.	1.83	
			l				[1	1	
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1											I		
		- Conversion with DS1 Changes Top 8 MSAs only	<u> </u>	<u> </u>	UEPDC	USAWA		95.31	46.71				11.90		1	1.83	

UNBUNDLE	D NETWORK ELEMENTS - Florida								· <u></u>		· <u></u>		Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(A)			Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
				UEPDC	USAWB		95.31	46.71				11.90			1.83	
	- Conversion with Change - Trunk Top 8 MSAs only		<u> </u>	UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel															
	Activation/Chan Inward Trunk w/out DID		1	UEPDC	UDTTC		15.69	15.69		1	1	11.90	1	1	1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		 	0L1 D0	00110		13.09	15.09		1	1	11.50	1	1	1.03	1
			1	LIEDDO	LIDTTD		45.00	45.00		1	1	44.00	1	1	4.00	
	Activation Per Chan - Inward Trunk with DID		 	UEPDC	UDTTD		15.69	15.69			 	11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1						1					
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Altern	ate Mark Inversion			02. 00	0002.		0.00	000.00			-	11.00			1.00	
Altern	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
			1													
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00					11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00					-	11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			1	11.90			1.83	
	Reserve DID Numbers		-	UEPDC	NDV	0.00	0.00	0.00			1	11.90			1.83	
B. I'-				UEPDC	NDV	0.00	0.00	0.00			ļ	11.90			1.83	
	ated DS1 (Interoffice Channel Mileage) -		<u> </u>													
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities						0.00									
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25		 	OL1 DO	ILINUZ	0.00	0.00	0.00		-	}	 	 	 	-	1
	·			LIEDDO	41 NOD	0.4050	2.00	0.00			1					
 	miles		 	UEPDC	1LNOB	0.1856	0.00	0.00		ļ	1	.	ļ	ļ		1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1							1	1	I	1	1		
	Termination)		1	UEPDC	1LNO3	0.00	0.00	0.00	0.00							
			1							1	1					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.1856	0.00	0.00		1	1	I	1	1		
i	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00				İ	İ		
	Central Office Termininating Point			UEPDC	CTG	0.00					İ					İ
4-WID	E DS1 LOOP WITH CHANNELIZATION WITH PORT		1		1	5.50			1	1	1	i	1	1	1	1
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	 		+					1	1	 	1	1	1	
	em can have various rate combinations based on type and nu			usod	+						1	-	-	-	-	
	em can nave various rate combinations based on type and nui S1 Loop	inper or	ports	useu							 	1	ļ	ļ	-	
UNE D	TAMES DOLLARS TRIE 7 4		-	LIEDMO	1101.00	70 - 1	0.00	0.00	ļ	-	1	1	1	1	1	1
 	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00		ļ	1	.	ļ	ļ		1
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00]	1				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.39	0.00	0.00			<u> </u>					
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
- 	96 DSO Channel Capacity -1per 4 DS1s		1	UEPMG	VUM96	472.24	0.00	0.00	İ	İ	İ	11.90	İ	İ	1.83	Ì
-+	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	708.36	0.00	0.00			1	11.90			1.83	
+	192 DS0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	944.48	0.00	0.00		1	1	11.90	1	1	1.83	1
	192 DOU CHAITHEL CAPACITY - 1 PEL 0 DO 15		1	OLF IVIO	VOIVITY	944.48	0.00	0.00	1	l	1	11.90	Ì	Ì	1.63	1

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhil	oit: C
0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	I TELLINGIAN ELEMENTO FIORICA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonred	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1.180.60	0.00	0.00		71441		11.90			1.83	
		288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
		384 DS0 Channel Capacity - 1 per 16 DS1s	<u> </u>	 	UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	<u> </u>	480 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
-		576 DS0 Channel Capacity - 1 per 24 DS1s		 	UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
		672 DS0 Channel Capacity - 1 per 28 DS1s		 	UEPMG	VUM67	3.305.68	0.00	0.00				11.90			1.83	
-	Non B		. 01						0.00				11.90			1.83	
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multip	es of this configuration functioning as one are considered Ac	dd'I afte	r the m	inimum system con	figuration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
		n Additions Where Currently Combined and New (Not Current	ly Comb	oined)													
	In Den	sity Zone 1 Top 8 MSAs															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
	Bipola	r 8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
		Clear Channel Capability Format - Extended Superframe -		1	02. 11.0	0000.	0.00	0.00	000.00				11.00				
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
-	Altorna	ate Mark Inversion (AMI)		 	OLI WO	CCOLI	0.00	0.00	055.00				11.50				
	Aiteilla	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00								
-		Extended Superframe Format		 	UEPMG	MCOPO	0.00	0.00	0.00								
-	Fuelcas	nge Ports Associated with 4-Wire DS1 Loop with Channelizati	:41-	Dant	UEFIVIG	WCOPO	0.00	0.00	0.00								
-			on with	FOIL													
	Exchar	nge Ports	-	-													
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Feature	e Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00	İ		1	11.90		İ		
	1	DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00			1	11.90		1		
	1	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00			1	11.90		1		
	1	Reserve Non-Consecutive DID Numbers		 	UEPPX	ND6	0.00	0.00	0.00			t	11.90		 		
—	 	Reserve DID Numbers	 	 	UEPPX	NDV	0.00	0.00	0.00				11.90		-		
-	Local	Number Portability	 	 	0211 <i>X</i>	. 10 1	0.00	0.00	0.00			1	11.30		1		
-	Local I	Local Number Portability - 1 per port	1	1	UEPPX	LNPCP	3.15	0.00	0.00			1			1		
-	CEAT	RES - Vertical and Optional	 	1	OLFFA	LINFOP	3.15	0.00	0.00	1		+	H		 		
-		Switching Features Offered with Line Side Ports Only	 	├		-	-					 					
<u> </u>	Local	All Features Available	 	1	LIEDDY	UEPVF	2.26	0.00	0.00	ļ		1	44.00		 	4.00	
LINIDA	IDI ED 1			1	UEPPX	UEPVF	2.26	0.00	0.00			1	11.90		 	1.83	
ONRO		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE		<u> </u>		L	L					.					
		Based Rates are applied where BellSouth is required by FCC								<u> </u>		<u></u>					
<u> </u>		ures shall apply to the Unbundled Port/Loop Combination - C											<u> </u>		<u> </u>		
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	iibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	coin Port/Lo	op Combinat	ions.		
1	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s. the nonrect	ırring charges	shall be those	identified in t	he Nonrecu	rrina - Curre	ently Combine	ed sections.	Additional NR	Cs mav
1		also and are categorized accordingly.	,					,	5				5	,			
		ket Rates for Unbundled Centrex Port/Loop Combination will	he nece	ntiated	on an Individual Ca	se Rasis un	til further notic	Α					1		1		
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Liated	on an marvidual Ca	Dasis, uli	rurtiler motic					1			1		
-		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		 		†	 					1			1		
-		ort/Loop Combination Rates (Non-Design)		 		†	 					1			1		
L	JUNE P	orgeoop combination rates (Non-Design)	1			1						1					

UNBLINDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Fyhi	bit: C
CHOCHDE	LE NETWORK ELLWIENTO - Florida		1	l	T I						Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec		Nonrecurring	Dissennest		l	000	Rates(\$)		
		-	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Mire VC Lear /2 Mire Vaine Crede Bart (Contract) Bart Comba				+		FIRST	Addi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			UEP91		10.94										
	Non-Design		1	UEP91		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOA		45.05										
	Non-Design		2	UEP91	+	15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP91		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91	1	18.57						<u> </u>				ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1 1							1		<u> </u>		i
	Design	<u> </u>	3	UEP91		32.04										L
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										
UNE	Ports															
	States (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 0.	02. 15		00.01	20.10	27.00	0.01		11.00				
	Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 0.	02		00.01	20.10	27.00	0.01	1	11.00				
	Center)2 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OI	OLI IIII		100.40	00.10	00.41	10.01		11.00				
	Term - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		+	OLI 31	OLI 12	1.17	100.40	00.10	00.41	10.01		11.30				
	- Basic Local Area	•		UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF91	OLFIS	1.17	33.31	20.40	27.30	0.37	-	11.90				
				UEP91	UEPY2	4.47	53.31	00.40	07.50	8.37		11.90				
0	Basic Local Area			UEP91	UEP12	1.17	53.31	26.46	27.50	8.37		11.90				
Geo	rgia and Florida Only	1	 	LIED04	UEPHA	4 47	53.31	00.40	07.50	0.07	-	44.00				
	2-Wire Voice Grade Port (Centrex)		1	UEP91		1.17		26.46	27.50	8.37	1	11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)	-	-	UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37	-	11.90				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37	1	11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						,									
	Center)2	1	1	UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90			ļ	ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	L	1						1	l		Ì	Ì	İ
	Term		ļ	UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
			1									1		Ì	Ì	l
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35		-								
Feat																
	All Standard Features Offered, per port			UEP91	UEPVF	2.26						11.90				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26	_					11.90				
NAR																İ
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
		+	+	UEP91	UAROX	0.00	0.00	0.00	1		t	11.90				1
	Unbundled Network Access Register - Outdial				UARUA	0,001		0.00								

UNBL	JNDLED	NETWORK ELEMENTS - Florida												Attachment:	2	Fxhi	ibit: C
0.120	JIVDELL	THE THORK ELEMENTO TIONAL	1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc			
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dan	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.73										
	Interoff	ice Channel Mileage - 2-Wire															1
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
L		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u></u>	L	UEP91	1PQW6	0.66		<u></u>	<u> </u>	<u></u>	<u></u>	<u></u>		<u> </u>	<u></u>	<u></u>
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
1		Slot	1	1	UEP91	1PQW7	0.66						1		I	Ì	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center	<u> </u>		UEP91	1PQWP	0.66			<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		21.50	8.42				11.90				
		Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
		Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP95		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		15.05										ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		25.80										
	UNE Po	ort/Loop Combination Rates (Design)															
l		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE		40.44								1		
	1	Design	!	1	UEP95	+	13.41								-		↓
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOE		40.57						1		I	Ì	
<u> </u>	1	Design	1	2	UEP95	+	18.57					-	ļ		 	1	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	LIEDOE		20.04						1		I	Ì	
	LIME	Design op Rate	1	3	UEP95	1	32.04								1	-	
⊢—			 	1	LIEDOE	LIECC4	9.77								 		
$\vdash \!$	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	 		UEP95 UEP95	UECS1 UECS1	13.88								 		
 		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP95 UEP95	UECS1	13.88 24.63									-	├ ──
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP95	UECS1	12.24									-	├ ──
<u> </u>	1	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	17.40					-			1		+
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	30.87			1		 			 	1	+
	UNE Po		 	-	OL1 30	02002	30.07					-			 	 	
 	All Stat		 	1		+	-								-		
 	An Otal	2-Wire Voice Grade Port (Centrex) Basic Local Area	!		UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90		t	 	
		2-Wire Voice Grade Port (Centrex) Basic Educat Area 2-Wire Voice Grade Port (Centrex 800 termination)	 	-	UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90		 		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1		00.01	20.70	250	3.37				t	1	†
		Area	1		UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90		1		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1					22.01		_:.00	5.07		50		1	İ	
		Center)2 Basic Local Area	1	1	UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81	I	11.90		1		1

UNBU	INDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
01120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
		DATE ELEMENTO	Interi	-	200				DATEO(6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent						====									
		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
		Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
-	AL KY	, LA, MS, SC, & TN Only			OLF 95	ULF 12	1.17	33.31	20.40	21.30	0.37		11.50				
	FL & G																
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90		ļ		ļ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDU-											
-	1	Term		-	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81	1	11.90		 		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
-		2-Wire Voice Grade Port terminated in on Wegalink of equivalent			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
	Local S	Switching			OLI 33	OLITIZ	1.17	33.31	20.40	21.50	0.57		11.50				
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP95	UEPVF	2.26										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	NADO	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
	NARS	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
-		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				11.90				
	Miscell	aneous Terminations					0.00										
		Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.73										
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
	Interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
-		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										
—	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		J_1 50	IVIIODIVI	3.0031										
		nnel Bank Feature Activations	ĺ			1									1		1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
		·				1									1		1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			·												
		Slot			UEP95	1PQW7	0.66							ļ	ļ		ļ
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66								1		1
		Dilibion And Confe		-	OLF90	IFUVVP	00.0						-	1	-		-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66								1		1
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			01.00	.1 32777	5.00										
		Slot			UEP95	1PQWQ	0.66								1		1
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66							1			
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port		<u> </u>	UEP95	USAC2	0.00	21.50	8.42				11.90				
<u> </u>		Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	5.17	8.32				11.90	ļ	ļ		ļ
-		New Centrex Standard Common Block New Centrex Customized Common Block		 	UEP95 UEP95	M1ACS M1ACC	0.00	618.82 618.82					11.90 11.90		 		-
	<u> </u>	INEW CERTIES CUSTOMIZED COMMON DIOCK		<u> </u>	OLF 90	IVITACC	0.00	010.82		i .		1	11.90	l	l .		

UNBLINDI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Fyhil	bit: C
31120112	LD INC. ITOTAL ELEMENTO - HOHIGA										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
1		Inter.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l		
													1st	Add I	Disc 1st	Disc Add'l
						Boo	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				1
	P CENTREX - DMS100 (Valid in All States)															<u>. </u>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOD		40.04										i
	Non-Design		1	UEP9D	-	10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.05										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 9D		15.05										
	Non-Design		3	UEP9D		25.80										i
UNE	Port/Loop Combination Rates (Design)		Ť	02.03		20.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				1										·
	Design		1	UEP9D		13.41										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	<u> </u>	2	UEP9D		18.57										ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		32.04										
UNE	Loop Rate															-
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D UEP9D	UECS1 UECS2	24.63 12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP9D	UECS2	30.87										
UNE	Port Rate		3	OLI 3D	OLCOZ	30.07										
	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37		11.90				!
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															i
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	LIEDVE	4.47	50.04	00.40	07.50	0.07		44.00				1
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37		11.90				
1 1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area	1		UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37		11.90		1		1
 	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	l		טבו אַט	OLFIF	1.17	55.51	20.40	21.50	0.37		11.90				
	Area	1		UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37		11.90		1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1		-						2.3.				Ì		
1 1	Area	1		UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90		1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local					ĺ										1
	Area	<u> </u>		UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1]		
	Area	ļ	<u> </u>	UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	1		LIEDOD	LIEDVO	l	50.01		07.50	0.00		44.60		1		1
\vdash	Area	<u> </u>		UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37		11.90		 		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				1
 	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1	-	OLFBD	JLFIN	1.17	اد.دد	20.46	21.30	0.37		11.90		1		
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	1		021 00	JL1 1 VV	1.17	55.51	20.40	21.50	0.37		11.50		1		
	Basic Local Area	1		UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37		11.90		1		ı
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1				1			100							 I
	2 Basic Local Area	<u></u>		UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37		11.90		<u> </u>		l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3													1		
	Basic Local Area	<u> </u>		UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37		11.90		ļ		I
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1												1		1
	Basic Local Area	1		UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37		11.90				·

LINBLIND	LED	NETWORK ELEMENTS - Florida												Attachment:	2	Evhil	bit: C
ONDOND		NETWORK ELEMENTS - Horida										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urrina	Nonrecurring	g Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
		Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		11.90				1
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
		Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				i
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	В	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81		11.90				i
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	В	Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81		11.90				1
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															1
	В	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81		11.90				1
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
		Basic Local Area	<u></u>	<u> </u>	UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81	<u></u>	11.90	<u> </u>	<u> </u>		1
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
		Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81		11.90				<u>. </u>
	2	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Т	- Term			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				ı
	2	2-Wire Voice Grade Port terminated in on Megalink or equivalent															. <u></u>
		Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		ocal Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
FL		Only															1
	2	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				1
	2	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		11.90				1
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
\vdash		ndication)3			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		11.90				
\vdash		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37		11.90				
] [2	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDUM		100 10	20.42	05.44	10.01		44.00				1
	2	Wire Voice Crade Bort (Centroy/differ CMC /EBC BCETIC C		ļ	UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90	 	 		
 	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81	-	11.90	-	-		
	_	NAMES AND ASSOCIATION OF THE PROPERTY OF THE P			LIEDOD	LIEDLID	4 4-7	120 12	00.10		40.04		44.00	Ì	Ì		i
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		-	UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81		11.90				
—	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		1	UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81	1	11.90	1	1		
	0	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81		11.90	Ì	Ì		i
		ville voice Grade Port (Certifex/differ SVVC /EBS-IVIST12)2, 3			UEF9D	UEPHK	1.17	139.49	00.10	65.41	13.01		11.90				
	_	Miss Vaiss Conda Bost (Control/differ CMC /EBC ME242)2 2			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81		11.90				1
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81		11.90				
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81		11.90				1
-		ville voice Grade Port (Centrex/differ SVVC /EBS-IVISO06)2, 3			UEP9D	UEPH4	1.17	139.49	00.10	03.41	13.01		11.90				
	2	Wire Voice Crade Bort (Controv/differ SWC /EBS ME209)2 2			UEP9D	UEPH5	1.17	120.40	96 10	GE 41	13.81		11.90				i
\vdash	- 2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		-	OFLAD	UEFF13	1.17	139.49	86.10	65.41	13.81		11.90	 	 		
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81		11.90	Ì	Ì		i
 		vviile voice Grade Fort (Certifexullier SVVC/LDS-WS216)2, 3			טבו שט	OLFIIO	1.17	135.49	00.10	05.41	13.01	1	11.90				
	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81		11.90	Ì	Ì		i
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		+	0L1 3D	JL111/	1.17	133.49	00.10	05.41	13.01		11.50	1	1		
		rewrite voice Grade Port, Dill Serving wire Center - 800 Service			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90	Ì	Ì		i
\vdash		Oiiii		+	OLF3D	ULF11L	1.17	139.49	00.10	00.41	13.81		11.90	1	1		
	2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90	1	1		1
 		2-Wire Voice Grade Fort terminated in on Megalink of equivalent		 	UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90	 	 		
	_	THIS TORS STAGE FOR TEITHINALEG OF OUR SETVICE TEITH		L	021 30	OLI IIZ	1.17	JJ.J1	20.40	21.30	0.37	1	11.30	1			

HNBHNDI	.ED NETWORK ELEMENTS - Florida												Attachment:	2	Euki	bit: C
CIABOIADE	LD NETWORK ELEMENTS - FIUITUA					1					Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		m			-300						per LSK	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring Disc	connect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feat		<u> </u>	<u> </u>	LIEDAD		0.00										
-	All Standard Features Offered, per port			UEP9D	UEPVF	2.26	070.70					44.00				
-	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00 2.26	370.70					11.90				
NAR				UEP9D	UEPVC	2.20										
INAN	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				11.90				
\vdash	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	1	1	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00	 			11.90		1		
 	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	1	 	UEP9D	UAROX	0.00	0.00	0.00	 			11.90		 	 	
Misc	cellaneous Terminations	 	1	OL: 3D	CAROA	0.00	0.00	0.00	 			11.30		 	 	
	re Trunk Side	 			1									-		
- - W	Trunk Side Terminations, each	†		UEP9D	CEND6	8.73								I	 	
4-W	re Digital (1.544 Megabits)				32.130	5.75			†					1	1	
1	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95			i i					1	1	
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69		1			11.90		1	1	
Inter	office Channel Mileage - 2-Wire													1		
	Interoffice Channel Facilities Termination	1		UEP9D	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66	_	•								
1 1 -		1							i					_]	
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP9D	1PQW6	0.66			 					ļ	ļ	
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOD	400117									1		
\vdash	Slot	<u> </u>	<u> </u>	UEP9D	1PQW7	0.66								-		
1 1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOD	400000	0.00			1					I	1	
\vdash	Different Wire Center	 	<u> </u>	UEP9D	1PQWP	0.66			 					!	 	
1 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66								1		
\vdash	Feature Activation on D-4 Channel Bank Trivate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	 	 	OFLAD	IFQVVV	0.06			++						-	
1 1	Slot			UEP9D	1PQWQ	0.66			1					I	1	
H +	Feature Activation on D-4 Channel Bank WATS Loop Slot	}		UEP9D UEP9D	1PQWQ	0.66			 					+	1	
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	 	1	טבו אַט	II-QWA	0.00			 					 	 	
NOI	NRC Conversion Currently Combined Switch-As-Is with allowed	 			+	 			 					t	 	
	changes, per port			UEP9D	USAC2		21.50	8.42	1			11.90		I	1	
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32	†			11.90		1	1	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82	2.32	i i			11.90		1	1	
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90		1		
	NAR Establishment Charge, Per Occasion	1		UEP9D	URECA	0.00	66.48					11.90				
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)						_									
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1					_	-								
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													1		
	Non-Design		2	UEP9E		15.05								1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_						1					I	1	
—	Non-Design	<u> </u>	3	UEP9E	1	25.80								-		
UNE	Port/Loop Combination Rates (Design)	<u> </u>			1				 					-	 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	LIEDOE		40.44			1					I	1	
	Design	 	1	UEP9E	+	13.41			 					 	 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		18.57			1					I	1	
\vdash	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		UEF9E	+	18.57			 					-	-	
1 1	Design		3	UEP9E		32.04			1					I	1	
LINE	Loop Rate	 	3	OLFBL	1	32.04			 					 	1	
UNE	LOOP Naid	1	<u> </u>		1	I			1			ı		1	1	

INBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											1					
ATECODY	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec	,	Manual Svc			
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1	24.63					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E		12.24										
					UECS2						ļ					<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area	1	1	UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90		1]	
- 	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	 	J = 1 J =	02.10	1.17	55.51	20.70	21.50	0.37	1	11.30		1	 	+
		1	1	UEP9E	UEPYH	4 47	F0 04	00.40	07.50	0.07		44.00		1]	
	Area	<u> </u>	 	UEPSE	UEPYH	1.17	53.31	26.46	27.50	8.37	!	11.90			ļ	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area		1	UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81	1	11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -	 	 	OLI OL	OLI 10	1.17	00.01	20.40	27.00	0.01		11.00				
				LIEDOE	LIEDVO	4.47	50.04	00.40	07.50	0.07		44.00				
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37	ļ	11.90				
Florie	da Only		<u> </u>													
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 02	02		100.10	00.10	00.11	10.01		11.00				
	Term			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	Telli	1	1	ULFBL	ULFIIZ	1.17	135.45	00.10	05.41	13.01		11.50				
				l												
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										ĺ
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1			1		
Featu		t	1		50	0.00					1	1			1	†
reall	All Standard Features Offered, per port	 	1	UEP9E	UEPVF	2.26					 	1		 	1	+
			 	UEP9E UEP9E	UEPVS	0.00	370.70				1	11.90		-	-	
	All Select Features Offered, per port	<u> </u>	 				3/0./0				!	11.90			ļ	
	All Centrex Control Features Offered, per port		<u> </u>	UEP9E	UEPVC	2.26					ļ	ļ				ļ
NARS											1]	
	Unbundled Network Access Register - Combination	L	<u> </u>	UEP9E	UARCX	0.00	0.00	0.00				11.90			l	<u> </u>
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90			l	1
Misc	ellaneous Terminations			Ì							1	1		1		
	e Trunk Side		1		1						1	1		1	1	t
2-1111	Trunk Side Terminations, each	 	 	UEP9E	CEND6	8.73					1	 		1	 	
4 18/:-	e Digital (1.544 Megabits)	-	1	OL: 3L	OLINDO	0.73					 	 		-	-	
4-9911		-	-	UEP9E	M1HD1	54.95					 			-		
	DS1 Circuit Terminations, each	<u> </u>	<u> </u>								.					
	DS0 Channel Activated Per Channel	<u> </u>	<u> </u>	UEP9E	M1HDO	0.00	15.69					11.90				
Interd	office Channel Mileage - 2-Wire										1]	
	Interoffice Channel Facilities Termination	L	<u> </u>	UEP9E	MIGBC	25.32						l			l	L
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
	hannel Bank Feature Activations															
1540	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP9E	1PQWS	0.66					 					
	I carate Activation on D-4 channel bank Centrex Loop Slot	<u> </u>		OLI OL	11 4770	0.00					 	 		!	l	

IINRI	INDI F	D NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
OND	JINDLL				1		1					Svc Order		Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec	curring	Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.66										
-		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	40000	0.66										
-		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWQ 1PQWA	0.66										
	Non D	ecurring Charges (NRC) Associated with UNE-P Centrex			UEP9E	IPQWA	0.00										
	Non-Re	NRC Conversion Currently Combined Switch-As-Is with allowed															-
		changes, per port			UEP9E	USAC2		21.50	8.42				11.90				
	1	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
	1	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	618.82	0.32			1	11.90				
	+	New Centrex Standard Common Block			UEP9E	M1ACC	0.00	618.82		 			11.90				
	+	NAR Establishment Charge, Per Occasion	-	†	UEP9E	URECA	0.00	66.48					11.90		1		
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1	0_1 0_	ONLOA	0.00	00.40					11.00		<u> </u>		
		- Required Interoffice Channel Mileage															
		- Requires Specific Customer Premises Equipment															
UNRU		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
0.120		set Rates are applied where BellSouth is not required by FCC	and/or	State C	ommission rule to	provide Unbu	indled Local Sv	vitching or Sw	itch Ports.								
		urring Charges for all Standard Centrex and Centrex Conrol Fe						intolling of our									
		Office and Tandem Switching Usage and Common Transport					ibit shall apply	to all combina	ations of loop/	port network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu								•				•		Additional NC	Co mov
		also and are categorized accordingly.	unenny	COIIID	illed Collibos. Fo	Currently Co	ilibilied Collibe	os, the homect	arring charges	Silali De lilose	identified iff t	ne Nomecu	ining - Curre	entry Combin	eu sections.	Additional No	CS Illay
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		1	1					1		1	ı	ı	1	ı	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>														
		ort/Loop Combination Rates (Non-Design)															
	OI4L I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		26.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 0.		20.01										
		Non-Design		2	UEP91		31.06										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		45.87										
	UNE P	ort/Loop Combination Rates (Design)															
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		29.36										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		34.43										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		50.68										1
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	12.94										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	17.06										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.87										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	15.36										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	20.43										
	<u> </u>	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										1
	UNE P						ļ										ļ
	All Sta	tes (Except North Carolina and Sout Carolina)			LIEBO	lues:::											ļ
ļ	ļ	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			l	1											1
ļ	ļ	Area			UEP91	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
1		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1													I
	1	Area			UEP91	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOA	uen.a.											1
	1	Center)2 Basic Local Area		1	UEP91	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90		ļ		
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOA	LIEDV7	1 44.55	400.00	440.00	05.00	00.00		44.00				I
	1	Term - Basic Local Area			UEP91	UEPYZ	14.00	180.00	110.00	85.00	20.00	1	11.90	l	1	l	

CATEGORY	entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)	Interi		UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	USOC UEPY9 UEPY2 UEPHA UEPHB UEPHH UEPHM	14.00 14.00 14.00 14.00 14.00	Nonrec First 70.00 70.00	RATES(\$) curring Add'I 35.00	Nonrecurring First 35.00	Disconnect Add'l	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-V	-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area -Wire Voice Grade Port Terminated on 800 Service Term - asic Local Area and Florida Only -Wire Voice Grade Port (Centrex) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)	m		UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UEPY9 UEPY2 UEPHA UEPHB UEPHH	14.00 14.00 14.00 14.00	70.00 70.00	aurring Add'l 35.00	First 35.00	Add'l	•	SOMAN	Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
- B B 2-V Bai Second and Second a	Basic Local Area -Wire Voice Grade Port Terminated on 800 Service Term - asic Local Area and Florida Only -Wire Voice Grade Port (Centrex) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH	14.00 14.00 14.00 14.00	70.00 70.00	Add'I 35.00	First 35.00	Add'l	SOMEC				SOMAN	SOMAN
- B B 2-V Bai Second and Second a	Basic Local Area -Wire Voice Grade Port Terminated on 800 Service Term - asic Local Area and Florida Only -Wire Voice Grade Port (Centrex) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH	14.00 14.00 14.00	70.00 70.00	35.00	35.00		SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
- B B 2-V Bai Second and Second a	Basic Local Area -Wire Voice Grade Port Terminated on 800 Service Term - asic Local Area and Florida Only -Wire Voice Grade Port (Centrex) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91 UEP91	UEPY2 UEPHA UEPHB UEPHH	14.00 14.00 14.00	70.00			10.00		11.90				
Bai Georgia at at	asic Local Area and Florida Only -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91 UEP91	UEPHA UEPHB UEPHH	14.00 14.00		35.00								
Georgia ar 2-V 2-V 2-V Ce 2-V Ce 2-V Ce 2-V 2-V Co Ce Co Co Co Co Co Co	and Florida Only -Wire Voice Grade Port (Centrex) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91 UEP91	UEPHA UEPHB UEPHH	14.00 14.00		35.00				44.00				1
2-V 2-V	-Wire Voice Grade Port (Centrex) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91	UEPHB UEPHH	14.00	70.00		35.00	10.00		11.90				
2-V 2-V	-Wire Voice Grade Port (Centrex 800 termination) -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term ittching enter Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91 UEP91	UEPHB UEPHH	14.00		35.00	35.00	10.00		11.90				
2-V 2-V 2-V 2-V	-Wire Voice Grade Port (Centrex with Caller ID)1 -Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91 UEP91	UEPHH		70.00	35.00	35.00	10.00		11.90				
2-V Ce 2-V Tel 2-V Local Swit Ce Local Num Features All All NARS	-Wire Voice Grade Port (Centrex from diff Serving Wire enter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91			70.00	35.00	35.00	10.00		11.90				
Ce 2-V Tei	lenter)2 -Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching lentrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)				UEPHM	14.00	70.00	33.00	33.00	10.00		11.30				
2-V Ter	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service erm -Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term itching tentrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)				02.1	14.00	180.00	110.00	85.00	20.00		11.90				í
2-V Local Swit Ce Local Num Local Features All All NARS	-Wire Voice Grade Port terminated in on Megalink or equivalent -Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
2-V Local Swit Ce Local Num Loc Features All All NARS NARS	-Wire Voice Grade Port Terminated on 800 Service Term itching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
Local Swit Ce Local Num Local Features Features All All NARS	ritching entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			UEP91	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				f
Cel Local Num Loc Features All All NARS	entrex Intercom Funtionality, per port mber Portability ocal Number Portability (1 per port)			OLI 01	OLITIZ	14.00	70.00	00.00	00.00	10.00		11.50				
Local Num Loc Features All All All NARS	mber Portability ocal Number Portability (1 per port)			UEP91	URECS	0.7384										
Features All All All NARS					1											
All All NARS				UEP91	LNPCC	0.35										i
All All NARS																
NARS All	Il Standard Features Offered, per port			UEP91	UEPVF	0.00						11.90				í
NARS	Il Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				l
	Il Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						11.90				
li in																<u> </u>
	nbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				<u> </u>
	nbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
	nbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
	neous Terminations															
2-Wire Tru				UEP91	CENA6	8.81										
	runk Side Terminations, each e Channel Mileage - 2-Wire			UEP91	CENA6	8.81										
	Iteroffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	25.32										
	steroffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 0.		0.0001										
	nel Bank Feature Activations	Ī														
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										i .
																í
	eature Activation on D-4 Channel Bank FX line Side Loop Slot	<u></u>		UEP91	1PQW6	0.66										i
Fea Slo	eature Activation on D-4 Channel Bank FX Trunk Side Loop lot			UEP91	1PQW7	0.66										_ _
	eature Activation on D-4 Channel Bank Centrex Loop Slot - ifferent Wire Center			UEP91	1PQWP	0.66										
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0.66										
Oic	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	urring Charges (NRC) Associated with UNE-P Centrex					5.50										í
	conversion - Currently Combined Switch-As-Is with allowed				1											ĺ
	hanges, per port			UEP91	USAC2		21.50	8.42				11.90				ł
	onversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11.90				í .
	ew Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
	ew Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
	econdary Block, per Block		$ldsymbol{\square}$	UEP91	M2CC1	0.00	71.31					11.90				
	AR Establishment Charge, Per Occasion	ļ		UEP91	URECA	0.00	66.48					11.90				
	ENTREX - 5ESS (Valid in All States)	ļ	1		ļ											
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															

UNBI	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design		1	UEP95		26.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	LIEBOE		04.00										
-		Non-Design		2	UEP95		31.06										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		45.07										
	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP95		45.87										
	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
		Design	1	1	UEP95		29.36										
					UEF95		29.30										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	l	2	UEP95		34.43					1	1		Ì		
-	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	 	OLF 30	1	34.43			1		1	-		1		1
		Design	l	3	UEP95		50.68						1		1		
-	LINE	pop Rate	1	-	OL1 30	1	50.00			1		1	-		1		1
-		2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP95	UECS1	12.94			1					1		1
-	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	2	UEP95	UECS1	17.06			 					 		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.87										
-		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20.43										
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	36.68										
		ort Rate		Ŭ	OLI 50	02002	00.00										
	All Stat																
	7 1.11 11	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	70.00	35.00		10.00		11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP95	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
	AL, KY	, LA, MS, SC, & TN Only															
	FL & G	A Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	14.00	70.00	35.00		10.00		11.90	-			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	l														
	1	Center)2			UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l					,									
		Term	ļ		UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
1		OMEN VALUE OF LE BOULE OF LE	l	1	LIEDOS	LIEDUS									1		
<u> </u>	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 	<u> </u>	UEP95	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90		 		1
<u> </u>	10001	2-Wire Voice Grade Port Terminated on 800 Service Term	 	 	UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90		 		-
-	Local	Switching	1	1	LIEDOE	LIBECC	0.7384			ļ		1	ļ		1		-
<u> </u>	Local	Centrex Intercom Funtionality, per port	 	1	UEP95	URECS	0.7384										
-	Local	Local Number Portability (1 per port)	-	 	UEP95	LNPCC	0.35			1					 		-
-	Feature		1	1	OLF 30	LINFOU	0.35			1		1	-		1		1
—	ı catult	All Standard Features Offered, per port	1	1	UEP95	UEPVF	0.00			 					 		
-	1	All Select Features Offered, per port	1	1	UEP95	UEPVS	0.00	370.70		1		1	11.90		1		1
H	1	All Centrex Control Features Offered, per port	1	1	UEP95	UEPVC	0.00	370.70		1			11.00		 		
H	NARS	- a - control r catalog offered, per port	1	1	021 00	JL: 10	0.00			1					 		
	1474113	Unbundled Network Access Register - Combination	1	1	UEP95	UARCX	0.00	0.00	0.00	t			11.90				
	1	Unbundled Network Access Register - Indial	1	1	UEP95	UAR1X	0.00	0.00	0.00	†			11.90		1		1
	1	Unbundled Network Access Register - Outdial	1	1	UEP95	UAROX	0.00	0.00	0.00	t			11.90				
	Miscell	aneous Terminations	1				5.50	3.00	3.00	 			50				
			L	<u> </u>	l		L					L	l		1		

UNRI	INDI F	D NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: C
CIVE	PIADLE											Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Instant									Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									 	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec		Nonrecurring	. Diazana ast			000	Rates(\$)	l	
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	I Trunk Side						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
	2 11110	Trunk Side Terminations, each			UEP95	CEND6	8.81										
	4-Wire	Digital (1.544 Megabits)								İ					t	t	
		DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
	Fasture	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	MIGBM	0.0091										
	P4 Cha	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e														
	D4 Cita	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	1	realtire Activation on 5-4 charmer bank centrex coop clot			OLI 93	II QWO	0.00										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66			1			1				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot	<u> </u>		UEP95	1PQW7	0.66			<u></u>					<u></u>	<u></u>	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -						_									
		Different Wire Center	<u> </u>		UEP95	1PQWP	0.66			L					1	1	
						450111											
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
	+	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF 93	IFQWA	0.00			1					1	1	
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90				
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo								1							
	UNE PO	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
		Non-Design		1	UEP9D		26.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02.00		20.0 .										
		Non-Design		2	UEP9D		31.06										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		45.87										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD										1	1	
	-	Design	 	1	UEP9D	1	29.36			.					1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		34.43								1	1	
-	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLFBD	1	34.43			 		1			 	 	
		Design		3	UEP9D		50.68			1			1				
	UNE L	pop Rate		Ŭ			55.00			1					1	1	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	l	1	UEP9D	UECS1	12.94										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	17.06										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87										
L	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP9D	UECS2	15.36										
<u> </u>	-	2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP9D	UECS2	20.43			.					1	1	
	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate	 	3	UEP9D	UECS2	36.68			1					1	1	
-	ALL ST		 			+				-					-	-	
-	ALL 31	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	14.00			 			11.90		t	t	
	1	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		J_1 JD	JLI 17	14.00			†			11.50		†	†	
		Area			UEP9D	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	1	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	14.00	70.00	35.00	35.00	10.00		11.90		1	1	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	14.00	70.00	35.00	35.00	10.00		11.90				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-N/S112))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M/S312))3Basic Local			UEP9D	UEPYF	14.00	70.00	35.00	35.00	10.00		11.90				
	Area			UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	180.00	110.00	85.00	20.00		11.90			_	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
FL & 0	GA Only							55.50	33.30							
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		-	UEP9D UEP9D	UEPHB UEPHC	14.00 14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00 10.00	1	11.90 11.90				
-	2-Wire Voice Grade Port (Centrex / EBS-PSE1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3		-	UEP9D UEP9D	UEPHD	14.00	70.00	35.00	35.00 35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14.00	70.00	35.00	35.00	10.00	 	11.90				+
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	70.00	35.00	35.00	10.00		11.90				†
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	14.00	70.00	35.00	35.00	10.00		11.90				
<u>. </u>	2-Wire Voice Grade Port (Centrex / EBS-M5216)3		1	UEP9D	UEPHV	14.00	70.00	35.00	35.00	10.00		11.90				

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						== ==									
	Indication)3			UEP9D UEP9D	UEPHW UEPHJ	14.00 14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00 10.00		11.90 11.90				
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		UEP9D	UEPHJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2			UEP9D	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	180.00	110.00	85.00	20.00		11.90				
	,,,,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	180.00	110.00	85.00	20.00		11.90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14.00	180.00	110.00	85.00	20.00		11.90				
																1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1	<u> </u>	UEP9D	UEPHR	14.00	180.00	110.00	85.00	20.00		11.90				
	0 M/ Valor One In Book (On the differential One) (FD0 M5040) 0			LIEDOD	LIEDLIO	44.00	400.00	440.00	05.00	00.00		44.00				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	180.00	110.00	85.00	20.00		11.90				1
	2-Wile Voice Glade Fort (Certifex differ SWC /LB3-W5000)2, 3			OLF9D	OLF114	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	180.00	110.00	85.00	20.00		11.90				1
					1											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term			UEP9D	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2 Wise Vales Conda Bost terminated in an Manalink or anni-plant			LIEDOD	LIEDLIO	44.00	70.00	25.00	25.00	10.00		44.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	14.00 14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00 10.00		11.90 11.90				
Local	Switching	1		UEP9D	UEPHZ	14.00	70.00	35.00	35.00	10.00		11.90				
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability			02. 02	UNLEGO	0.7001										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
L	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS				UEP9D	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	1	!	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00				11.90				
 	Unbundled Network Access Register - Outdial	1	1	UEP9D	UAROX	0.00	0.00	0.00				11.90				
Misce	Illaneous Terminations		1		37.1.07.	5.50	3.30	3.00				50				
	e Trunk Side	1				İ										
	Trunk Side Terminations, each			UEP9D	CEND6	8.81										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each		ļ	UEP9D	M1HD1	54.95										
-	DS0 Channels Activiated per Channel	1	<u> </u>	UEP9D	M1HDO	0.00	15.69					11.90				
Interc	Interoffice Channel Facilities Termination	1	 	UEP9D	MIGBC	25.32					-					
 	Interoffice Channel mileage, per mile or fraction of mile	1	 	UEP9D	MIGBM	0.0091					1					
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	1	J_1 JD	IVIICOIVI	5.0031										
	annel Bank Feature Activations	Ī	i –													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9D	1PQWS	0.66										
		1														
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1					-		-						
	Slot	1	<u> </u>	UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOD	1PQWP	0.00										
	Different Wire Center	1	1	UEP9D	IPQWP	0.66			<u> </u>		l					

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	
						_ 1	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.66										
1	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is with allowed						04.50									
	changes, per port			UEP9D	USAC2		21.50	8.42				11.90				ļ
	Conversion of existing Centrex Common Block, each New Centrex Standard Common Block			UEP9D UEP9D	USACN M1ACS	0.00	5.17 618.82	8.32				11.90 11.90				<u> </u>
	New Centrex Standard Common Block	1		UEP9D	M1ACC	0.00	618.82				1	11.90				
	NAR Establishment Charge, Per Occasion	1	1	UEP9D	URECA	0.00	66.48					11.90				
UNE	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	†		5.1.20/1	0.00					<u> </u>	11.50				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)	L												<u> </u>		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	-	1	UEP9E		26.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		31.06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		45.87										
UNE	Port/Loop Combination Rates (Design)		_													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		29.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		34.43										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OEF9E												
	Design		3	UEP9E		50.68										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1 UECS2	31.87 15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43					-					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										
UNE	Port Rate	1		O_1 O_	02002	30.00								1		t
	FL, KY, LA, MS, & TN only	1												1		
	2-Wire Voice Grade Port (Centrex) Basic Local Area	L		UEP9E	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90		<u> </u>		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	1	-	UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00	1	11.90				
	Basic Local Area			UEP9E	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
Flori	da Only	ļ	ļ	LIEDOE	LIED: · ·		70.00									
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	ļ	<u> </u>	UEP9E UEP9E	UEPHA UEPHB	14.00 14.00	70.00	35.00	35.00	10.00		11.90 11.90				
+	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	!	UEP9E UEP9E	UEPHB	14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00 10.00	-	11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
-+	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00	-	11.90				
	Term			UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							11130	Auu	11130	Auu i	JOHILO	JONAN	JONAN	JOINAIN	JOHAN	JONAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated in 601 Megalink of equivalent		-	UEP9E	UEPH2	14.00	70.00	35.00	35.00	10.00	1	11.90				
Local	Switching		-	ULF3L	ULFIIZ	14.00	70.00	33.00	33.00	10.00	1	11.50				
Local	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.7384					1					
Lacali	Number Portability		1	UEP9E	URECS	0.7384										
Local I				LIEBOE	LNDOO	0.05					ļ					
F	Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.35										
Featur				115005		2.22										<u> </u>
	All Standard Features Offered, per port	1	 	UEP9E	UEPVF	0.00	070 5				1	11.5-				└
	All Select Features Offered, per port	<u> </u>		UEP9E	UEPVS	0.00	370.70				ļ	11.90				
<u></u>	All Centrex Control Features Offered, per port	<u> </u>		UEP9E	UEPVC	0.00					ļ					└
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
	laneous Terminations															<u> </u>
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.81										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1			~,,,	0.00	t		†		1	1				†
	Different Wire Center	1		UEP9E	1PQWP	0.66										1
 		1			1	5.00			 		1					—
] [Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.66	l				I]				1
\vdash	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop	†		OL: 3L	11 Q V V V	0.00	+				 					
1 1	Slot	1		UEP9E	1PQWQ	0.66	l									1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex	1		01.01	II QVVA	0.00	ł				1					
INOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed	1			+		+				1					
1 1	changes, per port	1		UEP9E	USAC2		21.50	8.42				11.90				1
 	Conversion of Existing Centrex Common Block, each	1		UEP9E	USACN		5.17	8.32			1	11.90				
 	New Centrex Standard Common Block	<u> </u>		UEP9E	M1ACS	0.00	618.82	0.32	 		1	11.90		-	-	
\vdash	New Centrex Standard Common Block	1	 	UEP9E UEP9E	M1ACC	0.00	618.82				 	11.90				
\vdash		1			URECA						 	11.90				
Nac d	NAR Establishment Charge, Per Occasion	1	\vdash	UEP9E	UKECA	0.00	66.48				 	11.90		-	-	
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	!			1						1				1	
	? - Requres Interoffice Channel Mileage	<u> </u>			-						ļ					
	- Requires Specific Customer Premises Equipment	<u>L</u>	لببا		<u> </u>											
Note:	Rates displaying an "R" in Interim column are interim and sul	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ons.				1					1

UNBUN	IDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												_	_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							1	Manus		Managarania.	Dia			000	Detec(f)		
							Rec	Nonred First	Add'l	First	g Disconnect Add'l	COMEC	COMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
H-4	Tho "7	one" shown in the sections for stand-alone loops or loops as	nart of	a comi	ination refers to Go	nographically	Dogworagod III									SUMAN	SUMAN
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaveraged Of	NE ZUITES. 10	view Georgia	ilically Deavel	ageu ONE ZOI	ie Desigani	ons by C O,	reier to litter	net website.		
		. SUPPORT SYSTEMS	Connec	lion.ni	III	ı	l l				1		1			l	
		(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator if	it prefers the state s	specific elect	ronic service o	rdering charge	es as ordered b	v the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
1	NOTE:	is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill	ed acco	ording t	o the SOMEC rate li	sted in this	category. Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) t	o determine	if a product of	can be ordere	d electronical	ly. For
t	hose e	lements that cannot be ordered electronically at present per t	he BBR	R-LO, th	e listed SOMEC rate	e in this cate	gory reflects the	e charge that v	vould be billed	I to a CLEC on	ce electronic o	ordering cap	pabilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															ĺ
		interactive interfaces (Regional)				SOMEC		3.50									
		DATE ADVANCEMENT CHARGE	<u> </u>	l		L	L				ļ				ļ		
1	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appli	cable.								-		├
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			ALL UNE	SDASP		200.00									1
LIMPUNG	VI ED 5	Day		-	ALL UNE	SDASP		200.00			ļ	1	-		 	-	
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	-	 		1	 					-			 		
 	-vvirC	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42	-	
 		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
h		Loop Testing - Basic 1st Half Hour			UEANL	URET1	20.00	78.92	78.92					18.94	8.42		—
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch													<u> </u>		
		(UVL-SL1)			UEANL	UREWO		15.75	8.92								1
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		28.72	28.72								<u> </u>
		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		16.11	16.11								L
		Order Coordination for Specified Conversion Time for UVL-SL1															i
		(per LSR)			UEANL	OCOSL		35.74	35.74								
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1			UEQ	UEQ2X		11.02	44.69	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X		12.72	44.69	25.65	7.06			18.94	8.42		├
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3 Order Coordination 2 Wire Unbundled Copper Loop - Non-		3	UEQ	UEQ2X		20.22	44.69	25.65	7.06			18.94	8.42		
		Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42		i
		Unbundled Copper Loop, Non-Designed Billing for BST			OLQ	OSDIVIC		10.11	10.11			1		10.54	0.42		+
		providing make-up			UEQ	UEQMU		28.72	28.72					18.94	8.42		1
 		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		78.92	78.92		1	1		18.94	8.42	1	<u> </u>
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch				1											ſ
		(UCL-ND)	<u> </u>	L	UEQ	UREWO	<u> </u>	14.25	7.42		<u> </u>	<u> </u>	<u> </u>	18.94	8.42	<u></u>	1
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP							•								
U	JNE L	op Rates for Line Splitting (In Ga. PSC ordered the line spli						PLX)			ļ				ļ		
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSR, UEPSB	UEALS,	12.59										├
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	!	1	UEPSR, UEPSB	UEABS	12.59									ļ	├
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	-	2	UEPSR, UEPSB	UEALS,	14.26								1		
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3	UEPSR, UEPSB UEPSR, UEPSB	UEABS UEALS	14.26 21.62				ļ	1	-		 	-	
\vdash		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPSR, UEPSB	UEALS	21.62				1	-			+	1	
UNRUM		EXCHANGE ACCESS LOOP	-	J	OLI ON, OLFOD	ULADO	21.02								 	-	
		ANALOG VOICE GRADE LOOP	-			 									t		
	L	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			1						t	<u> </u>		I		
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			-	1	15.01										
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
		Ground Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	30.92	104.17	78.10		<u> </u>	<u></u>	<u></u>	18.94	8.42		1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							-								1
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10]			18.94	8.42		1

UNBUNI	DLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74	00.00					40.04	0.40		
-	WIDE	CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP		<u> </u>	UEA	UREWO		87.72	36.36					18.94	8.42		+
4-		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		+
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	25.70	206.95	170.57			-		18.94	8.42		+
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		+
		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	40.00	35.74	170.57					10.54	0.42		+
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.72	36.36					18.94	8.42		
2-	-WIRE	SISDN DIGITAL GRADE LOOP	1					52	55.50					.5.54	J. 72		
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		1
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		1
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04					18.94	8.42		
2-	-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	ı	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	ı	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		44.69	31.55					18.94	8.42		
2-	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	1												
		Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	I	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	ı	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	ı	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74							<u> </u>		1
		CLEC to CLEC Conversion Charge without outside dispatch	ı		UAL	UREWO		44.69	29.29					18.94	8.42		
2-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	I	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	I	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	ı	3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									<u> </u>
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	ı	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
		Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
		CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		44.69	31.55					18.94	8.42		
4-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													

HINBHI	IDI EI	NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	ibit: C
ONBOIN	IDLL	NETWORK ELLINENTS - Georgia	l				1					Svc Order	Svc Order		Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Add I	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1	I	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2	ı	2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled HDSL Loop including manual service inquiry	١.	3	UHL	1 11 11 437	40.07	44.00	04.55	05.05	7.00			40.04	0.40		
		and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UHL	UHL4X OCOSL	19.07	44.69 35.74	31.55	25.65	7.06			18.94	8.42		-
		4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	UHL	UCUSL		35.74									-
		and facility reservation - Zone 1	١,	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
-		4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	OTIL	OTILATO	10.00	44.00	01.00	20.00	7.00			10.04	0.42		
		and facility reservation - Zone 2	l ı	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled HDSL Loop without manual service inquiry	1	T -	-	1	00	00	2.100					13701	27.12		
		and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74						İ	<u> </u>		
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55					18.94	8.42		
4	-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	55.53	429.98	268.18					18.94	8.42		
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	64.13	429.98	268.18					18.94	8.42		
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74	10.00					10.01	0.10		
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97					18.94	8.42		<u> </u>
4	-WIKE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.74	348.55	241.20					18.94	8.42		-
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	47.27	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	29.74	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	47.27	348.55	241.20					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	29.74	348.55	241.20					18.94	8.42		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47.27	348.55	241.20					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
L		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66					18.94	8.42		
2	2-WIRE	Unbundled COPPER LOOP	ļ	ļ		-								ļ	ļ		_
		2-Wire Unbundled Copper Loop/Short including manual service	l .		LICI	LICE DD	40.00	44.00	04.55	05.65	7.00			10.01	0.40		
\vdash		inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service		1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		-
		inquiry & facility reservation - Zone 2	l ,	2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
+		2 Wire Unbundled Copper Loop/Short including manual service	- '-	 _	JUL	OOL-D	13.00	44.09	31.35	25.05	7.00			10.94	0.42		
		inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ť	UCL	UCLMC	22.07	16.11	16.11	20.00				10.04	J.72		
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 1	ı	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Short without manual service															
		inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Short without manual service				1											
\vdash		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		<u> </u>
\vdash		Order Coordination for Unbundled Copper Loops (per loop)	ļ	ļ	UCL	UCLMC		16.11	16.11								
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.	l .	1	LICI	LICI O	25.52	44.00	24.55	25.05	7.00			40.04	0.40		
\vdash		inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
\vdash		2-Wire Unbundled Copper Loop/Long - includes manual svc.	- ' -		UUL	UULZL	41.07	44.09	31.35	20.00	7.06			10.94	0.42		1
		inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
\vdash		Order Coordination for Unbundled Copper Loops (per loop)	- '-	3	UCL	UCLMC	00.20	16.11	16.11	25.05	7.00			10.94	0.42		
\vdash		2-Wire Unbundled Copper Loop/Long - without manual service	1			5 5 L.VIO		10.11	10.71					1	1		
		inquiry and facility reservation - Zone 1	l ı	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		

UNBUNDI	DLED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service	ı	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	-	Ŭ	UCL	UCLMC	00.20	16.11	16.11	20.00	1.00			10.01	0.12		
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	ı		UCL	UREWO		44.69	31.55					18.94	8.42		
4-W	VIRE COPPER LOOP			002	OKEWO		44.00	01.00					10.54	0.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry	ı	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06	1		18.94	8.42		
	and facility reservation - Zone 2	-	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3	ı	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11						\$1.C		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	ı	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and	-														
	facility reservation - Zone 3	ı	3	UCL	UCL4W UCLMC	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLINC		16.11	16.11								
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2	ı	2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	03.20	16.11	16.11	25.05	7.00			10.54	0.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.						44.00			=			40.04	2.42		
	inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc.	I	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.	I	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	33.23	16.11	16.11						ş <u>.</u>		
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55					18.94	8.42		
LOOP MOD	DIFICATION			LIAL LILI LICI												
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire	I		UDN, UDL, USL	ULM2L		0.00	0.00					18.94	8.42		
	greater than 18k ft	I		UCL, ULS, UEQ	ULM2G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	ı		UHL, UCL	ULM4L		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	1		UCL	ULM4G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	· ·		UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		0.00	0.00					18.94	8.42		
SUB-LOOPS							0.00	0.00	†				10.04	0.72		
	b-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		421.08	421.08					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		67.10	67.10					18.94	8.42		

LINBUN	IDI E	NETWORK ELEMENTS - Georgia												Attachment	2	Exhi	hit: C
UNDUN	IDLEL	NETWORK ELEMENTS - Georgia	1	1	1							Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
			1	1	1							Svc Order Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	l I		UEANL	USBSC		394.74	394.74					18.94	8.42		
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	١.		UEANL	USBSD		154.57	154.57					18.94	8.42		
-		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working	- 1		UEAINL	USBSD		154.57	154.57	-		-		10.94	0.42		
		and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			0271112	002.10	1.01	20	2.10					10.01	02		
		and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
			1														
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		34.22	34.22								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			LIEANI	LICDNIA	0.00	240.05	70.00	400.70	00.77			40.04	0.40		
\vdash		Statewide	 	SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77	-		18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		34.22	34.22	1				1	1		
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC) -	· ·		OL7 II VL	OODINE	1.07	2.40	41.00	110.00	10.17			10.04	0.42		
		Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
		, ,															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC) -															
		Intermediary Access Terminal (IAT)			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
		0.10				USBMC		34.22	34.22								
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	UCS2X	5.54	175.16	55.50	108.86	24.53	-		18.84	8.42		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
h		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
		= ····· = ··· = ···· = ···· = ···· = ···· = ···· = ·· = ··· =															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
L		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
		Order Coordination for Unbundled Oak Lane and Lane at			UEF	LICOMO		04.00	24.00								
 	Inhur	Order Coordination for Unbundled Sub-Loops, per sub-loop pair died Network Terminating Wire (UNTW)	 	-	UEF	USBMC		34.22	34.22	 		-		-	-		
\vdash	, ibuile	Unbundled Network Terminating Wire (UNTW) per Pair	1	-	UENTW	UENPP	1.37	2.48	2.48	1.74	1.74	1	1	18.94	8.42		
I	letwor	k Interface Device (NID)			J	521111	1.01	2.40	2.40		4			10.04	0.42		
		Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86.37	56.69					18.94	8.42		
		Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		127.93	98.21					18.94	8.42		
		Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		6.15	6.15					18.94	8.42		
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6.15	6.15								
SUB-LO			<u> </u>	<u> </u>													
		op Feeder	 		LIEA					 		1		 	 		
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up	1	1	UEA, UDN,UCL,UDL,UDC	USBFW		421.08		1				18.94	8.42		
+		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	-		UEA,	OODI W		421.00		 				10.94	0.42		
		set-up	1	1	UDN,UCL,UDL,UDC	USBFX		67.10	67.10	1				18.94	8.42		
		USL Feeder DS1 Set-up at DSX location, per DS1 termination	1		USL	USBFZ		521.57	11.30	1				18.94	8.42		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	_	Grade- Statewide		SW	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		35.74									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			l				.=-					40			
\vdash		Grade - Statewide Order Coordination for Specified Time Conversion, per LSR	 	SW	UEA	USBFB	8.58	206.44	170.05	 		1		18.94	8.42		
\vdash		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	 	-	UEA	OCOSL		35.74		 		-		1	1		
		Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
 		Order Coordination For Specified Conversion Time, per LSR	1	5**	UEA	OCOSL	0.00	35.74	170.00	-				10.04	0.42		
		z.z. zzzamanom or oposmou conversion mile, per LON			1	2000L		00.74		1		1	1	ı	ı		

UNBUN	IDLEI	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
		Grade - Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				LIODEE	40.04	040.44	04.00	404.77	00.00			40.04	0.40		
		Grade - Statewide Order Coordination For Specified Conversion Time, Per LSR		SW	UEA UEA	USBFE OCOSL	19.91	243.41 35.74	81.32	134.77	33.93			18.94	8.42		
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -			UEA	OCOSL		33.74									1
		Statewide		sw	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL	17.70	35.74	02.01	110.00	20.00			10.04	0.42		
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		sw	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		35.74									
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -															
		Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		1
└		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									ļ
$\vdash \!$		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide	ļ	SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		.
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	04.50	35.74	04.00	404.77	00.00			40.00	40.00	40.00	40.00
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Order Coordination For Specified Time Conversion, per LSR		SW	UDL	OCOSL	24.50	35.74	01.32	134.77	33.93			19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	OCOSL		33.74									-
		Statewide		sw	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	21.00	35.74	01.02		00.00			10.00	10.00	10.00	10.00
SUB-LOC	OPS																
S	Sub-Lo	op Feeder															
		Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	12.80										
		Sub Loop Feeder - DS3 - Facility Termination Per Month	ı		UE3	USBF1	329.94	3,396.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder – STS-1 – Per Mile Per Month	I		UDLSX	1L5SL	12.80										
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	!		UDLSX	USBF7	372.78	3,396.56	406.50	163.61	92.75			18.94	8.42		
-		Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	9.71										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month	١,		LIDI O3	USBF5	57.79										
-		Sub Loop Feeder - OC-3 - Facility Termination Per Month	<u> </u>		UDLO3 UDLO3	USBF2	524.13	3,396.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder - OC-12 - Per Mile Per Month	H	_	UDL12	1L5SL	11.95	3,330.30	400.50	103.01	32.73			10.54	0.42		
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per	-		ODLIZ	ILJOL	11.33										
		Month	l ı		UDL12	USBF6	519.09										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,570.00	3,396.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	39.20										
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
igsquare		Month			UDL48	USBF9	259.99										ļ
$\vdash \!$		Sub Loop Feeder - OC-48 - Facility Termination Per Month	<u> </u>	1	UDL48	USBF4	1,505.00	3,582.56	406.50	163.61	92.75			18.94	8.42		_
LINIDLINID	I ED I	Sub Loop Feeder - OC-12 Interface On OC-48 OOP CONCENTRATION			UDL48	USBF8	323.43	803.69	406.50	163.61	92.75			18.94	8.42		
UNBUND	LED L			-	ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
\vdash		Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)		1	ULC	UCT8B	52.97	271.17	271.17	+		1	-	19.99	19.99	19.99	19.99
 		Unbundled Loop Concentration - System 8 (TR303)	-		ULC	UCT3A	478.93	650.81	650.81	1		 	 	19.99	19.99	19.99	19.99
 		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17	1				19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - ISDN Loop Interface (Brite															1
		Card)	<u></u>		UDN	ULCC1	8.00	21.07	20.96	10.78	10.71		<u> </u>	19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - UDC Loop Interface (Brite															
		Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration2 Wire Voice-Loop Start or															
$oxed{oxed}$		Ground Start Loop Interface (POTS Card)	<u> </u>		UEA	ULCC2	2.00	21.07	20.96	10.78	10.71		ļ	19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		-	ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			ODL	OLCOI	10.51	21.07	20.30	10.70	10.71			13.33	13.33	19.99	13.33
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER,	PROVISIONING ONLY - NO RATE			LIFATTIA	LINDDV	0.00	0.00									
	NID - Dispatch and Service Order for NID installation		-	UENTW UENTW	UNDBX UENCE	0.00	0.00									1
-	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UEANL,UEF,UEQ,U	UENCE	0.00	0.00									1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER.	PROVISIONING ONLY - NO RATE					5.50	5.50									†
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate	<u> </u>		UDN,UEA,UHL,ULC	UNECN	0.00	0.00				ļ					<u> </u>
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LICREO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	8.90										
	Termination per month			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLS	OLSI X	390.34	039.30	420.40					37.33	37.33	10.03	10.03
	month			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or			1.15.41.2	1 15 4121 147		05.00	05.00								
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		35.00	35.00								
	queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or Without Reservation, per working or			OWIIX	OWNEL		40.00	40.00								1
	spare facility queried (Mechanized)			UMK	PSUMK		0.075	0.075								
HIGH FREQU	ENCY SPECTRUM															
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED			1110	111.004	404.00	0.00	0.00	0.00	0.00			40.04	0.40		
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		-	ULS ULS	ULSDA ULSDB	131.00 32.00	0.00	0.00	0.00	0.00			18.94 18.94	8.42 8.42		-
-	Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00			18.94	8.42		1
	Line Sharing Splitter, 1 et System, 8 Eine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>		OLO	OLODO	11.00	0.00	0.00	0.00	0.00			10.54	0.42		
	deactivation (per LSOD)			ULS	ULSDG		0.00	0.00	0.00	0.00			18.94	8.42		
END (JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM.													
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	10.51	7.70	0.00	0.00			18.94	8.42		
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23					18.94	8.42		
	Line Sharing - per Subsequent Activity per Line				000		00.55	40.00					40.01			
	Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter)	<u> </u>	1	ULS ULS	ULSCS	0.61	36.23 47.44	13.23 19.31	0.00	0.00			18.94 18.94	8.42 8.42		<u> </u>
I INF	SPLITTING		1	OLO	OLGOO	10.0	41.44	19.31	0.00	0.00	 	+	10.94	0.42		
	JSER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter	Т		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	53.48	34.48	16.45	12.75			18.94	8.42	19.99	19.99
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	53.48	34.48	16.45	12.75		1	18.94	8.42	19.99	19.99

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: C
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
	DEMO	 FE SITE HIGH FREQUENCY SPECTRUM						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		TERS-REMOTE SITE		<u> </u>		-											
	SPLIII	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	32.00	0.00	0.00	0.00	0.00			18.94	8.42	19.99	19.99
		Remote Site Line Share Cable Pair Activation CLEC Owned at	-		OLO	OLOND	32.00	0.00	0.00	0.00	0.00			10.54	0.42	15.55	15.55
		RS and Deactivation	1		ULS	ULSTG		74.38	0.00	46.77	0.00			18.94	8.42	19.99	19.99
	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	/ AKA	REMOT							0.00				• • • • • • • • • • • • • • • • • • • •		
		Remote Site Line Share Line Activationfor End User Served at															
		RS, BST Splitter	- 1		ULS	ULSRC	0.61	10.51	7.70	0.00	0.00			18.94	8.42	19.99	19.99
		RS Line Share Line Activation for End User served at RS, CLEC															
		Splitter	I		ULS	ULSTC	0.61	10.51	7.70	0.00	0.00			18.94	8.42	19.99	19.99
		Remote Site Line Share Subsequent Activity-RS BST Owned															
		Splitter		ļ	ULS	ULSRS	ļ	2.00	3.00	ļ	ļ	<u> </u>		18.94	8.42	19.99	19.99
1		Remote Site Line Share Subsequent Activity-RS CLEC Owned Splitter			ULS	ULSTS	1.00	2.00	3.00	4.00	5.00			18.94	8.42	19.99	19.99
LIMBUR	DI ED I	DEDICATED TRANSPORT	- '	<u> </u>	ULS	ULSIS	1.00	2.00	3.00	4.00	5.00			18.94	8.42	19.99	19.99
UNDUN		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hillin	a nerio	d - below DS3-one	month DS3/	STS-1=four mo	nths		1		1		-			1
		OFFICE CHANNEL - DEDICATED TRANSPORT		g penc	u - below bos-one	Inditin, Door	1 10011110	iiiio									
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.577	0.0000										
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0222										
		Termination			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIDA	01103	10.45	73.01	30.00					10.34	10.54		
		per month			U1TDX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			01127	120701	0.0222										
		Termination			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.4523										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATDO	41.530											
		month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	2.72			1	 	1					
		Termination per month			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.03
—		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			0.100	31113	700.00	311.10	330.77	+				31.33	31.33	10.03	10.03
		month			U1TS1	1L5XX	2.72										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				1				1	1						
		Termination			U1TS1	U1TFS	783.63	511.10	449.91					61.19	61.19	3.17	3.17
		CHANNEL - DEDICATED TRANSPORT															
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo					· · · · · · · · · · · · · · · · · · ·								
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		ļ	ULDVX	ULDR2	13.91	382.95	62.40	ļ	ļ	<u> </u>		18.94	18.94		
		Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX ULDD1	ULDV4 ULDF1	14.99	368.44	64.05	1	 	1		18.94	8.42	40.00	40.00
	-	Local Channel - Dedicated - DS1 Local Channel - Dedicated - DS3 - Per Mile per month	-	 	ULDD1 ULDD3	1L5NC	38.36 6.92	356.15	312.89	1	-	1		44.22	44.22	18.03	18.03
		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	515.91	639.50	426.31			 		37.55	37.55	18.03	18.03
		Local Channel - Dedicated - DSS - Pacinty Termination Local Channel - Dedicated - STS-1- Per Mile per month		 	ULDS1	1L5NC	6.92	003.00	420.31	1	1	 		37.35	31.33	10.03	10.03
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	517.56	639.50	426.31	1	1			18.94	18.94		
DARK	FIBER	The second secon					350	300.00	.20.01		1			.0.04	10.04		İ
<u>_</u>		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1											
		Thereof per month - Local Channel			UDF	1L5DC	44.22				<u> </u>			<u> </u>			
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355.29	273.69					18.94	18.94		

LINDUNDU	D NETWORK ELEMENTS - Georgia												A44b	•	Fk	hit. C
UNDUNDLI	DIVET WORK ELEWIEN 13 - Georgia					I					Svc Order	Svc Order	Attachment: Incremental		Incremental	bit: C Incremental
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				-				
0		m		200	0000						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	urrina	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	44.22										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						,									
	Thereof per month - Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
L	Number Reserved	<u>L_</u>	<u>L</u>	OHD	N8R1X	<u> </u>	6.57	0.76	<u> </u>	<u></u>	<u></u>	<u></u>	18.94	18.94	<u> </u>	<u></u>
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O						_									
	POTS Translations	<u> </u>		OHD		<u> </u>	12.81	1.45		<u> </u>			18.94	18.94	<u></u>	<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		12.81	1.45					18.94	18.94		
	8XX Access Ten Digit Screening, Customized Area of Service	1	1									1		_		<u> </u>
	Per 8XX Number		<u> </u>	OHD	N8FCX		4.46	2.23					18.94	18.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR													1		
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15			. =-									
LINE INCORP	Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		<u> </u>	OQT		0.0000000										
	LIDB Common Transport Per Query LIDB Validation Per Query			OQU	+	0.0000338 0.0105974										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0103974	50.30				1		18.94	18.94		
SIGNALING (OQ1, OQ0	INICIDA		30.30						10.54	10.54		
OIGHALING (CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99										
+	CCS7 Signaling Usage, Per TCAP Message			UDB	. 100/1	0.000087										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000354										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING NA	ME (CNAM) SERVICE		ļ	001/		0.01				ļ						
\vdash	CNAM for DB Owners, Per Query	 	<u> </u>	OQV		0.01			-	1				!	1	
	CNAM (Non Databa Owners) NIPC applies when using the	 	-	OQV	+	0.01				 	-			 	-	
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					18.94	18.94		
OPERATOR (Character Based Oser Interface (CHOI)	 		OQ V	СББСП		393.00	393.00		1		-	10.94	10.94	1	1
SI ENATOR C	Oper. Call Processing - Oper. Provided, Per Min Using BST	 			1					1				t	1	1
	LIDB					1.20								1		
	Oper. Call Processing - Oper. Provided, Per Min Using	1			1	1.20								1		1
	Foreign LIDB					1.24								1		
	Oper. Call Processing - Fully Automated, per Call - Using BST				İ				l	1				1	İ	
	LIDB	1				0.20						1		I		1
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES			-												
	Inward Operator Svcs - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt													1		
<u> </u>	- Per Minute	ļ			_	1.15				ļ				ļ		ļ
	OPERATOR CALL PROCESSING	<u> </u>	<u> </u>		-					ļ				-		
Facili	y based CLEC	<u> </u>			CDACO		7,000,00	7,000,00		-			10.00	10.00	10.00	10.00
	Recording of Custom Branded OA Announcement	1	l		CBAOS		7,000.00	7,000.00]		l	l	19.99	19.99	19.99	19.99

UNB	JNDLE	D NETWORK ELEMENTS - Georgia						_			_			Attachment:	2	Exhi	ibit: C
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loading of Custom Branded OA Announcement per shelf/NAV				05.401		=	=00.00					40.00	40.00		
	UNEP	per OCN	-			CBAOL		500.00	500.00					19.99	19.99		
	UNEP	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV						7,000.00	7,000.00					13.33	15.55	19.33	13.33
		per OCN						500.00	500.00					19.99	19.99		
	Unbra	nding via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00					19.99	19.99		
DIREC		SSISTANCE SERVICES															
	DIREC	TORY ASSISTANCE ACCESS SERVICE															
<u> </u>	DIDEC	Directory Assistance Access Service Calls, Charge Per Call	1	<u> </u>			0.275			.	-	1		1	 	-	
	DIKEC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I Directory Assistance Call Completion Access Service (DACC),	JACC)	!						_		1		1	-		
		Per Call Attempt	1	1			0.10			1			1		1		
DIREC	TORY A	SSISTANCE SERVICES					0.10										
		TORY ASSISTANCE DATA BASE SERVICE (DADS)	1							1					Ì		
		Directory Assistance Data Base Service Charge Per Listing					0.04										
		Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRAN		DIRECTORY ASSISTANCE															
	Facility	y Based CLEC															
		Recording and Provisioning of DA Custom Branded			44.67	00404		0 000 00	0.000.00					40.04	0.40		
	-	Announcement Loading of Custom Branded Announcement per Switch			AMT AMT	CBADA CBADC		6,000.00 1,170.00	6,000.00 1,170.00	1				18.94 18.94	8.42 8.42		
	UNEP				AWI	CBADC		1,170.00	1,170.00					10.94	0.42		
	ONLI	Recording of DA Custom Branded Announcement						3.000.00	3,000.00					18.94	8.42		
		Loading of DA Custom Branded Announcement per Switch per						0,000.00	0,000.00	İ				10.01	02		
		OCN						1,170.00	1,170.00					18.94	8.42		
	Unbra	nding via OLNS for UNEP CLEC															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00					18.94	8.42		
	<u> </u>	Loading of DA per Switch per OCN						16.00	16.00					18.94	8.42		
SELE	CTIVE R	OUTING															
WET	11.001	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		199.56	199.56					33.67	7.88		
VIRTU	AL COL	LOCATION Virtual Collocation - Application Cost			AMTFS	EAF		2.848.30	0.040.00	1				19.99	19.99		
	-	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,848.30	2,848.30 2,750.00	-				19.99	19.99		
	-	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20	2,730.00	2,730.00					19.99	19.99		
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	3.48										
		Virtual Collocation - Cable Support Structure, per entrance			-												
		cable			AMTFS	ESPSX	13.35										
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	<u> </u>	Virtual Collocation - 2-wire Cross Connects (loop)	<u> </u>	<u> </u>	UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
					UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,									40.00		40.00	
	 	Virtual Collocation - 4-wire Cross Connects (loop)	ļ	<u> </u>	UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
		Virtual Collegation 2 Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNC2F	2.88	41.72	20.20	40.40	9.00			2.20	2.20		
	+	Virtual Collocation - 2-Fiber Cross Connects	 	<u> </u>	ULD48, UDF AMTFS,UDL12,	CNUZF	∠.88	41.72	30.36	10.43	8.36	-		2.20	2.20	-	
					UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20	l	1

CHECHE													Attachment:	2	Evhi	bit: C
	LED NETWORK ELEMENTS - Georgia		J								Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						==(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ι	JSL,ULC,AMTFS,												
				JLR. UXTD1.												
				JNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE, cross-connect per			J1TD1, USLEL,												
	DS1			JNLD1	CNC1X	7.50	155.00	14.00					19.99	19.99		
\vdash	001			JSL,ULC,AMTFS,U	CINCIX	7.50	155.00	14.00					13.33	13.33		
				E3, U1TD3, UXTS1,												
				JXTD3, UNC3X,												
				JNCSX, ULDD3,												
	Virtual collegation, Chapiel Access 9 LINE areas connect nor			J1TS1, ULDS1,												
	Virtual collocation - Special Access & UNE, cross-connect per			JDLSX, UNLD3	CND3X	56.25	151.90	11.83					19.99	19.99		
\vdash	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			JULOA, UNLUS	CINDOX	56.∠5	151.90	11.83	 				19.99	19.99		
	Support Structure, per linear foot			AMTFS	VE1CB	0.0023			Ì			1		I	I	
\vdash			P	AIVIIFS	VEICB	0.0023								 	 	
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		.	NATES	VE1CD	0.0004			Ì			1		I	I	
\vdash	Cable Support Structure, per linear ft		P	AMTFS	VE1CD	0.0034			1			ļ		 	 	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		l J.	MATEC	VE400		FF0 40		Ì			1	10.00	I	I	
\vdash	Support Structure,per cable		Α	AMTFS	VE1CC		553.43						19.99			
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		553.43						19.99			
	Virtual Collocation Cable Records - per request		Α	AMTFS	VE1BA		1,706.00	1,706.00								
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record		Α	AMTFS	VE1BB		922.38	922.38								
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		18.00	18.00								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records - DS3, per T3TIE		Α	AMTFS	VE1BE		29.49	29.49								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		278.61	278.61								
	Virtual collocation - Security Escort - Basic, per half hour		Α	AMTFS	SPTBX		41.00	25.00					19.99	19.99		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					19.99	19.99		
	Virtual collocation - Security Escort - Premium, per half hour		Α	AMTFS	SPTPX		55.00	35.00					19.99	19.99		
	Virtual collocation - Maintenance in CO - Basic, per half hour		Α	AMTFS	CTRLX		30.64	30.64					19.99	19.99		
	Virtual collocation - Maintenance in CO - Overtime, per half hour		Α	AMTFS	SPTOM		35.77	35.77					19.99	19.99		
	Virtual collocation - Maintenance in CO - Premium per half hour	L	Α	AMTFS	SPTPM		40.90	40.90	<u> </u>			<u> </u>	19.99	19.99		
VIRTUAL C	OLLOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
L l	Wire Analog - Res	L !	lu	JEPSR	VE1R2	0.30	12.60	12.60	<u> </u>	<u></u>	<u></u>	<u></u>	18.94	8.42	<u> </u>	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
L l	Wire Line Side PBX Trunk - Bus	L !	lu	JEPSP	VE1R2	0.30	12.60	12.60	<u> </u>	<u></u>	<u></u>	<u></u>	18.94	8.42	<u> </u>	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
1 1	Voice Grade PBX Trunk - Res		L	JEPSE	VE1R2	0.30	12.60	12.60	Ì		I	1	18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus		l lι	JEPSB	VE1R2	0.30	12.60	12.60	Ì			1	18.94	8.42	I	
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN		l lι	JEPSX	VE1R2	0.30	12.60	12.60	Ì			1	18.94	8.42	I	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN		L	JEPTX	VE1R2	0.30	12.60	12.60	Ì		I	1	18.94	8.42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1		l lι	JEPEX	VE1R4	0.50	12.60	12.60	Ì			1	18.94	8.42	I	
VIRTUAL C	OLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting		l lι	JEPSR, UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30		1	19.99	19.99	I	
PHYSICAL	COLLOCATION			•												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
1 1	Splitting		ι	JEPSR, UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99		
AIN SELEC	TIVE CARRIER ROUTING			· · · · · ·					İ	İ				1	İ	
	Regional Service Establishment		S	SRC	SRCEC		391,788.00		İ		İ		19.99	19.99	19.99	19.99

LINBLIN	IDI FI	D NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	ibit: C
ONDON	DLL	NETWORK ELLMENTO - Georgia	1			1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	'K I	RATE ELEMENTS	m	Zone	BC3	0300			KAIL3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash			1					Nonrec		Monroourrin	g Disconnect			000	Rates(\$)		Ь
\vdash			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		End Office Establishment	-		000	SRCEO		320.53		FIrst	Addi	SOMEC	SOMAN				
-			-		SRC				320.53					19.99	19.99	19.99	
		Line/Port NRC, per end user			SRC	SRCLP	0.000110	2.06	2.06					19.99	19.99	19.99	19.99
		Query NRC, per query			SRC		0.000448										
AIN - BE	LLSOU	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		29.66	29.66					18.94	18.94		
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		29.66	29.66					18.94	18.94		
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		84.43	84.43					18.94	18.94		
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		35.44	35.44					18.94	18.94		
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
		AIN SMS Access Service - Session, Per Minute					0.0795604										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute					2.08										
AIN - BE	LLSOL	JTH AIN TOOLKIT SERVICE				ĺ											
		AIN Toolkit Service - Service Establishment Charge, Per State,															1
		Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8.348.00	8.348.00					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						- ,									
		DN, Term, Attempt				BAPTT		19.13	19.13					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ (1 1 D		114.00	114.00					10.04	10.04		
		DN, Off-Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI IIVI		13.13	13.13					10.34	10.34		
		DN, 10-Digit PODP				BAPTO		70.06	70.06					18.94	18.94		
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		70.00	70.00					10.34	10.34		
		DN. CDP				BAPTC		70.06	70.06					18.94	18.94		
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPIC		70.06	70.06					10.94	10.94		
		DN. Feature Code				BAPTF		70.06	70.06					18.94	18.94		
			-			BAPIF	0.0000000	70.06	70.06					18.94	18.94		
-		AIN Toolkit Service - Query Charge, Per Query	-				0.0209223										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
\vdash		Subscription, Per Node, Per Query					0.0053137										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1											
\vdash		Account, Per 100 Kilobytes	ļ	.			1.46										↓
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1														
\vdash		Subscription	ļ	.	CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		↓
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service				L											
\vdash		Subscription	<u> </u>		CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				1											
		Subscription			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		<u> </u>
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1			1						<u> </u>					
		Service Subscription			CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		<u> </u>
		(TENDED LINK (EELs)															
		New Density Zone 1 EELs are available in the following MSA					Atlanta, Ga; Nev	v Orleans, LA,									
		Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
		In all states, EEL network elements shown below also apply t												UNEs.(Non-re	curring rates	do not apply	·.)
		In All States the EEL network elements apply to ordinarily con				Switch As Is Cha	arge.) When or	dering ordinar	ily combined r	network eleme	nts, Non-recuri	ring rates do	apply.				
2	-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
		First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
		Combination - Zone 1	1	1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed				1											1
		Transport Combination - Zone 2	1	2	UNCVX	UEAL2	19.45	104.14	78.10			ĺ		18.94	8.42		
\vdash		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed												10.01	0.12		

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: C
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
														1st		Disc 1st	Disc Add'l
							Rec	Nonred First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Per Mile						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		per month			UNC1X	1L5XX	0.4523										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
		DS1 Channelization System Per Month			UNC1X	MQ1	126.22	10.00	0.00					40.04	0.40		
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			ONOVA	OL/ ILZ	10.04	104.14	70.10					10.04	0.42		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month	1		UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	1.17	12.02	0.00					10.94	0.42		
		Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVA	UEAL4	25.70	206.95	170.57					10.94	0.42		
		Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.4523										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
		Month			UNC1X	MQ1	126.22										
		Voice Grade COCI - DS1 to DS0 Channel System combination -			0.10174		120.22										
		per month			UNCVX	1D1VG	1.17	12.02	8.66								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
		Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	UEAL4	25.70	200.93	170.57					10.94	0.42		
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
		Voice Grade COCI - DS1 to DS0 Channel System combination -															
		per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	-		UNC1X	UNCCC		12.97	11.27					45.46	15.72		
f	4-WIRE	15 Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE				12.97	11.27					45.46	15.72		
	. *****	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice				'											
Ш_		Transport Combination - Zone 1	<u></u>	1	UNCDX	UDL56	25.75	384.56	241.20				<u> </u>	18.94	8.42	<u> </u>	
		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20		1			18.94	8.42		
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	0.1007	30130	41.21	304.30	241.20		 	 		10.34	0.42		
		Per Month			UNC1X	1L5XX	0.4523										
		Interoffice Transport - Dedicated - DS1 - combination Facility															
		Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIA	IVIQI	126.22				1						
		month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
ı		Interoffice Transport Combination - Zone 1	<u></u>	1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		<u> </u>

ATTECHN RATE LEMENTS March Lements Lement Lements Lement Lements Lement	UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Fyhi	bit: C
Although Part Par	ONDONDE											Svc Order	Svc Order				
NATE REMEMBY 1 19 19 19 19 19 19 19 19 19 19 19 19 1																	
CATESTON APPLIED NAME APPLIED			Indan:														Manual Svo
Second S	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
No. Part P			m						.,,			per Lor	per Lor				
Part Part																	
Model First Adel South														ist	Add I	DISC 1St	DISC Add I
Model First Adel South							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
Interestics Transport Confessions - Zone 2 2 DNCDX UDL56 29.74 284.86 241.20 19.94 6.42							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
### Additional Annies Richogo Englist Greek Lockers anno RES 3 JACDX U.0.56 47.27 39.4.96 241.20 18.9.4 6.42 1		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
Biosoftha Transport Contribution - Zone 3 UNCDX UNCDX UND 1.68 2.42 1.69 6.40 1.60 6.40 6.40 1.60 6.40 6.40 1.60		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
OCUDIF COLI (page)		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
Decomposition per month (2.4 decs)		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
Note		OCU-DP COCI (data) - DS1 to DS0 Channel System -															
Is Charge					UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
### STATES AND CONTROL LOOP WITH DESIGNATED OSI INTEROFFICE TRANSPORT (EEL) First 4-Vire 60/000 plagel date Loop in SST Interdice 1 UNCOX UDL64 25.73 348.55 241.20 16.94 6.42 1.94		Nonrecurring Currently Combined Network Elements Switch -As-	-														
First A-Wise Selfold Digital Carde Loop in a DST Interoffice 1 M/CDX UDL64 25.75 349.55 241.20 118.94 8.42								12.97	11.27					18.94	8.42		
Transport Combination - Zone 1 1 UNCOX UDLE4 25.75 348.55 241.20 18.94 8.42	4-WIR		INTERC	FFICE	TRANSPORT (EEL)	1											
First A-Wire 640kp Digital Grade Loop in a DS1 Interoffice 2 UNCDX UDL64 29.74 348.55 241.20 18.84 8.42			1	1													1
Transport Confrontation - Zone 2			ļ	1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42	ļ	
First A-Wive BRODG Digital Grade Loops in a DS1 Interedities 3 UNCDX	1		1							1							1
Transport Continuation - Zone 3 UKCDX ULGAS 47.27 348.55 241.20 18.94 8.42			ļ	2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42	ļ	
Metrofite Transport Control System OSI to DSC Combination - Per Mile No.C1X LLSXX 0.4523			1							_]	1]	1
Per Month			ļ	3	UNCDX	UDL64	47.27	348.55	241.20	1				18.94	8.42		
Interoffice Tampport - Decidicates DSI Combination - Facility Termination Per Month UNCIX U1TF1 78.47 194.63 141.51 33.63 27.49 19.88 11.8																	
Termination Per Month UNCIX UTF1 78.47 194.63 141.51 33.63 27.49 18.89 11.8			<u> </u>		UNC1X	1L5XX	0.4523										1
Channelsziator - Channel System DS1 to DS0 Combination Per Month																	
Month					UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
OCULPO COCI (data) - IS\$ to DSO Channel System ONCDX 1010D 1.86 12.02 8.66 18.94 8.42																	
Combination - per month (2.4-64-bbs)					UNC1X	MQ1	126.22										
Additional A-Wire Distribution Combination - Zone 1																	
Interdifice Transport Combination - Zone 1					UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
Additional 4-Wire 640ps Digital Grade Loopin same DS1 2 UNCDX UDL64 29.74 348.55 241.20 18.94 8.42																	
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 18.94					LINODY	1101.04	00.74	0.40 55	044.00					40.04	0.40		
Interoffice Transport Combination - Zone 3					UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
OCUL-DP_COCI (data) - DSI to DS0 Channel System combination - per month (2.444kbs) UNCIX				2	LINCDY	LIDL 64	47.07	240 55	244.20					10.04	0.40		
Combination - per month (2-4-64kbs)				3	UNCDA	UDL04	41.21	340.33	241.20					10.94	0.42		-
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X					LINCDY	1D1DD	1 96	12.02	9.66					19.04	0 12		
Scharge	-	Nonrecurring Currently Combined Network Floments Switch As			UNCDA	טטוטו	1.00	12.02	0.00					10.94	0.42		
A-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)					LINC1Y	LINCCC		12 07	11 27					15.16	15 72		
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 1 UNC1X USLXX 55.53 443.20 138.69 18.94 8.42	4-WIR		FROFFI	CF TR		014000		12.31	11.27	1				43.40	10.72		
Transport - Zone 1			<u> </u>	1	(
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 2 UNC1X			1	1	UNC1X	USLXX	55.53	443,20	138.69	1				18.94	8,42		1
Transport - Zone 2	1		1				22.00			İ				12.01		İ	
A-Wire DS1 Digital Loop in Combination with DS1 Interoffice 3 UNC1X	1		1	2	UNC1X	USLXX	64.13	443.20	138.69	1				18.94	8.42		1
Transport - Zone 3								_									
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X	1	Transport - Zone 3	1	3	UNC1X	USLXX	101.93	443.20	138.69	I				18.94	8.42	1	1
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 78.47 194.63 141.51 33.63 27.49 19.88 11.8	ĺ																
Termination Per Month]		<u>L</u>	<u></u>	UNC1X	1L5XX	0.4523			<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	1
Nonrecurring Currently Combined Network Elements Switch -As-																	
Is Charge			<u></u>	<u></u>	UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)			-														1
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 UNC1X						UNCCC		12.97	11.27					45.46	15.72		
1	4-WIR		EROFFI	CE TRA	NSPORT (EEL)												
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X USLXX 64.13 443.20 138.69 18.94 8.42 First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 101.93 443.20 138.69 18.94 8.42 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 2.72		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1							_]	1]	1
2 UNC1X		1	ļ	1	UNC1X	USLXX	55.53	443.20	138.69	.				18.94	8.42		
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 101.93 443.20 138.69 18.94 8.42 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 2.72 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 788.00 198.45 153.15 37.55 37.55 18.03 18.0 DS3 to DS1 Channel System combination per month UNC3X MO3 137.73 196.66 204.61 18.94 8.42		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1							1							1
3 3 UNC1X USLXX 101.93 443.20 138.69 18.94 8.42		2	!	2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 2.72 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 788.00 198.45 153.15 37.55 37.55 18.03 18.04 18.05		First DS1Loop in DS3 Interoffice Transport Combination - Zone	1		LINIOAN	1101.307	404.00	440.00	100.00	I				40.01	0.10	Ì	1
Per Month		State-Wise Transport Dedicated BOO continues 5 177	<u> </u>	3	UNC1X	USLXX	101.93	443.20	138.69	-				18.94	8.42	 	
Interoffice Transport - Dedicated - DS3 - Facility Termination per UNC3X			1		LINGOV	41.5707	0.70			I				1	1	1	1
month UNC3X U1TF3 788.00 198.45 153.15 37.55 37.55 18.03 18.0 DS3 to DS1 Channel System combination per month UNC3X MQ3 137.73 196.66 204.61 18.94 8.42			1	1	UNC3X	1L5XX	2.72			 				-	-	-	
DS3 to DS1 Channel System combination per month UNC3X MQ3 137.73 196.66 204.61 18.94 8.42	1		1		LINICOV	LIATES	700.00	400.45	450.45	1				07.55	07.55	40.00	40.00
		monar	1	1						 						18.03	18.03
		DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month	l	1	UNC1X	UC1D1	137.73	196.66	8.66	 		 	 	18.94	8.42	 	

CATEGORY	ED NETWORK ELEMENTS - Georgia															bit: C
CATEGORY											Svc Order	Svc Order	Attachment: Incremental		Incremental	
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
1	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									,		Electronic-	Electronic-	Electronic-	Electronic-
İ													1st	Add'l	Disc 1st	Disc Add'l
															-100 101	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	ALIE IROU I ROOL W. T	<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINGAY	1101.307	55.50	440.00	400.00					40.04	0.40		
———	Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
\vdash	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	USLAA	04.13	443.20	130.09					10.54	0.42		
	Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		İ
	DS3 Interface Unit (DS1 COCI) combination per month		Ü	UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			O. CO. IX	00.5.	11.02	12.02	0.00					10.01	02		
	Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		İ
2-WIF	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		L
	2-WireVG Loop used with 2-wire VG Interoffice Transport															1
$\vdash \vdash \vdash$	Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		└
1 I	2-WireVG Loop used with 2-wire VG Interoffice Transport				1											1
	Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per				41 =>04											İ
	Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade					4-0-	=									
\vdash	combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08	1				18.94	18.94		├
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		12.97	11.27					45.46	15.72		İ
4-10/15	IS Charge RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	FEDOEE	ICE TO		UNCCC		12.97	11.27					45.46	15.72		
4-4411	4-WireVG Loop used with 4-wire VG Interoffice Transport	LKOFF	ICE IN	I												
	Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
 	4-WireVG Loop used with 4-wire VG Interoffice Transport			ONOVA	OLAL	22.20	200.95	170.57					10.54	0.42		
	Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		İ
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
DS3 I	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	I (EEL)	1				-				ļ	ļ		├
1 1	High Capacity Unbundled Local Loop - DS3 combination - Per			LINGOV	41 END	0.00			I			1				1
\vdash	Mile per month High Capacity Unbundled Local Loop - DS3 combination -	-		UNC3X	1L5ND	8.90			 							
1 1	Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40	1			1	37.55	37.55	18.03	18.03
\vdash	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X UNC3X	1L5XX	390.34	039.50	420.40	 	1	1		37.55	31.55	18.03	18.03
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	1		014037	1LUAA	2.12			 	1						
1 1	Termination per per month			UNC3X	U1TF3	788.00	198.45	153.15	I			1	37.55	37.55	18.03	18.03
	Nonrecurring Currently Combined Network Elements Switch -As-	1				. 00.00		.00.70	t	1			550	51.50		
1 1	Is Charge			UNC3X	UNCCC		12.97	11.27	1				45.46	15.72		1
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSPO													
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month	<u> </u>		UNCSX	1L5ND	8.90			<u> </u>	<u> </u>			<u></u>	<u></u>		<u> </u>
	High Capacity Unbundled Local Loop - STS1 combination -															1
$\vdash \vdash \vdash$	Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
1 1	Interoffice Transport - Dedicated - STS1 combination - Per Mile								1							1
$\vdash \vdash \vdash$	per month			UNCSX	1L5XX	2.72			1							└
1 1	Interoffice Transport - Dedicated - STS1 combination - Facility				==0	====			1						40	
$\vdash \vdash$	Termination per month	<u> </u>		UNCSX	U1TFS	783.63	198.45	449.91	-				37.55	37.55	18.03	18.03
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	LINICCO		40.07	44.07	I			1	45 40	45.70		1
2 14/17	Is Charge RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	DT (EE'		UNCSX	UNCCC		12.97	11.27	 			 	45.46	15.72		
Z-WIR	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	\1 (EEL	_		+				 			 				
	Transport - Zone 1	1	1	UNCNX	U1L2X	21.89	233.38	180.38	I			1	18.94	8.42		1

UNBU	IDLF	D NETWORK ELEMENTS - Georgia												Attachment:	2	Fyhi	bit: C
3.1201												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.4523										
		Interoffice Transport - Dedicated - DS1 combintion - Facility															
		Termination per month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
		Channelization - Channel System DS1 to DS0 combination -															
		per month			UNC1X	MQ1	126.22										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	l	1	LINIONIV	110404	0.07	10.00	0.00					00.00	07.40	10.00	11.5-
\longmapsto		combination - per month	1	1	UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
1		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l		LINICNIV	1141.07	04.00	000.00	400.00]				40.04	0.40	1	1
\vdash		Combination - Zone 1	l	7	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42	-	├
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINIONIV	1141.07	05.07	222.20	400.00					40.04	0.40		
\vdash		Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	2	UNCNX	U1L2X	25.27	233.38	180.38	 				18.94	8.42	 	
		Combination - Zone 3	l	3	UNCNX	U1L2X	40.17	233.38	180.38]				18.94	8.42	1	1
-		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCINA	UTLZA	40.17	233.30	100.30					10.94	0.42		
		combintaion- per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCINA	OCICA	3.37	12.02	0.00					33.03	21.45	19.00	11.03
		Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
	1-WIRE	EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	FICE T		ONCCC		12.31	11.21					40.40	10.72		
	*- VV II.\L	First DS1 Loop in STS1 Interoffice Transport Combination -	LINOI	I IOL I	KANOI OKI (EEE)	+				1							
		Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
		First DS1 Loop in STS1 Interoffice Transport Combination -															
		Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
		First DS1 Loop in STS1 Interoffice Transport Combination -													¥,		
		Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
		Interoffice Transport - Dedicated - STS1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	2.72										
		Interoffice Transport - Dedicated - STS1 combination - Facility															
		Termination			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.03
		STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	196.66	204.61					37.55	37.55	18.08	18.03
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
		Additional DS1Loop in STS1 Interoffice Transport Combination -															
		Zone 1	ļ	1	UNC1X	USLXX	55.53	443.20	138.69	ļ				18.94	8.42	ļ	
1		Additional DS1Loop in STS1 Interoffice Transport Combination -	l	_]						1	1
\longmapsto		Zone 2	ļ	2	UNC1X	USLXX	64.13	443.20	138.69	ļ				18.94	8.42		├
1		Additional DS1Loop in STS1 Interoffice Transport Combination -	l	_	LINIOAV	LIOLACE	,]						1	1
\vdash		Zone 3	 	3	UNC1X	USLXX	101.93 11.02	443.20	138.69					18.94	8.42 8.42	 	├
\vdash		DS3 Interface Unit (DS1 COCI) combination per month	 	-	UNC1X	UC1D1	11.02	12.02	8.66	 				18.94	8.42	 	
1		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	l		UNCSX	UNCCC		12.97	11.27]				45.46	15.72	1	1
 	L-WIDE	is charge 5 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FEICE 1	BVNG		UNCCC		12.37	11.27	+				45.46	15.72	1	
$\vdash \vdash \vdash$	* **!!\[4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		NAINO	UNI (LLL)	1				 				1	1	1	
		Combination - Zone 1	l	1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		1
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	<u> </u>		32200	20.70	304.00	2-71.20					10.54	0.72	1	t
		Combination - Zone 2	l	2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42	Ì	1
\vdash		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	l	 −				2200	20						22	1	
		Combination - Zone 3	l	3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		1
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -								i i							
		Per Mile	l	1	UNCDX	1L5XX	0.0222							Ì	Ì	Ì	1
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination	<u></u>	<u></u>	UNCDX	U1TD5	16.45	147.07	111.75	<u> </u>				33.63	27.49	19.88	11.85
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
I	-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	l	1		1											1
		Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20			<u>l</u>	<u>l</u>	18.94	8.42]	

UNB	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhi	bit: C
														Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	DISC Add I
							B	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	<u> </u>													
		Per Mile			UNCDX	1L5XX	0.0222										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1	OHODA	120701	0.0222										
		Facility Termination			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.85
		Nonrecurring Currently Combined Network Elements Switch -As-	1	<u> </u>	UNCDA	01106	10.43	147.07	111.75					33.03	21.49	19.00	11.00
			1		LINODY			40.07	44.07					45.40	45.70		
		Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
ADDII		NETWORK ELEMENTS	<u> </u>	<u> </u>			<u> </u>										
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
	Nonre	curring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each comb	ination)											
		Nonrecurring Currently Combined Network Elements Switch -As-	1												1		
L	<u> </u>	Is Charge - 2 wire/4-Wire VG	<u> </u>	<u></u>	UNCVX	UNCCC		12.97	11.27		<u></u>		<u> </u>	18.94	18.94	<u></u>	L
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As-		1	011017	0.1000		12.01						10.01	10.01		
		Is Charge - DS3			UNC3X	UNCCC		12.97	11.27					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As-		1	014037	014000		12.37	11.27					10.54	10.34		
		Is Charge - STS1			UNCSX	UNCCC		12.97	11.27					18.94	18.94		
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d Dolo	Des-			r months	12.51	11.21					10.54	10.94		
	NOTE:	Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade	a - Beio	W D23:	UNCXV	uLDV2	13.91	272.07	60.43					18.94	18.94		
							13.91		60.43					18.94	18.94		
		Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4		272.07						18.94	18.94		
		Local Channel - Dedicated - DS1			UNC1X	ULDF1	38.36	356.15	312.89								
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92										
		Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	6.92										
		Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		
		al Features & Functions:															
	MULTI	PLEXERS															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66			l	l	14.75	6.55	10.70	
		2-wire ISDN COCÍ (BRITE) - DS1 to DS0 Channel Systsem - per															
		month			UDN	UC1CA	3.37	12.02	8.66			l	l	14.75	6.55	10.70	
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.17	12.02	8.66				l	14.75	6.55	10.70	
	1	DS3 to DS1 Channel System per month			UXTD3	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	
	1	STS1 to DS1 Channel System per month		1	UXTS1	MQ3	182.04	265.91	188.78	İ	İ		İ	14.75	6.55	10.70	İ
—	1	DS3 Interface Unit (DS1 COCI) used with Loop per month		 	USL	UC1D1	11.02	12.02	8.66				1	14.75	6.55	10.70	†
—	 	DS3 Interface Unit (DS1 COCI) used with Local Channel per	 	 			11.02	12.02	0.00					17.70	0.00	10.70	
		month			ULDD1	UC1D1	11.02	12.02	8.66			l	l	14.75	6.55	10.70	
<u> </u>	1	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel	-	-	OLDUI	OCIDI	11.02	12.02	0.00			 	 	14.75	0.55	10.70	-
1	1		1	1	LIATD4	LIC4D4	44.00	40.00	0.00				1	14.75	0.55	10.70	Ì
<u> </u>	CL.	per month	1	1	U1TD1	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	
<u> </u>	Sub-Le	pop Feeder	<u> </u>	<u> </u>	LINIOAV	LIODES	70.0	600.0-	100 =-				ļ				
	ļ	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	ļ		UNC1X	USBFG	79.30	203.69	128.76	124.09	34.80						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	<u> </u>	3	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN. tl	he desired features v	vill need to b	e ordered usin	g retail USOC	3								
		VOICE GRADE LINE PORT RATES (RES)	1	1				2.30		İ	İ		İ		İ	İ	İ
—	1	Exchange Ports - 2-Wire Analog Line Port- Res.		 	UEPSR	UEPRL	1.85	17.16	17.16				1	18.94	8.42		†
			1	1			1.00	17.10	17.10			·	l	10.04	0.72	l	l

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachment:	2	Evhil	bit: C
CHDOHDI	LLD ITE I WORK ELLINENTO - Georgia	I			1 1						Svc Order	Svc Order	Incremental		Incremental	Incremental
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,		Order vs.	Order vs.	Order vs.
0,11200111		m		200	5555			= = (+)			per LSR	per LSR	Order vs.	Electronic-		
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.85		17.16					18.94	8.42		
	Exchange Ports - 2-Wire Voice Georgia basic dialing port															
	without Caller ID			UEPSR	UEPWC	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port for use with															
\vdash	Caller ID - res	ļ		UEPSR	UEPWQ	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - outgoing												40			
\vdash	only	<u> </u>		UEPSR	UEPWR	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDET	4.0-	47.40	47.40				1	40.01	0.40		
	Capability	 		UEPSR	UEPRT	1.85 0.00	17.16 0.00	17.16					18.94 18.94	8.42 8.42		
H	Subsequent Activity ATURES			UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		
FEA	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
2-W	/IRE VOICE GRADE LINE PORT RATES (BUS)	-		OLFOR	OLFVI	0.00	0.00	0.00					10.54	0.42		
2-44	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	+			+											
	Bus			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OD	OLI DL	1.00	17.10	17.10					10.04	0.42		
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability			UEPSB	UEPWP	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.85	17.16	17.16					18.94	8.42		
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan															
	without Caller ID			UEPSB	UEPWD	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPBE	4.05	47.40	17.10					40.04	0.40		
\vdash	Capability					1.85	17.16	17.16					18.94	8.42		
EE,	Subsequent Activity ATURES			UEPSB	USASC	0.00	0.00	0.00					18.94	8.42		
FEA	All Available Vertical Features	1		UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		
EXC	CHANGE PORT RATES (DID & PBX)	+		OLFOD	OLFVI	0.00	0.00	0.00					10.54	0.42		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	1		UEPSE	UEPRD	1.85	17.16	17.16				 	18.94	8.42		
\vdash	2-Wire voice unbundled Georgia extended dialing port, PBX 1-	1			020	1.00	17.10	17.70				 	10.04	J.⊣Z		
	Way Outdial Trunk			UEPSE	UEPPO	1.85	17.16	17.16				1	18.94	8.42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	l		UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
\Box	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		
\Box	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD											1				
\vdash	Capable Port	 		UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDVI	4.05	47.40	47.40				1	40.04	0.40		
\vdash	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	Room Calling Port			UEPSP	UEPXM	1.85	17.16	17.16				1	18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		0L1 01	OLI AIVI	1.00	17.10	17.10	 				10.34	0.42		
	Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16				1	18.94	8.42		
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	1.85	17.16	17.16				 	18.94	8.42		
i 1		1			52.70	00	10	10					.0.04	U.7L		
	2-Wire voice unbundled Georgia basic dialing port - 1-Way				l l											

MADUROLD NITWORK ELEMENTS - Georgia Free															1			
ATE SLENETS Print One DCB USCO RATE(S) Charges Charg	UNB	INDLE	D NETWORK ELEMENTS - Georgia	1			1	1					100	00	Attachment:			
ARTEGORY PARE LLEMENTS PROPERTY OF THE CONTROL OF																		
CATEGORY SATE RENEWLY Some SC USC SATE																		
Record R	CATE	OPV	DATE ELEMENTS	Interi	Zono	BC6	HEOC			DATES(\$)								
Pack Pack	CATE	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR				
Non-control Non-control																		
No. Pirat April SOME SOMA															1st	Add'l	Disc 1st	Disc Add'l
No. Pirat April SOME SOMA								_	Nonred	urrina	Nonrecurrin	a Disconnect			oss	Rates(\$)		
Truck								Rec					SOMEC	SOMAN			SOMAN	SOMAN
2			2-Wire voice unbundled Georgia basic dialing port - 2-Way															
Trust			Trunk			UEPSP	UEPWT	1.85	17.16	17.16					18.94	8.42		
EVEN EVEN SERVICH OF CORPT 1.80 17.16 17.16 17.16 18.64 8.42			2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
Terrino Ports						UEPSP	UEPPQ	1.85	17.16	17.16					18.94	8.42		
Evidence scheduling Cooling base disting port -PRX LD																		
Terminal Protes UEPSP UE					ļ	UEPSP	UEPPS	1.85	17.16	17.16					18.94	8.42		
2-Wise voice unfunded design gent - PPX LD																		
DOD Terminal Port						UEPSP	UEPPT	1.85	17.16	17.16					18.94	8.42		
2-Vive vice unbuilded George basic dailing port - PEX.LD						LIEDOD	LIEDDII	4.05	47.40	47.40					40.04	0.40		
Terminal Soutchboard Port						UEPSP	UEPPU	1.85	17.16	17.16					18.94	8.42		-
2-Wile vote unknowled George basis damp port -PBX LD UEPSP UEPSP 1.85 17.16 17.16 18.84 8.42		1		l		LIEPSP	LIEPP\/	1 25	17 16	17 16	I				18 04	8 42		1
Terminal Switchbourd DDD Cigolable Port ILEPSP ILEP	—	 		 	1	0L1 01	OLI I'V	1.00	17.10	17.10	 	1	1		10.34	0.42		
Exchange Post Pos		1		l		UEPSP	UEPPW	1.85	17.16	17.16	I				18.94	8.42		1
FEATURES		1									†	1	1					—
Miles Mile		FEATU				02. 0.	00/100	0.00	0.00	0.00					10.01	0.12		
EXCHANGE PORT RATES (COIN)						UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched data transmission by 8-Channets associated with 2-wire ISDN ports.		EXCHA	NGE PORT RATES (COIN)															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestRevoess.			Exchange Ports - Coin Port					2.05	17.16	17.16					18.94	8.42		
UNBUNDLED LOCAL EXCHANGE SWITCHINGPORTS		NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transm	nission by B-C	hannels assoc	iated with 2	wire ISDN	oorts.			
Exchange Ports - 2-Wire DID Port Dept UEPEX UE				availa	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	etermined via	he Bona Fi	de Request/	New Business	Request Pro	cess.	
Exhange Ports - Differ Servine DID Port Servi	UNBU																	
Exhange Ports - DNTS Port - 4-Wire ISDN Port (See Notes bellow)		EXCHA																
Capability Cap						UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19.99
Exhange Ports - 2-Wire ISDN Port (See Notes below.)																		
All Features Olfered		ļ															19.99	19.99
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															39.98	39.98		
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process.		NOTE									ississ bu D C			ina ICDN -				
Exchange Ports - 2-Wire ISDN Port Channel Profiles UEPTX UEPSX UJUMA 0.00																Boguest Bro	2000	-
Exchange Ports - 4-Wire ISON DS1 Port UEPEX UEPEX 163.16 186.80 186.80 37.88 3		NOTE:		avalla	Die Only						littes will be a	T T T T T T T T T T T T T T T T T T T	ne bona ric	de Request	livew business	Request Pro	cess.	
UNBUNDLED FEMORE CALL FORWARDING CAPABILITY UNBUNDLED REMOTE CALL FORWARDING SERVICE, FESIDENCE UDubundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERC 1.85 17.16 17.16 18.94 8.42															37.88	37.88		
UNBUNDLER REMOTE CALL FORWARDING SERVICE - RESIDENCE UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE ULPVR UERAC 1.85 17.16 17.16 18.94 8.42		UNBUN		,		02. 2%	02.2/	100.10	100.00	100.00					01.00	07.00		
Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.85 17.16 17.16 18.94 8.42																		
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERIC 1.85 17.16 17.16 18.94 8.42						UEPVR	UERAC	1.85	17.16	17.16					18.94	8.42		
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.85 17.16 17.16 18.94 8.42			, , , , , , , , , , , , , , , , , , ,						-				İ					
Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.85 17.16 17.16 17.16 18.94 8.42	L_	<u></u>		<u> </u>	<u></u>						<u> </u>	<u> </u>	<u></u>	<u></u>				1
Non-Recurring						UEPVR	UERTE	1.85	17.16	17.16					18.94	8.42		
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 2.01 0.31 33.67 7.88 11.17 3.91						UEPVR	UERTR	1.85	17.16	17.16					18.94	8.42	_	
Switch-as-is		Non-Re																1
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		1		l		L	1				I]			1
Ballowed change (PIC and LPIC)	<u> </u>	ļ		!	1	UEPVR	USAC2		2.01	0.31			ļ		33.67	7.88	11.17	3.91
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.85 17.16 17.16 18.94 8.42		1		l		LIED\/D	110400		221	0.01	I]			1
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.85 17.16 17.16 17.16 18.94 8.42		LINIBLIA				UEPVR	USACC		2.01	0.31								
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERC 1.85 17.16 17.16 17.16 18.94 8.42		UNBUN	IDLED REMOTE CALL FORWARDING - BUS								-		1					
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERC 1.85 17.16 17.16 17.16 18.94 8.42		1	Unbundled Remote Call Forwarding Service Area Calling Bus	l		LIED\/D	LIEDAC	1 05	17 16	17.16	1				10.04	0.40		1
Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.85 17.16 17.16 18.94 8.42			Oribundled Remote Can Forwarding Service, Area Caning - bus			UEFVB	UERAC	1.00	17.10	17.10					10.94	0.42		-
Unbundled Remote Call Forwarding Service, InterLATA - Bus UEPVB UERTE 1.85 17.16 17.16 18.94 8.42			Unbundled Remote Call Forwarding Service Local Calling - Rus			HED\/R	LIERIC	1 85	17 16	17 16					18 04	8 42		
Unbundled Remote Call Forwarding Service, IntraLATA - Bus UEPVB UERTR 1.85 17.16 17.16 18.94 8.42	-	 			 						 	 						
Unbundled Remote Call Forwarding Service Expanded and UEPVB UERVJ 1.85 17.16 17.16 18.94 8.42	-	 		-	1						-	1						
Exception Local Calling		1		1	1	J_1 VD	JEININ	1.00	17.10	17.10	-	1	1	<u> </u>	10.34	0.42		—
Non-Recurring		1		l		UEPVB	UERV.J	1.85	17.16	17.16	I				18.94	8.42		1
Unbundled Remote Call Forwarding Service - Conversion - UEPVB		Non-Re		1	1			50	0	0	<u> </u>	1				JZ		t
Switch-as-is		1			1													
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVB USACC 2.01 0.31		1	Switch-as-is	l		UEPVB	USAC2		2.01	0.31	1				33.67	7.88	11.17	3.91
allowed change (PIC and LPIC) UEPVB USACC 2.01 0.31		Ì	Unbundled Remote Call Forwarding Service - Conversion with															
UNBUNDLED LOCAL SWITCHING, PORT USAGE		<u> </u>	allowed change (PIC and LPIC)	<u> </u>	<u> </u>	UEPVB	USACC		2.01	0.31	<u> </u>		<u> </u>	<u> </u>				1
	UNBU	NDLED L	OCAL SWITCHING, PORT USAGE															

UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Fvhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonre			Disconnect	001150	001111		Rates(\$)	201111	
End O	 ffice Switching (Port Usage)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Liiu O	End Office Switching Function, Per MOU					0.0016333										
	End Office Trunk Port - Shared, Per MOU					0.0001564										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006757										
	Tandem Trunk Port - Shared, Per MOU					0.0002126										
Comm	on Transport					0.000008										
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.000008								-		
UNBUNDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0004132								1		
	Based Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	mmission rule to pro	ovide Unbun	dled Local Swi	tching or Swit	ch Ports.								
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
End O	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in tl	ne Port section of the	is rate exhib	it shall apply to	all combinati	ons of loop/po	rt network ele	ments except	for UNE Coi					
	st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Curi	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	ll be those ide	ntified in the N	lonrecurring	g - Currently	Combined s	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)									-	<u> </u>			-		
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			12.59								-		
	2-Wire VG Loop/Port Combo - Zone 1		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (Res)			LIEDDY.		. =-		45.05						=		
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
-	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRC UEPRO	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		-	37.06 33.67	7.88 7.88	11.17 11.17	3.91 3.91
	2-Wire voice unburidled port outgoing only -res 2-Wire voice unburidles res, low usage line port with Caller ID			OLFKA	OLFKO	1.79	22.14	13.23	0.45	3.91			33.07	7.00	11.17	3.91
	(LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port without Caller															
	ID capability - res			UEPRX	UEPWC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res			UEPRX	UEPWQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - outgoing			LIEDDY	LIEDWD	4.70	00.44	45.05	0.45	2.04			33.67	7.88	11.17	2.04
	only 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPWR	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Capability			UEPRX	UEPRT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
FEATU				021101	02			.0.20	0.10	0.01			00.01	7.00		0.01
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFKA	USACZ		2.01	0.3100					33.07	7.00	11.17	3.91
	Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		-	12.59								-		
 	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		-	12.59				1	-	-		1		
 	2-Wire VG Loop/Port Combo - Zone 2		3			21.62								+		
UNE L	oop Rates		Ť			252				1				1		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47										
<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83				ļ				ļ		ļ
2-Wire	Voice Grade Line Port (Bus)															L

IINP	INDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Evh:	bit: C
UND	JNDLL		1	l								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Auu i
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
-		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPBX	UEPWD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
-		2-Wire voice unbundled Georgia basic dialing port for use with			OLFBX	OLFWD	1.75	22.14	13.23	0.45	3.91			33.07	7.00	11.17	3.51
		Caller ID - bus			UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Incoming Only Port without Caller ID			OLI DX	OLI WI	1.70	22.17	10.20	0.40	0.01			00.07	7.00	11.17	0.01
		Capability			UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	IRES															
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		2.01	0.3108								
	ADDIT	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	0.14//DE	Activity NUMBER LINE BOOK (RES. DRY)			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-													
	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			12.59			-							
-	+	2-Wire VG Loop/Port Combo - Zone 1		2			14.26					1					
		2-Wire VG Loop/Port Combo - Zone 2		3		+	21.62			†							
	UNFI	pop Rates					21.02										
	0	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.80										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12.47										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia extended dialing port, PBX 1-															
	<u> </u>	Way Outdial Trunk			UEPRG	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY				1									ļ		
<u> </u>	I	Local Number Portability (1 per port)		<u> </u>	UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
<u> </u>	FEATU		<u> </u>	<u> </u>	LIEDDO	LIEDVE	0.00	0.00	0.00	-				00.00	7.00	44 :-	0.01
	NONE	All Features Offered	!	-	UEPRG	UEPVF	0.00	0.00	0.00	 				33.67	7.88	11.17	3.91
-	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>			+				-				-	-		-
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	1	1	UEPRG	USAC2		2.01	0.3108	1				33.67	7.88	11.17	3.91
-	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		OLI NG	USAUZ		2.01	0.5106	1		1	1	33.07	1.00	11.17	3.91
	1	Conversion - Switch with Change	1	1	UEPRG	USACC		2.01	0.3108	I				33.67	7.88	11.17	3.91
	ADDIT	IONAL NRCs	1			30, 30		2.01	0.0100	1				55.57	7.50		0.01
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1				İ				İ		İ	
		Subsequent Activity	l		UEPRG	USAS2	0.00	0.00	0.00	1				33.67	7.88	11.17	3.91
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						-									
	<u> </u>	Group	<u></u>					14.64	14.64	<u> </u>		<u> </u>		19.99	19.99	19.99	19.99
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			•												
	UNE P	ort/Loop Combination Rates							-								
		2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	<u> </u>	2-Wire VG Loop/Port Combo - Zone 2		2			14.26			ļ							
	1	2-Wire VG Loop/Port Combo - Zone 3	ļ	3		ļ	21.62			ļ				ļ		ļ	ļ
<u></u>	UNE L	oop Rates	ļ	<u> </u>	UEDDY.	Lucau.:									ļ		
<u></u>	 	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	10.80								ļ		
	├	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEPPX	UEPLX	12.47			.				-		 	ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEPPX	UEPLX	19.83					1	l		1	1	L

LINBU	NDI F	NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	bit: C
ONDU	1DLEL	ALI WORK ELEMENTS - Georgia	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			١									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (*/			per Lon	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 2	2-Wire \	/oice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	l		LIEDDY	HEDVE	4 70	00.44	45.05	0.45	2.01	1		22.07	7.00	44.47	201
\vdash		Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	1	UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-vvire voice Unbundled 2-way PBX Hotel/Hospital Economy Administrative Calling Port	l		UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	11.17	3.91
\vdash		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	OLFFA	JLFAL	1.79	22.14	15.25	0.45	3.91	1		33.07	1.68	11.17	3.91
		Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	-	 	OLI I A	JLI AWI	1.19	22.14	10.25	0.40	3.91	 		33.07	7.00	11.17	3.91
		Discount Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 1-Way			02.17	02.70	0		10.20	0.10	0.01			00.01	7.00		0.01
		Oudial Trunk			UEPPX	UEPWS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 2-Way															
		Trunk			UEPPX	UEPWT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
		Trunk			UEPPX	UEPPQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX LD															
		Terminal Ports			UEPPX	UEPPS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX Toll															
		Terminal Ports			UEPPX	UEPPT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX LD			HEDDY	LIEDDII	4.70	00.44	45.05	0.45	0.04			00.07	7.00	44.47	0.04
		DDD Terminal Port			UEPPX	UEPPU	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port			UEPPX	UEPPV	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX LD			OLFFX	OLFFV	1.79	22.14	13.23	0.40	3.91			33.07	7.00	11.17	3.91
		Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		Tommar Cintoribodia BBB Capabio Fort			02. TX	02			10.20	0.10	0.01			00.01	7.00	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way									1			1	İ		5.51
1 1		Trunk	l		UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88	11.17	3.91
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
	FEATU						Ţ										
\vdash		All Features Offered	ļ		UEPPX	UEPVF	0.00	0.00	0.00		ļ			33.67	7.88	11.17	3.91
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	1		1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l		LIEDDY	110400		2.24	0.0400					22.27	7.00	44.47	2.24
\vdash		Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	!	 	UEPPX	USAC2		2.01	0.3108	1		-		33.67	7.88	11.17	3.91
		2-wire voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change	l		UEPPX	USACC		2.01	0.3108			1		33.67	7.88	11.17	3.91
 	ADDITIO	DNAL NRCs		 	OEI I A	30,100		2.01	0.5100	1		 		55.07	7.00	11.17	5.31
H		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1								1			1	1	1	
		Subsequent Activity	l		UEPPX	USAS2	0.00	0.00	0.00			1		33.67	7.88	11.17	3.91
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group	l					14.64	14.64			1		19.99	19.99	19.99	19.99
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.69										
\vdash		2-Wire VG Coin Port/Loop Combo – Zone 2	ļ	2			14.36			ļ							
\vdash		2-Wire VG Coin Port/Loop Combo – Zone 3	ļ	3			21.72			ļ							
 		op Rates	<u> </u>		LIEDOO	LIEDLY	10.80										1
$oxed{oxed}$		2-Wire Voice Grade Loop (SL1) - Zone 1	l	1	UEPCO	UEPLX	10.80			<u> </u>	l	l	l				l

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Fyhi	ibit: C
SINDONDE	LD NETWORK ELLINENTO Georgia	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										
2-Wir	re Voice Grade Line Ports (COIN)			LIEBOO		1.00								= 00		
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	-		UEPCO	UEFZG	1.09	22.14	15.25	0.40	3.91			33.07	7.00	11.17	3.91
	(GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976			OLI CO	OLI OA	1.03	22.14	13.23	0.43	3.31			33.07	7.00	11.17	3.31
	Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking:			02. 00	02. 02	1.00		10.20	0.10	0.01			00.01	7.00		0.01
	900/976, 1+DDD, 011+, and Local (GA)	1		UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(GA, KY, MS)	<u></u>		UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91	<u> </u>	<u> </u>	33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00					33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY			LIEDOO	LNDCV	0.05										
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										
NONE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
	Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
-+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI CO	OOAOZ		2.01	0.5100					33.07	7.00	11.17	3.31
	Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88	11.17	3.91
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (I	RES)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.69										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			21.30			ļ				ļ	ļ	ļ	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		1	32.77							 	 	 	ļ
UNE	Loop Rates	 	4	HEDED	LIECEO	10.01							 	 	 	ļ
\longrightarrow	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	 	1 2	UEPFR UEPFR	UECF2 UECF2	16.84 19.45							ļ	 	 	+
-+-	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFR	UECF2	30.92				-			-	1	1	
2-Wir	re Voice Grade Line Port Rates (Res)	 	J	OLFIN	ULUI'Z	30.92			 				1	1	1	1
2-4411	2-Wire voice unbundled port - residence	1		UEPFR	UEPRL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
-+	2-Wire voice unbundled port with Caller ID - res	1		UEPFR	UEPRC	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	3.91
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundles res, low usage line port with Caller ID													1	İ	
	(LUM)	1		UEPFR	UEPAP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - res			UEPFR	UEPWC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port for use with	l]]]	
\longrightarrow	Caller ID - res	ļ		UEPFR	UEPWQ	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
1	2-Wire voice unbundled Georgia basic dialing port - outgoing	1														_
	only	ļ		UEPFR	UEPWR	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
INTE	ROFFICE TRANSPORT	 			1								 	 	 	ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		HEDED	LIATVO	47.00	70.01	00.00					1	1	1	
-+	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 		UEPFR	U1TV2	17.07	79.61	36.08								
I	or Fraction Mile	1		UEPFR	1L5XX	0.0222							1	1	1	
1				OLFIN	ILUAA	0.0222			1	1	ĺ	1	1	1	1	i .
EEAT	TURES					i										

UNBU	JNDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	1	Incremental		Incremental Charge -	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEDED	110400		00.00	00.00					00.07	7.00	44.47	0.04
	-	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	PORT (USACC		93.03	93.03					33.07	7.00		
		rt/Loop Combination Rates	1	J. (.	300)												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.69								1		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			21.30								1	Ì	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			32.77					İ					
		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.84										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	19.45										
		2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFB	UECF2	30.92										
		/oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	-	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPFB	UEPWD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with			OLFIB	OLFWD	1.05	121.33	93.20	0.43	3.91			33.07	7.00	11.17	3.91
		Caller ID - bus			UEPFB	UEPWP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY			OLITB	OLI WI	1.00	121.00	55.20	0.40	0.01			00.07	7.00	11.17	0.01
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFB	U1TV2	17.07	79.61	36.08								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFB	1L5XX	0.0222										
	FEATU																
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED													-		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
-	1	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		OLFID	USAGZ		93.03	93.63			1	1	33.07	7.68	11.17	3.91
		Combination - Conversion - Switch with change			UEPFB	USACC		93.83	93.83								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1					55.55	55.50						1	1	1
		rt/Loop Combination Rates	1														
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.69										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			21.30										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.77										
	UNE Lo	op Rates	1														
<u> </u>	1	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	16.84					ļ					ļ
<u> </u>	1	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP	UECF2	19.45					<u> </u>		ļ	-	ļ	ļ
	2-Wire	2-Wire Voice Grade Loop (SL2) - Zone 3 /oice Grade Line Port Rates (BUS - PBX)	1	3	UEPFP	UECF2	30.92					1	-	-	 	 	1
-	Z-WITE	Voice Grade Line Fort Rates (DUS - FDA)	1			+	+								+		
1		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
-		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPO	1.85	121.33	95.26	8.45	3.91	 		33.67	7.88	11.17	3.91
-		Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPFP	UEPP1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPFP	UEPXA	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91

IINRIII	NDI E	D NETWORK ELEMENTS - Georgia												Attachment	2	Euh:	bit: C
ONBUI	ADLE	DINET WORK ELEMIENTS - Georgia										Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
1												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m						- (+/			per Lak	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										1						Diac rat	Disc Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
 		D MC Val Hall - Mr. I DDVI D T						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			HEDED	HEDVE	4.0-	404.00	05.00	0.45	0.00			00.6=	7.00		201
		Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		Administrative Calling Port			UEPFP	UEPXL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
1		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLFIF	JLFAL	1.00	121.33	95.26	0.45	3.91	1	1	33.07	7.68	11.17	3.81
		Room Calling Port			UEPFP	UEPXM	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
 		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1			J = 1 / (1V)	1.00	121.00	55.20	0.40	5.91			55.57	7.50		0.01
		Discount Room Calling Port			UEPFP	UEPXO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	•	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
		Oudial Trunk			UEPFP	UEPWS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 2-Way			l	1					_				_		_
		Trunk			UEPFP	UEPWT	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
\vdash	LOCAL	NUMBER PORTABILITY			HEDED	LNDCD	0.4=	0.00	0.00	1	1			00.0=	7.00	44.4-	201
 	INITED/	Local Number Portability (1 per port) DEFICE TRANSPORT			UEPFP	LNPCP	3.15	0.00	0.00	1				33.67	7.88	11.17	3.91
+	IN I EK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1	-			1		1	1
		Termination			UEPFP	U1TV2	17.07	79.61	36.08					1		1	
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITI	UTIVE	17.07	70.01	00.00								
		or Fraction Mile			UEPFP	1L5XX	0.0222								1		
	FEATU																
		All Features Offered	1		UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		00.00	20.00					00.6=	7.00		
LINDIN	DI ED E	Combination - Conversion - Switch with change PORT/LOOP COMBINATIONS - COST BASED RATES			UEPFP	USACC		93.83	93.83	1				33.67	7.88	11.17	3.91
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT							+	1	1	1	1	 	1	
		ort/Loop Combination Rates	1							+					t		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.19				Ì			Ì	1	Ì	
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2			30.80							1		1	
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42.27										
	UNE Lo	pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.84	104.17	78.10	ļ					ļ		
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.45	104.17	78.10	1	1			 	1	 	-
 	IINE P	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 ort Rate		3	UEPPX	UECD1	30.92	104.17	104.10	1				 	 	 	
+	ONE P	Exchange Ports - 2-Wire DID Port	1		UEPPX	UEPD1	11.35	61.91	61.91	+	1	1	1	33.67	7.88	1	
 	NONRE	CURRING CHARGES - CURRENTLY COMBINED			S=11 //	25, 21	11.55	01.31	01.31	+				55.07	7.00		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -									Ì			Ì	1	Ì	
		Switch-as-is			UEPPX	USAC1		93.38	93.38					33.67	7.88	1	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
		with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38					33.67	7.88		
		ONAL NRCs					,				ļ			ļ	ļ	ļ	
	Teleph	one Number/Trunk Group Establisment Charges			HEDDY	NDT				ļ				ļ		ļ	
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00					 	-	 	
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00					1		1	
\vdash		Additional DID Numbers for each Group of 20 DID Numbers	-		UEPPX	ND4	0.00	0.00	0.00		1			1	 	1	
+		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00	+					t		
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00						1		
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00		Ì			Ì	1	Ì	
	LOCAL	NUMBER PORTABILITY									<u> </u>			<u> </u>		<u> </u>	
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT				,									
$\perp \perp \downarrow$	UNE Po	ort/Loop Combination Rates									ļ			ļ	1	ļ	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			HEDDD HERES		05.00							1		1	
\Box		UNE Zone 1	<u> </u>	1	UEPPB UEPPR		35.36										l

ATECOPY RATE LEMNTS More RATE LEMNTS MORE RAT	UNBL	JNDLE	D NETWORK ELEMENTS - Georgia													Attachment:	2	Exhi	ibit: C
Description Comparison Co					Zone	E	scs	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
April									Pos	Nonrec	urring	Nonrecurring Di	sconnect		•	oss	Rates(\$)		•
IMPLE 702 2 2 10PPE LEPPE 53.74									Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
W. SEN Digital Goods Loop VISTN Digital Tools for Port -					_														
	<u> </u>	<u> </u>			2	UEPPB	UEPPR		38.74										
Mile Loop Raises Mile Loop Raises Mile Loop Res Loop					3	UEPPB	UEPPR		53.64										
2		UNE Lo																	
2/Min SSN Opid Crash Logo: USE Zero 3 3 UCPPS USPS			2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		
2/Min SSN Opid Crash Logo: USE Zero 3 3 UCPPS USPS			O Mine IODN Divisi Occile Learn LINE 7 O		_	LIEDDD	LIEDDD	1101 01	05.07	050.00	100 77					40.00	40.00		
Display Fig. 1	<u> </u>	<u> </u>																	
Exhange Part - Wire EDN Lars Safe Part					J	OLITB	OLITIK	OOLZX	40.17	202.02	100.77					15.55	15.55		
EVALUATION SEND NOTE OF THE SIND FOR CONTROLLING SIDE POT UEPPR UEPPR USACB 0.00			Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	13.47	47.37	47.37					19.99	19.99		
Continuation - Conversion		NONRE																	
ADDITIONAL NICE Not relative/Not From the provided from the pr						LIEDDD	HEDDD	LIGACE	0.00	02.20	02.20					10.00	10.00		1
2-Wine BDM Loop / 2-Wine BDM Port Combination - Sub-Actory UEPPR USASB 165.05 10.09	-	ADDITI				UEPPB	UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		
Mon FeatureMed Trunk		ADDITI																	
Deci Number Porticiting (1 per port)			Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		
B-CHANNEL USER PROFILE ACCESS:		LOCAL																	
CVS/CSD (ONS/SESS)						UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CVS (EWSD)	<u> </u>	B-CHA				LIEDDD	LIEDDD	LIALICA	0.00	0.00	0.00								
CSD B-CHANNEL AREA PLUS USER PROFILE ACCESS; (AL,KYLA,MS SC,MS, A TN) USER TERMINAL PROFILE US																			
Service Serv																			
User Terminal Profile (EWSD only)		B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
VERTICAL FEATURES		USER 1																	
All Vertical Features - One per Channel B User Profile UEPPB UEPPF UEPPF		VEDTIC				UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
NTEROFFICE CHANNEL MILEAGE	-					HEPPR	LIEPPR	HEPVE	0.00	0.00	0.00					19 99	19 99		
Earliestermination UEPPB UEPPR MIGNC 16.47 79.61 36.08 19.99						CLITE	OLITIK	OLI VI	0.00	0.00	0.00					10.00	10.00		
Interoffice Channel mileage seath, additional mile																			
### UNIF DST Digital Loop WIN EISON DST Digital Trunk Port - UNE																19.99	19.99		
UNE Port/Loop Combination Rates	-			(BODT		UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00				0.00				
AW DS1 Digital Loop/AW ISDN DS1 Digital Trunk Port - UNE Zone 1 UEPPP 218.69 UEPPP 227.29 UEPPP 227.29 UEPPP 227.29 UEPPP 227.29				PORT								+							
Zone 1		0.1.2.1																	
Zone 2			Zone 1		1	UEPPP			218.69										
AWD S1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE 205.09 265.0					_														
Note	-				2	UEPPP			227.29										
UNE Loop Rates	1				3	LIEPPP			265.09										
4-Wire DS1 Digital Loop - UNE Zone 1		UNE Lo			Ť	, , , , ,			200.09										
A-Wire DS1 Digital Loop - UNE Zone 3 3 UEPPP USL4P 101.93 448.92 276.60 19.99 19.99 19.99																			
UNE Port Rate UPPP UEPPP UEPPP 163.16 186.80 186.80 19.99 19																			
Exchange Ports - 4-Wire ISDN DS1 Port UEPPP UEPPP 163.16 186.80 186.80 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	-	LINE D			3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED						LIEPPP		LIEPPP	163 16	186.80	186.80	+				19 99	19 99		
Combination - Conversion - Switch-as-is		NONRE	CURRING CHARGES - CURRENTLY COMBINED			OLITI		OLITI	103.10	100.00	100.00					13.33	19.99		
ADDITIONAL NRCs		Ì	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-						UEPPP		USACP	0.00	269.96	269.96					19.99	19.99		
Inward/two way Tel Nos. (except NC)	—	ADDITI			!														
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)	1				1	UEPPP		PR7TF		0.9686									
Outward Tel Numbers (All States except NC)		†			†	, , , , ,				5.5550									
Subsequent Inward Tel Numbers UEPPP PR7ZT 45.49 45.49 Subsequent Inward Tel Number		<u> </u>	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.75	22.75								
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPPP LNPCN 1.75 LOCAL Number Portability (1 per port) LNPCN 1.75 LNP		1																	
Local Number Portability (1 per port) UEPPP LNPCN 1.75	-	LOCAL			!	UEPPP		PR7ZT		45.49	45.49								
					l	UEPPP		LNPCN	1 75										+
					†	, , , , ,			1.75										

HNDH	NDI EI	O NETWORK ELEMENTS - Georgia												Attachment	•	Evhil	bit: C
UNDUI	NDLE	J NET WORK ELEMENTS - Georgia				1						Svc Order		Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted				
															Charge -	Charge -	Charge -
CATEGO	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ı	Nonrec		Nonrecurring	- Di			000	Rates(\$)		
							Rec					001150	001111			0011411	001441
		V : /B :		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
		Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
	CALL T	YPES															
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00				l				
	Interoff	ice Channel Mileage											l				
		Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523			5.50		1	1				
\vdash		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1	5020				1			1	1		
		ort/Loop Combination Rates															
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		184.93					1					
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC	+	222.73					-					
\vdash		op Rates		3	UEPDC		222.13										
	UNE LC			1	LIEDDO	1101.00	55.50	440.00	070.00					40.00	19.99		
		4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
-		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		64.13	448.92	276.60					19.99			
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
		ort Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
1 1		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71				1	19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent											l				
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel				1				İ	İ				1		
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71				1	19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan													12.00		
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71				1	19.99	19.99		
—		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan				1			201			1	1	.0.00			
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71				1	19.99	19.99		
+	BIPOI /	AR 8 ZERO SUBSTITUTION			02.00	ODITE		20.71	20.71			1		13.33	10.99		
 	D11 OL	B8ZS -Superframe Format		\vdash	UEPDC	CCOSF		0.00	600.00	 		-			 		
\vdash		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00		-	 	-	-	-		
\vdash	Altorno	te Mark Inversion	-	\vdash	OLFDO	OUCEF		0.00	000.00			 	-				
 	Aiteina			 	LIEDDC	MCOSF		0.00	0.00			 	-				
\vdash		AMI - Superframe Format		 	UEPDC							 	-				
\vdash		AMI - Extended SuperFrame Format		\vdash	UEPDC	МСОРО		0.00	0.00	ļ		1	 	-	 		
$\vdash \vdash$	ı eleph	one Number/Trunk Group Establisment Charges		\vdash	LIEDDO	LIDTOY	0.00					ļ	ļ		ļ		
\vdash		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					ļ					
\vdash		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
\vdash		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers, Establish Trunk Group and Provide First Group											1		Ì		
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00		-								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00		-								

NBUNDI F	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Fyhi	ibit: C
DUNDLL	- January - Jeorgia				1	1					Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc		Manual Svo
ATEGORI	RATE ELEMENTS	m	Zone	ВСЭ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	-	Nonrec	urring	Monrocurring	a Disconnect			088	Rates(\$)		l
					+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Nos.			UEPDC	NDC	0.00			FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Reserve DID Numbers			UEPDC	ND6 NDV	0.00	0.00	0.00								
Dodio	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00								
Deuic	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	СООР	WILLI 4-WITE DOTTS	TIUIK FOIL	-										
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Termination)			UEPDC	TLNOT	78.47	147.07	111.75					19.99	19.99		
	Intereffice Channel Mileage Additional rate per mile 0.9 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	ILINOA	0.4323	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
				UEPDC	ILNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDC	11 NOD	0.4500	0.00	0.00								
	miles	-	 	UEPDC	1LNOB	0.4523	0.00	0.00		-				-		1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEDDO	41 NGC	2.00	0.00	2.22								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
					1											
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE D	OS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	ples of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without									<u> </u>				1		
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
	m Additions at End User Locations Where 4-Wire DS1 Loop wit				ination Curre	ently Exists and										
New (Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port									<u> </u>				1		
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipola	ar 8 Zero Substitution			-												
	Clear Channel Capability Format, superframe - Subsequent									<u> </u>				1		
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only		L	UEPMG	CCOEF	0.00	0.00	600.00		<u></u>				<u></u>		
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
<u> </u>	inge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	Double Books															
Excha	inge Ports															
	inge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88	i '	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
Feat	ure Activations - Unbundled Loop Concentration														Ĺ	
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88	i '	
	Feature (Service) Activation for each Trunk Port Terminated in			OLFFX	IF Q VVIVI	0.02	25.09	13.23	3.99	3.97			33.07	7.00		
	D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88	<u> </u>	
Tele	phone Number/ Group Establishment Charges for DID Service														Ĺ	
	DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00					-		 	
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00							 	-
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability														L	
FFA	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00							 	<u> </u>
	TURES - Vertical and Optional al Switching Features Offered with Line Side Ports Only												-		 	
Loca	All Features Available		1	UEPPX	UEPVF	0.00	0.00	0.00							 	
UNBUNDLEI	D PORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	0.00	0.00	0.00								+
	ket Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or swi	tch ports pe	FCC and/or St	ate Commissio	n rules.								
	includes:															
	undled port/loop combinations that are Currently Combined or N															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda												1			1.711.881 -4
	South currently is developing the billing capability to mechanicals. BellSouth shall bill the rates in the Cost-Based section preced								ig charges for	not currently o	combined in	I FL and NO	. In the interi	m where Bell	south cannot	bili Market
	Market Rate for unbundled ports includes all available features i			lile Market Rates an	id reserves tr	le right to true-	up the billing t	interence.								Т
	Office and Tandem Switching Usage and Common Transport Us			he Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi	n Port/Loo	Combination	ns which have	a flat rate us	sage charge
	DC: URECU).	5														
	Not Currently Combined scenarios the Nonrecurring charges are	listed	in the I	First and Additional	NRC column	s for each Port	USOC. For Cu	rrently Combi	ned scenarios.	the Nonrecur	ring charge	s are listed	in the NRC - 0	Currently Con	nbined section	n.
	itional NRCs may apply also and are categorized accordingly.										5 5					
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
-	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			26.47 33.83										+
LINE	Loop Rates		3			33.83									 	+
OIVE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80							†			
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47									[1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
2-Wi	re Voice Grade Line Port (Res)														L	<u> </u>
	2-Wire voice unbundled port - residence	ļ	1	UEPRX	UEPRL	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRC UEPRO	14.00 14.00	90.00 90.00	90.00					33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
-	2-Wire voice unbundles res, low usage line port with Caller ID			ULFKX	OLFRO	14.00	90.00	90.00					33.07	7.00	11.17	3.91
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port without Caller											1				
	ID capability - res			UEPRX	UEPWC	14.00	90.00	90.00			ļ		33.67	7.88	11.17	3.91
1 1 -	2-Wire voice unbundled Georgia basic dialing port for use with														1	
\vdash	Caller ID - res			UEPRX	UEPWQ	14.00	90.00	90.00			<u> </u>		33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPRX	UEPWR	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled Low Usage Line Port without Caller ID	<u> </u>		OLI IXX	OLI WIX	14.00	90.00	50.00			1	 	33.07	7.00	11.17	3.91
	Capability			UEPRX	UEPRT	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										ļ
	TURES	1	i	I	1	i			1		1	1	1		i '	1
FEA	All Features Offered		1	UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91

IINRI	INDI FI	NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	ibit: C
CIVE	MULL	NETWORK ELLINERTO Georgia										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec	Manually				Manual Svc
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 2011	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	ADDIT	change			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
	ADDITI	ONAL NRCs				+					-	ļ					
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	2 WIDE	Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKX	USA52	0.00	0.00	0.00		-	ļ		33.07	7.88	11.17	3.91
		ort/Loop Combination Rates				_											
-	ONE PO	2-Wire VG Loop/Port Combo - Zone 1	}	1		+	24.80				+	}		 	1	 	
-	 	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	2		+	26.47			1	 	1		t	1	t	1
-	1	2-Wire VG Loop/Port Combo - Zone 3	 	3		+	33.83			1	 	1	 	 	l .	 	1
-		op Rates	 	3		+	33.03			1	 	1		t	1	t	1
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPBX	UEPLX	10.80			1	t	1		t	 	t	1
		2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPBX	UEPLX	12.47				-			-	†	-	<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPBX	UEPLX	19.83				<u> </u>			<u> </u>	†	<u> </u>	
	2-Wire	Voice Grade Line Port (Bus)		_	02. 5%	02. 2.	10.00						1				
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					33.67		11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port, without															
		Caller ID capability - bus			UEPBX	UEPWD	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - bus			UEPBX	UEPWP	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Switch with			HEDDY	110466					I						
<u> </u>	ADDIT	change	 	<u> </u>	UEPBX	USACC		41.50	41.50	1	!	}		33.67	7.88	11.17	3.91
<u> </u>	ADDITE	ONAL NRCs	 	<u> </u>		1				1	!	}		!	ļ	!	1
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00		1			33.67	7.88	11.17	3.91
-	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	-	ULFDA	USASZ	-	0.00	0.00	-	-			33.67	1.88	11.17	3.91
-		ort/Loop Combination Rates	 			+				1	 	1		t	1	t	1
\vdash	JINE PO	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	24.80				 			 	 	 	1
-	+	2-Wire VG Loop/Port Combo - Zone 1	 	2		+	26.47			1	 	 		t	 	t	
		2-Wire VG Loop/Port Combo - Zone 3	 	3			33.83				-			-	†	-	<u> </u>
		op Rates		Ŭ		1	55.00				<u> </u>			<u> </u>	†	<u> </u>	
		2-Wire Voice Grade Loop (SL1) - Zone 1	†	1	UEPRG	UEPLX	10.80				1			1	1	1	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	12.47				1			1	İ	1	
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19.83				İ			İ	<u> </u>	İ	
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1									İ			1		
		Res	<u></u>	<u>L</u>	UEPRG	UEPRD	14.00	90.00	90.00	<u> </u>	<u> </u>	<u></u>	<u> </u>	33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia extended dialing port, PBX 1-															
		Way Outdial Trunk	<u></u>	<u>L</u>	UEPRG	UEPPO	14.00	90.00	90.00		<u> </u>	<u> </u>	<u> </u>	33.67	7.88	11.17	3.91
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	14.00	90.00	90.00		L			33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91

UNBUN	DLEI	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec		curring	Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
		Change			UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	3.9
А		ONAL NRCs															
		2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00					22.67	7.00	44.47	2.0
		Subsequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	3.9
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
2	WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						14.04	14.04					19.99	19.99	19.99	19.9
		ort/Loop Combination Rates	-	†		+				 		 		 			
		2-Wire VG Loop/Port Combo - Zone 1		1		+	24.80			 							
		2-Wire VG Loop/Port Combo - Zone 2		2			26.47										†
		2-Wire VG Loop/Port Combo - Zone 3		3		1	33.83			1				1			
U		op Rates		Ť		1	22.20							İ			
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	12.47										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	LIEDVE	44.00	00.00	00.00					00.07	7.00	44.47	0.0
		Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFA	UEFAL	14.00	90.00	90.00					33.07	7.00	11.17	3.9
		Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	14.00	30.00	30.00					33.07	7.00	11.17	3.9
		Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire voice unbundled Georgia basic dialing port - 1-Way		<u> </u>													
		Oudial Trunk		1	UEPPX	UEPWS	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire voice unbundled Georgia basic dialing port - 2-Way															
		Trunk			UEPPX	UEPWT	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
		Trunk			UEPPX	UEPPQ	14.00	90.00	90.00					33.67	7.88	11.17	3.9
		2-Wire voice unbundled Georgia basic dialing port - PBX LD		1	l	I								1			
		Terminal Ports		<u> </u>	UEPPX	UEPPS	14.00	90.00	90.00	ļ				33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX Toll			LIEDDY	LIEDST	44.00	20.00	00.00					00.6=	7.00		
		Terminal Ports		<u> </u>	UEPPX	UEPPT	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port		1	UEPPX	UEPPU	14.00	90.00	90.00					33.67	7.88	11.17	3.91
-+		2-Wire voice unbundled Georgia basic dialing port - PBX LD	-	 	ULPFA	UEPPU	14.00	90.00	90.00	+		}		33.07	7.88	11.17	3.9
		Terminal Switchboard Port			UEPPX	UEPPV	14.00	90.00	90.00					33.67	7.88	11.17	3.9
-		2-Wire voice unbundled Georgia basic dialing port - PBX LD		 	OLI I A	JEI I V	14.00	30.00	30.00	 		 		33.07	7.00	11.17	3.9
		Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	14.00	90.00	90.00					33.67	7.88	11.17	3.9
L		NUMBER PORTABILITY		†		1	50	55.50	55.50					55.57			3.0
		Local Number Portability (1 per port)		i –	UEPPX	LNPCP	3.15	0.00	0.00					İ			
F	EATU	RES															
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED															

IINBII	NDI F	O NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	bit: C
SNBU	IADEC	7 NETWORK ELEMENTS - Georgia										Svc Order	Svc Order			Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	ADDITI	Change ONAL NRCs			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
-	AUUIII	UNAL NRCS				-											
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
		2 Wire Loop/Line Side Port Combination - Subsequent			OLFFX	U3A32	0.00	0.00	0.00			1		33.07	7.00	11.17	3.91
		Subsequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	3.91
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00					00.07	7.00		0.01
		Group	1					14.64	14.64					19.99	19.99	19.99	19.99
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT											12.00	12.00		12.00
		ort/Loop Combination Rates													İ		
		2-Wire VG Coin Port/Loop Combo – Zone 1	<u> </u>	1			24.80										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.47										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.83										
	UNE Lo	op Rates							-								
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										
	2-Wire	Voice Grade Line Port Rates (Coin)															L
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin 2-Way with Operator Screening and 900/976			UEPCO	UEPGA	14.00	90.00	90.00			-		33.67	7.88	11.17	3.91
		Blocking (GA)			UEPCO	UEPGB	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin 2-Way with Operator Screening and Blocking:			OLFCO	OLFGB	14.00	90.00	90.00					33.07	7.00	11.17	3.91
		900/976, 1+DDD, 011+,and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin Outward with Operator Screening and 011Blocking			02.00	02. 0		00.00	00.00					00.01	7.00		0.01
		(GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		-						_	-								
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	<u> </u>		UEPCO	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with	1			1								l	_	l	I .
igsquare		Change	ļ		UEPCO	USACC		41.50	41.50					33.67	7.88	11.17	3.91
\vdash	AUDITI	ONAL NRCs	<u> </u>			1								-	ļ	-	-
		2 Wire Voice Crade Lean/Line Bert Combination Co.	1		UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
\vdash	2 WIDE	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	L	ODT /		USAS2		0.00	0.00	 	-	-		33.67	7.88	11.17	3.91
		voice LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	<u>e line i</u>	-UKI (I	₹ ⊑3)	+	-								1		
$\vdash \vdash \vdash$	JINE PO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1		1	30.84			1				t	1	t	t
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		1	33.45			1				t	1	t	t
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	44.92							-	†	-	-
	UNEIC	op Rates	1	Ŭ			52							<u> </u>	†	<u> </u>	<u> </u>
		2-Wire Voice Grade Loop (SL2) - Zone 1	†	1	UEPFR	UECF2	16.84							1	1	1	1
		2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	19.45				l			1	İ	1	1
		2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFR	UECF2	30.92				l			1	İ	1	1
	2-Wire	Voice Grade Line Port Rates (Res)													1		
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	160.00	125.00					37.06	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundles res, low usage line port with Caller ID	1														
		(LUM)	<u> </u>		UEPFR	UEPAP	14.00	160.00	125.00					33.67	7.88	11.17	3.91

LINBUR	IDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Euh:	bit: C
ONBOI	IDLL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port, without															
		Caller ID capability - res			UEPFR	UEPWC	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPFR	UEPWQ	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - outgoing															
		only			UEPFR	UEPWR	14.00	160.00	125.00					33.67	7.88	11.17	3.91
!	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	47.07	70.04	00.00								
-		Termination		<u> </u>	UEPFR	U1TV2	17.07	79.61	36.08								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	LIEDED	41.577	0.0000							Ì	Ì	Ì	
- -	E A T' '	or Fraction Mile		-	UEPFR	1L5XX	0.0222			 		-		 	 	 	-
	EATU	All Features Offered		-	UEPFR	UEPVF	0.00	0.00	0.00	 		-		33.67	7.88	11.17	3.91
 		IAII FEATURES OTIFIED NUMBER PORTABILITY	-	 	ULFFR	UEFVF	0.00	0.00	0.00	<u> </u>				33.07	7.88	11.17	3.91
	JUAL	Local Number Portability (1 per port)		-	UEPFR	LNPCX	0.35			-				-	-	-	-
- 	IONIDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		ULFFR	LINEUX	0.35			-				1	1	1	1
⊢	ONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				1				1	1	1	1
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	OOAOZ		95.05	33.03					33.07	7.00	11.17	5.51
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		
-	-WIRE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (OOACC		95.05	33.03					33.07	7.00		
		ort/Loop Combination Rates	<u>.</u>	J. (.	500)												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.84										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			33.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.92										
ι	JNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.84										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	19.45										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.92										
2	-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port, without			l	1									_		_
<u> </u>		Caller ID capability - bus		ļ	UEPFB	UEPWD	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port for use with			LIEDED	LIEDWD	44.00	400.00	105.00					00.00	7.00	44 :-	0.01
	0041	Caller ID - bus		<u> </u>	UEPFB	UEPWP	14.00	160.00	125.00					33.67	7.88	11.17	3.91
L	JUCAL	NUMBER PORTABILITY		-	UEPFB	LNPCX	0.05			 		-		 	 	 	-
 	NTED!	Local Number Portability (1 per port) DFFICE TRANSPORT	-	 	UEPFB	LINPUX	0.35			<u> </u>				-	-	-	
┝──╬	NI EK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-			1				-		-		1	1	1	1
		Termination			UEPFB	U1TV2	17.07	79.61	36.08								
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	OLITB	UTIVZ	17.07	13.01	30.06			1	1				
		or Fraction Mile			UEPFB	1L5XX	0.0222										
-	EATU			l	CLIID	TLOAK	0.0222										
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
- I		ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1	0.00	3.00	2.00					55.07			3.51
H		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 										1	1	1	
		Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
		Combination - Conversion - Switch with change		1	UEPFB	USACC		93.83	93.83					Ì	Ì	Ì	
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	•		30.84										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			33.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.92		-								
		pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.84		-								

LINDIA	IDI E	NETWORK ELEMENTS - Georgia												Attachma::4:	<u> </u>	E	hit. C
ONBUN	IVLE	NETWORK ELEMENTS - Georgia	ı —	1								Svc Order	Svc Order	Attachment: Incremental		Incremental	bit: C Incremental
1																	
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAILOC	11.1	NATE ELEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	19.45										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.92										
2	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP UEPFP	UEPP1 UEPLD	14.00 14.00	160.00 160.00	125.00 125.00					33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	160.00	125.00					37.06	7.88	11.17	3.91
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled PBX LD DDD Terminal Floter Forts			UEPFP	UEPXC	14.00	160.00	125.00					33.67	7.88	11.17	3.91
 		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	14.00	160.00	125.00				 	33.67	7.88	11.17	3.91
 		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1					.00.00	.20.00					55.57			5.51
		Capable Port	l		UEPFP	UEPXE	14.00	160.00	125.00				1	33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1	1								1	İ	
		Administrative Calling Port	l		UEPFP	UEPXL	14.00	160.00	125.00				1	33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 1-Way															
		Oudial Trunk			UEPFP	UEPWS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 2-Way															
L		Trunk			UEPFP	UEPWT	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	OCAL	NUMBER PORTABILITY			LIEDED	LNDOD	0.45	0.00	0.00					00.07	7.00	44.47	0.04
	NTED	Local Number Portability (1 per port) OFFICE TRANSPORT			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
	NIEK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	17.07	79.61	36.08								
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITI	UTIVZ	17.07	73.01	30.00								
		or Fraction Mile			UEPFP	1L5XX	0.0222										
F	EATU				02	120701	0.0222										
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			-												
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is	<u> </u>		UEPFP	USAC2		93.83	93.83				<u> </u>	33.67	7.88	11.17	3.91
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	3.91
		ORT/LOOP COMBINATIONS - MARKET BASED RATES													ļ		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
L	INE Po	ort/Loop Combination Rates	ļ	-			20.01			 				ļ	ļ	ļ	
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	 	1		+ +	99.84			 				1	 	 	1
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3		+ -	102.45 113.92			 				-	 	 	
 	INF! ^	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3		+	113.92			 							
⊢ ⊢	,NE LO	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.84	104.78	78.10	 					 	 	1
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	2	UEPPX	UECD1	19.45	104.78	78.10	 			 		 	 	
 		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	30.92	104.78	104.10						1	1	1
l	JNE Po	ort Rate		Ť		1		0							İ	1	İ
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	83.00	850.00	75.00					33.67	7.88		
N		CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		850.00	75.00					33.67	7.88		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	l]]	
		with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		850.00	75.00					33.67	7.88	ļ	
		ONAL NRCs													ļ	ļ	
T		one Number/Trunk Group Establisment Charges		 	LIEBBY	1				ļ					ļ		
		DID Trunk Termination (One Per Port)	1		UEPPX	NDT	0.00	0.00	0.00				l				L

IINR	INDI F	D NETWORK ELEMENTS - Georgia													Attachment:	2	Evhil	bit: C
CIND	PINDLE	D INC. WORK ELLIVIEW IS - Georgia	1					1					Svc Order		Incremental		Incremental	Incremental
			1										Submitted	Submitted		Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	E	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	Diac 1at	Disc Add I
								Rec	Nonrec		Nonrecurring					Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DID Numbers, Establish Trunk Group and Provide First Group																í
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	-	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	LOCAL	Reserve DID Numbers NUMBER PORTABILITY			UEPPX		NDV	0.00	0.00	0.00	-							
	LUCAL	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00	-							
	2-WIDE	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	DODT			LINFCF	3.13	0.00	0.00								
		ort/Loop Combination Rates	INC SIDE	FORI									1					
	ONE P	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 				1				t			 		t		
1		UNE Zone 1	1	1	UEPPB	UEPPR		81.89			I			1		I		í
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	Ė	1			355			t					1		í
		UNE Zone 2	1	2	UEPPB	UEPPR		85.27			1					1		i
	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1															i
		UNE Zone 3		3	UEPPB	UEPPR		100.17								1		ł
	UNE L	oop Rate																1
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		
																		i
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99		i .
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		
		ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	60.00	525.00	400.00					19.99	19.99		<u> </u>
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																ł
		Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00					19.99	19.99		
	ADDIT	IONAL NRCs																
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	İ		LIEDDD	UEPPR	USASB		165.95						19.99	19.99		ł
	LOCAL	Non Feature/Add Trunk NUMBER PORTABILITY			UEPPB	UEPPR	USASB		165.95		1				19.99	19.99		
	LUCAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:			UEPPB	UEPPK	LINFUX	0.35	0.00	0.00			1					
	Б-СПА	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			1					
	_	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	<u> </u>							
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	, , _ , , ,	J 1 11	2.000	5.50	0.00	0.00	t					1		í
		TERMINAL PROFILE]	,							1					1		í
	1	User Terminal Profile (EWSD only)	†		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1					1		í
	VERTIC	CAL FEATURES																í
		All Vertical Features - One per Channel B User Profile	<u> </u>		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		í .
		OFFICE CHANNEL MILEAGE																<u> </u>
1		Interoffice Channel mileage each, including first mile and	1															
		facilities termination				UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		.
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00	ļ							
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT								ļ					1		
	UNE P	ort/Loop Combination Rates	ļ				ļ											
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		LIEDDE			055 50			1					1		i
	1	Zone 1	!	1	UEPPP		1	955.53			!	-				!		
1		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	2	UEPPP			004.40			I			1		I		í
<u> </u>	+	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 		UEPPP		1	964.13			 			 				
		Zone 3	1	3	UEPPP			1,001.93			I			1		I		í
	LINE	pop Rates	1	3	UEPPP			1,001.93			+					+		
	JIVE LO	4-Wire DS1 Digital Loop - UNE Zone 1	l	1	UEPPP		USL4P	55.53	448.92	276.60	 				19.99	19.99		
-	1	4-Wire DS1 Digital Loop - UNE Zone 2	!		UEPPP		USL4P	64.13	448.92	276.60	 				19.99	19.99		
	+	4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPPP		USL4P	101.93	448.92	276.60	-				19.99	19.99		
	UNE P	ort Rate	1		J		JUL	101.00	110.02	2, 0.00	t				10.00	10.00		í
	1	Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPPP		UEPPP	900.00	1,200.00	1,200.00	<u> </u>				19.99	19.99		(
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED	1				İ		,	,,	t							ĺ
					1						1					1		

CATEGORY RATE REMINTS Dec De	LINBUNDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	bit: C
CATEGORY RATE ELEMENTS Short S	ONBONDE	D NETWORK ELEMENTS - Georgia				1						Svc Order					Incremental
## CATE CLEMENTS ## 200 BCS ## 1950 ## PATE CLEMENTS ## 200 BCS ##																	
CATEGORY RATE GLEMPITS More 2006 905																	
Bestronic Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
18			m						,			per Loix	per Lor				
Page																	
March The Digital Copy / 4-Wis SEXTA DIST Digital Trans Prof.																Disc 1st	DISC Add I
APPLICATION SPECIAL SOURCE SOURCE							Por										
Constantive Contractive South-Ask Top (Risks only) UPPP USSCOP 0.00 0.550 0.00							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL RICE																	
A-Wise District Logist To Part Suborg Reby Laboration					UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
Nearth-the way Teachers Namines (accept NC)	ADDI																
Average Aver																	
Outcomed Tal Numbers (All States cared IN)					UEPPP	PR7TF		0.9686									
Submorphism Submorphism																	
Cock Author Processor Cock					UEPPP	PR7TO		22.75	22.75								
Content Cont					LIEDDD	DDZZT		45.40	45.40								
Ducad Number Potabolity (1 per gunt)	1.004				UEPPP	PR/Z1		45.49	45.49								
Weet of Additional Test Channel UEPPP PR710 0.00	LOCA		 		LIEDDD	LNDCN	4 75							-	 	 	
Voice/Data USPPP PR71D 0.00	INITE		├		UEPPP	LINPUN	1./5						 			-	
Opini Onta	INTER		├		LIEDDD	DD71\/	0.00	0.00	0.00				 			-	
New or Additional **PC-bannel* UEPPP PRTE 0.00 0	H + + + + + + + + + + + + + + + + + + +		 							1			 	1	 	1	
New or Additional **Pi Channel	H + + + + + + + + + + + + + + + + + + +		 							1			 	1	 	1	
New or Additional - Notes Date & Channel UEPPP PR78F 0.00 22.71 19.98 19.98 19.98 19.98 19.98 19.98 19.98 19.99 19	Now				UEPPP	PR/IE	0.00	0.00	0.00								
New or Additional Popular Data & Channel	IAGM C		1	-	LIEPPP	PR7B\/	0.00	28 71		 				19 99	19 99	 	
New or Additional Invaled Data B Channel UEPPP PR76D 0.00 28.71 19.99 19.99	 		 													1	
CALL YPES																	
Invested	CALL				OLITI	TIVIDD	0.00	20.71						10.00	10.00		
Outward	OALL				LIEPPP	PR7C1	0.00	0.00	0.00								
Tiso-way UEPPP PRTCC 0.00 0																	
Interoffice Channel Mileage																	
Fixed Each Including First Mile UEPPP 1I.N1A 78 9223 147.07 111.75 0.00 19.99 19.99	Intero																
## WINE DS1 Digital Loop/ WINE DDTS TRUMK PORT UNE PORT/Loop Combination Rates WIN DS1 Digital Loop/WINE DDTS TrumK Port - UNE Zone 1					UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
A-WIRE DS1 Digital Lop/AWD DDTS Trunk Port - UNE Zone 1					UEPPP	1LN1B											
AWD St Digital Loop/AWD DRTS Trunk Port - LINE Zone 1	4-WIR																
AW DST Digital Loop/AW DDTS Trunk Port - UNE Zone 2	UNE F																
AW DST Digital Loop / AW DOTTS Trunk Port - UNE Zone 3 UEPDC USLDC S5.53 448.92 Z76.00 19.99 1																	
UNE Loop Rates																	
4-Wire DSt Digital Loop - UNE Zone 1				3	UEPDC		222.73										
A-Wire DS1 Digital Loop - UNE Zone 2 2 UEPDC USLDC 64.13 448.92 276.60 19.99 1	UNE I																
A-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 101.93 448.92 276.60 19.99																	
UNE Port Rate	-																
4-Wire DDTS Digital Trunk Port UEPDC UDDTT 750.00 1,011.43 477.87 206.70 20.70 19.99				3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DSIT STURK PORT Combination 19.99 19.	UNE		├		LIEDDC	LIDD4T	750.00	1 011 40	477.07	206.70	20.70		 	10.00	10.00	-	
4-Wire DST Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-As-Is Top 8 MSAs only UEPDC USAC4 269.96 269.96 19.99 19.	NONE		├		OLPDO	ווטטט	750.00	1,011.43	4/1.8/	∠∪6.70	20.70		 	19.99	19.99	-	
- Switch-As-Is Top 8 MSAs only 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Port Combination - Conversion with Change - Trunk Port Subsequent Senvice Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Subsequent Channel Activation/Chan - 2-Way Trunk Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD UDTTD USAND USAND UEPDC USAWB 269.96 269.96 269.96 269.96 19.99	NONK		1	1		+						1			1		
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTA 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTB 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTB 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTB 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk Word DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation Per Chan - Inward Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk Word DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan Activation Per Chan - Inward Trunk with DID			1		UEPDC	USAC4		269.96	269.96				1	10 00	19 99	1	
- Conversion with DS1 Changes Top 8 MSAs only 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation Per Chan - Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		Since 7 to 10 Top o Morto only	†		021 00	30,104		200.00	203.30				 	13.35	13.35	 	
- Conversion with DS1 Changes Top 8 MSAs only 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation Per Chan - Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1										1		I	1	
A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk Top 8 MSAs only UEPDC USAWB 269.96 269.96 19.99 1			1		UEPDC	USAWA		269.96	269.96				1	19.99	19.99	1	
Conversion with Change - Trunk Top 8 MSAs only															1	İ	
Conversion with Change - Trunk Top 8 MSAs only		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1										1		I	1	
ADDITIONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent UEPDC USAS4 147.47 147.47 147.47 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk UEPDC UDTTA 28.71 28.71 28.71 19.99		- Conversion with Change - Trunk Top 8 MSAs only	<u> </u>		UEPDC	USAWB		269.96	269.96	<u> </u>		<u> </u>	<u></u>	19.99	19.99	<u>l </u>	
Service Activity Per Service Order	ADDI	IONAL NRCs															
A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk UEPDC UDTTA 28.71 28.71 19.99 19.99								_									
Subsequent Channel Activation/Chan - 2-Way Trunk					UEPDC	USAS4		147.47	147.47								
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent UEPDC UDTTB 28.71 28.71 19.99 19.]	
Channel Activation/Chan - 1-Way Outward Trunk			<u> </u>		UEPDC	UDTTA		28.71	28.71					19.99	19.99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wout DID UEPDC UDTTC 28.71 28.71 19.99 19.99			1		l	1							1		I	1	
Activation/Chan Inward Trunk w/out DID					UEPDC	UDTTB		28.71	28.71					19.99	19.99		
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID UEPDC UDTTD 28.71 28.71 19.99 19.99			1		LIEDDO	LIDITO		00 = 1	00 = 1				1	40.00	40.00	1	
Activation Per Chan - Inward Trunk with DID UEPDC UDTTD 28.71 28.71 19.99 19.99 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	 		 		UEPDC	אועט		28.71	28.71					19.99	19.99	 	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			1		LIEDOC	LIDTTO		20.74	20.74				1	10.00	10.00	1	
			 		ULFDC	טווטט		20.71	20.71					19.99	19.99		
		Activation / Chan - 2-Way DID w User Trans	1	1	UEPDC	UDTTE		28.71	28.71				1	19.99	19.99	Ì	

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORT	RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														,,,,,,	2.00 .01	2.007.00.
						Doo	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
A14				UEPDC	CCOEF		0.00	600.00								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepi	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group	1	-	0L1 D0	00102	0.00				1	 	l		1		+
				LIEDDO	Lubz I	0.00	0.00	0.00			ĺ	l				
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dodio	ated DS1 (Interoffice Channel Mileage) -			OLI DO	INDV	0.00	0.00	0.00								
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
FX/FC																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities					******										
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
				ULFDC	ILINOZ	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	,															
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								-
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syster	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
A syst	tem can have various rate combinations based on type and nu	mber of	ports	used												
	OS1 Loop											İ		İ		
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	1		UEPMG	USLDC	64.13	0.00	0.00		1	 	l		1		1
		1		UEPMG	USLDC					 		 				
	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPIVIG	USLDC	101.93	0.00	0.00				ļ				!
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)									1					
	24 DSO Channel Capacity - 1 per DS1	<u></u>	<u></u>	UEPMG	VUM24	102.64	0.00	0.00				<u> </u>	19.99	19.99		<u> </u>
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	615.84	0.00	0.00			 	1	19.99	19.99		I
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00		†			19.99	19.99		1
		1	-							 		 				
	240 DS0 Channel Capacity - 1 per 10 DS1s	1	_	UEPMG	VUM20	1,026.40	0.00	0.00		ļ	.	 	19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00			1		19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s		L	UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99	-	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		1
Non B	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Charr	aliztic					0.00		1	 	 	10.00	13.33		1
							SIGIII			1		 				1
	imum System configuration is One (1) DS1, One (1) D4 Channe											ļ				
Multip	ples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system co	onfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without							-								
		1	l	UEPMG	USAC4	0.00	450.00	50.00		1	1	l	19.99	19.99		
	BellSouth Allowed Changes - Top 8 MSAs Only					0.00 i	430.00						15.55	13.33		
System	BellSouth Allowed Changes - Top 8 MSAs Only m Additions Where Currently Combined and New (Not Current	ly Comb	ined \	OLI WO	00/104	0.00	430.00	30.00					15.55	19.99		

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
Binal	Fea Activation - ar 8 Zero Substitution			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		
Віроїа	Clear Channel Capability Format, superframe - Subsequent				_											
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -			OLI WO	00001	0.00	0.00	000.00								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	inge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	inge Ports															
1	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00		0.00			33.67	7.88		
$\overline{}$	Line Gide Outward Grannenzed FDA Hurik Fort - Dusiness			OLFFA	OLFUA	14.00	0.00	0.00	0.00	0.00			33.07	1.08		
1	Line Side Inward Only Channelized PBX Trunk Port without DID	l		UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
Featur	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.67	7.88		
	Feature (Service) Activation for each Trunk Port Terminated in															
Talani	D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		
relepr	hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
-+-	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
-+	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only			LIEBBY												
INDUNDUED.	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>		UEPPX	UEPVF	0.00	0.00	0.00								
	at Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	indled Local S	witching or Su	itch Ports								
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					
	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ons.		
	first and additional Port nonrecurring charges apply to Not Cu												•		Additional NF	RCs may
	also and are categorized accordingly.				,		.,						,			,
	rket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ase Basis, un	til further notice	e.									
UNE-P	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91												
- IINE F	Non-Design Port/Loop Combination Rates (Design)		3	UEP91	+	21.62			 							-
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEBOA		40.0-										
			1 1	UEP91	1	18.63			1							
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
			2	UEP91		21.24										

ILINIDI INIDI F	ED NETWORK ELEMENTS Coordia												Attack	<u> </u>	F.J. 1	hit. C
ONBUNDLE	ED NETWORK ELEMENTS - Georgia	ı	ı		1						Svc Order	Sup Orde-	Attachment: Incremental		Exhil Incremental	bit: C Incremental
1																
1											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(A)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
		-	-		+	1	Nonrec		Nonrecurring	- Di			000	D-4(f)		
		-	-		_	Rec					001150	001111		Rates(\$)	0011411	0011411
	0.10/2-2.1/2/2-2-2-1/2-1-2-2-(01-4) - 7-2-2-4	-		LIEDO4	115004	40.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\longleftarrow	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	10.80										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	12.47										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19.83										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.84										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92										
UNE P																
All Sta	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
i	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
$\vdash \vdash \vdash$	Area	ļ	<u> </u>	UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1		[<u>.</u>											
igwdow	Area	ļ	 	UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
i	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
ullet	Center)2 Basic Local Area	<u> </u>	<u> </u>	UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
i	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
í I	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Georg	jia and Florida Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
i	Center)2			UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
i	Term			UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Local	Number Portability															
	Local Number Portability (1 per port)	1	1	UEP91	LNPCC	0.35			1	İ			İ	İ		İ
Featur		1	1		1				1	İ			İ	İ		İ
	All Standard Features Offered, per port	1	1	UEP91	UEPVF	0.00					1	1	1	1		
	All Select Features Offered, per port	†	t	UEP91	UEPVS	0.00	454.69						1	1		
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00					İ	İ	İ	İ		
NARS		†	t	- ·· • ·	1	0.00							1	1		
1	Unbundled Network Access Register - Combination	1	1	UEP91	UARCX	0.00	0.00	0.00			1	1	33.67	7.88		
-	Unbundled Network Access Register - Indial		1	UEP91	UAR1X	0.00	0.00	0.00		1			33.67	7.88		1
	Unbundled Network Access Register - Outdial		1	UEP91	UAROX	0.00	0.00	0.00		1			33.67	7.88		1
Misce	Ilaneous Terminations		1	- " - "		0.00	3.50	3.30		1			55.57	1.50		1
	Trunk Side		1		†	<u> </u>				1			1	1		1
<u> </u>	Trunk Side Terminations, each	†	t	UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
Intero	ffice Channel Mileage - 2-Wire		1	- " - "		5	001	331		1			55.57	1.50		1
	Interoffice Channel Facilities Termination - Voice Grade	1	1	UEP91	M1GBC	17.07					1	1	1	1		
-	Interoffice Channel mileage, per mile or fraction of mile		1	UEP91	M1GBM	0.0222				1			1	1		1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1			0.0222					1	1	1	1		
	annel Bank Feature Activations	Ĭ	1		† †	+				1			1	1		1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	1	UEP91	1PQWS	0.62										
	- 13.2.1 . Cardaon on B . Chamber Bank Control Loop Clot	 	1		~.,,	0.02										
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1		~.,,	0.02				1			1	1		1
		1	1	UEP91	1PQW7	0.62				1	ĺ	ĺ	ĺ	ĺ		
(Slot															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			DEP91	IPQW7	0.62			 							

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhil	bit: C
					T						Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
CATEGORI	KATE ELEMENTO	m	Zone	500	0000			IXATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	1	Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					+		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			ULF91	IFQVV	0.02										
	Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.62										\vdash
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	-		UEP91	IPQWA	0.62										
NOTI-	Conversion - Currently Combined Switch-As-Is with allowed				-	-										
				UEP91	USAC2		2.01	0.3108					33.67	7.88		
	changes, per port New Centrex Standard Common Block	ļ		UEP91	M1ACS	0.00	659.41	0.3108					33.67	7.88		
		-				0.00										
	New Centrex Customized Common Block	1	1	UEP91 UEP91	M1ACC	0.00	659.41 77.10		-			-	33.67 33.67	7.88 7.88		\vdash
	Secondary Block, per Block	1	1		M2CC1				-			-				\vdash
	NAR Establishment Charge, Per Occasion	1	1	UEP91	URECA	0.00	71.88		1			ļ	33.67	7.88		
	-P CENTREX - 5ESS (Valid in All States)	-	<u> </u>		1				1		1	ļ				Ь——
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-				40.50										
	Non-Design		1	UEP95		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		2	UEP95		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		3	UEP95		21.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Design		1	UEP95		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		32.71										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
	Port Rate					ļ										
All S																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local					l					l	1		Ì		1
	Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					l					l	1		Ì		1
	Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term - Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91		<u> </u>	33.67	7.88		L
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
	- Basic Local Area	<u> </u>	<u></u>	UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<u> </u>
1	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
	Basic Local Area	<u> </u>	L	UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91	<u> </u>	<u> </u>	33.67	7.88		1
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91	İ		33.67	7.88		
İ	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1		1											
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		1
İ	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1													
	Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		1
		+										l		· · · · · ·		

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: C
												Submitted	Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec First	urring Add'l	Nonrecurring Disc	connect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91	CONIEC	COMPAN	33.67	7.88	COMPAR	COMPAR
Lo		witching															
<u> </u>		Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Lo		umber Portability Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Fe	ature				OLF 93	LINFOC	0.33										
		All Standard Features Offered, per port			UEP95	UEPVF	0.00							33.67	7.88		
		All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		
NIA.		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		
NA		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	 				33.67	7.88		
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		
		aneous Terminations															
2-V		Frunk Side Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
4-V		Digital (1.544 Megabits)			OLI 33	OLINDO	11.35	01.91	01.91					33.07	1.00		
		DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71						33.67	7.88		
Int		ce Channel Mileage - 2-Wire			LIEBAE		4= 6=										
-		Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP95 UEP95	MIGBC MIGBM	17.07 0.0222										
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLF 95	IVIIGBIVI	0.0222										
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.62										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop			UEP95	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
No	n-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		2.01	0.0400					33.67	7.88		
\vdash		changes, per port New Centrex Standard Common Block	 		UEP95 UEP95	M1ACS	0.00	659.41	0.3108					33.67	7.88		
		New Centrex Standard Common Block	1		UEP95	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
		CENTREX - DMS100 (Valid in All States)					ļ										
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design)				+				 							
JON		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12.59										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		14.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		21.62										
UN		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		18.63										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		21.24										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		32.71										
UN	⊏ LO	op Rate	<u> </u>									l	l		<u> </u>		

LINBLINDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Evhil	bit: C
ONBONDE											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	10.80										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										
	Port Rate															
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1										1				1
\vdash	Area	!		UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		LIEDOD	LIEDY CO	. =-										í
\vdash	Area	!		UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1										1				1
ļ	Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1		LIEDOD	LIEDY'E	. =-										í
	Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local					. =-								=		í
	Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															ł
	Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															ł
	Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															ł
	Area			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDVA /	4.70	00.44	45.05	0.45	0.04			00.07	7.00		í
ļ	Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	LIEDVO	4.70	00.44	45.05	0.45	0.04			00.07	7.00		ł
	Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	UEPYH	1.79	20.44	45.05	0.45	2.04			22.67	7.88		í
—	Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	UEPYW	4.70	20.44	45.05	0.45	2.04			33.67	7.00		ł
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3		-	UEP9D	UEPTVV	1.79	22.14	15.25	8.45	3.91			33.07	7.88		
				UEP9D	UEPYJ	1.79	22.14	15.05	8.45	3.91			33.67	7.88		í
—	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 Basic Local Area			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		í
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			OLF3D	OLFTW	1.79	22.14	13.23	0.43	3.91			33.07	7.00		
	Basic Local Area	1		UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		í
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1		OL1 3D	521 10	1.75	22.14	10.20	0.43	5.91			55.07	7.00		
	Basic Local Area	1		UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		1
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	 		OLI 3D	JLI IF	1.19	22.14	10.20	0.40	3.91		 	33.07	1.00		
	Basic Local Area	1		UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	 			J= W	1.73	22.17	10.20	5.45	0.01		l	55.57	7.50		ſ
	Basic Local Area	1		UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1			J	1.79	22.17	10.20	5.45	5.51			55.57	7.50		í
	Basic Local Area	1		UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	†		-	1				50					1.30		í
	Basic Local Area	1		UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1												1		í
	Basic Local Area	1		UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															1
	Basic Local Area	1		UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	Ì														ĺ
	Basic Local Area	1		UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term	<u>L</u>		UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91	<u> </u>	<u></u>	33.67	7.88		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					Ī										1
	Basic Local Area	<u> </u>	<u></u>	UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91	<u> </u>	<u> </u>	33.67	7.88		<u> </u>

<u>UNBU</u> NDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
]	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
1	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															1
	2			UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	,,,,															1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	()					-										1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	, , , , , , , , , , , , , , , , , , , ,								90							1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
										-						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 THE TOICE CLASS TOR (COMMON AMERICA CTT O 7 2 2 C MICCOO) 21 C			02. 05	02	0		10.20	0.10	0.01			00.01	7.00		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Z THIS TOISE GRADET ON (COMMON AMERICATED MISECO)E; C			02. 05	020	0		10.20	0.10	0.01			00.01	7.00		+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Z THIS TOISE STAGE FOR (SCHOOL SHIPE STEET FEB HISE 10)E; S			02. 05	020	0		10.20	0.10	0.01			00.01	7.00		+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLI III	1.70	22.17	10.20	0.40	0.01			00.01	7.00		+
	Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	101111			02. 05	022	0		10.20	0.10	0.01			00.01	7.00		+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated in Griving all it of Negarin Grequivalent			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
Loca	I Switching			OLI OD	OLITIZ	1.70	22.17	10.20	0.40	0.01			00.01	7.00		+
Loou	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										+
Loca	Number Portability			OLI OD	CINECO	0.000+										+
Loou	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										+
Featu				OLI 3D	LIVI CC	0.55										+
ı eatt	All Standard Features Offered, per port	-	1	UEP9D	UEPVF	0.00							-			+
	All Select Features Offered, per port	1	1	UEP9D	UEPVS	0.00	454.69		1		1		33.67	7.88		+
	All Centrex Control Features Offered, per port	-	I	UEP9D	UEPVC	0.00	707.00				 		55.07	7.00		+
NARS		1	1		02. 10	0.00					1		 			+
NO.	Unbundled Network Access Register - Combination	1	1	UEP9D	UARCX	0.00	0.00	0.00			1		33.67	7.88		+
	Unbundled Network Access Register - Inward	l		UEP9D	UAR1X	0.00	0.00	0.00	1		1		33.67	7.88		
	Unbundled Network Access Register - Outdial	1	1	UEP9D	UAROX	0.00	0.00	0.00	1		1		33.67	7.88		+
Misc	ellaneous Terminations	1	1	021 00	J, 11 (J)	0.00	0.00	0.00	1		1		33.07	7.00		+
	re Trunk Side	1	1		+				1		1		 			+
Z-VVII	Trunk Side Terminations, each	-	I	UEP9D	CEND6	11.35					 					+
		-	+	021 00	051100	11.55			+		 	l	 	 		+
4.1/11	re Digital (1 544 Megabits)															
4-Wir	re Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		+

LINIDIIN	וחו בי	O NETWORK ELEMENTS - Georgia												Attachment:	•		bit: C
UNDUN	IDLEI	J NET WORK ELEMENTS - Georgia				1	1					Cue Onden	Cur Onden	Incremental		Incremental	
												Submitted	Submitted	_	Charge -	Charge -	Charge -
			Interi	l_					(4)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ir	nteroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	MIGBC	17.07										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0222										
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D	4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop										1	İ				
		Slot		1	UEP9D	1PQW7	0.62			1		I	İ		Ì		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			*							İ					
		Different Wire Center			UEP9D	1PQWP	0.62			1			1				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62			1			1				
 		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		1		 	5.52			t				1	1	†	
		Slot		1	UEP9D	1PQWQ	0.62			1					Ì	I	
		Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWA	0.62										
N	lon-Re	curring Charges (NRC) Associated with UNE-P Centrex			OLI 3D	II QWA	0.02										
IN.	ion-Ke	NRC Conversion Currently Combined Switch-As-Is with allowed				+	-			-						-	
		changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
-				 	UEP9D	M1ACS	0.00	659.41	0.3106			1		33.67	7.88		
		New Centrex Standard Common Block				M1ACC						ļ					
		New Centrex Customized Common Block			UEP9D		0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
		Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
		Requires Specific Customer Premises Equipment															
		ENTREX PORT/LOOP COMBINATIONS - MARKET RATES				1											
		et Rates are applied where BellSouth is not required by FCC					indled Local Sw	itching or Sw	tch Ports.								
		rring Charges for all Standard Centrex and Centrex Conrol Fo															
3	. End	Office and Tandem Switching Usage and Common Transport	Usage I	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop	port network e	elements excep	t for UNE C	coin Port/Lo	op Combinat	ions.		
4	. The f	irst and additional Port nonrecurring charges apply to Not C	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	e identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
а	pplv a	Iso and are categorized accordingly.	-			-							-	-			•
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
		ort/Loop Combination Rates (Non-Design)		1		1				1		1	1		1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		†	 			t				1	1	†	
		Non-Design		1	UEP91	1	24.80			1					Ì	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	0.	 	24.00			†		1	 		†	t	
		Non-Design		2	UEP91	I	26.47			1		I	İ		Ì		
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 		 	20.77			 	<u> </u>	1				 	
		Non-Design		3	UEP91	1	33.83			1							
-	INF Da	ort/Loop Combination Rates (Design)		- 3	OLI 31	†	33.03			t	1	1			 	 	
H-10	F.C	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		†	 			t	1	1			 	 	
		Design		1	UEP91	1	30.84			1					Ì	I	
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '-	OLI 31	+	30.04			 	}	1	 	1	 	 	
		2-wire vg Loop/2-wire voice Grade Port (Centrex)Port Combo -		2	UEP91	1	33.45			1					Ì	I	
		_ + + · g · ·	-		OLFSI	 	33.45			 	 	1	-			 	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91	I	44.92			1		I	l		Ì		
-	INE ! -	Design op Rate		3	OLF91	+	44.92				1	-			-	 	
-				4	LIEDO4	LIECC4	40.00			1	1	 	 		 	1	
		2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP91	UECS1	10.80			 	1	1		-	1	 	
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	12.47			1	1	1				1	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19.83				ļ	1					
—		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.84				ļ	ļ					
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	19.45			ļ		<u> </u>				ļ	
\perp		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92			1						1	
	JNE Po					1						Į	ļ				
Α		es (Except North Carolina and Sout Carolina)				1											
1 1		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		

UNRI	JNDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Fyhi	bit: C
3.400	,110LL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire				1											
	<u> </u>	Center)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOA	LIEDV7	44.00	00.00	45.00	00.00	40.00			00.07	7.00		
		Term - Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOA	LIEDVO	44.00	00.00	45.00	00.00	40.00			00.07	7.00		
		- Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
l		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area	1		UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88	Ì	
	Georgi	a and Florida Only	-	 	OLFSI	UEPTZ	14.00	90.00	45.00	∠0.00	10.00	 		33.07	7.88	-	-
-	Georgi	2-Wire Voice Grade Port (Centrex)	-	 	UEP91	UEPHA	14.00	90.00	45.00	20.00	10.00	 		33.67	7.88	-	-
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	14.00	90.00	45.00	20.00	10.00	1	1	33.67	7.88		
	1	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		+	UEP91	UEPHB	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88	1	1
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		 	OL1 01	JEI IIII	14.00	30.00	40.00	20.00	10.00	 		33.07	7.00	 	
		Center)2			UEP91	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 0.	02	1 1.00	00.00	10.00	20.00	10.00		1	00.01	7.00		
		Term			UEP91	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
	NARS	Historia III I November 1 Access Decision Complete Comple			LIEDOA	LIADOV	0.00	0.00	0.00					00.07	7.00		
	<u> </u>	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Indial			UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00	-	-	1		33.67 33.67	7.88 7.88		
	Miccell	Unbundled Network Access Register - Outdial laneous Terminations	-	 	UEP91	UARUX	0.00	0.00	0.00	-	-	 		33.67	7.88	-	-
		Trunk Side	-	1		+				+	+	}	-	+	 	1	1
	Z-VVIIE	Trunk Side Trunk Side Terminations, each	-	1	UEP91	CENA6	11.35	61.91	61.91	+	+	}	-	33.67	7.88	1	1
	Interef	fice Channel Mileage - 2-Wire		+	OL1 01	OLIVAU	11.35	01.31	01.31	 	 	1		33.07	7.00	1	1
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	17.07			-	-	1	<u> </u>	I	I	 	
	 	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0222			1	1			1	1	1	
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		-					1	1			1	1		İ
		annel Bank Feature Activations															1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	<u> </u>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop]	
	1	Slot			UEP91	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1				I	I			I	I	1	
	ļ	Different Wire Center			UEP91	1PQWP	0.62				
		Francisco Autoritario de Bildon de B			LIEBOA	400000				I	I			I	I	1	
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDO4	400000	0.00			I	I			I	I	1	
	 	Slot		ļ	UEP91	1PQWQ	0.62			.	!	}		!	!	 	
	Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWA	0.62			 	 	1	-	 	 	 	
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	-	 		+				-	-	 				-	
		Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		2.01	0.3108	I	I			33.67	7.88	1	
1	1	New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41	0.3100	 	 	1	 	33.67	7.88	1	1
	1	THOM CONTROL CIANUARA COMMINION DIOCK		l .	OLI 31	WITHOU	0.00	005. 4 1		1	1	1	1	33.07	1.00	1	L

UNBUNDU	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Evhil	bit: C
CIADOIADE	LD IAL I WORK LELINENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zana	BCS	usoc			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svo
CATEGORI	RATE ELEWIENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec		Nonrecurring	- Dianamant			000	Rates(\$)		
						Rec					001150	001111			0011411	001111
	N 0 1 0 1 10 B						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
	Non-Design		1	UEP95		24.80										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		26.47										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1			l					1	İ	Ì			1
	Non-Design		3	UEP95		33.83										
UNE	Port/Loop Combination Rates (Design)							-								
I T	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													1		1
	Design		1	UEP95		30.84										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		33.45										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		44.92										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
UNF	Port Rate		Ť	02. 00	02002	00.02										
All St					+	1					1					
7	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
+	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
+	2-Wire Voice Grade Port (Centrex ede termination)			OL: 00	OLI ID	14.00	50.00	40.00	20.00	10.00	1		00.01	7.00		
	Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 93	OLI III	14.00	30.00	45.00	20.00	10.00			33.07	7.00		
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
-				OLI 93	OLI TIVI	14.00	30.00	45.00	20.00	10.00			33.07	7.00		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area		1	UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	OLF 30	ULF 1Z	14.00	90.00	45.00	20.00	10.00	+	 	33.07	1.08		1
	- Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		1	33.67	7.88		
\vdash	2-Wire Voice Grade Port Terminated on 800 Service Term -		-	OLPSO	UEF19	14.00	90.00	45.00	∠0.00	10.00			33.07	7.88		
1			1	LIEBOE	LIEDVO	44.00	00.00	45.00	20.22	40.00	1	İ	22.07	7.00		1
	Basic Local Area		-	UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00	1	 	33.67	7.88		-
FL &	GA Only	-	-	LIEDOE	LIEDLIA	11.00	20.00	45.00	00.00	10.00	1		20.65	7.00		-
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	14.00	90.00	45.00	20.00	10.00		ļ	33.67	7.88		ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
 	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	l	1				1		1	İ		l _		1
igwdows	Center)2			UEP95	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	l	1				1		1	İ		l _		1
\vdash	Term			UEP95	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
1			1			l					1	İ	Ì			1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Local	Switching												ļ			l
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Local	Number Portability							-								
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35		-								
Featu								-								
T	All Standard Features Offered, per port			UEP95	UEPVF	0.00							33.67	7.88		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		
l l	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		

IINRII	NDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Evk:	bit: C
CIABO	NULE	NETWORK ELEMENTS - Georgia	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
1			1			1						Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
			l											1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring		g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		
		aneous Terminations															
		Trunk Side				L											
		Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
		Digital (1.544 Megabits)			LIEBOE	MALIDA.	400.00	00.44	50.40					00.07	7.00		
		DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71		-	-			33.67	7.88		
-	merom	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1	\vdash	UEP95	MIGBC	17.07			+	+	-		1	+	+	
<u> </u>		Interoffice Channel mileage, per mile or fraction of mile	-		UEP95	MIGBM	0.0222			-	-			-	-	-	
		e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF93	IVIIGDIVI	0.0222										
		nnel Bank Feature Activations	Ĭ			1				 	 			1	t	t	
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
-		Catalo / Stration on D-4 Shariner Bank Senties Loop Slot	-		OL1 30	11 Q 110	0.02			-	-				-	-	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP95	1PQW6	0.62			1	1				1	1	
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.00	4	0.02										
		Slot			UEP95	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.62										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33.67	7.88		
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
		CENTREX - DMS100 (Valid in All States)															
<u> </u>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>			+				_	_			 	-	-	
-	UNE PO	ort/Loop Combination Rates (Non-Design)	1			1				 	1	-		-	1	1	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	,	LIEDOD	1	04.00			I	I			1	I	I	
—		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP9D	 	24.80			 	 				 	 	
1		Non-Design	l	2	UEP9D	1	26.47			1	1				1	1	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLF3D	1	20.47			1	1	1	1		1	1	
1		Non-Design	l	3	UEP9D	1	33.83			1	1				1	1	
—	UNF Pr	ort/Loop Combination Rates (Design)	 	٦	OLI 3D		33.03			 	 	-		 	t	t	
-	J.1.L. / C	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			1				-	-				-	-	
		Design	l	1	UEP9D	1	30.84			1	1				1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1	00.04			<u> </u>	1			1	1	1	
		Design	1	2	UEP9D	1	33.45			I	I			1	I	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1				İ	İ			İ	İ	İ	
1		Design	1	3	UEP9D	1	44.92			I	I			1	I	I	
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1	<u></u>	1	UEP9D	UECS1	10.80										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	<u></u>	3	UEP9D	UECS1	19.83										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	19.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										
		ort Rate							-								
	ALL ST																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
	O. Wire Meior Condo Book (Control 2000 to recipation) Book Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
FL & 0	GA Only			LIEDOD	LIEDLIA	44.00	00.00	45.00	20.00	40.00			22.07	7.00		
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHA UEPHB	14.00 14.00	90.00	45.00 45.00	20.00	10.00 10.00			33.67 33.67	7.88 7.88		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPHC	14.00	90.00	45.00	20.00	10.00	 		33.67	7.88		
	2-Wire Voice Grade Fort (Centrex / EBS-M5009)3			UEP9D	UEPHD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: C
0												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Manne		l Name and a committee of	. Dianamant			220	Rates(\$)		
	<u> </u>						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14.00	90.00	45.00	20.00	10.00	SOMEC	SOWAN	33.67	7.88	SUMAN	SUMAN
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						30.00									
		Indication)3			UEP9D	UEPHW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2			UEP9D	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
																	ı
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		0 M/2 - 1/2 - 0 - 1 - D - 1 (0 - 1 - 1 / 1/4 - 0 M/2 / ED0 M/2 (0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			LIEDOD	LIEBLIO	44.00	00.00	45.00	00.00	40.00			00.07	7.00		ı
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		ı
		2-Wile Voice Grade Port (Centrex/diller SVVC /EBS-W5008)2, 3			UEP9D	UEPH4	14.00	90.00	45.00	20.00	10.00	1		33.07	1.00		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		ı
-		2 Wile Voice Glade For (Centrewaller GWG/EBG Wic200)2, 0			OLI OD	OLITIO	14.00	50.00	40.00	20.00	10.00			00.01	7.00		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		2 This told diad for (control and of the feet morta), o			02. 02	02.110	1 1.00	00.00	10.00	20.00	10.00			00.01	7.00		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP9D	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		ı
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Local S	Switching															
	<u>. </u>	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										,
-	Local	Number Portability			LIEDOD	LNDOO	0.05										
	F	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	IAII Standard Features Offered, per port			UEP9D	UEPVF	0.00										
-	 	All Select Features Offered, per port		\vdash	UEP9D	UEPVS	0.00	454.69		1				33.67	7.88		
<u> </u>	 	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	-10-1.09						33.07	7.00		
	NARS	an obstacl obstacl of datalog official, per port			02. 00	CEI VO	0.00										
	1	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		
	<u> </u>	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		
		laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	11.35										
	4-Wire	Digital (1.544 Megabits)			LIEBAR	1444154	100										
	<u> </u>	DS1 Circuit Terminations, each		<u> </u>	UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
-	lm4:	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71		1				33.67	7.88		
	interof	fice Channel Mileage - 2-Wire			LIEDOD	MIGBC	17.07			-							
-	1	Interoffice Channel Facilities Termination		\vdash	UEP9D UEP9D	MIGBC	17.07 0.0222			 		-					
-	Feature	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLF 9D	IVIIGDIVI	0.0222										
-		annel Bank Feature Activations		\vdash		1				1					1		
-	U T CITE	Feature Activation on D-4 Channel Bank Centrex Loop Slot		\vdash	UEP9D	1PQWS	0.62			 			 				
	<u> </u>	- catalon on b 4 onamor bank control book			02. 00		0.02										
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										, l
					-			I									

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
						B	Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth ir	n General Term	ns and Condition	ns.	<u> </u>								

HINDHIND	LED NETWORK ELEMENTS - Kentucky												Attach		Exhi	hit. C	
ONDOND	LED NET WORK ELEMENTS - Reflucky		1	I							Svc Order	Svc Order	Attachment: 2 Incremental	Incremental	Incremental	Incremental	-
											Submitted	Svc Order Submitted	Charge -	Charge -	Charge -	Charge -	
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l	
									Manage 1	D! :				D-1(A)			
-						Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN	
The	"Zone" shown in the sections for stand-alone loops or loops as par	t of a co	ombina	tion refers to Geogra	phically Deave	eraged UNE Zo									SOWAN	SOWAN	
	://www.interconnection.bellsouth.com/become_a_clec/html/interco				,,							-,					
	IAL SUPPORT SYSTEMS																
	E: (1) Electronic Service Order: CLEC should contact its contract													y contained in	this rate exhib	oit is the	
Bell	South regional electronic service ordering charge. CLEC may elect	either th	ne state	specific Commission	n ordered rate	es for the electi	onic service or	dering charges,	or CLEC may e	lect the region	al electronic	service ord	ering charge.				
	E: (2) Any element that can be ordered electronically will be billed a																
	cannot be ordered electronically at present per the BBR-LO, the list	ed SOM	IEC rat	e in this category refle	ects the charg	ge that would b	e billed to a CLI	EC once electro	onic ordering ca	pabilities come	on-line for	that element	. Otherwise, t	he manual ord	dering charge,	SOMAN, will	
be a	pplied to a CLECs bill when it submits an LSR to BellSouth. Manual Service Order Charge, per LSR, Disconnect Only (KY)			ı	SOMAN		1		0.99		1	1			1	1	
-	Electronic OSS Charge, per LSR, Disconnect Only (KY)				SUMAN				0.99								
	interactive interfaces (Regional)				SOMEC		3.50										
UNE SERVI	CE DATE ADVANCEMENT CHARGE						2.30										
NOT	E: The Expedite charge will be maintained commensurate with Be	llSouth'	s FCC	No.1 Tariff, Section 5	as applicable).											
	UNE Expedite Charge per Circuit or Line Assignable USOC, per				00.40-							1					1
HINDHIND	Day D EXCHANGE ACCESS LOOP		-	ALL UNE	SDASP		200.00										
	RE ANALOG VOICE GRADE LOOP		-				1					1					1
12-44	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		7.86					
\vdash	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88				7.86					
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	URETA		24.16	24.16				7.86					
	(UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86					
	Unbundled Voice Loop, Unbundled Non-Design Voice Loop, billing						10.70	0.04				7.00					
	for BST providing make-up			UEANL	UEANM		13.49	13.49									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00									
	Order Coordination for Specified Conversion Time for UVL-SL1				00001												
2-W	(per LSR) IRE Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01									
2-44	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65		7.86					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	İ	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65		7.86					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86					
	Order Coordination 2 Wire Unbundled Copper Loop - Non-																
\vdash	Designed (per loop) Unbundled Copper Loop, Non-Designed Billing for BST providing		-	UEQ	USBMC		9.00	9.00									
	make-up			UEQ	UEQMU		13.49	13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88				7.86					
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16				7.86					
	CLEC to CLEC Conversion Charge Without Outside Dispatch																
UNDUNE: 5	(UCL-ND)		ļ	UEQ	UREWO		14.27	7.43				7.86					
	D EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP		-												-	-	\vdash
12-44	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-																1
L l	Zone 1		_1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86			<u> </u>	<u> </u>	<u> </u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-																
\vdash	Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86					
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86					
 	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFOR UEFOR	UEALS	15.34	40.66	22.57	∠0.05	7.05		7.86					
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-																
	Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	LIEDOD LIESOS	LIEADO		40.0-		00.0-	=							
LINIE	Zone 3 Loop Rates for Line Splitting		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86					
UNE	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	10.79											
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	15.52											
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	31.74											
	D EXCHANGE ACCESS LOOP																
2-W	IRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or																
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88		7.86					
LL_	STOCKED CHARLES ZONO 1		<u>'</u>	10-11	UL/1L4	12.07	104.08	01.07	10.00	14.00		7.00			i	i	·

NDUNULI	D NETWORK ELEMENTS - Kentucky			ı	1						r - ·	-	Attachment: 2		Exhil	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001450	001411		Rates(\$)	001441	001111
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLALL	17.40	104.00	01.07	70.00	14.00		7.00				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	17.45	134.89	81.87	70.05	14.88		7.86				
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	17.45	134.09	01.07	73.65	14.00		7.00				
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.22	23.01	01.07	70.00	11.00		7.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				
4-WIR	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				
	4-Wire Analog Voice Grade Loop - Zone 2	ļ	2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86				
_	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66		7.86				
_	Order Coordination for Specified Conversion Time (per LSR)			UEA UEA	OCOSL UREWO	 	23.01 87.72	36.36				7.86				
2-11/10	CLEC to CLEC Conversion Charge without outside dispatch EISDN DIGITAL GRADE LOOP	1		UEA	UKEWU	+	81.12	36.36	1			7.86				
Z-VVIK	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16				7.86				
2-WIR	Universal Digital Channel (UDC) COMPATIBLE LOOP		-					•								
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	 	1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
+	2-vviile oniversali Digital Gharillei (ODG) Compatible Loop - Zone 2			000	JDCZA	25.08	140.77	95.02	/1.38	13.63		7.00				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO	72.07	91.63	44.16	71.00	10.00		7.86				
2-WIR	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE L	ООР													
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry &		2	UAL	LIALOV	12.87	141.98	70.70	60.00	44.47		7.00				
+	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X OCOSL	12.87	141.98 23.01	79.73	69.02	11.47		7.86				
-	2 Wire Unbundled ADSL Loop without manual service inquiry &			O/ \L	JUUGL	I	23.01									
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				
	2 Wire Unbundled ADSL Loop without manual service inquiry &											-				
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
_	Order Coordination for Specified Conversion Time (per LSR)	\vdash		UAL	OCOSL	-	23.01		ļ			= 0-				
2 14/15	CLEC to CLEC Conversion Charge without outside dispatch	IIII E I A	OP	UAL	UREWO	 	86.20	40.40				7.86				
∠-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT 2 Wire Unbundled HDSL Loop including manual service inquiry &	IDLE LO	יטר		1	+			1							
	facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86				
1	2 Wire Unbundled HDSL Loop including manual service inquiry &			J	STILEX	0.73	101.04	00.29	00.09	11.04		7.50				
	facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry and			l	l	I .										
	facility reservation - Zone 1	 	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
	2 Wire Unbundled HDSL Loop without manual service inquiry and		^	l	11111 0147	0.50	100 71	70.50	00.00	44.51		7.00				
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86				
				I .	1	1			I		1		i l			
	facility reservation - Zone 3		2	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54		7.86				

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Submitted Elec Manually per LSR per LSR per LSR electronic- Electronic-			Exhib		Attachment: 2												S - Kentucky	IBUNDLED NETWORK ELEMENT
March Marc	narge - nual Svc der vs. ctronic-	Increment Charge Manual S Order v Electron Disc Add	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- 1st	Submitted Manually	Submitted Elec						USOC	BCS	Zone	Interim	ELEMENTS	TEGORY RATE
Col. Co. Col. Comment Charge with at centred departs UH, UH, UH, UH, UH, UH, UH, UH, UH, UH,												Rec						
Average Hard Floor FLOS Comprehensive (Comprehensive Com	MAN	SOMAN	SOMAN	SOMAN	SOMAN		SOMEC	Add'l	First									
West Unstanded 1001, Loop crediting manual service regard and process of the pr						7.86				40.40	86.14		UREWO	UHL				
Sealey reservation: Journal 1 July July 1,000 1,00													1		OP	IRLE LO		
Average Color Co		1				7.06		14.60	74.05	122.50	105 75	12.05	LILII AV	ш	4		ncluding manual service inquiry an	
Biodity wear-color 20x2 1 2 UPS, U						7.00		14.09	74.95	123.50	105.75	13.95	UHL4A	UNL			ncluding manual service inquiry an	
Wilst Introduct Introduct on State 1,000		1				7.86		14.69	74.95	123.50	185.75	15.68	UHL4X	UHL	2	1	ricidang manda service inquity an	
Description for Special Convention Time (get 128) 10.00 1.0													1				ncluding manual service inquiry an	
Wiley Undoed HTSL. Loop without manual service requiry and leady reservation—Cornel. 1 USL URLAW 1,565 164,66 114,64 77.32 15,60 7,60		1				7.86		14.69	74.95	123.50	185.75	16.98	UHL4X	UHL	3		. ,	
Subject operations											23.01		OCOSL	UHL				
Write Unknowled (DSL Logo without means) arrived requiry and hardy recent and common and arrived requiry and hardy recent and common and arrived requiry and hardy recent and common and arrived requiry and hardy recent and common and arrived requiry and hardy recent and common and arrived requiry and hardy recent and hardy recent and the property of the property		1															without manual service inquiry and	
Early viewcraded PUSE, Log without annual service regular and 2 URL W 16.08 11.04 77.22 15.00 7.86						7.86		15.80	77.32	114.04	164.95	13.95	UHL4W	UHL	1			
Wile Unknowled POSE Loop without manual service requiry and service requiry and service required in Section Consensation Time (see LSR) U.H. U.		1				7.00		45.00	77.00	444.04	404.05	45.00			_		without manual service inquiry and	
Earlier treatment control 2016 16.46 11.64 77.30 15.60 7.86 1.64 77.30 15.60 7.86 1.64 77.30 15.60 7.86 1.64 77.30 15.60 7.86 1.64 77.30 15.60 7.86 1.64 77.30 15.60 7.86 1.64 77.30 1.64	$-\!\!\!\!+\!\!\!\!\!\!+$,—— -		7.86		15.80	11.32	114.04	164.95	15.68	UHL4W	UTL	2		without manual conting inquire and	
Other Concentration Conversace Time (get LSR)		ı				7 86		15.80	77 32	114 04	164 95	16 09	LIHI 4W	шн	3		without manual service inquiry and	
CLEC to CLEC Conversion Charge without outside dispatch OH-L. UNERVO Bit 07 306.1 40.0 7.86	-+			. +		1.00		15.00	11.52	114.04		10.36			J		d Conversion Time (per LSR)	
A-Wire EST Digital Loop - Zone 1						7.86				40.40		1					arge without outside dispatch	CLEC to CLEC Conversion Ch
A-Virin DS1 Digital Loop - Zome 2																		4-WIRE DS1 DIGITAL LOOP
A-Wire DST Digital Loop - Zeron 2																	1	4-Wire DS1 Digital Loop - Zon
Other Condimination for Specified Conversion Time (per LSR) USL US																	2	4-Wire DS1 Digital Loop - Zon
CLEC to CLEC Commention Charge without custained dispatch* USL UREWO 101.00 43.04						7.86		14.55	65.83	174.44		297.76			3			
A-Wire Unburded Digital 192 Kpgs										40.04								
A Vive Urbunded Digital 12 Kips	+									43.04	101.09		UREWO	USL				
4 Were Unbranded Opjeilar 192 Kftps	+					7.00		40.00	70.04	100.00	457.04	27.50	LIDI 10	LIDI	4			
A Wire Unbunded Opties 192 Kitys 3 DUL UDL19 36.37 157.81 100.06 7.89 18.66 7.86	+		\longrightarrow															
A Wire Urbanded Digital Loop SR Kyps - Zone 1	+																	
A Wire Urbunded Digital Loop 5 Rhps - Zone 2 2 UDL UDL56 32.48 157.81 106.06 78.91 18.86 7.86	-	$\overline{}$																
Order Coordination for Specified Conversion Time (per LSR)															2			
4 Wire Unbrunded Digital Loop of 4 Khgs - Zone 1 1 UDL UDL84 27.59 157.81 166.06 78.91 18.66 7.86 4 Wire Unbrunded Digital Loop of 4 Khgs - Zone 2 2 UDL UDL84 32.48 157.81 106.06 78.91 18.66 7.86 1						7.86		18.66	78.91	106.06		36.37			3			
4 Wire Unbursided Digital Loop of KNps - Zone 2 2 UDL UDL64 32.48 157.81 106.06 78.91 18.66 78.6																		
A Wire Unburded Digital Loop 64 Khps - Zone 3 3 UDL UDL64 36.37 157.81 106.06 78.91 18.66 7.86		ь—																
Order Coordination for Specified Conversion Time (per LSR)																		
CLEC to CLEC Conversion Charge without outside dispatch UDL UREWO 102.13 49.75 7.86						7.86		18.66	78.91	106.06		36.37			3			
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 UCL UCLPB 10.82 140.95 78.70 69.09 11.54 7.86	+					7.06				40.7E								
2-Wire Urburdled Copper Loop/Short including manual service 1 UCL UCLPB 10.82 140.95 78.70 69.09 11.54 7.86			.——	. +		7.00				49.75	102.13		UKEWO	UDL		1	arge without outside dispatch	
Inquiry & facility reservation - Zone 1	+																/Short including manual service	
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		í				7.86		11.54	69.09	78.70	140.95	10.82	UCLPB	UCL	1			
Inquiry & facility reservation - Zone 2		1																
Inguiry & facility reservation - Zone 3		<u> </u>				7.86		11.54	69.09	78.70	140.95	11.79	UCLPB	UCL	2		one 2	inquiry & facility reservation - Z
Order Coordination for Unbundled Copper Loop (Short without manual service inquiry and facility reservation - Zone 1		1	. Т	. 1				T						l <u>.</u> .	_]	l T		
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 1 UCL UCLPW 10.82 120.15 67.97 69.09 11.54 7.86	<u> </u>					7.86		11.54	69.09			12.87			3			
Inquiry and facility reservation - Zone 1	$-\!\!\!\!+$									9.00	9.00		UCLMC	UCL				
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		ı				7 00		11 54	60.00	67.07	120.15	10.00	LICL BW	LICI	4			
Inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 120.15 67.97 69.09 11.54 7.86	-+	$\overline{}$				1.00		11.54	80.60	16.10	120.15	10.62	JOLPVV	UUL	-			
2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		í				7.86		11,54	69,09	67.97	120,15	11,79	UCLPW	UCL	2			
Inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 120.15 67.97 69.09 11.54 7.86		i				50			22.00	201			1					
Order Coordination for Unbundled Copper Loops (per loop)		í				7.86		11.54	69.09	67.97	120.15	12.87	UCLPW	UCL	3			
Inquiry and facility reservation - Zone 1										9.00	9.00		UCLMC	UCL			ed Copper Loops (per loop)	Order Coordination for Unbund
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 UCL UCL2L 36.94 140.95 78.70 69.09 11.54 7.86		1																
Inquiry and facility reservation - Zone 2	<u> </u>					7.86		11.54	69.09	78.70	140.95	24.91	UCL2L	UCL	1			
2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 UCL UCL2L 69.95 140.95 78.70 69.09 11.54 7.86 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.0		ı				7.00		44.54	60.00	70.70	440.05	26.04	LICLO	LICI	2			
Inquiry and facility reservation - Zone 3 3 UCL UCL2L 69.95 140.95 78.70 69.09 11.54 7.86	$-\!\!\!+\!\!\!\!+$					7.86		11.54	69.09	78.70	140.95	36.94	UULZL	UUL		 		
Order Coordination for Unbundled Copper Loops (per loop)		ı				7 26		11.54	69.09	78 70	140 95	60.05	LICI 2I	uci	3			
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 1 UCL UCL2W 24.91 120.15 67.97 69.09 11.54 7.86 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 2 UCL UCL2W 36.94 120.15 67.97 69.09 11.54 7.86	-+	$\overline{}$				1.00		11.54	03.09			03.33			J	 		
inquiry and facility reservation - Zone 1	-			. +						3.00	5.00	1	COLINIO					
2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 2 UCL UCL2W 36.94 120.15 67.97 69.09 11.54 7.86		í				7.86		11.54	69.09	67.97	120.15	24.91	UCL2W	UCL	1			
inquiry and facility reservation - Zone 2 2 UCL UCL2W 36.94 120.15 67.97 69.09 11.54 7.86		i																
2-Wire Unbundled Copper Loop/Long - without manual service		<u> </u>			_	7.86		11.54	69.09	67.97	120.15	36.94	UCL2W	UCL	2		Zone 2	inquiry and facility reservation -
inquiry and facility reservation - Zone 3 3 UCL UCL2W 69.95 120.15 67.97 69.09 11.54 7.86		1	. Т	. 1				\neg	1				1			1]		

NRUNDLE	D NETWORK ELEMENTS - Kentucky			ı	1	1						-	Attachment: 2		Exhi	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)			UCL	UREWO		97.23	42.48				7.86				
4-WIRI	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and			UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				
	facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and			OOL	OOLTO	17.50	170.01	100.00	74.55	14.00		7.00				
	facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		_1_	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - without manual service inquiry and			UUL	OOL4VV	17.30	149.52	81.33	74.95	14.09		1.00				
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL		45.70	470.01	400.00	74.0-	44.00		7.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	171.34	9.00	9.00	74.33	14.09		1.00				-
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		_1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry		_	1101	1101.40	474.04	440.50	07.00	74.05	44.00		7.00				
-	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	171.34	149.52 9.00	97.33 9.00	74.95	14.69		7.86				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL			OCL	OCLIVIC		9.00	9.00								
	Des)			UCL	UREWO		97.23	42.48				7.86				
OP MODIFIC																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC,												
	pair less than or equal to 18k ft		l	UDN, UDL, USL	ULM2L		9.24	9.24				7.86				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire					1			1							
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less				l			_								T
_	than or equal to 18K ft			UHL, UCL	ULM4L	1	9.24	9.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.47	10.47				7.86				
B-LOOPS	por disparated toop			JUL	OFINID I	 	10.47	10.47				1.00				+
	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	ı		UEANL	USBSA		207.91	207.91				7.86				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		12.50	12.50				7.86				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		80.87	80.87				7.86				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-															
+	Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD	0:	45.04	45.04	50 -:			7.86				
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				
I	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2			bit: C
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						First	Add I	FIISt	Add I	SUIVIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Zone 3	1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				
							22.22									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLITAL	OODITT	0.00	102.01	00.02	00.24	10.00		7.00				1
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	. .		UEANL	USBMC	0	9.00	9.00	50.01	7.00		7.00	-			
_	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı	-	UEANL	USBR2	2.57	68.35	22.36	59.81	7.90	-	7.86	 			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEANL	USBMC	I	9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.	L.	UEANL	USBMC		9.00	9.00	=0.0:							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	!	1	UEF UEF	UCS2X	5.45 7.06	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90		7.86 7.86				+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X UCS2X	9.67	85.03	39.05	59.81	7.90		7.86				+
	2 Wile dopper driburialed dub 2005 Bistribution 2016 0	<u> </u>		OLI	OOOZX	5.07	00.00	00.00	00.01	7.50		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Unbun	lled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23				7.86				L
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23				7.86				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			OLI	OLIVIAN		3.23	3.23				7.00				+
	Tap Removal, per PR unloaded			UEF	ULM4T		7.97	7.97				7.86				
Unbun	lled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51				7.86				L
Netwo	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47				7.86				+
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW	UND12 UND16		115.96	91.91				7.86				+
	Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	1	8.56	8.56				7.86	t			
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56				7.86				
B-LOOPS																
Sub-Lo	op Feeder	1	 	LIEA		1					1		1			
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		l	UEA, UDN,UCL,UDL,UDC	USBEW	I	207.91					7.86				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-			UEA,		1	207.01					7.00	t			
	up			UDN,UCL,UDL,UDC	USBFX		12.50	12.50				7.86				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		527.98	11.32				7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		_	LIEA	LICDE*	7.00	44400	04.01	70.01	47.01		7.00				
-	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86	 			
	Grade - Zone 2		2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				
İ	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,												İ			1
	Voice Grade - Zone 3		3	UEA	USBFA	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	-	23.01						-			
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				
-	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			ULA	OODED	1.07	114.03	04.01	12.34	17.27		7.00	 			+
	Grade - Zone 2		2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL	1	23.01						1]]	

MOUNDEE	D NETWORK ELEMENTS - Kentucky			1	1	ı					Cua Cuiti	Cue Cod	Attachment: 2		Exhil	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86				
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86				
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86	-			
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86	-			
-	Order Coordination For Specified Conversion Time, Per LSR	-	1	UDN UDC	OCOSL USBFS	13.00	23.01 131.79	80.04	74.16	16.60	 	7.86				
-+-	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	13.00 16.95	131.79	80.04 80.04	74.16 74.16	16.60		7.86	-			
_	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	28.95	131.79	80.04	74.16	16.60		7.86	-			
	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	62.57	125.43	73.68	81.82	21.56		7.86	1			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		2	USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86	l			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.01									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86				
+	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	-	3	UCL	USBFJ USBFJ	10.18 10.32	125.55 125.55	73.80 73.80	77.12 77.12	16.86 16.86	 	7.86 7.86	-			
-+-	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	10.32	23.01	13.00	11.12	10.00		7.00	1			
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2		USBFN	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.01									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86				
	Cub Loop Fooder Doy 4 Wise C4 Khoo Digital Crade Loop Zone		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2									1	l		l			
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86				
	2		_		USBFP OCOSL	23.10	125.43 23.01	73.68	81.82	21.56		7.86				
	2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR		_	UDL		23.10		73.68	81.82	21.56		7.86				
	2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR op Feeder		_	UDL UDL	OCOSL			73.68	81.82	21.56		7.86				
JB-LOOPS Sub-Lo	2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time, per LSR		_	UDL		23.10 15.38 346.30		73.68	81.82	21.56		7.86				

INDUNDLE	D NETWORK ELEMENTS - Kentucky			1		1							Attachment: 2			bit: C
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	ırrıng Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	-		UDLSX	USBF7	372.80	3,402.59	407.14	160.86	91.19	JOIVILO	7.86	JOHAN	JONAN	JOHAN	JOHAN
	Sub Loop Feeder – OC-3 – Per Mile Per Month	i		UDLO3	1L5SL	11.67	0,100.00			******						
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	- 1		UDLO3	USBF5	58.27										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	I		UDLO3	USBF2	564.68	3,402.59	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	14.36										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12 UDL12	USBF6 USBF3	658.35 1.778.00	3,402,59	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month	<u> </u>		UDL12 UDL48	1L5SL	47.11	3,402.59	407.14	160.86	91.19		7.86				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	'		UDL46	ILOGE	47.11										
	Month	1		UDL48	USBF9	330.39										
-	Sub Loop Feeder - OC-48 - Facility Termination Per Month	i		UDL48	USBF4	1,533.00	3,587.59	407.14	160.86	91.19		7.86	i	l	l	i
	Sub Loop Feeder - OC-12 Interface On OC-48	I		UDL48	USBF8	372.76	804.96	407.14	160.86	91.19		7.86				
BUNDLED I	OOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86	ļ			ļ
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	460.27	359.34	359.34				7.86				
	Unbundled Loop Concentration - System B (TR303)		-	ULC	UCT3B	86.95	149.72	149.72	20.00	0.00		7.86		1		
-	Unbundled Loop Concentration - DS1 Loop Interface Card		-	ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86		-		
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
-	Unbundled Loop Concentration - 2 Wire Voice-Loop Start or			UDC	ULCCU	1.10	10.09	10.50	0.42	0.37		7.00				
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			OL/ C	02002	1.00	10.00	10.00	0.12	0.01		7.00				
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
	(Specials Card)			UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
T OTHER !	Interface			UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				
E OTHER, I	PROVISIONING ONLY - NO RATE			UENTW	UNDBX	0.00	0.00									
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00		 				 	-	l	
				UEANL,UEF,UEQ,U												
E OTUES :	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE		-	ENTW	UNECN	0.00	0.00									
E OTHER, I	ROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,	1]										
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
							0.55								1	
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00							-	-	
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no	-		USL	CCOSF	0.00	0.00		-					1	 	
	rate			USL	CCOEF	0.00	0.00									
Н САРАСІТ	Y UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination				l											
	per month		-	UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	J		UDLSX	1L5ND	9.25									1	
-+	High Capacity Unbundled Local Loop - STS-1 - Per Mile per Month		-	UDLOA	TEUND	9.25	-						 	-	l	
	Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
OP MAKE-U		 				020.01	551.56	555.00		120.72		7.30		l	l	

UNBUN	IDLEC	NETWORK ELEMENTS - Kentucky			1		T							Attachment: 2			bit: C
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	 .	M.I. B. I. Mill I. B. II.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	5	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	c	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or spare acility queried (Mechanized)			UMK	PSUMK		0.67	0.67								
HIGH FRE		CY SPECTRUM															
LI	INE SH	ARING															
S		RS-CENTRAL OFFICE BASED															
		ine Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00		7.86				
		ine Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00		7.86				
		ine Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00		7.86				
E		ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPECT	RUM					•								
		ine Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90		7.86				
[Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)	L ¯		ULS	ULSDS		32.90	16.43				7.86				
	L	Line Sharing - per Subsequent Activity per Line															
+		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)	1		ULS ULS	ULSCS	0.61	32.90 47.44	16.43 19.31	20.67	12.74	-	7.86 7.86				
	INE SP	LITTING															
E		ER ORDERING-CENTRAL OFFICE BASED															
		ine Splitting - per line activation DLEC owned splitter	- 1		UEPSR UEPSB	UREOS	0.61										
		ine Splitting - per line activation BST owned - physical	I		UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87		7.86				
		ine Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87		7.86				
		SITE HIGH FREQUENCY SPECTRUM															
		Reserved to the Site Site Site Site Site Site Site Sit	1		ULS	ULSRB	50.83	377.71	0.00	357.29	0.00		7.86				
_		Remote Site Line Share Cable Pair Activation CLEC Owned at RS			OLO		30.03			337.23	0.00		7.00				
-		and Deactivation ER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	MAKAD	EMOT	ULS	ULSTG		74.38	0.00	46.77	0.00		7.86				
		Remote Site Line Share Line Activation for End User Served at	IWI ANA N	LEIVIOI	E SITE LINE SHAKIN	10											
	F	RS, BST Splitter	- 1		ULS	ULSRC	0.61	37.16	21.28	20.17	9.90		7.86				
		RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	37.16	21.28	20.17	9.90		7.86				
NBUND	LED D	EDICATED TRANSPORT															
		NTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billing	period	- below DS3=one mo	onth, DS3/ST	S-1=four month	ıs									
IN		FFICE CHANNEL - DEDICATED TRANSPORT															
		nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	I	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	U1TV2		47.04	24.70	22.77	0.75		7.86				
		Facility Termination nteroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1	1			29.11	47.34	31.78	22.11	8.75	 	7.86				
	F	Rev Bat Per Mile per month	ļ		U1TVX	1L5XX	0.01										
	F	nteroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86				
		nteroffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	l l	nteroffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
	l l	nteroffice Channel - Dedicated Transport - 56 kbps - per mile per						41.34	31.10	22.11	0.75		7.00				
_		nonth nteroffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115					 					
		Fermination nteroffice Channel - Dedicated Transport - 64 kbps - per mile per	-		U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75	-	7.86				
	r	month			U1TDX	1L5XX	0.0115										
		nteroffice Channel - Dedicated Transport - 64 kbps - Facility Fermination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
	I	nteroffice Channel - Dedicated Channel - DS1 - Per Mile per nonth			U1TD1	1L5XX	0.23										
		nteroffice Channel - Dedicated Tranport - DS1 - Facility Fermination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86				

	D NETWORK ELEMENTS - Kentucky				1	1					-	-	Attachment: 2		Exhi		₩
ΓEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)	N	Diversi	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
_					-	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	+
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1			1	1	FirSt	AUU I	FirSt	AUG I	JUNEC	JOWAN	JUNAN	SUNAN	JUNIAN	JUNAN	+
	month			U1TD3	1L5XX	4.97											
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	ILOXX	4.57											+
	Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86					
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per																T
	month			U1TS1	1L5XX	4.97											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility																
	Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86					₩
	CHANNEL - DEDICATED TRANSPORT	L			1												╄
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	period -	below				005 70	10.00	10.70			7.00					4
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86					+
_	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade	1		ULDVX UNDVX	ULDR2 ULDV4	18.57 19.86	265.78 266.48	46.96 47.65	46.79 47.54	4.98 5.73		7.86 7.86					+
+	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1	 	1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86					+
-	Local Channel - Dedicated - DS1 - Zone 2	 		ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86					+
	Local Channel - Dedicated - DS1 - Zone 3	1		ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86					1
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.74											T
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86					П
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.74											Γ
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86					Į
K FIBER					1												┸
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof	f															
	per month - Local Channel			UDF	1L5DC	47.01	700 50	100.07		044.07		7.00					+
	NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67		7.86					+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof	Ī		UDF	1L5DF	30.74											
	per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF	UDF14	30.74	732.53	192.67	377.27	241.67		7.86					+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof			ODF	ODF14		132.33	192.07	311.21	241.07		7.00					+
	per month - Local Loop	1		UDF	1L5DL	47.01											
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86					T
	EN DIGIT SCREENING																T
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478											Г
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX																
	Number Reserved			OHD	N8R1X		4.14	0.70				7.86					
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O																
	POTS Translations			OHD			8.78	1.18	7.08	0.86		7.86					4
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID	NOCTY		0.70	4.40	7.00	0.00		7.00					
+	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86		7.86					┿
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number	1	l	OHD	N8FCX		4.14	2.07				7.86					1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing	1		0.10	1101 07		4.14	2.07				7.00					+
	Per CXR Requested Per 8XX No.	1	l	OHD	N8FMX		4.85	2.78				7.86					1
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86					I
	8XX Access Ten Digit Screening, Call Handling and Destination																T
	Features			OHD	N8FDX		4.14	4.14				7.86					\bot
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,	<u> </u>		OHD	1	0.0006478											┸
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,	ļ		OHD		0.0006478											4
INFORMA	TION DATA BASE ACCESS (LIDB)	!		007	+	0.00000-											+
+	LIDB Common Transport Per Query	1		OQT	1	0.000023			-	-	 						╀
+	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change	 		OQU OQT, OQU	NRPBX	0.0137322	55.12		67.59			7.86	 				╁
IALING (CC		 	—	OQ1, OQU	NIN DA	1	00.12		07.39			1.00					+
(00	CCS7 Signaling Connection, Per 56 Kbps Facility	 		UDB	TPP++	20.71	43.56	43.56	22.45	22.45							+
	CCS7 Signaling Termination, Per STP Port	1		UDB	PT8SX	151.39	.0.00	.0.00	22.40	22.70							T
	CCS7 Signaling Usage, Per TCAP Message	<u> </u>		UDB		0.0000656											Γ
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86					I
																	Π
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86					L
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164											Ļ
	CCS7 Signaling Usage Surrogate, per link per LATA	<u> </u>		UDB	STU56	751.08											4
									ī	1	1	1				ı	1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86					Ļ

ONBONDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2	<u> </u>	Exhi	oit: C	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		No	RATES(\$)	N	Di	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
		1			+	Rec	Nonrec		Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	\vdash
E911 SERVICE		+	1		+		First	Add'l	First	Add'l	SOIVIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN	$\vdash \!$
-911 SERVICE	Local Channel - Dedicated - 2-wr Voice Grade	1				18.57	265.78	46.96	46.79	4.98		7.86					$\vdash \vdash$
-+	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1			+	0.0115	200.70	40.30	40.73	4.30		7.00					\vdash
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.0110											
	Termination					29.11	47.34	31.78	22.77	8.75		7.86					1
	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07		7.86					
	Local Channel - Dedicated - DS1 - Zone 2					43.39	209.60	176.51	30.21	21.07		7.86					
	Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07		7.86					Щ
	Interoffice Transport - Dedicated - DS1 Per Mile					0.23											—
	Interestina Transport Dedicated DO4 Des Facility Transporting					00.04	405.50	00.40	00.00	00.40		7.00					1
CALLING NAM	Interoffice Transport - Dedicated - DS1 Per Facility Termination E (CNAM) SERVICE	1			+	96.04	105.52	98.46	23.09	20.49		7.86					\vdash
JALLING NAME	CNAM For DB Owners - Service Establishment	+	1	OQV	1	1	25.34	25.34	23.30	23.30		7.86					\vdash
-+	CNAM For Non DB Owners - Service Establishment	1	1	OQV	1		25.34	25.34	23.30	23.30		7.86				-	\vdash
	CNAM For DB Owners - Service Provisioning With Point Code	 	1		1		20.04	20.04	20.00	20.00							$\overline{}$
	Establishment	1	L	OQV		<u> </u>	1,591.54	1,177.08	431.95	317.61		7.86	<u> </u>				<u>L</u>
	CNAM For Non DB Owners - Service Provisioning With Point																
	Code Establishment			OQV	1		546.40	393.74	438.93	317.61		7.86					Щ.
	CNAM for DB Owners, Per Query			OQV		0.0010348											Ь_
	CNAM for Non DB Owners, Per Query			OQV		0.0010348											—
	CNAM (Non-Databs Owner), NRC, applies when using the			001/	000011		505.00	=0=00				7.00					1
ND Overv Cor	Character Based User Interface (CHUI)	1		OQV	CDDCH		595.00	595.00				7.86					\vdash
NP Query Ser		<u> </u>			-	0.0008695											\vdash
	LNP Charge Per query LNP Service Establishment Manual	1	1		+	0.0006693	13.82	13.82	12.71	12.71		7.86					\vdash
	LNP Service Provisioning with Point Code Establishment	1			+		953.27	487.00	431.95	317.61		7.86					\vdash
OPERATOR C	ALL PROCESSING						000.27	101.00	101100	011.01		7.00					
1	Oper. Call Processing - Oper. Provided, Per Min Using BST																
	LIDB					1.20											Щ.
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign																1
	LIDB					1.24											—
	Oper. Call Processing - Fully Automated, per Call - Using BST																í
	LIDB	1			+	0.20											\vdash
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20											1
NWARD OPER	RATOR SERVICES	1	1		+	0.20											\vdash
	Inward Operator Services - Verification, Per Call					1.00											
	Inward Operator Services - Verification and Emergency Interrupt -																
	Per Call					1.95											
	PERATOR CALL PROCESSING																
Facility	based CLEC																—
	Recording of Custom Branded OA Announcement		<u> </u>		CBAOS		7,000.00	7,000.00				7.86					—
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	1			CBAOL		500.00	500.00				7.86]				l
UNEP (+	-		OBAUL	1	000.00	300.00	1	1		7.00				-	\vdash
ONLF (Recording of Custom Branded OA Announcement	1			1	1	7,000.00	7,000.00				7.86					
	Loading of Custom Branded OA Announcement per shelf/NAV per	-					. ,555.55	. ,500.00									
l	OCN						500.00	500.00				7.86]				l
	ding via OLNS for UNEP CLEC																
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86					二
	SSISTANCE SERVICES																Щ
	TORY ASSISTANCE ACCESS SERVICE																—
	Directory Assistance Access Service Calls, Charge Per Call	DACC)	1		 	0.275											
	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I Directory Assistance Call Completion Access Service (DACC),	DACCI	\vdash		+								 			-	\vdash
	Per Call Attempt				1	0.10											ĺ
	SSISTANCE SERVICES	1				0.70										1	$\overline{}$
	TORY ASSISTANCE DATA BASE SERVICE (DADS)				1												
	Directory Assistance Data Base Service Charge Per Listing			_		0.04											
	Directory Assistance Data Base Service, per month				DBSOF	150.00											
BRANDING - DI	IRECTORY ASSISTANCE																
BRANDING - DI	IRECTORY ASSISTANCE Based CLEC Recording and Provisioning of DA Custom Branded																

NDUNL	DLED NETWORK ELEMENTS - Kentucky	1		ı		1					I	I	Attachment: 2			bit: C
ATEGOR'	RY RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							N			Discount			000	D-1(A)		
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00	FIISt	Add I	SUMEC	7.86	SUMAN	SUMAN	SUMAN	SUMAN
IIN	NEP CLEC			AWI	CDADC		1,170.00	1,170.00				7.00				
0.1	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				7.86				
	Loading of DA Custom Branded Announcement per Switch per						0,000.00	0,000.00				7.00				
	OCN						1,170.00	1,170.00				7.86				
Uni	branding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				7.86				
	Loading of DA per Switch per OCN						16.00	16.00				7.86				
LECTIVE	E ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per															
TIIAL O	Switch COLLOCATION				USRCR	1	93.53	93.53	15.58	15.58		7.86	-			ļ .
TOAL C	Virtual Collocation - Application Cost			AMTFS	EAF	 	2,419.86	2,419.86	1.01	1.01		7.86	-			-
	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable	-		AMTFS	ESPCX	1	1,729.11	1,729.11	45.16	45.16		7.86	-			+
	Virtual Collocation - Cloor Space, per sq. ft.			AMTFS	ESPVX	7.99	1,123.11	1,720.11	45.10	40.10		7.00	1			
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.06	1						İ			1
													1			
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.38							<u> </u>			
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL,												
	Virtual Callagation 2 wire Cross Consests (lass)			UNCVX, UNCDX, UNCNX	UEAC2	0.0309	24.60	22.60	10.14	40.0F		7.00				
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0.0619	24.88	23.82	12.77	11.46		7.86				
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84		7.86				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49		7.86				
-+	Virtual Collocation - 4-Fiber Cross Conflects			USL,ULC,AMTFS,	CINC4F	7.59	31.29	39.07	19.41	10.49		7.00				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable									50						
	Support Structure, per linear foot			AMTFS	VE1CB	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.55									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.55									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02	267.02			1			
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable						·									
	record			AMTFS	VE1BB		656.37	656.37	379.70	379.70						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.65	9.65	11.84	11.84						
	Virtual Collocation Cable Records -DS1, per T1TIE				VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81	15.81	19.39	19.39			l			

INDUNDE	D NETWORK ELEMENTS - Kentucky										r -		Attachment: 2			oit: C
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		169.63	169.63	154.85	154.85						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.98	21.53								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		44.26	27.81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		54.54	34.09								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
RTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
_	Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
RTUAL COL	LOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				
IYSICAL CO	LLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95		7.86				
N SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34		7.86				
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85		7.86				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				7.86				
	Query NRC, per query			SRC		0.0037502										
N - BELLSO	JTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93		7.86				
	AINI SMS Access Services Bort Connection Dial/Chart & Access		l	A1N	CAMDP	I	8.64	8.64	40.00	40.00		7.86				
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P	+	8.64 8.64	8.64 8.64	10.03 10.03	10.03 10.03		7.86				+
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			/ \ 1 N	OAIVI I F	1	0.04	0.04	10.03	10.03		7.00				1
	ID Code		l	A1N	CAMAU	I	38.65	38.65	29.88	29.88		7.86				
	AIN SMS Access Service - Security Card, Per User ID Code,		-	/ LIIN	ONIVIAU	 	30.03	30.05	29.00	23.00		7.00				1
	Initial or Replacement			A1N	CAMRC	1	75.08	75.08	12.93	12.93		7.86				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				C/ WINCO	0.0025	70.00	70.00	12.93	12.33		7.00				1
	AIN SMS Access Service - Storage, 1 er Chit (100 Kilobytes)				 	0.666			1							1
	AIN SMS Access Service - Gession, 1 et Minute AIN SMS Access Service - Company Performed Session, Per				1	0.000			1							1
	Minute				1	0.4608			1							
N - BELLSOI	JTH AIN TOOLKIT SERVICE				1	2230			İ							İ
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC	1	43.55	43.55	44.93	44.93		7.86				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93				7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			_	BAPTT	_	8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,															
	Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,				BAPTM		8.64	8.64	10.03	10.03		7.86				
	10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,				BAPTO		51.01	51.01	18.50	18.50		7.86				

NRONDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2	4	Exhi	bit: C
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring I	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,															
	Feature Code				BAPTF		51.01	51.01	18.50	18.50		7.86				
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0000102										
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				D 1 D1 10							= 00				
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86				+
	Subscription			CAM	BAPLS	3.26	9.56	9.56				7.86				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86				ļ
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.11	9,56	9.56				7.86				
HANCED E	(TENDED LINK (EELs)			CAIVI	DAPES	0.11	9.50	9.56	-			7.00				
	New Density Zone 1 EELs are available in the following MSAs:	Orlando,	, FL; Mi	ami, FL; Ft. Lauderda	ale, FL; Atlan	ta, Ga; New Orl	eans, LA,									
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-Hi															
	In all states, EEL network elements shown below also apply to											to UNEs.(No	on-recurring ra	ates do not app	oly.)	
NOTE:	In All States the EEL network elements apply to ordinarily comb	Ined net	WORK E	NSPORT (FEL)	As is Charge.	.) When orderin	g ordinarily com	bined network	elements, Non-	recurring rates	do apply.					+
Z-VVII\L	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	LKOITI	LIK	ANSI OKI (EEE)												+
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per		Ŭ	ONOVA	OLYKLZ	00.22	120.22	00.40	55.05	7.04		7.00				
	month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67		7.86 7.86				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07		7.86				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LINIOVAY	LIEALO	47.45	405.00	00.40	50.00	7.04		7.00				
-	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TR		UNCCC		0.90	6.96	11.17	11.17		7.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVX	UEAL4	34.25	125.22	60.46	59.69	7.04		7.00				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															İ
	Per Month			UNC1X	1L5XX	0.19			ļļ							
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per			5.101X	31111	73.02	101.24	120.00	30.72	22.32		7.00				†
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
-	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	00 77	S E / ILT	23.20	120.22	00.40	55.09	7.04		7.50				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 3	ı	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86			l	

DOMDLE	D NETWORK ELEMENTS - Kentucky					ı					Svc Order	Svc Order	Attachment: 2 Incremental	Incremental		oit: C Incremental
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		00450	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Voice Grade COCI - DS1 to DS0 Channel System combination -						First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SOMAN
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is			ONOVA	IDIVO	0.02	0.71	4.04				7.00				
	Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		١.	LINGS.V		07.50	405.00	00.40	== ==			= 00				
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				-
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
-	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			UNODA	ODESO	32.40	120.22	00.40	39.09	7.04		7.00				
	Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per	1														
	Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility		l	LINICAY	LIATE4	70.00	404.01	400 50	50.70	00.00		7.00				
-	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per	1	 	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				+
	Month		l	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month			55			020			07		00				
	(2.4-64kbs)	<u> </u>	<u> </u>	UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			LINGS.V		00.40	405.00	00.40	== ==	= 0.4		= 00				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	-	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				-
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		J	UNODA	ODESO	30.37	120.22	00.40	39.09	7.04		7.00				
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNODA	ODL04	21.55	120.22	00.40	39.09	7.04		7.00				
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per															
	Month	l	-	UNC1X	1L5XX	0.19										—
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		l	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per	1		0.101/	J 111 1	13.02	101.24	120.00	30.72	22.32		7.00				+
	Month	<u> </u>		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination	1		1						-						
_	per month (2.4-64kbs)		 	UNCDX	1D1DD	1.32	6.71	4.84	ļ			7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		4	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	l -		UNCDA	UDL04	21.59	125.22	60.48	59.69	7.84		1.66				1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1								22.30							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination	1														
	per month (2.4-64kbs)	1	<u> </u>	UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		l	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRF	Charge BOS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	ETRA		UNCCC		0.98	0.98	11.17	11.17		7.00				+
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1	<u> </u>	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
-	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per		3	UNCIA	USLAX	297.76	210.70	114.60	63.96	17.97		7.86				+
	Month		l	UNC1X	1L5XX	0.19					l					

	D NETWORK ELEMENTS - Kentucky					ı					Svo Cada	Sun Cade	Attachment: 2			oit: C
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
_	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCIX	01111	13.02	101.24	123.33	30.72	22.32		7.00				
	Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFIC	ETRA	NSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	This bot Loop in boo income transport combination. Zone 2			ONOTA	OOLAA	114.10	210.70	114.00	00.00	17.07		7.00				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per															
	Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINICSY	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
-	month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	MQ3	158.20	350.56 115.48	56.53	48.00 15.12	5.30		7.86				-
	DS3 Interface Unit (DS1 COCI) combination per month		 	UNC1X	UC1D1	11.80	6.71	4.84	13.12	5.30		7.86	1			
	Additional DS1Loop in DS3 Interoffice Transport Combination -								1							İ
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86	 			
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	UC1D1	11.80	6.71	4.84	63.96	17.97		7.86	1			-
1	Nonrecurring Currently Combined Network Elements Switch -As-Is			0.4017	30101	11.00	0.71	7.04	1			7.00				+
	Charge		l	UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86	1			
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFFI	CE TR													
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
_	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
-	2-WireVG Loop used with 2-wire VG Interoffice Transport			OINOV A	ULALZ	17.45	120.22	00.40	59.09	7.04		1.00				-
	Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade		l	Lucas				=o				= -	1			
	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is	1		UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Charge		l	UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	: VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFFIC	CE TR		3.,500		0.00	0.50	/			7.00				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															j
_	Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	34.25	125.22	60.40	E0.60	7.84		7.86				
+	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVA	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				-
	Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per		<u> </u>						22.50							İ
	Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
_	combination - Facility Termination per month		<u> </u>	UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		l	UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	ETRAN	SPOR		UNCCC		0.90	0.30	11.17	11.17		1.00				
- 55 51	High Capacity Unbundled Local Loop - DS3 combination - Per								1							İ
	Mile per month			UNC3X	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 combination - Facility															
_	Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	1		UNC3X	1L5XX	4.09										
	Termination per per month		l	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
+	Nonrecurring Currently Combined Network Elements Switch -As-Is			01100/	01113	300.09	330.30	141.00	40.00	20.39		1.00				
	Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86	l			
	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF					1										

120HDEL	D NETWORK ELEMENTS - Kentucky	1	1	1	1	1					C O	S O	Attachment: 2			oit: C
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	42.87 0.19	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSAA	0.19										-
	Termination per month Channelization - Channel System DS1 to DS0 combination - per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROFF	ICE TF	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	11.80	6.71	4.84	00	47		7.86				
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	297.76 11.80	210.70 6.71	114.60 4.84	63.96	17.97		7.86 7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FFICE TE	RANSF	ORT (EEL)	<u> </u>	-										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				

<u>NBUNDLI</u>	ED NETWORK ELEMENTS - Kentucky												Attachment: 2	2	Exhi	bit: C
regory	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TI	RANSE		ONCCC		0.90	0.30	11.17	11.17		7.00				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	1		J. (222)												
	Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	1	3	UNCDX	LIDL 64	36.37	40E 00	60.40	E0.60	704		7.00				
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	3	ONCDA	UDL64	36.37	125.22	60.48	59.69	7.84		7.86	-	1	-	
	Per Mile	1	l	UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1				5.51										
	Facility Termination	1		UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is									· ·						
DITION'S :	Charge	ļ		UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurrng	oborgos	do not	annly hut a Switch	Ac le charge	door apply										
	used as a part of a currently combined facility, the non-recurring used as ordinarily combined network elements in All States, the						ot.									
	curring Currently Combined Network Elements "Switch As Is" Cl					onargo accon	· · ·									
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is			ONCIX	DIVECE		0.90	0.90	11.17	11.17		7.00				
	Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOTE	: Local Channel - Dedicated Transport - minimum billing period -	Below D	S3=on				005.70	40.00	40.70	4.00		7.00				
	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV2 ULDV4	18.57 19.86	265.78 266.48	46.96 47.65	46.79 47.54	4.98 5.73		7.86 7.86				
	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8.74										
_	Local Channel - Dedicated - DS3 - Facility Termination	<u> </u>	<u> </u>	UNC3X	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86		ļ		
	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination	1	<u> </u>	UNCSX UNCSX	1L5NC ULDFS	8.74 543.24	551.38	338.08	173.00	120.42		7.86		-		
MULT	PLEXERS	 		011007	JLDI'S	545.24	JU1.30	330.06	173.00	120.42		1.00			 	
	Channelization - DS1 to DS0 Channel System	†		UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86				
İ	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month															
	(2.4-64kbs)			UDL	1D1DD	1.32	10.07	7.08				7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month	1	 	UDN UEA	UC1CA 1D1VG	2.84 0.6228	10.07 10.07	7.08 7.08				7.86 7.86		-		
-	Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month	l		UXTD3	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
1	STS1 to DS1 Channel System per month	1		UXTS1	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.80	10.07	7.08				7.86				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month	1		ULDD1	UC1D1	11.80	10.07	7.08				7.86				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per			LIATDA	LIC4D4	44.00	40.07	7.00				7.00				
Sub !	month	 		U1TD1	UC1D1	11.80	10.07	7.08				7.86				
Jub-Li	Dop Feeder Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	 	SW	UNC1X	USBFG	1								1		
\neg	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	1 1	UNC1X	USBFG	62.57	125.43	73.68	81.82	21.56						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	87.71	125.43	73.68	81.82	21.56						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	273.33	125.43	73.68	81.82	21.56						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		4	UNC1X	USBFG											

IBUNDLE	D NETWORK ELEMENTS - Kentucky			1							•		Attachment: 2			bit: C
regory	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
_						Rec	First	curring Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Excha	nge Ports						FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Although the Port Rate includes all available features in GA, KY	. LA & TI	N. the o	desired features will r	need to be ord	dered using reta	ail USOCs									
	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing								0.00	0.40		= 00				
	parity Port with Caller ID - Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.22	2.13		7.86				
+-	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan	!		UEPOR	UEPAP	1.49	3.74	3.63	2.23	2.13		7.86	-			
	without Caller ID		l	UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13		7.86]			
-	2-Wire voice unbundled Low Usage Line Port without Caller ID	 	-	OLI OIL	OLI WE	1.49	3.14	3.03	2.23	2.13		1.00				
	Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13		7.86				
1	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	2.23	2.10		7.86				
FEAT						2.00	2.00	2.00	İ							
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00	İ			7.86	İ			
2-WIRI	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled															
	port with Caller+E484 ID - Bus.	<u> </u>		UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
										_						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86		_		
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing															
	parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan															
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		7.86				
	2-Wire voice unbundled Incoming Only Port without Caller ID									0.40		7.00				
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13		7.86				
FEATI	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				7.86				
FEATU				UEPSB	UEPVF	0.00	0.00	0.00				7.86				
EVCH	All Available Vertical Features ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00			-	7.00				-
EVCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res	1		UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89	1	7.86				
+	2-Wire VG Unburioled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPRD	1.49	39.05	18.17	15.38	0.89		7.86				
+	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
+	2-Wire VG Line Side Unbundled Odtward PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				
1	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86	1			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
1	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89		7.86	İ			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	L		UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86	<u> </u>			
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling															
	Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port				l				l	_	1	l _				
	Without LUD	ļ		UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89		7.86	ļ			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEBOR												
	Administrative Calling Port	 		UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	HEDV.		00.0=	40.4=	45.00	0.00		7.00]			
+	Room Calling Port	1		UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXO	1.49	39.05	18.17	15 20	0.90		700]			
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXO	1.49	39.05	18.17	15.38 15.38	0.89		7.86 7.86				

	ED NETWORK ELEMENTS - Kentucky															
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT																
=				UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				
EXCH						4.40	0.74			2.40		7.00				
- 						1.49	3.74	3.63	2.23	2.13		7.86				
Local	Switching Features offered with Port	Mark and see		 -	t acceltate a disco	-11/1	alt according to a study of		ber B. Ober ande		l. 0' 105	N t				
	RATE ELEMENTS Note 12 DOC 1000 BCS 1000															
NOTE		ivaliable	only thi	lough brk/New bus	iness Reque	St Process. Rat	es for the packe	et capabilities v	viii be determin	eu via trie boria	ride Keque	St/New Dus	liness Reques	rocess.		-
					HEDEV	101.00	400.00	OF 15	64.00	22.67		7.00				
BUNDLED					UEPEX	101.60	100.30	95.15	61.92	22.07		7.00				-
																-
EXCH				LIEDEY	LIEDDO	40.54	00.40	45.00	50.40	5.00		7.00				
		1		UEPEX	UEPP2	10.51	9∠.18	15.82	5∠.16	5.30		7.86				
				HEDDD	HEDDD	74	404.00	·	00.00	0.00		7.00				
-		1														
-		1							32.83	14.17		7.86				
HOTT		Halac II							hu B Chara	l	h 0' IC-	M mart-				
													iness Promi	Dunner-		
NOTE		valiable	only thi						v III be aetermin	eu via the Bona I	riae Reque	st/New Bus	mess Reques	rrocess.		
-		1							04.00	00.07		7.00				
LINIS				UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
UNBU				LIEDVO		4.40	0.74					7.00				
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63				7.86				
				UEPVR	UERTR	1.49	3.74	3.63				7.86				
Non-R																
		н														
	RATE ELEMENTS Number Zoo BCS UBOC RATE(S) Section Se															
	RATE ELEMENTS (Inferior December 2009 IDCS USOC National December 2009 IDCS USOC National December 2009 IDCS USOC National December 2009 IDCS USOC National December 2009 IDCS USOC															
	RATE ELEMENTS Note in Zone BCS USC RATES Submitted Scientists Charge C															
UNBU	## ATT SLEWENTS More Date BCS USOC PATES Date															
	RATE ELEMENTS															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63				7.86				
$-\!\!\!\!+\!\!\!\!-$		1														ļ
$-\!$		1		UEPVB	UERTR	1.49	3.74	3.63				7.86				
									l							
		1		UEPVB	UERVJ	1.49	3.74	3.63		-		7.86				
					1	l										
Non-R		+											1			l
Non-R				LIED/D	110400		0.10	0.10				7.00				
Non-R	Unbundled Remote Call Forwarding Service - Conversion - Switchas-is			UEPVB	USAC2		0.10	0.10				7.86				ļ
Non-R	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with											7.86				
	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)											7.86				
BUNDLED	Unbundled Remote Call Forwarding Service - Conversion - Switchas-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE											7.86				
BUNDLED	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE fffice Switching (Port Usage)											7.86				
BUNDLED	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Hiftes Witching (Port Usage) End Office Switching Function, Per MOU											7.86				
BUNDLED End O	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU											7.86				
BUNDLED End O	Urbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Tunk Port - Shared, Per MOU sm Switching (Port Usage) (Local or Access Tandem)					0.0002112						7.86				
BUNDLED End O	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU om Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU					0.0002112						7.86				
BUNDLED End O	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Imanusching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.0002112						7.86				
BUNDLED End O	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWIT CHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU ms Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU not Transport					0.0002112 0.000194 0.0002416						7.86				
BUNDLED End O	Unbundled Remote Call Forwarding Service - Conversion - Switchas-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU om Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU ton Transport Common Transport - Per Mile, Per MOU					0.0002112 0.000194 0.0002416 0.000003						7.86				
BUNDLED End O Tande	Unbundled Remote Call Forwarding Service - Conversion - Switch- as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE iffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Imake the Conversion of the Conversion Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Ton Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.0002112 0.000194 0.0002416 0.000003						7.86				
BUNDLED End O	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWIT CHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU In Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Ton Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES			UEPVB	USACC	0.0002112 0.000194 0.0002416 0.000003 0.0007466	0.10	0.10				7.86				
BUNDLED End O Tande Comm BUNDLED Cost E	Unbundled Remote Call Forwarding Service - Conversion - Switchas-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Is Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Sased Rates are applied where BellSouth is required by FCC and	/or State		UEPVB	USACC	0.0002112 0.000194 0.0002416 0.000003 0.0007466 Local Switching	0.10	0.10				7.86				
BUNDLED Tande Comm Comm Cost E Featur	Urbundled Remote Call Forwarding Service - Conversion - Switchas-is Urbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Turk Port - Shared, Per MOU Im Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Funk Port - Shared, Per MOU In Tandem Trunk Port - Shared, Per MOU In Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Sased Rates are applied where BellSouth is required by FCC and res shall apply to the Unbundled Port/Loop Combination - Cost B	/or State	e secti	UEPVB	USACC USACC Unbundled	0.0002112 0.000194 0.0002416 0.000003 0.0007466 Local Switching e applied to the	0.10 or Switch Port	0.10 s. bundled Port s								
BUNDLED End O Tande Comm BUNDLED Cost E Featur End O	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWIT CHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU In Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Ton Transport Common Transport - Per Mile, Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Sased Rates are applied where BellSouth is required by FCC and res shall apply to the Unbundled Port/Loop Combination - Cost B fffice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice and Tandem Switching Usage and Common Transport Testifice Testifi	/or State assed Ratige rates	e secti in the F	UEPVB ission rule to provide on in the same mann Port section of this ra	USACC Unbundled er as they are te exhibit shi	0.0002112 0.000194 0.0002416 0.000003 0.0007466 Local Switching e applied to the all apply to all co	0.10 or Switch Port Stand-Alone Un	o.10 s. bundled Port s	ork elements ex	cept for UNE (op Combina				
BUNDLED End O Tande Comm Cost E Featur End O The first	Unbundled Remote Call Forwarding Service - Conversion - Switchas-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Indem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC and res shall apply to the Unbundled Port/Loop Combination - Cost B ffice and Tandem Switching Usage and Common Transport tost British and Additional Port nonrecurring charges apply to Not Current	/or State assed Ratige rates	e secti in the F	UEPVB ission rule to provide on in the same mann Port section of this ra	USACC Unbundled er as they are te exhibit shi	0.0002112 0.000194 0.0002416 0.000003 0.0007466 Local Switching e applied to the all apply to all co	0.10 or Switch Port Stand-Alone Un	o.10 s. bundled Port s	ork elements ex	cept for UNE (op Combina				
BUNDLED End O Tande Comm BUNDLED Cost E Featur End O T	Urbundled Remote Call Forwarding Service - Conversion - Switchas-is Urbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE Iffice Switching (Port Usage) End Office Switching Function, Per MOU End Office Turk Port - Shared, Per MOU Is Switching (Port Usage) (Local or Access Tandem) Tandern Switching Function Per MOU Tandern Switching Function Per MOU Tandern Tunk Port - Shared, Per MOU Ion Transport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES Sased Rates are applied where BellSouth is required by FCC and res shall apply to the Unbundled Port/Loop Combination - Cost B fifice and Tandern Switching Usage and Common Transport Usa rest and additional Port nonrecurring charges apply to Not Current E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	/or State assed Ratige rates	e secti in the F	UEPVB ission rule to provide on in the same mann Port section of this ra	USACC Unbundled er as they are te exhibit shi	0.0002112 0.000194 0.0002416 0.000003 0.0007466 Local Switching e applied to the all apply to all co	0.10 or Switch Port Stand-Alone Un	o.10 s. bundled Port s	ork elements ex	cept for UNE (op Combina				

ADOIADE	D NETWORK ELEMENTS - Kentucky			1							r -		Attachment: 2		Exhi	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
_						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52	FIISL	Auu i	FIISL	Auu i	SOIVIEC	SOWAN	SOWAN	JOWAN	SOWAN	SOWAN
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE L	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37										
0.14//	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-Wire	Voice Grade Line Port Rates (Res)			UEPRX	UEPRL	1.15	24.20	15.49	2.05	2.67		7.86				
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	1		UEPRX	UEPRC	1.15	21.29 21.29	15.49	2.85 2.85	2.67		7.86				
	2-Wire voice unbuilded port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing			02.100	02.110	11.10	21.20	10.10	2.00	2.01		7.00				
	parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without				l	[· <u> </u>								
_	Caller ID	 		UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRT	1.15	21.29	15 10	2.85	2.67		7.86				
FEATU	Capability	1 -		OLFRA	UEFKI	1.15	21.29	15.49	2.65	2.07		7.00				
LEAIL	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				7.86				
LOCAL	NUMBER PORTABILITY				32	5.00	0.00	3.00								
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	İ														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			l												
ADDIT	Switch with change			UEPRX	USACC		0.10	0.10				7.86				
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00				7.86				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
LINE I	2-Wire VG Loop/Port Combo - Zone 3		3		_	31.74										
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
_	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
+	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3		UEPLX	30.59										
2-Wire	Voice Grade Line Port (Bus)		Ľ			22.30										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled port outgoing only - bus	1		UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing			UEPBX	UEPBM	1.15	21.29	45 40	2.85	2.07		7.00				
-	parity port with Caller ID - bus			UEPBX	UPEB1	1.15	21.29	15.49 15.49	2.85	2.67 2.67		7.86 7.86				
-	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan without			OLI DA	OFEBI	1.15	21.29	10.49	2.00	2.07		1.00				
	Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled Incoming Only Port without Caller ID				1					,						
	Capability	<u>L</u> .	<u> </u>	UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>			
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU		 		LIEDBY	HED. (E	0.00	0.00	0.00				7.00				
NOND	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		UEPBX	UEPVF	0.00	0.00	0.00				7.86				
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 			+	1										
	Switch-as-is			UEPBX	USAC2	[]	0.10	0.10				7.86				
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1 2	1	50	50								
	Switch with change	<u>L</u> !	L	UEPBX	USACC	<u> </u>	0.10	0.10				7.86	<u> </u>			<u> </u>
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		l	LIEDDY	110,400		0.00	0.00				7.00				
2 14/15	Activity	1		UEPBX	USAS2		0.00	0.00				7.86				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates	1			+	-										

MPONDEED	NETWORK ELEMENTS - Kentucky	1	1	1	1	1					0 0 :	0 0 :	Attachment:			bit: C
rEGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ				Rec	Nonrec		Nonrecurring		001150	001141		Rates(\$)	0011411	001441
2.1	Mira VC Laan/Dark Comba. Zana 4		1		_	10.79	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire VG Loop/Port Combo - Zone 1 Wire VG Loop/Port Combo - Zone 2		2			15.52										
	Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE Loop			Ť			0										
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
2-1	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wire Voi	ice Grade Line Port Rates (RES - PBX)															
	Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				
	ocal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				7.86				
FEATURE																
	Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				
	JRRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
	Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	l	LIEBBO	110400		0	4.04				7.00				
	onversion - Switch-As-Is	1	 	UEPRG	USAC2	1	8.45	1.91				7.86				
	Wire Voice Grade Loop/ Line Port Combination (PBX) - onversion - Switch with Change	1		UEPRG	USACC		8.45	1.91				7.86				
ADDITION		 		ULFRU	USACC	1	0.45	1.91	 			7.00				
	Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			+	1										
	bsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	OV Cubacquant Activity. Change /D]					7.00	7.00				7.00				
	3X Subsequent Activity - Change/Rearrange Multiline Hunt Group DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX))			+		7.86	7.86				7.86				
	Loop Combination Rates	 		 		1			 							
	Wire VG Loop/Port Combo - Zone 1		1			10.79										
	Wire VG Loop/Port Combo - Zone 2		2			15.52										
	Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE Loop																
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
	Wire Voice Grade Loop (SL 1) - Zone 3 ice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	30.59										
2-wire voi	ice Grade Line Port Rates (BUS - PBA)															
Lir	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86				
	ne Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				
Lir	ne Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86				
2-1	Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86				
	Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67		7.86				
	Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>	<u> </u>	UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86				
	Wire Voice Unbundled PBX LD DDD Terminals Port Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	<u> </u>	UEPPX UEPPX	UEPXC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	Wire Voice Unbundled PBX LD Terminal Switchboard Port Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 		OEFFA	OEFAD	1.15	21.29	15.49	2.65	2.07		7.00				
	apable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86				
	Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling	1			52. AL	1.13	21.23	10.73	2.00	2.01		7.00				
Po	ort without LUD	<u>L</u>	L	UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86	<u> </u>	<u> </u>		
	Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67		7.86				
	Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				
LU	Wire Voice Unbundled 2-Way Kentucky Area Calling Port without JD	!		UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86				
Ac	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy dministrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86				
2-\ Ro	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy oom Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86				
Di	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital scount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86				
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port JMBER PORTABILITY	1	 	UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
	pcal Number Portability (1 per port)	1	 	UEPPX	LNPCP	3.15	0.00	0.00	1							—
FEATURE		1	1	OLITA	LIVI OF	3.15	0.00	0.00								
	Features Offered	1	-	UEPPX	UEPVF	0.00	0.00	0.00				7.86	l			+
	JRRING CHARGES (NRCs) - CURRENTLY COMBINED	1		İ									İ			

4DONDE	D NETWORK ELEMENTS - Kentucky			1	_						1		Attachment: 2		Exhil	
GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Dingon	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
_					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+		11130	Addi	1 11 31	Auu	COMEC	OOMAN	CONFIN	COMPAN	COMPAR	CONFIN
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group	1					7.86	7.86				7.86				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR				-											
UNE	ort/Loop Combination Rates 2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	10.79	-				-		-			
-1	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	10.79					 					1
-	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3	-	 	31.74										1
UNF	oop Rates		-		1	31.74										1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										İ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	30.59										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86				
-				UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67	1	7.86				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI CO	OLI KIN	1.13	21.23	10.49	2.00	2.07		7.00				
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward with Operator Screening and Blocking: 011,			02. 00	OZ. NO	0	21.20	10.10	2.00	2.07		7.00				
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67		7.86				
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
100:	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	21.29	15.49	2.85	2.67						
LOCA	NUMBER PORTABILITY			UEPCO	LNPCX	0.35										-
NOND	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LINPUX	0.35	-				-		-			
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1	 					 					1
	Switch-as-is			UEPCO	USAC2	1	0.10	0.10				7.86				l
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				3002	†	0.10	0.10				7.00				1
	Switch with change			UEPCO	USACC	1	0.10	0.10				7.86				l
ADDIT	IONAL NRCs				1	İ		20								İ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											
	Activity			UEPCO	USAS2	<u> </u>	0.00	0.00				7.86				
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE PO	ORT (R	(ES)												
UNE F	ort/Loop Combination Rates				 	<u> </u>										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		4	13.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	18.68										
HATE .	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	34.45					!					
UNEL	oop Rates		1	LIEDED	LIECES	10.07					1					1
-	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR UEPFR	UECF2 UECF2	12.67 17.45										
+	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2 UECF2	33.22					-		-			
2-Wire	Voice Grade Line Port Rates (Res)		3	ULITA	DEGFZ	33.22										1
7-441LE	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97	<u> </u>	7.86				1
+	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97	-	7.86				1
	2-Wire voice unbundled port with Caller 15 - res 2-Wire voice unbundled port outgoing only - res	1		UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97	 	7.86				-

ADOINDEL	D NETWORK ELEMENTS - Kentucky			1		1							Attachment: 2		Exhi	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonred	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Kentucky extended local dialing						101	71441	101	7.00.	0020	00	00.00.00	00	00	00.112.11
	parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without															
INTER	Caller ID DEFICE TRANSPORT			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97		7.86				
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	011172	20.00	30.03	55.67	30.01	22.72		7.00				
	or Fraction Mile			UEPFR	1L5XX	0.0095										
FEATU	RES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				7.86				
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	 		UEPFR	LNPCX	0.35			1	1						
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			1	1			 	-						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87				7.86				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 		OLI FR	USACZ		9.03	1.07	 			1.00				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87	1			7.86				
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE PO	ORT (B		20,.00		5.00		1							
	ort/Loop Combination Rates			1												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
2 Miro	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port (Bus)		3	UEPFB	UECF2	33.22										
2-vviie	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97		7.86				
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without															
	Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97		7.86				
	NUMBER PORTABILITY Local Number Portability (1 per port)	1		UEPFB	LNPCX	0.35			-							
	DEFICE TRANSPORT			OLFFD	LINEUA	0.35			 							
111 EV	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1							
	Termination	<u> </u>	L	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86	<u> </u>			<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0095										
FEATU		ļ		LUEDED	UED:	ļ										
Neve	All Features Offered	 		UEPFB	UEPVF	0.00	0.00	0.00	 	ļ		7.86				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			-				ļ							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87				7.86				
-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 		OLI FD	USACZ		9.03	1.07	 			1.00				
	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87				7.86				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1		5.50		1							
	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68			ļ							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	.	3			34.45										
UNE Lo	op Rates	ļ		LIEDED	LIFOFO	40.00										
-	2-Wire Voice Grade Loop (SL2) - Zone 1	1	2	UEPFP UEPFP	UECF2 UECF2	12.67 17.45										
+	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	33.22										
	Voice Grade Line Port Rates (BUS - PBX)	1	٥	OLITI	ULUFZ	33.22	1		 	1						
2-Wire																

TEGORY					_								Attachment: 2			bit: C
LGOAT	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring I	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-+-	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73	SUMEC	7.86	SUMAN	SUMAN	SUMAN	SUMAN
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73		7.86				
_	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73		7.86				
_	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling															
	Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port Wire View Library 18 1 Way Outgains PBX Hotel/Hospital			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		+	UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73		7.86				
	NUMBER PORTABILITY				32.7.0	20	.0	. 0.00	7 5.55	5.76						
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
+-	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	or Fraction Mile			UEPFP	1L5XX	0.0095										
FEATU	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				7.86				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	0.00	0.00	0.00				7.00				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
1	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87				7.86				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87				7.86				
SUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES			_												
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08	ļ									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+	41.85										
UNE LO	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67	-		-			7.86				
-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.45						7.86				
_	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22						7.86				
UNE Po			Ť		3232.	33.ZZ										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86				
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with			LIEBBY												
4555	BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				7.86				
	ONAL NRCs		-	LIEDDY	LICACA		22.05	22.05				7.00				
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk one Number/Trunk Group Establisment Charges			UEPPX	USAS1		32.25	32.25	1			7.86				
	DID Trunk Termination (One Per Port)		-	UEPPX	NDT	0.00	0.00	0.00	 			7.86				
1 7	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	 			7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				7.86				
				UEPPX	ND6	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID numbers															
	Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86				
				UEPPX								7.86				
LOCAL	Reserve DID Numbers				NDV LNPCP	3.15	0.00	0.00				7.86				

ADOIADEL	D NETWORK ELEMENTS - Kentucky						1							Attachment: 2			oit: C
EGORY	RATE ELEMENTS	Interim	Zone	В	cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	OW IODAL Digital Conductions (OW IODAL Digital Line Olds Dogs							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		50.21										
UNE L	oop Rates	1	1	UEPPB	UEPPR	LICLAY	16.10						7.86				
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-		UEPPB	UEPPR	USL2X	16.10						7.00				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33						7.86				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63						7.86				
UNE P	ort Rate																
NONE	Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86				
ADDIT	IONAL NRCs			, , , , , ,	J=. 1 IX		0.00	22.11	17.00				7.00				
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:	 		LIEBES	LIEBES	114110.	2.2-										
-	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
-	CVS (EWSD)	1		UEPPB UEPPB	UEPPR UEPPR	U1UCB U1UCC	0.00	0.00	0.00								
В-СНА	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C.MS. & T	N)	CLIID	CLITIC	01000	0.00	0.00	0.00								
- J.1/	CVS/CSD (DMS/5ESS)	,,	,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE	1		HEDDE	HEDDE	114111144	0.00	0.00	0.00								
VERTI	User Terminal Profile (EWSD only) CAL FEATURES	\vdash		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
- LIXII	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities																
_	termination	 			UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86				
4.14/101	Interoffice Channel mileage each, additional mile	POPT		UEPPB	UEPPR	M1GNM	0.01	0.00	0.00				7.86				
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK ort/Loop Combination Rates	FURI		 													
0.1.2.1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		4	UEPPP			170.06										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLI FF			170.06										
	Zone 2		2	UEPPP			197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			381.35										
UNE L	oop Rates		Ť	, , , , , ,			301.00										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	-	USL4P	114.10						7.86				
11515.5	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297.76						7.86				
UNE P	ort Rate Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPPP		UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			DEFFE		OEFFF	65.59	130.10	302.74	109.40	40.02		1.00				
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	81.70	61.37				7.86				
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.54					7.86				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				7.86				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP		PR7ZT		25.41	25.41				7.86				
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)	1		LIEDDE		DD741/	0.00	0.00	0.00								
	Voice/Data Digital Data			UEPPP		PR71V PR71D	0.00	0.00	0.00								

	D NETWORK ELEMENTS - Kentucky				1						Svo Cada	Suc Cade	Attachment: 2			bit: C
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						-	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00	1	71441	0020	00	00	00	00	00.02.01
New o	Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					7.86				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48					7.86				
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					7.86				
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
l1	Two-way		-	UEPPP	PR7CC	0.00	0.00	0.00								
Interof	ice Channel Mileage			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86				
	Fixed Each Including First Mile Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23	105.52	96.46	23.09	20.49		7.00				
4-WIP	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	 	OFLLL	ILINID	0.23										
	ort/Loop Combination Rates	 	 		1	1										
OIIL I	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1		UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE L	pop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76						7.86				
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination -															
	Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
	Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70				7.86				
ADDIT	ONAL NRCs		-	UEPDC	USAWB		92.04	46.70				7.00				
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent				+											
	Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 20	05.174		10.00	10.00				7.00				
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID	<u></u>	<u></u>	UEPDC	UDTTD		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans	<u> </u>	<u> </u>	UEPDC	UDTTE		15.09	15.09				7.86				
BIPOL	AR 8 ZERO SUBSTITUTION	ļ						_								
	B8ZS -Superframe Format	!	<u> </u>	UEPDC	CCOSF		0.00	730.00				7.86				
- la	B8ZS - Extended Superframe Format	!		UEPDC	CCOEF	ļ	0.00	730.00				7.86				
Alterna	te Mark Inversion	1	<u> </u>	HEDDO	MCOOF	1	0.00	0.00								
-	AMI - Superframe Format AMI - Extended SuperFrame Format	 		UEPDC UEPDC	MCOSF MCOPO	1	0.00	0.00								
Tolonh	one Number/Trunk Group Establisment Charges	1	-	UEFDC	IVICOPO		0.00	0.00								
releph	Telephone Number for 2-Way Trunk Group	 	 	UEPDC	UDTGX	0.00	0.00	0.00				7.86				
+	Telephone Number for 1-Way Outward Trunk Group	 	 	UEPDC	UDTGY	0.00	0.00	0.00				7.86				
1	Telephone Number for 1-Way Datward Trunk Group Without DID	1	-	UEPDC	UDTGZ	0.00	0.00	0.00				7.86				
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00				7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				7.86				
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 D	igital Lo	op with	4-Wire DDITS Trun	k Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)	ļ		UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
		1	1	UEDDO												
-	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	!		UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1		LIEDDO	41 N/O2	0.00	0.00	0.00								
_	Termination)	1	-	UEPDC	1LNO2	0.00	0.00	0.00								
1	1	1	ı	i	1	1					i			1		

	D NETWORK ELEMENTS - Kentucky			1		1							Attachment: 2			oit: C
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15 0.00	0.00	0.00								
	Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00										
					_											
Each St	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa stem can have up to 24 combinations of rates depending on type	no and n	umbor	of ports used	-				-		-					
UNE DS		pe and n	umber	or ports used	-				-		-					
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
	60 Channelization Capacities (D4 Channel Bank Configurations)	1		021 1910	COLDO	231.10	0.00	0.00	-							
	24 DSO Channel Capacities (D4 Channel Bank Configurations)	1		UEPMG	VUM24	111.16	0.00	0.00				7.86				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00				7.86				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00				7.86	İ			
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00				7.86				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00				7.86				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00				7.86				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00				7.86				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00				7.86				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00				7.86				
Non-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with C	Channeli	ztion w	ith Port - Conversion	n Charge Bas	sed on a System										
A Minim	um System configuration is One (1) DS1, One (1) D4 Channel Ba	ank, and	I Up To	24 DSO Ports with	Feature Activ	ations.										
Multiples	s of this configuration functioning as one are considered Add'l a	after the	minimu	um system configura	ation is counte	ed.										
	NRC - Conversion (Currently Combined) with or without BellSouth															
	Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24				7.86				
	Additions at End User Locations Where 4-Wire DS1 Loop with 0			with Port Combinat	ion Currently I	Exists and										
	ot Currently Combined) in all states, except in Density Zone 1 of		ISA's													
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and															
	Assoc Fea Activation			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
	8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity	1														
	Only		<u> </u>	UEPMG	CCOSF	0.00	0.00	730.00				7.86				
	Clear Channel Capability Format - Extended Superframe -		l	LIEDMO	00055	0.00	0.00	700.00				7.00				
A 14	Subsequent Activity Only	-	-	UEPMG	CCOEF	0.00	0.00	730.00				7.86				
	e Mark Inversion (AMI)		 	UEPMG	MCOSF	0.00	0.00	0.00					1			
	Superframe Format Extended Superframe Format	1	-	UEPMG	MCOSF	0.00	0.00	0.00	-				 			
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	with Po	rt	OLI IVIO	IVICOFO	0.00	0.00	0.00			 					
	ge Ports	., 0	ř –		+	 										
xonan					1	1										
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		7.86				
+	Line Side Outward Channelized PBX Trunk Port - Business		-	UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		7.86				
1							5.50	3.30	5.55	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID		l	UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		7.86				
+ +	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00		7.86				
	Activations - Unbundled Loop Concentration					1										
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank		l	UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15		7.86				
	Feature (Service) Activation for each Trunk Port Terminated in D4															
	Bank		l	UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54		7.86				
Telepho	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				7.86				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				7.86				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00		·		7.86			·	
											_					
Local No	umber Portability Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ımber Portability										<u> </u>					

BUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhi	bit: C	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonre	curring	Nonrecurring	Disconnect		<u> </u>		Rates(\$)		l.	±
Loca	I Switching Features Offered with Line Side Ports Only					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	Ŧ
LUCA	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00									十
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RAT																I
	ost Based Rates are applied where BellSouth is required by FCC a									D-4- E-1-1-1-1	ļ						+
	atures shall apply to the Unbundled Port/Loop Combination - Cos nd Office and Tandem Switching Usage and Common Transport \										E Coin Port/	Loop Combi	inations.				+
	ne first and additional Port nonrecurring charges apply to Not Curr													Additional NR	Cs may annly	also and are	. 🕇
	gorized accordingly.	icitily coi	IIDIIICO	TO Our	citily Combine	cu combos, me	nomecouning c	narges snan be	tilose identifice	a in the Homes	uning our	citily combi	ilica scotions.	Additional N	(OS may apply	also and arc	
	arket Rates for Unbundled Centrex Port/Loop Combination will be		ed on	an Individual Case B	asis, until furt	ther notice.											I
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only))				1											+
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)					+	1		1								+
0.72	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-				1	1		1								†
_	Non-Design		1	UEP91		10.79											4
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	-	2	UEP91		15.52											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-				13.32	1		1								\dagger
	Non-Design		3	UEP91		31.74											\perp
UNE	Port/Loop Combination Rates (Design)		<u> </u>		-	+	-		-								+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP91		13.82											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-															†
	Design Control		2	UEP91		18.60											4
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	-	3	UEP91		34.37											
UNE	Loop Rate		-	OLI 91		34.37										-	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64						7.86					I
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37						7.86					4
_	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	30.59 12.67						7.86 7.86				-	+
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45						7.86					+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22						7.86					I
	Ports																4
All S	tates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	-		UEP91	UEPYA	1.15	21,29	15.49	2.85	2.67		7.86					+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 31	OLI IX	1.10	21.20	10.43	2.00	2.01		7.00					+
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86					4
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86					
+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center):	2		OL1 31	JLI III	1.15	21.29	15.49	2.00	2.07		7.00		†		†	\dagger
	Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-		001.91	OEF 12	1.15	21.29	15.49	2.00	2.07		1.00					+
	Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basi Local Area	С	1	UEP91	UEPY2	1.15	21,29	15.49	2.85	2.67		7.86					
AL F	Local Area (Y, LA, MS, & TN Only	1		OEPSI	UEPY2	1.15	21.29	15.49	2.85	2.67	1	7.86		+			+
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86					t
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86					Ţ
-	2-Wire Voice Grade Port (Centrex with Caller ID)1	-		UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86		-		-	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center):	2	1	UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDO4	LIEDOZ	4.45			0.05	0.07		7.00					T
	Term	1	1	UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86		+		 	+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86					4
Loca	I Switching Centrex Intercom Funtionality, per port	+	 	UEP91	URECS	0.8873	1		1			7.86		1		1	+
Loca	l Number Portability					0.0073						7.50					_†
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35											Į
Feat		+		UEP91	UEPVF	0.00	!		!			7.86					+
	All Standard Features Offered, per port		1	DEPSI	UEPVF	0.00	1	1	1	1	1	7.86		1		1	

EGORY	RATE ELEMENTS	lute-l-									Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental
1		interim	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
+						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86				
NARS																
L	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				7.86		1		
L	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86		1		
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86		1		
	neous Terminations															
	runk Side															
Т	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86		1		
Interoffic	ce Channel Mileage - 2-Wire															
Ir	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11						7.86		1		
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01						7.86				
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Chan	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						7.86				
 	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -														, ,	.
	Different Wire Center			UEP91	1PQWP	0.62						7.86				
F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7.86			ı T	
	•															
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62						7.86		,	,	
	curring Charges (NRC) Associated with UNE-P Centrex													,	,	
	Conversion - Currently Combined Switch-As-Is with allowed														, ,	.
c	changes, per port	ļ .		UEP91	USAC2	ļ	0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block	 		UEP91	USACN	0	18.95	8.32		10		7.5-				
	New Centrex Standard Common Block	ļ		UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block	ļ .		UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	Secondary Block, per Block	 		UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27		7.86				
	NAR Establishment Charge, Per Occasion	 		UEP91	URECA	0.00	72.75					7.86				
	CENTREX - 5ESS (Valid in All States)														,	
	/G Loop/2-Wire Voice Grade Port (Centrex) Combo														,	
	rt/Loop Combination Rates (Non-Design)														,	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		ا , ا	LIEDOE	1	40.70								, ,	, ,	
	Non-Design	ļ	1	UEP95	-	10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBAE											, ,	
- 	Non-Design	 	2	UEP95	-	15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE											, ,	
LINE 5	Non-Design	 	3	UEP95	+	31.74										
	rt/Loop Combination Rates (Design)				-	1										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		,	LIEDOE	1	10.0-								, ,	, ,	
	Design		_1_	UEP95	+	13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		ایا	LIEBOS	1									, ,	, ,	
	Design		2	UEP95		18.60									,	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1									, ,	.
	Design		3	UEP95		34.37								,	,	
UNE Loo			\sqcup		-										,	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64						7.86			,	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ .	2	UEP95	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP95	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67						7.86			,	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22						7.86				
UNE Por					1											
All States																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86		. 7	, 7	. 7

IDUITULL	D NETWORK ELEMENTS - Kentucky	, ,	, ,	1		1							Attachment: 2		Exhil	
EGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67	COMEO	7.86	COMPAR	COMPAR	COMPAR	COMPAR
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	Term			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
	witching			LIEDOF	UDEOO	0.0070				-		7.00				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873			ļ	1		7.86				
	umber Portability			LIEBOE	LNDCC				ļ	1						
	Local Number Portability (1 per port)	<u> </u>		UEP95	LNPCC	0.35										
Feature					1											
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				
	aneous Terminations															
	Trunk Side				1											
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
	ice Channel Mileage - 2-Wire				1											
	Interoffice Channel Facilities Termination			UEP95	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01						7.86				
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nnel Bank Feature Activations				1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQW7	0.62						7.86				
	Different Wire Center			UEP95	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.62 0.62						7.86 7.86				
	Curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOF	LIEACO		0.400	0.400				7.00				
	changes, per port			UEP95	USAC2	1	0.102	0.102		-		7.86				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP95 UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
									i	i		7.86				
UNE-P	NAR Establishment Charge, Per Occasion CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo			UEP95	URECA	0.00	72.75					7.00				

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attachment: 2	2		oit: C	-
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		No	RATES(\$)		Di	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring		00450	001111		Rates(\$)	001111	001441	
	O.Wiss VO.L. and O.Wiss Valley Oracle Book (October) Book Oracle	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		4	UEP9D		10.79											ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	OLI 9D		10.73											
	Non-Design		2	UEP9D		15.52											ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																i
	Non-Design		3	UEP9D		31.74											<u> </u>
UNE F	Port/Loop Combination Rates (Design)																—
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.82											ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9D		13.02											
	Design		2	UEP9D		18.60											1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																<i></i>
	Design	1	3	UEP9D		34.37											ь—
UNE L	oop Rate	1	L.,	LIEBAR	115004							7.5					—
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP9D UEP9D	UECS1	9.64						7.86 7.86					
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D UEP9D	UECS1 UECS1	14.37 30.59						7.86				1	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7.86				i i	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45						7.86					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22						7.86					
	Port Rate																ш
ALL S	TATES			LIEDAD	115014		04.00	15.10	0.05			7.00					—
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86					ı
	/ nou			OLI OD	OLI IB	1.10	21.20	10.40	2.00	2.01		7.00					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area	a		UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local																
	Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86					Ь—
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local							45.40				= 00					ı
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86					
	Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI OD	OLI II	1.10	21.20	10.40	2.00	2.07		7.00					
	Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86					ı
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local																
	Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86					Ь—
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	HEDVII		04.00	45.00	0.05	0.00		7.00					i
	Area 2-Wire Voice Grade Port (Centrey / EBS-M5216)/3 Regic Local	1		UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area		l	UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86					ı
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				(JE. 1V	1.13	21.23	10.73	2.00	2.07		7.00					
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86					
								<u> </u>									ı
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area	1		UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		l	UEP9D	UEPYW	1.15	24.20	15 10	2.85	2.67		7.86					ı
-	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	1		05590	UEPYW	1.15	21.29	15.49	∠.85	2.67		7.86					
	Basic Local Area		l	UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86					ı
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2	2			1		0			,							<u> </u>
	Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86					ь_
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			LIEBOR													ı
	Basic Local Area 2 Wire Voice Crede Bort (Controv/differ SWC /EBS M5000)2-2	1		UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86					i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1		021 00	OLI II	1.15	21.29	13.43	2.00	2.07		7.00					
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86					ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3																ī
	Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86					<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		l	UEP9D	UEPYS	1.15	21.29	45.40	0.0=	0.07		7.00					ı
				ILLEPUL)	IUEPYS	1 15	21 20	15.49	2.85	2.67		7.86			ı		
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OLI SD	020	1.10	21.20	10.10				7.00				1	

NBUNDLE	D NETWORK ELEMENTS - Kentucky				1								Attachment: 2			bit: C
EGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AI KY	LA. MS. SC. & TN Only			UEP9D	UEP12	1.15	21.29	15.49	2.00	2.07		7.00				
, KI	2-Wire Voice Grade Port (Centrex)		1	UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		 	UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		1	UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	21.29	15.49	2.85			7.86				
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3	 	-	UEP9D	UEPQE	1.15	21.29	15.49	2.85			7.86				
-			 	UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67	1	7.86				
-	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		l	UEP9D	UEPQF	1.15	21.29	15.49	2.85			7.86				
_	2-Wire Voice Grade Port (Centrex / EBS-M5312)3	1	 	UEP9D UEP9D		1.15		15.49	2.85		-		-			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	—	 		UEPQT						 	7.86				
_	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		-	UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67		7.86				
_	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	1	 	UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67		7.86				
_	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	1	!	UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	ļ	7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2	1		UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-W5512/2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				
1				UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				
	Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
L	2-Wire Voice Grade Port terminated in on Megalink or equivalent		L_	UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86	<u> </u>			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local S	witching															
Local N	Centrex Intercom Funtionality, per port umber Portability			UEP9D	URECS	0.8873						7.86				
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			İ	İ						
Feature	s															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						7.86				
NARS	• • •															
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	İ	İ		7.86				
	neous Terminations															

DOINDE.	ED NETWORK ELEMENTS - Kentucky				1	ı					0 0 :	0 6 :	Attachment: 2		Exhil	
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09					7.86				
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.01						7.86				
	e Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -								1				1			T
-	Different Wire Center			UEP9D	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62			1			7.86	1			
_	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWQ	0.62						7.86				
Non B				UEP9D	TPQWA	0.62						7.86				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				-											
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBAD			0.400					= 00				
_	changes, per port			UEP9D	USAC2		0.102	0.102				7.86				
_	Conversion of existing Centrex Common Block, each			UEP9D UEP9D	USACN	0.00	18.95	8.32	444.05	40.07		7.86 7.86				
	New Centrex Standard Common Block				M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9D UEP9D	M1ACC URECA	0.00	669.80 72.75	78.32	111.05	13.27		7.86 7.86				
LINE	NAR Establishment Charge, Per Occasion P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	URECA	0.00	12.15					7.00				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
O.V.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 3L		10.73										
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBAE												
	Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOE		40.00										
+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	UEP9E	-	13.82	 		}				1			+
	Design		2	UEP9E		18.60										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLFSE	-	10.00	 		}				1			+
	Design		3	UEP9E		34.37										
IINE I	oop Rate		J	OLI JL	1	34.37	1		l				l			+
ONEL	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP9E	UECS1	9.64						7.86				
+	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9E	UECS1	14.37						7.86				
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59						7.86				
+	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS2	12.67	 		1			7.86	1			+
+	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45	 		1			7.86	1			+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86				
UNF F	Port Rate		_		52552	55.22			1			7.00	1			+
	, KY, LA, MS, & TN only				İ	Ì			İ				İ			
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86	İ			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			-	1				50	,,			İ			
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local								1				1			
	Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				

ABONDLI	D NETWORK ELEMENTS - Kentucky				1	1							Attachment: 2		Exhil	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	001441
-	O.W Vaine Cond. Boot to reside to disconstitution of the condition of t						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	4.45	04.00	45.40	2.85	0.07		7.00				
_				UEP9E	UEPT9	1.15	21.29	15.49	2.00	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL K	, LA, MS, & TN Only			UEP9E	UEP12	1.15	21.29	15.49	2.00	2.07		7.00				
AL, IX	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
-	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2 Wile Voice Grade For (October Will Caller 12)1			OLI SE	OLI QII	1.10	21.20	10.40	2.00	2.07		7.00				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
						0				,,						İ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						7.86				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						7.86				
Featur																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	aneous Terminations															
2-Wire	Trunk Side			LIEBAE	OFNE	10.51	00.40	45.00	E0.40	= 00		7.00				
4 14/1	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-vvire	Digital (1.544 Megabits)			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel			UEP9E	M1HD0	0.00	15.09	11.14	60.09	3.00		7.86				
Intorof	fice Channel Mileage - 2-Wire			UEF9E	WITHDO	0.00	15.09					7.00				
intero	Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.01						7.86				
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI SE	WIIODWI	0.01						7.00				
	annel Bank Feature Activations															
2.311	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				
+	The second secon					5.52										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62			1			7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.62	<u> </u>		<u> </u>			7.86	<u> </u>			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	<u> </u>		UEP9E	1PQWP	0.62			<u> </u>			7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62						7.86				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				1											
	NRC Conversion Currently Combined Switch-As-Is with allowed				1				1							
	changes, per port		<u> </u>	UEP9E	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32				= ^-				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
UNE	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75		ļ			7.86				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	-	-		+	1			-							
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-			+	-										
UNE	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			+	-										
	Non-Design		4	UEP93		10.79			1							
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLF30	+	10.79			1							+
1	Non-Design	1	2	UEP93	1	15.52			1				1			

DONDLE	NETWORK ELEMENTS - Kentucky			1	1								Attachment: 2			oit: C
GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		31.74										
	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		4	UEP93		13.82										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF93	+	13.02					1					
	Design		2	UEP93		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										
	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
_	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP93	UECS1	30.59										
-	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP93	UECS2	12.67										
+	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	3	UEP93 UEP93	UECS2 UECS2	17.45 33.22										
UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3 rt Rate	1	3	OEL 92	UEUSZ	33.22										
	LA, MS, & TN only				+											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area	<u> </u>		UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2															
	Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	LIEDYZ		04.00	45.40	0.05	0.07		7.86				
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in an Megalink or equivalent -			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
1	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic			OLI 30	OLI 18	1.15	21.29	10.49	2.05	2.07		1.00				
	Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	LIEDOZ		24.22	45.40	2.05	2.07		7.00				
+	Term	\vdash		UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Fort Terminated in 60 Wegalink of equivalent			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873		•				7.86				
	umber Portability				1											
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Feature		1		LIEDOS	LIEDVE	0.00						7.00				
	All Standard Features Offered, per port All Centrex Control Features Offered, per port			UEP93 UEP93	UEPVF	0.00						7.86 7.86				
NARS	All German Cornior Features Offered, per port			OFLAS	JEF VC	0.00						1.00				
11/11/10	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
Miscella	neous Terminations							•								
2-Wire	runk Side				1	ļ										
4 140-	Trunk Side Terminations, each	1		UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	Digital (1.544 Megabits)	\vdash		UEP93	M1HD1	74.77	164.86	77 74	60.69	3.86		7.86				
+	DS1 Circuit Terminations, each			UEP93 UEP93	M1HD1 M1HDO	0.00	164.86 15.09	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, Per Channel ce Channel Mileage - 2-Wire	1		OELAS	INITIDO	0.00	15.09					7.66				
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.01						7.86				
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62		_				7.86				

CATEGOR		D NETWORK ELEMENTS - Kentucky	1			1	1							Attachment: 2		Exhil		
- 	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						1		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86					
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	1PQWP	0.00						7.00					1
-		Different Wire Center			UEP93	1PQWP	0.62						7.86					
-		Feature Activation on D-4 Channel Bank Private Line Loop Slot					0.62						7.86					
-+		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93 UEP93	1PQWQ 1PQWA	0.62 0.62						7.86 7.86					
N		curring Charges (NRC) Associated with UNE-P Centrex			021 00	🔾 🗸 🗸	0.02						7.00					
		NRC Conversion Currently Combined Switch-As-Is with allowed																1
	l.	changes, per port			UEP93	USAC2		0.102	0.102				7.86					
$-\!\!\!+$		Conversion of Existing Centrex Common Block, each	ļ		UEP93	USACN	2.5-	18.95	8.32		10.5-		7.86					
$-\!\!\!+$		New Centrex Standard Common Block New Centrex Customized Common Block	 		UEP93 UEP93	M1ACS M1ACC	0.00	669.80 669.80	78.32 78.32	111.05 111.05	13.27 13.27		7.86 7.86					,
-+		NAR Establishment Charge, Per Occasion	 		UEP93	URECA	0.00	72.75	10.32	111.05	13.21	1	7.86					
N	lote 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1			1	5.50			İ								
Ne	lote 2 -	- Requres Interoffice Channel Mileage																
N	lote 3 -	Requires Specific Customer Premises Equipment																
N-	lote: R	ates displaying an "R" in Interim column are interim and subjec	t to rate	true-up	as set forth in Gene	ral Terms and	d Conditions.											
$-\!\!\!+$						+												
-+						1												
-+																		
-+						+												i
-+						+												
						1												
																		-
$-\!\!\!\!+$			<u> </u>			 												
-+			 			1						 						i —
-+			<u> </u>			1												
																_		
$\Box \Box$																		
 -			<u> </u>			1	ļ											
-+			 			 												
-+			1	\vdash		+												
-+			<u> </u>			1												
								_										
\longrightarrow						1												
$-\!\!\!+$			 				1					-						
-+			 									1						·
-																		
			<u> </u>															
											•							
\longrightarrow						1												
-+			 			1												
-+			 			 												i
-+			1			1												
	1		1			1												

JNBUND	ED NETWORK ELEMENTS - Kentucky												Attachment: 2	2	Exhi	bit: C	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -	
						Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l SOI							oss	Rates(\$)	ı	l.	
						Kec	First	Ādd'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
]						
																	<u> </u>
																	Ш
										· ·					1	1	1 -

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
															Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonred	curring	Nonrecurrin	a Disconnect		l	220	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	pination refers to Ge	eographically	Deaveraged U									COMPAR	COMPAR
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				,				, , , , , , , , , , , , , , , , , , , ,			,				
OPERA	TIONAL	. SUPPORT SYSTEMS															
	NOTE:	(1) Electronic Service Order: CLEC should contact its contract	t negot	iator i	it prefers the state	specific elect	ronic service o	rdering charge	es as ordered b	y the State Co	ommissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bille															
		lements that cannot be ordered electronically at present per t				e in this cate	gory reflects the	e charge that v	would be billed	I to a CLEC on	nce electronic d	ordering cap	oabilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
1111-5	D)//2=	interactive interfaces (Regional)	<u> </u>			SOMEC		3.50			ļ			ļ	ļ		\vdash
UNE SE		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with I	Pallo-	thic F	C No 4 Teriff Cont	on Fac"	aabla				ļ		1		 		
	NOTE:		BellSou	tn's F	C No.1 Tariff, Section	on 5 as appli	capie.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	l		ALL UNE	SDASP		200.00									1
UNRUM	DI ED E	XCHANGE ACCESS LOOP	 		ALL UINL	SUASE		200.00			†		-		 		
		ANALOG VOICE GRADE LOOP	1			†					†	1		1	1		\vdash
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87				15.20				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93				15.20				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			LIFANII			40.04	40.04								
-		billing for BST providing make-up Manual Order Coordination for UVL-SL1s (per loop)			UEANL UEANL	UEANM UEAMC		13.04 7.92	13.04 7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		1.92	7.92								\vdash
		(per LSR)			UEANL	OCOSL		17.56	17.56								
	2-WIRE	Unbundled COPPER LOOP			02,112	00002			17.00								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	12.40	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	14.32	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	16.87	35.27	15.60				15.20				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Unbundled Copper Loop, Non-Designed Billing for BST			UEQ	UEQMU		13.04	40.04								
-		providing make-up Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	13.04 33.17		 		15.20				
		Loop Testing - Basic Tst Hall Hour			UEQ	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLG	ORETA		10.20	10.20				10.20				
		(UCL-ND)	l		UEQ	UREWO		14.25	7.42				15.20				[
UNBUN	DLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	ļ	1	UEPSR UEPSB	UEALS	12.90	36.54	16.87		ļ		15.20		ļ		↓
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					40.00		40.00								
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87				15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	1	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87				15.20		1		[
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLF SK OLF SB	ULALS	23.33	30.34	10.07				13.20				
		Zone 2	1	2	UEPSR UEPSB	UEABS	23.33	36.54	16.87				15.20		1		[
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1			, , , , , , , ,	20.00	00.04	10.07		1		10.20		1		
		Zone 3	1	3	UEPSR UEPSB	UEALS	48.43	36.54	16.87				15.20		1		[
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						-									
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87				15.20				
	UNE Lo	op Rates for Line Splitting															ldot
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1			UEPRX	UEPLX	13.13						15.20				
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	<u> </u>		UEPRX	UEPLX	23.75				ļ		15.20	ļ	ļ		\vdash
LIMBLIN	DI ED 5	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 XCHANGE ACCESS LOOP	1	3	UEPRX	UEPLX	49.62				ļ		15.20		 		
ONRON	DLED E	ACHANGE ACCESS LOUP			l	1											

LINDLINDI	ED NETWORK ELEMENTS - Louisiana												Attachment	•	Evhil	bit: C
UNBUNDL	LED NET WORK ELEMENTS - Louisiana		l	1							Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
											Submitted					
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ					Nonrec		Nonrecurring I	D:			000	Rates(\$)		
		ļ				Rec					001150	001111			0011411	001111
0.147	DE ANALOG VOICE ORABE LOOP	ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WI	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				15.20				l .
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72				15.20				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
<u> </u>	Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	25.35	102.10	65.72	<u>1 </u>		<u></u>	15.20		<u> </u>		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72	1			15.20				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				
4-WI	RE ANALOG VOICE GRADE LOOP		İ		1			22.30	† †					İ		
1	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02				15.20				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02				15.20				
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.39	127.40	91.02				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.00	17.56	01.02				10.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				
2-1/1	RE ISDN DIGITAL GRADE LOOP	-		OLA	OKLWO		07.55	30.30	1			15.20				
2-111	2-Wire ISDN Digital Grade Loop - Zone 1	-	1	UDN	U1L2X	22.09	113.34	76.96	1			15.20				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96	-			15.20				
				UDN	U1L2X	65.18	113.34	76.96	-			15.20				
	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	05.10	17.56	76.96	-			15.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09				15.20				
0 14/1		ļ		UDIN	UREWU		91.49	44.09				15.20				
Z-VVI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP	ļ														
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	'	1	LIDO	LIDOOV	00.00	440.04	70.00				45.00				1
	1		1	UDC	UDC2X	22.09	113.34	76.96				15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1	_					=								1
	2		2	UDC	UDC2X	35.28	113.34	76.96				15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1														1
	3	1	3	UDC	UDC2X	65.18	113.34	76.96	1			15.20		ļ		
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.49	44.09	1			15.20		ļ		
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	•					1							.
	2 Wire Unbundled ADSL Loop including manual service inquiry								1		1	I		Ì		ı
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36				15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry								1 T		1	<u> </u>		<u> </u>		<u></u>
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36				15.20				1
	2 Wire Unbundled ADSL Loop including manual service inquiry															
I	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36	<u>1 </u>		<u> </u>	15.20		<u> </u>		1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02	1			15.20				1
l l	2 Wire Unbundled ADSL Loop without manual service inquiry &							·				-				
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02	1		1	15.20		Ì		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02	1			15.20				1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56		† †			1		İ		
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch		i –	UAL	UREWO		86.07	40.34	1			15.20		İ		
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP				00.01	.0.01	† †					1		
	2 Wire Unbundled HDSL Loop including manual service inquiry	T	1						1			i		1		i
	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77	1		1	15.20		Ì		i
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	_		J/	5.79	120.00	70.77	t +			10.20		 		
ı I	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77	1			15.20				1
 	2 Wire Unbundled HDSL Loop including manual service inquiry	1		J. IL	OTILEX	11.02	120.00	10.77	+ +			13.20		1		
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77	1			15.20				ı
,	a racinty reservation - Zone 3	1	J	OI IL	UI ILZA	12.74	120.00	10.77	1		·	15.20		l		

LINBUNI) Fr	NETWORK ELEMENTS - Louisiana												Attachment	2	Exhi	hit: C
ONDONI	/LEL	NET WORK ELEMENTS - LOUISIANA					1					Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
												Submitted	Svc Order Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	PΥ	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				Manually				
OA! LOO!		NATE ELEMENTO	m	20110	500	0000			itiAT LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43				15.20				
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43				15.20				
		2 Wire Unbundled HDSL Loop without manual service inquiry		_									4= 00				
		and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43				15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UHL UHL	OCOSL		17.56	10.24				45.00				
—		CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E	000	UHL	UREWO		86.00	40.34	-			15.20				
4-		4 Wire Unbundled HDSL Loop including manual service inquiry	IIIBLE	LOOP						+			1				
		and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54	1			15.20				
-		4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	UL	OT IL-I/C	10.24	100.20	10-7.04	+			10.20				
		and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54	1			15.20				
		4-Wire Unbundled HDSL Loop including manual service inquiry					12.00			1							
		and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54	1		1	15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20				15.20				
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20				15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		86.00	40.34				15.20				
4-		DS1 DIGITAL LOOP		1	1101	1101.707	05.70	045.40	450.00				45.00				
		4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL USL	USLXX	85.70 194.96	245.16 245.16	152.98 152.98	<u> </u>			15.20 15.20				
		4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491.94	245.16	152.98	-			15.20				
		Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	431.34	17.56	132.90	+			13.20				
-		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98				15.20				
4-		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			001	OKEWO		100.00	42.00				10.20				
<u> </u>		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48				15.20				
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48				15.20				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48				15.20				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48				15.20				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48				15.20				
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48	1			15.20				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48				15.20				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL UDL	OCOSL UREWO		17.56	40.07	1			45.00				
H		CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UKEWO	+	101.97	49.67	+ +			15.20	-	-		
		Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service	-	 			+			+		-					
		2-vvire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		4	UCL	UCLPB	12.29	116.18	67.46	1		1	15.20				
 		2-Wire Unbundled Copper Loop/Short including manual service			JOL	OCLEB	12.29	110.10	07.40	+			13.20	1	1		
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46	1		1	15.20				
		2 Wire Unbundled Copper Loop/Short including manual service		ΙĪ		552. 5	00		51.40	† †							
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46	1		1	15.20				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
		2-Wire Unbundled Copper Loop/Short without manual service							·								
		inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCLPW	12.29	91.92	55.12	<u>1 </u>		<u></u>	15.20	<u> </u>	<u> </u>		
		2-Wire Unbundled Copper Loop/Short without manual service			_												
		inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12				15.20				
		2-Wire Unbundled Copper Loop/Short without manual service							·		·						
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12				15.20				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								

UNBUI	NDLF	NETWORK ELEMENTS - Louisiana												Attachment:	2	Fxhi	ibit: C
O.T.DO.		THE THORK ELEMENTO LOGICIANA	1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
<u> </u>								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.		1	UCL	LICLO	47.04	440.40	07.40				45.00				
-		inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.21	116.18	67.46				15.20				
		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24.98	116.18	67.46				15.20				
-		2-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	UCLZL	24.50	110.10	07.40			1	13.20				-
		inquiry and facility reservation - Zone 3		3	UCL	UCL2L	39.57	116.18	67.46				15.20				
		Order Coordination for Unbundled Copper Loops (per loop)		Ü	UCL	UCLMC	00.07	7.92	7.92				10.20				
		2-Wire Unbundled Copper Loop/Long - without manual service			002	CCLIIIC		7.02	7.02								
		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20				
		2-Wire Unbundled Copper Loop/Long - without manual service															
		inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
		2-Wire Unbundled Copper Loop/Long - without manual service															
		inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
	1-WIRE	COPPER LOOP															
		4-Wire Copper Loop/Short - including manual service inquiry											4= 00				
		and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96				15.20				.
		4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	UCL4S	18.95	139.69	90.96				45.00				
		and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry			UCL	UCL45	18.95	139.69	90.96				15.20				
		and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				15.20				
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.55	7.92	7.92				13.20				
		4-Wire Copper Loop/Short - without manual service inquiry and			002	CCLIIIC		7.02									
		facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63				15.20				
		4-Wire Copper Loop/Short - without manual service inquiry and															
		facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
		4-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
		4-Wire Unbundled Copper Loop/Long - includes manual svc.		_		l <u></u>											
 		inquiry and facility reservation - Zone 2	 	2	UCL	UCL4L	28.47	139.69	90.96	-	1		15.20		!	1	├
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	1	3	UCL	UCL4L	62.93	139.69	90.96				15.20		I		
\vdash		Order Coordination for Unbundled Copper Loops (per loop)	 	3	UCL	UCL4L UCLMC	6∠.93	7.92	7.92		-		15.20				├ ──
1		4-Wire Unbundled Copper Loop/Long - without manual svc.	 		OOL	COLIVIO		1.32	1.32		1				t	1	
		inquiry and facility reservation - Zone 1	l	1	UCL	UCL4O	26.17	115.43	78.63				15.20		1		
		4-Wire Unbundled Copper Loop/Long - without manual svc.	1	<u> </u>			20.17	110.40	70.00				10.20		1		
		inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	28.47	115.43	78.63				15.20		I		
		4-Wire Unbundled Copper Loop/Long - without manual svc.						-									
		inquiry and facility reservation - Zone 3	<u></u>	3	UCL	UCL4O	62.93	115.43	78.63	<u> </u>		<u> </u>	15.20		<u> </u>	<u> </u>	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	ļ		UCL	UREWO		91.92	42.47		ļ		15.20		1		
LOOP N	ODIFIC	CATION	ļ								ļ				ļ		<u> </u>
			1		UAL, UHL, UCL,								1		I		
		Unbundled Loop Medification Descript of Look Calls 10 Miles	l		UEQ, ULS, UEA,										1		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	1		UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00				15.00		I		
-		Unbundled Loop Modification, Removal of Load Coils - 2 wire	<u> </u>		UDIN, UDL, USL	ULIVIZL		0.00	0.00		 		15.20		-	-	
		areater than 18k ft	1		UCL, ULS, UEQ	ULM2G		0.00	0.00				15.20				
 		Unbundled Loop Modification Removal of Load Coils - 4 Wire	 		OOL, OLO, OLQ	ULIVIZU		0.00	0.00		†		13.20		 	-	
		less than or equal to 18K ft	1		UHL, UCL	ULM4L		0.00	0.00				15.20		I		
		Unbundled Loop Modification Removal of Load Coils - 4 Wire			C, OOL	CLIVITE		0.00	0.00				10.20		1		
1		pair greater than 18k ft	1	1	UCL	ULM4G		0.00	0.00				15.20		I		

CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Submitte Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring Disconr				Rates(\$)		
						Nec	First	Add'l	First Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		12.15	12.15			15.20				
SUB-LOOPS															
Sub-L	Loop Distribution														
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		144.09	144.09			15.20				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		10.99	10.99			15.20				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		86.16	86.16			15.20				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		27.13	27.13			15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.57	63.89	30.06			15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	12.75	63.89	30.06			15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	21.45	63.89	30.06			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92			15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75	42.92			15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.91	51.48	17.65			15.20				
-	Cub 200p 2 vviile intrabuliding Network Cubic (into)			OL/ UVL	CODINE	2.51	01.40	17.00			10.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	6.58	57.54	23.71			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92				<u> </u>			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6.26	63.89	30.06			15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	Π		UEF	UCS2X	10.07	63.89	30.06			15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63.89	30.06			15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	8.03	76.75	42.92			15.20			_	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.71	76.75	42.92			15.20				
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	76.75	42.92			15.20				
Unbu	Order Coordination for Unbundled Sub-Loops, per sub-loop pair ndled Sub-Loop Modification		-	UEF	USBMC		7.92	7.92							
Olibui	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00			15.20				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00			15.20				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		224.55	4.29			15.20				
Unhu	ndled Network Terminating Wire (UNTW)			<u></u>	O LIVIT I		224.00	7.23			13.20	†			
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72			15.20				
Netwo	ork Interface Device (NID)														
	Network Interface Device (NID) - 1-2 lines		1	UENTW UENTW	UND12 UND16		42.26 62.86	27.83 48.43			15.20 15.20				1

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73				15.20				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73				15.20				
SUB-LO	OPS																
	Sub-Lo	op Feeder															·
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												ĺ
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		144.09					15.20				L
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												1
		set-up			UDN,UCL,UDL,UDC	USBFX		10.99	10.99				15.20				L
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		568.98	11.30				15.20				
1 T		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice	1										1]		1
		Grade - Zone 1	ļ	1	UEA	USBFA	8.71	89.81	54.35		1		15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	1		l	l					1		1		1		1
		Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35		1		15.20				
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	l								1						1
\perp		Voice Grade - Zone 3	ļ	3	UEA	USBFA	30.21	89.81	54.35		1		15.20				
\vdash		Order Coordination for Specified Conversion Time, per LSR	ļ		UEA	OCOSL		17.56			1				ļ		
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															1
		Grade - Zone 1		1	UEA	USBFB	8.71	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															1
		Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															1
		Grade - Zone 3		3	UEA	USBFB	30.21	89.81	54.35				15.20				
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		17.56									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															1
		Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		_		l											1
		Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		_													1
-		Battery, Voice Grade - Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20				
-		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		17.56									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	USBFD	04.44	402.00	67.04				45.00				1
-		Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	-	1	UEA	OSBED	21.44	103.69	67.31				15.20				
		Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31				15.20				1
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			UEA	USBFD	24.00	103.09	67.31				15.20				
		Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31				15.20				1
-		Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	42.04	17.56	07.31				13.20				
\vdash		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	-	OL/(COOL	 	17.30			†				 		
		Grade - Zone 1	1	1	UEA	USBFE	21.44	103.69	67.31		1		15.20		1		1
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	<u> </u>			21.77	100.00	07.01		†		10.20				1
		Grade - Zone 2	l	2	UEA	USBFE	24.66	103.69	67.31		1		15.20				1
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	l	T-		- 32. 2	200	. 55.05	001		1		.0.20		1		
		Grade - Zone 3	l	3	UEA	USBFE	42.84	103.69	67.31		1		15.20				1
		Order Coordination For Specified Conversion Time, Per LSR	1	Ť	UEA	OCOSL	.2.04	17.56	331		1				1		1
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	15.44	102.58	66.20		1		15.20		İ		
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.32	102.58	66.20				15.20				ſ
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	44.57	102.58	66.20				15.20				ſ
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		17.56		l	1				İ		ſ
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20				15.20				ſ
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	<u></u>	2	UDC	USBFS	23.32	102.58	66.20				15.20				
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	<u></u>	3	UDC	USBFS	44.57	102.58	66.20				15.20				
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55.38	98.15	61.77				15.20				
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2		USBFG	167.83	98.15	61.77				15.20				
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	469.87	98.15	61.77				15.20				
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		17.56									
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.96	81.36	44.98				15.20				
1 T	1	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	1										1]		1
		2	<u> </u>	2	UCL	USBFH	4.97	81.36	44.98	<u></u>		<u> </u>	15.20		L		L

IINRIINDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhil	oit: C
SINDUNDER	D NETWORK ELEMENTS - LOUISIANA		I	1							Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								_							2.00 .00	2.007.00.
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-	Habitadiad Cub Lass Francis and O.Wiss Connection 7-15						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	3.99	81.36	44.98				15.20				
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	3.33	17.56	44.30				13.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	15.68	98.07	61.69				15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69				15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	6.39	98.07	61.69				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	24.25	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		l .	LIDI	LIODEO							4-0-				
\vdash	Zone 1	 	1	UDL	USBFO	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	1	2	UDL	USBFO	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1		UDL	0301-0	22.01	90.15	01.77			1	15.20				
	Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				
	Order Coordination For Specified Time Conversion, per LSR	†	- 3	UDL	OCOSL	27.20	17.56	01.77				10.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			052	00002											
	Zone 1		1	UDL	USBFP	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFP	24.25	98.15	61.77				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56									
SUB-LOOPS	Finds															
Sub-L	oop Feeder Sub Loop Feeder - DS3 - Per Mile Per Month	1	<u> </u>	UE3	1L5SL	17.00										
	Sub Loop Feeder - DS3 - Fer Mille Fer Worlth Sub Loop Feeder - DS3 - Facility Termination Per Month	l i		UE3	USBF1	368.44	3,397.56	406.56				15.20				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	l i		UDLSX	1L5SL	17.00	3,337.30	400.50				13.20				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	i i		UDLSX	USBF7	395.92	3,397.56	406.56				15.20				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	i		UDLO3	1L5SL	12.90	0,001.100									
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	- 1		UDLO3	USBF5	60.45										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	I		UDLO3	USBF2	594.77	3,397.56	406.56				15.20				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	15.87										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	١.		LIDI 40	LIODEO	000 00										
-	Month			UDL12 UDL12	USBF6 USBF3	683.03 1,922.00	3,397.56	406.56				15.20				
	Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month	i i	-	UDL12 UDL48	1L5SL	1,922.00 52.07	3,387.30	400.36			1	15.20				
	Sub Loop Feeder - OC-48 - Fer Mile Fer Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per	- '-		000	I LOOL	32.01										
	Month	1		UDL48	USBF9	341.64										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	Ì		UDL48	USBF4	1,663.00	3,582.56	406.56				15.20				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	385.45	803.80	406.56				15.20				
UNBUNDLED	LOOP CONCENTRATION							•		•						
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	374.26	316.00	316.00				15.20				
\vdash	Unbundled Loop Concentration - System B (TR008)	<u> </u>	ļ	ULC	UCT8B	53.40	131.67	131.67				15.20				
	Unbundled Loop Concentration - System A (TR303)	 	<u> </u>	ULC	UCT3A	412.08	316.00 131.67	316.00				15.20				
\vdash	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card	 	-	ULC	UCT3B UCTCO	89.98 5.12	61.46	131.67 44.74				15.20 15.20				
	Unbundled Loop Concentration - DST Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			OLO	00100	5.12	01.40	44.74				13.20				
	Card)	1	1	UDN	ULCC1	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration - UDC Loop Interface (Brite					5.12	20	.5.10				.0.20				
	Card)	1	1	UDC	ULCCU	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	l					_									
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18				15.20				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)	ļ	<u> </u>	UEA	ULCCR	12.07	10.23	10.18				15.20				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1	1			7.00	40.00	10.10]			45.00				
	(Specials Card)	<u> </u>	<u> </u>	UEA	ULCC4	7.20	10.23	10.18	l		1	15.20				

UNBUNE	DLED NETWORK ELEMENTS - Louisia	ana												Attachment:	2	Exhi	ibit: C
CATEGOR			Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CI				ULC	UCTTC	35.19	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 19 Interface	9.2 Kbps Data Loop			UDL	ULCC7	10.67	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 56	6 Kbps Data Loop															
	Interface Unbundled Loop Concentration - Digital 64	4 Kbps Data Loop			UDL	ULCC5	10.67	10.23	10.18				15.20				
	Interface				UDL	ULCC6	10.67	10.23	10.18				15.20				
UNE OTHE	IER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID i	nstallation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioni	ng Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning C	only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHE	IER, PROVISIONING ONLY - NO RATE																
	Unbundled Contact Name, Provisioning O				UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cros- rate	s Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cros	s Box Jumper - no			UEA.USL.UCL.UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Forma	ot Ontion - no rate				CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superfr				OOL	00001	0.00	0.00									
	no rate	ame i omat option			USL	CCOEF	0.00	0.00									
HIGH CAP	PACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop - DS	3 - Per Mile per															
	month High Capacity Unbundled Local Loop - DS	3 - Facility			UE3	1L5ND	10.04										
	Termination per month	,			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop - ST month	S-1 - Per Mile per			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - ST	S-1 - Facility						400.40	050.00				45.00				
LOOP MAI	Termination per month				UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAI																	
	Loop Makeup - Preordering Without Reser spare facility queried (Manual).	vation, per working or			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservat queried (Manual).	ion, per spare facility			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation	n, per working or			UWK	UIVIKLP		24.70	24.70								
	spare facility queried (Mechanized)				UMK	PSUMK		0.19	0.19								
	EQUENCY SPECTRUM											<u> </u>					
	INE SHARING																
SP	PLITTERS-CENTRAL OFFICE BASED	2			1110		100 10	400.00				1					
	Line Sharing Splitter, per System 96 Line					ULSDA	187.17	183.33	0.00		0.00		15.20				
	Line Sharing Splitter, per System 24 Line					ULSDB	46.79	183.33	0.00		0.00		15.20			ļ	
	Line Sharing Splitter, Per System, 8 Line (ULS	ULSD8	15.59	183.33	0.00	0.00	0.00		15.20				
	Line Sharing-DLEC Owned Splitter in CO- deactivation (per LSOD)				ULS	ULSDG		83.98	0.00	0.00	0.00		15.20				
EN	ND USER ORDERING-CENTRAL OFFICE BASI		SPECT				1										
	Line Sharing - per Line Activation (BST O				ULS	ULSDC	0.61	17.97	10.29	0.00	0.00		15.20				
	Line Sharing - per Subsequent Activity pe Rearrangement(BST Owned Splitter)	r Line			ULS	ULSDS		15.91	7.95				15.20				
	Line Sharing - per Subsequent Activity pe	r Line															
	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC of	owned Splitter)	_			ULSCS ULSCC	0.61	15.91 47.44	7.95 19.31	0.00	0.00	-	15.20 15.20				-
1 10	INE SPLITTING						5.51		.0.01	5.50	0.50					1	
	ND USER ORDERING-CENTRAL OFFICE BASI	D										1	 			1	1
-"	Line Splitting - per line activation DLEC ov		\neg		UEPSR UEPSB	UREOS	0.61										Ì
	Line Splitting - per line activation BST own		I			UREBP	0.61	17.97	10.29	1			15.20			İ	
													15.20				

LINIDIII	IDI EI	NETWORK ELEMENTS Louisians												A44b4-	•	Fulci	hit. C
UNDU	ADLEI	D NETWORK ELEMENTS - Louisiana		l		I						Svc Order	Svc Order	Attachment: Incremental			bit: C Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac 1at	Disc Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		E SITE HIGH FREQUENCY SPECTRUM															
	SPLIII	ERS-REMOTE SITE		<u> </u>		LILODD	50.07	077.74	0.00	0.00	0.00		45.00				
		Remote Site Line Share BellSouth Owned Splitter, 24 Port Remote Site Line Share Cable Pair Activation CLEC Owned at	ı		ULS	ULSRB	53.97	377.71	0.00	0.00	0.00		15.20				
		RS and Deactivation			IIIS	ULSTG		74.38	0.00	0.00	0.00		15.20				ł
 	ND US	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	ΙΔΚΔ	REMOT	CLC			74.30	0.00	0.00	0.00		13.20				
		Remote Site Line Share Line Activationfor End User Served at	, AIGA	l	E OHE LINE OHAIN	T											
		RS. BST Splitter	1		ULS	ULSRC	0.61	36.97	21.17	0.00	0.00		15.20				ł '
		RS Line Share Line Activation for End User served at RS, CLEC															i
		Splitter	1		ULS	ULSTC	0.61	36.97	21.17	0.00	0.00		15.20				ł
		DEDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									i
	NTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			l <u>-</u>												ł
\vdash		Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LIATON	LIATVO	20.00	00.00	00.00				45.00				ł
		Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	U1TV2	22.60	39.36	26.62				15.20				
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										í
-		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UTIVA	ILSAA	0.013										
		Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62				15.20				í
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			OTTVX	OTTIVE	22.00	39.30	20.02				13.20				
		Per Mile per month			U1TVX	1L5XX	0.013										i '
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62				15.20				, '
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															ĺ
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															1
		Termination			U1TDX	U1TD5	15.61	39.37	26.62				15.20				 '
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															ł '
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62				15.20				ł '
-		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	01106	13.01	39.37	20.02				15.20				
		month			U1TD1	1L5XX	0.2652										ł
+		Interoffice Channel - Dedicated Tranport - DS1 - Facility			3.101		0.2002							1	1		1
		Termination			U1TD1	U1TF1	70.47	86.69	79.44				15.20		1		1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per												1			1
		month			U1TD3	1L5XX	6.04										i
		Interoffice Channel - Dedicated Transport - DS3 - Facility															1
		Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				 '
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1											1		i
\vdash		month		ļ	U1TS1	1L5XX	6.04							ļ	ļ		
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			LIATOA	LIATEO	000.40	070.00	450.05				45.00		1		1
 	0041	Termination CHANNEL - DEDICATED TRANSPORT		<u> </u>	U1TS1	U1TFS	830.19	270.69	158.05				15.20	-			
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a nerio	d - held	w DS3-one month	DS3/STS-1-	four months							-	1		
 	JUIL.	Local Channel - Dedicated - 2-Wire Voice Grade	a bein	a - Dell	ULDVX	ULDV2	18.32	187.51	32.21				15.20		 		
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	18.32	187.51	32.21				15.20				1
		Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX	ULDV4	19.41	187.94	32.63		l		15.20	İ	İ		í
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				i .
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				i
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.82	,									<u> </u>
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	469.44	438.46	256.30				15.20				
\vdash		Local Channel - Dedicated - STS-1- Per Mile per month		 	ULDS1	1L5NC	7.82	400.40	250.00		-		45.00	1	 		
DARK F	DED	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	457.22	438.46	256.30				15.20		 		 '
DAKK	DEK			<u> </u>		<u> </u>				l	l			l	l		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhi	ibit: C
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec		Nonrecurring Disconne				Rates(\$)		
						1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														
	Thereof per month - Local Channel			UDF	1L5DC	52.23	200.00	100.00			1= 00				
	NRC Dark Fiber - Local Channel			UDF	UDFC4		620.60	133.88		-	15.20				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	25.28									
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	23.20	620.60	133.88	 		15.20				1
-	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ОВІ	ODI 14		020.00	133.00			13.20				
	Thereof per month - Local Loop			UDF	1L5DL	52.23									
	NRC Dark Fiber - Local Loop			UDF	UDFL4		620.60	133.88			15.20				
8XX ACCES	S TEN DIGIT SCREENING														
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.51	0.43			15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.77	0.78			15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.77	0.78			15.20				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.51	1.26			15.20				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68			15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43			15.20				
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.51				15.20				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387									
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query			OHD		0.0006387									
LINE INFOR	MATION DATA BASE ACCESS (LIDB)			OTID		0.0000001			 						
	LIDB Common Transport Per Query			OQT		0.0000221									
	LIDB Validation Per Query			OQU		0.0135077									
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		33.33				15.20				
SIGNALING															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60									
	CCS7 Signaling Usage, Per TCAP Message	1	!	UDB	TPP++	0.000064	34.50	34.50			15.20	 	 		
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	-	1	UDB	IPP++	15.77	34.50	34.50		1	15.20				
	link)		1	UDB	TPP++	15.77	34.50	34.50			15.20	1	1		
	CCS7 Signaling Usage, Per ISUP Message	1	<u> </u>	UDB		0.000016	330	000			10.20	1	1		
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10						İ	İ		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17			15.20				_
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17			15.20				
E911 SERVI	CE		1												
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21			15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21			15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		ļ			18.32	187.51	32.21			15.20				<u> </u>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1	!			0.013					1	 	 		1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.60	39.36	26.62			15.20				
	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>		-	39.18	172.34	149.27			15.20	 	 	-	
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	!			121.58 70.02	172.34 172.34	149.27 149.27			15.20 15.20	 	 		
	Interoffice Transport - Dedicated - DS1 - Zone 3	-	1		+	0.2652	172.34	149.27		1	15.20				
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44			15.20				
CALLING N	AME (CNAM) SERVICE	1	 		+	10.41	00.09	19.44		+	15.20	1	1	1	
CALLING IV	CNAM For DB Owners - Service Establishment		1	OQV	+		22.29		 	_	15.20	 	 		

LINBLIND	I F	NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhi	bit: C
UNDUND	LEL	NETWORK ELEMENTS - Louisiana	1	ı			I					Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -			Charge -
												Elec		Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR				
or in a contract of the contra	•		m		200							per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CNAM For Non DB Owners - Service Establishment			OQV			22.29					15.20				
		CNAM For DB Owners - Service Provisioning With Point Code															
		Establishment			OQV			962.22	711.64				15.20				
		CNAM For Non DB Owners - Service Provisioning With Point															
		Code Establishment			OQV			332.43	238.05				15.20				
		CNAM for DB Owners, Per Query			OQV		0.0010217										
		CNAM for Non DB Owners, Per Query			OQV		0.0010217										
LNP Query	Ser																
ļ		LNP Charge Per query		<u> </u>	OQV		0.0008559	10.10					1= 00				
		LNP Service Establishment Manual						12.16	004.40				15.20				
ODEDATO		LNP Service Provisioning with Point Code Establishment						576.33	294.43			ļ	15.20				
OPERATOR		LL PROCESSING Oper. Call Processing - Oper. Provided, Per Min Using BST		-							 						
		Oper. Call Processing - Oper. Provided, Per Min Using BST	1				1.20				1				1		1
	_	Oper. Call Processing - Oper. Provided, Per Min Using					1.20					1					
		Oper. Call Processing - Oper. Provided, Per Min Osing Foreign LIDB	1				1.24				1				1		1
 		Oper. Call Processing - Fully Automated, per Call - Using BST					1.24					1					
		LIDB					0.20										
		Oper. Call Processing - Fully Automated, per Call - Using					0.20										
		Foreign LIDB					0.20										
INWARD O		ATOR SERVICES					0.20										
		Inward Operator Services - Verification, Per Minute					1.15										
		Inward Operator Services - Verification and Emergency Interrupt															
		- Per Minute					1.15										
BRANDING	- O	PERATOR CALL PROCESSING															
Fac	ility	based CLEC															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
		Loading of Custom Branded OA Announcement per shelf/NAV															
		per OCN				CBAOL		500.00	500.00				15.20				
UNI		ELEC															
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.20				
		Loading of Custom Branded OA Announcement per shelf/NAV															
L		per OCN		<u> </u>				500.00	500.00				15.20				
Uni		ding via OLNS for UNEP CLEC		<u> </u>				4 000 00					1= 00				
DIDECTOR		Loading of OA per OCN (Regional)						1,200.00	1,200.00			1	15.20				
		ORY ASSISTANCE ACCESS SERVICE		<u> </u>							-						
DIR		Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIE	ECT	ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)				0.275				+				1		
Din		Directory Assistance Call Completion Access Service (DACC),	-A00)	 			 				+				 		
		Per Call Attempt	1				0.10				1				1		1
DIRECTOR		SSISTANCE SERVICES					5.10				<u>† </u>						
		ORY ASSISTANCE DATA BASE SERVICE (DADS)	1								1				1		1
		Directory Assistance Data Base Service Charge Per Listing					0.04				1						
		Directory Assistance Data Base Service, per month				DBSOF	150.00				1				İ		İ
BRANDING	- DI	RECTORY ASSISTANCE	1									İ					
	ility	Based CLEC															
		Recording and Provisioning of DA Custom Branded															
		Announcement	<u> </u>	<u> </u>	AMT	CBADA	<u> </u>	6,000.00	6,000.00	<u> </u>	1	<u> </u>	15.20		<u> </u>		<u> </u>
		Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00				15.20				
UN	EP C	LEC															
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.20				
1 1		Loading of DA Custom Branded Announcement per Switch per	1						_]]
		OCN		<u> </u>				1,170.00	1,170.00		1		15.20				
Uni		ding via OLNS for UNEP CLEC					ļ				 						<u> </u>
\vdash		Loading of DA per OCN (1 OCN per Order)	<u> </u>					420.00	420.00	ļ	+	<u> </u>	15.20		 		
CEL FOTO		Loading of DA per Switch per OCN	<u> </u>					16.00	16.00	ļ	+	<u> </u>	15.20		 		
SELECTIVE	E KÜ	UTING	<u> </u>	<u> </u>													

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonre	urring	Nonrecurring D					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		82.25	82.25				15.20				
VIRTUAL CO																
	Virtual Collocation - Application Cost			AMTFS	EAF		1,770.40					15.20				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		841.54					15.20				
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	16.02										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46				15.20				
				AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53				15.20				
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS,UDL12, UDLO3, U1T48,	CNC2F	2.65	20.29	14.76				15.20				
	Virtual Collocation - 4-Fiber Cross Connects			U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29				15.20				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.04	21.39	15.47				15.20				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
1	Cable Support Structure, per linear ft	1		AMTFS	VE1CD	0.0036					1				l	1
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.79					15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79					15.20				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10.97										1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB	5.29										
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC	0.08										
-+	Virtual Collocation Cable Records - DS1, per T1TIE	1		AMTES	VE1BC VE1BD	0.08					-				1	+
-+	Virtual Collocation Cable Records - DS3, per T3TIE	1		AMTFS	VE1BD VE1BE	0.04					-				1	+
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															<u> </u>
	records	<u> </u>		AMTES	VE1BF	1.37						/= ^-				├
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS AMTFS	SPTBX SPTOX		16.44 21.41	10.42 13.45			ļ	15.20 15.20				↓
	Virtual collocation - Security Escort - Overtime, per half hour															

UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Fyhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42				15.20				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45				15.20				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49				15.20				
VIRTUAL COL	LOCATION Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															4
	Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
VIRTUAL COL	ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				1
WINTONE GOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
PHYSICAL CO				02. 0.1, 02. 03	12.20	0.0200			0.00	0.00		10.20				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46				15.20				
AIN SELECTIV	VE CARRIER ROUTING															
	Regional Service Establishment End Office Establishment			UEBIB UEBIB	SRCEC SRCEO		100,209.33 164.29	164.29				15.20 15.20				<u> </u>
	Query NRC, per query			UEBIB	SKCLO	0.0030293	104.25	104.29				13.20				†
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE					3.3333_33										1
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		38.30	38.30				15.20				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60				15.20				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60				15.20				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		33.99	33.99				15.20				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39				15.20				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute					0.0022 0.5795										
	AIN SMS Access Service - Company Performed Session, Per															
AIN - BELLSO	Minute OUTH AIN TOOLKIT SERVICE					0.8104					1					
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup		ļ	CAM	BAPSC		38.30	38.30				15.20				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPVX		4,175.10	4,175.10			1	15.20				-
	DN, Term. Attempt				BAPTT		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.60	7.60				15.20				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.60	7.60				15.20				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		33.47	33.47				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		33.47	33.47				15.20				

LINBI	INDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhi	bit: C
ONDO	HULL		1									Svc Order	Svc Order		Incremental		
													Submitted		Charge -		Charge -
																Charge -	
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			
CAIL	OKI	KATE EEEMENTO	m	20116	ВСО	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	g Disconnect		1	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Feature Code				BAPTF		33.47	33.47				15.20				
		AIN Toolkit Service - Query Charge, Per Query					0.0536446										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query					0.006569										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1		L	L		_	_	I							1
		Subscription			CAM	BAPLS	2.80	8.41	8.41				15.20				
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service						= 00									
		Subscription			CAM	BAPDS	8.20	7.60	7.60		ļ		15.20				
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1		0444	DAREO	0.00	0		I			45.00				1
<u></u>		Service Subscription			CAM	BAPES	0.09	8.41	8.41				15.20				
ENHA		(TENDED LINK (EELs)	. 0-1	l	Mariana Principal Company	11.1	Adlanda On No.										
		New Density Zone 1 EELs are available in the following MSA					Atlanta, Ga; Ne	w Orleans, LA,									
		Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply to					rorted to LINE ro	too A Curitob	Ao lo Chargo a	malias ta surra	ntly combine	l facilities s	anyorted to	IINEs /Non re	aurring rates	de not ennly	
		In All States the EEL network elements apply to ordinarily co												UNES.(NOII-16	curring rates	ио посарріу	· <i>)</i>
		IN All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				itch As is Ch	arge.) when or	dering ordinar	ily combined	network eleme	nts, Non-recur	ring rates d	о арріу.				-
	Z-VVIKE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EKUFF	ICE IK	ANSPORT (EEL)							1					-
		Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		<u> </u>	ONOVA	OLALZ	14.33	34.21	40.00				13.20				
		Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			ONOVA	OLALZ	20.00	34.21	43.03				13.20				
		Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	OHOVX	OLITE	00.40	04.E1	40.00				10.20				
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility					0.202										
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96				15.20				
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				<u> </u>
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															1
		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	50.46	94.21	45.09	ļ		<u> </u>	15.20				1
		Voice Grade COCI - DS1 to DS0 Channel System combination -								1							1
		per month	ļ	ļ	UNCVX	1D1VG	0.6497	5.91	4.26		ļ	ļ					
		Nonrecurring Currently Combined Network Elements Switch -As-	1							1							1
	4 14	Is Charge	EDGE	105 ==	UNC1X	UNCCC		5.43	5.43		ļ		15.20				├
	4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	⊨KOFF	ICE TR	ANSPORT (EEL)	1	ļ			_	ļ	<u> </u>			ļ		
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	UNCVX	UEAL4	20.04	04.04	45.00	1			45.00				1
-		Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	 	1 1	OINCAY	UEAL4	30.81	94.21	45.09	 	-	1	15.20				
		Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	1			15.20				1
-	-	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	├	-	OINCVA	UEAL4	38.32	94.21	45.09	-	1	 	15.20				
		Transport Combination - Zone 3	1	3	UNCVX	UEAL4	60.39	94.21	45.09	I			15.20				1
-	-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	3	OINCVA	UEAL4	60.39	94.21	45.09	+		}	15.∠0		1		
		Per Month			UNC1X	1L5XX	0.2652			1							1
-		Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	1	ONOIA	ILUAA	0.2002			1	1	1					
		Month	1		UNC1X	U1TF1	70.47	143.58	103.88	I			15.20				1
-		Channelization - Channel System DS1 to DS0 combination Per	1	!	0.101/	J	70.47	1-10.00	100.00	-			10.20				
		Month	1		UNC1X	MQ1	105.09	59.97	12.96	I							1
		Voice Grade COCI - DS1 to DS0 Channel System combination -	†	İ				33.07	.2.00	1							
		per month			UNCVX	1D1VG	0.6497	5.91	4.26	1							1

HINDHINDI	ED NETWORK ELEMENTS - Louisiana												A44b	•	Ful:	bit: C
UNBUNDL	ED NETWORK ELEMENTS - Louisiana	1	1			I					Svc Order	Svc Order	Attachment: Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
G/11200111		m									per LSR	per LSR		Electronic-	Electronic-	Electronic-
													Electronic-	Add'l	Disc 1st	
													1st	Addi	DISC 1St	Disc Add'l
						B	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				1
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				1
4-WII	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL))											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice							<u> </u>								1
	Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09		<u> </u>		15.20		<u></u>		<u> </u>
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20		<u> </u>		1
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															1
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								l
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WII	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)) [ļ						!
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1													1
\vdash	Transport Combination - Zone 1	1	1	UNCDX	UDL64	30.99	94.21	45.09		<u> </u>		15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_								1					1
\vdash	Transport Combination - Zone 2	-	2	UNCDX	UDL64	36.78	94.21	45.09		 		15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1 _	LINODY	LIDLG:			.=			1	4-0-				1
\vdash	Transport Combination - Zone 3	-	3	UNCDX	UDL64	38.92	94.21	45.09		 		15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.572	0.0050					1					1
 	Per Month	1	1	UNC1X	1L5XX	0.2652				 						
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY	LIATE 4	70.4-	440.50	400.00			1	45.00				1
\vdash	Termination Per Month	1	1	UNC1X	U1TF1	70.47	143.58	103.88		-		15.20				
	Channelization - Channel System DS1 to DS0 combination Per Month			LINCAV	MQ1	105.09	59.97	12.96			1					1
\vdash	OCU-DP COCI (data) - DS1 to DS0 Channel System	1	1	UNC1X	IVIQ I	105.09	59.97	12.96		-						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								1
\vdash		1	<u> </u>	UNCDX	טטוטו	1.38	5.91	4.26		 				-		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	LINCDY	LIDL 64	20.00	04.04	45.00			1	15.00				1
 	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	30.99	94.21	45.09		 		15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	26.70	94.21	45.09				15.00				1
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	1		UNCDX	UDL64	36.78	94.21	45.09		-		15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				1
\vdash	OCU-DP COCI (data) - DS1 to DS0 Channel System	1	3	UNCDX	UDL64	38.92	94.21	45.09		 		15.20		-		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26			1					1
<u> </u>	combination - per month (2.4-64KDS)		1	OINCDV	טטוטו	1.38	5.91	4.26	L	1	ı	ı		L		

CATEGORY RATE ELEMENTS Intering Manual Svc USOC RATES(\$) RATE ELEMENTS Intering Manual Svc Order vs. Electronic-1st Order vs. Electronic-1st OSS Rates(\$) RATE ELEMENTS Order vs. Electronic-1st OSS Rates(\$)	Exhibit: C	it: C
CATEGORY RATE ELEMENTS Intel® Zone RCG		Increme
ANTERIORY RATE ELEMENTS Interior Box B		Charge
CATEGORY RATE REMEMTS		Manual
Receive Rece		Order v
Nonexaming Currently Curribined Network Elements Switch - New Nonexaming Currently Curribined Network Elements Switch - Ne		Electron
Name		Disc Ac
Noncounting Currently Controlled Network Enterests Switch No.		
Noncouring Comment (Comment (Comment Sealer) Sealer) No.	SOMAN S	SOMA
Charge C	JOWAN 3	JONA
Average DST DIGITAL EXTENSION LOOP WITH DEDICATED DST Interforce LACTX USLXX 194.66 169.22 100.89 15.00		
Transport_Zone 1		
E-Wise DST Digata Loop in Combination with DST Interoffice DeCity USUX USUX 194.96 169.22 100.89 15.20		
Transport - Zero 2		
A-Wise DST Digital Loop in Combination with DST Interedifice Temperatric Care State UNCIX USLXX 461.64 169.22 100.89 15.20		
Transport - Zono 3		
Interesting Transport - Dedicated - DS1 combination - Part Mile Per Morth Interesting Transport - Dedicated - DS1 combination - Facility UNC1X		
Per Moveln		
Termination Per Month		
Noncecuring Currently Combined Network Elements Switch -As- UNC1X		
Scharge		
WIRC DSI TORITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)		
First DS1Loop in DS3 Interoffice Transport Combination - Zone	+	
1	+	
First DSTLoop in DSS Interoffice Transport Combination - Zone 2 UNC1X		
First DSI Loop in DS3 Interdifice Transport Combination - Zone 3 UNC1X USLXX 491.94 169.22 100.89 15.20 15.20		
S		
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		
Per Month	\longrightarrow	
Interoffice Transport - Dedicated - DS3 - Facility Termination per month		
month		
DS3 to DS1 Channel System combination per month		
Additional DS1Loop in DS3 Interoffice Transport Combination - 1 UNC1X		
Zone 1		
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		
Zone 2	\longrightarrow	
Additional DS1Loop in DS3 Interface Transport Combination - Zone 3 3 UNC1X		
Zone 3		
DS3 Interface Unit (DS1 COCI) combination per month UNC1X UC1D1 11.78 5.91 4.26		
Nonrecurring Currently Combined Network Elements Switch -As- UNC3X		
Scharge UNCXX		
2-WireVG Loop used with 2-wire VG Interoffice Transport 1 UNCVX UEAL2 14.93 94.21 45.09 15.20		
Combination - Zone 1		
2-WireVG Loop used with 2-wire VG Interoffice Transport 2 UNCVX UEAL2 25.35 94.21 45.09 15.20		
Combination - Zone 2 2 UNCVX UEAL2 25.35 94.21 45.09 15.20	+	
2-WireVG Loop used with 2-wire VG Interoffice Transport 3 UNCVX UEAL2 50.46 94.21 45.09 15.20		
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month UNCVX U1TV2 22.60 72.60 41.75 15.20 Nonrecurring Currently Combined Network Elements Switch - Asls Is Charge UNCVX UNCCC 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 UNCVX UEAL4 38.32 94.21 45.09 15.20		
Mile Per Month		
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		
Combination - Facility Termination per month	\longrightarrow	
Nonrecurring Currently Combined Network Elements Switch - As- UNCVX UNCCC 5.43 5.43 15.20		
Is Charge		
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 30.81 94.21 45.09 15.20		
Combination - Zone 1		
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.32 94.21 45.09 15.20		
Combination - Zone 2 2 UNCVX UEAL4 38.32 94.21 45.09 15.20		
100000000000000000000000000000000000000		
THE TYPHIC VOLCOUP WIND TWHICE VO INTO FOR INTERIOR IN THE PROPERTY OF THE PRO	+	
Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09 15.20		
Interoffice Transport - Dedicated - 4-wire VG combination - Per	-	
Mile Per Month		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	hit: C
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonred	curring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4- Wire Voice Grade															
		combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75				15.20				
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.43	5.43				15.20				
	DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	SPOR		0.1000		0.10	0.10				10.20				
		High Capacity Unbundled Local Loop - DS3 combination - Per															
		Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	10.04										
		Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 combination - Facility			LINOSY	LIATES	0=0 :-										
-		Termination per per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
		Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
	STS1 E	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	ANSP													
		High Capacity Unbundled Local Loop - STS1 combination - Per															
-		Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	10.04										
		Facility Termination per month			UNCSX	UDLS1	374.56	188.45	125.51								
		Interoffice Transport - Dedicated - STS1 combination - Per Mile															
		per month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UTIFS	830.19	290.08	121.16				15.20				
		Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
	2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				45.00				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCIX	UILZX	22.09	94.21	45.09				15.20				
		Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	65.18 0.2652	94.21	45.09				15.20				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSXX	0.2652										
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
		Channelization - Channel System DS1 to DS0 combination -															
		per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	105.09	59.97	12.96								
		combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	35.28	94.21	45.09				45.00				
		Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNUNA	UILZX	35.∠8	94.21	45.09				15.20				
		Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
		combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	2.96	5.91	4.26								
		Incorrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
	4-WIRE	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI				50	5.10				.0.20				
		First DS1 Loop in STS1 Interoffice Transport Combination -															
<u> </u>		Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
		Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
		First DS1 Loop in STS1 Interoffice Transport Combination -		<u> </u>													
		Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
		Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	6.04										
		Let Mount	l	<u> </u>	UNCOV	ILOAX	0.04				<u> </u>	ı	l		<u> </u>		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana		1	,									Attachment:			bit: C
														Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc			
CAILO	OIX I	KATE ELEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														Electronic- 1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	830.19	296.68	121.16				15.20				1 '
		STS1 to DS1 Channel System conbination per month		1	UNCSX	MQ3	201.48	107.05	48.07				13.20				$\vdash \vdash \vdash$
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional DS1Loop in STS1 Interoffice Transport Combination -															
		Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
		Additional DS1Loop in STS1 Interoffice Transport Combination -															1 '
		Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -	1	2	UNC1X	USLXX	194.96	169.22	100.89				15.20				\longleftarrow
		Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				1 '
		DS3 Interface Unit (DS1 COCI) combination per month		<u> </u>	UNC1X	UC1D1	11.78	5.91	4.26	1	1		10.20				\vdash
		Nonrecurring Currently Combined Network Elements Switch -As-		1													
		Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				<u> </u>
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	TRANS	PORT (EEL)	1					ļ						 '
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	30.99	94.21	45.09				15.20				1 '
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDLS6	30.99	94.21	45.09				15.20				$\vdash \vdash \vdash$
		Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				1
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															1 '
-		Per Mile		<u> </u>	UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	15.61	72.60	41.75				15.20				1 '
		Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	01103	13.01	72.00	41.73				13.20				\vdash
		Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				1
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	TRANS	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															Į į
		Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				1 '
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			ONODA	ODLO4	30.70	34.21	43.03				10.20				\vdash
		Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				1 '
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile			UNCDX	1L5XX	0.013										Ļ'
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	LIATEC	45.04	70.00	44.75				45.00				j '
		Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDX	U1TD6	15.61	72.60	41.75				15.20				
		Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				1 '
ADDITIO	ONAL N	NETWORK ELEMENTS				T	1	20	2	İ	İ						ļ
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, t					h As Is Charge o	loes not.			ļ						
\vdash	Nonrec	curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-		(One a	ipplies to each com	ipination)	+			-	1						\vdash
		Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.43	5.43				15.20				1 '
		Nonrecurring Currently Combined Network Elements Switch -As-	1	†		0000	1	0.40	5.75	1	1		10.20				
		Is Charge - 56/64 kbps		<u>L</u>	UNCDX	UNCCC	<u> </u>	5.43	5.43				15.20				<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															1
<u> </u>		Is Charge - DS1	<u> </u>		UNC1X	UNCCC	1	5.43	5.43	 	1		15.20				├ ───
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3	1		UNC3X	UNCCC		5.43	5.43				15.20				1 '
		Nonrecurring Currently Combined Network Elements Switch -As-		 	5.100A	0.1000	1	5.45	5.45	1	1		10.20				†
		Is Charge - STS1			UNCSX	UNCCC		5.43	5.43				15.20				1
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:													
		Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	18.32	187.51	32.21								
<u> </u>		Local Channel - Dedicated - 4-Wire Voice Grade	<u> </u>		UNCXV	ULDV4	19.41	187.94	32.63	 	1		45.00				
-		Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2	-	1 2	UNC1X UNC1X	ULDF1 ULDF1	39.18 121.58	172.34 172.34	149.27 149.27	-	 		15.20 15.20				
\vdash		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	70.02	172.34	149.27	 	 		15.20				$\vdash \vdash \vdash$
			1		1	10201	70.02	112.04	170.21	L	1	·	10.20		l		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)							Order vs.	Order vs.
OATE CONT	TOTAL ELEMENTO	m	20.10	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect		l	oss	Rates(\$)		
h						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.82	11100	Addi	11130	Auui	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
h	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	469.44	438.46	256.30			1	15.20				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.82	400.40	200.00				15.20				
h	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	457.22	438.46	256.30			1	10.20				
Ontic	onal Features & Functions:			OHOOX	OLDI O	407.22	400.40	200.00								
	TIPLEXERS										1					
INIOL	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			OXIDI	IVIQI	103.03	00.41	00.70				13.20				
	month (2.4-64kbs)			UDL	1D1DD	1.38	6.39	4.58				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODL	10100	1.50	0.55	4.50	1			13.20				
	month	l		UDN	UC1CA	2.96	6.39	4.58	1			15.20		I	Ì	1
 	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	1D1VG	0.6497	6.39	4.58	 	1		15.20		 	 	
	DS3 to DS1 Channel System per month			UXTD3	MQ3	201.48	172.99	91.25			-	15.20			-	
	STS1 to DS1 Channel System per month			UXTS1	MQ3	201.48	172.99	91.25		 		15.20			-	
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58		 		15.20			-	
	DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			UJL	ומוטט	11.78	6.39	4.58		 		15.20			-	
				ULDD1	UC1D1	11.78	6.39	4.58								
	month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			OLDDT	OCIDI	11.70	6.39	4.30								
	per month			U1TD1	UC1D1	11.78	6.39	4.58								
	ss to DCS - Customer Reconfiguration (FlexServ)			וטווטו	OCIDI	11.70	6.39	4.30								
Sub-	Loop Feeder			LINIOAV	HODEO											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW 1	UNC1X	USBFG	55.38	00.45	04.77								
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			UNC1X UNC1X	USBFG		98.15	61.77								
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2					167.83	98.15	61.77								
l	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	469.87	98.15	61.77								
LINIDI INIDI EE	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 DLOCAL EXCHANGE SWITCHING(PORTS)		4	UNC1X	USBFG											
	ange Ports	CV 1 A 1	0 TAI 41				: LICOC-									
	E: Although the Port Rate includes all available features in GA,	T, LA	S. IIN, TI	ne desired features	s will need to b	e oraerea usin	g retail 0500s	3								
2-WII	RE VOICE GRADE LINE PORT RATES (RES)			LIEDOD	LIEDDI	4.50	0.04	0.04				45.00				
l	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21				15.20				
	Fortier Bode OMico Analysis Bode W Oslica ID Bo			LIEDOD	LIEBBO	4.50	0.04	0.04				45.00				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21				15.20				
ļļ	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local											4= 00				
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus			LIEDOD	LIEDAG	4.50	0.04	0.04				45.00				
	with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21	.			15.20		-		├
	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1		LIEDOD	UED: 5				I					I	Ì	1
	with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan															
	without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus															
	without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21				15.20				
	2-Wire voice unbundled Low Usage Line Port without Caller ID	l							1					I	Ì	1
	Capability			UEPSR	UEPRT	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.20				
FEA1	TURES									ļ						
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00		ļ		15.20				
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)				1				.					-		├
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -								1					1		1
	Bus Bus Date OMina VO and a Hadding Bus its			UEPSB	UEPBL	1.52	2.31	2.21		ļ		15.20				
	Exchange Ports - 2-Wire VG unbundled Line Port with				1		_	_	1			l		1		1
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21	.			15.20		.	ļ	1
					1		_	_	1			l		1		1
$oxed{oxed}$	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21	.			15.20		.	ļ	1
	Exchange Ports - 2-Wire VG unbundled LA extended local				[]		_	_	1			l		1		1
1	dialing parity Port with Caller ID - Bus.	l	1	UEPSB	UEPAX	1.52	2.31	2.21	1	1	1	15.20				1

LINDUS	DI	NETWORK ELEMENTS !-!												A	•		
UNBUN	DLEI	NETWORK ELEMENTS - Louisiana	1	1		1						00	00	Attachment:			bit: C
												Svc Order				Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
0.47500		DATE ELEMENTO	Interi	-	500				D.4.T.F.O.(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										T 81	. B'				D-1(A)		
							Rec	Nonred		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21				15.20				
		Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
		Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
		Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
-		without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21				15.20				L
		Exchange Ports - 2-Wire Voice Louisiana Business Area Calling			LIEDOD	LIEDD A	4.50	0.04	0.04				45.00				·
-		Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21				15.20				
		2-Wire voice unbundled Incoming Only Port without Caller ID															
-		Capability			UEPSB	UEPBE	1.52	2.31	2.21				15.20				
	- A - 1 -	Subsequent Activity		1	UEPSB	USASC	0.00	0.00	0.00			-	15.20	-	1		
FI	EATU			<u> </u>	LIEDOD	LIED) (E	2.00	0.00	2.00				45.00		-	1	└
<u> </u>		All Available Vertical Features		<u> </u>	UEPSB	UEPVF	0.00	0.00	0.00				15.20		-	1	└
E.	ACHA	NGE PORT RATES (DID & PBX)		1	HEDGE	LIEDES	1.50	20.0=	11.70			-	45.00	-	1		
		2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.52	30.37	14.42			-	15.20	-	1		
\vdash		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	-	1	UEPSP	UEPPC	1.52 1.52	30.37	14.42			1	15.20	1	 	-	
-		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO		30.37	14.42				15.20				
-		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42				15.20				
-		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
-		2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
		2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA UEPXB	1.52	30.37	14.42				15.20				L
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP		1.52	30.37	14.42				15.20				
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42				15.20				
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDOD	LIEDVE	4.50	00.07	44.40				45.00				
-		Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			LIEDOD	UEPXK	4.50	00.07	44.40				45.00				
-		Calling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDVI	4.50	00.07	44.40				45.00				
-		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEPSP	UEPXL	1.52	30.37	14.42				15.20				——
					LIEDOD	LIEDVA	4.50	20.27	44.40				45.00				
-		Room Calling Port		-	UEPSP	UEPXM	1.52	30.37	14.42				15.20				——
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	4.50	00.07	44.40				45.00				
		Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42				15.20				-
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local		1	UEPSP	UEPXP	1.52	30.37	14.42				15.00	Ì	I		1
-		Discount Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPSP	UEPXP	1.52						15.20		 		
\vdash		Subsequent Activity	-	 	UEPSP	USASC	0.00	30.37 0.00	14.42 0.00				15.20 15.20		 		
<u> </u>	EATU		-	 	ULFOF	USASU	0.00	0.00	0.00				15.20		 		
		All Available Vertical Features		-	UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20	-		-	
-		NGE PORT RATES (COIN)	-	1	ULFOF UEFOE	UEFVF	0.00	0.00	0.00			1	15.20		1		
F 15.		Exchange Ports - Coin Port		-		+	1.52	2.31	2.21				15.20	-		-	
NI.		Transmission/usage charges associated with POTS circuit so	witched	lleado	will also annly to o	ircuit ewitche				ission by P-Ch	annole accor	isted with 2		oorte		-	
		Access to B Channel or D Channel Packet capabilities will be													Poguact Pra	1	\vdash
		OCAL EXCHANGE SWITCHING(PORTS)	avana	Le out	anough brainew	Lusiness Ke	quest FIUCESS.	nates for the	Packer cahqui	iilies will be de	zemmeu via t	וופ שטוומ דונ	ie nequest/	l and property	i nequest Pro		\vdash
		NGE PORT RATES	1	1		1						 	1	1	 	1	\vdash
F	лопА	Exchange Ports - 2-Wire DID Port	-	1	UEPEX	UEPP2	8.29	115.85	18.20			1	15.20		1		
		Exchange Ports - DITS Port - 4-Wire DS1 Port with DID	1	1	OLI LA	JLI I'Z	0.29	110.00	10.20			 	10.20	1	 	1	\vdash
		capability			UEPDD	UEPDD	68.47	196.18	92.92				15.20				1
+		Exchange Ports - 2-Wire ISDN Port (See Notes below.)		 	UEPTX UEPSX	U1PMA	10.07	70.76	51.46	 			15.20	 	 		
+		All Features Offered		 	UEPTX UEPSX	UEPVF	0.00	0.00	0.00	 			10.20	 	 		
NI.		Transmission/usage charges associated with POTS circuit so	witched	lisado						ission by R.Ch	nannels associ	iated with 2	wire ISDN -	norts	1		
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	L LCASS	
	JIE.	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avana	T	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	III.es will be de	Actionicu via l	וויס בייום הוו	ac nequest	LICH DUSINES	l nequest P10		
		Exchange Ports - 4-Wire ISDN DS1 Port	1	1	UEPEX	UEPEX	94.82	197.92	98.62			 	15.20	1	 	1	
 	NRIIN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	1	OLFLA	OLFEX	94.02	197.92	90.02			 	15.20	1	 	1	\vdash
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1		1						 	1	1	 	1	
H 1		Unbundled Remote Call Forwarding Service, Area Calling, Res	1	1	UEPVR	UERAC	1.52	2.31	2.21			 	15.20	1	 	1	1
		ondarion nombre dan i orwarding dervice, Area dailing, Nes	<u> </u>	1	O-1 VIV	JE1010	1.02	۷.01	۷.۷۱	1		L	10.20	1	1	l	

LIND	INDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	າ	F	bit: C
ONDU	INDE	D NET WORK ELEMIENTS - LOUISIANA				1	I					Svc Order		Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								Manual Svc
CAILG	JOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	urrina	Nonrecurring	Disconnect			000	Rates(\$)		
							Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							. ==										
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21				15.20				
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21				15.20				
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10				15.20				
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
										j							
1		Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	1.52	2.31	2.21				15.20	Ì	I		
								-									
1		Unbundled Remote Call Forwarding Service, Local Calling - Bus		1	UEPVB	UERLC	1.52	2.31	2.21				15.20	Ì	I		
		Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	1.52	2.31	2.21	†			15.20	†	†	t	
—		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21	+			15.20	 	t	1	
—		Unbundled Remote Call Forwarding Service, IntraLATA - Bus		-	OLI VD	OLIVIIV	1.52	2.31	2.21	+ +			15.20		 		
1		Exception Local Calling		1	UEPVB	UERVJ	1.52	2.31	2.21				15.20	Ì	I		
\vdash	Nor P-	ecurring	-	 	OFL AD	OLIVU	1.52	۷.3۱	2.21	 			13.20		 	-	
	NOII-RE					1											
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10				15.20				
		Unbundled Remote Call Forwarding Service - Conversion with		1	l	1		_	_					Ì	I		
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10				L				
UNBUN		OCAL SWITCHING, PORT USAGE															
		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU			-		0.001868		-		-						
		End Office Trunk Port - Shared, Per MOU					0.00018										
		n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001067										
		Tandem Trunk Port - Shared, Per MOU					0.000222										
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU				1	0.0000032							İ	1		
		Common Transport - Facilities Termination Per MOU		1		1	0.0003748			†			1	†	†	t	
UNRUN	DI FD P	PORT/LOOP COMBINATIONS - COST BASED RATES				1	0.0000170			+ +			1	 	t	1	
5.4501		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to nr	ovide Unbur	dlad Local Swit	tching or Swite	h Porte	1			1	1	t	1	
—		ased Rates are applied where Bellsouth is required by FCC ares shall apply to the Unbundled Port/Loop Combination - Cos								ad Port section	of this Pato E	vhihit	1	1	t	1	
-		is snall apply to the onbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us											n Port/I oor	Combination	ne .	1	
-		st and additional Port nonrecurring charges apply to Not Curr															
—		st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	- monne	a combos. For Cur	I COMB	I CONTIDUS TI	ie nomecurin	g ciiaiges sha	ne mose ideu	uneu m me N	omecumng I	j - Gurrendy	I Combined S	LUIIII.	-	
				!		+				 			 		-	-	
		ort/Loop Combination Rates		_		+	40.40						 	ļ	-	-	
-		2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13						1		1	1	
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	L	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	UNE Lo	pop Rates				1											
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
\Box		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08	†			15.20	İ	İ	1	
		2-Wire voice Grade unbundled Louisiana extended local dialing				1	50	55.55	.0.50				.0.20	1	1	1	
1		parity port with Caller ID - res		1	UEPRX	UEPAS	1.36	38.85	19.08				15.20	Ì	I		
—		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		1	021 IVA	32170	1.50	30.03	13.00	1			15.20	1	t	1	
1		(RUL)		1	UEPRX	UEPAG	1.36	38.85	19.08			1	15.20	Ì	I		
<u> </u>	-	1, , , , ,	-	 	ULPKA	UEFAG	1.36	38.85	19.08	 		-	15.20		 	-	
1		2-Wire voice unbundles res, low usage line port with Caller ID		1	HEDDY	LIEDAS	4.00	20.0-	10.00			1	45.00	Ì	I		
		(LUM)			UEPRX	UEPAP	1.36	38.85	19.08				15.20				
1		2-Wire Voice Unbundled Louisiana Residence Dialing Plan			UEDDV							l					
1		without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08				15.20				

HINDHINE	חו בי	NETWORK ELEMENTS - Louisiana												Attachment	2	Eul:	hit: C
UNDUNI	PLEL	NETWORK ELEMENTS - LOUISIANA	1									Svc Order		Attachment: Incremental		Exhil Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	, v	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	` '	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						ļ		Nonrec	urring	Nonrecurring	n Disconnoct		l	088	Rates(\$)		
-						ļ	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire voice unbundled Louisiana Area Plus Port without Caller				ļ		FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
		ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08				15.20				
					UEPRA	UEPKQ	1.30	30.03	19.06				15.20				
		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRT	1.36	20.05	19.08				15.20				
—	- A T I II	Capability	1		UEPKA	UEPKI	1.30	38.85	19.06				15.20				
FE	ATU		1		UEPRX	UEPVF	0.00	0.00	0.00				15.20				
—		All Features Offered NUMBER PORTABILITY	1		UEPRX	UEPVF	0.00	0.00	0.00				15.20				
LC			-		LIEDDY	LNDCV	0.05										
110		Local Number Portability (1 per port)	-		UEPRX	LNPCX	0.35										
NC.	JNKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110,400		0.40	0.40				45.00				
\vdash		Switch-as-is	 	1	UEPRX	USAC2		0.10	0.10				15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPRX	USACC		0.10	0.10				45.00		Ì		
L	ידיחר	Switch with change DNAL NRCs	 	1	UEPKA	USACC		0.10	0.10		-		15.20		1		
AL			-														
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110,400	0.00	0.00	0.00				45.00				
-	WIDE	Activity	 	1	UEPRX	USAS2	0.00	0.00	0.00		-		15.20		1		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
Ur	NE PO	ort/Loop Combination Rates		_			10.10										
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75									20.00	
<u> </u>		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UN		op Rates			LIEDDY.	LIEBLY/											
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
—		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-1	Wire	Voice Grade Line Port (Bus)			LIEBBY .								1= 00				
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled Louisiana Bus Area Calling Port with															
		Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08				15.20				
		2-Wire Voice Unbundled Louisiana Business Dialing Plan			LIEDDY	LIEDW"	4.00	00.0-	10.00				45.00				
		without Caller ID	 	1	UEPBX	UEPWH	1.36	38.85	19.08		-		15.20		1		
		2-Wire voice unbundled Louisiana Business Area Calling Port			HEDDY	LIEDDA	4.00	00.05	40.00				45.00				
		without Caller ID Capability	<u> </u>		UEPBX	UEPBA	1.36	38.85	19.08		ļ		15.20				
		2-Wire voice unbundled Incoming Only Port without Caller ID	1		HEDDY	LIEDDE	4.00	00.05	10.00				45.00		Ì		
—	20.41	Capability	 		UEPBX	UEPBE	1.36	38.85	19.08				15.20		-		
LC		NUMBER PORTABILITY	 	1	HEDDY	LNDCY	0.0-				-				1		
		Local Number Portability (1 per port)	<u> </u>		UEPBX	LNPCX	0.35										
FE	ATU		<u> </u>		HEDDY	HED) (E	0.00	0.00	2.00		ļ		45.00				
		All Features Offered	<u> </u>		UEPBX	UEPVF	0.00	0.00	0.00		ļ		15.20				
INC.		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>			+					ļ						
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			HEDDY			0.10	0.10				45.00				
		Switch-as-is	<u> </u>		UEPBX	USAC2		0.10	0.10		ļ		15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDDY	110400		0.40	0.40				45.00		Ì		
		Switch with change	<u> </u>		UEPBX	USACC		0.10	0.10		ļ		15.20				
AE		ONAL NRCs	<u> </u>			+					ļ						
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		HEDDY	110466							4-0-		Ì		
<u> </u>		Activity	ļ	<u> </u>	UEPBX	USAS2		0.00	0.00				15.20				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UN	NE PO	ort/Loop Combination Rates	<u> </u>	<u> </u>		1											
\vdash		2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		+	13.13				ļ						
\vdash		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		+	23.75				ļ						
<u> </u>		2-Wire VG Loop/Port Combo - Zone 3	ļ	3			49.62										ļ
UN		op Rates			LIEDDO	LIEDLY	44										
		2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPRG	UEPLX	11.77					<u> </u>	l		l		

UNBUN	IDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: C
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
OA!LOO		NATE ELEMENTO	m			0000			πΑΤΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										·							
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2	-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.36	66.91	31.29				15.20				
1	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.20				
-	EATU				OLI ILO	LIVI OI	0.10	0.00	0.00		+		10.20				
<u> </u>		All Features Offered	1		UEPRG	UEPVF	0.00	0.00	0.00		-		15.20				
—					ULFRG	OLFVI	0.00	0.00	0.00				13.20				
N N	IONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LIEBBO	110400					1	l			Ì		
igspace		Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85		1		15.20				ļ
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1							1	l	1		Ì		
		Conversion - Switch with Change			UEPRG	USACC		7.68	1.85		<u> </u>		15.20				
A	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity		1	UEPRG	USAS2	0.00	0.00	0.00		1	l	15.20		Ì		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt									1						
		Group						7.11	7.11				15.20				
-	WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						7			+		10.20				
		ort/Loop Combination Rates	<u> </u>														
	JNE PC			1			40.40										
		2-Wire VG Loop/Port Combo - Zone 1					13.13										
<u> </u>		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
U	JNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26										
2	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		,									1						
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29				15.20				
h		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.36	66.91	31.29				15.20				
-		Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPP1	1.36	66.91	31.29				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			ULFFA	ULFFI	1.30	00.91	31.25				13.20				
$\vdash \vdash$		Calling Port	<u> </u>		UEPPX	UEPL2	1.36	66.91	31.29	1	1	1	15.20		1		ļ.
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29		1		15.20				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29		1	ļ	15.20				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port	1	1	UEPPX	UEPXE	1.36	66.91	31.29	1	1	I	15.20		1		
\vdash		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1								1	i	1		1		Ì
		Calling Port	1	1	UEPPX	UEPXK	1.36	66.91	31.29	1	1	I	15.20		1		
+		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	 	J 1 A	JLI /IIX	1.50	00.01	01.29		†		10.20		 		<u> </u>
					UEPPX	UEPXL	1.36	66.91	31.29		1		15.20				
+		Administrative Calling Port	 	 	OLFFA	UEFAL	1.36	16.90	31.29		-	-	15.∠0				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	LIEDDY	LIEDVAA	4 00	00.01	04.00	1	1	I	45.00		1		
igspace		Room Calling Port	<u> </u>		UEPPX	UEPXM	1.36	66.91	31.29				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									1		l				
		Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29		1	ļ	15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1							1	1	1]				
		Discount Calling Port	1	1	UEPPX	UEPXP	1.36	66.91	31.29	1	1	I	15.20		1		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20				
L		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	İ	Ì	İ	15.20		İ		Ì
—	EATU				T		55	0.00	0.00	1	1	i	.0.20		1		1
			+	-	UEPPX	UEPVF	0.00	0.00	0.00		+		15.20		-		†
- 1		All Features Offered															

LINDIA	וחו בי	D NETWORK ELEMENTS L'autoione												Attack '	•	F.J. 1	hit. C
ONBON	INFE	D NETWORK ELEMENTS - Louisiana				1						Sup Order		Attachment: Incremental		Exhil Incremental	bit: C Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	NDV.	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	KY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T 81	B'			000	D = (= - (A)		
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ł
		Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ł
		Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															í
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				<u> </u>
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															ł
		Group						7.11	7.11				15.20				ł
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														ł
	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										ı
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62										i
	JNE Lo	pop Rates								<u> </u>							i
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77			<u> </u>							i
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										1
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										í
2	-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				ł
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08				15.20				ł
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(AL. LA. MS)			UEPCO	UEPRB	1.36	38.85	19.08				15.20				ł
		2-Wire Coin 2-Way with Operator Screening & Blocking:															
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08				15.20				ł
		2-Wire Coin Outward without Blocking and without Operator															
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08				15.20				ł
		2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02	1.00	00.00	10.00				10.20				f
		(LA)			UEPCO	UEPLA	1.36	38.85	19.08				15.20				ł
		2-Wire Coin Outward with Operator Screening and Blocking:			021 00	OLI DY	1.00	00.00	10.00				10.20				f
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08				15.20				ł
-		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI CO	OLI IXII	1.50	30.03	13.00				13.20				
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08				15.20				í
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08				15.20				
\vdash		2-Wire Coin Outward Smartline with 900/976 (Louisiana only)		 	UEPCO	UEPCB	1.36	38.85	19.08	 			15.20		 		
 	ידוחח	ONAL UNE COIN PORT/LOOP (RC)		-	5L1 00	OLI OD	1.00	30.03	19.00	+			13.20		 		
	וווטטי	UNE Coin Port/Loop Combo Usage (Flat Rate)		1	UEPCO	URECU	1.81	0.00	0.00	1		-	15.20		1		1
	OC VI	NUMBER PORTABILITY		-	01.00	CINEOU	1.01	0.00	0.00				13.20		1		1
		Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35			1		-			1		1
		ECURRING CHARGES - CURRENTLY COMBINED		-	OLFOO	LINE CA	0.33			+			1		 		
├	ONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		!		+							-				
1		2-vvire voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1	UEPCO	USAC2		0.10	0.10]		1	15.20		Ì		1
\vdash				-	ULPCU	USAC2		0.10	0.10	 			15.∠0		 		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO	LICACO	l	0.40	0.40				45.00				1
—	DE:=:	Switch with change			UEPCO	USACC		0.10	0.10				15.20				
<i>'</i>	וווטטג	ONAL NRCs				 							ļ		ļ		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110465	l										1
\vdash		Activity	<u> </u>	<u> </u>	UEPCO	USAS2		0.00	0.00				15.20				
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (KES)	ļ											
L	JNE Po	ort/Loop Combination Rates				ļ											
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		ļ	16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		ļ	26.87			ļ					ļ		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		<u> </u>	51.98			ļ					ļ		
L	JNE Lo	pop Rates															
igsquare		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93										1
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.35								ļ		
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46										
2	-Wire	Voice Grade Line Port Rates (Res)															

LINE	NDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhil	bit: C
ONBO	NULL											Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- ()			per Lon	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93				15.20				ĺ
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93				15.20				<u> </u>
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93				15.20				<u> </u>
		2-Wire voice Grade unbundled Louisiana extended local dialing															í
		parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93				15.20				
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															í
		(RUL)			UEPFR	UEPAG	1.52	104.41	67.93				15.20				
		2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	4.50	404.44	07.00				45.00				í
-	1	(LUM)		-	UEPFR	UEPAP	1.52	104.41	67.93	1	 		15.20		ļ		
	l	2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93	1	1		15.20				i
	INTER	JWITHOUT CAILER ID DEFICE TRANSPORT		-	UEFFR	UEPWG	1.52	104.41	67.93	-	-		15.20		-		
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	-		+	+			+	+	1			1		
	l	Termination			UEPFR	U1TV2	22.60	39.36	26.62	1	1		15.20				i
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			S=111X	311142	22.00	55.50	20.02	 	 	 	10.20		 		
	1	or Fraction Mile		1	UEPFR	1L5XX	0.013			I	I	1			1		í
	FEATU					.20,50	0.010			1	<u> </u>				1		í
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.20				
	LOCAL	NUMBER PORTABILITY															ī
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										ī
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															i
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				l
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															í
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81				15.20				<u> </u>
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												
	UNE P	ort/Loop Combination Rates		<u> </u>													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	26.87			1	1						
	LINEL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		_	51.98										
	ONE E	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93			1	†						
-		2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFB	UECF2	25.35			1	†						
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										f
	2-Wire	Voice Grade Line Port (Bus)		ľ	020	020.2	00.10										
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93				15.20				i
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93				15.20				i
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.52	104.41	67.93				15.20				ĺ
		2-Wire voice Grade unbundled Alabama extended local dialing															1
		parity port with Caller ID - bus			UEPFB	UEPAW]		
	l	2-Wire voice Grade unbundled Louisiana extended local dialing								1	1						i
L	ļ	parity port with Caller ID - bus			UEPFB	UEPAX	1.52	104.41	67.93	ļ	ļ		15.20		ļ		
<u> </u>		2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPFB	UEPB1	1.52	104.41	67.93			ļ	15.20				
1	1	2-Wire voice unbundled Louisiana Bus Area Calling Port with		1	LIEDED	LIEDA:		,		1	1	1			1		1
<u></u>	<u> </u>	Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93	-	-		15.20				
	l	2-Wire Voice Unbundled Louisiana Business Dialing Plan			LIEDED	LIEDWY.	4.50	404 44	07.00	1	1		45.00				ł
—	LOCAL	without Caller ID NUMBER PORTABILITY		-	UEPFB	UEPWH	1.52	104.41	67.93	 	 		15.20		 		
 	LOCAL	Local Number Portability (1 per port)	-	-	UEPFB	LNPCX	0.35			+	+	1			1		
-	INTER	OFFICE TRANSPORT			CLIID	LIVIOA	0.33			 	 				1		ſ
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					1										
	1	Termination		1	UEPFB	U1TV2	22.60	39.36	26.62	I	I	1	15.20		1		í
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					22.00	33.50	20.02	1	<u> </u>		.0.20		1		í
	l	or Fraction Mile			UEPFB	1L5XX	0.013			1	1						ł
	FEATU														İ		i
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.20				<u> </u>
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l	L											1
	l	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81		1		15.20				<u> </u>

LIMBUR	חובי	NETWORK ELEMENTS . Lauriniana											1	Attack '	•	F.J. 1	hit. C
ONBON	ULEI	NETWORK ELEMENTS - Louisiana		ı	I							Svo Ordor		Attachment: Incremental		Exhil Incremental	bit: C Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	.v	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	KY.	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-				Nonrec		Nonrecurring	Dianamant			000	D-4(f)		
				-			Rec					001150	001441		Rates(\$)	0011411	0011411
		OWEN LAND A PROTECTION TO A STANDARD AND A PROTECTION OF A STANDARD AND A STANDAR		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															ł
<u></u>		Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81				15.20				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
U	NE PC	ort/Loop Combination Rates		<u> </u>			10.15										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
L		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
U		op Rates															
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93										
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35										
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46										
2-	Wire '	Voice Grade Line Port Rates (BUS - PBX)		 						ļ					ļ		
				1				,				1			Ì		1
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPC	1.52	132.47	82.14				15.20				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14				15.20				
		Line Side Unbundled Incoming PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPP1	1.52	132.47	82.14				15.20				1
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana		1								1			Ì		1
		Calling Port			UEPFP	UEPL2	1.52	132.47	82.14				15.20				<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14				15.20				<u> </u>
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14				15.20				1
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14				15.20				1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14				15.20				ĺ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14				15.20				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
		Capable Port			UEPFP	UEPXE	1.52	132.47	82.14				15.20				ł
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															1
		Calling Port			UEPFP	UEPXK	1.52	132.47	82.14				15.20				ł
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14				15.20				ł
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															i
		Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14				15.20				ł
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14				15.20				ł
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
		Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14				15.20				í
—		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPFP	UEPXS	1.52	132.47	82.14	+			15.20		 		
1.4	CAI	NUMBER PORTABILITY		1	0=111	0L1 //0	1.02	152.77	02.14	 		l	10.20				ſ
 	JOAL	Local Number Portability (1 per port)		 	UEPFP	LNPCP	3.15	0.00	0.00	+			15.20		-		ſ
IN	TERC	OFFICE TRANSPORT		1			0.10	0.00	0.00	 		l	10.20				ſ
 		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 		+				+					 		ſ
		Termination			UEPFP	U1TV2	22.60	39.36	26.62				15.20				1
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		 	OLI I I	01172	22.00	39.30	20.02	 			10.20		 		
		or Fraction Mile			UEPFP	1L5XX	0.013										1
-	ATU			1	02111	ILOAA	0.013			+		-			1		
 "		All Features Offered		 	UEPFP	UEPVF	0.00	0.00	0.00	+			15.20		1		
N.I.		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLFIF	OLF VF	0.00	0.00	0.00	+		-	15.20		1		
IN.	JINKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		+ -	+			+			 		 		
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81				15.20				1
\vdash		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 	OLFFF	USAUZ		8.∠4	1.81	 			15.∠0				
		2-wire Loop / Dedicated IO Transport / 2 wire Line Port Combination - Conversion - Switch with change		1	UEPFP	USACC		0.04	4.04	1		1	45.00		Ì		1
LIMBUNE				1	UEPFP	USACC	1	8.24	1.81	 			15.20		 		
		ORT/LOOP COMBINATIONS - COST BASED RATES	DOST.	1		+				 		ļ			1		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PURI	<u> </u>		+				 							
U	NE Po	ort/Loop Combination Rates		<u> </u>			20.00										
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.20										
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			33.62										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			58.73										
U	NE Lo	op Rates		<u> </u>	L	1											
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93						15.20				<u> </u>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35						15.20				

IINDI	INDI E	D NETWORK ELEMENTS - Louisiana													Attachment:	2	Eut.:	bit: C
CIVID	INDLE	D INC. WORK ELEMENTS - LOUISIANA											Svc Order		Incremental		Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l										Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	Disc 1st	Diac Add I
								Rec	Nonrec		Nonrecurring					Rates(\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46						15.20				
	UNE P	ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92				15.20				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	ļ															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			LIEDDY		110404		7.40	4.04				45.00				
		Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	-		UEPPX		USAC1		7.10	1.81	-		-	15.20				
		with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81				15.20				
	ADDIT	IONAL NRCs	1		OLFFX		USAIC		7.10	1.01	+		1	13.20				
-		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01				15.20				
		one Number/Trunk Group Establisment Charges			5211X		337.01		20.01	20.01	1			10.20		1		
	1	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00	1			15.20		1		
	1	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00	1			15.20		1		
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				15.20				
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.20				
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.20				
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		27.48										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_														
		UNE Zone 2		2	UEPPB	UEPPR		40.34										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		70.99										
	LINE	pop Rates		3	UEPPB	UEPPR		70.99					-			-		
-	ONL L	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	LISL 2Y	19.09			+		1	15.20				
		2-Wire IODIN Digital Grade Loop - GINE Zone 1		<u> </u>	OLITE	OLITIK	OOLZX	13.03			1			13.20				
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		62.60						15.20		1		
	UNE P	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42				15.20				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	1	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23				15.20				
		IONAL NRCs																
	LOCAL	NUMBER PORTABILITY	<u> </u>				<u> </u>				ļ							
	L	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	ļ							
	B-CHA	NNEL USER PROFILE ACCESS:	<u> </u>		LIEDOS	LIEDDE	LIALICA	0.00	0.00	0.00	+ +					1		
<u> </u>	1	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	 		1			1		
<u> </u>	1	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	 		1			1		
	B-CUA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS °	TN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 		-			 		
-	Б-СПА	CVS/CSD (DMS/5ESS)	U,IVIO, A	i iv)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	+					+		
-	1	CVS (EWSD)	1		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	+ +		1			1		
\vdash	+	CSD	1		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	+ +			 		t		
\vdash	USER	TERMINAL PROFILE	1		JE11 D	OLITIK	31001	0.00	0.00	0.00	+ +			 		t		
		User Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	† †					1		
	VERTIC	CAL FEATURES			<u> </u>		1	2.20	2.20	2.30	1					1		
		All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	1			15.20		1		
		OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	22.613	39.36	26.62				15.20				
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00		•		15.20	_			_
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
	UNE P	ort/Loop Combination Rates																
1	1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			==		1							1		I		
		Zone 1		1	UEPPP			180.52								L		

UNRUN) I F	NETWORK ELEMENTS - Louisiana												Attachment:	2	Fyhi	bit: C
CINDOINE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE TWO THE ELEMENTO LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 2		2	UEPPP		289.78										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 3		3	UEPPP		586.76										
UN		op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	194.96						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	491.94						15.20				
UN		rt Rate															
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	94.82	443.08	251.60				15.20				
NC	NRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>			1					1	<u> </u>					
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1								1		1		Ì		Ì
		Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	115.63	76.29		1		15.20				
AE	DITIO	ONAL NRCs	<u> </u>			1					1	<u> </u>					
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			l						1						
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.48					15.20				
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.18	11.18				15.20				
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		22.35	22.35				15.20				
LC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
IN.		ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
Ne		Additional "B" Channel				DD=D\/											
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
ļ		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
-		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CA	ALL I	YPES	-		UEPPP	PR7C1	0.00	0.00	0.00								
		Inward Outward	-		UEPPP	PR7C1	0.00	0.00	0.00								
		Two-way	<u> </u>	-	UEPPP	PR7CC	0.00	0.00	0.00								
Int		ice Channel Mileage			ULFFF	FRICO	0.00	0.00	0.00		-						
1111		Fixed Each Including First Mile			UEPPP	1LN1A	70.7352	86.69	79.44		-		15.20				
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652	00.09	75.44				13.20				
4-1		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		OLI II	ILIVID	0.2002				+				 		
		rt/Loop Combination Rates	 			+	+				+	 	 		 		
H 101		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	-	154.17				 		15.20				
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC	+	263.43				†	1	15.20				
	-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	560.41				†		15.20		1		1
UN		op Rates		Ť			333.41				<u>† </u>		.0.20				1
		4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	85.70				1		15.20		1		1
		4-Wire DS1 Digital Loop - UNE Zone 2	†	2	UEPDC	USLDC	194.96				1		15.20		1		1
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	491.94				1		15.20		İ		İ
UN		ort Rate			-												
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90		1		15.20		İ		
NC		CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is	<u> </u>		UEPDC	USAC4		125.75	65.08		1	<u></u>	15.20		<u> </u>		<u> </u>
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					İ										
L l		- Conversion with DS1 Changes	<u> </u>		UEPDC	USAWA		125.75	65.08		1	<u></u>	15.20		<u></u>		<u> </u>
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk	<u> </u>		UEPDC	USAWB		125.75	65.08		1	<u></u>	15.20		<u> </u>		<u> </u>
AD	DITIO	ONAL NRCs	<u></u>														
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
1 1		Subsequent Channel Activation/Chan - 2-Way Trunk	1	1	UEPDC	UDTTA		14.06	14.06		1	I	15.20		İ		Ì

UNBUNDLE	D NETWORK ELEMENTS - Louisiana						•		•				Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
OATEOORT	NATE ELEMENTO	m		500	0000			ππι ΔΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonrec	urring	Nonrecurring	Disconnect		I	220	Rates(\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent						FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLFDC	ODTIB		14.00	14.00				13.20				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		14.00	14.00			-	13.20		-	-	-
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		14.06	14.00				15.20				
				UEPDC	UDTTE		14.06	14.06				15.20				
DIDOL	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDITE		14.06	14.06				15.20				
BIPUL	AR 8 ZERO SUBSTITUTION				00005							4= 00				
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
Altern	ate Mark Inversion	 		LIEDDO	140005											.
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00						.	.	<u> </u>
	AMI - Extended SuperFrame Format	<u> </u>		UEPDC	MCOPO		0.00	0.00			1	ļ		ļ	ļ	ļ
Telepi	none Number/Trunk Group Establisment Charges	ļ												1	1	ļ
	Telephone Number for 2-Way Trunk Group	ļ		UEPDC	UDTGX	0.00						15.20		1	1	ļ
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS2	Digital	Loop	with 4-Wire DDITS 1	Frunk Port											ĺ
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
																ĺ
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															1
	miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
+	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00		1	1				
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on			har of parts used												
	system can have up to 24 combinations of rates depending on IS1 Loop	sype at	ia num	Dei di porta uadu	1						1	1		t	t	
ONEL	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	85.70	0.00	0.00				15.20		 	t	
-+	4-Wire DS1 Loop - UNE Zone 2	1	2	UEPMG	USLDC	194.96	0.00	0.00			+	15.20		 	+	+
\longrightarrow	4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	491.94	0.00	0.00			-	15.20				+
LINE	SO Channelization Capacities (D4 Channel Bank Configuration	ne)	3	OLI IVIO	JULDU	431.34	0.00	0.00			+	13.20		 	+	+
UNE L	24 DSO Channel Capacity - 1 per DS1	is)	 	UEPMG	VUM24	97.35	0.00	0.00			 	15.20		 	 	
-+	48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	-		UEPMG	VUM24 VUM48	194.70	0.00	0.00				15.20				
		 	-	UEPMG	VUM48 VUM96						1			 	 	
-+	96 DSO Channel Capacity -1per 4 DS1s	.				389.40	0.00	0.00			-	15.20		1	-	
	144 DS0 Channel Capacity - 1 per 6 DS1s	1	-	UEPMG	VUM14	584.10	0.00	0.00			1	15.20		 	 	
	192 DS0 Channel Capacity -1 per 8 DS1s	!	-	UEPMG	VUM19	778.80	0.00	0.00			1	15.20		 	1	
	240 DS0 Channel Capacity - 1 per 10 DS1s	1	-	UEPMG	VUM20	973.50	0.00	0.00			1	15.20		 	 	
	288 DS0 Channel Capacity - 1 per 12 DS1s	<u> </u>		UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s	<u> </u>	<u> </u>	UEPMG	VUM40	1,947.00	0.00	0.00				15.20		-	-	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s	L		UEPMG	VUM67	2,725.80	0.00	0.00				15.20		-	-	↓
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									<u> </u>
	mum System configuration is One (1) DS1, One (1) D4 Channe										1	ļ		ļ	ļ	ļ
IMultip	les of this configuration functioning as one are considered Ad	id'i afte	r the m	ınımum system cor	ntiguration is	counted.					ĺ	1			1	1

HINBUND	.ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Ev.L.	bit: C
UNBUNDL	LED NET WORK ELEMENTS - Louisiana				1						Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes		L	UEPMG	USAC4	0.00	146.13	8.12				15.20				
	em Additions at End User Locations Where 4-Wire DS1 Loop wit				ination Curre	ntly Exists and										
New	(Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	оттор	8 IVI SA	S	-											
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
Rino	lar 8 Zero Substitution			OLFIVIG	VOIVID4	0.00	713.54	407.34				13.20				
Біроі	Clear Channel Capability Format, superframe - Subsequent				+	-										
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format - Extended Superframe -			021 1110	0000.	0.00	0.00	000.00				10.20				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20		1		
Alter	nate Mark Inversion (AMI)				1											
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				
					l											
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				
<u> </u>	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20				
Featu	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				
 	Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	TPQWW	0.6497	25.36	13.40				15.20				
	D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
Teler	phone Number/ Group Establishment Charges for DID Service			OLITA	11 Q 110	0.0431	70.03	10.40				13.20				
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
Loca	l Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	l Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	PORT LOOP COMBINATIONS - MARKET RATES	L			.1									ļ		
	tet Rates shall apply where BellSouth is not required to provide	unbund	iled loc	cal switching or sw	itch ports per	FCC and/or Sta	te Commissio	n rules.								
	includes:	1-4-0		Sambinadia 7 1		MCAC :- D-IIC				DC0'	t lines			 		
	undled port/loop combinations that are Currently Combined or N Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											0)		-		
I ne I	Top 8 MSAS in BellSouth's region are: FL (Orlando, Ft. Lauderd: South currently is developing the billing capability to mechanica	aie, wila	the rec	urring and non-rec	rring Market	Rates in this so	viliston Salem	-nignpoint/Ch	anotte-Gaston	not currently	IIIVITEBIN) IN	e). Fland N∩	In the interi	m where Roll	South cannot	hill Market
	s, BellSouth shall bill the rates in the Cost-Based section preced								ig charges for	currently (Zinbilleu III	. L and NO	. an use miteri	where belle	Journ Carmot	Sin maiket
	s, bensouth shall blift the rates in the cost-based section precet Market Rate for unbundled ports includes all available features i			uie mainei naies di	ia reserves tr	e rigiil to title-l	ip are brining t	mielence.	1			1				l
	Office and Tandem Switching Usage and Common Transport Us			e Port section of the	nis rate exhibi	t shall apply to	all combination	ns of loon/no	rt network elen	nents except	for UNE Coi	n Port/Loor	Combination	ns which have	a flat rate us	age charge
	Office and Tandem Switching Usage and Common Transport Us IC: URECU).				CAIIID	appiy to		э соор,ро		Oxoopt		0.42001			rate de	
	Not Currently Combined scenarios the Nonrecurring charges are	listed i	in the F	irst and Additional	NRC column	s for each Port	USOC. For Co	rrently Comb	ined scenarios	the Nonrecur	ring charge	s are listed	in the NRC - 0	Currently Com	bined section	n.
	tional NRCs may apply also and are categorized accordingly.							,		,	.590					
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)					I										
	Port/Loop Combination Rates				İ	İ			1					1		
15.52	2-Wire VG Loop/Port Combo - Zone 1		1		İ	25.77										
	2-Wire VG Loop/Port Combo - Zone 2		2		İ	36.39										
	2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77		-								
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39		-								
1 -	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26						l				

UNB	JNDLEI	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	
							Rec	Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates(\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00				15.20				
	1	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRC UEPRO	14.00 14.00	90.00 90.00	90.00 90.00				15.20 15.20				
	1	2-Wire voice unburidled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing	1		UEPKA	UEPRO	14.00	90.00	90.00				13.20				
		parity port with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00				15.20				
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	14.00	90.00	90.00				15.20				
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															
	1	(AC7)			UEPRX	UEPAH	14.00	90.00	90.00			1	15.20				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				15.20				
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00				15.20				_
		2-Wire voice unbundled Louisiana Area Plus Port without Caller															
		ID Capability			UEPRX	UEPRQ	14.00	90.00	90.00				15.20				
-		NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	FEATU				UEPKA	LINPUX	0.35										
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				
		CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Switch with			HEDDY	110400		44.50	44.50				45.00				
-	ADDITI	change ONAL NRCs			UEPRX	USACC		41.50	41.50				15.20				
	ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	0.14/105	Subsequent			UEPRX	USAS2		0.00	0.00				15.20				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1														
	ONLFC	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										-
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39										
	2-Wire	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)	ļ	3	UEPBX	UEPLX	48.26					1			-		
	Z-44116	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00		1		15.20				
	1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.20				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				15.20				
		2-Wire voice Grade unbundled Louisiana extended local dialing							-								
<u> </u>	1	parity port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90.00				15.20				
L_		2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	14.00	90.00	90.00				15.20				
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00				15.20				
	1	2-Wire Voice Unbundled Louisiana Business Dialing Plan															
		without Caller ID 2-Wire voice unbundled Louisiana Business Area Calling Port			UEPBX	UEPWH	14.00	90.00	90.00				15.20				<u> </u>
		without Caller ID Capability			UEPBX	UEPBA	14.00	90.00	90.00				15.20				<u> </u>
<u> </u>	LOCAL	NUMBER PORTABILITY	ļ		HEDDY	LNDCV	0.05										
	NONRE	Local Number Portability (1 per port) CURRING CHARGES - CURRENTLY COMBINED	1		UEPBX	LNPCX	0.35						1				
																	T
<u> </u>		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				15.20				-
		2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50				15.20				
—	ADDITI	ONAL NRCs	 		סבו טא	JUAGO		41.50	41.30			1	10.20		 		
			1				L				·			·		L	

HINBLIND	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Evh:	bit: C
SINDUNDL	LD 14F 14OUV EFFINEN 13 - FORIZIQUIQ										Svc Order		Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Auu i
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00				15.20				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
	2-Wire VG Loop/Port Combo - Zone 2		3			36.39 62.26				-						
LINE	2-Wire VG Loop/Port Combo - Zone 3		3			02.20				-						
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 1	+	2	UEPRG	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPRG	UEPLX	48.26				†						
2-Wi	ire Voice Grade Line Port Rates (RES - PBX)	1	3	021110	OLI LA	70.20				-	 	 		I		1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	+			+	+				 	 	 		t		
1 1	Res	1	1	UEPRG	UEPRD	14.00	90.00	90.00		1		15.20		1		
LOC	AL NUMBER PORTABILITY	1	†			00	22.00	22.00	1	1				1		
	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15				İ				İ		
NON	IRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPRG	USACC		41.50	41.50				15.20				
ADD	ITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
L	Group						14.64	14.64				15.20				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>													
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
 	2-Wire VG Loop/Port Combo - Zone 1		2		_	36.39										
 	2-Wire VG Loop/Port Combo - Zone 3		3			62.26				1						
LINE	Loop Rates		3			02.20										
- ONE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	48.26										
2-Wi	ire Voice Grade Line Port Rates (BUS - PBX)	1	Ť						İ	1				1	l	İ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	14.00	90.00	90.00		I	1	15.20		I		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	1									1					
igsquare	Calling Port	1		UEPPX	UEPL2	14.00						15.20				
\Box	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPPX	UEPLD	14.00	90.00	90.00				15.20				
$\sqcup \sqcup \sqcup$	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<u> </u>	<u> </u>	UEPPX	UEPXA	14.00	90.00	90.00		1		15.20		1		
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPPX	UEPXB	14.00	90.00	90.00				15.20				
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	ļ	UEPPX	UEPXC	14.00	90.00	90.00				15.20		-		
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 		UEPPX	UEPXD	14.00	90.00	90.00		_		15.20		-	ļ	ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		UEPPX	UEPXE	14.00	90.00	90.00		I	1	45.00		I		
\vdash	Capable Port	1	-	UEPPA	UEPXE	14.00	90.00	90.00	ļ	 		15.20		 		-
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1		UEPPX	UEPXK	14.00	90.00	90.00		I	1	15.00		I		
\vdash	Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	UEPPA	UEPAK	14.00	90.00	90.00		-		15.20		+		
	Administrative Calling Port	1	1	UEPPX	UEPXL	14.00	90.00	90.00		1		15.20		1		
\vdash	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	OLIFA	JLFAL	14.00	90.00	50.00		1		13.20		1		
	Room Calling Port	1		UEPPX	UEPXM	14.00	90.00	90.00		1		15.20		1		
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		OLI I A	OLI AW	17.00	30.00	30.00		-	 	10.20		I		
	Discount Room Calling Port	1		UEPPX	UEPXO	14.00	90.00	90.00		I	1	15.20		I		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1					55.56	55.50	1	<u> </u>				1		
1 1	Discount Calling Port		1	UEPPX	UEPXP	14.00	90.00	90.00		I]	15.20		1	1	

HNRHND) Fr	NETWORK ELEMENTS - Louisiana												Attachment	2	Evhil	bit: C
ONDONL	'LEL	VINE I WORK ELEWENTS - LOUISIANA				 						Svc Order		Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
O/ 11 D O 11			m		200				= = (+)			per LSR	per LSK		Electronic-	Electronic-	Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
h + +							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00	11130	Addi	COME	15.20	COMPAN	COMPAN	COMPAR	COMPAR
10		NUMBER PORTABILITY			02.17	02.70	11.00	00.00	00.00				10.20				
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								f
FE	ATUF																
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NO		CURRING CHARGES - CURRENTLY COMBINED						0.00									
																	[
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				15.20				ł
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
		Change			UEPPX	USACC		41.50	41.50				15.20				ł
AD		DNAL NRCs															i
	T																í
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				15.20				í
		2 Wire Loop/Line Side Port Combination - Non feature -													İ		í
		Subsequent Activity- Nonrecurring						0.00	0.00	Ì			15.20		Ì		1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	3.30	1			0		1		í
		Group						14.64	14.64				15.20				ł
2-V		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														i
		rt/Loop Combination Rates															i
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			25.77										í
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			36.39										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			62.26										
UN		op Rates															i
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										í
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
2-V		/oice Grade Line Port Rates (Coin)															
		2-Wire Coin 2-Way without Operator Screening and without															í
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00				15.20				ł
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															1
		900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00				15.20				ł
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															i
		(AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00				15.20				ł
		2-Wire Coin 2-Way with Operator Screening & Blocking:															1
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00				15.20				l
		2-Wire Coin Outward without Blocking and without Operator															ĺ
		Screening (KY, LA, MS)			UEPCO	UEPRN	14.00	90.00	90.00	L			15.20				<u> </u>
		2-Wire Coin Outward with Operator Screening and 011 Blocking						_]		1
		(LA)			UEPCO	UEPLA	14.00	90.00	90.00				15.20				<u> </u>
		2-Wire Coin Outward with Operator Screening and Blocking:]]]		1
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14.00	90.00	90.00				15.20				
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,								Ì			1		Ì		1
		1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00				15.20				
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)		ļ	UEPCO	LNPCX	0.35			ļ					ļ		
NO	NRE	CURRING CHARGES - CURRENTLY COMBINED		ļ		1				ļ					ļ		
										Ì					Ì		1
\vdash		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				15.20				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with								Ì					Ì		1
		Change		<u> </u>	UEPCO	USACC		41.50	41.50				15.20				
AD	DITIO	DNAL NRCs															
										Ì					Ì		1
<u> </u>		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	<u> </u>	1055	UEPCO	USAS2		0.00	0.00				15.20				
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORI (I	KES)												
UN	E Po	rt/Loop Combination Rates				1	00.00			1	ļ						
<u> </u>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	28.93				ļ						
<u> </u>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			39.35										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			64.46				ļ						
LUN	E LO	op Rates								1		1	l		1		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Charge - Charge	Exhibit: C		2	Attachment: 2												DLED NETWORK ELEMENTS - Louisiana	INRIINDI E
### APP LEARNING ### AP		Increr				Svc Order							1	ı		DELD RET WORK ELEMENTS - LOUISIANA	HOUNDLE
APPLICATION RATE ELEMENTS Interest Research R	harge - Charg														, ,		
CATEORY	nual Svc Manua														ı		
Nonecommon Non					-				DATES(\$)			USOC	BC6	Zone	Interi	DV DATE ELEMENTS	ATEGORY
New New	rder vs. Order				per LSR	per LSR			KAILS(\$)			0300	ВСЗ	Zone	m	KI KATE ELEMENTS	AILGORI
2-70m totage Clarks Lapp (\$17)-72md 1	ectronic- Electro														ı		
New York Grade Loop (8.2) - 2744 1	Disc 1st Disc A	Disc	Add'l	1st											ı		
New York Grade Loop (8.2) - 2744 1		Ь	Dotoo(¢)				ooonnoot.	Manroquering Dioce	rina I	Monroe							
2-vivre force Long Long (25) - Zone 1	SOMAN SOM	CO1			COMAN	COMEC					Rec						
2.Www lotes clinate long (SI2- Zone 2 2 SEPPR 10CP2 25.55	OWAN SOW	SOIV	SUMAN	SUMAN	SUMAN	SOMEC	Addi	FIRST A	Add I	FIFST	44.00	LIECEO	LIEDED	4		2 Mins Vision Crade Lane (CL2) 7 4	
2-Wire Vaco Grade Line Pint Rate (Ref)			 														
2-Winv Votor Grade Lune Port Rates (Rea)			 														
2-YMW value unforted port - registeriors UEPPR U			 								30.46	UECFZ	UEPFR	3			2 Wire
2-Wire voor unbronded port with Cater ID -res			 		45.00				00.00	425.00	44.00	LIEDDI	LIEDED				2-Wife
Service value substantial prior teaploring only rate UPPR UPPR UPPA 14.00 15.00 15.00 15.00 15.00 15.00			 														
2-Wive voos Grade unbunded Louiseana Area Plas with Caller ID - ms UEPPR UEPAS 14,00 135.00 90.00 15.20			 														
Description Section Description Desc			 		15.20				90.00	135.00	14.00	UEPRU	UEPFR	-			
2-Wire vote unbanded Louisana Assel Play with Caller (7 - less) UEPFR UEPAG 14.00 135.00 90.00 15.20					45.00				00.00	405.00	44.00	LIEDAG	LIEDED				
REULy LEPAG 14.00 135.00 90.00 15.00 15.00 2.20			 		15.20				90.00	135.00	14.00	UEPAS	UEPFR	-			
2 2 2 2 2 2 2 2 2 2		1		ļ	45.00				00.00	405.00	44.00	LIEDAG	HEDED		, ,		
CLUM CLUM CLUMP Vision Unbundled Louisiana Residence Dialing Plan UEPFR UEPAP 14.00 135.00 90.00 15.20		├	ļ		15.20				90.00	135.00	14.00	UEPAG	UEPFK			(1.10-)	
E-Wife Votor Unfurnified Louisina Residence Daling Plan UEPFR		1		ļ	45.00				00.00	405.00	44.00	LIEDAS	LIEDED		, ,		
Introduc Calleri D	$\longrightarrow \longleftarrow$	—			15.20				90.00	135.00	14.00	UEPAP	UEPFK	 			
INTEROFFICE TRANSPORT Intermination Inte		1		ļ	4= 00					40= 00		LIEDWO	LIEDED		, ,		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFR U1TV2 22.60 39.36 26.62 15.20	$\longrightarrow \longleftarrow$	—			15.20				90.00	135.00	14.00	UEPWG	UEPFK	 			ļ,
Termination UEPFR UTTV	$\longrightarrow \longleftarrow$	—										+		 			INTER
Interedition Transport - Dedicated - 2 Wire Voice Grade - Per Mile VEPFR					4= 00										ı		
OF Fraction Mile					15.20				26.62	39.36	22.60	U11V2	UEPFR		\vdash		
FEATURES															ı		
All Features Offered											0.013	1L5XX	UEPFR				
LOCAL NUMBER PORTABILITY																	
Local Number Portability (1 per port)			J		15.20				0.00	0.00	0.00	UEPVF	UEPFR				
NONNECURRING CHARGES (NRCs) - CURRENTLY COMBINED			J														LOCAL
Combination - Combination - Commission - Swifter Line Port UEPFR USAC2 8.24 1.81 15.20			J								0.35	LNPCX	UEPFR				
Combination - Conversion - Switch-as-is UEPFR USAC2 8.24 1.81 15.20																	NONRE
2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port UEPFR USACC 8.24 1.81 15.20															ı		
Combination - Conversion - Switch-With-Change					15.20				1.81	8.24		USAC2	UEPFR				
2-Wire Voice Crade Line Prof. (Bus)															ı		
UNE Port/Loop Combination Rates					15.20				1.81	8.24		USACC					
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			J										BUS)	PORT (E	. LINE P		
2-Wire VG Loop/ID Tranport/Port Combo - Zone 2 2 39.35 3 64.46																	UNE Po
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 64.46																	
UNE Loop Rates																	
2-Wire Voice Grade Loop (SL2) - Zone 1											64.46			3			
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFB UECF2 25.35																	UNE Lo
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFB UECF2 50.46																	
2-Wire Voice Grade Line Port (Bus)															J		
2-Wire voice unbundled port without Caller ID - bus UEPFB UEPBC 14.00 135.00 90.00 15.20											50.46	UECF2	UEPFB	3			
2-Wire voice unbundled port with Caller + E484 ID - bus UEPFB UEPBC 14.00 135.00 90.00 15.20															[]		2-Wire
2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC) 2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID WEPFB UEPRA 14.00 135.00 90.00 15.20 2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID UEPFB UEPRA 14.00 135.00 90.00 15.20 15.20 LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPFB UEPKB UEPWH 14.00 135.00 90.00 15.20 15.20 15.20 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB UITV2 22.60 39.36 26.62															[]		
2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus 15.20 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC) 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC) 2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB ULEPA 14.00 135.00 90.00 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20																	
parity port with Caller ID - bus 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC) 2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID 2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID 15-20 15					15.20				90.00	135.00	14.00	UEPBO	UEPFB	oxdot	T		
2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus UEPFB UEPAX 14.00 135.00 90.00 15.20																2-Wire voice Grade unbundled Alabama extended local dialing	
Dearity port with Caller ID - bus		<u></u>	<u> </u>									UEPAW	UEPFB	L I			
Dearity port with Caller ID - bus							_									2-Wire voice Grade unbundled Louisiana extended local dialing	
2-Wire voice unbundled Louisiana Bus Area Calling Port with UEPFB UEPAA 14.00 135.00 90.00 15.20		<u></u>	<u> </u>		15.20				90.00	135.00	14.00	UEPAX	UEPFB	L			
Caller ID (BUC)					15.20		_		90.00	135.00	14.00	UEPB1	UEPFB			2-Wire voice unbundled incoming only port with Caller ID - Bus	
2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID UEPFB UEPWH 14.00 135.00 90.00 15.20 UEPFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEFFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPFB UEPWH 14.00 135.00 90.00 UEPWH 14.00 135.00 90.00 UEPWH 15.20 UEPWH 14.00 135.00 90.00 UEPWH 14.00 135.00 90.00 UEPWH 15.20 UEPWH 14.00 135.00 90.00 UEPWH 14.00 UEPWH 14.00 135.00 90.00 UEPWH 14.00 UEPWH																	
without Caller ID		1		ļ	15.20				90.00	135.00	14.00	UEPAA	UEPFB			Caller ID (BUC)	
without Caller ID	1															2-Wire Voice Unbundled Louisiana Business Dialing Plan	
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPFB LNPCX 0.35 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB U1TV2 22.60 39.36 26.62 15.20		1		ļ	15.20				90.00	135.00	14.00	UEPWH	UEPFB		, ,		
Local Number Portability (1 per port)	1								1								LOCAL
InterOFFICE TRANSPORT		†							İ	İ	0.35	LNPCX	UEPFB		$\neg \neg$		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB U1TV2 22.60 39.36 26.62 15.20		†							İ	İ		1	İ		$\neg \neg$		INTER
Termination UEPFB U1TV2 22.60 39.36 26.62 15.20 15.20		1							Ì	İ							
		1		ļ	15.20				26.62	39.36	22.60	U1TV2	UEPFB		, ,		
		\vdash			.0.20					55.55	22.00	1			\rightarrow		
or Fraction Mile UEPFB 1L5XX 0.013		1		ļ						l	0.013	1L5XX	UEPFB		, ,		
FEATURES COLUMN TO THE COLUMN TWO COLUMN TO THE COLUMN TWO COLUMN TO THE COLUMN TWO COLU		\vdash	+						-	-	0.010	.20,51		 			FFΔTII

IINRIINI	DI ED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	nit: C
SINDUNI		METWORK ELEWIENTS - LOUISIANA	1									Svc Order		Incremental		Incremental	Incremental
			1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			1.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m			- 300						per LSK	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
			1									1		1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring I					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.20				
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81				15.20				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) t/Loop Combination Rates				+				 							
UI		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1		+	28.93										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	2		+	39.35										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	64.46										
UI		pp Rates	1				04.40			 					1		
T		2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	14.93			 					1		
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35										
		2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	50.46										
2-		oice Grade Line Port Rates (BUS - PBX)															
		· ·					ĺ										
		ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	132.47	82.14				15.20				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	132.47	82.14				15.20				
		ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
		Calling Port			UEPFP	UEPL2	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	132.47	82.14				15.20				
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	132.47	82.14				15.20				
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP UEPFP	UEPXC UEPXD	14.00 14.00	132.47 132.47	82.14 82.14	-			15.20 15.20				
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFF	UEPAD	14.00	132.47	02.14				15.20				
		Capable Port			UEPFP	UEPXE	14.00	132.47	82.14				15.20				
-		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			OLITI	OLI AL	14.00	102.47	02.14				13.20				
		Calling Port			UEPFP	UEPXK	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AIX	14.00	102.47	02.14				10.20				
		Administrative Calling Port			UEPFP	UEPXL	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								† †							
		Room Calling Port			UEPFP	UEPXM	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port	1		UEPFP	UEPXO	14.00	132.47	82.14			1	15.20		1		
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
		Discount Calling Port	<u> </u>		UEPFP	UEPXP	14.00	132.47	82.14				15.20				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	132.47	82.14				15.20				
LC		NUMBER PORTABILITY	ļ			1				↓					ļ		
<u> </u>		ocal Number Portability (1 per port)	ļ		UEPFP	LNPCP	3.15	0.00	0.00	.			15.20		ļ		
IN		FFICE TRANSPORT	ļ							 							
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDED	LIATO /O	20.00	20.00	20.00			1	45.00		1		
\vdash		Fermination	1		UEPFP	U1TV2	22.60	39.36	26.62	 			15.20		 		
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		UEPFP	1L5XX	0.013					1			1		
	EATUR	or Fraction Mile	 		ULFFF	ILOAA	0.013			 		-			-		
		All Features Offered	 		UEPFP	UEPVF	0.00	0.00	0.00	 			15.20				
Ni		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		02.11	JLI VI	0.00	0.00	0.00	+ +			10.20		<u> </u>		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1							 					1		
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81				15.20				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
	(Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81				15.20				
	ED PO	ORT/LOOP COMBINATIONS - MARKET BASED RATES	<u> </u>														
2-	WIRE '	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	NE Por	t/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			50.93		•					_			•
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			61.35				·						

IINRIINDI E	D NETWORK ELEMENTS - Louisiana													Attachment:	2	Evk:	bit: C
SNEONDE	D NETWORK ELEMENTS - LOUISIANA											Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	l P	cs	USOC			RATES(\$)								
CATEGORI	KATE ELEMENTO	m	20116	"		0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		l
 							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				86.46	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
LINE	.oop Rates		3				00.40										
ONL	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93			-			15.20		-	-	
-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		2	UEPPX		UECD1	25.35			-			15.20		-	-	
-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46			-			15.20		-	-	
LINE	Port Rate		3	UEFFA		OECDI	50.46			-			15.20		-	-	
UNE	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	36.00	600.00	45.00	-			15.20		-	-	
NONE	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>		UEFFX		UEPUI	36.00	600.00	45.00				15.20				
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -									-					-	-	
				LIEDDY		USAC1		100.00	42.50				15 20				
\vdash	Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	-	 	UEPPX		USACT	 	100.00	42.50	+			15.20				-
1 1	with BellSouth Allowable Changes Top 8 MSAs only	1	1	UEPPX		USA1C		100.00	42.50				15.20		I	I	
ADDIT	TONAL NRCs	 	 	UEPPA		USAIC	 	100.00	42.50	 			13.20		-	-	
ADDII	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	-	 	UEPPX		USAS1		45.00	45.00	 			15.20		 	 	
Talan		<u> </u>		UEFFX		USAST		45.00	45.00				15.20				
relep	hone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)	 	 	UEPPX		NDT	0.00	0.00	0.00	 			15.20		-	-	
	Additional DID Numbers for each Group of 20 DID Numbers	-	 	UEPPX		ND1 ND4	0.00	0.00	0.00	 			15.20 15.20		 	 	
-		-	-	UEPPX		ND5	0.00	0.00	0.00				15.20				
-	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	-	-	UEPPX			0.00	0.00	0.00								
-		-	-			ND6							15.20				
1.004	Reserve DID Numbers	-	-	UEPPX		NDV	0.00	0.00	0.00				15.20				
LOCA	L NUMBER PORTABILITY	<u> </u>		UEPPX		LNPCP	3.15	0.00	0.00								
2 14/10	Local Number Portability (1 per port)	NE CIDE	DODT			LINPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PURI														
UNE	Port/Loop Combination Rates	-	-														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port			LIEDDD	HEDDD		04.00										
	UNE Zone 1		1	UEPPB	UEPPR		84.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		2	UEPPB	UEPPR		96.95										
-	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-		UEPPB	UEPPR		96.95										
				LIEDDD	LIEDDD		407.00										
	UNE Zone 3	-	3	UEPPB	UEPPR		127.60										
UNE L	oop Rates	<u> </u>	-	LIEDDD	UEPPR	LICLOV	40.00						45.00				
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB	UEPPR	USLZX	19.09						15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	-	3		UEPPR												
LINIE			3	UEPPB	UEPPR	USL2X	62.60						15.20				
UNE	Port Rate	-	 	LIEDDD	UEPPR	UEPPB	65.00	525.00	400.00	 			15.20		 	 	
Norra	Exchange Port - 2-Wire ISDN Line Side Port	 	1	UEPPB	UEPPK	DELLR	65.00	525.00	400.00	1			15.20		 	 	-
NONR	ECURRING CHARGES - CURRENTLY COMBINED	 	1	 		 									 	 	-
1 1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1	HEDDD	HEDDD	LICACE	0.00	222.22	220.00				45.00		1	1	
ADDIT	Combination - Conversion - Top 8 MSAs only	-	 	UEPPB	UEPPR	USACB	0.00	230.00	230.00	 			15.20		 	 	
	IONAL NRCS L NUMBER PORTABILITY	-	 			<u> </u>				 					 	 	
LOCA	Local Number Portability (1 per port)		 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 					 	 	
B CIII	ANNEL USER PROFILE ACCESS:	-	 	UEPPB	UEPPR	LINECX	0.35	0.00	0.00	 					 	 	
B-CH/	CVS/CSD (DMS/5ESS)	-	 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	 					 	 	
\vdash		-	 		UEPPR	U1UCA U1UCB	0.00	0.00	0.00	+							-
\vdash	CVS (EWSD)	-	 	UEPPB UEPPB	UEPPR	U1UCB U1UCC	0.00	0.00	0.00	+							-
B.CU	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS °	TAI	UEPPB	UEPPK	01000	0.00	0.00	0.00	 					 	 	
B-CH/	CVS/CSD (DMS/5ESS)	U,IVIO, A	I IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	 					-	-	-
\vdash	CVS (EWSD)	-	 	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	+							-
\vdash	CSD CSD	1	1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	-		-	-			-	-
HEED	TERMINAL PROFILE	 	1	ULFFD	OLFFR	UTUUF	0.00	0.00	0.00	 		1	1		 	 	1
USER	User Terminal Profile (EWSD only)	-	 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 					 	 	
VEDT	CAL FEATURES	-	 	UEPPB	UEPPR	UTUIVIA	0.00	0.00	0.00	 					 	 	
VERI		-	 	HEDDD	UEPPR	UEPVF	0.00	0.00	0.00	 			45.00		 	 	
INITE	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	 		 	15.20		 	1	-
INTER	OFFICE CHANNEL MILEAGE	-	 			<u> </u>				 					 	 	
	Interoffice Channel mileage each, including first mile and facilities termination	1	1	HEDDD	UEPPR	M1GNC	22.613	39.36	26.62				45.00		I	I	
\vdash		-	1					39.36 0.00				1	15.20		1	-	1
	Interoffice Channel mileage each, additional mile		<u> </u>	OFFER	UEPPR	MIGNIM	0.013	0.00	0.00			1	15.20		1	l	L

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						==(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurrin	g Disconnect		1	oss	Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT						7144.		7144		00				
		ort/Loop Combination Rates	1														
	0.12.	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				+	1										
		Zone 1		1	UEPPP		935.70										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 2		2	UEPPP		1,044.96										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1,011100										
		Zone 3		3	UEPPP		1,341.94										
	UNE L	pop Rates					1,011101										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	194.96						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	491.94						15.20				
-	UNE P	ort Rate	1	Ť		100	.554					1	.5.20		—	 	—
	0.12.	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	850.00	1,150.00	1,150.00				15.20				
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED	1	1	- * * *	T	300.00	.,	.,.00.00	1				1	t	1	t
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
		Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	950.00	950.00				15.20				
	ADDITI	IONAL NRCs			02	00/101	0.00	000.00	000.00				10.20				
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				+	1										
		Inward/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0.48					15.20				
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	1 10/11	1	0.40					10.20				
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.18	11.18				15.20				
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI	110/10		11.10	11.10				10.20				
		Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		22.35	22.35				15.20				
	LOCAL	NUMBER PORTABILITY			02		1	22.00	22.00				10.20				
	LOUAL	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	FACE (Provsioning Only)			OLITI	LIVI OIV	1.70										
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel			02.11		0.00	0.00	0.00								
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
	CALL 1																
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	†	Outward	1	t	UEPPP	PR7C0	0.00	0.00	0.00		Ì				t	1	
	†	Two-way	1	t	UEPPP	PR7CC	0.00	0.00	0.00		Ì				t	1	
	Interof	fice Channel Mileage	1	1			1			İ	1			İ	İ	İ	
	1	Fixed Each Including First Mile	1	1	UEPPP	1LN1A	70.7532	86.69	79.44	İ	1		15.20	İ	İ	İ	
	1	Each Airline-Fractional Additional Mile	1	1	UEPPP	1LN1B	0.2652			İ	1			İ	İ	İ	
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
		ort/Loop Combination Rates										İ					
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17					İ	15.20				
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43						15.20				
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		560.41						15.20				
		pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
	UNE Po	ort Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	Ì				1										
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					İ										
l	1	- Switch-As-Is Top 8 MSAs only	1		UEPDC	USAC4		125.75	65.08				15.20		1		1
							İ										
1	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1		I						I	l		I	Ì	1
1		- Conversion with DS1 Changes Top 8 MSAs only		1	UEPDC	USAWA	l	125.75	65.08	1		1	15.20	1	1	1	1

HINDHIND	ED NETWORK ELEMENTS Lauriciana											-	Attack '	<u> </u>	F.J. 1	hit. C
ONDOND	LED NETWORK ELEMENTS - Louisiana		1		 						Svo Order		Attachment: Incremental		Exhil Incremental	bit: C Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		 							T 81	. D'			000	D = (= - (A)		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		 					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				
ADI	DITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
$oxed{oxed}$	Activation/Chan Inward Trunk w/out DID		<u> </u>	UEPDC	UDTTC		14.06	14.06				15.20		ļ		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1 7											1
	Activation Per Chan - Inward Trunk with DID	<u> </u>	<u> </u>	UEPDC	UDTTD		14.06	14.06		<u></u>		15.20		L		<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIP	OLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
Alt€	rnate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tel	ephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.20				
	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGY	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00						15.20				
	DID Numbers, Establish Trunk Group and Provide First Group	1														
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.20				
h + + + + + + + + + + + + + + + + + + +	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00			1	15.20				
\vdash	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
Der	icated DS1 (Interoffice Channel Mileage) -			OLI DO	NDV	0.00	0.00	0.00				13.20				
	FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	1			_											
FA/I	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	+			+ +						-					
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Termination)	 		OLFDC	ILINOI	70.47	00.09	73.44				13.20				
	Intereffice Channel Milegge Additional rate per	1		LIEBDO	11 NOA	0.2652	0.00	0.00			1]		Ì		I
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.2652	0.00	0.00	1		1	 		 		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEBDC	11 NO2	0.00	0.00	0.00						Ì		
$\vdash \vdash$	Termination)	-	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00	1		-			1		ļ
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBBO	41.1105											
$\vdash \vdash$	miles	 	<u> </u>	UEPDC	1LNOB	0.2652	0.00	0.00	ļ	ļ						
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1			1]		Ì		I
\vdash	Termination)	ļ	ļ	UEPDC	1LNO3	0.00	0.00	0.00								
					1									Ì		
$oxed{oxed}$	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.2652	0.00	0.00								
oxdot	Local Number Portability, per DS0 Activated		<u> </u>	UEPDC	LNPCP	3.15	0.00	0.00								<u> </u>
$oxed{oxed}$	Central Office Termininating Point			UEPDC	CTG	0.00										
	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act				1											
	stem can have various rate combinations based on type and nu	mber of	ports	used												
UNI	DS1 Loop				1											
oxdot	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNI	DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
L I		1		UEPMG	VUM48	194.70	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s		<u> </u>	OLI WO												
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
												15.20 15.20				

UNBUND	LED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Υ	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2.336.40	0.00	0.00				15.20				
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
Noi		curring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chanr	neliztio		rsion Charge		stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
		s of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without			,	1											
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				15.20				
Svs		Additions Where Currently Combined and New (Not Currentl	v Comb	ined)													
		ty Zone 1 Top 8 MSAs	,	,													
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation -			UEPMG	VUMD4	0.00	900.00	600.00				15.20				
Rin		8 Zero Substitution			OLI WO	VOIVID	0.00	500.00	000.00			1	10.20				
Бір		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
		Clear Channel Capability Format - Extended Superframe -			OLI WO	00001	0.00	0.00	003.00				13.20				
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Ala		e Mark Inversion (AMI)			OLFIVIO	CCOLI	0.00	0.00	003.00			1	13.20				
Aite		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			-					
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
F		ge Ports Associated with 4-Wire DS1 Loop with Channelization	:41-	Daw	UEFIVIG	IVICOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-wire DST Loop with Channelization	on with	Port		+											
EXC	Juan	ge roits															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00				15.20				
-	-	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00									
		Line Side Outward Channelized PBX Trunk Port - Business	-		UEPPX	UEPUX	14.00	0.00	0.00				15.20				
					UEPPX	LIEDAY	44.00	0.00	0.00				45.00				
		Line Side Inward Only Channelized PBX Trunk Port without DID		-	UEPPX	UEP1X	14.00	0.00	0.00				15.20				
-		2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration		-	UEPPX	UEPDM	36.00	0.00	0.00				15.20				
rea	ature	Feature (Service) Activation for each Line Port Terminated in D4				-											
		Peature (Service) Activation for each Line Port Terminated in D4			UEPPX	4000444	0.6497	40.00	20.00				45.00				
		Sam	-		UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
		Feature (Service) Activation for each Trunk Port Terminated in															
 		D4 Bank	.		UEPPX	1PQWU	0.6497	110.00	30.00			1	15.20			1	
Tel		ne Number/ Group Establishment Charges for DID Service			LIEDDY	NDT	2.0-					ļ	,				
\vdash		DID Trunk Termination (1 per Port)	 		UEPPX	NDT	0.00	0.00	0.00				15.20				
\vdash		DID Numbers - groups of 20 - Valid all States	 		UEPPX	ND4	0.00	0.00	0.00				15.20				
$oxed{oxed}$		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.20				
$oxed{oxed}$		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			1	15.20				
Loc		umber Portability	ļ			1	1										↓
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			1	<u> </u>				
		RES - Vertical and Optional	ļ			1	1										↓
Loc		witching Features Offered with Line Side Ports Only				1											
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC															
		res shall apply to the Unbundled Port/Loop Combination - C															
3. E	End C	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	nibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
4. T	The fi	rst and additional Port nonrecurring charges apply to Not Cu	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	rring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		so and are categorized accordingly.	,			,			3				3	,			•
		et Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis. un	til further notice	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only			unurridudi Od										1	1	t
		G Loop/2-Wire Voice Grade Port (Centrex) Combo	f	1		 	t					†	1				—
		rt/Loop Combination Rates (Non-Design)	l	1		 	 					†	1				—
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	 		†	 					-					
		Non-Design	l	1	UEP91	1	13.13						1				1
		NOTI-Dealgh	l	<u> </u>	OLI 31	1	13.13					L	l	1	l	l	

IINBUND	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Eul.!	hit: C
ONDUNDE	ED NET WORK ELEMENTS - LOUISIANA	1	1								Svc Order	Svc Order	Attachment: Incremental		Incremental	bit: C Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					+	-	Nonred	urring	Nonrecurring	Disconnect		l	066	Rates(\$)	l	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	2 Mire VC Lear /2 Mire Veice Crede Best (Contra Dest Contra	1					FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIED04		22.75										
	Non-Design		2	UEP91		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			40.00										
	Non-Design		3	UEP91		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Design		1	UEP91		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
L	Design	<u>L_</u>	3	UEP91	<u> </u>	48.26			<u>1 </u>			<u> </u>		<u> </u>	<u> </u>	
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39			† †			İ		1	İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP91	UECS1	48.26			† †			1		1		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP91	UECS2	14.93			† †			1		t		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35			 			1				
—	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	50.46			1							
LINE	Ports		3	OLF91	ULCGZ	30.40			-					-		
		1														
All S	States (Except North Carolina and Sout Carolina)			LIEDO4	LIEDVA	4.00	00.05	40.00				45.00				
-	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	-	UEP91	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08				15.20				
AL.	KY, LA, MS, & TN Only															
, ,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP91	UEPQB	1.36	38.85	19.08	† †			15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91	UEPQH	1.36	38.85	19.08	 			15.20				
 	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	 	02101	JE1 (411	1.50	30.03	13.00	 			15.20		1	1	
	Center)2	1	1	UEP91	UEPQM	1.36	104.41	67.93	1			15.20				
\vdash	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	1	OL1 31	JLI WIVI	1.30	104.41	01.33	+			13.20		 	-	
				UEP91	UEPQZ	1.36	104.41	67.93	1			15.20				
 -	Term	 	├	OLF91	UEFUL	1.36	104.41	67.93	1			15.∠0		-		
	O Mire Veice Conde Destaurainated in an Manellal and in land			LIEDOA	LIEBOO	4.00	20.25	40.00				45.00				
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP91	UEPQ9	1.36	38.85	19.08	1			15.20		1		
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	<u> </u>	UEP91	UEPQ2	1.36	38.85	19.08	1			15.20				
Loca	al Switching	<u> </u>	<u> </u>	LIEDO.	UDEC :				1			ļ				
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Loca	al Number Portability	<u> </u>	<u> </u>						ļ			ļ		1		
	Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEP91	LNPCC	0.35			ļ			ļ		1		
Feat	ures											<u> </u>				
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NAR	S								İ							
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	† †			15.20				
Mier	cellaneous Terminations	1	1		-,	5.00	3.00	5.00	† †			.5.20				
	re Trunk Side	 	 		+				+ +							
2-991	Trunk Side Terminations, each	 	 	UEP91	CENA6	8.29	115.85	18.20	 			15.20		1	1	
	Trank Olde Tellilliations, each	<u> </u>	<u> </u>	OLI 31	OLIVAU	0.29	113.03	10.20	i .			13.20		1	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									P	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		1	UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBO.												
	Different Wire Center			UEP91	1PQWP	0.6497						15.20				
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	 	UEP91	1PQWV	0.6497						15.20			1	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWA	0.6497						15.20				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	110400		0.40	0.40				45.00				
	changes, per port Conversion of Existing Centrex Common Block		1	UEP91 UEP91	USAC2 USACN	0.00	0.10	0.10				15.20				
	New Centrex Standard Common Block		1	UEP91	M1ACS	0.00	36.66 680.40	16.10				15.20				
	New Centrex Standard Common Block New Centrex Customized Common Block	-		UEP91	M1ACC	0.00	680.40					15.20				
	Secondary Block, per Block		1	UEP91	M2CC1	0.00	79.31					15.20				
—	NAR Establishment Charge, Per Occasion	-		UEP91	URECA	0.00	73.93					15.20				
LINE	P CENTREX - 5ESS (Valid in All States)	-		UEF91	UKECA	0.00	73.93					15.20				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
- ONE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	Non-Design		1	UEP95		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 33	1	10.10										
	Non-Design		2	UEP95		23.75										
h + + + + + + + + + + + + + + + + + + +	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 00	1	20.70										
	Non-Design		3	UEP95		49.62										
UNE P	Port/Loop Combination Rates (Design)		Ť													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	l	2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								İ							
	Design	1	3	UEP95		51.82								Ì	Ì	
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11.77			i							
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP95	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP95	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	l														
	Area	ļ		UEP95	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1												Ì	Ì	
\vdash	Center)2 Basic Local Area	<u> </u>	 	UEP95	UEPYM	1.36	104.41	67.93				15.20				
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		LIEDOE	UEPYZ	4.00	404.44	67.93				45.00		Ì	Ì	
	Term - Basic Local Area	l		UEP95	UEPYZ	1.36	104.41	67.93			1	15.20		1	1	

CHBONDER	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Evk:	bit: C
			1		1						Svc Order		Incremental		Incremental	Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-			_		Managa		Nonrecurring	- Di			000	Rates(\$)		
		-				Rec	Nonrec				001150	001441			001441	001441
$\overline{}$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent											4= 00				
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	1		UEP95	UEPQZ	1.36	104.41	67.93		Ì	I	15.20		Ì		I
								250			i			1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPQ9	1.36	38.85	19.08		Ì	I	15.20		Ì		I
	2-Wire Voice Grade Port Terminated in 61 Megalink of equivalent	 		UEP95	UEPQ2	1.36	38.85	19.08		 	ł – – – –	15.20		 		
Local	Switching	 		OL1 30	JLI WZ	1.00	30.03	13.00		1	1	13.20		1	1	1
Local	Centrex Intercom Funtionality, per port	 	 	UEP95	URECS	0.8577				1	1	15.20		1	1	1
Local	Number Portability		-	ULF 93	UNLUG	0.0377						13.20				
Local				UEP95	LNPCC	0.25										
	Local Number Portability (1 per port)			UEP95	LINPCC	0.35										
Featur				LIEDAE								4= 00				
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
\longrightarrow	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				
Misce	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013			İ	İ	İ			İ	İ	İ
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e				2.2.10				İ	İ			İ		
	annel Bank Feature Activations				† †					1				1	1	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497				 	 	15.20		 		1
	and a second sec				1	3.0.07				 	 	.0.20		 		1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497					1	15.20				
\vdash	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 		J_1 00	11 9770	5.0437				 	ł – – –	10.20		 		
	Slot	1		UEP95	1PQW7	0.6497				Ì	I	15.20		Ì		I
\vdash	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1	OLI 30	11 6441	0.0437			-	 	 	13.20		 	-	1
		1		LIEDOE	100000	0.0407				Ì	I	45.00		Ì		I
 	Different Wire Center	<u> </u>	—	UEP95	1PQWP	0.6497						15.20				
	Factors Astination on D. A Channel Book British Live Co.	1		LIEDOE	400)407	0.0407				Ì	I	45.00		Ì		I
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497				ļ	ļ	15.20		ļ		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1			400000					Ì	I			Ì		I
	Slot	ļ	ļ	UEP95	1PQWQ	0.6497					ļ	15.20				
\sqsubseteq	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP95	1PQWA	0.6497			ļ	ļ		15.20		ļ		ļ
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed										i					1
<u> </u>	changes, per port	<u>L_</u>	Щ.	UEP95	USAC2		0.10	0.10	<u> </u>	<u></u>	<u> </u>	15.20		<u> </u>	<u> </u>	<u> </u>
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93		İ	İ	İ	15.20		İ	İ	İ
	P CENTREX - DMS100 (Valid in All States)				1	0.00	. 0.00			†	 	.0.20		 		1
UNF-F		1	1												ļ	ļ

UNBUND) FC	NETWORK ELEMENTS - Louisiana												Attachment:	2	Fyhi	bit: C
CITECITE	1	THE TWO THE ELEMENTO LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurrin	g Disconnect		J.	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN	NE Po	rt/Loop Combination Rates (Non-Design)							7.44		7144	0020					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design .		1	UEP9D		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			40.00										
118		Non-Design rt/Loop Combination Rates (Design)		3	UEP9D		49.62										
UN		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
		Design		1	UEP9D		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI OD		10.20										
		Design		2	UEP9D		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		51.82										
UN		op Rate													1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP9D UEP9D	UECS1 UECS2	48.26 14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP9D	UECS2	50.46										
UN		rt Rate		Ŭ	OLI OD	02002	00.40										
		ATES													İ		
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08				45.00				
—		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEF9D	UEPTD	1.30	30.00	19.06				15.20				
		Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			02.03	022	1.00	00.00	10.00				10.20				
		Area			UEP9D	UEPYF	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
		Area			UEP9D	UEPYG	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area		<u> </u>	UEP9D	UEPYT	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	UEPYU	1.36	20.05	40.00				45.00			1	
-		Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		-	UEP9D	UEPYU	1.36	38.85	19.08	-	1		15.20			-	1
		2-wire voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.36	38.85	19.08				15.20			1	
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			C2. 0D	521 TV	1.50	55.65	13.00				10.20		—		
		Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20		1		
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
		Area			UEP9D	UEPYH	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			l										1		
		Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			LIEDOD	LIEDVI	4.00	20.25	10.00				45.00			1	
		Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		UEP9D	UEPYJ	1.36	38.85	19.08		1		15.20		 	-	
		2-wire voice Grade Port (Centrex from dill Serving wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93				15.20		1		
 		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		-	J_1 JD	JEI TIVI	1.50	104.41	07.33				10.20		 		
		Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93				15.20			1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
		Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93				15.20		<u> </u>		<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3											1			1	
		Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93				15.20		1		L

CATEGORY RATE ELEMENTS Some DCS USOC RATES(S) Some Company	UNBUND	LED NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhi	hit: C
## AFT ELEMENTS ## AFT ELEMENT	ONDOND	FED IAE I WORK ELEMENTS - LOUISIANA	1									Svc Order	Svc Order				Incremental
## PATE ELEMENTS March Book BCS USC PATE PATE PATE March Book BCS USC PATE PATE PATE PATE Book BCS USC Control Contr																	Charge -
CATEGORY RATE ELEMENTS			last a mi														Manual Svc
Note	CATEGOR	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								Order vs.
Text April Direct Disease Direct Disease D			m									per Lore	per Lore				Electronic-
Page Page																	Disc Add'l
April South Sout																D130 131	Disc Add I
Description Page Control Page Control Page Control Page Control Page Control Page							Rec										
Rest Local Anale								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-West Votos Claste Prof. (Carlinovalfiller SVPC, CRES-MSX322.3 UEPVD UEPVS 1.36 104.41 67.50 15.20 15					LIEDOD	LIEDVD	4.00	404.44	07.00				45.00				
Basic Look Area Empty Sept Se					UEP9D	UEPYR	1.36	104.41	67.93				15.20				
SWIN Visco Grand Port Contravordities SWIC ERS-1600082, 3 UPP00 UEP76 130 104.41 (67.50 15.20					LIEDOD	HEDVE	1 26	104.41	67.02				15.20				
Bench Local Area E-Win Vaca Grane Plat (Centrecordinal SVPC/EBS-MS200)2, 3 E-Win Vaca Grane Plat (Centrecordinal SVPC/EB					OLF 9D	OLFIS	1.30	104.41	07.93				13.20				
Description Description					LIEPAD	HEPY4	1 36	104 41	67 93				15 20				
Sect Cock Ans. Sect No. Section Sectio					02. 03	02	1.00	10	07.00				10.20				
Seel Conf. Aris Seel Conf.					UEP9D	UEPY5	1.36	104.41	67.93				15.20				
Description Commence Commen		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
Seas Local Pres		Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93				15.20				
2-Wise Vaca Grashe Port, Diff Serving Wise Center - 800 Service Term Reside UEPRD UEPY2 1.36 100.4 1 67.93 16.20 15.20																	
Term UEP90 UEP72 1.36 104.41 67.33 15.20	$oxed{oxed}$		<u> </u>		UEP9D	UEPY7	1.36	104.41	67.93	ļ			15.20		1		
Service Visco Grinde Port Terminated on 800 Service Term Basic UEP90 UEP79 1.36 38.85 19.08 15.20			1		LIEBOD	LIED) (Z				1			4				
Basic Local Area UEPO	\vdash		ļ	<u> </u>	UEP9D	UEPYZ	1.36	104.41	67.93	-			15.20		-		
2-Vitre Votes Grade Port Terminated on 800 Service Term State UEP90 UEP92 1.36 38.86 19.08 15.20					LIEDOD	LIEDVO	4.00	20.05	40.00	1			45.00				
Local Area	\vdash		1	-	UEP9D	UEP19	1.36	38.85	19.08	 	-		15.20	1		1	
AL, KY, LA, MS, SC, & TN Only			1		UEP9D	UEPY2	1 36	38.85	19 08	1			15 20				
2-Wire Votors Grade Port (Centres & District Cent	ΔI				OLI 3D	OLI 12	1.50	30.03	13.00				13.20				
2-Wife Votor Grade Port (Centrev 800 termination)	7.5,		1		LIFP9D	UEPOA	1.36	38.85	19.08				15 20				
2-Wire Votor Grade Port (Centrar / EBS-RECT)3										İ					1		
2-Wire Voice Grade Port (Centrex / EBS-M62(9))					UEP9D												
2-Wire Voice Grade Pot (Centrex / EBS-MS12)3		2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.36	38.85	19.08				15.20				
2-Wire Voice Grade Port (Centrex / EBS-M5031)3 UEP9D UEPOG 1.36 38.85 19.08 15.20																	
2-Wire Voice Grade Port (Centrex / EBS-MS008)3																	
2-Wire Voice Grade Port (Centre XEBS-M6208)3 UEP9D UEPOU 1.36 38.85 19.08 15.20																	
2-Wire Voice Grade Port (Centrex/EBS-M5216)3																	
2-Wire Voice Grade Port (Centrex Win Caller ID)										1					-		
2-Wire Voice Grade Port (Centrex/Migr DMsg Wtg Lamp Indication)3	-			<u> </u>													
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M50312).2 UEP9D UEPQD 1.36 38.85 19.08 15.20																	
Indication)3			1		OLI 3D	OLI QII	1.50	30.03	13.00				13.20				
2-Wire Voice Grade Port (Centrex/Migr Wirg Lamp Indication)3					UEP9D	UEPQW	1.36	38.85	19.08				15.20				
2																	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2, 3		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 UEP9D UEPQP 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQD UEPQC 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQC 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Dentrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQC 1.36 104.41 67.93 15.20		2	<u> </u>														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQR 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQR 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M508)2, 3 UEP9D UEPQA 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQA 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQA 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQA 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQA 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93				15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 UEP9D UEPQQ 1.36 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQC 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20			1							_			l		_		
2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 15.20 15.20 2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M508)2, 3 UEP9D UEPQ4 1.36 104.41 67.93 15.20 1	\vdash		ļ	<u> </u>						-					-		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 15.	\vdash	z-vvire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1	-	UEP9D	UEPQQ	1.36	104.41	67.93	 	 		15.20		1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 15.		2-Wire Voice Grade Port (Centroy/differ SMC /EBS ME443)2-2	1		HEDOD	LIEDOD	1 26	104.41	67.02	1			15 20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port	\vdash	2-14116 VOICE GIAUE FOIT (CEITHEX/UIITEL SAVO /EDS-IVISTIZ)Z, 3	1	-	OLFBD	ULFUK	1.30	104.41	67.93	 	1	1	15.20	1	 	1	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3	1		UEP9D	UEPOS	1.36	104.41	67.93	1			15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ2 1.36 38.85 19.08 15.20 Local Switching UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term			1			1 10			550	1	1		.0.20		1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 1.36 104.41 67.93 15.20 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ2 1.36 38.85 19.08 15.20 Local Switching UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term UEP9D UEPQ2 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated ORD Service Term		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93				15.20		1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated On 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated On 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated On 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated On 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated On 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Terminated On 800 Service Term UEP9D UEPQ2 1.36 38.85 19.08 15.20 2-Wire Voice Grade Port Termin		, , , , , , , , , , , , , , , , , , , ,															
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port terminated on 800 Service Term UEP9D UEPQS 1.36 38.85 19.08 15.20 Local Switching		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93				15.20				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 1.36 104.41 67.93 15.20 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port terminated on 800 Service Term UEP9D UEPQS 1.36 38.85 19.08 15.20 Local Switching			1										1				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.36 104.41 67.93 15.20	$\perp \perp$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	ļ		UEP9D	UEPQ6	1.36	104.41	67.93	ļ			15.20		1		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 1.36 104.41 67.93 15.20		0 W/2 V/2 Oct 1 Det (Oct 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1		LIEBOD	LIEDG=				1			4				
Term	\vdash		<u> </u>		UEP9D	UEPQ7	1.36	104.41	67.93	.			15.20	ļ	-	ļ	
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.36 38.85 19.08 15.20					LIEDOD	LIEDO7	1 20	104 44	67.00				15.00		1		
2-Wire Voice Grade Port Terminated on 800 Service Term	\vdash	10111	1	-	OLFSD	UEFUL	1.36	104.41	67.93	 	-		15.20	1		1	
2-Wire Voice Grade Port Terminated on 800 Service Term		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPO9	1 36	38.85	19 08	1			15 20				
Local Switching			1							†	1			1	†	1	
	Loc		1					55.50	.0.50	1	1		.0.20		1		
		Centrex Intercom Funtionality, per port	1		UEP9D	URECS	0.8577			1	İ			İ	1	l	

IINDIII	אוווי בי	D NETWORK ELEMENTS - Louisiana												Attachment	2	Eul:	hit: C
UNDUI	ADEE	D NET WORK ELEMENTS - LOUISIANA	l									Svc Order		Attachment: Incremental		Exhil Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO) PV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	JKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—						+	-	Nonrec	urring	Nonrecurring	n Disconnoct		l .	088	Rates(\$)		
-						+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 		l lumber Portability				-		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Local N				UEP9D	LNPCC	0.05										
—	F 1	Local Number Portability (1 per port)			UEP9D	LINPCC	0.35										
	Feature				LIEDAD	LIEDVE	0.00						45.00				
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00						15.20				
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						15.20				
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.20				
		aneous Terminations			-				-								
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20				15.20				
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06					15.20				
	Interoff	ice Channel Mileage - 2-Wire															
H		Interoffice Channel Facilities Termination	†		UEP9D	MIGBC	22.60	39.36	26.62			i	15.20		1		
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	-		02.05		0.0.0										
		nnel Bank Feature Activations	ĩ														
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				
		realure Activation on B-4 Charmer Bank Centrex 200p Glot			OLI 3D	11 QVV0	0.0437						13.20				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF3D	IFQWO	0.0437			-			13.20				
		Slot			UEP9D	1PQW7	0.6497						45.00				
		0.00			UEP9D	IPQW/	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQWP	0.0407						45.00				
		Different Wire Center			UEP9D	IPQWP	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed	1									1					
		changes, per port	ļ		UEP9D	USAC2		0.10	0.10				15.20				
		Conversion of existing Centrex Common Block, each	<u> </u>		UEP9D	USACN		36.66	16.10				15.20				
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40	-				15.20				
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															_
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Non-Design	1	1	UEP9E		13.13					l	I		Ì		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													İ		
		Non-Design	1	2	UEP9E		23.75					l	I		Ì		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			İ				1	İ	İ	İ		İ		
		Non-Design	1	3	UEP9E		49.62										
	UNE Po	ort/Loop Combination Rates (Design)	†	Ť	-	1						i	i		1		
H		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1						i	i		1		
		Design	1	1	UEP9E		16.29								Ì		
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 			+	10.23			 		 	ł – – – –		 		
		Design	1	2	UEP9E		26.71					1					
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	-	J. J.	+	20.71					 	 		-		
		Design	1	3	UEP9E		51.82					1					
 	IINE!	pop Rate	ł	3	OLFSE	+	31.82			-	-	-	-		-		
\vdash	ONE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	11.77			 		 	 		 		
\vdash			1			UECS1	22.39			 		 	 		 		
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPSE	UECOI	22.39				L	<u> </u>	<u> </u>		L		L

UNBUND	LED NETWORK ELEMENTS - Louisiana				_		_						Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OAT LOOK	KATE EEEMENTO	m	20110	500	0000			ππι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurrin	ng Disconnect			088	Rates(\$)		
					-	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26	FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
			1													
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
	Port Rate															
AL,	FL, KY, LA, MS, & TN only					4.00		10.00				4= 00				
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t														ĺ
	- Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
	Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL.	KY, LA, MS, & TN Only															
,	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08				15.20				
-	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 02	02. Q	1.00	00.00	10.00				10.20				1
	Center)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OL	OLI QIVI	1.50	104.41	07.33				13.20				
	Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
-	Tellii			OLI 3L	OLI QZ	1.50	104.41	07.33			1	13.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalen			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated in on Megalink of equivalent			UEP9E	UEPQ2	1.36	38.85	19.08	-			15.20		-		-
1.00	al Switching			UEF9E	UEPQZ	1.30	30.03	19.06	-			15.20		-		-
LOC	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577			-					-		-
	al Number Portability			UEF9E	UKECS	0.6577					1					
LOC	Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.05										
			-	UEP9E	LNPCC	0.35										
Fea	tures			LIEBAE								4= 00				
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00	440.00					15.20				
	All Select Features Offered, per port	 		UEP9E	UEPVS	0.00	412.25			-	ļ	15.20				
	All Centrex Control Features Offered, per port	 	<u> </u>	UEP9E	UEPVC	0.00				-	1	15.20				
NAF		 	<u> </u>	LUEDAE	Lung:					-	1					
	Unbundled Network Access Register - Combination	 	<u> </u>	UEP9E	UARCX	0.00	0.00	0.00		-	1					
	Unbundled Network Access Register - Indial	ļ	 	UEP9E	UAR1X	0.00	0.00	0.00		<u> </u>		ļ				
	Unbundled Network Access Register - Outdial	<u> </u>	<u> </u>	UEP9E	UAROX	0.00	0.00	0.00	ļ		<u> </u>			ļ		
	cellaneous Terminations															ļ
2-W	ire Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
4-W	ire Digital (1.544 Megabits)	1														1
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06					15.20				
Inte	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.013										
Fea	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce										İ				1
	Channel Bank Feature Activations		1		1				İ	1			İ	İ	İ	İ .
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9E	1PQWS	0.6497				1	İ	15.20			İ	
		1	<u> </u>						1	1	Ì	12.20		1	1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP9E	1PQW6	0.6497			1			15.20			Ì	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1			0.0.07			1	1	1	.5.20		1	1	1
	Slot		1	UEP9E	1PQW7	0.6497			1		Ì	15.20]	1	1	

UNRUN	IDI FI	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhil	bit: C
SINDON						1						Svc Order		Incremental		Incremental	Incremental
			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring I					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															í
		Different Wire Center			UEP9E	1PQWP	0.6497						15.20				
																	í
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDOE	400000	0.0407						45.00				í
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E UEP9E	1PQWQ 1PQWA	0.6497 0.6497			-			15.20 15.20				
	lon De	ecurring Charges (NRC) Associated with UNE-P Centrex			UEF9E	IPQWA	0.0497						15.20				
	IOII-INE	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.10	0.10				15.20				í
\vdash		Conversion of Existing Centrex Common Block, each	1		UEP9E	USACN		36.66	16.10				15.20	1	1		í
		New Centrex Standard Common Block	1		UEP9E	M1ACS	0.00	680.40	72110				15.20				i
		New Centrex Customized Common Block	1		UEP9E	M1ACC	0.00	680.40					15.20				í
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93		1			15.20				i
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															i
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
L	JNE Po	ort/Loop Combination Rates (Non-Design)							-								
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														i
		Non-Design		1	UEP93		13.13										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ł
		Non-Design		2	UEP93		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			40.00										ł
	INIE D	Non-Design		3	UEP93		49.62										
L	JNE PO	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP93		16 20										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF93		16.29										
		Design		2	UEP93		26.71										í
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 50	+	20.71										f
		Design		3	UEP93		51.82										í
u	JNE Lo	pop Rate		Ŭ	02.00		01.02			i i							
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										i
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										í
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										i
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										í
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46	Ì									
		ort Rate	<u> </u>					, The state of the									
A	AL, KY	, LA, MS, & TN only	ļ		115500	lues::											
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>		UEP93	UEPYA	1.36	38.85	19.08	 			15.20	 	 		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEDOS	LIEDVO	4.00	20.05	40.00			1	45.00	1	1		i
		Area	1		UEP93	UEPYB	1.36	38.85	19.08	 			15.20	-	-		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	1		UEP93	UEPYH	1.36	38.85	19.08				15.20				i
-		2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLF 83	JEFTH	1.30	30.85	19.08	+			15.20	-	-		
		Center)2 Basic Local Area	1		UEP93	UEPYM	1.36	104.41	67.93				15.20				i
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 		OLI 33	OLI IIVI	1.00	104.41	01.33	+		 	10.20	 	 		
		Term - Basic Local Area	1		UEP93	UEPYZ	1.36	104.41	67.93			1	15.20	1	1		í
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1						000					1	1		í
		- Basic Local Area	1		UEP93	UEPY9	1.36	38.85	19.08			1	15.20	1	1		í
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1			1		22.20									í
		Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				ł
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08				15.20				i .
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08				15.20				<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		-							1]]		<u></u>
		Center)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		l		l										i
		Term	<u> </u>		UEP93	UEPQZ	1.36	104.41	67.93]			15.20	Ì	Ì		1

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:			bit: C
														Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Diac 1at	Disc Add I
							1	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08				15.20				1
	+	2-Wire Voice Grade Port Terminated in 60 Negatific of equivalent		 	UEP93	UEPQ2	1.36	38.85	19.08				15.20				
	Local	Switching		1	OLI 33	OLI QZ	1.50	30.03	13.00				13.20				
	Local	Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.8577										
-	Local	Number Portability			UEF93	UKECS	0.6577					-			-		
	Local			<u> </u>	LIEDOS	LNCCC	0.05										
		Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
	Featur					<u> </u>											
		All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
		All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						15.20				
	NARS					1											
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.20				
	Miscel	aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20				15.20				
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92				15.20				
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06					15.20				
	Interof	fice Channel Mileage - 2-Wire			02. 00		0.00	1 1.00					10.20				
		Interoffice Channel Facilities Termination		1	UEP93	MIGBC	22.60	39.36	26.62				15.20				
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.013	00.00	20.02				10.20				
	Featur	Activations (DS0) Centrex Loops on Channelized DS1 Service		 	OLI 30	IVIIODIVI	0.010										
		innel Bank Feature Activations	<u> </u>	 													
	D4 CITE	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	+	realure Activation on 5-4 Charmer Bank Centrex Loop Siot		1	OLF 93	IFQWS	0.0437						13.20				
		Facture Activities on D. A. Channel Book EV Line Cide Land Class			UEP93	1PQW6	0.6497						45.00				
	<u> </u>	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	TPQW6	0.6497						15.20				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP93	1PQW7	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP93	1PQWP	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
		Slot			UEP93	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				1
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															1
L	<u> </u>	changes, per port	<u></u>	Ш_	UEP93	USAC2		0.10	0.10		<u> </u>	<u> </u>	15.20		<u> </u>	<u> </u>	1
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40			1		15.20				
	1	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93			İ		15.20				
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1							İ	1	i		İ	İ	
		- Requires Interoffice Channel Mileage				1					İ				1	İ	
		- Requires Specific Customer Premises Equipment		<u> </u>		1					1	1	1		1	1	
UNBU		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES		 		+					1	I	1		†	†	<u> </u>
0.100		tet Rates are applied where BellSouth is not required by FCC	and/or	State C	ommission rule to	provide Unbu	ndled Local Sw	itching or Sw	itch Ports		†	1			t	 	<u> </u>
—		irring Charges for all Standard Centrex and Centrex Conrol Fe							01101		†	1			t	 	<u> </u>
-		Office and Tandem Switching Usage and Common Transport					ihit shall annly	to all combin	ations of loon/	nort network	elements even	t for LINE	oin Port/Lo	on Combine	ions		
-																Additional M	Co ma::
		first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	meu Compos. For	Currently Co	ilibinea Combo	s, the nonrect	urring charges	SIIdii De triose	e identified in t	ne Nonrecu	ining - Curre	anny Combin	eu sections.	Auditional NF	.cs may
		also and are categorized accordingly.			1	_					1		1			1	
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	 		1					ļ						
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		 		1					ļ						
	UNE P	ort/Loop Combination Rates (Non-Design)		<u> </u>		1									1		 '
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1		1						1	1		I	Ì	1 '
		Non-Design		1	UEP91	1	25.77					l .	l		l .]	1

HMBHMD	ED NETWORK ELEMENTS - Louisiana												Attachment.	2	Evt.:	hit: C
UNDUND	TED MET ANOWY ETEINIEM 1.9 - FORISISHIS	1	1		1 1						Svc Order	Svc Order	Attachment: Incremental		Exhil Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	rurring	Nonrecurring	Disconnect		l .	088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Non-Design		2	UEP91		36.39										
		1		UEF91	+	30.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		00.00										
		-	3	UEP91		62.26										
UNE	Port/Loop Combination Rates (Design)	1			+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	LIEDO4		20.02										
				UEP91		28.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDO4		00.05										
	Design		2	UEP91		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	١.									1		Ì		
	Design		3	UEP91	1	64.46										
UNE	Loop Rate	ļ	<u> </u>	LIEBA	11505									ļ		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP91	UECS1	11.77								ļ		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEP91	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46										
UNE	Ports															
All S	States (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			02. 0.	02		00.00	20.00				10.20				
	Basic Local Area			UEP91	UEPY2	14.00	50.00	25.00				15.20				
ΔΙ	KY, LA, MS, & TN Only			OLI 01	OLI 12	14.00	00.00	20.00				10.20				
AL,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Fort (Centrex 800 termination)			UEP91	UEPQB	14.00	50.00	25.00				15.20				
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	 	UEP91	UEPQH	14.00	50.00	25.00	 			15.20		 		
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	1	OLI 31	טבו עוו	14.00	30.00	25.00	1			13.20		 		
1 1	Center)2	1	1	UEP91	UEPQM	14.00	135.00	90.00			1	15.20		Ì		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	1	OLI 31	OLI QIVI	14.00	133.00	50.00	1			13.20		 		
1 1	Term	1	1	UEP91	UEPQZ	14.00	135.00	90.00			1	15.20		Ì		
\vdash	Tolli	 	1	OLF31	ULFQZ	14.00	135.00	90.00	1			15.20		 		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	50.00	25.00				15.20				
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	 	 	UEP91 UEP91	UEPQ9 UEPQ2	14.00	50.00	25.00	 			15.20				
		 	1	OLF91	UEFUZ	14.00	50.00	∠5.00	 			15.∠0		 		
Loc	al Switching		1	LIEDO4	LIDECO	0.0575			 			-		 		
	Centrex Intercom Funtionality, per port	 	1	UEP91	URECS	0.8577			ļ		ļ	ļ		1		
Loc	al Number Portability	<u> </u>	<u> </u>	LIEDOA	LNDOO	0.05			1			ļ		ļ		
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feat	tures	ļ	<u> </u>													
\vdash	All Standard Features Offered, per port	ļ	 	UEP91	UEPVF	0.00					ļ					
\vdash	All Select Features Offered, per port	ļ	ļ	UEP91	UEPVS	0.00	412.25					15.20				
\vdash	All Centrex Control Features Offered, per port	<u> </u>	<u> </u>	UEP91	UEPVC	0.00										
NAF												<u> </u>				
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
\Box	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				
	cellaneous Terminations															
2-W	ire Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				

LINBLINDI	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhi	bit: C
ONDONDE	LED NET WORK ELEMENTS - Louisiana										Svc Order	Svc Order	Incremental		Incremental	
I											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
I		1									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				Order vs.
I	NATE ELEMENTO	m	20.10		0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
I													Electronic-	Electronic-	Electronic-	Electronic-
I													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurrin	ng Disconnect		l .	088	Rates(\$)		
$\overline{}$		<u> </u>			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intor	office Channel Mileage - 2-Wire						FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
inter	Interoffice Channel Facilities Termination - Voice Grade	<u> </u>		UEP91	M1GBC	22.60	39.36	26.62				15.20				-
	Interoffice Channel mileage, per mile or fraction of mile	-	-	UEP91	M1GBC M1GBM	0.013	39.30	20.02				15.20				
Foot	ure Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEP91	IVITGBIVI	0.013										
	hannel Bank Feature Activations	1														
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP91	IPQWS	0.6497						15.20				
ı	Facture Activistics on D.4 Channel Book EV line Side Land Slat			UEP91	1PQW6	0.6497						45.00				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				
ı	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.6497						15.20				
ı	Feature Activation on D-4 Channel Bank Centrex Loop Slot -											4= 00				
	Different Wire Center			UEP91	1PQWP	0.6497						15.20				
ı																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497				ļ		15.20		ļ	ļ	
ı	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
ı	Conversion - Currently Combined Switch-As-Is with allowed															
ı	changes, per port			UEP91	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				
UNE-	P CENTREX - 5ESS (Valid in All States)															
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
ı	Non-Design		1	UEP95		25.77										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
ı	Non-Design		2	UEP95		36.39										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
ı	Non-Design		3	UEP95		62.26										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
ı	Design		1	UEP95		28.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Design		2	UEP95		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
ı	Design		3	UEP95		64.46					I	1		Ì	Ì	1
UNE	Loop Rate				1 1					1		l				
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP95	UECS1	11.77				1				1	1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	22.39				1				1	1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95	UECS1	48.26				1				1	1	1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93				1	İ			İ	İ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35				1	İ			İ	İ	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46					i			1	1	
UNE	Port Rate		t -			22.10					i			1	1	
All St											i			1	1	
, <u>.</u>	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP95	UEPYA	14.00	50.00	25.00		1	i	15.20		1	1	1
	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95	UEPYB	14.00	50.00	25.00		1		15.20		1	1	t
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	†			52.15	17.00	55.55	20.00		1		10.20				1
ı	Area		1	UEP95	UEPYH	14.00	50.00	25.00			I	15.20		Ì	Ì	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 			J	17.00	55.55	20.00		+	ł – – –	10.20		 	 	
	Center)2 Basic Local Area		1	UEP95	UEPYM	14.00	135.00	90.00			I	15.20		Ì	Ì	1
,																1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					100										

ONBONDI	ED NETWORK ELEMENTS - Louisiana												Attachment.	2	Eul.:	hit. C
					1 1						Svc Order		Attachment: Incremental		Incremental	bit: C Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- ()			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
	- Basic Local Area			UEP95	UEPY9	14.00	50.00	25.00				15.20				í
	2-Wire Voice Grade Port Terminated on 800 Service Term -															ĺ
	Basic Local Area			UEP95	UEPY2	14.00	50.00	25.00				15.20				<u> </u>
AL,	KY, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															í
\vdash	Center)2			UEP95	UEPQM	14.00	135.00	90.00	ļ			15.20		 		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDOZ	44.00	405.00	00.00				45.00		1		í
\vdash	Term	-	l .	UEP95	UEPQZ	14.00	135.00	90.00		-	1	15.20		1		
	2 Wire Voice Grade Port terminated in an Magalink or an in-lant			UEP95	UEPQ9	14.00	50.00	25.00				15.20		1		í
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
100	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	50.00	25.00				15.20		 		
Loca	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577					1	15.20				
Loc	Number Portability			ULF 93	UNLUG	0.0377					1	13.20				
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat				OLI 00	LIVI OO	0.00										
1 000	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				ī
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NAR	S															í
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				i
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				ĺ .
	ellaneous Terminations															Ļ
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-1/1	re Digital (1.544 Megabits)			LIEDOE	M1HD1	CO 47	100.10	00.00				45.00				
\vdash	DS1 Circuit Terminations, each DS0 Channels Activated, each			UEP95 UEP95	M1HD0	68.47 0.00	196.18 14.06	92.92				15.20 15.20				
Into	office Channel Mileage - 2-Wire			UEF93	MILLIPO	0.00	14.06					15.20				
IIItei	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62			1	15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013	39.30	20.02				13.20				f
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 00	05	0.010										
	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				1
	·															ĺ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
$oxed{oxed}$	Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1									1		í
$\vdash \vdash \vdash$	Different Wire Center			UEP95	1PQWP	0.6497						15.20		 		
	Factors Astination on D.4 Observed Book Britania (1997)			LIEDOS	400000	0.040-						45.00		1		í
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497					-	15.20		-		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497						15.20				i
\vdash	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	 	UEP95	1PQWQ	0.6497			1			15.20		1		
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	-		OL1 00	II QVVA	0.0437						10.20		 		
14011	NRC Conversion Currently Combined Switch-As-Is with allowed				1 1						<u> </u>			 		
	changes, per port			UEP95	USAC2	l	0.10	0.10				15.20		1		í
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				15.20		1		í
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20		1		í
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20		1		í
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				i
	-P CENTREX - DMS100 (Valid in All States)				1											i
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1 1											1

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: C
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1						1	Nonrec	urring	Nonrecurring	g Disconnect			220	Rates(\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates (Non-Design)						11130	Auu	11130	Addi	COMILO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		25.77										,
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	-	Non-Design		2	UEP9D		36.39										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		62.26										
-	UNE Po	ort/Loop Combination Rates (Design)		3	OLI 3D	+	02.20										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		28.93										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		39.35										-
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		64.46										, J
	LINE L	poop Rate		3	UEP9D	+	04.40										
	OIAE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	11.77					 					
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35										
<u> </u>	LINIE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
-	ALL ST	ort Rate					-										
	ALL 31	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	14.00	00.00	20.00				10.20				
		Area			UEP9D	UEPYB	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						== ==					4= 00				1
-		Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	14.00	50.00	25.00				15.20				
		Area			UEP9D	UEPYE	14.00	50.00	25.00				15.20				1
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI OD	OLI IL	14.00	00.00	20.00				10.20				
		Area			UEP9D	UEPYF	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
		Area			UEP9D	UEPYG	14.00	50.00	25.00				15.20				.
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIEDVT	44.00	50.00	05.00				45.00				
	+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	<u> </u>	1	UEP9D	UEPYT	14.00	50.00	25.00				15.20				
		Area		1	UEP9D	UEPYU	14.00	50.00	25.00				15.20				i
	1	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1		02. 10	14.00	55.56	20.00	1	1		10.20				
		Area			UEP9D	UEPYV	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local							_								
		Area	1	<u> </u>	UEP9D	UEPY3	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1	LIEDOD	HEDVI	44.00	50.00	05.00				45.00				, J
-	+	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1	 	UEP9D	UEPYH	14.00	50.00	25.00				15.20				
		Indication))3 Basic Local Area		1	UEP9D	UEPYW	14.00	50.00	25.00				15.20				, J
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	l	1				22.00		İ	İ						
		Basic Local Area		<u> </u>	UEP9D	UEPYJ	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2 Basic Local Area	1	<u> </u>	UEP9D	UEPYM	14.00	135.00	90.00				15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1	1	UEP9D	UEPYO	14.00	135.00	90.00				15.20				ı
	+	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1	 	OFLAD	UEPTU	14.00	135.00	90.00				15.20				
		Basic Local Area			UEP9D	UEPYP	14.00	135.00	90.00				15.20				, J
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															-
L	<u> </u>	Basic Local Area	<u> </u>	<u>L</u>	UEP9D	UEPYQ	14.00	135.00	90.00		<u> </u>		15.20				<u>. </u>

UNBUN	IDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhi	ibit: C
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred		Nonrecurring Disconnec				Rates(\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPTR	14.00	135.00	90.00			15.20				
		Basic Local Area			UEP9D	UEPYS	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3														
		Basic Local Area			UEP9D	UEPY4	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3										4= 00				
		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	14.00	135.00	90.00			15.20				<u> </u>
		Basic Local Area			UEP9D	UEPY6	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		1	J. J.	02110	14.00	100.00	33.00		_	10.20				
		Basic Local Area	<u> </u>	<u>L</u>	UEP9D	UEPY7	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														
		Term		<u> </u>	UEP9D	UEPYZ	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic		l	OLI 3D	OLI 19	14.00	30.00	25.00			13.20				
		Local Area			UEP9D	UEPY2	14.00	50.00	25.00			15.20				
Α	AL, KY	, LA, MS, SC, & TN Only														
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	14.00	50.00	25.00			15.20				
-		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQC UEPQD	14.00 14.00	50.00 50.00	25.00 25.00			15.20 15.20				ļ
-		2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	14.00	50.00	25.00			15.20				1
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D UEP9D	UEPQ3 UEPQH	14.00 14.00	50.00 50.00	25.00 25.00			15.20 15.20				
		2-Wire Voice Grade Port (Centrex With Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPQH	14.00	50.00	25.00			13.20				
		Indication)3			UEP9D	UEPQW	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	14.00	50.00	25.00			15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														
		2			UEP9D	UEPQM	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	135.00	90.00			15.20				_
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-5209)2, 3		<u> </u>	UEP9D	UEPQQ	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		<u> </u>	UEP9D	UEPQR	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	405.00	90.00			45.00				
		z-vviile voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		 	UEP9D	UEPUS	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPQ4	14.00	135.00	90.00			15.20				
									22.30							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	135.00	90.00			15.20				
					LIEBOR											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		!	UEP9D	UEPQ6	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14.00	135.00	90.00			15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	02		00	.00.00	22.00		_					
		Term		<u></u>	UEP9D	UEPQZ	14.00	135.00	90.00			15.20				
Ţ																
\longrightarrow		2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9D	UEPQ9	14.00	50.00	25.00			15.20				<u> </u>
1	ocal 9	2-Wire Voice Grade Port Terminated on 800 Service Term Switching		1	UEP9D	UEPQ2	14.00	50.00	25.00			15.20				
		Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0.8577				+	 	 			

III IN LITE	אוחו בי	NETWORK ELEMENTS - Louisiana												Attachment	2	Eul:	hit: C
ONBU	NULEL	NET MORE ELEMENTS - FORISING	1	1 1								Svc Order		Attachment: Incremental		Incremental	bit: C Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			+			+		Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates(\$)		l
\vdash			+			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	l asal N	umber Portability	 			+		FIISL	Auu i	FIISL	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Local Number Portability (1 per port)	+		UEP9D	LNPCC	0.35										
 	Feature		1		UEP9D	LINECC	0.33										
├ ──		All Standard Features Offered, per port	1		UEP9D	UEPVF	0.00						15.20				
\vdash		All Select Features Offered, per port	 		UEP9D	UEPVS	0.00	440.05									
-		All Centrex Control Features Offered, per port	<u> </u>		UEP9D	UEPVS	0.00	412.25					15.20 15.20				
 	NARS	All Certifex Control Features Offered, per port	+		UEF9D	UEFVC	0.00						15.20				
 		Unbundled Network Access Register - Combination	1		UEP9D	UARCX	0.00	0.00	0.00				15.20				
-		Unbundled Network Access Register - Inward	+		UEP9D	UAR1X	0.00	0.00	0.00				15.20				
		Unbundled Network Access Register - Outdial	+		UEP9D	UAROX	0.00	0.00	0.00				15.20				
 		aneous Terminations	+	1	OLFSD	UANUA	0.00	0.00	0.00	1	1	1	15.20		1		1
		Trunk Side	+	1		+ +				1	1	1	-		1		1
		Trunk Side Trunk Side Terminations, each	1	1	UEP9D	CEND6	8.29	115.85	18.20			1	15.20				-
$\vdash \vdash \vdash$		Digital (1.544 Megabits)	+	-	OLFBD	OLINDO	0.29	110.00	10.20	1			15.20				-
├── ـــــــــــــــــــــــــــــــــــ		DS1 Circuit Terminations, each	+	1	UEP9D	M1HD1	68.47	196.18	98.62	1			15.20				-
$\vdash \!$		DS0 Channels Activiated per Channel	+	1	UEP9D UEP9D	M1HD1 M1HDO	0.00	196.18	98.62	1			15.20				-
 		ice Channel Mileage - 2-Wire	1	1	OLFAD	IVITIDO	0.00	14.06			-	-	15.20		-		-
 		Interoffice Channel Facilities Termination	1		UEP9D	MIGBC	22.60	39.36	26.62				15.20				
\longrightarrow		Interoffice Channel mileage, per mile or fraction of mile	1		UEP9D	MIGBM	0.013	39.30	20.02				15.20				
		Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVIIGDIVI	0.013										
		nnel Bank Feature Activations	ce			+											
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	+		UEP9D	1PQWS	0.6497						15.20				
\vdash		realure Activation on D-4 Channel Bank Centrex Loop Stot	1		UEP9D	IFQWS	0.0497						15.20				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	+		OLF 9D	IFQWO	0.0497						13.20				
		Slot			UEP9D	1PQW7	0.6497						15.20				
-+		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		OLFBD	IFQW/	0.0497						13.20				
		Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
-		Different Wife Center	1		OLF9D	IFQWF	0.0497						13.20				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
-+		Feature Activation on D-4 Channel Bank Frivate Line Loop Slot	1		OLFBD	IFQVVV	0.0497						13.20				
		Slot			UEP9D	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot	+		UEP9D	1PQWQ	0.6497						15.20				
		curring Charges (NRC) Associated with UNE-P Centrex	1		OLF3D	IFQWA	0.0437						13.20				
		NRC Conversion Currently Combined Switch-As-Is with allowed	1														
		changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
\vdash		Conversion of existing Centrex Common Block, each	+	1	UEP9D	USACN		36.66	16.10	1			15.20				
\vdash		New Centrex Standard Common Block	+	1	UEP9D	M1ACS	0.00	680.40	10.10	1	1	1	15.20		1		1
\vdash		New Centrex Standard Common Block	+	1	UEP9D	M1ACC	0.00	680.40		1			15.20				
\vdash		NAR Establishment Charge, Per Occasion	1		UEP9D	URECA	0.00	73.93					15.20				
 		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	1	021 00	JILOA	0.00	10.00					10.20				
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1		1				1			l				
		ort/Loop Combination Rates (Non-Design)	1			+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		+							l				
1		Non-Design		1	UEP9E		25.77						1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		† †	20.17				1				1		1
		Non-Design		2	UEP9E		36.39						1				
$\vdash \vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.†	T-		1	55.55			1		 	 				1
		Non-Design		3	UEP9E		62.26						1				
		rt/Loop Combination Rates (Design)	1	Ť	- **	† †	02.20				1				1		1
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1 1					1				1		1
		Design		1	UEP9E		28.93										
 		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.†	<u> </u>		1	20.00			1		 	 				1
		Design		2	UEP9E		39.35						1				
+-+		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T-	- **	† †	55.55				1				1		1
1		Design		3	UEP9E		64.46						1				
		g	1	J	J J _	+	U-1.7U			+	 		 		 		
		op Rate				1		I									
	UNE Lo	op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										

UNBUN	DLE	D NETWORK ELEMENTS - Louisiana						_						Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			١									Elec	Manually	Manual Svc			Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m									per LSK	per LSK			Electronic-	Electronic-
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	ng Disconnect		l .	oss	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26		7144.		7.44		00				
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
ш	NF Po	ort Rate		Ŭ	02. 02	02002	00.10										
		KY, LA, MS, & TN only															
	<u>-,,</u>	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OL	OLI III	14.00	00.00	20.00				10.20				
		Area			UEP9E	UEPYB	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI OL	OLI IB	14.00	00.00	20.00				10.20				
		Area			UEP9E	UEPYH	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 3L	OLI III	14.00	30.00	25.00				13.20				
		Center)2 Basic Local Area			UEP9E	UEPYM	14.00	135.00	90.00				15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3L	OLI TIVI	14.00	133.00	30.00				13.20				
		Term - Basic Local Area			UEP9E	UEPYZ	14.00	135.00	90.00				15.20				
-		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEF9E	UEPTZ	14.00	133.00	90.00	-			15.20		-		
		- Basic Local Area			UEP9E	UEPY9	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port Terminated on 800 Service Term -	<u> </u>	-	UEP9E	UEFT9	14.00	50.00	25.00				15.20				
					UEP9E	UEPY2	14.00	50.00	25.00				45.00				
		Basic Local Area	-		UEP9E	UEP12	14.00	50.00	25.00				15.20				
Α	L, KY	, LA, MS, & TN Only			LIEBOE	LIEBOA	44.00	50.00	05.00				45.00				
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire						40= 00									
		Center)2			UEP9E	UEPQM	14.00	135.00	90.00				15.20				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						40= 00									
		Term			UEP9E	UEPQZ	14.00	135.00	90.00				15.20				
		L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						=									
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	14.00	50.00	25.00				15.20				
	0	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	14.00	50.00	25.00				15.20				
L	ocai S	Switching	-		LIEDOE	LIDEOO	0.0577										
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
L		lumber Portability			LIEDOE	LNDOO	0.05										
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
F	eature												4= 00				
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00	440.00					15.20				
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25			-	ļ	15.20				
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00				-	ļ	15.20				├
N.	ARS	Halanda National Assess Basic Control	<u> </u>		LIEDOE	LIADON				-	1				-		⊢—
		Unbundled Network Access Register - Combination	<u> </u>		UEP9E	UARCX	0.00	0.00	0.00	-	1				-		⊢—
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	1	1	1			1		+
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00		-	ļ					
		aneous Terminations									-	ļ					
2-	-wire	Trunk Side	<u> </u>		LIEDOE	OFNES				-	-			1	-	1	├
<u> </u>	141	Trunk Side Terminations, each	<u> </u>		UEP9E	CEND6	8.29	115.85	18.20	-	-		15.20	1	-	1	├
4-	-wire	Digital (1.544 Megabits)	<u> </u>		LIEDOE	MALIE:				-	-			1	-	1	├
		DS1 Circuit Terminations, each	ļ		UEP9E	M1HD1	68.47	196.18	92.92		-	1	15.20				
-		DS0 Channel Activated Per Channel	ļ		UEP9E	M1HDO	0.00	14.06			-	1	15.20				
In	nteroff	ice Channel Mileage - 2-Wire	ļ								-	1					
		Interoffice Channel Facilities Termination	ļ		UEP9E	MIGBC	22.60	39.36	26.62		-	1	15.20				
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.013				-	1					
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e								ļ				.		1
D	4 Cha	nnel Bank Feature Activations	ļ		115505	100000	0.01				ļ		45.00		.		1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP9E	1PQWS	0.6497				<u> </u>		15.20				
						1											1
\vdash		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP9E	1PQW6	0.6497				<u> </u>		15.20				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1		1				1		Ì	I]	1]	1
		Slot	<u></u>	<u></u>	UEP9E	1PQW7	0.6497				<u> </u>	<u> </u>	15.20		<u> </u>		1

LINBLINDI	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Evhi	bit: C
CHECHEL	LED NET WORK ELEMENTS - Louisiana		1								Svc Order		Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.6497						15.20				
					450457							4= 00				
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWQ	0.6497						15.20				
-	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWQ	0.6497					1	15.20				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLFBL	IFQWA	0.0497						13.20				
140	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.20				İ
	Conversion of Existing Centrex Common Block, each	1	i –	UEP9E	USACN	İ	36.66	16.10				15.20		1	İ	
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93					15.20				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP93		25.77										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
-	Non-Design		2	UEP93	-	36.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		62.26										İ
LINE	Port/Loop Combination Rates (Design)		3	UEF93		02.20					-			-		
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				+	1			1							
	Design		1	UEP93		28.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OL: 50		20.00										
	Design		2	UEP93		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		64.46										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
1.152-	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP93	UECS2	50.46								1		
	Port Rate (Y, LA, MS, & TN only	1	!		+				 		-			 		
AL, P	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	 	UEP93	UEPYA	14.00	50.00	25.00	H		-	15.20		 	1	
 	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	 	OLI 33	JLFIA	14.00	50.00	25.00	 			13.20		 		
1 1	Area			UEP93	UEPYB	14.00	50.00	25.00				15.20		1		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				12	50	33.00	20.00				.0.20		<u> </u>		
	Area		1	UEP93	UEPYH	14.00	50.00	25.00				15.20		I		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	i –			1								1	l	
	Center)2 Basic Local Area		1	UEP93	UEPYM	14.00	135.00	90.00				15.20		I		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					Ī										
	Term - Basic Local Area		<u> </u>	UEP93	UEPYZ	14.00	135.00	90.00				15.20				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
$oxed{oxed}$	- Basic Local Area		<u> </u>	UEP93	UEPY9	14.00	50.00	25.00				15.20				└
1 1	2-Wire Voice Grade Port Terminated on 800 Service Term -			l	1	l								1		1
<u> </u>	Basic Local Area		ļ	UEP93	UEPY2	14.00	50.00	25.00				15.20		1		
\vdash	2-Wire Voice Grade Port (Centrex)	1	<u> </u>	UEP93	UEPQA	14.00	50.00	25.00				15.20				
 	2-Wire Voice Grade Port (Centrex 800 termination)	1	<u> </u>	UEP93	UEPQB	14.00	50.00	25.00				15.20		1		
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	 	UEP93	UEPQH	14.00	50.00	25.00	 		-	15.20		 		
1 1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	14.00	135.00	90.00				15.20		1		1
\vdash	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	 	OLF 30	OLFQIVI	14.00	133.00	90.00	H		-	15.20		 	1	
1 1	Term			UEP93	UEPQZ	14.00	135.00	90.00				15.20		I		1

NBUNDLED NETWORK ELEME	N I S - LOUISIANA			ı							_		Attachment:			bit: C
											1	Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incrementa Charge - Manual Sv
ATEGORY RA	TE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													1st	Add'l	Disc 1st	Disc Add'l
						_ [Nonrec	urrina	Nonrecurring	a Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Port t	erminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	50.00	25.00				15.20				
	Terminated on 800 Service Term			UEP93	UEPQ2	14.00	50.00	25.00				15.20				
Local Switching																
Centrex Intercom Funtion	ality, per port			UEP93	URECS	0.8577										
Local Number Portability																
Local Number Portability	(1 per port)			UEP93	LNCCC	0.35										
Features		ļ	ļ	LIEBOO	LIEDVE	0.00						45.60				
All Standard Features Off		!		UEP93	UEPVF	0.00						15.20		ļ	ļ	
All Centrex Control Featur	res Offered, per port	ļ	<u> </u>	UEP93	UEPVC	0.00						15.20				
NARS	- Berister Orestination			LIEDOO	LIADOV	0.00	0.00	0.00				45.00				
Unbundled Network Acce Unbundled Network Acce	ss Register - Combination	 	1	UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00		-		15.20 15.20				
Unbundled Network Acce		<u> </u>	<u> </u>	UEP93	UARTX	0.00	0.00	0.00				15.20		-	-	
Miscellaneous Terminations	ss Register - Outdiai			UEF93	UARUX	0.00	0.00	0.00				15.20				ļ
2-Wire Trunk Side																
Trunk Side Terminations,	each		1	UEP93	CEND6	8.27	115.85	18.20				15.20				
4-Wire Digital (1.544 Megabits)	eacri			ULF 93	CLINDO	0.21	113.65	10.20				13.20				
DS1 Circuit Terminations,	each			UEP93	M1HD1	68.47	196.18	92.92				15.20				
DS0 Channels Activated,				UEP93	M1HDO	0.00	14.06	02.02				15.20				
Interoffice Channel Mileage - 2-				02. 00		0.00	1 1.00					10.20				
Interoffice Channel Facilit				UEP93	MIGBC	22.60	39.36	26.62				15.20				
Interoffice Channel mileag	ge, per mile or fraction of mile			UEP93	MIGBM	0.013										
Feature Activations (DS0) Centr	ex Loops on Channelized DS1 Service	e														
D4 Channel Bank Feature Activa	ations															
Feature Activation on D-4	Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
Feature Activation on D-4	Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Channel Bank FX Trunk Side Loop															
Slot				UEP93	1PQW7	0.6497						15.20				
Feature Activation on D-4 Different Wire Center	Channel Bank Centrex Loop Slot -			UEP93	1PQWP	0.6497						15.20				
Feature Activation on D-4	Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
Feature Activation on D-4	Channel Bank Tie Line/Trunk Loop															
Slot				UEP93	1PQWQ	0.6497						15.20				
	Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
Non-Recurring Charges (NRC)			 													
	y Combined Switch-As-Is with allowed	l		LIEBOO	110400							4= 00				
changes, per port	oten Orania Bladenia			UEP93	USAC2		0.10	0.10				15.20				
New Centrex Standard Co	entrex Common Block, each	 	 	UEP93 UEP93	USACN M1ACS	0.00	36.66 680.40	16.10				15.20 15.20				-
New Centrex Standard Co		 	-	UEP93 UEP93	M1ACS M1ACC	0.00	680.40 680.40			ļ	-	15.20 15.20		-	-	
NAR Establishment Charg		<u> </u>	 	UEP93	URECA	0.00	73.93					15.20				
	rex Control in 1AESS, 5ESS & EWSD	-	-	OFL, 92	UKECA	0.00	13.93			-		15.20		-	-	
Note 1 - Required Port for Centr		-	-		-	+				-				-	-	
Note 3 - Requires Interoffice Chi		-	 		+	+				-				-		
	n Interim column are interim and sub		<u> </u>	L							1					

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attachment:			bit: C
														Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
		_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				eographically	/ Deaveraged U	NE Zones. To	view Georgrap	phically Deaver	aged UNE Zon	e Desiganti	ons by C O,	refer to Inter	net Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
		SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording 1	to the SOMEC rate li	isted in this	category. Pleas	se refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	can be ordere	d electronical	ly. For
	hose e	lements that cannot be ordered electronically at present per t	he BBR	R-LO, th	e listed SOMEC rate	e in this cate	gory reflects th	e charge that v	vould be billed	I to a CLEC on	ce electronic o	rdering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (MS)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)		1		SOMEC		3.50				1	1		Ì		
UNE SE	RVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appli	cable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			,	1											
		Day			ALL UNE	SDASP		200.00									
UNBUN	DLED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1	10.00	34.36	11.00	20.10	0.20		15.75				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			OLANE	OKEWO		10.70	0.32				13.73				
		billing for BST providing make-up			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1			OLANE	OLANO		0.20	0.20								
		(per LSR)			UEANL	OCOSL		18.19	18.19								
	2.W/IDE	Unbundled COPPER LOOP			OLANL	OCOSL		10.19	10.19								
	Z-VVIINL	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed Zone 2	÷		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
-		Order Coordination 2 Wire Unbundled Copper Loop - Non-	- '	4	UEQ	UEQZX	13.10	30.33	10.10	22.00	4.42		15.75				
					UEQ	USBMC		8.20	8.20								
-		Designed (per loop) Unbundled Copper Loop, Non-Designed Billing for BST		1	ULQ	USDIVIC		6.20	6.20			1					
		providing make-up			UEQ	UEQMU		13.51	13.51			İ					
\vdash		Loop Testing - Basic 1st Half Hour		 	UEQ	URET1	 	34.36	15.51				15.75		 		
\vdash		Loop Testing - Basic 1st Haif Hour Loop Testing - Basic Additional Half Hour		 	UEQ	URETA	 	34.36 19.97					15.75		 		
\vdash		CLEC to CLEC Conversion Charge Without Outside Dispatch		 	UEQ	UREWO	 	19.97	7.42				15.75		 		-
LINDIIN	JI ED E	EXCHANGE ACCESS LOOP		1	ULQ	UKEWU	—	14.24	1.42	-	-		15.75		-		-
		ANALOG VOICE GRADE LOOP		 		+	 								 		
-	L-WVIKE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-		+				-	-				-		-
				4	UEPSR UEPSB	UEALS	10.00	37.92	17.55	23.48	F 0F	1	15 75		Ì		
\vdash		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			ULFOR UEPOB	DEALS	12.03	31.92	17.55	23.48	5.25		15.75		 		
		Zone 1		4	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25	1	15.75		Ì		
\vdash		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-	- ' -	OLF ON OEFOD	OLADO	12.03	31.92	17.00	23.48	5.25		15.75				
				2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25	İ	15.75				
\vdash		Zone 2		2	OEPSK OEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	LIEDOD LIEDOD	LIEARC	40.07	07.00	47.55	20.40		1	45.75		Ì		
-		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	HEDOD HEDOD	LIEALC	05.00	27.00	47.55	22.42	5.05	İ	45.75				
 		Zone 3		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25		15.75		1		1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	HEDOD HEDOD	LIEADO	05.00	07.00	47.55	00.40			45 7-				
\vdash		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75				ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.	HEDOD HEDOD	LIEALO	40.0-	07.00	47.55	20.42		1	45		Ì		
 		Zone 4		4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75				1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		۱.	LIEDOD LIEDOS	115450						1			Ì		
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75			l	l

LINIDLINI	N EF	NETWORK ELEMENTS Mississippi												Attachment	•	F. I.	-i4. C
UNDUNL	JLEL	NETWORK ELEMENTS - Mississippi		ı	l	1						Cua Ondan	Cur Ouden	Attachment: Incremental		Exhil Incremental	Incremental
												Svc Order					
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	.v	DATE ELEMENTS	Interi	7	BCS	USOC			DATEC(#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	KY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Managa		Name and a committee of	- Dianamant			000	D-4(f)		
							Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001141	001111
		op Rates for Line Splitting						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN				1	UEPRX	UEPLX	12.22	0.0988	0.0988								
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		2				0.0988									
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPRX	UEPLX	17.13		0.0988								
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	26.26	0.0988	0.0988								
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 4		4	UEPRX	UEPLX	44.91	0.0988	0.0988								
		XCHANGE ACCESS LOOP															
2-1		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.			40.00			=							
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1					,							Ì		
\vdash		Ground Start Signaling - Zone 2	!	2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1					,							Ì		
$oxed{oxed}$		Ground Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75		ļ		
1 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1									1					
		Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
4-\		ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
2-\		ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
		2-Wire ISDN Digital Grade Loop - Zone 2	†		UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75		1		
		2-Wire ISDN Digital Grade Loop - Zone 3	†		UDN	U1L2X	37.34	117.61	79.92	52.82	10.37	1	15.75		1		
h +		2-Wire ISDN Digital Grade Loop - Zone 4	1		UDN	U1L2X	59.18	117.61	79.92	52.82	10.37	 	15.75		 		
		Order Coordination For Specified Conversion Time (per LSR)	1	-	UDN	OCOSL	55.10	18.19	. 0.02	32.02	.0.07	 	.5.76		 		
		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UDN	UREWO		91.46	44.07				15.75		1		
2-1		Universal Digital Channel (UDC) COMPATIBLE LOOP	1			J. 12 11 0		31.40	77.07				10.70				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	 	 		+	-						l				
		1	1	1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75		Ì		
\vdash		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	 			JUJEN	21.01	117.01	10.02	52.02	10.37	1	13.73		1		
1		2 Trillo Silitordal Digital Grianner (ODO) Compatible Loop - Zone	1	2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37	1	15.75				
\vdash		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	1		000	JDUZA	21.59	117.01	19.92	32.02	10.37	1	15.75		1		
		2-vvine omversar bigitar orianner (ODO) Compatible Loop - Zone	1	3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37	İ	15.75		Ì		
\vdash		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	 	3	ODC	UDUZA	31.34	117.01	19.92	32.82	10.37		15.75				
		2-vvine omversar bigitar chamilier (UDC) Compatible Loop - Zone	1	4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75		Ì		
\vdash		CLEC to CLEC Conversion Characteristics and automated the	 	4			59.18		79.92 44.07	5∠.82	10.37						
<u></u>		CLEC to CLEC Conversion Charge without outside dispatch *	ATID: 5	1000	UDC	UREWO		91.46	44.07				15.75				
2-1		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AIIBLE	LOOP	· 	+	-						-				
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	1	LIAI	LIALOV	44.44	404.07	70.04	50.00	7.00	1	45.75				
\vdash		& facility reservation - Zone 1	!	1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93	1	15.75		1		
		2 Wire Unbundled ADSL Loop including manual service inquiry	1				44	404.07	70.01	50.00	7.00	1	45				
\vdash		& facility reservation - Zone 2	 	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				
		2 Wire Unbundled ADSL Loop including manual service inquiry	1				44	404.07	70.01	50.00	7.00	1	45				
\vdash		& facility reservation - Zone 3	 	3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				
1 1		2 Wire Unbundled ADSL Loop including manual service inquiry	1	l .		1141.037				== ==		İ			Ì		
		& facility reservation - Zone 4	1	4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93	<u> </u>	15.75				

UNBUNDI F	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhil	bit: C
CHOCHDEE						l					Svc Order		Incremental		Incremental	Incremental
		l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OATEGORI	NATE ELEMENTO	m		200	0000			III-II LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19	Addi	11130	Addi	COME	COMPAR	COMPAN	COMPAN	COMPAR	
	2 Wire Unbundled ADSL Loop without manual service inquiry &			O/ LL	00002		10.10									
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				i
+	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	0,12	O/ KEETT		00.10	00.00	00.00	7.00		10.70				
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				i
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33				15.75				
2-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry				1					İ				İ		
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				i
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	1	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	1	15.75		1		1
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				i
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93		15.75				i
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	2 Wire Unbundled HDSL Loop without manual service inquiry															i
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				i
	2 Wire Unbundled HDSL Loop without manual service inquiry															i
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				ı
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				1
	2 Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				<u>. </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				15.75				.
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															i
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry															i
\vdash	and facility reservation - Zone 2	ļ	2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	_				4=0 = :		====	40	1			Ì		i
	and facility reservation - Zone 3	 	3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry	1									1			1		1
	and facility reservation - Zone 4	 	4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68		15.75		 		
	Order Coordination for Specified Conversion Time (per LSR)	1	-	UHL	OCOSL		18.19			-				-		
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	١,		11111 4147	40.70	400.00	05.50	50.70	40.00	1	45.75		Ì		i
 	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	1	1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68	ļ	15.75		1		
		1	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68	1	15.75		Ì		i
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	-		UNL	UHL4VV	13.43	133.62	95.50	50.72	10.68		15./5		-		
	and facility reservation - Zone 3	1	3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	1	15.75		Ì		i
\vdash	4-Wire Unbundled HDSL Loop without manual service inquiry	-	3	OI IL	UI IL+VV	15.59	133.02	95.50	30.72	10.08		15.75		 		
	and facility reservation - Zone 4	1	4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68	1	15.75		Ì		i
\vdash	Order Coordination for Specified Conversion Time (per LSR)	1	-	UHL	OCOSL	14.40	18.19	95.50	30.72	10.00		13.73				
 	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		85.98	40.33		 		15.75		 		
4-WIDI	E DS1 DIGITAL LOOP	1	1	OI IL	JILLYVO		03.30	70.33				10.75				
7-1111	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75		 		
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	129.38	253.93	158.45	46.10	12.07	 	15.75		 		i
	4-Wire DS1 Digital Loop - Zone 3	1	3		USLXX	206.74	253.93	158.45	46.10	12.07	 	15.75		 		
	4-Wire DS1 Digital Loop - Zone 4	1	4		USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Order Coordination for Specified Conversion Time (per LSR)	1	-	USL	OCOSL	700.70	18.19	100.40	-10.10	12.57		10.70		1		
	CLEC to CLEC Conversion Charge without outside dispatch	1		USL	UREWO		100.90	42.96	1		 	15.75		 		
4-WIRI	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1			5,		100.00	72.30				10.70				
	, J J J J.J OKADE EGG									L	·	l		1		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL UDL	UDL56 UDL56	40.76 32.25	126.53	88.85 88.85	60.68	14.64 14.64		15.75 15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UDL	OCOSL	32.25	126.53 18.19	88.85	60.68	14.64		15.75				-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<u> </u>		UDL	UDL64	40.76	126.53	88.85	60.68	14.64		15.75	1	1		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75	1	1		1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66				15.75				
2-WII	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2	<u> </u>	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service				LIOL DD	44.74	100.01	00.07	50.00	7.00		45.75				
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		-4	UCL	UCLMC	12.09	8.20	8.20		7.93		13.73				
	2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLIVIC		0.20	0.20								
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.								=	= 00						
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				<u> </u>
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	UCLZL	43.40	120.34	09.07	30.36	7.93		13.73				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	<u> </u>	Ť				120.04	00.07	55.56	7.95		10.70	1	1		
	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75	I	1		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service		_						=	= 00						
	inquiry and facility reservation - Zone 3	 	3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75	.			
	2-Wire Unbundled Copper Loop/Long - without manual service		4	UCL	UCL2W	87.60	95.21	57.09	E0 20	7.00		15.75		1		
	inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLMC	07.00	8.20	8.20	50.38	7.93		15.75	 		-	+
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		0.20	0.20	 				 		-	+
	(UCL-Des)			UCL	UREWO		95.21	42.40				15.75	I	1		
4-WII	RE COPPER LOOP	1						10				1	1	Ì		†
	4-Wire Copper Loop/Short - including manual service inquiry	l												1		
	and facility reservation - Zone 1	<u></u>	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68	<u> </u>	15.75	<u> </u>		<u> </u>	
	4-Wire Copper Loop/Short - including manual service inquiry														_	_
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68	<u> </u>	15.75			<u></u>	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - including manual service inquiry		3		1101.40	04.00	444.00	04.00	50.70	40.00		45.75				
-	and facility reservation - Zone 3 4-Wire Copper Loop/Short - including manual service inquiry		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	21.00	8.20	8.20	00.72	10.00		10.70				
	4-Wire Copper Loop/Short - without manual service inquiry and			002	0020		0.20	0.20								
	facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and		_													
-	facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	21.55	8.20	8.20	30.72	10.00		10.70				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	002	0020		0.20	0.20								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCLMC	100.06	8.20	8.20	30.72	10.00		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		1	OOL	OCLIVIC		0.20	0.20								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL40	106.06	8.20	8.20	56.72	10.68		15.75				
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		0.20	0.20								
	(UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MODI																
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,			00.57	00.57				45.75				
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UDN, UDL, USL	ULM2L		32.57	32.57				15.75				
	areater than 18k ft		1	UCL, ULS, UEQ	ULM2G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		55L, 5L5, 5LQ	CLIVIZO		171.45	17 1.49				10.73				
	less than or equal to 18K ft		1	UHL, UCL	ULM4L		32.57	32.57				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		171.49	171.49				15.75				
				UAL, UHL, UCL,												
				UEQ, UEF, ULS, UEA, UEANL, UDL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,												
	per unbundled loop			USL	ULMBT		32.59	32.59				15.75				
SUB-LOOPS							02.00	32.00				.0.70				
	Loop Distribution	1														
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up		<u> </u>	UEANL	USBSA		259.69					15.75				ļ
	Cub Lass Des Cares Des Lassifica Des 05 Deta Des 10 cm			LIFANI	HODOD		00.77					45.75				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder		 	UEANL	USBSB		22.77		-	-	-	15.75		1		

UNBU	NDLEI	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
												Svc Order Submitted	Svc Order Submitted	Incremental			Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		56.39					15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	'		UEAINL	USBSD		56.59					15.75				
		Zone 1	- 1	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
_		Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
		Zone 3	1	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			-												
		Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.20	8.20	1							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			CLAIVE	CODIVIO		0.20	0.20	+		 					
		Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	LIFANII	HODA	40.0-	=0.1-									
		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
		Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20				15.75				
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75				
		3			-						-						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	_		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
		Wire Copper Unbundled Sub-Loop Distribution - Zone 3 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		3	UEF UEF	UCS2X UCS2X	8.16 9.90	66.18 66.18	31.14 31.14	45.36 45.36	6.71 6.71		15.75 15.75				
		2 Wife Copper Oriburialed Sub-Loop Distribution - Zone 4		-	OLI	0032X	9.90	00.10	31.14	45.50	0.71		13.73				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	_	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF UEF	UCS4X UCS4X	9.11 14.00	79.49 79.49	44.45 44.45	51.27 51.27	9.35 9.35		15.75 15.75				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
					-												
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
-	Unbun	Iled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load		 		-				-		 					
		Coil/Equip Removal per 2-W PR		1	UEF	ULM2X		176.80	5.13	1			15.75				
		Unbundled Sub-loop Modification - 4-W Copper Dist Load															
		Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		279.81	6.15				15.75				
	Unbun	Alled Network Terminating Wire (UNTW)			OLI .	OLIVIT I		213.01	0.15	+		 	10.73				
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55					15.75				
	Networ	k Interface Device (NID)			LIENTON	LINIDAO		40.01	20.22				45				
-		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		 	UENTW UENTW	UND12 UND16		43.84 65.30	28.90 50.36	 		1	15.75 15.75				
		Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94				15.75				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94				15.75				
SUB-LC		an Facilia															
-	Sub-Lo	op Feeder USL-Feeder, DS0 Set-up per Cross Box location - CLEC		 	UEA,	-				-		 					
		Distribution Facility set-up		1	UDN,UCL,UDL,UDC	USBFW		259.69		1			15.75				
		7 *** 1			, ,,-				1		1						

LINBUNDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhil	bit: C
CHECHEL		1									Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonred			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												1
	set-up			UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15.75				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL	USBFZ		534.46	11.30		-		15.75				
	Grade - Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			OLA	USBI A	7.90	93.23	30.30	34.43	13.51		13.73				
	Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				i
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				i
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,															
	Voice Grade - Zone 4		4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
1 1	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	1			HODES						1					ı
\vdash	Grade - Zone 1	 	1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75		-		
1 1	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	l	2	UEA	USBFB	10.20	02.00	EG 50	54.45	12.54		15.75				1
\vdash	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	-		UEA	OSBLR	10.39	93.23	56.50	54.45	13.51	-	15.75		1		
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		3	OLA	OODI D	10.11	93.23	30.30	34.43	13.51		13.73				
	Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				1
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			1.15 4	HODEO	40.44	00.00	50.50	54.45	40.54		45.75				1
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				1
	Order Coordination For Specified Conversion Time, per LSR		-	UEA	OCOSL	20.37	18.19	30.30	34.43	13.51		13.73				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLA	CCCCL		10.10									
	Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3	ļ	3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
1 1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	1		LIEA	HODES	0.4	40771	70.00	20.00	17.61	1	45.75				ı
\vdash	Grade - Zone 4 Order Coordination For Specified Conversion Time, Per LSR	1	4	UEA UEA	USBFD OCOSL	34.77	107.71 18.19	70.03	63.68	17.64		15.75				
 	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1		ULA	OCOOL		10.19		1	 						
1 1	Grade - Zone 1	1	1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64	1	15.75				ı
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	<u> </u>			21.00	107.71	70.00	00.00	17.54		10.70				
1 1	Grade - Zone 2	1	2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64	1	15.75				ı
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				<u></u>
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start															. <u></u>
	Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
\vdash	Order Coordination For Specified Conversion Time, Per LSR	<u> </u>		UEA	OCOSL	44.00	18.19	00 =0		40.70		45.75		ļ		
\vdash	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1		UDN UDN	USBFF	14.60 18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	1	3	UDN	USBFF	18.78 25.47	106.46 106.46	68.78 68.78	55.58 55.58	13.13 13.13		15.75 15.75				
 	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4	1	4	UDN	USBFF	41.41	106.46	68.78	55.58	13.13		15.75				
	Order Coordination For Specified Conversion Time, Per LSR	1	7	UDN	OCOSL	71.71	18.19	55.76	55.56	10.10		10.70				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	25.47	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	41.41	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	l	2	USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				

IINBIINDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Euki	bit: C
UNBUNDLE	D NETWORK ELEMENTS - MISSISSIPPI	1	1		1	1					Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
												Manually	_	Manual Svc	_	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc		Manual Svc	Manual Svc
OATEGORI	NATE ELEMENTO	m		500	0000			ιται Εσ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	1		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_	1101	HODELL	5.04	04.07	40.50	50.44	40.70		45.75				
	Linbundled Cub Lean Fooder Lean 2 Wire Conner Lean Zone		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70		15.75		-		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		3	UCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75				
 	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		_	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				<u> </u>
 	Order Coordination For Specified Conversion Time, per LSR	-	+ -	UCL	OCOSL	3.03	18.19	40.39	33.14	10.70		13.13		t		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	1	UCL	USBFJ	13.49	101.58	63.90	59.71	13.67		15.75		1		t
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	1	2	UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75		1		t
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75		1		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4			UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75	İ	1	İ	
	Order Coordination For Specified Conversion Time, per LSR		1	UCL	OCOSL		18.19									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		4	UDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_													
	Zone 3		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		4	UDL	USBFO	44.05	404.07	04.00	60.60	47.04		45.75				
	Zone 4 Order Coordination For Specified Time Conversion, per LSR		4	UDL	OCOSL	41.05	101.97 18.19	64.29	63.68	17.64		15.75				——
-	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	OCOSL		10.19		-		-	-		-		
	Zone 1		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-	ODL	OODII	22.03	101.37	04.23	03.00	17.04		13.73				
	Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	002	005	20	.0	01.20	00.00	11.01		.00				
	Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 4		4	UDL	USBFP	41.05	101.97	64.29	63.68	17.64		15.75				İ
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.19									
SUB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	1	<u> </u>	UE3	1L5SL	18.88						L		ļ		
	Sub Loop Feeder - DS3 - Facility Termination Per Month		<u> </u>	UE3	USBF1	349.41	3,396.56	406.45	157.96	89.54		15.75		ļ		
\vdash	Sub Loop Feeder – STS-1 – Per Mile Per Month	<u> </u>	<u> </u>	UDLSX	1L5SL	18.88	0.000.50	100.7=	157.00	20.51		45.75		-		├
\vdash	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1	<u> </u>	UDLSX	USBF7	376.07	3,396.56	406.45	157.96	89.54		15.75	1	!	1	├
\vdash	Sub Loop Feeder - OC-3 - Per Mile Per Month	- 1	 	UDLO3	1L5SL	14.33			 		-	-	-	 		
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month	١.	1	UDLO3	USBF5	58.63			I					I		1
\vdash	Sub Loop Feeder - OC-3 - Facility Termination Per Month		1	UDLO3	USBF2	569.22	3,396.56	406.45	157.96	89.54		15.75		+		
 	Sub Loop Feeder - OC-3 - Pacifity Termination Fer Month	<u> </u>	!	UDL12	1L5SL	17.63	5,550.56	400.45	157.90	09.34		13.73	1	t	1	
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per		!		1.2002	17.00			I		<u> </u>	<u> </u>		I		—
	Month	ı		UDL12	USBF6	662.39								1		1
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	i	<u> </u>	UDL12	USBF3	1,795.00	3,396.56	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	i	<u> </u>	UDL48	1L5SL	57.83	2,222									
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per		1													
LI	Month	L_ı	L	UDL48	USBF9	331.52			<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		1
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	ı		UDL48	USBF4	1,545.00	3,581.56	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-12 Interface On OC-48	ı		UDL48	USBF8	374.04	803.60	406.45	157.96	89.54		15.75				
UNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	36367	327.30	327.30				15.75				

UNRUN	IDI FI	O NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	hit: C
ONDUN	1DEE	ALL MOUVETENIEM 19 - MISSISSIPPI	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	47.56	136.37	136.37				15.75				
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	397.35	327.30	327.30				15.75				
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	80.15	136.37	136.37				15.75				
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
		Unbundled Loop Concentration - ISDN Loop Interface (Brite															
<u> </u>		Card)			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
		Unbundled Loop Concentration - UDC Loop Interface (Brite			UDC		7.47	40.00	40.54	5.50	5.50		45.75				
-		Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
		Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
\vdash		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1		OLA	ULUU2	1.80	10.00	10.54	5.56	5.53	-	15.75		1		
		Loop Interface (SPOTS Card)	1		UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75		1		
+		Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1		5	020010	10.00	10.00	10.04	5.50	0.00		10.70				
		(Specials Card)	l		UEA	ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	31.07	10.60	10.54	5.56	5.53		15.75		1		
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			-					1	2.30						
		Interface	1		UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75		1		
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
		Interface	<u> </u>		UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75		<u> </u>		
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
		Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
UNE OTI		ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
LINE OT	<u> </u>	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OT	HER, P	ROVISIONING ONLY - NO RATE								1							
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OIIL,OLO	ONLON	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			02, 4,02, 4,002,020	00D. Q	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per	l]		
\vdash		month	ļ		UE3	1L5ND	11.20			ļ					ļ		
		High Capacity Unbundled Local Loop - DS3 - Facility	1		1150	LIEODY	600.45	,							1		
\vdash		Termination per month	!		UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75		 		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1		UDLSX	1L5ND	11.20			I			1		1		
\vdash		month	 		ODF9Y	ILDIND	11.20			 	ļ	-			 		
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	1		UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75		1		
LOOP M	AKF-II		 		ODLOA	ODLO I	330.33	404.13	200.47	123.23	00.19	-	15.75		 		
	. 111L-U	Loop Makeup - Preordering Without Reservation, per working or								 			 		 		
		spare facility queried (Manual).	l		UMK	UMKLW		24.12	24.12	1							
		Loop Makeup - Preordering With Reservation, per spare facility								1	Ì				Ì		
		queried (Manual).	1		UMK	UMKLP		25.58	25.58	I			1		1		
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)	L		UMK	PSUMK		0.6652	0.6652	<u> </u>	<u> </u>	<u> </u>	<u> </u>				
		NCY SPECTRUM															
		HARING							•		_						_
S	SPLITT	ERS-CENTRAL OFFICE BASED															
\vdash		Line Sharing Splitter, per System 96 Line Capacity	ļ		ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		15.75				
\vdash		Line Sharing Splitter, per System 24 Line Capacity	<u> </u>		ULS	ULSDB	46.67	189.89	0.00	178.41	0.00		15.75				
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				

HINRIN	DI FD	NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhil	bit: C
SINBON		HELITORIK ELLINENTO - INIBBIBBIPPI		l		1						Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							i i i	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
<u> </u>		deactivation (per LSOD)		<u> </u>	ULS	ULSDG		86.98	0.00	49.96	0.00		15.75				
E		ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM			0.04	40.00	40.00	40.04	4.00		45.75				
-		Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24				15.75				
-		Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		10.40	0.24				15.75				
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24				15.75				
-		Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.75				
		PLITTING			020	02000	0.01		10.01	20.01			10.70				
		ER ORDERING-CENTRAL OFFICE BASED		<u> </u>		İ											
		Line Splitting - per line activation DLEC owned splitter	R	i	UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				
		Line Splitting - per line activation BST owned - virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93		15.75				
		E SITE HIGH FREQUENCY SPECTRUM															
s		ERS-REMOTE SITE															
		Remote Site Line Share Cable Pair Activation CLEC Owned at															
		RS and Deactivation	l l		ULS	ULSTG		75.38	0.00	46.77	0.00		15.75				
<u> </u>		Remote Site Line Share BellSouth Owned Splitter, 24 Port	I		ULS	ULSRB	51.63	377.08	0.00	354.29	0.00		15.75				
<u>_</u>		ER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	VI AKA	REMOI	E SITE LINE SHARI	NG											
		Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter			ULS	ULSRC	0.61	36.96	21.17	19.93	9.78		15.75				
\vdash		RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC	'		ULS	ULSKC	0.61	36.96	21.17	19.93	9.78		15.75				
		Splitter			ULS	ULSTC	0.61	36.96	21.17	19.93	9.78		15.75				
LINBLING		EDICATED TRANSPORT	-		OLO	OLOTO	0.01	30.90	21.17	13.33	3.70		13.73				
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimul	m billin	a perio	od - below DS3=one	month. DS3/	STS-1=four mo	nths									
		FFICE CHANNEL - DEDICATED TRANSPORT		J		1											
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	1	Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-														
\vdash		Facility Termination		<u> </u>	U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1	1	LIATION	41.577	0.0000					1			1		
$\vdash \vdash$		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		}	U1TVX	1L5XX	0.0098						1		 		
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination		1	U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11	1	15.75		1		
+	- 1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	01147	01104	15.79	40.77	21.31	17.20	7.11		13.75				-
		per month		1	U1TDX	1L5XX	0.0098					1			1		
+		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		†			5.0000								1		
		Termination		1	U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11	1	15.75		1		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		<u> </u>													İ
		per month		L	U1TDX	1L5XX	0.0098			<u> </u>		<u> </u>	<u> </u>				
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	-	Termination		<u>L</u>	U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75		<u> </u>		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per]		
		month		<u> </u>	U1TD1	1L5XX	0.201										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		1								1			1		
\vdash		Termination		<u> </u>	U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75		 		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	LIATES	41.577	4.70					1			1		
\vdash		month Interoffice Channel - Dedicated Transport - DS3 - Facility		<u> </u>	U1TD3	1L5XX	4.76								 		1
		Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
				1	פעווט	UIIF3	041.90	200.37	103.70	0∠.08	60.29		15.75				-
	Ti-	Interattice (Channel - Dedicated Transport - STS-1 - Der Millo por I										1	1				l
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4 76										
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.76										

IINRI	INDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhil	hit: C
CIND	NULL	P MET MORY EFFINITION MISSISSIPPI	l									Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.44
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CHANNEL - DEDICATED TRANSPORT LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	<u> </u>			DOS/OTO 4											
-	NOTE:	Local Channel - Dedicated - 2-Wire Voice Grade	g perio	a - beic	ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
		Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
		Local Channel - Dedicated - 4-Wire Voice Grade Rev Bat			UNDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
		Local Channel - Dedicated - 4-Wire Voice Grade		1	ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74						
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	9.66										
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75	_			_
	1	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	9.66										
L	<u> </u>	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75		ļ		
DARK	FIBER	Ded Etter Exercise Otto In St. St. 1877 - E	<u> </u>			<u> </u>									ļ		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l		LIDE	41.500	50.05										
_	1	Thereof per month - Local Channel NRC Dark Fiber - Local Channel	 		UDF UDF	1L5DC UDFC4	59.95	642.79	138.67	326.97	203.85		15.75		-		
	 	Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	UDFC4		642.79	138.67	320.97	203.85		15.75				
		Thereof per month - Interoffice Channel			UDF	1L5DF	28.27										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.27	642.79	138.67	326.97	203.85		15.75				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			00.	02		0.2.70	100.01	020.01	200.00		10.70				
		Thereof per month - Local Loop			UDF	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
8XX A	CCESS 1	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			5.07	0.04	4.00	0.54		45.75				
		POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
		8XX Access Ten Digit Screening, Customized Area of Service			OUD	INOF I A		5.97	0.61	4.60	0.54		15.75				
		Per 8XX Number	l		OHD	N8FCX		2.60	1.30				15.75				
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR						2.00		1			.5.76				
		Routing Per CXR Requested Per 8XX No.	1		OHD	N8FMX		3.04	1.74	1			15.75		1		
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75		İ		
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.60					15.75				
1			1							_					1		
<u> </u>	 	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	ļ		OHD	ļ	0.0006216			-							
1		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per	1		OHD		0.0000040			1					1		
I INE "	NEODM	query ATION DATA BASE ACCESS (LIDB)	<u> </u>		טחט	 	0.0006216			-							
LINE II	T OKIVIA	LIDB Common Transport Per Query	1		OQT	1	0.0000197			 		1			1		
\vdash	+	LIDB Validation Per Query			OQU	 	0.0137053			t					 		
	1	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0107000	34.52	34.52	42.33	42.33		15.75				
SIGNA	LING (C				. ,	1				50	:=:30						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75	_			•
		CCS7 Signaling Connection, Per link (B link) (also known as D															
	<u> </u>	link)	ļ		UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75		ļ		
	<u> </u>	CCS7 Signaling Usage, Per ISUP Message	<u> </u>		UDB	OTUES	0.0000149								ļ		
<u> </u>	1	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55			1							
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	1		UDB	CCAPO		29.18	29.18	35.78	35.78		15.75		1		
F911 S	SERVICE	Listabilishment of Change, per STP affected	1		מטט	CCAPU		29.18	29.18	35.78	35.78	1	15.75		1		
29113	LAVICE	Local Channel - Dedicated - 2-wr Voice Grade	 			 	14.91	194.22	33.36	37.79	3.30		15.75				
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1			1	0.0098	104.22	55.56	57.73	0.00		10.70				
	1	Z Transport Doulous Z W Voloo Orado i 61 Wille	·	1		1	0.0000			1		l	1		l		

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-	Live W. Treese B. Fred L. Com Ville Cont. Bu Fred?						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.52	40.77	27.57	17.26	7.11		15.75				
+	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74		15.75				
+	Local Channel - Dedicated - DS1 - Zone 1					35.99	178.50	154.61	22.89	15.74		15.75				
+	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74		15.75				1
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74		15.75				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90		15.75				_
CALLING NA												15.75				
CALLING NA	CNAM For DB Owners - Service Establishment	1	1	OQV			23.09	23.09	21.23	21.23		15.75				
 	CNAM For Non DB Owners - Service Establishment		1	OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			996.62	737.08	270.49	198.89		15.75				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV		0.0040004	344.32	246.56	276.85	198.89		15.75				
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV OQV		0.0010231 0.0010231										ļ
LNP Query So				OQV		0.0010231										
Livi Query or	LNP Charge Per query			OQV		0.0008477										
	LNP Service Establishment Manual					0.0000	12.59	12.59	11.58	11.58		15.75				
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPERATOR O	CALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
-	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST					1.24										
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES															
-	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRANDING -	OPERATOR CALL PROCESSING					1.15										
	ty based CLEC															
-	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.75				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500.00	500.00				15.75				
UNEP	CLEC							=								
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						7,000.00	7,000.00				15.75				ļ
	per OCN		1				500.00	500.00				15.75				
Unbra	anding via OLNS for UNEP CLEC		<u> </u>				300.00	300.00				10.73				
	Loading of OA per OCN (Regional)		1				1,200.00	1,200.00				15.75				
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call	1.00	ļ			0.275										
DIREC	Directory Assistance Call Completion Access Service (DACC),	JACC)	!		1						ļ					
	Per Call Attempt		1			0.10						1				
DIRECTORY	ASSISTANCE SERVICES	1	 			0.10					1					
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)		1													
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00		•								
	DIRECTORY ASSISTANCE										1					1
Facili	ty Based CLEC]					<u> </u>

CATEGORY	D NETWORK ELEMENTS - Mississippi RATE ELEMENTS												Attachment:			bit: C
	RATE ELEMENTS										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	RATE ELEMENTS										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	RATE ELEMENTS										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
	NATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)							Manual Svc	
		m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Recording and Provisioning of DA Custom Branded						Tilot	Addi	11130	Auu i	JONIEC	JOHAN	JONAN	JOHAN	JOINAIN	JOHAN
	Announcement			AMT	CBADA		6.000.00	6.000.00				15.75				ł
	Loading of Custom Branded Announcement per Switch			AMT	CBADA		1,170.00	1,170.00				15.75				
			1	AIVII	CBADC		1,170.00	1,170.00				13.73				
	Recording of DA Custom Branded Announcement		1				3,000.00	3,000.00				15.75				
 	Loading of DA Custom Branded Announcement per Switch per						3,000.00	3,000.00				13.73				
	IOCN						1,170.00	1,170.00				15.75				ł
	Iding via OLNS for UNEP CLEC	-	1				1,170.00	1,170.00				15.75				
	Loading of DA per OCN (1 OCN per Order)	-	1				420.00	420.00				15.75				
	Loading of DA per OCN (1 OCN per Order)	<u> </u>					16.00	16.00				15.75		-		
SELECTIVE RO							16.00	16.00				15.75				
	Selective Routing Per Unique Line Class Code Per Request Per	1	1											1		
	Switch				USRCR		85.19	85.19	14.19	14.19		15.75				1
VIRTUAL COLL		1	\vdash		USRUK		85.19	85.19	14.19	14.19		15.75				
		-	1	ALATEO	E 4 E		4.040.05		0.54			45.75				
	Virtual Collocation - Application Cost	1		AMTFS AMTFS	EAF		1,212.25 926.27		0.51 22.62			15.75				
	Virtual Collocation - Cable Installation Cost, per cable	1		AMTES AMTES	ESPCX ESPVX	5.74	926.27		22.62			15.75				
	Virtual Collocation - Floor Space, per sq. ft.	-														
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33										
	Virtual Collocation - Cable Support Structure, per entrance					4= 04										ł
<u> </u>	cable		-	AMTFS	ESPSX	15.24										
				UEANL,UEA,UDN,U												ł
				DC,UAL,UHL,UCL,U												ł
				EQ, AMTFS, UDL,												ł
				UNCVX, UNCDX,			40.00									ł
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75				
																ł
				UEA,UHL,UCL,UDL,												ł
				AMTFS, UAL, UDN,												ł
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
				AMTFS,UDL12,												ł
				UDLO3, U1T48,												ł
				U1T12, U1T03,												ł
				ULDO3, ULD12,												ł
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				<u></u>
				AMTFS,UDL12,												1
				UDLO3, U1T48,												1
				U1T12, U1T03,												ł
1				ULDO3, ULD12,												1
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				<u> </u>
				USL,ULC,AMTFS,												1
				ULR, UXTD1,												ł
				UNC1X, ULDD1,												1
	Virtual Collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,												1
	DS1	<u> </u>		UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				1
				USL,ULC,AMTFS,U												1
				E3, U1TD3, UXTS1,												ł
				UXTD3, UNC3X,												1
				UNCSX, ULDD3,												ł
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,												ł
	DS3			UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				1
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															1
	Support Structure, per linear foot			AMTFS	VE1CB	0.0025										1
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1												İ		i Total
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										1
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1												İ		i Total
	Support Structure, per cable			AMTFS	VE1CC		534.65					15.75				1
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1		-										İ		í
	Cable Support Structure, per cable			AMTFS	VE1CE		534.65					15.75				1
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77	133.77						i

IINRIII	NDI FI	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhi	bit: C
CIABO	NULE	P MET MOUVE EFFINITION AND AND AND AND AND AND AND AND AND AN					1					Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
OA! LO	O	KATE EEEMENTO	m	20110	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonred	urring	Nonrecurring	Disconnect	1	l .	oss	Rates(\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable							7144		71441		00			00	
		record			AMTFS	VE1BB		328.81	328.81	190.22	190.22						
		Virtual Collocation Cable Records - VG/DS0 Cable, per each															
		100 pair			AMTFS	VE1BC		4.84	4.84	5.93	5.93						
		Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27	2.27	2.78	2.78						
		Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92	7.92	9.72	9.72						
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
		records			AMTFS	VE1BF		84.98	84.98	77.58	77.58						
		Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79				15.75				
		Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94				15.75				
		Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08				15.75				
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79				15.75				
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94				15.75				
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08				15.75				
VIRTUA	L COLI	LOCATION															
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN		<u> </u>	UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			LIEDTY	VE4D0	0.0000	40.07	44.07	0.04	5.45		45.75				
-		ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0500	40.47	44.04	0.50	5.91		45.75				
VIDTUA	LCOLI	LOCATION			UEPEX	VE IK4	0.0536	12.47	11.94	6.59	5.91	-	15.75				
VIKTOA	L COLI	Virtual Collocation-2 Wire Cross Connects (Loop) for Line										1					
		Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				
PHYSIC	AL CO	LLOCATION			OLI ON, OLI OB	VETEO	0.0200	12.01	11.01	0.04	0.40		10.70				
	AL 00.	Physical Collocation-2 Wire Cross Connects (Loop) for Line				1											
		Splitting			UEPSR, UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45		15.75				
AIN SEI	ECTIV	E CARRIER ROUTING		 	,	1	1.1200			2.01	2.10			1			
		Regional Service Establishment		1	SRC	SRCEC	İ	101,685.12		8,640.51			15.75	İ	İ		
		End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
		Query NRC, per query			SRC		0.0030502										
AIN - BE	ELLSO	UTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
1 7																	
		AIN SMS Access Service - Port Connection - Dial/Shared Access		<u> </u>	A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
		AIN SMS Access Service - Port Connection - ISDN Access		<u> </u>	A1N	CAM1P		7.87	7.87	9.14	9.14		15.75				
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code		<u> </u>	A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				
		AIN SMS Access Service - Security Card, Per User ID Code,	1	1		04450		40.10	40.10	44 ===	44 ===		45	Ì			
\vdash		Initial or Replacement		-	A1N	CAMRC	0.0021	42.13	42.13	11.78	11.78	-	15.75	 	-		
\vdash		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		-		+	0.0021					-		 	-		
\vdash		AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		-		+	0.5649										
		Minute					0.8393										
AIN - P	1160	UTH AIN TOOLKIT SERVICE	-			1	0.8393			1		-		1	1		
WIIN - DE		AIN Toolkit Service - Service Establishment Charge, Per State,				1				 				1	1		
		Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75	1			
		AIN Toolkit Service - Training Session, Per Customer		l	J	BAPVX		4,226.54	4,226.54	40.3Z	70.02		15.75				
							1	.,220.04	.,220.04	ı		1	10.70	1	L		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi					-							Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		34.67	34.67	14.44	14.44		15.75				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.67	34.67	14.44	14.44		15.75				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Query Charge, Per Query					0.0535577										
	AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query					0.0063509										
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71				15.75				
	AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.09	8.71	8.71				15.75				
	EXTENDED LINK (EELs)															
	: New Density Zone 1 EELs are available in the following MSA					Atlanta, Ga; Nev	v Orleans, LA,									1
	E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem E: In all states, EEL network elements shown below also apply t					orted to LINE ro	too A Curitoh	Ao lo Chargo o	nulias ta aurra	ntly combined	facilities o	anyorted to	LINEs (Non r	Aurring rates	do not onniu	
	: In All States the EEL network elements apply to ordinarily co												ONES.(NOII-10	l lates	ио посаррту	'/
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT						aomig orama	,			ing rates a					
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	
															DISC ISI	DISC Add I
						Rec	Nonrec			Disconnect				Rates(\$)		
	First 4 Wire Analog Voice Crade Loop in a DC4 Intereffice						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				├──
	Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		4					0.4.50								
-	Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Per Month			UNC1X	1L5XX	0.1813										Ĭ
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1	15.75				
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	<u> </u>	15.75				<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System combination -				4B 4140											
-	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				├──
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				├
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4.0015	Is Charge RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				├──
4-7711	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSFORT (EEL)												-
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	LINCDY	LIDI FC	24.55	400 50	00.05	CO CO	14.64		45.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		4	LINODY	LIDI 50	00.05	100.50	00.05	00.00	4404		45.75				
-	Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Per Month			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport - Dedicated - DS1 - combination Facility			LINCAY	U1TF1	51.72	89.79	82.28	40.00	14.90		45.75				
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	UTIFT	51./2	89.79	8∠.28	16.86	14.90	-	15.75				
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINCDY	4D4DD	4.00	0.00	474				45.75				1
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.22	6.62	4.74			 	15.75				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75			<u>-</u>	1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDA	UDLOO	34.33	120.53	00.83	00.08	14.04	-	15.75				\vdash
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		4	ONODA	ODESO	32.23	120.03	00.00	00.08	14.04	-	15.75				
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				L
	Nonrecurring Currently Combined Network Elements Switch -As-			LINC1Y	UNCCC		5.63	5.63	7.20	7.20		15.75				ĺ
4-WIF	Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	UNC1X TRANSPORT (EEL)			5.03	5.03	7.20	1.20	 	15.75				\vdash

UNBUNDI	.ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st		Disc 1st	Disc Add'l
						Rec	Nonred			g Disconnect		•		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				l											l
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL04	34.33	120.55	00.05	00.00	14.04		13.73				
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				İ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				İ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			LINICAV	U1TF1	E1 70	90.70	92.00	16.00	14.90		15.75				1
	Channelization - Channel System DS1 to DS0 combination Per		-	UNC1X	UTIFT	51.72	89.79	82.28	16.86	14.90	 	15.75				
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)	<u> </u>	<u>L</u>	UNCDX	1D1DD	1.22	6.62	4.74		<u></u>	<u></u>	15.75				<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_													İ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				İ
-	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		3	UNCDA	UDL04	40.76	120.55	00.05	00.00	14.04		13.73				
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				İ
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															İ
4 10/	Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	DOFF	CE TO	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				├
4-77	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	EROFFI	CE IKA	ANSPORT (EEL)	-											
	Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				İ
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<u> </u>	ONOTA	COLFOR	70.00	200.00	100.40	40.10	12.07		10.70				
	Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				İ
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		4	UNC1X	USLXX	450.40	253.93	450.45	46.10	12.07		45.75				İ
	Transport - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCIX	USLAA	458.46	253.93	158.45	46.10	12.07		15.75				
	Per Month			UNC1X	1L5XX	0.1813										1
	Interoffice Transport - Dedicated - DS1 combination - Facility			-	T	211210										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															1
—	Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20	ļ	15.75				├
4-W	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI First DS1Loop in DS3 Interoffice Transport Combination - Zone	CKUFFI	CE IRA	ANSPUKT (EEL)	1						 					
	1 Instruction in Designation - Zone		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				1
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		<u> </u>	011017	COLAX	73.06	200.90	150.45	70.10	12.07		13.73				
	2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				1
	First DS1Loop in DS3 Interoffice Transport Combination - Zone										1					
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				└
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		١	LINIOAY	1101.307	.=		.== :-								
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75	 	-	-	
	Per Month			UNC3X	1L5XX	4.29										1
 	Interoffice Transport - Dedicated - DS3 - Facility Termination per			0.400/	ILUM	4.29					 					
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per month	1		UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75	1			
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)	I	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	OOLXX	123.30	200.00	130.43	40.10	12.07		10.70				
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE TR				0.00									
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			ONCVA	ULALZ	10.73	105.90	00.20	32.02	10.37		13.73				
	Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.00088										
-+	Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	ILSXX	0.00088										
	combination - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN 4-WireVG Loop used with 4-wire VG Interoffice Transport	TEROFF	ICE TR	ANSPORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
·	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport					== ==										
	Combination - Zone 3 4-WireVG Loop used with 4-wire VG Interoffice Transport		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
·	Interoffice Transport - Dedicated - 4-wire VG combination - Per			ono m	OL/IL!	00.00	102.27	0 1.00	00.00			10.10				
	Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			LINGVA	11477/4	47.00	40.77	27.57	47.00	7.11		45.75				
-+	combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	 		UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				-
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRAI	NSPOR													
	High Capacity Unbundled Local Loop - DS3 combination - Per															
$-\!+\!-\!$	Mile per month	<u> </u>		UNC3X	1L5ND	11.20										ļ
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	4.29	707.10	200.47	120.20	55.19		10.73				
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month	ļ		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
STS1	IIS Charge Digital extended loop with Dedicated STS1 Interof	FICE TE	ANSP		UNCCC		5.63	5.63	7.20	7.20		15./5				
- 3.311	High Capacity Unbundled Local Loop - STS1 combination - Per			(LLL)												
	Mile per month	<u>L</u>		UNCSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS1 combination -															
$\!\!\!+\!\!\!\!-$	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15.75				
	pinteronice transport - Dedicated - 5151 combination - Per Mile	1	1	l	1						I	1		l	l	1

CATEGORY Interpretation of the control of the cont	RATE ELEMENTS RATE ELEMENTS teroffice Transport - Dedicated - STS1 combination - Facility	Interi m	Zone	BCS							Svc Order Submitted		Attachment: Incremental Charge -			Incremental
Intraction in the second secon	teroffice Transport - Dedicated - STS1 combination - Facility		Zone	BCS												
Intraction in the second secon	teroffice Transport - Dedicated - STS1 combination - Facility		Zone	BCS												Charge -
Intr Tei Noo	teroffice Transport - Dedicated - STS1 combination - Facility		Zone	BCS							Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
Intr Tei Noo	teroffice Transport - Dedicated - STS1 combination - Facility	m	Lone	500	USOC			RATES(\$)				-				
Tel No Is (0000			(A) Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Tel No Is (Electronic-	Electronic-	Electronic-	Electronic-
Tel No Is (1st	Add'l	Disc 1st	Disc Add'l
Tel No Is (Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
Tel No Is (Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
Tel No Is (FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
No Is (ermination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				1
ls (onrecurring Currently Combined Network Elements Switch -As-			UNCOA	01113	044.21	200.37	103.70	02.00	00.29		13.73				
	Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				1
	DIN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	OT /EEI		UNCOA	UNCCC		5.05	3.03	7.20	7.20		13.73				
	rst 2-Wire ISDN Loop in a DS1 Interoffice Combination	(I (EEL														
	ansport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				1
	rst 2-Wire ISDN Loop in a DS1 Interoffice Combination		- '	UNCINA	UILZA	21.01	117.01	79.92	32.02	10.37		15.75				
			2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				i
	ansport - Zone 2			UNCINA	UILZA	27.59	117.01	19.92	32.02	10.37		15.75				
	rst 2-Wire ISDN Loop in a DS1 Interoffice Combination ansport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	1	15.75				ı
			3	UNCINA	UILZX	37.34	117.61	79.92	5∠.82	10.37	-	15.75				
	rst 2-Wire ISDN Loop in a DS1 Interoffice Combination		4	LINICNIV	U1L2X	50.40	447.04	70.00	50.00	40.07	1	45.75				i
	ansport - Zone 4	-	4	UNCNX		59.18	117.61	79.92	52.82	10.37	ļ	15.75		-		
	teroffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1813										
	teroffice Transport - Dedicated - DS1 combintion - Facility			LINGAY		F4 =0	00 =0	00.00	40.00	44.00		45				ı
	ermination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	nannelization - Channel System DS1 to DS0 combination -					400.0=			40.0=							1
	er month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															1
	ombination - per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	dditional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	ombination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	dditional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	ombination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	dditional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	ombination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	dditional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	ombination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				1
	wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															1
	ombintaion- per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				1
No	onrecurring Currently Combined Network Elements Switch -As-															1
	Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	S1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI	RANSPORT (EEL)												
Fir	rst DS1 Loop in STS1 Interoffice Transport Combination -															1
Zo	one 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				1
Fir	rst DS1 Loop in STS1 Interoffice Transport Combination -									-						
Zo	one 2	<u></u>	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	<u></u>	15.75		<u> </u>		<u> </u>
Fir	rst DS1 Loop in STS1 Interoffice Transport Combination -															
	one 3	<u></u>	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	<u></u>	15.75		<u> </u>		<u> </u>
Fir	rst DS1 Loop in STS1 Interoffice Transport Combination -															
	one 4	<u></u>	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	<u></u>	15.75		<u> </u>		<u> </u>
Int	teroffice Transport - Dedicated - STS1 combination - Per Mile															
	er Month			UNCSX	1L5XX	4.29					1					ı
Int	teroffice Transport - Dedicated - STS1 combination - Facility															
	ermination			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29	1	15.75				i
	TS1 to DS1 Channel System conbination per month			UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				
	S3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
Ad	dditional DS1Loop in STS1 Interoffice Transport Combination -															
	one 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1	15.75				i
Ad	dditional DS1Loop in STS1 Interoffice Transport Combination -															
	one 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				ı
	dditional DS1Loop in STS1 Interoffice Transport Combination -			-										İ		
	one 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1	15.75				i
	dditional DS1Loop in STS1 Interoffice Transport Combination -		t -													
	one 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1	15.75				i
	S3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74	70.10	12.07		15.75		1		
	onrecurring Currently Combined Network Elements Switch -As-		1	0.101/	20101	12.30	0.02	7.77			 	10.70				
	Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20	1	15.75				i
	6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FEICE T	LEVNE		5/1000		5.05	5.05	1.20	7.20		15.75				

CATEORY RATE ELEMENTS Mark Zues BCB USOC RATES(S) Section Section Company	IINBIINDI =	D NETWORK ELEMENTS - Mississinni												Attachment:	2	Ev.L.:	hit: C
APPLICATION Based	ONDUNDLE	D NET WORK ELEMENTS - MISSISSIPPI										Svc Order	Svc Order	Attachment:			bit: C Incremental
APPLICATION PROPERTY Property Proper																	Charge -
CATEGORY RATE ELEMENTS Image: Book BOS USC STATE																_	Manual Svc
Best	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)				-				Order vs.
Second Communication Second Communication		1	m									per LSK	per LSK				Electronic-
Auron Six large Local-law of Magne Information Transport																	
Mode First Address Sept Sep														ist	Addi	DISC 1St	Disc Add'l
Avere 56 range Logic Author Strategory 1 UNCDX USL6 27.44 128.53 86.65 0.68 16.64 15.75							B	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		•
Complement - Zone							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exemple 56 Royal Lough-Horse 56 Royal Lough-Horse 56 Royal Internation 2 INAIDX		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
Combination: Zame 2				1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
Autor 50 April Conference Autor 50 April Conference																	
Combination 2 and 3 SACCIX CLOSE 4.75 175				2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
A-min of thight propried with the Nephron Commission A UNCDX UD.56 32.25 175.55 68.85 66.66 14.64 15.75																	
Continuition 7-20me 4 UNCDX UDLSB 22.25 128.50 68.85 60.08 1.644 15.75				3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
Interesting Transport - Declarated - 4-wire 68 kbps combrasion - Pub Mode National				١.,	LINODY	LIDI 50	00.05	100 50	00.05	00.00	44.04		45.75				
Per Mile	-			4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
Intereffice Transport - Opticizated - 4-wor 6 kbps combination - Pacific Parameters UNICOX UNICO					LINCDY	41 EVV	0.00000										
Facility Termination	-				UNCDX	ILSAA	0.00066										
Noncocurring Currently Combined Network Elements Switch Age Author Ed. Acts 2017 1.000					UNCDX	U1TD5	14 14	<i>4</i> ∩ 79	27 57	17 26	7 11		15 75				
Scharge WRCDX UNCCC 5.63 5.63 7.20 7.20 15.75	 		-		OHODA	07100	17.14	40.76	21.31	17.20	7.11		10.73		 		
When used as part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.					UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
Have 64 kbps Loopt-Avrie 64 kbps Interoffice Transport 1 UNCDX UDL64 27.44 126.53 88.85 60.68 14.64 15.75	4-WIRI		FFICE T	RANSI		3330		0.00	0.00	7.20	7.20	1	10.70		1	1	
Combination - Zone 1	1				U.I. (===)												
4-wire 64 kbps Loopi4-ware 64 kbps Interoffice Transport 2 UNCDX UDL64 34.55 126.53 88.85 60.68 14.64 15.75				1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
4-wire 64 kbps Loop/4-wire 64 kbps Loo		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
Combination - Zone 3		Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
A-wire 64 kbps Loople-A-wire 64 kbps Indept-A-wire 64 kbps Loople-A-wire 64 kbps Loople-A-wire 64 kbps Combination - Zone 4 UNCDX UDL64 32.25 126.53 88.85 60.68 14.64 15.75		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
Combination - Zone 4 Combination - Zone 4 UNCDX UDL64 32.25 126.53 88.85 60.68 14.64 15.75 Combination - Per Mile UNCDX UNC				3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
Interoffice Transport - Declicated - 4-wire 64 kbps combination																	
Per Mile				4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch - As- UNCDX UNCD																	
Reality Termination UNCDX					UNCDX	1L5XX	0.00088										
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 5.63 5.63 7.20 7.20 15.75 S								40 =0		4=00							
INCOX UNCCC 5.63 5.63 7.20 7.20 15.75					UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.					LINCDY	LINICOO		5.00	F 60	7.00	7.00		45.75				
When used as a part of a currently combined facility, the non-recurring charges apply and sarying combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.	ADDITIONAL				UNCDX	UNCCC		5.03	5.03	7.20	7.20		15.75				
When used as ordinarily combined network Elements "Switch As Is Charge (Dee spiles to each combination)			na chai	race do	not apply but a Si	witch As Is o	harao doos ani	alv									
Nonrecurring Currently Combined Network Elements Swirch As Is' Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Swirch As Is Charge - 2 wire(A-Wire VG Is Charge - 2 wire(A-Wi																	
Nonrecurring Currently Combined Network Elements Switch -As- UNCVX UNCCC 5.63 5.63 7.20 7.20 15.75							As is onarge t	1000 1101.									
Scharge - 2 wire/4-Wire VG	1.0		5a.gc	(00	pp 10 000 00	I											
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCDX UNCD					UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
S charge - 5864 kbps					-			2.30	2.30	1						İ	
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X					UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75		1		
Nonrecurring Currently Combined Network Elements Switch -As- UNC3X UNCCC 5.63 5.63 7.20 7.20 15.75																	
Scharge - DS3					UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75			<u> </u>	
Nonrecurring Currently Combined Network Elements Switch -As- UNCSX UNCCC 5.63 5.63 7.20 7.20 15.75 15.																	
Is Charge - STS1					UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months Local Channel - Dedicated - 2-Wire Voice Grade															1		
Local Channel - Dedicated - 2-Wire Voice Grade	<u> </u>			DO:			L	5.63	5.63	7.20	7.20		15.75				
Local Channel - Dedicated - 4-Wire Voice Grade	NOTE:		ı - Belo	w DS3:				1010-	20.5-		2.5-		,		ļ	ļ	
Local Channel - Dedicated - DS1 per month Zone 1	 														 	1	
Local Channel - Dedicated - DS1 Per Month Zone 2 2 UNC1X ULDF1 35.99 178.50 154.61 22.89 15.74 15.75	 			-1											 	-	
Local Channel - Dedicated - DS1- Per Month Zone 3 3 UNC1X ULDF1 221.63 178.50 154.61 22.89 15.74 15.75	\vdash		-	2											-		
Local Channel - Dedicated - DS1- Per Month Zone 4 UNC1X ULDF1 221.63 178.50 154.61 22.89 15.74 15.75 Local Channel - Dedicated - DS3 - Per Mile per month UNC3X 11.5NC 9.66 Local Channel - Dedicated - DS3 - Facility Termination UNC3X ULDF3 413.87 454.13 265.47 123.23 86.19 15.75 Local Channel - Dedicated - STS-1- Per Mile per month UNCSX 11.5NC 9.66 Local Channel - Dedicated - STS-1 - Facility Termination UNCSX 11.5NC 9.66 Local Channel - Dedicated - STS-1 - Facility Termination UNCSX ULDFS 408.02 454.13 265.47 123.23 86.19 15.75 Optional Features & Functions: UNCSX ULDFS 408.02 454.13 265.47 123.23 86.19 15.75 Optional Features & Functions: UNCSX ULDFS 408.02 454.13 265.47 123.23 86.19 15.75 OCU-OP COCI (data) - DS1 to DS0 Channel System UXTD1 MQ1 102.85 91.57 62.94 10.87 10.10 15.75 OCU-OP COCI (data) - DS1 to DS0 Channel System - per	 		-												1	1	
Local Channel - Dedicated - DS3 - Per Mile per month	 			-											1	1	
Local Channel - Dedicated - DS3 - Facility Termination	 		-	-				170.30	154.01	22.09	15.74		13.73		 		
Local Channel - Dedicated - STS-1- Per Mile per month								454 13	265 47	123.23	86 19	1	15 75		 		
Local Channel - Dedicated - STS-1 - Facility Termination								707.10	200.41	120.20	55.19	1	10.70		 		
Optional Features & Functions:								454.13	265.47	123.23	86.19		15.75		1		
MULTIPLEXERS	Option					1					220				1		
Channelization - DS1 to DS0 Channel System UXTD1 MQ1 102.85 91.57 62.94 10.87 10.10 15.75										İ						İ	
OCU-DP COCI (data) - DS1 to DS0 Channel System - per					UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74				15.75				

LINDIII	NIDI EI	NETWORK ELEMENTS Mississippi												A 44 b 4 -	2	Forbil	hit. C
UNBUI	NULE	D NETWORK ELEMENTS - Mississippi			l		1					Svc Order	Cur Ouden	Attachment: Incremental		Incremental	bit: C Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							<u> </u>	Nonrec		Nonrecurring	- Di			000	Rates(\$)		
-							Rec					001150	SOMAN			001441	001441
-		2 ' IODN 0001 (DDITE) - D04 1- D00 01 I 0 -1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			LIDNI	110404	0.00	0.00	4.74				45.75				1
					UDN UEA	UC1CA	2.62	6.62	4.74				15.75				
-		Voice Grade COCI - DS1 to DS0 Channel System - per month				1D1VG	0.5737	6.62	4.74	04.00	00.00		15.75				
		DS3 to DS1 Channel System per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
		STS1 to DS1 Channel System per month			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
-		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.96	6.62	4.74				15.75				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per					40.00										1
		month			ULDD1	UC1D1	12.96	6.62	4.74				15.75				
	Sub-Lo	op Feeder															
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			UNC1X	USBFG											
\vdash		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55.19	101.97	64.29	63.68	17.64						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	100.03	101.97	64.29	63.68	17.64						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	183.66	101.97	64.29	63.68	17.64						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG	430.04	101.97	64.29	63.68	17.64						!
		OCAL EXCHANGE SWITCHING(PORTS)															!
		ge Ports															1
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to I	be ordered usin	g retail USOCs	3								L
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															L
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
																	[
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				<u> </u>
																	[
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				1
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				1
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				1
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing															
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75				1
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33		15.75				1
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.75				
	FEATU																
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				1
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75		1		1
		1		1		1		0	0	1		1	1		1		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75		I		1
		Exchange Ports - 2-Wire VG unbundled MS extended local		1	- ·· - -			2.00			50	1			1		
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75		I		1
		Exhange Ports - 2-Wire VG unbundled incoming only port with		1	- ·· 	1		2.00		2	50				t	1	1
		Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		15.75		1		1
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan			OLI OD	OLI DI	1.41	2.00	2.20	1.72	1.00	1	10.70				
		without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33		15.75		1		1
 		2-Wire voice unbundled Incoming Only Port without Caller ID		1	02.1 00	OLI WIN	1.71	2.03	2.23	1.42	1.33		10.70		 		
		Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33		15.75		I		1
 		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.42	1.33	1	15.75		 		
\vdash	FEATU			1	OL1 0D	00/100	0.00	0.00	0.00	 			13.73		 		
		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00	 		1	15.75		 		
\vdash		NGE PORT RATES (DID & PBX)		 	OLFOD	OLF VF	2.36	0.00	0.00	 			15.75			-	
-	LACHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92	-	15.75			-	
\vdash		2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92	-	15.75		-		
\vdash		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		 	UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75			-	
\vdash				1								-			-		
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	-	1	UEPSP UEPSP	UEPP1 UEPLD	1.41 1.41	31.45 31.45	14.93 14.93	14.38	0.92 0.92	1	15.75		 	-	
\vdash		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>						14.38		-	15.75		1		
		2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	1	15.75			l	

UNBU	INDLE	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental	Incremental		Incremental
1												Submitted	Submitted				
														Charge -	Charge -	Charge -	Charge -
04756		DATE EL EMENTO	Interi	-	200	11000			DATEO(6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														100	Auu.	D130 131	Disc Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
\vdash			1														
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	<u> </u>		UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
'		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
'		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
'		Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
1		Room Calling Port	1	1	UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92]	15.75		1	1	1
$\vdash \vdash \vdash$		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	-	OL1 01	OLI AIVI	1.441	31.43	14.33	14.50	0.92	l	15.75		1	1	1
1			1	1	HEDOD	LIEDVO		24.45	44.00	44.00	0.00]	45.75		1	1	1
<u> </u>		Discount Room Calling Port	1		UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92	ļ	15.75				
1		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		1		l						1					
		Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
'		Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92	l	15.75				
		2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92		15.75				
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92		15.75				
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	14.50	0.32		15.75				
\vdash	A T. I		1		ULFSF	USASC	0.00	0.00	0.00				13.73				
	FEATU		<u> </u>														
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
	EXCHA	NGE PORT RATES (COIN)															
'		Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33		15.75				
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
		Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)	1			1		110100 101 1110	p								
		NGE PORT RATES				1											
	LACITA	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61 77	3.88		15.75				
\vdash			-		UEPEA	UEFFZ	0.20	120.00	10.00	61.77	3.00		15.75				
'		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75				
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75				
'		All Features Offered			UEPTX UEPSX	UEPVF	2.56	0.00	0.00				15.75				
, T	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	auest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/l	New Business	Request Pro	cess.	
\vdash	 	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00				1				
\vdash		Exchange Ports - 4-Wire ISDN DS1 Port	1	1	UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75				
\vdash	LIMPIIL	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	1	1	OLI LA	OLFLA	04.03	203.00	102.14	01.00	20.09	ļ	15.75		ı	ļ	
		DLED FOR I WITH KEINOTE CALL FORWARDING CAPABILITY	,														
\vdash		DUED DEMOTE CALL FORWARDING SERVICE BESITES															
	UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			LIED (D								,				
igsquare	UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	UNBUN	Unbundled Remote Call Forwarding Service, Area Calling, Res															
	UNBUN				UEPVR UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	UNBUN	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res															
	UNBUN	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERLC UERTE	1.41 1.41	2.39 2.39	2.29 2.29	1.42 1.42	1.33 1.33		15.75 15.75				
		Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring			UEPVR UEPVR	UERLC UERTE	1.41 1.41	2.39 2.39	2.29 2.29	1.42 1.42	1.33 1.33		15.75 15.75				
		Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion -			UEPVR UEPVR UEPVR	UERLC UERTE UERTR	1.41 1.41	2.39 2.39 2.39	2.29 2.29 2.29	1.42 1.42	1.33 1.33		15.75 15.75 15.75				
		Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR UEPVR	UERLC UERTE	1.41 1.41	2.39 2.39	2.29 2.29	1.42 1.42	1.33 1.33		15.75 15.75				
		Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with			UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2	1.41 1.41	2.39 2.39 2.39 0.0988	2.29 2.29 2.29 2.09	1.42 1.42	1.33 1.33		15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR	UERLC UERTE UERTR	1.41 1.41	2.39 2.39 2.39	2.29 2.29 2.29	1.42 1.42	1.33 1.33		15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with			UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2	1.41 1.41	2.39 2.39 2.39 0.0988	2.29 2.29 2.29 2.09	1.42 1.42	1.33 1.33		15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2	1.41 1.41	2.39 2.39 2.39 0.0988	2.29 2.29 2.29 2.09	1.42 1.42	1.33 1.33		15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus			UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2 USACC	1.41 1.41 1.41	2.39 2.39 2.39 0.0988	2.29 2.29 2.29 0.0988	1.42 1.42 1.42	1.33 1.33 1.33		15.75 15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2	1.41 1.41	2.39 2.39 2.39 0.0988	2.29 2.29 2.29 2.09	1.42 1.42	1.33 1.33		15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR	UERLC UERTE UERTR USAC2 USACC UERAC	1.41 1.41 1.41	2.39 2.39 2.39 0.0988 0.0988	2.29 2.29 2.29 0.0988 0.0988	1.42 1.42 1.42	1.33 1.33 1.33 1.33		15.75 15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC	1.41 1.41 1.41 1.41	2.39 2.39 2.39 0.0988 0.0988 2.39	2.29 2.29 2.29 0.0988 0.0988 2.29	1.42 1.42 1.42	1.33 1.33 1.33 1.33		15.75 15.75 15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERAC	1.41 1.41 1.41 1.41 1.41	2.39 2.39 2.39 0.0988 0.0988 2.39 2.39	2.29 2.29 2.29 0.0988 0.0988 2.29 2.29	1.42 1.42 1.42 1.42	1.33 1.33 1.33 1.33 1.33		15.75 15.75 15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC	1.41 1.41 1.41 1.41	2.39 2.39 2.39 0.0988 0.0988 2.39	2.29 2.29 2.29 0.0988 0.0988 2.29	1.42 1.42 1.42	1.33 1.33 1.33 1.33		15.75 15.75 15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERTE UERTE UERTR	1.41 1.41 1.41 1.41 1.41 1.41 1.41	2.39 2.39 2.39 0.0988 0.0988 2.39 2.39 2.39	2.29 2.29 2.29 0.0988 0.0988 2.29 2.29 2.29	1.42 1.42 1.42 1.42 1.42 1.42 1.42	1.33 1.33 1.33 1.33 1.33 1.33 1.33		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	Non-Re	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Curring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) DLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB	UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERAC	1.41 1.41 1.41 1.41 1.41	2.39 2.39 2.39 0.0988 0.0988 2.39 2.39	2.29 2.29 2.29 0.0988 0.0988 2.29 2.29	1.42 1.42 1.42 1.42	1.33 1.33 1.33 1.33 1.33		15.75 15.75 15.75 15.75 15.75				

UNBUND	LEC	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
	Ī	===										Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -	Charge -
			1									Elec		Manual Svc			Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	Disc Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.0988	0.0988				15.75				
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988								
		DCAL SWITCHING, PORT USAGE															
End		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0010269										
		End Office Trunk Port - Shared, Per MOU					0.000161										
Tan		Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
Cor		n Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
		ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
		ce and Tandem Switching Usage and Common Transport Us															
		and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	ed Combos. For Cur	rently Comb	ined Combos tl	he nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	j - Currently	Combined s	ections.		
2-W	/IRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNI		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
2-W		oice Grade Line Port Rates (Res)				I											
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice Grade unbundled Mississippi extended local				l											
		dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan	l		LIEDDY	LIEDAY.									1		1
$\vdash \vdash$		without Caller ID	<u> </u>		UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58		15.75		-		├
1 1	ŀ	2-Wire voice unbundled Low Usage Line Port without Caller ID	1		HEDDY	LIEDDE	4	40.01	40.01	04.55	0 ==		45		I	Ì	1
L		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58		15.75				
FEA	ATU		<u> </u>		LIEDDY	LIEDVE	0.50	0.00	0.00	.			45.75		-		├
		All Features Offered	<u> </u>		UEPRX	UEPVF	2.56	0.00	0.00	.			15.75		-		├
LOC		NUMBER PORTABILITY	1		HEDDY	LNDCV	0.05	-		 		1			 	1	
100		Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>		UEPRX	LNPCX	0.35			 					 		
INOI		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>			1				 					 		
		2-vvire voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1		UEPRX	USAC2		0.0988	0.0988	I			15.75		I	Ì	1
\vdash		Switch-as-Is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	-	OLPRA	USACZ		0.0988	0.0988	 			15.75		 		
		2-vvire voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPRX	USACC		0.0988	0.0988	I			15.75		I	Ì	1
\vdash		Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		OLPRA	USACC	1	0.0988	0.0988	 			15.75			-	
		2-wire voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1					0.00	0.00	I			15.75		I	Ì	1
45		DNAL NRCs	!			+		0.00	0.00	 		1	15./5		1	 	
ADI			 	-		1				 					 		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		UEPRX	USAS2	0.00	0.00	0.00	I			45.75		I	Ì	1
		Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<u> </u>		UEPKX	USAS2	0.00	0.00	0.00	 			15.75		 		
			<u> </u>			1				.					-		├
UNI		rt/Loop Combination Rates	<u> </u>			1	10.00			.					-		├
<u> </u>		2-Wire VG Loop/Port Combo - Zone 1		1	Ī	1	12.22	ĺ	l	1	l	1		l	1		1

UNBUNDLED	NETWORK ELEMENTS - Mississippi										-	<u> </u>	Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
OAT LOOK!	TATE ELEMENTO	m	20110	200	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnoct	1	I	000	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	W VO I /D I O I				-	47.40	FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	-Wire VG Loop/Port Combo - Zone 2		2		-	17.13										
	-Wire VG Loop/Port Combo - Zone 3		3			26.26										
UNE Loc				LIEBBY/	LIEBLY	10.00										
	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
	-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
	-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
	-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
	oice Grade Line Port (Bus)															
2	-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				
2	-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75				
2	-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75				
	-Wire voice Grade unbundled Mississippi extended local															
	lialing parity port with Caller ID - bus	1		UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75				
	-Wire voice unbundled incoming only port with Caller ID - Bus	1		UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58	İ	15.75		1	İ	İ
	-Wire Voice Unbundled Mississippi Business Dialing Plan	1			1						İ				İ	İ
	vithout Caller ID	1	1	UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58		15.75			Ì	İ
	-Wire voice unbundled Incoming Only Port without Caller ID			02. 5%	02	1.20	10.01	10.01	2	0.00						
	Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58		15.75				
	NUMBER PORTABILITY			OLI DX	OLI DL	1.20	40.51	13.04	24.30	0.50	1	13.73				
	ocal Number Portability (1 per port)			UEPBX	LNPCX	0.35										
			-	UEPBX	LINPUX	0.35										
FEATUR				LIEDDY	LIEDVE	0.50	0.00	0.00			1	45.75				
	NI Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	-Wire Voice Grade Loop / Line Port Combination - Conversion -			l												
	Switch-as-is			UEPBX	USAC2		0.0988	0.0988				15.75				
	-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Switch with change			UEPBX	USACC		0.0988	0.0988				15.75				
	-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update						0.00	0.00				15.75				
ADDITIO	NAL NRCs															
2	!-Wire Voice Grade Loop/Line Port Combination - Subsequent															
Д	Activity			UEPBX	USAS2		0.00	0.00				15.75				
2-WIRE \	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Por	t/Loop Combination Rates															
2	-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	-Wire VG Loop/Port Combo - Zone 2		2			17.13					1					
	-Wire VG Loop/Port Combo - Zone 3		3			26.26					1					
	-Wire VG Loop/Port Combo - Zone 4	1	4		İ	44.91					İ	1		1	İ	İ
UNE Loc		1			1						İ				İ	İ
	-Wire Voice Grade Loop (SL 1) - Zone 1	†	1	UEPRG	UEPLX	10.98					Ì	1		1	1	1
	-Wire Voice Grade Loop (SL 1) - Zone 1	1	2	UEPRG	UEPLX	15.91					1	1		t	†	
	-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEPRG	UEPLX	25.04					†	1		1	 	
	-Wire Voice Grade Loop (SL 1) - Zone 3	 	4	UEPRG	UEPLX	43.68					†	1		1	1	1
	oice Grade Line Port Rates (RES - PBX)	 		0L1 1\0	OLI LX	75.00					†	1		1	1	
	-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	!	-		1	 					1	!		-	-	-
	Res	1		UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15 75				
	NUMBER PORTABILITY	 	 	ULPRU	UEFKU	1.23	69.37	3∠.48	31.86	0.17	-	15.75		-		
		!		LIEBBO	LNDCD	0.45	0.00	0.00			1	45.75		-		
	ocal Number Portability (1 per port)	!		UEPRG	LNPCP	3.15	0.00	0.00			1	15.75		1		
FEATUR		 									1					
	Il Features Offered	 		UEPRG	UEPVF	2.56	0.00	0.00			1	15.75				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>			1						ļ	ļ				
	-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	l			_								Ì	İ
	Conversion - Switch-As-Is	<u> </u>	<u> </u>	UEPRG	USAC2		7.96	1.91				15.75		1		
	-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Conversion - Switch with Change]		UEPRG	USACC		7.96	1.91				15.75				
	-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
	Subsequent Database Update	<u> </u>	<u></u>			<u> </u>	0.00	0.00	<u> </u>		<u> </u>	15.75		<u> </u>	<u> </u>	<u> </u>
ADDITIO	NAL NRCs															

IINBLINDI	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Evt:	ibit: C
JNBUNDLE	I WORK ELEMENTS - MISSISSIPPI	1	ı		1						Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
SAILGORI	KATE ELEMENTO	m	20116	БОО	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-							Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates(\$)	1	
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+		11131	Auu	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.75				
-+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITIO	00/102	0.00	0.00	0.00				10.70				
	Group						7.36	7.36				15.75				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+		7.00	7.00			1	10.70				
	Port/Loop Combination Rates				+											
- ONE I	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.22										
-+	2-Wire VG Loop/Port Combo - Zone 2		2		+	17.13					1					†
-+	2-Wire VG Loop/Port Combo - Zone 3		3		+	26.26					1					†
	2-Wire VG Loop/Port Combo - Zone 4		4		+	44.91										†
UNFI	Loop Rates		<u> </u>													
15.12.2	2-Wire Voice Grade Loop (SL 1) - Zone 1	†	1	UEPPX	UEPLX	10.98								1	1	
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPPX	UEPLX	15.91						l				
-+	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEPPX	UEPLX	25.04						l				
-+	2-Wire Voice Grade Loop (SL 1) - Zone 4	 	4	UEPPX	UEPLX	43.68						l				
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	 		0_1 1 A	OLI LX	45.00						l				
	7 7 5 7 5 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1				1									1		†
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75				
-+	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17	1	15.75				†
-+	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17		15.75				+
-+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		15.75				+
-+	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17	1	15.75				†
-+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				-
-+	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17		15.75				+
-+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17	1	15.75				†
-+	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	1.20	00.07	02.40	07.00	0.17	1	10.70				†
	Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
-+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OL. TX	OL: AL	20	00.01	02.10	01.00	0	1	10.70				†
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02.17	02. AL	1.20	00.07	02.10	01.00	0		10.70				†
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OL. TX	02.7	20	00.01	02.10	01.00	0.11		10.70				
	Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
-+	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy			OL. TX	02. A0	20	00.01	02.10	01.00	0	1	10.70				†
	Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
-+	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		1		52. AQ	1.20	00.07	JZ10	57.50	0.17		10.70		1	1	1
1	Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75				
-+	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75		1	1	1
$\overline{}$	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port	†	t	UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		15.75		1	1	1
LOCA	L NUMBER PORTABILITY	†	t		1 1	0		22.10	21.30	2.17				1	1	1
1 200	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.75		İ	İ	
FEAT			1					2.30	İ					İ	İ	
	All Features Offered	†	t	UEPPX	UEPVF	2.56	0.00	0.00				15.75		1	1	1
NONF	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1									İ	İ	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		1				İ					İ	İ	
	Conversion - Switch-As-Is	1	1	UEPPX	USAC2		7.96	1.91				15.75		Ì	Ì	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
1	Conversion - Switch with Change	1	1	UEPPX	USACC		7.96	1.91				15.75		Ì	Ì	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1				İ					İ	İ	
1	Subsequent Database Update						0.00	0.00				15.75				
ADDI ⁷	TIONAL NRCs		1													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1		1											
1	Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00				15.75		Ì	Ì	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1		1				İ					İ	İ	
1	Group	1	1				7.36	7.36				15.75		Ì	Ì	
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT			1			50								
	Port/Loop Combination Rates				1											
-	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	12.22			İ					İ	İ	

UNBLIND	l FD	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	hit: C
SHEGHE		INTERVENIENT OF MISSISSIPPI	1		1							Svc Order		Incremental		Incremental	Incremental
			1		1							Submitted	Submitted		Charge -		
																Charge -	Charge -
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	1	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Mana		Nonrecurring	- Di			000	Rates(\$)		
							Rec	Nonrec									
	_	1111 110 0 : B :// 0 . I . 7 . 0						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26										
		2-Wire VG Coin Port/Loop Combo – Zone 4		4			44.91										
UNE		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-W		oice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin 2-Way without Operator Screening and without	1								<u> </u>		1				
	Е	Blocking; with Dialing Parity (Note 3) (MS)	1		UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS)	1		UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin 2-W with Operator Screening and Blocking: 011,															
j		900/976, 1+DDD; with Dialing Parity (MS)	1		UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75		Ì		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		1	2=:	20	1	10.04	250	3.50				1		
		AL, LA, MS)	1		UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75		Ì		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			02. 00	02.110	1.20	10.01	10.01	21.00	0.00		10.70				
		vith Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin 2-Way with Operator Screening & Blocking:			ULFCO	OLFIVID	1.23	40.31	15.04	24.50	0.30		13.73				
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75				
					UEFCO	UEPCD	1.23	40.31	19.04	24.90	0.36		15.75				
		2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,			LIEDOO	LIEDO	4.00	40.04	40.04	24.00	0.50		45.75				
		+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward without Blocking and without Operator															
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward without Blocking and without Operator															
		Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward with Operator Screening and 011															
		Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,	1								<u> </u>		1				
		+DDD, 011+, and Local (AL, KY, LA, MS)	<u></u>		UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75		<u> </u>		
	2	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,						_	•					_			
]]		011+, and Local; with Dialing Parity (MS)	1		UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75		Ì		
	2	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		A)	1		UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75		Ì		
ADI	OITIO	NAL UNE COIN PORT/LOOP (RC)															
		JNE Coin Port/Loop Combo Usage (Flat Rate)	1		UEPCO	URECU	4.62	0.00	0.00	1					İ		
LOC		NUMBER PORTABILITY	1			1		2.20	2.30	t					1		
		ocal Number Portability (1 per port)	1		UEPCO	LNPCX	0.35			1					İ		
NO		CURRING CHARGES - CURRENTLY COMBINED	1				0.00			1					1		
1.01		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		 	1				t	1				1		
1 1		Switch-as-is	1		UEPCO	USAC2		0.0988	0.0988	I			15.75		Ì		
 		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		02.00	23/102		0.0000	0.0300	t			10.70		-		
		Switch with change	1		UEPCO	USACC		0.0988	0.0988	1			15.75				
ADI		NAL NRCs	1		OLFOO	JUACC		0.0908	0.0968	 	1	 	15.75		1		
ADL		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		+	1				 	1	+	1		 		
1 1			1		UEPCO	USAS2		0.00	0.00	I		1	15.75		Ì		
L		Activity	L	LODT (USAS2		0.00	0.00	1		-	15.75		1		
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	-UKI (KE3)	1				 	-	1	ļ		1		
UNE		t/Loop Combination Rates	1	-	 	1	45.40			 	-	1	ļ		1		
 		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1	 	1	15.16			 	-	1	ļ		1		
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u> </u>	2		1	20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			28.82										
	2	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4	1		46.99			1			l				

JNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment: 2	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
LINE	oop Rates				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ONL E	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
-	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55							i			
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72										ļ
2-Wire	Voice Grade Line Port Rates (Res)			HEDED	LIEDDI	4.07	100.05	70.57	5404	11.70		45.75				↓
\longrightarrow	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70		15.75				
\longrightarrow	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPFR UEPFR	UEPRC UEPRO	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70		15.75 15.75				
	2-Wire voice Grade unbundled Mississippi extended local			OLFIK	OLFRO	1.27	100.33	70.57	34.24	11.70		13.73				
	dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70		15.75	ı			
	2-Wire voice unbundles res, low usage line port with Caller ID												1			
	(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70		15.75				<u> </u>
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan			l	I								ı T			
INITED	without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70		15.75				
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					-			-							
	Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11			ı			
$\overline{}$	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	OTTVE	20.02	40.77	21.01	17.20	7.11						
	or Fraction Mile			UEPFR	1L5XX	0.0088							i l			
FEATU	JRES															
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00				15.75				
LOCAL	NUMBER PORTABILITY															ļ
NONE	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					-			-							
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.75	ı			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02	00,102		10.01	0.7.2				10.10				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.75	ı			
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (BUS)									i			
UNE P	ort/Loop Combination Rates															ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2			20.02 28.82										
-+-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		3			46.99										
UNE L	oop Rates					40.55										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55				•						
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72					1					
2-Wire	Voice Grade Line Port (Bus)	1		UEPFB	UEPBL	1 07	108.35	70.57	54.24	11.70	ļ	15.75				
-+	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	-		UEPFB	UEPBC	1.27 1.27	108.35	70.57	54.24	11.70		15.75				
$\overline{}$	2-Wire voice unbundled port with Callet + £464 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70	 	15.75	\longrightarrow			
$\overline{}$	2-Wire voice Grade unbundled Mississippi extended local	1			1 20	/	700.00		524							
	dialing parity port with Caller ID - bus	<u></u>		UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70	<u> </u>	15.75	<u>. </u>			
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Unbundled Mississippi Business Dialing Plan]	,						ı T			
	without Caller ID	ļ		UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70		15.75	\vdash			
LOCAL	L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFB	LNPCX	0.35			 		-					
INTER	OFFICE TRANSPORT			OLFID	LINEUA	0.33					 		\longrightarrow			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+	-			-				$\overline{}$			†
1	Termination	l		UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11			, J			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					İ	İ						i			
ı		1	1	UEPFB	1L5XX	0.0088					1	l	ı			1
	or Fraction Mile			OLITE	TEO/OX	0.0000										
FEATU				UEPFB	UEPVF	2.56	0.00	0.00				15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72				15.75				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.75				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE L	oop Rates				1											1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										1
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29		15.75				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29		15.75				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29		15.75				
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29		15.75				
LOCA	L NUMBER PORTABILITY															ļ
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.75				ļ
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	20.00	10.77	07.57	47.00	7.11						
-	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
FEAT				UEPFP	1L5XX	0.0088										
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00				15.75				1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.75				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.75				
	PORT/LOOP COMBINATIONS - COST BASED RATES	l			1											
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1											1
UNE F	Port/Loop Combination Rates				1											1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	21.32										1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	l	3			34.98									<u> </u>	1

IINDIINDI	ED NETWORK ELEMENTS Mississippi													Attack	<u> </u>		hit. C
ONDUNDL	ED NETWORK ELEMENTS - Mississippi		1	1		1 1						Sup Order		Attachment:			bit: C Incremental
														Incremental		Incremental	
												Submitted		_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	В.	cs	USOC			RATES(\$)			Elec		Manual Svc			Manual Svo
CATEGORI	RATE ELEMENTS	m	Zone	"	.03	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4				53.15										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	27.55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															
	Switch-as-is			UEPPX		USAC1		7.35	1.88				15.75			1.97	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1			1 7									_	_	
	with BellSouth Allowable Changes	1		UEPPX		USA1C		7.35	1.88				15.75			1.97	
ADD	ITIONAL NRCs				-			, and the second									
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94				15.75			1.97	
Teler	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.75			1.97	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.75			1.97	
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		<u> </u>	UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE	Port/Loop Combination Rates	<u> </u>	<u> </u>														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		١.														
	UNE Zone 1	1	1	UEPPB	UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	LIEDDD	LIEDDD		05.00										
	UNE Zone 2	1	2	UEPPB	UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		3	UEPPB	LIEDDD		45.40										
	UNE Zone 3	<u> </u>	3	UEPPB	UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		4				67.61										
LINE	UNE Zone 4 Loop Rates	<u> </u>	4				67.61										
ONL	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USL2X	18.26					1	15.75			1.97	
	2-Wile ISDN Digital Grade Loop - ONE Zorie I	1		UEPPB	UEPPK	USLZA	10.20					1	15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75		I	1.97	
-+	2-Wire ISDN Digital Grade Loop - ONE Zone 2	1	3	UEPPB	UEPPR	USL2X	34.85					1	15.75		 	1.97	1
+-	2-Wire ISDN Digital Grade Loop - UNE Zone 4	+	4	UEPPB	UEPPR	USL2X	57.28			 		1	15.75		 	1.97	
UNF	Port Rate	1		J D	52/11/	3022/	57.20					1	10.70		I	1.57	1
ONE	Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75		1	1.97	
NON	RECURRING CHARGES - CURRENTLY COMBINED	1		, , , , , ,	52. TK	325	10.00	100.00	100.22	100.72	21.10		10.70		1	1.57	
- 1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	 				† †									1	t	
1	Combination - Conversion		1	UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75		I	1.97	
ADD	ITIONAL NRCs	1				†				1					İ		İ
	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CF	IANNEL USER PROFILE ACCESS:					1 1		-									1
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	

### BCS USOC ### B	UNBUNDI F	D NETWORK ELEMENTS - Mississippi													Attachment:	2	Exhi	bit: C
ALTECHNY ALTECHNY ALTECHNY ALTECHNY BATE BLANKY BATE	J. 120112E	- III III EEE III EI II O IIII OO OO OO OO OO OO OO OO OO O											Svc Order					Incremental
## RATE PLEMENTS Internal Plant Pl																		
ATTEMPT RATE ELEMENTS IN BCS USOC FATTEMPT SCHOOL STATE STAT																		
Biochart Biochart	CATEGORY	RATE ELEMENTS	Interi	Zone	-	RCS	USOC			RATES(\$)								
15	CATEGORI	KATE ELEMENTO	m	Lone	_	300	0000			KAT LO(ψ)			per LSR	per LSR				
NETROPHIC CHANGE MEEAGE																		
NTROPPIC CHANNEL WILL EAST SOME															1st	Add'l	Disc 1st	Disc Add'l
NYTEROPICE CHANNEL MILE AGE SOMAN			1						Nonrec	urring	Nonrecurring	Disconnect			088	Pates(\$)		
BRITEROFFICE GLANAME MILEGARE			1					Rec					SOMEC	SOMAN			SOMAN	ROMAN
Interesting Construction Interesting Constru	INTED	DEELCE CHANNEL MILEAGE	1						FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOINAIN
Surface termination UEPPR	INTERV		1															
AVWINED SD (GRIF LOOP WITH SERVINE SD DISTAL TRANK PORT					LIEDDD	LIEDDD	MIGNO	22 5209	40.77	27.57	17.26	7 11		15.75			1.07	
A-WINE DST DIGITAL LOOP WITH 4-WIRE SERVIN DST DIGITAL TRUMN CORT			+								17.20	7.11		13.73		-	1.57	
West Properties West W	4 WIDE		L DODT		OLFFB	ULFFR	IVITGINIVI	0.0090	0.00	0.00								
AV DEST Digital Locary MSDN DEST Digital Trusk Port - UNIE 2 UEPPP 255.74			TOKI				+							-		-		
Zave 1	UNE P		+				+							-		-		
## AVP ST Toget Logo-W ISON DST Digital Trush Port - UNE 2				4	LIEDDD			155 43										
2			-	1	UEPPP			155.43										
AVE 100				_	LIEDDD			205.74										
Zone 3			-	2	UEPPP			205.74										
AVECUATION AVE				_	LIEDDO		1	000.40			I					I	Ì	
December Company Com	ļ	2010 0	1	3	UEPPP			283.10					ļ	ļ				
UNEL Cop Tates			1	Ι.				=0.4.5.			I					I	Ì	
4-Web CST Digital Log - LNR Zenne 1			ļ	4	UEPPP		ļ	534.81			.					.	ļ	
H-Wise DSI Digital LongUNE Zone 3	UNE Le		ļ	<u> </u>			ļ				.					.	ļ	
H-Wine DST Digital Loop - UNE Zonn 4																		
MAYER DST Digital Loop - UNE Zone 4																		
UPPP UPPP UPPP T6.35 456.93 280.59 127.75 32.76 15.75 1.97																		
Exchange Ports -4-Wire ISDN DST Port UEPPP UEPPP VERY V				4	UEPPP		USL4P	458.46						15.75			1.97	
NONRECURRING CHARGES - CURRENTLY COMBINED	UNE P																	
4-Wire DST Dipital Loop / 4-Wire ISDN DST Dipital Trunk Port Combination - Convenience Newth-asis UEPPP USACP 0.00 119.76 79.01 15.75 1.97					UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
Combination - Conversion - Switch-as-is UEPPP USACP 0.00 119.76 79.01 15.75 1.97	NONRE	ECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCS		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
4-Wire DST Lacp/4-Wi ISDN Digit Trunk Port - Subsign Anny- Inward New way 19 Nose, (except NC)					UEPPP		USACP	0.00	119.76	79.01				15.75			1.97	
Inward/two way Tel Nos. (except NC)	ADDIT	IONAL NRCs																
A-Wire DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISDN DST Loop / A-Wire ISD Loop / A-Wire ISD Loop / A-Wire ISD Loop / A-Wire ISDN DST Loop / A-Wire ISD Loop / WIRE Loop - WIRE Loop / WIRE Loop - WIRE Loop / WIRE Loop - WIRE Loop / WIRE Loop - WIRE Loop / WIRE Loop - WIRE Loop / WIRE Loop - WIRE Loop - WIRE Loop / WIRE Loop - WIRE L		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
Outward Tel Numbers (All States except NC)		Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49					15.75			1.97	
A-Wire DS1 Loop / A-Wire SS1 Loop / A-Wire SS1 Loop / A-Wire SS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / A-Wire DS1 Loop / Wire Date A-Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loop / Wire Date A-Wire DS1 Loo		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
Subsequent Inward Tel Numbers UEPPP PRZTZ 23.15 15.75 1.97		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58				15.75			1.97	
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
LOCAL NUMBER PORTABILITY UEPPP LNPCN 1.75 UEPPP LNPCN 1.75 UEPPP LNPCN 1.75 UEPPP LNPCN 1.75 UEPPP PR71V 0.00 0.00 0.00 UEPPP PR72V 0.00 0.00 0.00 0.00 UEPPP PR72V 0.00 0.00 0.00 UEPPP PR72V 0.00 0.00 0.00 UEPPP PR72V 0.00 0.00 0.00 UEPPP PR72V 0.00 0.00 0.00 UEPPP PR72V 0.00 0.00 0.00 UEPPP UEPPP PR72V 0.00 0.00 0.00 UEPPP UEPPP UEPPP PR72V 0.00 0.00 0.00 UEPPP UEPPP UEPPP UEPPP UEPPP 0.00 0.00 0.00 UEPPP UEPPP UEPPP UEPPP UEPPP 0.00 0.00 0.00 UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPPP UEPPPP UEPPP		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15				15.75			1.97	
NTERFACE (Provisioning Only)	LOCAL	NUMBER PORTABILITY																
INTERFACE (Provisioning Only)		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
Voice/Data	INTERI																	
Digital Data UEPPP PR71D 0.00					UEPPP		PR71V	0.00	0.00	0.00								
Inward Data UEPPP PR7IE 0.00			1	1														
New or Additional - Voice/Data B Channel UEPPP PR7BV 0.00 14.61 15.75 1.97			1								İ				İ	İ	İ	
New or Additional - Voice/Data B Channel	New or		1	1			 		2.20	2.30	t		Ì	1		1	1	
New or Additional - Digital Data B Channel	1		†	t	UEPPP		PR7BV	0.00	14.61		t			15.75		t	1.97	
New or Additional Inward Data B Channel			1								1		İ			1		
CALL TYPES			†	t							t					t		
Inward	CALL		1	1				0.00			t		Ì	.00		1		
Cutward	- J		1	t	UEPPP		PR7C1	0.00	0.00	0.00	t		1		1	t	1	
Two-way			1	1							 		1	1		†	 	
Interoffice Channel Mileage	 		1	1							—		1	i		—	 	
Fixed Each Including First Mile	Interof		1	1	J-: 1 1		150	0.00	0.00	0.00	 		1	1		†	 	
Each Airline-Fractional Additional Mile	Interor		1	1	LIFPPP		1I N1A	57 53	80 70	82.28	16.66	14 00	1	15 75		—	1 07	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			+	I					00.73	02.20	10.00	14.30	†	10.70		t	1.57	
UNE Port/Loop Combination Rates	4-WIRE		1	 	J 1 1		12.1.2	0.20			 		1			 		
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			+	I			+				t		†	1		t	 	
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 UEPDC 182.07 15.75 1.97	ONL F		1	1	LIEPDC			131 78			 		1	15 75		 	1 07	
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 259.44 15.75 1.97			+				+				t		†			t		
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 4 UEPDC 511.15 15.75 1.97 UNE Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 1 UEPDC USLDC 79.08 15.75 1.97 4-Wire DS1 Digital Loop - UNE Zone 2 2 UEPDC USLDC 129.38 15.75 15.75 1.97 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 206.74 15.75 15.75 1.97	 		1				1				t		†			 		
UNE Loop Rates UNE Loop Rates UNE Loop Rates Image: Company of the property of the p	 		+				1				 		1		1	 		
4-Wire DS1 Digital Loop - UNE Zone 1	TIME		1	-	OLI DO		1	311.13			t		†	15.75		 	1.97	
4-Wire DS1 Digital Loop - UNE Zone 2 2 UEPDC USLDC 129.38 15.75 1.97 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 206.74 15.75 1.97	UNE LO		1	4	HEDDO		HSI DC	70.00					 	15 75	-		1.07	
4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 206.74 15.75 1.97	 		+	2							 		}		1	 		
			 								-		-			-		
	 	4-Wire DS1 Digital Loop - UNE Zone 3 4-Wire DS1 Digital Loop - UNE Zone 4	+				USLDC	458.46			 		1	15.75		 	1.97	

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
011201122											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												T .	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
UNIT	Port Rate						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	32.70	437.12	254.70	120.90	14.01		13.73			1.57	
- Itoliii	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADDIT	TONAL NRCs				ļ											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1		LIEDDO	LIDTT *		44.50	44.50				45.75		1	4.0=	
 	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	 		UEPDC	UDTTA		14.56	14.56			1	15.75		 	1.97	
	Channel Activation/Chan - 1-Way Outward Trunk	1		UEPDC	UDTTB		14.56	14.56				15.75		1	1.97	
 	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1		OLI DO	טווטט		14.50	14.30				13.73		 	1.37	
	Activation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC		14.56	14.56				15.75		1	1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1						50						Ì		
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00				15.75			1.97	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Altern	ate Mark Inversion			LIEBBO	140005		0.00	0.00								
-	AMI - Superframe Format AMI - Extended SuperFrame Format			UEPDC UEPDC	MCOSF MCOPO		0.00	0.00								
Teleni	hone Number/Trunk Group Establisment Charges			UEPDC	IVICOPO		0.00	0.00								
Гегері	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.75			1.97	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.75			1.97	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.75			1.97	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	with 4-Wire DDITS T	runk Port									ļ		-
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
 	rommadon)	1		OLI DO	ILINOI	31.33	09.19	02.20	10.00	14.30		13.73		 	1.37	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.20	0.00	0.00						1		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities												1			
	Termination)	<u></u>		UEPDC	1LNO2	0.00	0.00	0.00			<u> </u>					
	Interoffice Channel Mileage - Additional rate per mile - 9-25							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				1		
	miles	<u> </u>		UEPDC	1LNOB	0.20	0.00	0.00						ļ		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities				1	_	_	_								
 	Termination)	 		UEPDC	1LNO3	0.00	0.00	0.00	0.00				-	 		
	Intereffice Channel Mileage Additional rate per			UEPDC	1LNOC	0.20	0.00	0.00								
\vdash	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated	├	 	UEPDC	LNPCP	0.20 3.15	0.00	0.00	0.00					-		-
 	Central Office Termininating Point	1		UEPDC	CTG	0.00	0.00	0.00	0.00			-		 		
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT	†			3.0	0.00					1		1	1		
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations												Ì		
	System can have up to 24 combinations of rates depending on			ber of ports used												
UNE D	OS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
\vdash	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								ļ
	4-Wire DS1 Loop - UNE Zone 3	 	3	UEPMG	USLDC	206.74	0.00	0.00				45.75			4.07	ļ
LIME	4-Wire DS1 Loop - UNE Zone 4 DSO Channelization Capacities (D4 Channel Bank Configuration	ne)	4	UEPMG	USLDC	458.46	0.00	0.00				15.75		-	1.97	<u> </u>
UNE L	24 DSO Channel Capacity - 1 per DS1	113)		UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	27 DOO Chambi Capacity - 1 per DO1	<u> </u>		OLI IVIO	V JIVIZT	33.00	0.00	0.00	l		1	15.75	l		1.31	l

<u>JNB</u>	UNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM20 VUM28	950.60 1,140.72	0.00	0.00			-	15.75 15.75			1.97 1.97	
		288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,140.72	0.00	0.00			-	15.75			1.97	
	-	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,901.20	0.00	0.00			1	15.75			1.97	
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661,68	0.00	0.00				15.75			1.97	
	Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr						0.00				10.10				
		mum System configuration is One (1) DS1, One (1) D4 Channe															
		les of this configuration functioning as one are considered Ad															
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
	Syster	n Additions at End User Locations Where 4-Wire DS1 Loop wi	h Chan	nelizati					****								
		Not Currently Combined) in all states, except in Density Zone 1					ĺ										
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
	Bipola	r 8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00				15.75			1.97	
	Alterna	ate Mark Inversion (AMI)			LIEDMO	140005	0.00	0.00	0.00								
		Superframe Format Extended Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00			-					
	Eveha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	an with	Port	UEPING	MICOPO	0.00	0.00	0.00			-					
		nge Ports	JII WILLI	i oit													
	=200.10	1															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
																-	
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00		15.75			1.97	
	Featur	e Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4					1										
	_	Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
		Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	40014"		70.00	10.00	20.00	44.6-		45.75			4.0-	
	Teler	D4 Bank none Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
	reiepr	DID Trunk Termination (1 per Port)	-	\vdash	UEPPX	NDT	0.00	0.00	0.00			-	15.75	1	1	1.97	
	+	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75	1	1	1.97	
	-	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.75	1	1	1.97	
	1	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75	İ	1	1.97	
	Local	Number Portability												1	1		
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	JRES - Vertical and Optional															
	Local	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	14.00	90.00	90.00				15.75				
JNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE				1	L		B								
		t Based Rates are applied where BellSouth is required by FCC										F-1-7-7		 	 		<u> </u>
		tures shall apply to the Unbundled Port/Loop Combination - C											oin Dartii	on Combin	iono		
		Office and Tandem Switching Usage and Common Transport															C
		first and additional Port nonrecurring charges apply to Not Co	irrentiy	combi	neu Compos. For	Currently Co	mbinea Combo	os, tne nonrect	iring charges	Silali pe those	identified in t	ne nonrecu	rring - Curre	entry Combin	eu sections.	Auditional NR	us may
	appry	also and are categorized accordingly.															

Version 3Q02: 10/07/02 Page 269 of 425

5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order	Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
İ													1st	Add'l	Disc 1st	Disc Add'l
								_								
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		<u> </u>	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															+
UNE	Port/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											+
	Non-Design	1	١,	UEP91		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91	_	12.22										+
	Non-Design		2	UEP91		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF91	_	17.13										+
	Non-Design		3	UEP91		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	OLF91	-	20.20					-		-	-		+
i l	Non-Design	1	4	UEP91		44.91							I	I		1
IINE !	Port/Loop Combination Rates (Design)	 	-	OE1 01	+	44.31							t	t		+
ONE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	! 		 	+								t	t		+
	Design		1	UEP91		15.12							I	I		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		† ·			.0.12							<u> </u>	<u> </u>		
	Design		2	UEP91		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.		10.00										
	Design		3	UEP91		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP91		46.95										
UNE	oop Rate															1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										
UNE F																
All St	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				4
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								=							
	Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	LIED04	UEPY9	4 00	40.04	40.04	04.00	0.50		45.75	I	I		1
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPT9	1.23	40.31	19.84	24.90	6.58		15.75				+
	Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AI K	Y, LA, MS, & TN Only		1	OLF91	ULF 12	1.23	40.31	15.04	24.90	0.30	1	13.73				+
AL, K	2-Wire Voice Grade Port (Centrex)		1	UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				+
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75	t	t		+
	2-Wire Voice Grade Port (Centrex with Caller ID)1	†		UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75	I	I	1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	†			J J(1)	1.20	40.01	10.04	24.50	0.00	<u> </u>	10.70	I	I	1	
	Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75	1	1		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					20			22.1				İ	İ		†
	Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75	1	1		
		l		1									İ	İ	İ	†
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75	I	I		1
	2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				1
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
			ľ			-										
Local	Number Portability Local Number Portability (1 per port)			UEP91	LNPCC	0.35										

LIND	NDI E	NETWORK ELEMENTS - Mississippi												Attachme=+	<u> </u>	E	hit. C
ONBU	NULE	NETWORK ELEMENTS - Mississippi		1		I	1					Svo Order		Attachment: Incremental		Incremental	bit: C Incremental
				1													
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(A)			Elec	,	Manual Svc			Manual Svc
CATEG	IORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-				l	Nonrec		Nonrecurring	- Dianamant			000	Rates(\$)		
-			-				Rec					001150	001111			001141	001441
-	F 1		-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Feature		-		LIEDO4	LIED) /E	0.50						45.75				
		All Standard Features Offered, per port	1		UEP91	UEPVF	2.56	101.00					15.75				
		All Select Features Offered, per port	1		UEP91	UEPVS	0.00	404.98					15.75				
		All Centrex Control Features Offered, per port	1		UEP91	UEPVC	2.56						15.75				
	NARS		1														
		Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
		aneous Terminations															
		Trunk Side	1	ļ	LIEBO	05111											
		Trunk Side Terminations, each	1	ļ	UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75				
ļ	Interoff	ice Channel Mileage - 2-Wire	ļ	<u> </u>	LIEBO	1									.	ļ	
ļ	ļ	Interoffice Channel Facilities Termination - Voice Grade	ļ	<u> </u>	UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75		.	ļ	
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce												1		
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.10	0.10				15.75				
		Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68				15.75				
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32					15.75				
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32					15.75				
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.91					15.75				
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					15.75				
	UNE-P	CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
1	1	Non-Design	1	1	UEP95	1	12.22					1	1		I	Ì	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	l	Non-Design		2	UEP95		17.13								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-			1											
1	1	Non-Design	1	3	UEP95	1	26.26					1	1		I	Ì	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
1	1	Non-Design	1	4	UEP95	1	44.91					1	1		I	Ì	
	UNE Po	ort/Loop Combination Rates (Design)	1	İ		İ				İ					İ	İ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	İ		İ				İ					İ	İ	
	l	Design		1	UEP95		15.12								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				İ				İ					İ	İ	
	l	Design		2	UEP95		19.98								1		
	l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		t -		1									t	1	
	l	Design		3	UEP95		28.78								1		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	Ť		1	200								t	1	
1	1	Design		4	UEP95		46.95						1		I	Ì	
—	UNFIC	op Rate	1	+ -	02.00	1	40.00					-	 		—	 	
—	J.112 EC	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEP95	UECS1	10.98			 					 	 	
-	 	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	2		UECS1	15.91					1	l		t	1	
	l	2 TING VOICE CIAGE LOOP (OL 1) - ZUITE Z	1		OE1 30	JEOGI	15.51					1	l		1	1	

JNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
											Svc Order	Svc Order			Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
							Nonrec	rurring	Nonrecurring	Disconnect			OSS	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	0.10/1 1/1	1		LIEDOE	115004	05.04	FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUVIAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
LINE	Port Rate		<u> </u>	02. 00	02002	10.72										†
All St		1			-						-					-
All St		1	1	LIEDOE	LIEDVA	4.00	40.04	40.04	24.00	0.50		45.75				
	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	 	UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58	!	15.75			ļ	↓
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58	ļ	15.75				ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1		i l							l		1	1	
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75			1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 00	02	20	100.00	7 0.07	0			10.10				
				UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL. K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				†
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
		1		OLI 33	OLI QII	1.20	40.51	13.04	24.30	0.50	-	10.70				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
FL &	GA Only															
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
l ocal	Number Portability															†
Local	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										-
F 1 - 1		1	1	UEF93	LINFCC	0.33										
Featu		<u> </u>	 	LIEBOE	LIED) (E	0.50					!	45			ļ	
	All Standard Features Offered, per port		 	UEP95	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98					15.75				ļ
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56						15.75				
NARS	3															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00			1	15.75				
Misco	ellaneous Terminations		1		1		2.20	2.20			1	1		1	1	1
	e Trunk Side	1	1		+ -						 					
2-4411	Trunk Side Terminations, each	 	 	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88	1	15.75		1	1	+
A 187:	e Digital (1.544 Megabits)	-	1	OL: 33	OLINDO	0.25	120.00	10.00	01.77	3.00	 	13.75		-	-	├
4-77110		-	-	UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54	 	15.75		-	ļ	
	DS1 Circuit Terminations, each	<u> </u>	 					96.25	74.86	2.54	!	15.75			ļ	
	DS0 Channels Activated, each		 	UEP95	M1HDO	0.00	14.56					ļ				
Intero	office Channel Mileage - 2-Wire										1					
	Interoffice Channel Facilities Termination	<u></u>	<u></u>	UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11	<u> </u>	15.75			L	<u> </u>
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nannel Bank Feature Activations											l				
•	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP95	1PQWS	0.57					1	İ		İ	İ	
	- I - I - I - I - I - I - I - I - I - I		+			3.31					1	1		1		

UNRU	NDI FI	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhi	ibit: C
CIADO	ITULL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
_		5		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOE	400147	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.57					1			-		
		Different Wire Center			UEP95	1PQWP	0.57										
\vdash		Billerent Wile Center			OLI 95	II QWI	0.57					1					
ļ ,		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Title Line/Trunk Loop			OLI 50	11 Q 11 1	0.07										
ļ ,		Slot			UEP95	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
] ,		changes, per port			UEP95	USAC2		0.10	0.10				15.75				
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68				15.75				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32	•				15.75				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75				
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE PO	ort/Loop Combination Rates (Non-Design)		<u> </u>													.
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design			UEP9D		40.00										
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D		12.22										
		Non-Design		2	UEP9D		17.13										
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D		17.13					1					
		Non-Design		3	UEP9D		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			OLI OD		20.20										
		Non-Design		4	UEP9D		44.91										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		28.78										ļ
ļ ,		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		4	UEP9D		46.95										
$\vdash \vdash \vdash$	UNE LO	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98					1	-	-	 	-	1
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEP9D UEP9D	UECS1	10.98					 					
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04							-	 	-	
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68					 			t		
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89								1		
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75								1		
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55							İ	1	İ	
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72					Ì					
		ort Rate															
	ALL ST																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
]]		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			l										1		
\vdash		Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58	ļ	15.75				
]]		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.50	40.01	40.04	04.55	0 = 0		45		I		
\vdash		Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75		-	ļ	
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75		1		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	-	 	OFLAD	UEFTU	1.23	40.31	19.84	24.90	86.0	 	15.75				
		Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75		I		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1	טבו אַט	ULFIL	1.23	40.31	13.04	24.90	0.56	 	13.73		 		
	ì	Area	1	1	UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58	I	15.75]	1	1	

LINBUNDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhi	bit: C
ONBONDEE	D NET WORK ELEMENTS - MISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Name		l Names accoming	. Diazzanazat			000	Detec(f)		
						Rec	Nonred First	arring Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
 	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local						FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				İ
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local					_										
	Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															İ
	Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75				└
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75				İ
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 3D	OLITV	1.20	40.51	13.04	24.30	0.30		10.70				
	Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75				İ
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						40	40				4.5.5				1
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				└
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75				İ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF3D	OLFIJ	1.23	40.31	19.04	24.90	0.36		13.73				
	2 Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3					_										
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															İ
	Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				└
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			OLFBD	OLFIQ	1.23	108.33	70.57	34.24	11.70		13.73				
	Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3								=							İ
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			02.00	020	20	100.00	7 0.01	02.			10.70				
	Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				1
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLFBD	ULFIZ	1.23	100.35	70.57	54.24	11.70	+	15.75				
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
AL, K	/, LA, MS, SC, & TN Only			LIEDOD	LIEDC A	1.00	10.01	10.01	04.00	0.50		45.35				↓
-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58	ļ	15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQT UEPQU	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	 	15.75 15.75				
 	2-Wire Voice Grade Port (Centrex / EBS-N5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58		15.75				\vdash
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
Ī	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			<u> </u>		· · · · ·										
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75	ļ	ļ		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58	1	15.75]]		

Second Color Color	IINRIIN	NDI E	NETWORK ELEMENTS - Mississippi												Attachment:	2	Evh:	bit: C
ATEORNY RATE ELEMENS BES BES BUSC RATE(4) RATE (LEMENS) BES BUSC RATE(4) RATE (LEMENS) BES BUSC RATE(4) RATE (LEMENS) BES BUSC RATE(4) RATE (LEMENS) BES BUSC RATE(4) RATE (LEMENS) BES BUSC RATE(4) RATE (LEMENS) BUSC RATE (LEMENS) BUSC RATE(4) BUSC RATE (LEMENS)	CIADON	4DLEL	HET WORK ELEMENTS - MISSISSIPPI	1									Svc Order					Incremental
ATTECORY RATE LEMENTS Manual Part Manu														1				Charge -
CATEGORY RATE ELEMENTS Mark Control																		Manual Svc
Bell	CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
Non-recurring Non-recurrin	CAILOC	, , , , , , , , , , , , , , , , , , ,	NATE ELEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR				Order vs.
Proceedings																		Electronic-
Now Young Clinical Point (Centimos Firm of Bisning Wins Canton)															1st	Add'l	Disc 1st	Disc Add'l
Now Young Clinical Point (Centimos Firm of Bisning Wins Canton)									Nonrec	urring	Nonrecurring	n Disconnect			088	Pates(\$)		l .
2 Vivin Vision Grade Prot (Controllatifie SWC (RES PSET) 3 0.0PN0 0.0PN0 0.0PN0 1.20 10.0 % 70.57 54.24 11.70 15.75 1.27								Rec					SOMEC	SOMAN			SOMAN	SOMAN
2			2 Wire Voice Grade Port (Centrey from diff Senting Wire Center)						FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
SWIN Visio Grade Part (Centrecolities WIXC RESPARCING)			2-ville voice Grade Fort (Certitex from all Serving Wile Certier)			LIEDOD	HEDOM	1 22	109.25	70.57	54.24	11 70		15.75				
2-Wire Votes Grade Pert (Centrovidiffer SWC XES-M0010): 3 UEPBD UEPDD 120 168:30 P1.07 64:24 11.70 15.75			2 Wire Voice Grade Port (Centroy/differ SWC /EBS DSET)2 2										-			-		
2-Wise Vicine Grade Purt (Contempositine SVIC EBS-SS0992, 3 USP90 UEPO0 120 108.35 70.57 54.24 11.70 15.75			2-Wile Voice Grade Fort (Certifex differ SWC /LB3-F3L1)2, 3			OLF3D	ULFQU	1.23	100.33	10.51	34.24	11.70	-	13.73		-		
2-Wire Votice Grade Purt (Centrevolities SVC, EBS-SS099), 3 UEPBD UEPCD 123 108.35 70.57 54.24 11.70 15.75			2 Wire Voice Crade Bort (Centroy/differ SWC /EBS ME000)2 2			LIEDOD	LIEDOD	1 22	100.25	70.57	E4 24	11 70		15 75				
2-Wine Votos Grade Prof. (Centrevidifier SWC /EBS-MS1122, 3 UEPPO UEPOR 1, 23 108.35 70.57 54.24 11.70 15.75																		
2-Wine Voice Grade Port (Centerworliffer SWC, IEBS-MS3082, 3 UEP90 UEP04 1.23 108.35 70.57 54.24 11.70 15.75			2-Wile Voice Grade Fort (Certifex differ 5WC/LB3-3209)2, 3			OLF 9D	ULFQQ	1.20	100.33	10.51	34.24	11.70		13.73				
2-Wine Voice Grade Port (Centerworliffer SWC, IEBS-MS3082, 3 UEP90 UEP04 1.23 108.35 70.57 54.24 11.70 15.75			2-Wire Voice Grade Port (Centrey/differ SWC /EBS-M5112)2 3			LIEDOD	LIEDOR	1 23	108 35	70 57	54.24	11 70		15.75				
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative Or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative Or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative Or equivalent Centre Port (Centrevidifier In Albegative Or equivalent Centre Port (Centrevidifier In Albegative Or equivalent Centre Port (Centrevidifier In Albegative Or equival			2-Wile Voice Grade Fort (Gentlewainer GWG /EBG-WST12)2, 3			OLI 3D	OLI QIX	1.23	100.55	10.51	34.24	11.70		13.73				
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre SWC /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative Or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative Or equivalent Centre Swc /EBS-MS009)2, 3 2-Wire Voice Grade Port (Centrevidifier In Albegative Or equivalent Centre Port (Centrevidifier In Albegative Or equivalent Centre Port (Centrevidifier In Albegative Or equivalent Centre Port (Centrevidifier In Albegative Or equival			2 Wire Voice Grade Port (Centroy/differ SWC /EBS M5212)2 3			LIEDOD	HEDOS	1 22	109.25	70.57	54.24	11 70		15.75				
2-Wire Voice Grade Port (Centrevidiffer SWC_EBS-M6208)2, 3 2-Wire Voice Grade Port (Centrevidiffer SWC_EBS-M6216)2, 3 2-Wire Voice Grade Port (Centrevidiffer SWC_EBS-M6216)2, 3 2-Wire Voice Grade Port, Centrevidiffer SWC_EBS-M6216)2, 3 2-Wire Voice Grade Port, Centrevidiffer SWC_EBS-M6216)2, 3 2-Wire Voice Grade Port, Centrevidiffer SWC_EBS-M6216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Centre - 600 Service 1-End			2-vviile voice Graue Fort (Gertile vuiller SVVC/LB3-W3312)2, 3	1	 	טבו שט	ULFQU	1.23	100.33	10.51	54.24	11.70		13.73	 	 	 	
2-Wire Voce Grade Part (Centrevidiffer SWC_FBS_M6209)2, 3 UEP90 UEP06 1.23 108.35 70.57 54.24 11.70 15.75 2-Wire Voce Grade Part (Centrevidiffer SWC_FBS_M6219)2, 3 UEP90 UEP07 1.23 108.35 70.57 54.24 11.70 15.75 1.75 2-Wire Voce Grade Part (Centrevidiffer SWC_FBS_M6219)2, 3 UEP90 UEP07 1.23 108.35 70.57 54.24 11.70 15.75 1.75 1.75 2-Wire Voce Grade Part, Diff Serving Wire Center - 800 Service UEP07 1.23 1.20			2-Wire Voice Grade Port (Centrey/differ SWC /ERS_MEDDO)2 2	l	1	LIEP9D	HEPO4	1 22	108 35	70.57	54.24	11 70		15.75	Ì	I	Ì	
2-Wire Voice Grade Port (Centrewidther SWC /EBS-MS216)2, 3	-		2 THIC TOICE CIAGE I OIL (CEITHENGHIE SWC/LBG-W3008)2, 3	1	1	0L1 3D	JL1 Q4	1.23	100.33	10.31	54.24	11.70	 	10.75	1	 	1	1
2-Wire Voice Grade Port (Centrewidther SWC /EBS-MS216)2, 3			2-Wire Voice Grade Port (Centrey/differ SWC /ERS_ME200\2 2	l	1	LIEP9D	LIEPO5	1 22	108 35	70.57	54.24	11 70		15.75	Ì	I	Ì	
2-Wire Votice Grade Port (Centrexidiffer SWC /EBS-M6316)2, 3	-		2 THIC TOICE CIAGE I OIL (CEITHENGHIE SWO/LDG-W3208)2, 3	1	1	0L1 3D	JL1 QJ	1.23	100.33	10.31	54.24	11.70	 	10.75	1	 	1	1
2-Wire Votice Grade Port (Centrexidiffer SWC /EBS-M6316)2, 3			2-Wire Voice Grade Port (Centrey/differ SWC /EBS MESSES)	l	1	LIEDOD	LIEDO6	1 22	100 25	70 F7	54.24	11 70		15 75	Ì	I	Ì	
2-Wire Voice Grade Port, Diff Serving Were Center - 800 Service UEP90	-		2-YVIIG VOICE GIAUE FOIL (CEITHEX/UIITEI SVVC /EDS-IVIS/210)2, 3	1	1	ひにており	ULFUO	1.23	100.35	10.01	54.24	11.70	 	15.75	1	 	1	1
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQ2 1,23 108.35 70.57 64.24 11.70 15.75			2-Wire Voice Grade Port (Centrey/differ SWC /ERS_ME216)2 2	l		LIEP9D	LIEPO7	1 22	108 35	70.57	54.24	11 70		15.75		1		
Term						OLF3D	ULFQI	1.23	100.33	10.51	34.24	11.70	-	13.73		-		
2-Wire Voice Grade Port terminated in on Megalink or equivalent						LIEDOD	HEDO7	1 22	100 25	70.57	54.24	11 70		15.75				
Local Swritching			TEIII			OLF3D	ULFQZ	1.23	100.33	10.51	34.24	11.70		13.73				
Local Swritching			2 Wire Voice Grade Port terminated in an Magalink or equivalent			LIEDOD	LIEBOO	1 22	40.21	10.94	24.00	6.59		15.75				
Local Switching Centrex Instruction Funtionality, per port UEP9D URECS 0.7947													-			-		
Centrox Intercom Funtionality, per port						OLF3D	ULFQZ	1.23	40.51	15.04	24.90	0.30	-	13.73		-		
Local Number Portability (1 per port)		LUCAI 3				LIEDOD	LIDECS	0.7047					1					
Local Number Portability (1 per port)		ocal N				OLF3D	UNLUG	0.7547										
Features						LIEDOD	LNPCC	0.35										
All Standard Features Offered, per port						OLF3D	LINECC	0.33					-	-		-		
All Select Features Offered, per port		cature				LIEDOD	HEDVE	2.56						15.75				
All Centrox Control Features Offered, per port UEP9D UEPVC 2.56 15.75									404.08									
NARS Unbundled Network Access Register - Combination UEP9D UARCX 0.00 0.00 0.00 15.75									404.30									
Unbundled Network Access Register - Combination UEPBD UARCX 0.00 0.00 0.00 0.00 15.75			All Gentiex Control Features Offered, per port			OLI 3D	OLI VO	2.50						13.73				
Unbundled Network Access Register - Inward UEP9D UARTX 0.00 0.00 0.00 15.75 UEP9D UARDX 0.00 0.00 0.00 0.00 15.75 UEP9D UARDX 0.00 0.00 0.00 0.00 UEP9D UARDX 0.00 0.00 0.00 UEP9D UARDX 0.00 0.00 UEP9D UARDX 0.00 0.00 UEP9D UARDX 0.00 0.00 UEP9D UARDX 0.00 0.00 UEP9D UARDX 0.00 UEP9D UEPPD		1AILO	Unbundled Network Access Register - Combination			LIEPAD	LIARCX	0.00	0.00	0.00				15.75				
Unbundled Network Access Register - Outdial UEP9D UAROX 0.00 0.00 0.00 15.75																		
Miscellaneous Terminations																		
2-Wire Trunk Side	n.			1	1	J_1 JD	3/11/3/	0.00	0.00	0.00				10.70		 		
Trunk Side Terminations, each				1	1		1									 		
4-Wire Digital (1.544 Megabits)				-	l	UEP9D	CEND6	8 25	120.00	18 85	61 77	3.88		15 75		-		
DS1 Circuit Terminations, each UEP9D M1HD1 58.41 203.19 96.25 74.86 2.54 15.75	4			1		02		3.20	.20.00	. 0.00	J,	3.00			1	<u> </u>		
DSO Channels Activated per Channel UEP9D M1HDO 0.00 14.56				1	1	UEP9D	M1HD1	58 41	203 19	96.25	74 86	2.54		15 75	1	t	1	1
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D IPQWS O.57 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D IPQWP O.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot				1	1					55.25	7 - 1.50	2.54		10.70	1	t	1	1
Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Frivate Line Loop Slot	lı			1	†			3.50				1			1	t	1	
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.57 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot		1		l	†	UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75	1	1	1	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations D4 Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.57				1	†						20	1		1	1	t	1	
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.57 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.57 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot	F	Feature		e	†	-						1			1	t	1	
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.57							1								İ	İ	İ	
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.57 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP9D 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57						UEP9D	1PQWS	0.57										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop																		
Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP9D 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57			Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9D	1PQW6	0.57								1		
Slot UEP9D 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP9D 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57			Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				l		UEP9D	1PQW7	0.57								1		
Different Wire Center UEP9D 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57 Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				l		UEP9D	1PQWP	0.57								1		
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					1													
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9D	1PQWV	0.57								1		
				l		UEP9D	1PQWQ	0.57								1		
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWA 0.57			Feature Activation on D-4 Channel Bank WATS Loop Slot		1							İ			İ	İ	İ	İ
Non-Recurring Charges (NRC) Associated with UNE-P Centrex	N	Non-Re			1		1					İ	1	1	İ	İ	İ	İ

UNBUNDI	LED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: C
		1	1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -		Charge -
											1				Charge -	
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	0500			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed							71441		71441						
				UEP9D	USAC2		0.10	0.10				15.75				
-	changes, per port		1													
	Conversion of existing Centrex Common Block, each		<u> </u>	UEP9D	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63					15.75				
UNE	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)										1					
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1					
	Port/Loop Combination Rates (Non-Design)	-	1								+					
UNE		+	 		+						 	-	 	 	-	
l l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1 .									I	1		1	1
	Non-Design	1	1	UEP9E		12.22]		ļ			ļ		
l l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	·1	1									I	1]	1
l l	Non-Design	1	2	UEP9E		17.13						I	1]	1
l l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	. [1				1	İ	ĺ		İ	1	l	
l l	Non-Design	1	3	UEP9E		26.26						I	1]	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		Ľ	OLI OL		20.20										
		1	4	UEP9E		44.91										
	Non-Design		4	UEP9E		44.91										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9E		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	02. 02		10.00										
	Design		3	UEP9E		28.78										
-			3	ULF 3L		20.70										├
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.			40.05										
	Design		4	UEP9E		46.95										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9E	UECS2	13.89										
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										
-			3	UEP9E		27.55										
-	2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>			UECS2											
	2-Wire Voice Grade Loop (SL 2) - Zone 4	1	4	UEP9E	UECS2	45.72										
	Port Rate	1									1	1		1]	
AL,	FL, KY, LA, MS, & TN only		L											<u> </u>	l	L
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
l l	Area	1	1	UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75	1]	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	v=	J. 15	1.20	70.01	10.04	24.50	0.00	1	10.70		1	1	—
1 1		1		UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75	1			1
 	Area	1	 	OLFSE	UEPIN	1.23	40.31	19.84	24.90	0.58	 	15.75		 		├
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEBOE	LIED. C.											1
	Center)2 Basic Local Area	1	<u> </u>	UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70	ļ	15.75				
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1										1	1			1
	Term - Basic Local Area	<u></u>	<u></u>	UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70	<u> </u>	15.75	<u> </u>	<u> </u>	<u> </u>	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t														
l l	- Basic Local Area	1	1	UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75	1]	1
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1	-	1	0			50	5.50	1	1	1	1	1	
l l	Basic Local Area	1	1	UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75	1]	1
		 	 	OLF #L	ULFIZ	1.23	40.31	19.04	24.90	0.38	1	15.75	 	1	 	
AL,	KY, LA, MS, & TN Only	1	1	LIEBOE	LIEBO A	4.00	40.01	10.01	04.00	0 =0	1	45.55	1	!	 	
	2-Wire Voice Grade Port (Centrex)	1	 	UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
ļļ_	2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75		ļ		
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2	1		UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	1	1	UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75	ĺ	1	l	1

LINDI	NDI E	D NETWORK ELEMENTS Mississingi												A		Exhi	
UNDU	NULE	D NETWORK ELEMENTS - Mississippi	1			1						Cua Ordar		Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+	-	Nonrec	urrina	Nonrecurring	Disconnect	-	l	066	Rates(\$)		
-						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
-		2-Wire Voice Grade Port Terminated in on Megalifix of equivalent			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58	-	15.75				
-	Local S	Switching			OLFBL	ULFQZ	1.23	40.51	15.04	24.50	0.56	-	13.73				
	Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
	I ocal N	Number Portability			OLI 3L	OILLOO	0.7347										
	Looui .	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1					
	Feature				OLI OL	LIVI CC	0.00										
		All Standard Features Offered, per port			UEP9E	UEPVF	2.56						15.75				
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98				1	15.75				
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56	404.00				1	15.75				
	NARS			1		52. 70	2.00						10.70		1		
—		Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0.00	0.00	0.00				15.75				
—	1	Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00				15.75				
	1	Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00				15.75		1		
	Miscell	aneous Terminations		1		5, 5,	0.00	0.00	0.00				10.70		1		
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
	4-Wire	Digital (1.544 Megabits)					0.20										
		DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56	00.20	7 1100	2.01		15.75				
	Interof	fice Channel Mileage - 2-Wire			02.02		0.00	1 1.00					10.70				
		Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0098										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		innel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57						15.75				
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57						15.75				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.57						15.75				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.57						15.75				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57						15.75				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9E	1PQWQ	0.57						15.75				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57						15.75				
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex						, and the second									
1	l	NRC Conversion Currently Combined Switch-As-Is with allowed															
<u></u>	ļ	changes, per port		<u> </u>	UEP9E	USAC2		0.10	0.10				15.75				
	ļ	Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN		37.97	16.68				15.75				
	ļ	New Centrex Standard Common Block		<u> </u>	UEP9E	M1ACS	0.00	666.32					15.75				
		New Centrex Customized Common Block		 	UEP9E	M1ACC	0.00	666.32					15.75				
		NAR Establishment Charge, Per Occasion		 	UEP9E	URECA	0.00	72.63					15.75		ļ		
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		<u> </u>													
<u> </u>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>													
<u> </u>	UNE P	ort/Loop Combination Rates (Non-Design)		<u> </u>		+											
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.	LIEDOO		40.00						1		Ì		
-	 	Non-Design		1	UEP93	+	12.22					-			-		
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOS		47.40						1		Ì		
<u> </u>	<u> </u>	Non-Design		2	UEP93	+	17.13										
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP93		26.20						1		Ì		
<u> </u>	<u> </u>	Non-Design		3	UEF93	+	26.26										
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	UEP93		44.91						1		Ì		
—	LINE D	Non-Design ort/Loop Combination Rates (Design)	-	4	UEP93	+	44.91						 		-		
-	ONE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+											
	1	Design		1	UEP93		15.12						1		Ì		
<u> </u>	l	Design	L		OLF30	1	15.12			l .		L	l		l		

IINRIINDI F	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Evhi	ibit: C
CHDONDE	- INTERVOLUE LEGISTIC - INTERPOSITORI				1						Svc Order		Incremental		Incremental	
			1								Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonred	rurring	Nonrecurring	Disconnect		I	OSS	Rates(\$)	I.	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+		rnat	Auu i	THOU	Auu i	JOINEC	JONAN	JONAN	JONAN	JOHAN	JONAN
	Design		2	UEP93		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			ULF 93		19.90					-					
	Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	ULF 93		20.70					-					
	Design		4	UEP93		46.95										
LINE	Loop Rate		4	UEP93		40.95					-					
UNE			1	UEP93	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2		UECS1											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		_	UEP93		15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68			1		1			-	-	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75			ļ					1	1	↓
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55			ļ					1	1	↓
ļ	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72			ļ					1	1	↓
	Port Rate		<u> </u>						ļ					1	1	↓
AL, K	Y, LA, MS, & TN only				<u> </u>											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				ĺ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															ĺ
	Center)2			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service												_			
	Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															1
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability		1													1
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35								İ	İ	1
Featu			1													1
	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15.75				1
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	2.56						15.75				1
NARS														İ	İ	1
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00			1	15.75		İ	İ	1
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.75		İ	İ	†
Misce	Illaneous Terminations						2.20	2.30						İ	İ	†
	e Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	e Digital (1.544 Megabits)				1	2.29			• • • • • • • • • • • • • • • • • • • •	2.30						
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
1	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56	00.20	50	2.57		15.75				
1	ffice Channel Mileage - 2-Wire					5.50	00		<u> </u>		-	.5.76				
lintero				•	1	22.52	40.77	27.57	17.26	7.11	1	15.75	1	1	1	1

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: C
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
							Dee	Nonrec	urring	Nonrecurrir	ng Disconnect			oss	Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0098										
i	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
i	D4 Ch	annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP93	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP93	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI SO	11 9,1171	0.07										
	1	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP93	USAC2		0.10	0.10				15.75				
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	1	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75				
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	2 - Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

CATEGORY The "Zc http://w OPERATIONAL NOTE: exhibit	D NETWORK ELEMENTS - North Carolina RATE ELEMENTS	Interi										Svc Order		Incremental		bit: C Incrementa
The "Zc http://w OPERATIONAL NOTE: exhibit	RATE ELEMENTS	Interi										SVC Order		incremental	mcremental	mcrementa
The "Zo http://w	RATE ELEMENTS	Interi														
The "Zo http://w	RATE ELEMENTS	Interi									Submitted		Charge -	Charge -	Charge -	Charge -
The "Zo http://w	RATE ELEMENTS		l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
http://w OPERATIONAL NOTE: (exhibit		m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
http://w OPERATIONAL NOTE: (exhibit												-	Electronic-	Electronic-	Electronic-	Electronic-
http://w OPERATIONAL NOTE: (exhibit													1st	Add'l	Disc 1st	Disc Add'l
http://w OPERATIONAL NOTE: (exhibit															2.00 .00	2.007.144.
http://w OPERATIONAL NOTE: (exhibit						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
http://w OPERATIONAL NOTE: (exhibit						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
http://w OPERATIONAL NOTE: (exhibit	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	eographically	Deaveraged UI	NE Zones. To	view Georgrap	hically Deave	raged UNE Zon	e Desiganti	ons by C O.	refer to Inter	net Website:		
OPERATIONAL NOTE: exhibit NOTE:	vww.interconnection.bellsouth.com/become a clec/html/inter															
NOTE: (exhibit NOTE: (L SUPPORT SYSTEMS	100111100		"												
exhibit NOTE:	(1) Electronic Service Order: CLEC should contact its contract	ct nego	iator if	it profess the state	enecific elect	tronic service o	rdering charge	e as ordered b	ov the State Co	mmissions T	he electron	ic service or	dering charg	e currently co	ntained in thi	e rato
NOTE:																is rate
	is the BellSouth regional electronic service ordering charge.	CLEC	nay ele	ct eitner the state s	pecific Com	nission ordered	rates for the e	electronic serv	ice ordering c	narges, or CLE	C may elect	the regiona	ai electronic s	service orderii	ig charge.	
	(2) Any element that can be ordered electronically will be bill	led acco	rding t	o the SOMEC rate I	isted in this o	category. Pleas	e refer to Bells	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	an be ordere	d electronical	ly. For
those e	elements that cannot be ordered electronically at present per															
	ng charge, SOMAN, will be applied to a CLECs bill when it sub				c iii tiiis oate	gory remedia in	o onargo mar v	rould be billet	10 0 0220 01	oc cicoti oino c	racing out	Jabilities co	inc on mic io	i tilat ciciliciii	. Other wise,	ine manaai
Orderin		Dillits at	LON	benouth.	1	1			1	1				1		1
1 1 '	Electronic OSS Charge, per LSR, submitted via BST's OSS	1	1		SOMEC		2.50				I]		1]
LINE OFFICE	interactive interfaces (Regional)	<u> </u>			SUMEC		3.50			1	1			1		ļ
	DATE ADVANCEMENT CHARGE	<u> </u>	<u> </u>		<u> </u>	L.,			ļ		ļ			ļ		ļ
NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appli	cable.										
1 1 '	UNE Expedite Charge per Circuit or Line Assignable USOC, per		1						Ì	Ì	l]		Ì		1
<u></u> '	Day	<u> </u>	<u></u>	ALL UNE	SDASP	<u> </u>	200.00		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>
UNBUNDLED F	EXCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37					26.94	12.76		
	Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	33.03	76.24	42.57					26.94	12.76		
					· · · - · ·											
\vdash	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51						26.94	12.76		
1 '	CLEC to CLEC Conversion Charge Without Outside Dispatch															
<u> </u>	(UVL-SL1)			UEANL	UREWO		15.76	8.93					26.94	12.76		
1 '	Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
	billing for BST providing make-up			UEANL	UEANM		28.74	28.74								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Order Coordination for Specified Conversion Time for UVL-SL1															
1 '	(per LSR)			UEANL	OCOSL		45.34									
2-WIRE	Unbundled COPPER LOOP															
 	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76		
 	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		-	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76		
			3	UEQ	UEQZX	27.58	35.27	15.60					26.94	12.76		
1 '	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
<u> </u>	Designed (per loop)			UEQ	USBMC		45.34									
1 1 '	Unbundled Copper Loop, Non-Designed Billing for BST		1						Ì	Ì	l]		Ì		1
<u> </u>	providing make-up	1		UEQ	UEQMU		28.74	28.74					26.94	12.76		
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24						26.94	12.76		
1	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51						26.94	12.76		
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
1 1 '	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76		
UNBUNDI ED F	EXCHANGE ACCESS LOOP				1	1	0		1		i	i				1
	E ANALOG VOICE GRADE LOOP	1			1	t - 1					 					1
Z-WIRE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 			+	1			 	 	 			 		
1 1 '	Zone 1	1	1	UEPSR UEPSB	UEALS	12.11	57.99	42.37			I]	26.94	12.76]
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		OLF ON OEFOD	ULALO	12.11	57.89	42.37			-		20.94	12.70		-
1 1 '				LIEDOD LIEDOS	115450											
 '	Zone 1	1	1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	ļ		ļ		26.94	12.76		ļ
1 1 '	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				l											
	Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37					26.94	12.76		
1 1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										i					1
L'	Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	21.24	57.99	42.37					26.94	12.76		<u> </u>
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
1 1 '	Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37					26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
1 1 '	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37					26.94	12.76		
	poop Rates for Line Splitting	1	Ť		1	33.55	000	.2.37	†	 	 	1	20.04	.20		1
UNFLO	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	+	1	UEPRX	UEPLX	13.03	2.77	0.40	42.95	9.85				 		
UNE Lo		<u> </u>						0.40	42.95	9.65	1			1	ı	ļ
UNE LC					IIIEDI V	24 22	2 77	0.40	40.05	0.05						
UNE Lo	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX UEPRX	UEPLX UEPLX	21.33 32.61	2.77 2.77	0.40 0.40	42.95 42.95	9.85 9.85						

HINRH	NDI EI	NETWORK ELEMENTS - North Carolina												Attachment:	2	Evhil	bit: C
UNBU	NDLL	NETWORK ELEMENTS - NOITH Calonna	I									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				-				
CAILG	OKI	RATE ELEMENTS	m	Zone	B03	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	urrina	Nonrecurring Dis	connect			066	Rates(\$)		
						-	Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2 M/IDE	ANALOG VOICE GRADE LOOP				-		FIISL	Auu i	riist	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
-	Z-WIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				-					-						
				1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76		1
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	-	UEA	UEALZ	14.97	142.97	100.30					26.94	12.76		
				2	UEA	UEAL2	25.93	142.97	400 50					20.04	12.76		1
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		UEA	UEALZ	25.93	142.97	106.56					26.94	12.76		
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76		1
		Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	OCOSL	40.61	45.34	100.30					26.94	12.76		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UCUSL		45.34									
		Battery Signaling - Zone 1		4	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76		1
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		OLA	ULARZ	14.97	142.97	100.00					20.94	12.70		i
		Battery Signaling - Zone 2	1	2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76		i
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		OLA	OLANZ	25.95	142.97	100.56					20.94	12.70		
		Battery Signaling - Zone 3	1	3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76		i
		Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	40.01	45.34	100.00	 				20.94	12.70		
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33		-			26.94	12.76		
\vdash	4-WIDE	ANALOG VOICE GRADE LOOP	 	1	OLA	OINEVVO		07.04	30.33					20.94	12.70		i
	4-VVIINL	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.32	288.47	237.45		-			26.94	12.76		
		4-Wire Analog Voice Grade Loop - Zone 1		2		UEAL4	36.27	288.47	237.45		-			26.94	12.76		
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	56.57	288.47	237.45		-			26.94	12.76		
		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.37	45.34	237.43					26.94	12.76		
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76		
	2.WIDE	ISDN DIGITAL GRADE LOOP			OLA	UKLVVO		07.04	30.33		-			20.54	12.70		
	Z-VVINL	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76		
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76		
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	51.14	325.91	251.31					26.94	12.76		
		Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	31.14	45.34	201.01					20.34	12.70		
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76		
	2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIT	OILLIVO		01.00	77.12					20.04	12.70		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				+					+						
		1		1	UDC	UDC2X	19.42	325.91	251.31					26.94	12.76		1
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		•	000	ODOZX	10.72	020.01	201.01					20.04	12.70		i
		2		2	UDC	UDC2X	32.88	325.91	251.31					26.94	12.76		1
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_	020	OBOLA	02.00	020.01	201.01		+			20.01	12.10		
		3		3	UDC	UDC2X	51.14	325.91	251.31					26.94	12.76		1
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO	51.14	91.55	44.12					26.94	12.76		
	2-WIRF	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP				000	12					20.04	.2.70		i
		2 Wire Unbundled ADSL Loop including manual service inquiry				+								1	1		
		& facility reservation - Zone 1	1	1	UAL	UAL2X	11.00	264.71	145.60						Ì		i
		2 Wire Unbundled ADSL Loop including manual service inquiry				1								İ	İ		
		& facility reservation - Zone 2	1	2	UAL	UAL2X	18.39	264.71	145.60						Ì		i
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								1
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76		1
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2	1	2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76		i
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3	<u>L_</u>	3	UAL	UAL2W	28.42	190.25	114.82	<u> </u>				26.94	12.76		1
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76		
1	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													1
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	9.01	284.74	163.54					0.00	0.00		l
ı		2 Wire Unbundled HDSL Loop including manual service inquiry			_			_									
I		& facility reservation - Zone 2	<u>L_</u>	2	UHL	UHL2X	14.87	284.74	163.54	<u> </u>				0.00	0.00		<u> </u>
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	22.82	284.74	163.54					0.00	0.00		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2	Exhi	bit: C
0.1.201.1222										Svc Order	Svc Order	Incremental			Incremental
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring Disconne	ct	1	oss	Rates(\$)		ı
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	9.01	207.48	132.05				26.94	12.76		
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		- '	UNL	UHLZVV	9.01	207.40	132.05				20.94	12.76		
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05				26.94	12.76		
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05				26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34	10.00				22.21	10.70		
4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOB	UHL	UREWO		86.06	40.36				26.94	12.76		
4-vviRt	4 Wire Unbundled HDSL Loop including manual service inquiry	IDLE	LOUP		+					+	+				
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45		1					
	4-Wire Unbundled HDSL Loop including manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45							
	4-Wire Unbundled HDSL Loop including manual service inquiry		3			07.0	044.0=	200 /=							
-	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL4X OCOSL	27.24	341.65 45.34	220.45			-				
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFF	OCOGL		43.34								
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96				26.94	12.76		
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				26.94	12.76		
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4W	27.24	204.20	400.00				26.94	12.76		
-	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	21.24	264.39 45.34	188.96				26.94	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76		
4-WIRE	DS1 DIGITAL LOOP						33.00								
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	47.60	714.84	421.47				42.19	12.76		
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	84.36	714.84	421.47				42.19	12.76		
-	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	134.29	714.84 48.31	421.47				42.19	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.99	43.00				26.94	12.76		
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51				26.94	12.76		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51				26.94	12.76		
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL	UDL19 UDL56	67.26 25.32	489.04 489.04	337.51 337.51				26.94 26.94	12.76 12.76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	43.11	489.04	337.51				26.94	12.76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489.04	337.51		1		26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51				26.94	12.76		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL UDL	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51 337.51		+		26.94 26.94	12.76 12.76		
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	67.∠6	489.04 45.34	337.51		+	+	20.94	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70				26.94	12.76		
2-WIRE	Unbundled COPPER LOOP														
	2-Wire Unbundled Copper Loop/Short including manual service														
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75							
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75		1					
	2 Wire Unbundled Copper Loop/Short including manual service		 		552. 5	22.03	202.00	1-10.70							
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		4	UCL	UCLPW	13.26	188.39	112.96		1		26.94	12.76		
	2-Wire Unbundled Copper Loop/Short without manual service		-	OOL	JOLF W	13.20	100.39	112.90		+	1	20.94	12.70		
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96		1		26.94	12.76		
	2-Wire Unbundled Copper Loop/Short without manual service														
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		61.38	61.38]			l]		l

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
ONDONDEE											Svc Order	Svc Order		Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu i	DISC ISI	DISC Add I
						Rec	Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															ĺ
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	13.26	262.86	143.75								<u> </u>
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															[
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	22.39	262.86	143.75								L
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															i .
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	34.80	262.86	143.75								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2-Wire Unbundled Copper Loop/Long - without manual service															i .
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	13.26	188.39	112.96					26.94	12.76		
	2-Wire Unbundled Copper Loop/Long - without manual service		_													i .
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	22.39	188.39	112.96					26.94	12.76		
	2-Wire Unbundled Copper Loop/Long - without manual service		_											40 =0		i .
	inquiry and facility reservation - Zone 3	ļ	3	UCL	UCL2W	34.80	188.39	112.96					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch													40 =0		i
4 14/15	(UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76		+
4-WIRI	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry				1101.40	47.00	044.00	404.00								1
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								
	4-Wire Copper Loop/Short - including manual service inquiry		2	UCL	1101.40	00.04	044.00	404.00								1
	and facility reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4-Wire Copper Loop/Short - including manual service inquiry		3	UCL	UCL4S	40.00	311.03	191.93								1
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	46.26	61.38	61.38								
	4-Wire Copper Loop/Short - without manual service inquiry and			UCL	UCLIVIC		01.30	01.30			-					
	facility reservation - Zone 1		4	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76		1
	4-Wire Copper Loop/Short - without manual service inquiry and		-	UCL	UCL4VV	17.30	230.37	101.14					20.94	12.70		—
	facility reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76		i .
	4-Wire Copper Loop/Short - without manual service inquiry and		-	002	OOLTIV	20.01	200.01	101.14					20.04	12.70		
	facility reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14					26.94	12.76		1
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	40.20	61.38	61.38					20.34	12.70		—
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	COLINO		01.00	01.00								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	17.36	311.03	191.93								i .
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	29.61	311.03	191.93								i
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	1			7-7-		200			†				İ		
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	46.26	311.03	191.93								1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								ſ
	4-Wire Unbundled Copper Loop/Long - without manual svc.															ſ
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL4O	17.36	236.57	161.14		<u>[</u>	<u></u>	<u></u>	26.94	12.76		<u> </u>
	4-Wire Unbundled Copper Loop/Long - without manual svc.						_									1
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	29.61	236.57	161.14		<u> </u>			26.94	12.76		<u> </u>
	4-Wire Unbundled Copper Loop/Long - without manual svc.															1
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	46.26	236.57	161.14					26.94	12.76		!
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch				l							1		Ì		1
	(UCL-Des)			UCL	UREWO		97.14	42.44								
LOOP MODIFI	CATION									ļ						
				UAL, UHL, UCL,								1		1		1
				UEQ, ULS, UEA,								1		Ì		1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,	l							1		Ì		1
	pair less than or equal to 18k ft	1		UDN, UDL, USL	ULM2L		21.24	21.24		ļ				ļ		
	Unbundled Loop Modification, Removal of Load Coils - 2 wire						440.04	440.01								1
\vdash	greater than 18k ft	-		UCL, ULS, UEQ	ULM2G		119.24	119.24		ļ						⊢—
	Unbundled Loop Modification Removal of Load Coils - 4 Wire						04.04	04.04				1		Ì		1
	less than or equal to 18K ft	1		UHL, UCL	ULM4L		21.24	21.24		-		 		-		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			LICI	LILMAG		440.04	440.04				1		Ì		1
	pair greater than 18k ft			UCL	ULM4G		119.24	119.24]		1	l	l			1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring Dis					Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		24.84	24.84								
SUB-LOOPS																
Sub-	Loop Distribution															ļ
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	Ι	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	9.70	137.10	60.24					26.94	12.76		ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.	<u> </u>	UEF	USBMC	0.50	61.38	61.38					20.01	10.70		<u> </u>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF UEF	UCS4X UCS4X	6.58 10.51	162.24 162.24	85.38 85.38					26.94 26.94	12.76 12.76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF	UCS4X UCS4X	15.84	162.24	85.38 85.38					26.94 26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
Unbu	Indled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		124.51	1.82					26.94	12.76		
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		124.51	1.82					26.94	12.76		
	Tap Removal, per PR unloaded		<u> </u>	UEF	ULM4T		249.25	47.30					26.94	12.76		
Unbu	Indled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		 	UENTW	UENPP	0.4351	64.98									
Netw	ork Interface Device (NID)			OLIVIV	OLINEE	0.4001	04.90									
	Network Interface Device (NID) - 1-2 lines	I	1	UENTW	UND12		86.37	56.69					26.94	12.76		1
	Network Interface Device (NID) - 1-6 lines	ı		UENTW	UND16		127.93	98.21					26.94	12.76		1

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
	Ī											Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							D	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		11.68	11.68					26.94	12.76		
		Network Interface Device Cross Connect - 4W	- 1		UENTW	UNDC4		11.68	11.68					26.94	12.76		
SUB-LOOP:	S																
Sub	b-Loc	p Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		373.57									
	- 1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	:	set-up			UDN,UCL,UDL,UDC	USBFX		33.78	33.78								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.51	11.31					19.99	19.99		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice							<u> </u>								
		Grade - Zone 1		1	UEA	USBFA	10.41	122.52	46.61					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice							·								
		Grade - Zone 2		2	UEA	USBFA	17.31	122.52	46.61		1			26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,							·								
		Voice Grade - Zone 3		3	UEA	USBFA	26.67	122.52	46.61					26.94	12.76		
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45.34			1						
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	l								1						
		Grade - Zone 1		1	UEA	USBFB	10.41	122.52	46.61					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
		Grade - Zone 2		2	UEA	USBFB	17.31	122.52	46.61					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
		Grade - Zone 3		3	UEA	USBFB	26.67	122.52	46.61					26.94	12.76		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.34									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
		Voice Grade - Zone 1		1	UEA	USBFC	10.41	122.52	46.61					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		_				400 =0							40 =0		
		Voice Grade - Zone 2		2	UEA	USBFC	17.31	122.52	46.61					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		_				400 =0							40 =0		
-		Battery, Voice Grade - Zone 3		3	UEA UEA	USBFC	26.67	122.52	46.61					26.94	12.76		
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		4	UEA	USBFD	19.96	226.36	144.28					26.94	12.76		
-		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<u> </u>	UEA	USBFD	19.90	220.30	144.20					20.94	12.70		
		Grade - Zone 2		2	UEA	USBFD	33.91	226.36	144.28					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	03617	33.91	220.30	144.20			1		20.54	12.70		
		Grade - Zone 3		3	UEA	USBFD	52.85	226.36	144.28					26.94	12.76		
		Order Coordination For Specified Conversion Time, Per LSR		-	UEA	OCOSL	02.00	45.34	144.20		-	1		20.04	12.70		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OCCCE		40.04									
		Grade - Zone 1	l	1	UEA	USBFE	19.96	226.36	144.28		1		1	26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1	t i							1						
1 1		Grade - Zone 2	l	2	UEA	USBFE	33.91	226.36	144.28		1			26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				1											
1 1		Grade - Zone 3	l	3	UEA	USBFE	52.85	226.36	144.28		1		1	26.94	12.76		
	-	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.24	202.01	105.88					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	29.17	202.01	105.88					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	45.37	202.01	105.88					26.94	12.76		
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.34									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.24	202.01	105.88					26.94	12.76		
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	29.17	202.01	105.88					26.94	12.76		
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	45.37	202.01	105.88					26.94	12.76		
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	35.65	393.01	153.37					42.19	12.76		
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2		USBFG	63.18	393.01	153.37		1			42.19	12.76		
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	100.58	393.01	153.37		1			42.19	12.76		
\vdash		Order Coordination For Specified Conversion Time, Per LSR		 	USL	OCOSL		48.31			 						
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	 	1	UCL	USBFH	9.14	172.89	90.81					26.94	12.76		
1 1	- [Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l	1 _		LIODE: :		4=0.0-			1		1				
		2	1	2	UCL	USBFH	14.90	172.89	90.81	l	1		l	26.94	12.76		

LINELINDI E	D NETWORK ELEMENTS - North Carolina												Attachments	<u> </u>	Evhil	bit: C
UNBUNDLE	D NETWORK ELEMENTS - NOTHI Carollila	1	1	I							Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	B03	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				+		THOL	Auu i	11130	Auu i	JONEC	JONAN	JOHIAN	JONAN	JOINAIN	JOHAN
	2		3	UCL	USBFH	22.71	172.89	90.81					26.94	12.76		I
	Order Coordination For Specified Conversion Time, per LSR		J	UCL	OCOSL	22.71	45.34	30.01					20.34	12.70		
 	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.41	207.14	134.77	1				26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	22.42	207.14	134.77					26.94	12.76		
+	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	34.66	207.14	134.77					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL	0 1.00	45.34						20.01	12.70		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	24.27	215.00	132.92					26.94	12.76		
h + + + + + + + + + + + + + + + + + + +	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	65.02	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1	Ť	· · -		33.32	2.0.00	.02.02					23.54	.20		
	Zone 1	1	1	UDL	USBFO	24.27	215.00	132.92]				26.94	12.76		I
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2	1	2	UDL	USBFO	41.55	215.00	132.92					26.94	12.76		I
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	1	-	- ·-	1	50	2.0.00	.02.02					20.04	.20		i
	Zone 3	1	3	UDL	USBFO	65.02	215.00	132.92]				26.94	12.76		I
	Order Coordination For Specified Time Conversion, per LSR		Ť	UDL	OCOSL	00.02	45.34	102.02					20.01	12.70		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1													
	Zone 1		1	UDL	USBFP	24.27	215.00	132.92					26.94	12.76		I
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	41.55	215.00	132.92					26.94	12.76		I
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			052	002	11.00	210.00	102.02					20.01	12.70		
	Zone 3		3	UDL	USBFP	65.02	215.00	132.92					26.94	12.76		I
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.34									
SUB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	16.03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	ı		UE3	USBF1	350.32	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - STS-1 - Per Mile Per Month	1		UDLSX	1L5SL	16.03										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	ı		UDLSX	USBF7	376.06	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-3 - Per Mile Per Month	-		UDLO3	1L5SL	12.16										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	- 1		UDLO3	USBF5	56.60										I
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	1		UDLO3	USBF2	564.14	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-12 - Per Mile Per Month	ı		UDL12	1L5SL	14.97										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month	- 1		UDL12	USBF6	639.50										l .
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,841.00	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	49.10										<u> </u>
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	1			1								1			I
\vdash	Month		<u> </u>	UDL48	USBF9	319.92			ļ				.			
\vdash	Sub Loop Feeder - OC-48 - Facility Termination Per Month	I		UDL48	USBF4	1,603.00	3,585.57	406.81	160.39	90.92			26.94	12.76		
<u> </u>	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	360.95	804.30	406.81	160.39	90.92			26.94	12.76		
UNBUNDLED	LOOP CONCENTRATION	ļ			1				ļ				ļ	ļ		
\vdash	Unbundled Loop Concentration - System A (TR008)	ļ	<u> </u>	ULC	UCT8A	398.41	652.26	652.26	ļ				.	ļ		
\vdash	Unbundled Loop Concentration - System B (TR008)	!	<u> </u>	ULC	UCT8B	58.36	271.78	271.78								
\vdash	Unbundled Loop Concentration - System A (TR303)	ļ	<u> </u>	ULC	UCT3A	439.73	652.25	652.26	ļ				.	ļ		
	Unbundled Loop Concentration - System B (TR303)	!	<u> </u>	ULC	UCT3B	98.34	271.78	271.78	00.05	0.10						
\vdash	Unbundled Loop Concentration - DS1 Loop Interface Card	!		ULC	UCTCO	5.52	126.85	92.35	33.65	9.42			-			-
	Unbundled Loop Concentration - ISDN Loop Interface (Brite	1		LIDNI	004	^ 	24.44	04.00	40.01	40 = 1			1			I
	Card)	1	<u> </u>	UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			 	1		-
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1		LIDO		^ 	24.44	04.00	40.01	40 = 1			1			I
\vdash	Card)	<u> </u>	<u> </u>	UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			-	 		
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	1			000								1			I
\vdash	Ground Start Loop Interface (POTS Card)	!	ļ	UEA	ULCC2	0.89	35.73	35.49					-			-
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1	1			10.00	04.44	04.00	40.0.	10 = 1			I	1		I
\vdash	Loop Interface (SPOTS Card)	!	 	UEA	ULCCR	13.03	21.11	21.00	10.81	10.74			!	 		
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface	1	1	UEA	ULCC4	7.77	21.11	21.00	10.81	10.74	1	1				I
	(Specials Card)	1	1	UĽA	ULUU4	1.11	21.17	21.00	10.81	10.74	<u> </u>	<u> </u>	1	1		

CATEGORY RATE ELEMENTS Italia September Sept	UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	ibit: C
March Marc				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -
Information Lago Concentration 1996 18 (1990 to 1996 1996 to 1996 1996 to 1996 1996 to 1996 1996 to 1996 t							Poc	Nonrec	curring								
Unitered Loop Contention - Digital 5 A Right Data Loop U.D.												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interface Inte					ULC	UCTTC	37.98	21.11	21.00	10.81	10.74						
Universalized Logo Concernmentor - Digital of Nipso Deal Logo UDC ULCCB 11.51 21.11 21.00 10.01 10.74					LIDI	111.007	11 51	24 44	24.00	10.91	10.74						
Internation United Unite					ODL	ULCCI	11.51	21.11	21.00	10.61	10.74						
Interface U.C. U.		Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74						
DIR OTHER, PROVISIONING ONLY - NO RATE DIR NO.					LIDI	LILCCE	11 51	21 11	21.00	10.81	10.74						
NRT - Disporth and Services Order for Not prolatilation URSTY URSCY 0.00 0.00	LINE OTHER				ODL	OLCCO	11.51	21.11	21.00	10.61	10.74						
URTY Creal BE Establishment, Proteining Only - No Rate UENTY UENCE 0.00	JILL OTTIER,				HENTW	LINDRX	0.00	0.00									
Dishounded Contact Nerte, Provisioning Only - No Rate																	+
UNBOTHER, PROVISIONE ONLY - NO KATE		ONTW Circuit id Establishment, Flovisioning Only - No Rate				OLINGE	0.00	0.00									
Unburdied Content Name, Prosisioning Only - nor rate Unburdied Sub-Loop Feeder-4 Wire Cross Box Jumper - no Industrial Sub-Loop Feeder-4 Wire Cross Box Jumper - no Industrial Sub-Loop Feeder-4 Wire Cross Box Jumper - no Industrial Sub-Loop Feeder-4 Wire Cross Box Jumper - no Unburdied		Unbundled Contract Name Provisioning Only - No Reto	l			LINECN	0.00	0.00							Ì		
Description	LINE OTHER		1	 	F141 AA	OINLOIN	0.00	0.00		1		}	 		1		
Unkumunded Sub-Loop Feeder 4 Wire Cross Box Jumper - no	ONE OTHER,	FROVISIONING ONET - NO RATE															-
Intel		Unbundled Contact Name, Provisioning Only - no rate				UNECN	0.00	0.00									
Unbundled Study - Logo Federal - Wire Cross Box Jumpen - no rate Unbundled DSI Logo - Superframe Format Option - no rate USI.					UEA UDN UCL UDC	USBEO	0.00	0.00									
Unburneled DST Loop - Expanded Superframe Format Option - no rate USL CCOSF 0.00 0.																	
Unbundled DST Loop - Expanded Superframe Format option - USL																	
Increase USL CCCEF CO.00 CO.					USL	CCOSF	0.00	0.00									
HIGH CARACITY UNBUNDLED LOCAL LOOP																	
High Capabily Unbundled Local Loop - DS3 - Part Mile per					USL	CCOEF	0.00	0.00									
month	HIGH CAPAC																
High Capacity Unbundled Local Loop - DS3 - Facility UE3					I IE3	11 5ND	13 33										
Might Capacity Unbundled Local Loop - STS-1 - Facility UDLSX UDL		High Capacity Unbundled Local Loop - DS3 - Facility						1,071.00	646.12					53.48	53.48		
High Capacity Unbundled Local Loop - STS-1 - Facility UDLSX					LIDLOV	41.5110	40.00										
Termination per month					UDLSX	1L5ND	13.33										
Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 181.18 631.54 31.27 26.94 12.76 Line Sharing Splitter, per System 6. Line Sharing Splitter, per System 6. Line Sharing Splitter, per System 6. Line Sharing Splitter per Line Capacity ULS ULSDA 12.76 Line Sharing Splitter per Line Characterion (Per LSDD) ULS ULSDA 146.32 31.27 26.94 12.76 Line Sharing Splitter per LSDD ULS ULSDA 146.32 31.27 26.94 12.76 Line Sharing Splitter per System 6. Line Capacity ULS ULSDA 12.76 Line Sharing Splitter per System 6. Line Capacity ULS ULSDA 12.76 Line Sharing Splitter per System 6. Line Capacity ULS ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA ULSDA 12.76 Line Sharing Splitter per LSDD ULSDA					UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
Spare facility queried (Manual).	LOOP MAKE-	UP						,									1
Queried (Manual).		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
Licop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)					UMK	UMKLP		55.73	55.73								
HIGH FREQUENCY SPECTRUM		Loop MakeupWith or Without Reservation, per working or															
LINE SHARING			ļ	<u> </u>	UMK	PSUMK		0.6960821	0.6960821					ļ			
SPLITTERS-CENTRAL OFFICE BASED			 	ļ								1		ļ			_
Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 181.18 631.54 31.27 26.94 12.76			<u> </u>	<u> </u>						ļ							
Line Sharing Splitter, per System 24 Line Capacity	SPLIT		<u> </u>	<u> </u>	111.0	LII CDA	404.40	001 51	01.0=					00.01	10.70		
Line Sharing Splitter, Per System, 8 Line Capacity 1			 	ļ								1					_
Line Sharing Splitter - per Line Activation in the Remote Terminal (RT)			<u> </u>	ļ								1					_
Terminal (RT)				<u> </u>	ULS	ULSD8	12.73	424.61	0.00	1		1		26.94	12.76		
DLS ULSDG 146.32 31.27 26.94 12.76		Terminal (RT)			ULS		2.23	122.12	48.05					26.94	12.76		
END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING Line Sharing - per Line Activation (BST Owned Splitter) ULS ULSDC U.SDC		deactivation (per LSOD)				ULSDG		146.32	31.27					26.94	12.76		
Line Sharing - per Line Activation (BST Owned Splitter)	END I	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM	AKA LINE SHARING												
Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter ULS ULSDS 35.42 16.57 25.33 2.53		Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	54.71	28.77					25.33	2.53		
Rearrangement(DLEC Owned Splitter		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter				ULSDS		35.42	16.57					25.33	2.53		
Line Sharing - per Line Activation (DLEC owned Splitter) I ULS ULSCC 0.61 47.44 19.31 26.94 12.76 LINE SPLITTING END USER ORDERING-CENTRAL OFFICE BASED																	
LINE SPLITTING END USER ORDERING-CENTRAL OFFICE BASED																	1
END USER ORDERING-CENTRAL OFFICE BASED				<u> </u>	ULS	ULSCC	0.61	47.44	19.31	ļ				26.94	12.76		ļ
			ļ	<u> </u>										ļ			
	END (Line Splitting - per line activation DLEC owned splitter	<u> </u>	1	UEPSR UEPSB	UREOS	0.61			ļ		1		1	ļ		_

LINDI	INDI E	D NETWORK ELEMENTS - North Carolina												Attachment	•	Exhi	hit. C
UNDU	INDLE	D NETWORK ELEMENTS - NORTH CAROLINA	I	1	I							Syc Order		Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -		Charge -
												Elec		Manual Svc	Manual Svc	Charge - Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
OAIL		KATE EEEMERTO	m		500	0000			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Splitting - per line activation BST owned - physical	I		UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
		Line Splitting - per line activation BST owned - virtual	- 1		UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
		TE SITE HIGH FREQUENCY SPECTRUM															
	SPLITT	TERS-REMOTE SITE	<u> </u>				20.40	101.01									
		Remote Site Line Share BellSouth Owned Splitter, 24 Port	I		ULS	ULSRB	38.18	424.61	0.00					26.94			
		Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation	١.,		ULS	ULSTG		74.38	0.00					26.94			
	END H	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	M AKA	DEMOT				74.30	0.00					26.94			
	LIND O	Remote Site Line Share Line Activationfor End User Served at	W AINA	L	L OTTE LINE OTTAKI	1					†						
		RS, BST Splitter	1		ULS	ULSRC	0.61	56.92	28.59					26.94	12.76		
		RS Line Share Line Activation for End User served at RS, CLEC	L .			220.10	5.01	00.02	20.00		1			20.04	.2.70		
		Splitter	1	1	ULS	ULSTC	0.61	56.92	28.59		I		1	26.94	12.76		
UNBUN		DEDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths	•								•
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
1		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1			41 => 0 :					1		1		1		
<u> </u>	ļ	Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			11477.07	11477.60	40.00	407.40	50.50					00.07	00.07		
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
-		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTIVA	ILSAA	0.0125										
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			OTTVX	OTTIVE	10.00	107.40	02.00					00.07	00.07		
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	1L5XX	0.0282										
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<u> </u>	U1TDX	ILSXX	0.0282										
		Termination			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	†	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	†		5.1DA	31120	17.70	107.40	JZ.J0	1	-		 	30.07	30.07		
1		month	1	1	U1TD1	1L5XX	0.5753				I		1		1		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1				2.2.20				1				Ì		
		Termination			U1TD1	U1TF1	71.29	217.17	163.75		1			38.07	38.07		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
L		month			U1TD3	1L5XX	12.98										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			l	1					1						
<u> </u>	ļ	Termination per month	ļ		U1TD3	U1TF3	720.38	794.94	579.55	ļ				91.26	91.26		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			LIATOA	41.530					1						
	<u> </u>	month	<u> </u>		U1TS1	1L5XX	6.14			1	_				-		
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	1	1	U1TS1	U1TFS	790.37	642.23	408.89		I		1	53.48	53.48		
-	LOCAL	. CHANNEL - DEDICATED TRANSPORT			01101	01113	130.31	042.23	400.09		 			33.40	33.40		
-		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a perio	d - beld	ow DS3=one month	DS3/STS-1=	four months			+	+						
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	J p 50		ULDVX	ULDV2	11.24	553.80	89.69		<u> </u>			42.17	12.76		
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	19.91	553.80	89.69					42.17	12.76		
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	31.70	553.80	89.69					42.17	12.76		
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	UNDVX	ULDV4	12.03	562.23	92.67					42.17	12.76		
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	UNDVX	ULDV4	21.33	562.23	92.67					42.17	12.76		
ļ	ļ	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3	ļ	3	UNDVX	ULDV4	33.95	562.23	92.67		ļ			42.17	12.76		
	<u> </u>	Local Channel - Dedicated - DS1 - Zone 1	<u> </u>	1	ULDD1	ULDF1	27.05	534.48	462.69	ļ				86.15	1.77		
	 	Local Channel - Dedicated - DS1 - Zone 2	 	2	ULDD1 ULDD1	ULDF1 ULDF1	47.94	534.48 534.48	462.69	1	1			86.15	1.77		
\vdash	 	Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month	 	3	ULDD1 ULDD3	1L5NC	76.32 0.9954	534.48	462.69	1	 			86.15	1.77		
	<u> </u>	Lucai Chairnei - Dedicaled - Do3 - Per Mile per month	<u> </u>	1	บะบบง	TLOING	0.9954				l	<u> </u>	L	L	1		

CATEGORY	D NETWORK ELEMENTS - North Carolina RATE ELEMENTS	Interi m									Svc Order		Attachment: Incremental		Incremental	bit: C Incremental
CATEGORY	RATE ELEMENTS										SVC Sidel	JVC Jiudi	oremental	c.ciliciidi	c.c.memd	·····
CATEGORY	RATE ELEMENTS										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS		1								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
		m	Zone	BCS	usoc			RATES(\$)				per LSR		Order vs.	Order vs.	Order vs.
					-300						per LSR	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
	<u> </u>					Don I	Nonrec	urring	Nonrecurring Dis	sconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	298.92	562.25	527.88					56.25	56.25		
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	0.9954										ĺ .
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		<u> </u>
DARK FIBER																<u> </u>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															í
	Thereof per month - Local Channel			UDF	1L5DC	64.04	4 0 47 00									
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,347.00	279.87								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	27.71										í
 	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	21.11	1,807.00	562.96								
 	Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	\vdash	וטט	JUI 14	ł	1,007.00	362.96	 					1		
	Thereof per month - Local Loop			UDF	1L5DL	64.04]							í
	NRC Dark Fiber - Local Loop	<u> </u>		UDF	UDFL4	54.54	1,347.00	279.87								
8XX ACCESS	TEN DIGIT SCREENING				-5		.,	2. 0.07								1
	8XX Access Ten Digit Screening, Per Call			OHD	† 1	0.0005			<u> </u>							í
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1			1									İ		í
	Number Reserved			OHD	N8R1X	l	7.05	0.96					26.94			ł
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															ĺ
	POTS Translations			OHD			23.82	2.73					41.35			<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With															1
	POTS Translations			OHD	N8FTX		23.82	2.73					41.35			
	8XX Access Ten Digit Screening, Customized Area of Service		1]		1 7	\exists										1
	Per 8XX Number	1		OHD	N8FCX	ļ	5.63	2.82								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15		l										ł
\vdash	Routing Per CXR Requested Per 8XX No.	<u> </u>	 	OHD	N8FMX		6.59	3.77					00.01	ļ		
\vdash	8XX Access Ten Digit Screening, Change Charge Per Request	1	 	OHD	N8FAX	+	8.01	0.96	 				26.94	1		
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX	l	E 00]							i
LINE INCORM	Features ATION DATA BASE ACCESS (LIDB)	1	\vdash	טחט	אטרטא	+	5.63		 							
LINE INFORMA	LIDB Common Transport Per Query	1	1	OQT	+	0.00003			 					1		
 	LIDB Validation Per Query	 	\vdash	OQU	+	0.00003			 							
	LIDB Originating Point Code Establishment or Change	<u> </u>		OQU, OQU	NRPBX	0.0134	62.26						26.94	26.94		
SIGNALING (C		<u> </u>		٠, ٥٩٥			02.20						20.04	20.04		
1	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		1
	CCS7 Signaling Connection, Per link (B link) (also known as D			-	†			2					00			ĺ
	link)			UDB	TPP++	18.22	278.02	278.02]				41.35	41.35		í
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										1
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										1
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										i
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code			-												
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code		1]		1 7	\exists		_						l		1
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00	 				19.99	19.99		
E911 SERVICE			\vdash											10		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	<u> </u>	1		+	11.24	553.80	89.69					42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	1	2		+	19.91	553.80	89.69					42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1	3		+	31.70 0.0282	553.80	89.69	 				42.17	12.76		
\vdash	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1			+	0.0282										
	Termination					18.00	137.48	52.58					38.07	38.07		í
 	Local Channel - Dedicated - DS1 - Zone 1	1	1		+ -	27.05	534.48	462.69	 				86.15	1.77		
 	Local Channel - Dedicated - DS1 - Zone 1	1	2		+	47.94	534.48	462.69	 				86.15	1.77		ſ
 	Local Channel - Dedicated - DS1 - Zone 3	1	3		+	76.32	534.48	462.69	 				86.15	1.77		
	Interoffice Transport - Dedicated - DS1 Per Mile		Ť		† †	0.5753	33 40	.02.00					33.10	,		1
					† †	3.3.30										ĺ
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75					38.07	38.07		ł
CALLING NAM	ME (CNAM) SERVICE	1			† 1											1
	CNAM For DB Owners - Service Establishment	1		OQV	† 1	İ	75.62							İ		í

LINDLIND	I Er	NETWORK ELEMENTS - North Carolina												Attachment:	<u> </u>	Evh:	bit: C
UNDUND	LEL	NETWORK ELEMENTS - NOTHI Carollila		1			1					Sve Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORI	٠	RATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							- 1	Nonrec	urrina	Monroourrin	g Disconnect		l	000	Rates(\$)		
 						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 		CNAM For Non DB Owners - Service Establishment			OQV	+	-	75.62	Add I	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
 		CNAM For DB Owners - Service Provisioning With Point Code			OQV	+	-	75.62			+	-					
		Establishment (Initial)			oqv			2,354.00	2,354.00								
 		CNAM For DB Owners - Service Provisioning With Point Code			UQV			2,354.00	2,334.00								\vdash
		Establishment (Subsequent)			oqv			1,739.00	1,739.00								'
 		CNAM For Non DB Owners - Service Provisioning With Point			OQV	+	-	1,739.00	1,739.00		+	-					
		Code Establishment (Initial)			oqv			1,072.00	1,072.00								'
 		CNAM For Non DB Owners - Service Provisioning With Point			UQV			1,072.00	1,072.00								\vdash
		Code Establishment (Subsequent)			oqv			768.44	768.44								
		CNAM for DB & Non DB Owners, Per Query			OQV	+	0.0009592	700.44	700.44		+	-					
I ND Out				 	OQV	+	0.0009592				 				 		
LNP Query				 	OQV	+	0.00084				 				 		
\vdash		LNP Charge Per query LNP Service Establishment Manual		 	OQV OQV	+	0.00084	41.25			1						
\vdash		LINE SELVICE ESTABLISHMENT MANUAL		 	UQV	+	 	41.25			1						
	I,	ND Corvice Provincioning with Point Code Establishment (Initial)			oqv	1		1 562 00	1 562 00								1 '
\vdash		LNP Service Provisioning with Point Code Establishment (Initial)		 	UQV	+	 	1,563.00	1,563.00		1						\vdash
		LNP Service Provisioning with Point Code Establishment (Subsequent)			oqv	I]	883.99	883.99				1		Ì		1 '
ODEDATOR		(Subsequent) LL PROCESSING			OQV			883.99	883.99								
OPERATOR																	
	ľ	Oper. Call Processing - Oper. Provided, Per Min Using BST					4.00										'
		LIDB					1.20										
		Oper. Call Processing - Oper. Provided, Per Min Using					4.04										'
		Foreign LIDB					1.24										
	ľ	Oper. Call Processing - Fully Automated, per Call - Using BST															'
		LIDB					0.20										
		Oper. Call Processing - Fully Automated, per Call - Using															'
		Foreign LIDB					0.20										
INWARD O		ATOR SERVICES					4.45										
		nward Operator Services - Verification, Per Minute					1.15										
		Inward Operator Services - Verification and Emergency Interrupt					4.45										
DD ANDING		PERATOR CALL PROCESSING					1.15										
Fac		based CLEC				00400		7 000 00	7,000,00					00.04	40.70		
-		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					26.94	12.76		
		Loading of Custom Branded OA Announcement per shelf/NAV				00401		500.00	500.00					00.04	40.70		
		per OCN				CBAOL		500.00	500.00					26.94	12.76		
UNI	EP C							7 000 00	7,000.00					26.94	12.76		
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00					26.94	12.76		
		Loading of Custom Branded OA Announcement per shelf/NAV oer OCN				I]	500.00	500.00				1	26.94	12.76		1
111		ding via OLNS for UNEP CLEC		 		+	 	500.00	500.00		1			∠6.94	12.76		
Unk				 		+	 	1 200 00	1 200 00		1			26.94	12.76		
DIRECTOR		Loading of OA per OCN (Regional) SISTANCE SERVICES		1		+	 	1,200.00	1,200.00		-	-	-	∠6.94	12.76		
		ORY ASSISTANCE ACCESS SERVICE		 		+	 				1						
DIK		Directory Assistance Access Service Calls, Charge Per Call		 		+	0.275				1						
DID			ACC)	 		+	0.275				1						
DIR		ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (Directory Assistance Call Completion Access Service (DACC),	JACC)	 		+	 				1						
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				1	0.062						1		Ì		1 '
DIDECTOR		SISTANCE SERVICES		 		+	0.062				 				 		
		ORY ASSISTANCE DATA BASE SERVICE (DADS)		 		+	 				 				 		
PIR		Directory Assistance Data Base Service (DaDs)		 		+	0.04				 				 		
 		Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month		1		DBSOF	150.00				1	 			1	1	
BRANDING		RECTORY ASSISTANCE		1		DDOOL	150.00				1	1					
		Based CLEC		 		+	 				1						
rac		Recording and Provisioning of DA Custom Branded		 		+	 				1						
1 1					AMT	CBADA]	6,000.00	6,000.00				1	26.94	10.70		1
\vdash		Announcement Loading of Custom Branded Announcement per Switch		1	AMT	CBADA	 	1,170.00	1,170.00		-	-	-	26.94	12.76 12.76		
LINIE	EP C			 	ANVI I	CDADC	 	1,170.00	1,170.00		 			∠6.94	12.76		
UNI		Recording of DA Custom Branded Announcement		 		+	 	3,000.00	3,000.00		1			26.94	12.76		
		recording of DA Custom Branded Announcement	L	1		1	1	5,000.00	3,000.00		1	L	l	20.94	12.70	l	1

CATEGORY RATE ELEMENTS Internal Process BCG SSOC RATES(s) Solution Solut	IBUNDLE	NETWORK ELEMENTS - North Carolina	 										Attachment:	2	Exhi	ibit: C
March County of DA Custom Branded Announcement per Senters per			Zone	BCS	USOC			,			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
Lacting of DA Cotton Standard Announcement per Switch per 1,1700 1,1700 2,094 2,70 2,90 1,270 2,90 2,90 1,270 2,90 2,						Rec										
CON						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Universided to QUAST OF UNIFF CLECK																
Looding of DA per OCN (1 OCN sections)							1,170.00	1,170.00					26.94	12.76		
Loseing of the Power of SCAT September 1998 Septemb							400.00	400.00					00.04	40.70		_
Selective Routing Selective Routing Routin																<u> </u>
Secure Roding Per Unique Line Class Code Per Request Per 105RCR 62.25 62.25 14.14 14.14 26.84 12.76							16.00	16.00					26.94	12.76		
Setton S											+					+
Virtual Colocation - Application Cost Amtiffs CAF 2,848.30		Switch			USRCR		82.25	82.25	14.14	14.14			26.94	12.76		
Virtual Collocation - Applications Code AMFIS SAF 2,848.90 2,848.90 12,76					CONTON		02.20	02.20					20.0 .	.2.70		
Myrtial Collocation - Ceale Installation Code, per cable AMTES ESPOX 279,000 279,000 269,004 12,76				AMTFS	EAF		2,848.30	2,848.30					26.94	12.76		
Netrual Collocation - Power, per Issed array AMTES ESPAX 3.48		Virtual Collocation - Cable Installation Cost, per cable		AMTFS	ESPCX		2,750.00	2,750.00					26.94	12.76		
Virtual Collocation - Cable Support Structure, per entrance oable AMTES ESPSX 13.38																
September Sept		Virtual Collocation - Power, per fused amp		AMTFS	ESPAX	3.48										
UEANLUEAUDNU DC.WRL.HILUCL UEA AMTES UDL. UEAC2 0.09 41.78 39.23 4.75 4.75 26.94 12.76																
Co.UAL.UH.LUC.U E.C. AMTES.UD.L E.C. AMTES.UD.L UNCXX UNCX		cable			ESPSX	13.35										
Virtual Collocation - 4-wire Cross Connects (loop)		Virtual Collocation - 2-wire Cross Connects (loop)		DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,	UEAC2	0.09	41.78	39.23	4.75	4.75			26.94	12.76		
AMTES_UDL12, UDL03, U1T48, U1T12, U1T03, ULD04, UDF CNC2F 15.99 67.34 48.55 26.94 12.76		Virtual Collocation - 4-wire Cross Connects (Inon)		AMTFS, UAL, UDN,	LIEAC4	0.18	41 91	39.25	4 73	4 73			26 94	12.76		
UDLO3, UT178, UT1703, ULDO3, ULD12, UDLO3, ULD12, UDLO3, ULD12, UDLO3, ULD13, ULDO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UDCO3, ULD14, UT1703, ULD1703, ULD1703, ULD1703, ULD1704, ULD1704, ULD1704, ULD1705, ULD17		viitual Conocation 4 wire Cross Connecte (100p)			OL/104	0.10	41.01	00.20	4.70	4.70			20.04	12.70		
UDLG3, ULDG3, ULG, UKTD1, UKTL, ULDG1, UTTD1, USLEL, ULC, AMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULC, CAMTFS, ULS, ULTG3, UKTG3, UKTG3, UKTG3, UKTG3, UKTG3, ULTG3, ULDG3, UTTG31, ULDG3, UTTG31, ULDG3, UTTG31, ULDG3, UTTG31, ULDG4, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, UTTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULDG51, ULGS2, ULDG3, ULTG31, ULGS31, ULGG		Virtual Collocation - 2-Fiber Cross Connects		UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	15.99	67.34	48.55					26.94	12.76		
ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 UND1 USLEL, UNLD1 UND1 USLEL, UNLD1 USLEL, UNLD1 USLUC.AMTFS,U E3, U1TD3, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, UXTS1, ULDS3, UNCSX, ULDD3, USSX, ULDD3, USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, UNCSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, UNCSX, ULDD3 USSX, UNCSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, ULDD3 USSX, UNCSX, ULDD3 US		Virtual Collocation - 4-Fiber Cross Connects		UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	28.74	82.35	63.56					26.94	12.76		
Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft AMTFS VE1CD 0.0041 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cross Connects - Fiber Cable Support Structure, per cross Connects - Copper/Coax Cable Support Structure, per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable AMTFS VE1CC 532.72 AMTFS VE1CE 532.72 26.94 12.76 Virtual Collocation Cable Records - Per request AMTFS VE1CB 923.08				ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,	CNC1X	0.97	71.02	51.08					26.94	12.76		
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft AMTFS VE1CD 0.0041 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable Support Structure, per cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable AMTFS VE1CC 532.72 AMTFS VE1CE 532.72 Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record AMTFS VE1BB 923.08				E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	CND3X	56.25	151.90	11.83					26.94	12.76		
Cable Support Structure, per linear ft		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot						50								
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable VE1CC AMTFS VE1CC 532.72 AMTFS VE1CE 532.72 Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record AMTFS VE1BB 923.08																
Support Structure, per cable			<u> </u>	AMTFS	VE1CD	0.0041					1					
Cable Support Structure, per cable		Support Structure,per cable		AMTFS	VE1CC		532.72						26.94	12.76		
Virtual Collocation Cable Records - VG/DS0 Cable, per cable record AMTFS VE1BB 923.08		Cable Support Structure, per cable											26.94	12.76		
record AMTFS VE1BB 923.08			<u> </u>	AMTFS	VE1BA		1,707.00		ļ				ļ			↓
1 Wirtual Collegation Cable Records, VC/DS0 Cable, per each		record		AMTFS	VE1BB		923.08									
Virtual Collocation Cable Records - VG/DS0 Cable, per each																

LINDLI	NDI E	D NETWORK ELEMENTS - North Carolina												A44b	•	Fulci	L:4. C
UNDU	NULE	D NETWORK ELEMENTS - North Carolina		1			ı					Syc Order	Svc Order	Attachment: Incremental		Incremental	bit: C Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														150	Addi	DISC 1St	DISC Add 1
							Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.51	29.51								
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
		records			AMTFS	VE1BF		278.82	278.82								
		Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					26.94	12.76		
		Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					26.94	12.76		
		Virtual collocation - Security Escort - Premium, per half hour		<u> </u>	AMTES	SPTPX		55.00	35.00					26.94	12.76		
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					26.94	12.76		
		Virtual collegation Maintenance in CO. Quartime per half hour			AMTFS	SPTOM		35.77	35.77					26.94	12.76		
-	-	Virtual collocation - Maintenance in CO - Overtime, per half hour		-	AWITO	SP I UIVI		33.77	33.77		-			20.94	12.76		
	l	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90					26.94	12.76		
VIRTII	AL COL	LOCATION	-		CIVILI O	OF I F IVI		40.90	40.90					20.94	12.70		
7111107	1_ OOL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	-			+											
	l	Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23				1	26.94	12.76		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 0.1		0.00		00.20					20.01	.2		
	l	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire					0.00										
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
		ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
VIRTUA	AL COL	LOCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR, UEPSB	VEALC	0.0287	22.00	32.08	20.70	24.04			40.00	40.00		
DUVCIO	AL 60	Splitting LLOCATION			UEPSK, UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
PHISIC	AL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+											
		Splitting			UEPSR, UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41			19.99	19.99		
AIN SE	I ECTIV	/E CARRIER ROUTING		1	OLI OK, OLI OD	I LILO	0.0303	33.33	31.03	30.23	34.41			13.33	15.55		
AIITOL	<u> </u>	Regional Service Establishment			SRC	SRCEC		215,597.00									
		End Office Establishment			SRC	SRCEO		347.27									
		Query NRC, per query			SRC		0.0053758	¥									
AIN - B	ELLSO	UTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		294.77						<u></u>			
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	l	AIN SMS Access Service - User Identification Codes - Per User			l	l							1				
	ļ	ID Code		ļ	A1N	CAMAU		200.83									
	l	AIN SMS Access Service - Security Card, Per User ID Code,			AAN	CAMBO		470.0-					1				
-	 	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		-	A1N	CAMRC	0.0023	172.05			ļ			-	ļ		
-	<u> </u>	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute		<u> </u>		 	0.0023							-			
-	1	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	-			+	0.0791				1		-	1	1		
	l	Minute				1	2.08						1				
AIN - B	ELLSO	UTH AIN TOOLKIT SERVICE				1	2.00										
		AIN Toolkit Service - Service Establishment Charge, Per State,				1					1						
	l	Initial Setup			CAM	BAPSC		290.05									
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00			İ			İ			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	<u> </u>	DN, Term. Attempt				BAPTT	<u> </u>	72.76			<u> </u>			<u></u>			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay		<u> </u>		BAPTD		72.76						<u> </u>			

TONDL	NDLEI	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhil	bit: C
												Svc Order		Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonred	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		72.76									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		149.95									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP	<u> </u>			BAPTC		149.95									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		440.05									
		DN, Feature Code	<u> </u>			BAPTF	0.00	149.95									
-		AIN Toolkit Service - Query Charge, Per Query	1				0.02										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
-		AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	1		1	0.005										
		Account, Per 100 Kilobytes				1	1.45										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1		+	1.45										
1		Subscription			CAM	BAPMS	15.98	71.80									
-		AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAW	DAI WO	13.30	71.00									
		Subscription			CAM	BAPLS	0.08	47.20									
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			O7 UVI	D/ (1 LO	0.00	47.20									
		Subscription			CAM	BAPDS	15.90	71.80									
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription			CAM	BAPES	0.003	47.20									
ENHAN	CED EX	(TENDED LINK (EELs)					3,000										
	NOTE:	New Density Zone 1 ÉELs are available in the following MSA	s: Orlan	ndo. Fl	: Miami. FL: Ft. Lau	derdale. Fl	Atlanta, Ga: Nev	v Orleans I A									
	NOTE:							V Orieans, LA,									
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply	-High P	oint, N	C; and Nashville, TN	l.			As Is Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	ecurring rates	do not apply.	.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply In All States the EEL network elements apply to ordinarily co	n-High P to curre mbined	oint, Nently co netwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	n-High P to curre mbined	oint, Nently co netwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	n-High P to curre mbined	oint, Nently co netwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL)	I. nich are conv tch As Is Cha	erted to UNE ra arge.) When or	tes. A Switch dering ordinar	ily combined I					UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTFirst 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	n-High P to curre mbined	oint, Nently co netwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	ecurring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INFIFIES 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	n-High P to curre mbined	oint, Nontly contents	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX	ich are conv tch As Is Cha	erted to UNE ra arge.) When or 14.97	tes. A Switch dering ordinar 142.97	ily combined i					UNEs.(Non-re	ecurring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	n-High P to curre mbined	oint, Nently co netwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL)	I. nich are conv tch As Is Cha	erted to UNE ra arge.) When or	tes. A Switch dering ordinar	ily combined I					UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX	Leal Leal Leal Leal Leal Leal Leal Leal	erted to UNE ra arge.) When or 14.97	tes. A Switch dering ordinar 142.97	106.56 106.56					UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INFIFIES 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	n-High P to curre mbined	oint, Nontly contents	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX	ich are conv tch As Is Cha	erted to UNE ra arge.) When or 14.97	tes. A Switch dering ordinar 142.97	ily combined i					UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX	I. iich are conv tch As Is Chi UEAL2 UEAL2 UEAL2	erted to UNE ra arge.) When or 14.97 25.93 40.81	tes. A Switch dering ordinar 142.97	106.56 106.56					UNEs.(Non-re	ecurring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INI First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX	Leal Leal Leal Leal Leal Leal Leal Leal	erted to UNE ra arge.) When or 14.97	tes. A Switch dering ordinar 142.97	106.56 106.56					UNEs.(Non-re	curring rates	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily cost voice GRADE EXTENDED LOOP WITH DEDICATED DS1 INFIFIES 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81	142.97 142.97	106.56 106.56							do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily coperation of the states that the states are states and states are states and states are states and states are states and states are states and states are states are states and states are states are states and states are states ar	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753	142.97 142.97 142.97	106.56 106.56 106.56					38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INIFIEST 2-Wire VG Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX	Lich are convicted As Is Chi UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1	25.93 40.81 0.5753 71.29	142.97 142.97 142.97 217.17 197.78	106.56 106.56 106.56 163.75 140.06					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INI First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753	142.97 142.97 142.97	106.56 106.56 106.56					38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily concern the states are states and states. Extended the states are states and states are states are states and states are	n-High P to curre mbined	netwo netwo ICE TR	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	Lich are converted are converted as Is Chi- UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG	14.97 25.93 40.81 0.5753 71.29 146.69 1.27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	n-High P to curre mbined	oint, Nontly conetwo	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX	Lich are convicted As Is Chi UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1	25.93 40.81 0.5753 71.29	142.97 142.97 142.97 217.17 197.78	106.56 106.56 106.56 163.75 140.06					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co: VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INI First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Leach Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1	n-High P to curre mbined	netwo netwo ICE TR	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX	Lich are converted As Is Children Lead 2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	25.93 40.81 0.5753 71.29 146.69 1.27	142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or a composition of the composition of t	n-High P to curre mbined	oint, Nontly co netwo ICE TR	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	Lich are converted are converted as Is Chi- UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG	14.97 25.93 40.81 0.5753 71.29 146.69 1.27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or a state of the	n-High P to curre mbined	oint, Nontly co netwo ICE TR	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	UEAL2 3 40.81 0.5753 71.29 146.69 1.27 14.97	142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56					38.07 38.07	38.07	do not apply.)	
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INI First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Lach Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	n-High P to curre mbined	notint, Nontily contents of the contents of th	C; and Nashville, TN mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCVX UNCVX	Lich are converted As Is Children Lead 2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	25.93 40.81 0.5753 71.29 146.69 1.27	142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily coperation of the property o	n-High P to curre mbined	notint, Nontily contents of the contents of th	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	erted to UNE ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93	142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 106.56 106.56					38.07 38.07 38.07	38.07 38.07 38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INI First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Lach Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	i-High P to curre mbined TEROFF	notint, Nontily contents of the contents of th	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97	142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56					38.07 38.07	38.07	do not apply.)
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or the state of t	i-High P to curre mbined TEROFF	notint, Nontily contents of the contents of th	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	erted to UNE ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93	142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 106.56 106.56					38.07 38.07 38.07	38.07 38.07 38.07	do not apply.	
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem in all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - Per month Nonrecurring Currently Combined Network Elements Switch - As-	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93	142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.)		
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or states the EEL network elements apply to ordinarily copy. VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERIOR OF STATES OF STAT	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93	142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or the state of t	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93	142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem nall states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or the state of the	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	142.97 142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75	106.56 106.56 106.56 106.56 106.56 140.06 9.38 106.56 106.56 21.75	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or a complete strength of the strength o	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX 3 40.81 0.5753 71.29 146.69 1.27 14.97 25.93 40.81	142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 142.97 13.09 21.75	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily cost ordinarily cost voice GRADE EXTENDED LOOP WITH DEDICATED DS1 INFIFIES 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Per Mile per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	142.97 142.97 142.97 142.97 142.97 142.97 13.09 142.97 142.97 13.09 21.75 288.47	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 21.75 237.45	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem nall states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily copy or the state of the	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	142.97 142.97 142.97 142.97 217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75	106.56 106.56 106.56 106.56 106.56 140.06 9.38 106.56 106.56 21.75	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			
	NOTE: NOTE: 2-WIRE	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem In all states, EEL network elements shown below also apply: In All States the EEL network elements apply to ordinarily cost ordinarily cost voice GRADE EXTENDED LOOP WITH DEDICATED DS1 INFIFIES 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Per Mile per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	I-High P to curre mbined TEROFF	oint, Nintly co	C; and Nashville, TM mbined facilities wh rk elements.(No Swi ANSPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX ra arge.) When or 14.97 25.93 40.81 0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	142.97 142.97 142.97 142.97 142.97 142.97 13.09 142.97 142.97 13.09 21.75 288.47	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 21.75 237.45	network elemen	nts, Non-recur			38.07 38.07 38.07	38.07 38.07 38.07 38.07	do not apply.			

LINDLINDLI	D NETWORK ELEMENTS - North Carolina												Attachment:	n	Evhi	ibit: C
UNBUNDLE	D NETWORK ELEMENTS - North Carolina	I	1		1	ı					Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)							Order vs.	Order vs.
OATEGORT	NATE ELEMENTO	m	20110	500	0000			ικι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per							7.00.		7.00.	0020					
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
\vdash	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
4 1407	Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITED		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL))											
	Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		-	UNCDX	UDLS6	25.32	409.04	337.31						-		
	Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODESO	40.11	403.04	337.31								
	Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0110271	02200	07.20	100.01	007.01								
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		ļ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
\vdash	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			LINODY	1101.50	10.11	400.04	007.54								
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	43.11	489.04	337.51								
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
 	OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	ODLSO	07.20	409.04	337.31								1
	combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-				1	2.50		20					55.57	55.57		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice							·						1		
igwdows	Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	43.11	489.04	337.51						ļ		<u> </u>
1 1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1		LINODY	LIBLOA	07.00	400.04	007 = 1			1	1		I		
$\vdash \vdash \vdash$	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	3	UNCDX	UDL64	67.26	489.04	337.51					1	!	1	├
] [Per Month	1		UNC1X	1L5XX	0.5753					1	1		I		
 	Interoffice Transport - Dedicated - DS1 combination - Facility			DINCIA	ILOAA	0.5753							-	 	-	
1 1	Termination Per Month	1		UNC1X	U1TF1	71.29	217.17	163.75			1	1	38.07	38.07		
\vdash	Channelization - Channel System DS1 to DS0 combination Per	 		014017	51111	11.29	211.11	103.75					30.07	30.07	1	
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System	1			1								55.57	55.57		
1 1	combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	2.00	15.76	11.28			1	1	38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
1 1	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	25.32	489.04	337.51			1	1		I		

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - North Carolina												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
4 10/1	Nonrecurring Currently Combined Network Elements Switch -As- is Charge		CE TO	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-771	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE IR/	ANSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	47.60	714.84	421.47								
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	84.36	714.84	421.47								
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	134.29	714.84	421.47								
	Per Month Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753										
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
4-10/1	Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEE	CE TD	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-441	First DS1Loop in DS3 Interoffice Transport Combination - Zone	LKOFFI	CL IK	I												1
	1 First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	47.60	714.84	421.47								
	2 First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	84.36	714.84	421.47								
	3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	134.29	714.84	421.47								
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	1L5XX	12.98										
	month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	720.38 233.10	794.94 403.97	579.55 234.40					38.07 38.07	38.07 38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WI	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TF	KANSPORT (EEL)	1											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
4 150	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT		ICE T	UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport	EKOFF	ICE IF	KANSPUKI (EEL)	 				ļ		1		 			ļ
	Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								

UNBUNDLI	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
											Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect		<u>l</u>	oss	Rates(\$)		<u>. </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DS3 E	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per			LINIONY	41.5115	40.0-										
\vdash	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	13.33										
	Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSPO	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	464.26	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.14	1,071.00	040.12					00.07	00.07		
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WIF	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINONIN	1141.00/	10.10	005.04	054.04								
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	19.42	325.91	251.31								
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	32.88	325.91	251.31								
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	51.14 0.5753	325.91	251.31								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILOAA	0.5755										
	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	per month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC	0.00	21.75	21.75	32.28	10.96			38.07	38.07		
4-WIF	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI		514000		21.13	21.13	32.20	10.90			30.07	30.07		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								

UNBUNDI	.ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Evhil	bit: C
CHECHEL	LED RETRORN ELEMENTO - NOTHI GATOIIII										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
0,11200111		m		200	3333			= = (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination -															i
	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								ł
	First DS1 Loop in STS1 Interoffice Transport Combination -															i
	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								í
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.14										í
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		ł
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403.97	234.40					38.07	38.07		1
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		í
	Additional DS1Loop in STS1 Interoffice Transport Combination -															1
	Zone 1	<u></u>	1	UNC1X	USLXX	47.60	714.84	421.47					<u></u>	<u> </u>		<u>. </u>
	Additional DS1Loop in STS1 Interoffice Transport Combination -															1
	Zone 2	<u> </u>	2	UNC1X	USLXX	84.36	714.84	421.47								L
	Additional DS1Loop in STS1 Interoffice Transport Combination -															í
	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								<u> </u>
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														ł
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
4-W	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANSI	PORT (EEL)												<u></u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															í
	Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								<u></u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															ł
	Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															í
	Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															í
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															ł
	Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY			04.75	04.75	00.00	40.00			00.07	00.07		ł
4 10/	Is Charge RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	CEICE 1	DANCI	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-44	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	TFICE	KANSI	OKI (EEL)	_											
	Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								ł
 	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	 		OIAODV	JDL04	20.32	+09.04	337.31	 				1	1		ſ
	Combination - Zone 2	1	2	UNCDX	UDL64	43.11	489.04	337.51								i
 	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	1		OHODA	CDLOT	70.11	703.04	337.31	 					 		
	Combination - Zone 3	1	3	UNCDX	UDL64	67.26	489.04	337.51				1		1		í
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	Ŭ			020	.00.04	3301								(
	Per Mile	1		UNCDX	1L5XX	0.0282						1		1		í
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	†			1.22.21	3.0202								1		í
	Facility Termination	1	1	UNCDX	U1TD6	17.40	137.48	52.58				1	38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-	1		-	1	5										í
	Is Charge	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i
ADDITIONA	L NETWORK ELEMENTS															í
	n used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									ĺ
Whe	n used as ordinarily combined network elements in All States, t	he non-	recurri	ng charges apply a	nd the Switch											i .
Non	recurring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each com	bination)											<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	-						-]		1
	Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1]		
	Is Charge - 56/64 kbps	<u> </u>		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		.
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1								1			
	Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		.
	Nonrecurring Currently Combined Network Elements Switch -As-	1										1]		1
	Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1			I						<u> </u>	1		<u> </u>		1
	Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96	1		38.07	38.07		<u>. </u>

CATEGO		NETWORK ELEMENTS - North Carolina												Attachment:			bit: C
CATEGO												Svc Order	Svc Order	Incremental	Incremental		
CATEGO												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO			l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
 	J	NATE ELEMENTO	m	20110	200	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
\ 														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							I	Nonrec	urring	Nonrecurring	n Disconnect		I	OSS	Rates(\$)		L
·							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE: I	ocal Channel - Dedicated Transport - minimum billing period	d - Balo	w DS3-	one month DS3 and	d above-fou	r months	11130	Addi	11130	Auu	JONEC	JONAN	JONAN	JOHAN	JOHAN	JONIAN
	NOTE: I	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	I Delo		UNCVX	ULDV2	11.24	553.80	89.69								
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	19.91	553.80	89.69								
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNCXV	ULDV2	31.70	553.80	89.69								
+		Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	12.03	562.23	92.67								
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	21.33	562.23	92.67								
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNCXV	ULDV4	33.95	562.23	92.67								
+		Local Channel - Dedicated - 4-Wire Voice Grade - 20ne 3		1	UNC1X	ULDF1	27.05	534.48	462.69								
+		Local Channel - Dedicated - DS1 Per Month Zone 2			UNC1X	ULDF1	47.94	534.48	462.69								
+							76.32	534.48									
		Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month	-	3	UNC1X UNC3X	ULDF1 1L5NC	76.32 0.9954	334.48	462.69						-		
,			 	 			0.9954 298.92	E60.0F	E27.00			-	-				
		Local Channel - Dedicated - DS3 - Facility Termination	1		UNC3X	ULDF3 1L5NC	298.92 0.9954	562.25	527.88		-		ļ		-		
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX			4.074.00	040.40								+
, 		Local Channel - Dedicated - STS-1 - Facility Termination	<u> </u>		UNCSX	ULDFS	286.13	1,071.00	646.12		ļ				1		├
		I Features & Functions:															
	MULTIF	PLEXERS	 		I IV CTTO 4												├
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
.		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
.		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
		DS3 to DS1 Channel System per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
		STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16.07	13.09	9.38					24.85	8.16		
1		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
.		month			ULDD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															
		per month			U1TD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
٤	Sub-Lo	op Feeder															
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	35.65	393.01	153.37								
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	63.18	393.01	153.37								
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	100.58	393.01	153.37								
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG			-								
UNBUNI		OCAL EXCHANGE SWITCHING(PORTS)					i i						l				
		ge Ports				Ì	i i						l				
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	ne desired features v	vill need to b	oe ordered usin	g retail USOCs	5								
		VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
								00	00			İ					
,		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	l		UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		1
			1			··· ·		250	250		1			20.07			t
,		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	1		UEPSR	UEPRO	2.19	21.60	21.60				1	26.94	12.76		1
		Exchange Ports - 2-Wire VG unbundled res, low usage line port	1			· · · •		250	250		1			20.07			t
,		with Caller ID (LUM)	1		UEPSR	UEPAP	2.19	21.60	21.60				1	26.94	12.76		1
		2-Wire voice unbundled Low Usage Line Port without Caller ID	l	t	J. J.	0_174	2.10	21.00	21.00			 	 	20.04	12.70		—
,		Capability	l	1	UEPSR	UEPRT	2.19	21.60	21.60			l	1	26.94	12.76		1
		Subsequent Activity	l	1	UEPSR	USASC	0.00	0.00	0.00			1		26.94	12.76		
- -	FEATU		l	1	JL: 31	00/100	0.00	0.00	0.00			1		20.54	12.70		
		All Available Vertical Features	l	1	UEPSR	UEPVF	3.40	0.00	0.00			1		26.94	12.76		
. -		VOICE GRADE LINE PORT RATES (BUS)	1		OLFOR	OLFVF	3.40	0.00	0.00		1	1		20.94	12.70		
 2			 														
,		Exchange Ports - 2-Wire Analog Line Port without Caller ID -	l	1	UEPSB	UEPBL	2.40	24.00	24.00			l	1	26.94	10.70		1
		Bus First are a Parts - 2 Wire VC web and lad Line Destroit	1		UEPOB	UEPBL	2.19	21.60	21.60		-		ļ	26.94	12.76		
,		Exchange Ports - 2-Wire VG unbundled Line Port with	1		LIEDOD	LIEDRO	0.40	04.00	04.00				1	20.01	10.70		1
		unbundled port with Caller+E484 ID - Bus.	1		UEPSB	UEPBC	2.19	21.60	21.60		-		ļ	26.94	12.76		+
,		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	l	1	UEPSB	UEPBO	2.19	21.60	21.60			l	1	26.94	12.76		1

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina					•	-			•			Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
CAILC	OKI	KATE ELEMENTO	m	20116	Воо	0000			(A) Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						1	Nonrec	urrina	Monroourrin	g Disconnect		l	000	Rates(\$)		
							Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exhange Ports 2 Wire VC unbundled incoming only port with				1		riist	Add I	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	2.40	04.00	04.00					26.94	40.70		
		Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
		2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	0.40	04.00	04.00					00.04	40.70		
		Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU						0.40								40.70		
		All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
	EXCHA	ANGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	ļ		UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					_										
		Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	2.10	21.00	21.00			1		20.04	12.70		
		Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	2.10	21.00	21.00					20.34	12.70		
		Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFSF	OLFAIN	2.10	21.00	21.00			-		20.94	12.70		
		Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
	<u> </u>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
	FEATU																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
	EXCHA	ANGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
		Transmission/usage charges associated with POTS circuit s															
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be d	etermined via t	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
UNBUN		LOCAL EXCHANGE SWITCHING(PORTS)	ļ			ļ											
	EXCHA	ANGE PORT RATES															
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	81.84	81.84					26.94	12.76		
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			-												
L	<u> </u>	capability	<u> </u>	<u></u>	UEPDD	UEPDD	123.65	116.59	69.92		<u> </u>	<u> </u>	<u> </u>	26.94	12.76	<u> </u>	<u> </u>
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	62.29	62.29					55.30	55.30		
		All Features Offered			UEPTX UEPSX	UEPVF	3.40	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-C	hannels associ	ated with 2	wire ISDN r	orts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles	1		UEPTX UEPSX	U1UMA	0.00	0.00	0.00		1		.,		.,		
		Exchange Ports - 4-Wire ISDN DS1 Port	†		UEPEX	UEPEX	179.75	241.63	241.63			1	1	53.89	53.89		
	UNRUN	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	1				200	200					00.00	55.65		
		NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		†		1					 	-	1				
	3.100	Unbundled Remote Call Forwarding Service, Area Calling, Res	1	1	UEPVR	UERAC	2.19	21.60	21.60		1	1	l	26.94	12.76	1	
		onburious remote bail i biwaiding betwice, Alea bailing, Nes	1	1	OLI VIX	CLIVAG	2.19	21.00	21.00			1		20.54	12.70		
		Unbundled Bemete Cell Ferwarding Conice Local Calling Dec			UEPVR	UERLC	2.19	24.00	24.00				l	26.94	12.76		
 	 	Unbundled Remote Call Forwarding Service, Local Calling - Res	1	 				21.60	21.60			 	-				
	 	Unbundled Remote Call Forwarding Service, InterLATA - Res	l	-	UEPVR	UERTE	2.19	21.60	21.60		 	1	-	26.94	12.76	-	-
<u> </u>		Unbundled Remote Call Forwarding Service, IntraLATA - Res	<u> </u>		UEPVR	UERTR	2.19	21.60	21.60				ļ	26.94	12.76		
	Non-Re	ecurring	<u> </u>			 											
1	1	Unbundled Remote Call Forwarding Service - Conversion -	1	1		1					Ì	1	1				1
		Switch-as-is	<u> </u>		UEPVR	USAC2		2.77	0.40					26.94	12.76		
1	1	Unbundled Remote Call Forwarding Service - Conversion with	1	1							Ì	1	1				I
		allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40								
	LIMIDIA	NDLED REMOTE CALL FORWARDING - Bus											l				

UNBUNDI	LED NETWORK ELEMENTS - North Carolina						•		•				Attachment:	2	Exhi	ibit: C
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		-
	Unbundled Remote Call Forwarding Service, Local Calling - Bu			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		
 	Unbundled Remote Call Forwarding Service, Local Calling - Bus	0		UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		+
+	Unbundled Remote Call Forwarding Service, IntelEATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		+
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
Non	n-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
$\vdash \vdash$	Switch-as-is	1	<u> </u>	UEPVB	USAC2		2.77	0.40	 	1	1		26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		1	UEPVB	USACC		2.77	0.40	1							
UNBUNDI F	ED LOCAL SWITCHING, PORT USAGE	+	 	ULF VD	USACC		2.11	0.40		1						+
	d Office Switching (Port Usage)	+	1		 											
Lilu	End Office Switching Function, Per MOU	1	1		1	0.0015			1	i e						†
	End Office Trunk Port - Shared, Per MOU	1			1	0.00023									1	
Tan	dem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port - Shared, Per MOU					0.0003										
Con	nmon Transport					0.00004										-
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	-				0.00001 0.00034										+
UNBUNDI E	ED PORT/LOOP COMBINATIONS - COST BASED RATES	1				0.00034										+
	st Based Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								+
	tures shall apply to the Unbundled Port/Loop Combination - Co								ed Port section	n of this Rate E	xhibit.					
	Office and Tandem Switching Usage and Common Transport L											n Port/Loop	Combination	ns.		1
	first and additional Port nonrecurring charges apply to Not Cu	rently C	ombine	ed Combos. For Cu	rrently Combi	ined Combos th	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	lonrecurring	- Currently	Combined se	ections.		
	/IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	E Port/Loop Combination Rates	-	4			13.03										+
+	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	-	1 2			21.33										+
 	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										+
UNE	E Loop Rates					02.01										1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33										
2-W	/ire Voice Grade Line Port Rates (Res)															1
L	2-Wire voice unbundled port - residence	1	<u> </u>	UEPRX	UEPRL UEPRC	2.28 2.28	79.59 79.59	63.97	 	1	1		40.18 40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	-		UEPRX UEPRX	UEPRO	2.28	79.59 79.59	63.97 63.97					40.18	9.45 9.45		+
 	2-Wire voice unbundles res, low usage line port with Caller ID	+	1	OLI IXX	GLFRO	2.20	19.59	03.97					40.10	5.45		
	(LUM)		1	UEPRX	UEPAP	2.28	79.59	63.97	1				40.18	9.45		
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	<u> </u>		1			55.57	1	1			0	50	1	
	Capability		1	UEPRX	UEPRT	2.28	79.59	63.97	1				40.18	9.45		
FEA	ATURES															
	All Features Offered			UEPRX	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOC	CAL NUMBER PORTABILITY	1		LUEBBY	LUBOY				ļ	ļ					ļ	
No	Local Number Portability (1 per port)	1	<u> </u>	UEPRX	LNPCX	0.35			1	1	1				1	
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	. 	 		+	 			-	1	-				-	+
	Switch-as-is			UEPRX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	+	1	021100	30,102		2.11	0.40					40.10	3.43		
	Switch with change		1	UEPRX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update	1					1.42						10.27			
ADE	DITIONAL NRCs	1							ļ							
1 1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1				ĺ	1	1				ĺ	1
	Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		

UNBUND	LED N	ETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
0.1.20.1.2	1											Svc Order	Svc Order	Incremental		Incremental	Incremental
											s	Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—						_	Rec	Nonrec		Nonrecurring Disco					Rates(\$)		
2.14	VIDE VO	ICE ODADE LOOD WITH A WIDE LINE DODT (DUE)				+		First	Add'l	First A	dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) oop Combination Rates															
- Oit		/ire VG Loop/Port Combo - Zone 1		1		+	13.03										
		/ire VG Loop/Port Combo - Zone 2		2			21.33										
		/ire VG Loop/Port Combo - Zone 3		3			32.61										
UN	E Loop I																
		/ire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		/ire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
		/ire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-W		ce Grade Line Port (Bus)															
		/ire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
		/ire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
\vdash		/ire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97		-			40.18 40.18	9.45 9.45		
-		/ire voice unbundled incoming only port with Caller ID - Bus /ire voice unbundled Incoming Only Port without Caller ID			UEPBX	UPEB1	2.28	79.59	63.97					40.18	9.45		
		pability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
10		MBER PORTABILITY	-		OLI DA	OLFBL	2.20	1 5.59	03.97					40.10	9.45		
		al Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE/	ATURES																
	All F	Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO	NRECUF	RRING CHARGES (NRCs) - CURRENTLY COMBINED															
		/ire Voice Grade Loop / Line Port Combination - Conversion -															
		tch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
		/ire Voice Grade Loop / Line Port Combination - Conversion -															
		tch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
		/ire Voice Grade Loop / Line Port Combination - Conversion -						4.40						40.07			
1		osequent Database Update AL NRCs				+		1.42						10.27			
AD		/ire Voice Grade Loop/Line Port Combination - Subsequent															
	Activ				UEPBX	USAS2		0.00	0.00					40.18	9.45		
2-W		ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 5/	007.02		0.00	0.00					10.10	0.10		
		oop Combination Rates															
	2-W	/ire VG Loop/Port Combo - Zone 1		1			13.03										
		/ire VG Loop/Port Combo - Zone 2		2			21.33										
		/ire VG Loop/Port Combo - Zone 3		3			32.61										
UN	E Loop I				UEDDO.	lues::											
		/ire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75								ļ		
\vdash		/ire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG UEPRG	UEPLX UEPLX	19.05 30.33				-				 		
2-14		/ire Voice Grade Loop (SL 1) - Zone 3 ce Grade Line Port Rates (RES - PBX)		3	ULFRU	UEPLA	30.33								-		
Z-V		/ire VG Unbundled Combination 2-Way PBX Trunk Port -				+									 		
	Res				UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45		
LO		MBER PORTABILITY													27.10		
		al Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FE/	ATURES																
		Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO		RRING CHARGES (NRCs) - CURRENTLY COMBINED															
		/ire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110465			a								
\vdash		version - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
		/ire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USACC		2.77	0.40					40.18	9.45		
—	2.14/	oversion - Switch with Change /ire Voice Grade Loop / Line Port Combination - Conversion -	-		ULFRU	USACC		2.11	0.40		-			40.18	9.45		
		osequent Database Update						1.42						10.27	1		
AD		AL NRCs				1	1	1.72						10.27	1		
		/ire Voice Grade Loop/ Line Port Combination (PBX) -															
	Sub	sequent Activity	L		UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45	<u> </u>	
	VIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UN		oop Combination Rates							•					_		_	
	2-W	/ire VG Loop/Port Combo - Zone 1		1			13.03										

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES(\$) See Order Intering Submitted Chapter Submitted Chapte	RATES(\$) RATES(\$) RATES(\$) REC Nonrecurring Nonrecurring Disconnect First Add' SOMEC SOMEC	Charge - mual Svc
CATEGORY RATE ELEMENTS Inter	RATES(\$) RATES(\$) RATES(\$) REC Nonrecurring Nonrecurring Disconnect First Add' SOMEC SOMEC	Charge - mual Svc
Interf	Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l SOMEC SOM 21.33 32.61 10.75 19.05 30.33 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	Manual Svc Manual Svc Order vs. Electronic- Electronic- Add'l Disc 1st D
CATEGORY RATE ELEMENTS Contemporary Contemp	Rec Nonrecurring Nonrecurring Disconnect	Order vs. Order vs. Electronic- Add' Disc 1st Disc 1st Disc A
Elect	Rec First Add'l First Add'l SOMEC SOM 21.33 32.61 10.75 19.05 30.33 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	### Company
1	Tirst Add' First Add' SOMEC SOMEC	1st Add'I Disc 1st Disc A OSS Rates(\$) SOMAN SOMAN SOMAN SOM 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Nonrecurring Nonr	Tirst Add' First Add' SOMEC SOMEC	OSS Rates(\$) SOMAN SOMAN SOMAN SOM 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Note Comparison Compariso	Tirst Add' First Add' SOMEC SOMEC	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Willie VC Loop/Port Combo - Zone 2	21.33 32.61 10.75 19.05 30.33 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 3.261	32.61 10.75 19.05 30.33 2.28	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
UNE Loop Rates	10.75 19.05 30.33 2.28	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Grade Loop (St. 1) - Zone 1	19.05 30.33 2.28	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Grade Long (St. 1) - Zone 2	19.05 30.33 2.28	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEPPX UEPRX So. 33 UEPPX UEPRX So. 30 UEPPX UEPRX UEPPC UEP	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Orade Line Port Rates (BUS - PBX)	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Line Side Unbundled Any Pax Trunk Port - Bus UEPPX UEPPD 2.28 164.57 128.16	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Line Side Unbundled Ortward PBX Trunk Port - Bus UEPPX UEPPD 2.28 164.57 128.16	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
Line Side Unbundled PBX LD Terminal Ports UEPPX UEPD1 2.28 164.57 128.16	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Unbundled PEX.D Terminal Ports	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45 40.18 9.45
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX 2.28 164.57 128.16	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45 40.18 9.45
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPX UEPX 2.28 164.57 128.16	2.28 164.57 128.16 2.28 164.57 128.16 2.28 164.57 128.16	40.18 9.45
2-Wire Voice Unbundled PBX LD DDT Terminals Port	2.28 164.57 128.16 2.28 164.57 128.16	
2-Wire Voice Unbundled PBX.LD Terminal Switchboard Port	2.28 164.57 128.16	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPPX		40.18 9.45
Capable Port	2.28 164.57 128.16	40.18 9.45
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	2.28 104.37 128.16	40.18 9.45
Administrative Calling Port		40.18 9.45
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPPX UEXE UEPX	40.18 9.45	
Room Calling Port	2.28 104.57 128.10	40.18 9.45
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPX UEX	2 20 164 57 120 16	40.18 9.45
Discount Room Calling Port	2.20 104.37 120.10	40.16 9.45
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPXS 2.28 164.57 128.16	2 29 164 57 129 16	40.18 9.45
LOCAL NUMBER PORTABILITY UEPPX LNPCP 3.15 0.00 0.00 0.00		40.18 9.45
Local Number Portability (1 per port)	2.20 104.37 120.10	40.16 9.43
FEATURES All Features Offered UEPPX UEPVF 3.40 0.00 0.00 0.00	3 15 0 00 0 00	40.18 9.45
All Features Offered	0.10 0.00	40.10 0.40
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX USACC 2.77 0.40 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update ADDITIONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity UEPPX USACC 0.00 0.00 0.00 0.00 0.00 0.00 0.00	3.40 0.00 0.00	40.18 9.45
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update ADDITIONAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 2-Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity UEPPX USACC 2.77 0.40 1.42 4.		
Conversion - Switch-As-Is		
Conversion - Switch with Change UEPPX USACC 2.77 0.40 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USAS2 0.00 0.00 0.00 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	2.77 0.40	40.18 9.45
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 1.42		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 1.42	2.77 0.40	40.18 9.45
ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USAS2 0.00 0.00 0.00 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	1.42	10.27
Subsequent Activity UEPPX USAS2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT		
	0.00 0.00 0.00	40.18 9.45
UNE Port/Loop Combination Rates		
2-Wire VG Coin Port/Loop Combo – Zone 1 1 13.03 13.03		
2-Wire VG Coin Port/Loop Combo – Zone 2 2 21.33		
2-Wire VG Coin Port/Loop Combo – Zone 3 3 32.61 UNE Loop Rates	32.61	
	10.75	
2-Wire Voice Grade Loop (SL1) - Zone 1		
2-Wire Voice Grade Loop (SL1) - Zone 2 2 DEPCO UEPLX 19.05		
2-Wire Voice Grade Line Ports (COIN)	00.00	
2-Wire Voice Grade Lifer For Screening and without		
		40.18 9.45
	2 28 1 79 59 1 63 97 1 1 1	40.18 9.45
2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	2.28 79.59 63.97 2.28 79.59 63.97	*****
	2.28 79.59 63.97 2.28 79.59 63.97	40.18 9.45
2-Wire Coin 2-Way with Operator Screening and 011 Blocking	2.28 79.59 63.97	
	2.28 79.59 63.97	40.18 9.45
2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	2.28 79.59 63.97 2.28 79.59 63.97	
900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 2.28 79.59 63.97	2.28 79.59 63.97 2.28 79.59 63.97 2.28 79.59 63.97	40.18 9.45

CITOURDE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Evkil	bit: C
	D NETWORK ELEWIEN 13 - NOITH CATOIIIIA				1						Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to the second									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:															
—	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28 2.28	79.59	63.97					40.18	9.45 9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFCK	2.20	19.59	03.91					40.16	3.43		
ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	79.59	63.97					40.18	9.45		
LOCA	L NUMBER PORTABILITY			02. 00	CILLOG	0.70	7 0.00	00.01					10.10	00		
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					ĺ										
	Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -							-]		
	Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1		l				1			1		
	Subsequent Database Update						1.42									
ADDIT	FIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			LIEBOO	110400		0.00	0.00					40.40	0.45		
2 14/15	JACTIVITY LE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	- 1 INIT 1	ODT (UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Port/Loop Combination Rates	LINE	ORI (I	KES)	+											
	Loop Rates				+											
	e Voice Grade Line Port Rates (Res)															
2 11110	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
FFAT	or Fraction Mile			UEPFR	1L5XX	0.0125										
FEATU			<u> </u>	UEPFR	UEPVF	3.40	0.00	0.00					40.18	9,45		
1.004	All Features Offered L NUMBER PORTABILITY		<u> </u>	UEFFK	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOCA	Local Number Portability (1 per port)	1	-	UEPFR	LNPCX	0.35	-							1		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			<u> </u>	241 0/	0.00	+									
THE REAL PROPERTY.	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1									1		
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87			1		40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1											
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87	<u> </u>		<u> </u>		40.18	9.45		
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (I	BUS)												
	Port/Loop Combination Rates															
	Loop Rates															
2-Wire	e Voice Grade Line Port (Bus)			LIEDED	Lusse:									ļ		
\vdash	2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
\vdash	2-Wire voice unbundled port outgoing only - bus	-	 	UEPFB UEPFB	UEPBO UEPB1	2.19 2.19	225.00 225.00	225.00 225.00			 		40.18 40.18	9.45 9.45		
1.004	2-Wire voice unbundled incoming only port with Caller ID - Bus L NUMBER PORTABILITY	-	 	ULFFD	UEPBI	2.19	225.00	225.00			 		40.18	9.45		
LUCA	Local Number Portability (1 per port)	-		UEPFB	LNPCX	0.35	+				 			1		
INTER	ROFFICE TRANSPORT			OLI I'D	LINE OX	0.35	ł									
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ +		+				 			 		
	Termination			UEPFB	U1TV2		l									
				- "					H		 					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					I	ı									

UNBUNDI	LED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Fxhi	bit: C
CHECHEL		THE THORIT ELEMENTO NOTAL GAROLINA	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11 _ G G 11 1			m		200	3333						per LSR	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurrin	g Disconnect	1	l	OSS	Rates(\$)	<u> </u>	
 						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FFA	TUR	PES							7144.		7.00	0020					
	/	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	(Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-W	IRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	E Por	rt/Loop Combination Rates															
UNE	E Loc	op Rates															
2-W	ire V	oice Grade Line Port Rates (BUS - PBX)															
								_]							
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00		<u> </u>			40.18	9.45		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
ļļ		Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFFF	UEFAL	2.10	225.00	225.00					40.16	9.45		
		Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		-	UEFFF	UEPAIVI	2.10	225.00	225.00			1		40.16	9.45		
		Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
LOC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
INT	ERO	FFICE TRANSPORT															
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Ī	Termination			UEPFP	U1TV2											
		interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX											
FEA	ATUR																
		All Features Offered	ļ		UEPFP	UEPVF	3.40	0.00	0.00		1			40.18	9.45		
NON		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	<u> </u>							_						
1 1		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	LIEDED	110465]	1		1				
\vdash		Combination - Conversion - Switch-as-is	1	 	UEPFP	USAC2		9.03	1.87	 	+	1	ļ	40.18	9.45		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l		UEPFP	LISACO		9.03	4.07		1			40.40	9.45		
IINDINDI		Combination - Conversion - Switch with change DRT/LOOP COMBINATIONS - COST BASED RATES	 	 	UEPFP	USACC		9.03	1.87	 	+	-		40.18	9.45		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT	<u> </u>		+				-	+				-		
		rt/Loop Combination Rates	I	-		+				1	1				1		
JONE		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1			20.97				 						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2			27.80				†		l				
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3		1	37.08			1	1				1		
UNE		op Rates				1					1				İ		
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
	2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
UNE		rt Rate			•												
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NON		CURRING CHARGES - CURRENTLY COMBINED									1						
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	1	luene.]	1		1				
	5	Switch-as-is	I	l	UEPPX	USAC1		13.26	8.39	l		1	l	53.89	11.34		

UNBUND	LED	NETWORK ELEMENTS - North Carolina													Attachment:	2	Exhi	ibit: C
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)		s		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Rec	Nonrec		Nonrecurring Discor					Rates(\$)		
									First	Add'l	First Ad	d'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	v	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					53.89	11.34		
AD		NAL NRCs							== 10						10.10			
T-1		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk ne Number/Trunk Group Establisment Charges			UEPPX		USAS1		53.49						40.18	9.45	-	
rei		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00						-	-	
		DID Numbers, Establish Trunk Group and Provide First Group			UEFFX		INDT	0.00	0.00	0.00								
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers	1		UEPPX		NDV	0.00	0.00	0.00								
LO		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E PORT														
UN		rt/Loop Combination Rates																
	ι	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - JNE Zone 1		1	UEPPB	UEPPR		38.84										
	ι	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - JNE Zone 2		2	UEPPB	UEPPR		50.01										
	L	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - JNE Zone 3		3	UEPPB	UEPPR		65.18										
UN		op Rates																
	2	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47										
	L			_														
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	<u> </u>	2	UEPPB	UEPPR	USL2X	25.64										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81										
UN		rt Rate Exchange Port - 2-Wire ISDN Line Side Port		1	UEPPB	UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
NO		CURRING CHARGES - CURRENTLY COMBINED		1	OLITO	OLITIK	OLITB	24.57	300.20	302.77	 				13.33	13.33		
140	2	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
AD		DNAL NRCs			OL. I D	OL: TIX	00,102	0.00	.,									
		NUMBER PORTABILITY														1		
	L	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	CHAN	NEL USER PROFILE ACCESS:																
	C	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						ļ	ļ	
		NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)												-	-	
US		ERMINAL PROFILE	1		HEDDD	HEDDE	LIALINAA	0.00	0.00	0.00						1	1	
VE		Jser Terminal Profile (EWSD only) AL FEATURES	 	-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 					 	 	1
VE		All Vertical Features - One per Channel B User Profile	 	1	UEPPB	UEPPR	UEPVF	3.40	0.00	0.00						+	+	
INT		FFICE CHANNEL MILEAGE	1	 	SLIFD	OLFFR	OLI VI	3.40	0.00	0.00						t	t	
1141	lr	nteroffice Channel mileage each, including first mile and acilities termination			LIEDDR	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
		nteroffice Channel mileage each, additional mile	 				M1GNM	0.0282	0.00	0.00	 	-+			13.39	13.35	t	
4-V		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT					5.5252	0.00	5.50						1	1	
		rt/Loop Combination Rates									†					1	1	
	4	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			226.55										
	4	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			263.28										
	4	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			313.15										
UN		op Rates		Ť				3.30			1					1	1	Ì
- 1		4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	47.54			†					1	1	
		1-Wire DS1 Digital Loop - UNE Zone 2	-	_	UEPPP		USL4P	84.27			1	- 1			i e	t e	t e	1

HINDHIN	DI EI	NETWORK ELEMENTS - North Carolina												Attachment:	n	Evhi	bit: C
ONDON	DEEL	NETWORK ELEMENTS - NOTHI Carollila	1			1						Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	Manual Svc
CATEGO	PΛ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			1	,				
CATEGO	K i	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
 						+		Nonrec	urrina	Nonrecurring	Disconnect	-	l	066	Rates(\$)	l	l
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		A Maria DOA Divisi I and TINE 7 and 0		_	UEPPP	USL4P	40444	FIIST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
 		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	134.14										
U		rt Rate					40004							10.00	10.00		
L		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179.01	956.47	663.10					19.99	19.99		
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
		Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51								
A	DDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Subsequent Inward/2-Way Tel Nos - (NC Only)	<u> </u>	<u></u>	UEPPP	PR7TG		1.17	1.17			<u> </u>	<u> </u>	<u></u>		<u></u>	<u></u>
		4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
L l		Activity Outward tel nos. (NC only)	<u> </u>	<u></u>	UEPPP	PR7TP		28.17	28.17	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers	1		UEPPP	PR7ZT		56.33	56.33						1		
L	OCAL	NUMBER PORTABILITY	1			1				1		1	İ	İ	İ	İ	İ
t f		Local Number Portability (1 per port)	t		UEPPP	LNPCN	1.75					1	1		1		
IN		ACE (Provsioning Only)	†				0					1			1		
		Voice/Data	1	1	UEPPP	PR71V	0.00	0.00	0.00			1	1		†		1
\vdash		Digital Data	 		UEPPP	PR71D	0.00	0.00	0.00	 		1			t		
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
N.		Additional "B" Channel			OLITI	I IX/ IL	0.00	0.00	0.00			1					
IN		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92		-		-		19.99	19.99		
		New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
						PR7BD											
<u> </u>		New or Additional Inward Data B Channel			UEPPP	PR/BD	0.00	36.92				ļ		19.99	19.99		
L.	ALL T					DD=04						ļ					
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
<u> </u>		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
<u> </u>		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
In	teroff	ce Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UI		rt/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		171.06										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		207.79										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		257.66										
U		op Rates							-								
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54						<u> </u>				l
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
U	NE Po	rt Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											l				
		- Switch-as-is	1	1	UEPDC	USAC4		490.38	490.38				1		I		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1										i				
		- Conversion with DS1 Changes	1	1	UEPDC	USAWA		490.38	490.38				1		I		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		-	1				1		1	İ	İ	İ	İ	İ
		- Conversion with Change - Trunk	1		UEPDC	USAWB		490.38	490.38						1		
Δ	DDITI	DNAL NRCs	1	1				.00.00	.00.00			1	1		†		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	1		+	-					†	 		—		1
		Service Activity Per Service Order	1		UEPDC	USAS4		127.63	127.63						1		
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	 		021 00	30,104		121.00	121.00	 		1			t		
		Subsequent Channel Activation/Chan - 2-Way Trunk	1	1	UEPDC	UDTTA		28.81	28.81				1		I		I
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	 	 	OLFDO	JULIA	-	20.01	20.61	-		 	-		 		
		Channel Activation/Chan - 1-Way Outward Trunk	1	1	UEPDC	UDTTB		28.81	28.81				1		I		1
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	 	!	UEPUC	ODLIB		∠8.81	∠8.81	-		 	-		-		
			1	1	LIEDDC	LIDTTO		00.04	00.01				1	40.00	40.00		I
\vdash		Activation/Chan Inward Trunk w/out DID	!		UEPDC	UDTTC		28.81	28.81	1		1	ļ	19.99	19.99		ļ
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LUDTTO		00.01	00.01				l	40.00	40.00		
oxdot		Activation Per Chan - Inward Trunk with DID	<u> </u>	<u> </u>	UEPDC	UDTTD		28.81	28.81			<u> </u>	l	19.99	19.99	l	L

RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATE SLEMENTS RATE ELEMENTS Sv. Order Submitted Submitted Elec Manually per LSR Per LSR Manual Svc Order vs. Electronic-1st Electronic-1st Add'I Disc 1st Nonrecurring Disconnect OSS Rates(\$)	DUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
BATE BLEMENTS Intent Charge Charg												Svc Order	Svc Order				
RATE BLEMENTS Interest Part P																	
AATE CLEMENTS																	
Best	COORY	DATE ELEMENTO	Interi	7	DCC	11000			DATEC(#)			1					
The Control of Contr	EGURT	RATE ELEMENTS	m	Zone	BCS	USUC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
A-Web DET Logs / A-Wise DDTS Truck Plant - Subgirl Claim														Electronic-	Electronic-	Electronic-	Electronic
A-Web DET Logs / A-Wise DDTS Truck Plant - Subgirl Claim														1st	Add'l	Disc 1st	Disc Add'l
March See March South																	
Advanced Supplement Private April Private April Private April Private April Private April Private April Private April Ap							Boo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
MERCALE 1 2005 MINISTRUTION MINI							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
MERCALE 1 2005 MINISTRUTION MINI		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsant Chan															
SPECUA RE ZERO SUBSTITUTION					UEPDC	UDTTE		28.81	28.81								
BRSS Superframe Format	BIPOL																
RESCS - Entraled Squareframer Format					LIEDDC	CCOSE		0.00	615.00								
All Angel Park Interestion	-																
MAI - Superitame Format	Altana				UEFDC	CCOEF		0.00	615.00								
All - Extended Supplement Former Former Control Company Comp	Aitern				LIEDDO	140005		0.00	0.00								
Telephone Number Trunk Group Expenditionent Charges UEPDC LOTOX 0.00 19.99 19.																	ļ
Telephone Number for 2-Willy Trans Group UEPDC UOTGY 0.00 10.00 10.00 19.99 19					UEPDC	MCOPO		0.00	0.00								
Filesthone Number for 1-Way Cultivard Truck Group UEPDC UEDCC	Telepi																
Telephone Number for 1-Way Invared Trans (Foruga Winhous DID UEPPC ND7		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
Telephone Number for 1-Way Invared Trans (Foruga Winhous DID UEPPC ND7		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
Silo Numbers Establish Trunk Group and Provide First Group UEPDC NDZ 0.00													ĺ				
Of 20 DID Numbers UEPCC NDZ 0.00 0	-					1	5.50					1	1	.0.00	.0.50	1	
DO Numbers for each Group of 20 DIO Numbers UFPCC ND4 0.00 ND5 ND5 ND5 ND5 ND5 ND5 ND5 ND5 ND5 ND5			l	1	LIEPDC	NDZ	0.00	0.00	0.00]		1	1	1
DiD Numbers, Non-consecutive DID Numbers - Per Number UEPDC NDS 0.00	-		-	-				0.00	0.00	1		 	1		 	1	
Reserve Non-Consecutive DID Numbers UEPDC NDS 0.00										-		 			 		
Reserve DID Numbers																	ļ
Dedicated DST (Interoffice Channel Mileage) - FXPECD for 4Wine DST System (Facilities LEPDC LINO1 T1.29 217.17 163.75 0.00 0.00 19.99 19.9																	<u> </u>
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1.NOA 0.5753 0.00 0.00 19.99							0.00	0.00	0.00								
Termination UEPCC 1.NO1 71.29 217.17 183.75 0.00 0.00 19.99	Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS 1	runk Port											
Interoffice Channel Misage - Additional rate per mile - 0-8 miles UEPDC ILNOA 0.5753 0.00		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities UEPDC 1LNO2 0.00 0.		Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
Termination Learning Channel Mileage - Additional rate per mile - 9-25 LEPDC					UEPDC	1LNOA	0.5753	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 9-25 UEPDC 1LNOB 0.5753 0.00 0.00																	
Interoffice Channel Mileage - Fixed rate 25+ miles UEPDC		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice Channel Mieage - Fixed rate 25+ miles UEPDC		·			LIEPDC	1I NOB	0.5753	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC LINCC 0.573 0.00		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
Local Number Portability, per USO Activated UEPDC CINPCP 3.15 0.00 0.	-	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
Local Number Portability, per USO Activated UEPDC CINPCP 3.15 0.00 0.		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			LIEPDC	1LNOC	0.5753	0.00	0.00								
Central Office Termininating Point										0.00							
4-WIRE DSI LOOP WITH CHANNELIZATION WITH PORT	_							0.00	0.00	0.00		1					
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	4 W/ID				ULFDC	CIG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used						+											
UNE DS1 Loop - UNE Zone 1												ļ					ļ
4-Wire DS1 Loop - UNE Zone 1			type ar	nd num	per of ports used							ļ	ļ		ļ		
4-Wire DS1 Loop - UNE Zone 2 2 UEPMG	UNE D																
4-Wire DS1 Loop - UNE Zone 3 3 UEPMG USLDC 134.14 0.00 0.0																	
UNE DSO Channel Capacity - 1 per 2DS1																	
24 DSO Channel Capacity - 1 per 2 DS1				3	UEPMG	USLDC	134.14	0.00	0.00								
24 DSO Channel Capacity - 1 per 2 DS1	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	าร)														
48 DSO Channel Capacity - 1 per 2 DS1s					UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
96 DSO Channel Capacity -1 per 4 DS1s										1		1	1				
144 DSO Channel Capacity - 1 per 6 DS1s	+		-							 		1					
192 DSO Channel Capacity - 1 per 8 DS1s	_			-								1					
240 DS0 Channel Capacity - 1 per 10 DS1s				-						-		 	 			-	
288 DSO Channel Capacity - 1 per 12 DS1s	-			-						1		1	 			 	├
384 DS0 Channel Capacity - 1 per 16 DS1s	_																
480 DS0 Channel Capacity - 1 per 20 DS1s UEPMG VUM40 2,461.20 0.00 0.00 0.00 19.99 19.99												1]	
576 DS0 Channel Capacity - 1 per 24 DS1s												1					
G7Z DS0 Channel Capacity - 1 per 28 DS1s																	
G72 DS0 Channel Capacity - 1 per 28 DS1s		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99	1	
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes UEPMG USAC4 0.00 330.61 16.64 19.99 19.99 System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and					UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations. Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and	Non-R		Chanr	neliztio						İ		1	İ		1	İ	
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and								-				1	1		1		
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes UEPMG USAC4 0.00 330.61 16.64 19.99 19.99 System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and												 					-
BellSouth Allowed Changes UEPMG USAC4 0.00 330.61 16.64 19.99 19.99 System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and	munup		a i aite	e ili		ungunation 15	oounted.			1		1	l		1	1	
		BellSouth Allowed Changes							16.64					19.99	19.99		
		n Additions at End Hoar Lagations Where 4 Wire DC1 Laga wit	h Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and					1	l	l	1	l	1

UNBUN	IDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2	Fxhi	bit: C
O. T.D. C.		THE THORK ELEMENTO NOTH OUTSING										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
E	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent			UEPMG	CCOSF	0.00	0.00	615.00								
		Activity Only Clear Channel Capability Format - Extended Superframe -			UEPING	CCOSF	0.00	0.00	615.00								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
	lterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
E	xchan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
 		Ento Glad Gathard Grammon26d F DA Frank F GR - Dublifebb			02. 1 X	521 OX	2.20	0.00	0.00	3.00	0.00			70.10	0.40		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
F	eature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4												40.40			
		Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
		D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
H 1	elepho	one Number/ Group Establishment Charges for DID Service			OLITA	II QVVO	0.03	11.13	10.55	30.74	11.40			40.10	3.43		
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00								
		umber Portability			UEPPX	NDV	0.00	0.00	0.00								
	.ocai i	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
F	EATU	RES - Vertical and Optional															
L	ocal S	witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
		ORT LOOP COMBINATIONS - MARKET RATES	L	<u>. </u>		1											
		Rates shall apply where BellSouth is not required to provide cludes:	unbund	dled loo	al switching or swit	tch ports per	FCC and/or St	ate Commissio	n rules.								
		lied port/loop combinations that are Currently Combined or I	Not Cur	rently (ombined in Zone 1	of the Ton 8	MSAS in BallS	outh's region	or and usars	with 4 or more	neleviuna nen	t lings					
		o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											e).				
E	BellSou	th currently is developing the billing capability to mechanica	ally bill	the rec	urring and non-recu	rring Market	Rates in this se	ection except f	or nonrecurrir	ng charges for i	not currently o	ombined in	FL and NC	. In the interi	m where Bell	South cannot	bill Market
F	Rates, I	BellSouth shall bill the rates in the Cost-Based section precede	ding in	lieu of													
		rket Rate for unbundled ports includes all available features i							•		•						
		ice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	e Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	age charge
		URECU).															
		Currently Combined scenarios the Nonrecurring charges are	listed	in the F	irst and Additional	NRC column	s for each Port	USOC. For Cu	rrently Comb	ined scenarios,	the Nonrecur	ring charge	s are listed	in the NRC - 0	Currently Com	bined section	n.
		nal NRCs may apply also and are categorized accordingly.		1			1			1		ı	1		ı		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates	1														
—	ME PC	2-Wire VG Loop/Port Combo - Zone 1		1		-	24.75										
 		2-Wire VG Loop/Port Combo - Zone 2		2			33.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			44.33			i l					1		
L		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.75										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.05										
<u> </u>	\A/:	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33										
 	-vvire	Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence	1		UEPRX	UEPRL	14.00	90.00	90.00					40.18	9.45		
 		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	1	 	UEPRX	UEPRC	14.00	90.00	90.00					40.18	9.45		
				•		,		55.50	00.00								

HINRUN	DI E	NETWORK ELEMENTS - North Carolina												Attachment:	2	Euh:	bit: C
UNDUN	DLEL	NETWORK ELEMENTS - NOITH Carolina										Svc Order	Svc Order	Incremental		Incremental	
												Submitted					
													Submitted		Charge -	Charge -	Charge -
CATEGO	ov	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually		Manual Svc		Manual Svc
CATEGO	X I	RATE ELEWIENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—						+		Nonrec	urring	Nonrecurring	Disconnect	-	l	066	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00		Auu i	SOMEC	JOWAN	40.18	9.45	SOWAN	JOWAN
—		2-Wire voice unbundles res, low usage line port with Caller ID			ULFIX	OLFRO	14.00	90.00	90.00					40.16	9.40		
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.18	9.45		
		2-Wire voice unbundled Low Usage Line Port without Caller ID			ULFKX	ULFAF	14.00	90.00	90.00			-		40.10	3.40		
		Capability			UEPRX	UEPRT	14.00	90.00	90.00					40.18	9.45		
1.0	CAI	NUMBER PORTABILITY			OLFKA	OLFKI	14.00	90.00	90.00					40.16	9.40		
H-		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FI	EATU				OLITOR	LITI OX	0.00										
H		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		
N		CURRING CHARGES - CURRENTLY COMBINED			OLITOX	OLI VI	0.00	0.00	0.00					40.10	0.40		
		The state of the s		1		1 1								1	t	1	t
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Switch with				- 57.102		00	00					.5.10	3.40		
		change		1	UEPRX	USACC		41.50	41.50					40.18	9.45	Ì	1
ΔΙ		DNAL NRCs		1		1		50	50					.5.70	3.10	1	t
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -		†		1 1								1	t	1	
		Subsequent			UEPRX	USAS2		0.00	0.00					40.18	9.45	1	1
2-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				0.00											
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			24.75										
		2-Wire VG Loop/Port Combo - Zone 2		2			33.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			44.33										
U		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-	Wire \	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	14.00	90.00	90.00					40.18	9.45		
L		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FI	EATU																
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		
N/	ONRE	CURRING CHARGES - CURRENTLY COMBINED															
				1		1							<u> </u>]	_]	1
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		<u> </u>	UEPBX	USAC2		41.50	41.50					40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Switch with		1	l	1								Ì	I	Ì	1
igwdow		change		 	UEPBX	USACC		41.50	41.50					40.18	9.45	ļ	
A		ONAL NRCs				<u> </u>									.		
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -		1												Ì	1
igsquare		Subsequent		 	UEPBX	USAS2		0.00	0.00					40.18	9.45	ļ	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<u> </u>		1											
U		ort/Loop Combination Rates		<u> </u>		1	04 ==			ļ					-		├
		2-Wire VG Loop/Port Combo - Zone 1		1			24.75								-		
$\vdash \vdash$		2-Wire VG Loop/Port Combo - Zone 2		2		1	33.05 44.33			ļ					-		├
		2-Wire VG Loop/Port Combo - Zone 3		3		 	44.33			1		1		1	 	1	
U		op Rates		1	LIEDDO	LIEDLY	40.75			-					 		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	-	2	UEPRG UEPRG	UEPLX UEPLX	10.75 19.05			1				-		-	
-		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG UEPRG	UEPLX	30.33								 		
-		Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (RES - PBX)		3	ULFRU	UEPLA	30.33			-					 		
 2-	vvire	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	-	 		1				1				-		-	
		2-wire vG Unbundled Combination 2-way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45		1
 		NUMBER PORTABILITY		-	ULFRU	UEPKD	14.00	90.00	90.00	1				40.18	9.45	 	
H-1		Local Number Portability (1 per port)	-	 	UEPRG	LNPCP	3.15	0.00	0.00	1				-		-	
-	EATU			-	OLFING	LINFOF	3.15	0.00	0.00	1				 		 	
		NLO	l	l		1				l		1	1				

IINBLIND	ED NETWORK ELEMENTS - North Carolina												Attackment:	2	Evt:	hit: C
UNDUNDL	ED NET MORY ETEMENTS - NOLLU CALOINS	1	1	I	1						Svc Order		Attachment: Incremental		Incremental	bit: C
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,	Manual Svc	Manual Svc		Manual Svo
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	1	Nonrec	urrina	Nonrecurring	Disconnect		l	066	Rates(\$)		
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Factoring Officered			UEPRG	UEPVF	0.00		0.00	FIRST	Addi	SOWIEC	SUMAN	40.18		SUMAN	SUMAN
NONE	All Features Offered RECURRING CHARGES - CURRENTLY COMBINED			UEPRG	UEPVF	0.00	0.00	0.00	-				40.18	9.45		
NONE	RECORRING CHARGES - CORRENTLY COMBINED	-														
	O.W. Ville O. I. I / I'm Bod O I i ali O. ital A. I.			LIEDDO	110400		44.50	44.50					40.40	0.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPRG	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs															ļ
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					40.18	9.45		
I	PBX Subsequent Activity - Change/Rearrange Multiline Hunt								1			1		I	Ì	
	Group						14.64	14.64					40.18	9.45		ļ
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															1
UNE	Port/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1		1			24.75										1
	2-Wire VG Loop/Port Combo - Zone 2		2			33.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.33		-		-						
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	30.33										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02.17	OL: AL	1	00.00	00.00					10.10	00		†
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLIAL	14.00	50.00	00.00					40.10	0.40		+
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00			l	1	40.18	9.45	Ì	
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1	OLI FA	JLF AIVI	14.00	90.00	90.00	1		1		40.10	5.40	1	
1	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00	1			1	40.18	9.45	Ì	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPPX	UEPXS	14.00	90.00	90.00	 		-	-	40.18	9.45	-	+
1.007	AL NUMBER PORTABILITY	1	1	OLI I A	OLI AO	14.00	90.00	90.00	}		 	1	40.10	5.40	 	1
LUCA	Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00	 		-	-	-		-	
EE^T	TURES	1	1	OLFFA	LINFOF	3.13	0.00	0.00	}		 	1	1	 	 	1
FEAT	All Features Offered	1	1	UEPPX	UEPVF	0.00	0.00	0.00	 			-	40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	 	OLFFA	UEFVF	0.00	0.00	0.00	 				40.18	9.45		
NON	LECONNING CHARGES - CORRENTLY COMBINED	1	1		+				 		 	 		 	 	<u> </u>
	OMES Velocity Constant and the Boat Constant of the Constant			LIEDDY	110400		44 = 0	44 ===			İ	1	40.10		Ì	
—	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		<u> </u>	UEPPX	USAC2		41.50	41.50					40.18	9.45		├
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			LIEDDY	110400		44 = 0	44 ===			İ	1	40.10		Ì	
	Change	1	1	UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs	1	ļ													
	L										1					
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1	<u> </u>	UEPPX	USAS2		0.00	0.00	1				40.18	9.45		_
1	2 Wire Loop/Line Side Port Combination - Non feature -								1			1		I	Ì	
	Subsequent Activity- Nonrecurring		<u> </u>				0.00	0.00					40.18	9.45	ļ	1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt										i	1		_		
	Group						14.64	14.64					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT						-		-						
UNE	Port/Loop Combination Rates											l				
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			24.75										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			33.05										

IINBIINDI	.ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Eul:	bit: C
UNBUNDL	LED NETWORK ELEMENTS - NOTHI Carollila	1	1	I	1						Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			44.33										
UNE	Loop Rates			LIEBOO	LIEBLY .											
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO UEPCO	UEPLX UEPLX	10.75										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.05 30.33										
2-Wi	re Voice Grade Line Port Rates (Coin)	1	3	UEPCO	UEPLA	30.33										
Z-W11	2-Wire Coin 2-Way without Operator Screening and without	1			+											
	Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00	İ				40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)	<u></u>	<u>L</u>	UEPCO	UEPRP	14.00	90.00	90.00					40.18	9.45		<u> </u>
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(NC)	ļ	<u> </u>	UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking:	1	1	l	l l							1] _		
\vdash	900/976, 1+DDD, 011+, and Local (NC, TN)	ļ	<u> </u>	UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)	1	1	LIEDCO	UEPNE	44.00	00.00	00.00				1	40.40	9.45		
\vdash	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY	1		ULFCO	OLFCL	14.00	90.00	90.00					40.16	9.45		
1200	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON'	RECURRING CHARGES - CURRENTLY COMBINED					0.00										
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPCO	USACC		41.50	41.50					40.18	9.45		
ADDI	ITIONAL NRCs															
													40.40			
0.140	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		DODT (UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Port/Loop Combination Rates	LINE	PORT (KES)	+											
	Loop Rates				+											
	re Voice Grade Line Port Rates (Res)	1			+											
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	225.00	170.00	İ				40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	225.00	170.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	225.00	170.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID															
$oxed{oxed}$	(LUM)	<u> </u>	<u> </u>	UEPFR	UEPAP	14.00	225.00	170.00					40.18	9.45		
INTE	ROFFICE TRANSPORT	ļ	<u> </u>													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	LIEDED	LIATIO	40.00	440.00	74.00				1		1		
\vdash	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	 	UEPFR	U1TV2	18.00	140.00	71.00	 					 		-
	or Fraction Mile	1	1	UEPFR	1L5XX	0.0125						1		1		
FFA ⁻	TURES	 	!	OEI I IX	ILUAA	0.0123			 					1		1
· · · · · ·	All Features Offered	1	1	UEPFR	UEPVF	0.00	0.00	0.00	 				40.18	9.45		
LOC/	AL NUMBER PORTABILITY	†	1		1	5.55	0.00	3.30	†				0	5.70		İ
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35			1					1		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				1		
$\sqcup \sqcup \sqcup$	Combination - Conversion - Switch-as-is	<u> </u>	<u> </u>	UEPFR	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
L	Combination - Conversion - Switch-With-Change	<u> </u>		UEPFR	USACC		9.03	1.87					40.18	9.45		
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	POKI (BUS)	+ +				 					ļ		
	Loop Rates	1	 		1						1			1		
	re Voice Grade Line Port (Bus)	-	†		+ +				 					 		
2-4411	2-Wire voice unbundled port without Caller ID - bus	1	†	UEPFB	UEPBL	14.00	225.00	170.00					40.18	9.45		
		1	+	UEPFB	UEPBC		225.00	170.00	+			 				1
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	225.00	170.00	1				40.18	9.45		

LIMPUND	ED NETWORK ELEMENTS North Corolina												A44L	•		L:4. C
ONROND	LED NETWORK ELEMENTS - North Carolina	1								-	Cup Cade		Attachment:		Exhil	
		1											Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring Disc	onnect			oss	Rates(\$)		
						Rec	First	Add'l		Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	225.00	170.00					40.18	9.45		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INT	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L	or Fraction Mile			UEPFB	1L5XX											
FEA	TURES			LIEDED	LIED) (E	0.00	0.00	0.00					40.40	0.45		
NO	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		UEPFB	UEPVF	0.00	0.00	0.00		-			40.18	9.45		
NOI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			1								1	1		
	Combination - Conversion - Switch-as-is	1		UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		S=11D	30,102		3.03	1.07					40.10	3.43		
	Combination - Conversion - Switch with change	1		UEPFB	USACC		9.03	1.87					40.18	9.45		
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	i			20,100		2.00	07					.0.10	0.40		
	Port/Loop Combination Rates															
UNI	Loop Rates															
2-W	ire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	225.00	170.00					40.18	9.45		
—	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00 14.00	225.00	170.00					40.18	9.45 9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP UEPFP	UEPXC UEPXD	14.00	225.00 225.00	170.00 170.00					40.18 40.18	9.45		
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFF	UEPAD	14.00	225.00	170.00					40.16	9.45		
	Capable Port			UEPFP	UEPXE	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLITI	OLI AL	14.00	223.00	170.00					40.10	3.43		
	Administrative Calling Port			UEPFP	UEPXL	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital													1		
	Discount Room Calling Port	<u></u>		UEPFP	UEPXO	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	225.00	170.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
INT	EROFFICE TRANSPORT	1			ļ				 							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDED	11471/0									1		
\vdash	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 		UEPFP	U1TV2				 				-	 		
	or Fraction Mile			UEPFP	1L5XX											
FE /	TURES	!		02.11	ILOXX				 					<u> </u>		
	All Features Offered	1		UEPFP	UEPVF	0.00	0.00	0.00					40.18	9.45		
NOI	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			3=. 71	0.00	0.00	0.00					70.10	5.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1												1		
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES							-								
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates	<u> </u>			ļ									ļ		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	ļ	1		ļ	60.85										
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<u> </u>	2		1	67.68			 				ļ	 		
1,12.17	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	!	3		1	77.96			 				1	 		
UNI	Loop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX	UECD1	8.85			 				-			
	12-11110 Allalog voice Glade Loop - (SLZ) - OINE ZOITE I	I	_ '	OLFFA	OLCUI	0.00			<u> </u>				l	l		

JNBUNDLE	D NETWORK ELEMENTS - North Carolina								· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			Attachment:	2	Exhi	ibit: C
												Submitted	Submitted	Incremental Charge -	Incremental Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	ics	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	15.68										
UNITE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	25.96										_
UNE P	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	52.00	485.00	75.00					40.18	9.45		
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLITA		OLIDI	32.00	403.00	75.00					40.10	3.43		
HONK	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					 											
	Switch-As-Is Top 8 MSAs only 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX		USAC1		200.00	75.00					53.89	11.34		
ADDIT	with BellSouth Allowable Changes Top 8 MSAs only TIONAL NRCs			UEPPX		USA1C		200.00	75.00					53.89	11.34		
ADDII	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		75.00						40.18	9.45		
Teleni	hone Number/Trunk Group Establisment Charges	1		JLIFA		JUAUI		73.00						40.10	9.40		
Телері	DID Trunk Termination (One Per Port)	1		UEPPX		NDT	0.00	0.00	0.00						1		
	DID Numbers, Establish Trunk Group and Provide First Group	1						2.20	2.30								
	of 20 DID Numbers	<u> </u>		UEPPX		NDZ	0.00	0.00	0.00						<u> </u>		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								L
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
1.004	Reserve DID Numbers L NUMBER PORTABILITY			UEPPX		NDV	0.00	0.00	0.00								
LOCAI	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT			LIVI OI	3.13	0.00	0.00								
	Port/Loop Combination Rates	1	1			1											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		79.47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		90.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		105.81										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
-	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81										
UNE P	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	450.00	375.00		•			19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only	ļ		UEPPB	UEPPR	USACB	0.00	200.00	200.00								
	TONAL NRCs	!	<u> </u>			1									-		├
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)	 		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
R-CH/	ANNEL USER PROFILE ACCESS:	1	-	UEFFB	JEFFR	LINFUA	0.35	0.00	0.00								
Б-СПА	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)						·								
USER	TERMINAL PROFILE					ļ											
	User Terminal Profile (EWSD only)	ļ	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES	!	<u> </u>	LIEDDE	UEPPR	UEPVF	2 42	0.00	0.00					40.00	40.00		├
INTER	All Vertical Features - One per Channel B User Profile	1	-	UEPPB	UEPPK	UEFVF	3.40	0.00	0.00			-		19.99	19.99		
INTER	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
-+	Interoffice Channel mileage each, additional mile	1	-	UEPPB	UEPPR	M1GNC M1GNM	0.0282	0.00	0.00					19.99	19.99		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(PORT		ULFFB	ULPPK	IVITOINIVI	0.0202	0.00	0.00								
	Port/Loop Combination Rates	1. 0.01															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEPPP			947.54										

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,			Order vs.	Order vs.
OATE CONT	NATE ELEMENTO	m	200	500	0000			πΑ1 ΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1					+	1	Nonrec	urring	Nonrecurring	g Disconnect		I	OSS	Rates(\$)	1	1
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						11130	Auu i	11130	Auu i	JOHLE	JONAN	JONAN	JONAN	JOHAN	JONAN
	Zone 2		2	UEPPP		984.27										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			ULFFF	+	304.21	-			-	-			-		
	Zone 3		3	UEPPP		1,034.14										
LINE	Loop Rates			OLITI		1,004.14					1					
UNE	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	47.54	-			-	-			-		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	84.27	-			-	-			-		
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	134.14										
LINE	Port Rate		3	UEFFF	USL4P	134.14										
UNE	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	4.450.00					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	 	OLFFF	UEFFF	900.00	1,150.00	1,150.00					19.99	19.99	-	-
NON		1	1		+					-	 	-		-		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			UEPPP	USACP	0.00	005.00	005.00		I		1		I	Ì	l
400	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00								
ADDI	ITIONAL NRCs	-	<u> </u>		+					.				-		ļ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17								
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		56.33	56.33								
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00										
	Digital Data			UEPPP	PR71D	0.00										
	Inward Data			UEPPP	PR71E	0.00										
New	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALI	L TYPES															
	Inward			UEPPP	PR7C1	0.00										
	Outward			UEPPP	PR7C0	0.00										
	Two-way			UEPPP	PR7CC	0.00										
Intere	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		797.54										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		834.27										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		884.14										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	134.14										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,050.00	480.00	0.00	0.00			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											l				
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4	l	288.86	133.87		I		1		I	Ì	l
			İ	-	1	İ				İ				İ	İ	İ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				i l					1		1			Ì	İ
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA	l	288.86	133.37		1		1			Ì	İ
i	2.2 2 2 2 3 3 2 1 2 2 1 1 1 1 1 1 1 1 1 1		1		1					1	1	1		1	1	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											l				
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		288.86	133.37								

HNEH	NDI E	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Evt.:	bit: C
UNDU	NDLE			ı								Svc Order	Svc Order	Incremental		Incremental	
												Submitted					
													Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually		Manual Svc		Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						_		Nonrec	urrina	Nonrecurring	Disconnect			066	Rates(\$)		ــــــــــــــــــــــــــــــــــــــ
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent						FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLFDC	U3A34		127.03	127.03						-		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		20.01	20.01			1					
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel			OLI DO	OBTIB		20.01	20.01								
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 00	02110		20.01	20.01					10.00	10.00		
		Activation Per Chan - Inward Trunk with DID	1	1	UEPDC	UDTTD		28.81	28.81					19.99	19.99	Ì	1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan		†				20.01	20.01					.5.55	.5.55	1	
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81					1	I	1	1
	BIPOL	AR 8 ZERO SUBSTITUTION		1										İ	İ	İ	
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99	İ	
		B8ZS - Extended Superframe Format		1	UEPDC	CCOEF		0.00	615.00					19.99	19.99		
	Alterna	ate Mark Inversion										İ					
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
		ted DS1 (Interoffice Channel Mileage) -															
	FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities					=										
		Termination)		<u> </u>	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
		Intereffice Channel Mileson Additional rate per sella O C sella			LIEDDO	41 NO 4	0.5750	0.00	0.00								
-		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		-	UEPDC	1LNOA	0.5753	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDC	1LNO2	0.00	0.00	0.00						1		1
\vdash		Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25		-	UEPDC	1LNO2	0.00	0.00	0.00	1				-	-	-	
		Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0.5753	0.00	0.00						1		1
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	טבו טט	ILINOD	0.5755	0.00	0.00			1	1		1		
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00					1		1
		Tommatory		l	0L1 D0	ILINOS	0.00	0.00	0.00	0.00					-		—
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00						1		1
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					<u> </u>		
		Central Office Termininating Point		 	UEPDC	CTG	0.00	2.00	2.00	5.00				1	1	1	
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT			-									İ	İ	İ	
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	vations	,													
		em can have various rate combinations based on type and nu			used												
	UNE D	S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54										
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00		-			19.99	19.99		
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00		-			19.99	19.99		
		96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		└
\vdash		240 DS0 Channel Capacity - 1 per 10 DS1s		ļ	UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		
		288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,476.72	0.00	0.00			l	<u> </u>	19.99	19.99	l	

UNBL	INDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Fxhi	bit: C
UND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO HOLLI GUIONIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonre		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	ļ	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe les of this configuration functioning as one are considered Ac										-					
	wuitipi	NRC - Conversion (Currently Combined) with or without	a i arte	r the m	inimum system con	inguration is	counted.					-					
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
	Systom	n Additions Where Currently Combined and New (Not Currentl	v Comb	inod \	OLFINIG	03AC4	0.00	330.01	10.04			1		15.55	19.99		
-		sity Zone 1 Top 8 MSAs	, 001111	ineu j		+											
	5011	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc													1		
1		Fea Activation -			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68		1	19.99	19.99		
	Bipola	r 8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
	Alterna	ite Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
	Exchar	nge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
-		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
	reature	e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
		Feature (Service) Activation for each Trunk Port Terminated in			UEFFA	IPQVVIVI	0.65	40.00	20.00	10.00	5.00			40.16	9.45		
		ID4 Bank			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
	Telenh	one Number/ Group Establishment Charges for DID Service			OLITA	II QWO	0.00	110.00	30.00	73.00	13.00			40.10	9.40		
	, c.epii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			<u> </u>	 		 		
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00						1		
		DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00						1		
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00						1		
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
L		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		Ļ	<u> </u>	1											
<u> </u>		Based Rates are applied where BellSouth is required by FCC								L. IB.		F-1-2-2					
<u> </u>		ures shall apply to the Unbundled Port/Loop Combination - C											 		<u> </u>	ļ	
<u> </u>		Office and Tandem Switching Usage and Common Transport														<u> </u>	
		first and additional Port nonrecurring charges apply to Not Cu	ırrently	Combi	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.								1							1
<u> </u>		ket Rates for Unbundled Centrex Port/Loop Combination will	pe nego	otiated	on an Individual Ca	ise Basis, un	til further notic	e.							 	ļ	ļ
-		CENTREX - 5ESS (Valid in All States)				1											
—	Z-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1	 					-			 	-	
—	UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		-											
1		Non-Design		1	UEP95		13.03										
ь	<u> </u>	Inon-peagn			055	1	13.03			l l		L	l		1	l	l

IINBII	NDI F	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Evhi	bit: C
21480	HULE	HE I WORK ELEMENTO - NOITH CAIOIIIIA	1			1						Svc Order	Svc Order	Incremental		Incremental	Incremental
			l	1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc	Manual Svc	
CAILG	OKI	RATE ELEMENTS	m	20116	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						_	-	Nonrec		Nonrecurring	Disconnect		l	000	Rates(\$)		
-						-	Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		O Mire VC Lear /O Mire Veire Conde Dest (Control) Dest Conde				_		FIIST	Addi	First	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOS		04.00										
		Non-Design		2	UEP95		21.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Non-Design		3	UEP95		32.61										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.25										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		28.21										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		43.09						<u> </u>	<u> </u>		<u> </u>	<u> </u>
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.05					İ					
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33					İ	l				
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.97			1		İ	İ	İ	1	İ	İ
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.93			1		İ					
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1		UEP95	UECS2	40.81			 		 	1		t		
	LINE P	ort Rate			02. 00	02002	10.01										
	All Stat																
	All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex) Basic Local Alea 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28	79.59	63.97					40.18	9.45		
-					UEF93	UEFIB	2.20	79.59	03.97					40.16	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	HEDVII	0.00	70.50	CO 07					40.40	0.45		
		Area			UEP95	UEPYH	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
	NC Onl																
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2	l		UEP95	UEPUM	2.28	164.57	128.16			l	1	40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term	l		UEP95	UEPUZ	2.28	164.57	128.16			l	1	40.18	9.45		
				1									l				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP95	UEPU9	2.28	79.59	63.97			İ	1	40.18	9.45		
		2-Wire Voice Grade Port Terminated on 800 Service Term	1	1	UEP95	UEPU2	2.28	79.59	63.97	1		1	1	40.18	9.45		
	Local 9	Switching	1				20	. 2.00	22.01	1		1			27.10		
		Centrex Intercom Funtionality, per port	l		UEP95	URECS	0.903			 		 	1				
	l ocal N	Number Portability	1	1	021 00	311200	0.303			 			l		 		
	_00ai I	Local Number Portability (1 per port)	-	!	UEP95	LNPCC	0.35			 		 			1		
$\vdash \vdash$	Feature		 	1	521 00	_111 00	0.55					1	l	1	1	1	1
 	. catult	All Standard Features Offered, per port	l		UEP95	UEPVF	3.40			 		1			1		
\vdash		All Select Features Offered, per port	1	1	UEP95	UEPVS	0.00	457.83		 		 	1	1	 	-	1
\vdash			 	1	UEP95 UEP95		3.40	457.83		 		-	-		-		
 	NADO	All Centrex Control Features Offered, per port	 	1	OLF90	UEPVC	3.40			 		-	-		-		
\vdash	NARS	Little Balling of Assess Balling Continue	<u> </u>	1	LIEDOF	LIABOY	0.00	0.00	0.00	.		ļ	ļ	40.10	0 :-		
		Unbundled Network Access Register - Combination	 	ļ	UEP95	UARCX	0.00	0.00	0.00	 		ļ		40.18	9.45		
		Unbundled Network Access Register - Indial	 	ļ	UEP95	UAR1X	0.00	0.00	0.00			ļ		40.18	9.45		
		Unbundled Network Access Register - Outdial	<u> </u>		UEP95	UAROX	0.00	0.00	0.00				ļ	40.18	9.45		
		aneous Terminations	<u> </u>									ļ	<u> </u>				
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	12.36										
	4-Wire	Digital (1.544 Megabits)															

LINBII	IDI F	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Evhil	bit: C
ONDUN	1DLEI	NETWORK ELEMENTS - NOTHI Carollia	1			 						Svc Order		Incremental		Incremental	
1			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				per LSR		Order vs.	Order vs.	Order vs.
			m			5555			= υ(ψ)			per LSR	per LSR	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
			1										1	1st	Add'l	Disc 1st	Disc Add'l
							Boo	Nonred	curring	Nonrecurring	g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
l'		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00										
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	04 Cha	nnel Bank Feature Activations			LIEBOE	400000	0.05										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP95	1PQWS	0.65										
		Facture Activistics on D. 4 Channel Book EV line Cide Land Clat			LIEDOE	4DOWC	0.05										
+		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 	 	UEP95	1PQW6	0.65			1	-		 		-		-
		I Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.65				1						
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		OFL 20	IF Q(VV)	0.03			1	+		-		1		1
		Different Wire Center	1		UEP95	1PQWP	0.65				I		1		1		1
+		D. I. O. O. O. O. O. O. O. O. O. O. O. O. O.	 		021 00	11 32 771	0.03			1	 		 		 		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65				1						
\vdash		Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	1			~,,,,	0.00				<u> </u>				1		1
		Slot			UEP95	1PQWQ	0.65										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65				İ						
1	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	JNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP9D		13.03										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		04.00										
-		Non-Design		2	UEP9D		21.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		32.61										
	INE De			3	UEF9D	-	32.01										
\vdash	JNE PO	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			+ +	+			1	+		-		1		1
		Design	1	1	UEP9D		17.25				1						
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OLI 3D	1	11.23			1	 				1		1
		Design	1	2	UEP9D		28.21				I		1		1		1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†			1					1				1		İ
		Design	1	3	UEP9D		43.09				I		1		1		1
ı	JNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEP9D	UECS1	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										
\Box I		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81		-								
		ort Rate	<u> </u>														
/	ALL ST		ļ			<u> </u>					ļ				ļ		ļ
\longmapsto		2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP9D	UEPYA	2.28	79.59	63.97	ļ				40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEDOD	LIEDY'S					I		1				1
\vdash		Area	ļ		UEP9D	UEPYB	2.28	79.59	63.97	ļ				40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		LIEDOD	LIEDYO	2.00	70.50	00.67		I		1	40.40	0.7-		1
\vdash		Area	1	-	UEP9D	UEPYC	2.28	79.59	63.97	1	 			40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area	1		UEP9D	UEPYD	2.28	79.59	63.97		I		1	40.18	9.45		1
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	 	 	OFLAD	UEPTU	2.28	79.59	63.97	1	-		 	40.18	9.45		-
		12-vviie voice Graue Full (Certiex / EDO-WOZUBIJO DASIC LOCAL	1	1	UEP9D	UEPYE	2.28	79.59	63.97	1	i	ĺ	i	40.18	1	1	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submi Ele per L	Manually	r Incremental d Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge -
						Rec		urring	Nonrecurring Disconr				Rates(\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local				-		First	Add'l	First Add	SOMI	C SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYF	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28	79.59	63.97				40.18	9.45		
NC On				LIEDAD	UEDIII		====	20.5-				40.15			ļ <u> </u>
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9D UEP9D	UEPUA UEPUB	2.28 2.28	79.59 79.59	63.97 63.97				40.18 40.18	9.45 9.45		-
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		-	UEP9D UEP9D	UEPUB	2.28	79.59	63.97	 	-		40.18			+
1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		ļ	UEP9D	UEPUG	2.28	79.59	63.97				40.18	9.45		ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPUT	2.28 2.28	79.59 79.59	63.97 63.97	 			40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-W5206)3 2-Wire Voice Grade Port (Centrex / EBS-W5216)3			UEP9D	UEPUV	2.28	79.59	63.97	 		+	40.18	9.45		+
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPUW	2.28	79.59	63.97				40.18	9.45		

CATEGORY RATE ELEMENTS 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port Terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port MARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations, each 1-DSO Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wir				1 1											
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-D5209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Tentrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Tentrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Tentrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port Terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination										Svc Order	Svc Order	Attachment:			bit: C Incremental
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-D5209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Tentrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Tentrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port (Tentrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port Terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination	1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port MARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations, each DS0 Channels Activations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Lace Data Control										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability I Local	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability I Local	m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability I Local												1st	Add'l	Disc 1st	Disc Add'l
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability I Local Number Portability I Local Number Portability Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Terminations, each DSO Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - Period Trunk Interoffice Channel Mileage, per mile or fraction of mile Feature Activations (DSO) Centrex Loops on Channelized DS1 Servic D4 Channel Bank Feature Activations														DISC 1St	DISC Aud I
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability I Local					Rec	Nonrec	urring		g Disconnect				Rates(\$)		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability I Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 - Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 1 (Date of Trunk Company Compa			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		Ļ
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability I Local Number Portability															í
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability I Local Number Portability			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability I Local Number Portability All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each DS1 Circuit Terminations, each DS2 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability I Local Number Portability All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each DS1 Circuit Terminations, each DS2 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															í
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability [Local Number Portability] [Local N			UEP9D UEP9D	UEPUP UEPUQ	2.28 2.28	164.57 164.57	128.16 128.16					40.18 40.18	9.45 9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Trunk Side Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage, 2-Wire Interoffice Channel Mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		í
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			OLF3D	OLFOR	2.20	104.57	120.10					40.16	9.43		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		í
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			OLI OD	021 00	2.20	104.07	120.10					40.10	0.40		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		ł
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations				1	_:_0				1				51.10		í
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		í
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability I Local Number Portability All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															i
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activatied per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations	<u>L</u> .		UEP9D	UEPU6	2.28	164.57	128.16		<u> </u>	<u> </u>	<u> </u>	40.18	9.45		<u> </u>
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability (1 per port) Features All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channel Mileage - 2-Wire Interoffice Channel Mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															í
Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability Seatures All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		<u> </u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															í
2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching Centrex Intercom Funtionality, per port Local Number Portability y (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
2-Wire Voice Grade Port Terminated on 800 Service Term Local Switching															í
Local Switching Centrex Intercom Funtionality, per port Local Number Portability Local Number Portability Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Trunk Side Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Servic D4 Channel Bank Feature Activations			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
Centrex Intercom Funtionality, per port			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local Number Portability Local Number Portability (1 per port) Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			LIEDAD	URECS	0.903										
Local Number Portability (1 per port) Features			UEP9D	URECS	0.903										
Features All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	LNPCC	0.35										
All Standard Features Offered, per port All Select Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Servic D4 Channel Bank Feature Activations			OLF3D	LINFCC	0.33										
All Select Features Offered, per port All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Servic D4 Channel Bank Feature Activations			UEP9D	UEPVF	3.40										f
All Centrex Control Features Offered, per port NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
NARS Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UEPVC	3.40	.01.00									i
Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															
Unbundled Network Access Register - Outdial Miscellaneous Terminations 2-Wire Trunk Side gital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		í
Unbundled Network Access Register - Outdial			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
2-Wire Trunk Side			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		i
Trunk Side Terminations, each 4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															l
4-Wire Digital (1.544 Megabits) DS1 Circuit Terminations, each DS0 Channels Activated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations															
DS1 Circuit Terminations, each DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Servic D4 Channel Bank Feature Activations			UEP9D	CEND6	12.36				ļ						ļ
DS0 Channels Activiated per Channel Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations	 		LIEDOD	MALLEY.	/22.2-										
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations			UEP9D	M1HD1	123.65	20.01						40.18	9.45		
Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Servic D4 Channel Bank Feature Activations	1		UEP9D	M1HDO	0.00	28.81		1	 			40.18	9.45		
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations	-	 	UEP9D	MIGBC	18.00			1			 				
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations		1	UEP9D	MIGBM	0.0282			1	1				1		
D4 Channel Bank Feature Activations	:e		OLI JU	IVIIGDIVI	0.0202			1							
	Ĭ			1 1				1					1		1
			UEP9D	1PQWS	0.65				1						í
													1		i
Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65				<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>
Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
Slot			UEP9D	1PQW7	0.65								<u> </u>		ı
Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Different Wire Center			UEP9D	1PQWP	0.65										1
															ł
Feature Activation on D-4 Channel Bank Private Line Loop Slot	 	 	UEP9D	1PQWV	0.65								ļ		
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.65						1				í
Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 		UEP9D UEP9D	1PQWQ 1PQWA	0.65			1	1		ļ		-		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Fxhi	bit: C
350		The state of the s										Svc Order	Svc Order		Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								Order vs.
0/11/20	•	10.112 ===2	m						==(+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurrin	a Disconnect		1	oss	Rates(\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex							71441		71441	0020	00				
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment															
UNBUN	DLED (CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
	1. Mark	et Rates are applied where BellSouth is not required by FCC	and/or	State C	ommission rule to	provide Unbu	indled Local Sw	vitching or Sw	itch Ports.								
	2. Recu	urring Charges for all Standard Centrex and Centrex Conrol Fe	eatures	are Inc	luded in the Marke	t Rate											
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section of	this rate exh	nibit shall apply	to all combina	ations of loop/	port network e	elements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	urring charges	shall be those	e identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.	•			•		•					•	•			•
	Feature																
	UNE-P	CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP95		24.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		33.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		3	UEP95		44.33										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		28.97										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		39.93										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		54.81										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.97										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	40.81										
		ort Rate															
	All Sta																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP95	UEPYM	14.00	215.00	165.00					40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP95	UEPYZ	14.00				ļ			40.18	9.45		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			l	1	l l					İ			l _		1
		- Basic Local Area			UEP95	UEPY9	14.00	105.00	85.00		ļ			40.18	9.45		
		2-Wire Voice Grade Port Terminated on 800 Service Term -										1					1
		Basic Local Area			UEP95	UEPY2	14.00	105.00	85.00		ļ			40.18	9.45		
	NC On										ļ						
		2-Wire Voice Grade Port (Centrex)		1	UEP95	UEPUA	14.00	105.00	85.00		ļ			40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	14.00	105.00	85.00		ļ			40.18	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP95	UEPUH	14.00	105.00	85.00		ļ			40.18	9.45		↓
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOE	LIEDU.		6.= 6-									1
		Center)2			UEP95	UEPUM	14.00	215.00	165.00					40.18	9.45		1

Svc Order Svc Order Incremental Increm	UNBL	INDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhil	oit: C
ATTERLEMENTS IN THE PROPERTY OF THE PROPERTY O			Total Galonia										Svc Order	Svc Order				Incremental
Part Remember Part Remember Part Remember Part Pa				1	1													
ATTEMPT APPLIES Description Descript				Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
Part Part	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR			Order vs.	Order vs.	Order vs.
Part				- ""														
Non-conting Part Non-conting Receptors Non-conti																		
Print Aug South																	2.00 .00	2.007.444
Wine Vision Crans Per C IPT Sorting Vision Control - 100 Sorting								Rec										
Term								.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Section Sect																		
Description Description			Term			UEP95	UEPUZ	14.00	215.00	165.00					40.18	9.45		
Description Description						l												
Coat Switching					<u> </u>													
Center Namour Probability per port UEPS UEP						UEP95	UEPU2	14.00	105.00	85.00	1				40.18	9.45		
Local Number Protability Deptide		Local			-	LIEDOE	LIDECC	0.000			-							
Local Number Parallatility (1 per port)	-	1!				UEP95	URECS	0.903			1							
Features	-	Locai			1	LIEDOE	LNDCC	0.05										
All Standard Features Offend, per port UEPRG UEPVE 0.00 407.83		F	7 (1 1 7		-	UEP95	LINPCC	0.35			-							
All Senier Features Offered, per port		reature			1	LIEDOE	LIED\/E	0.00										
All Centres Control Features Offered A per port UEP96 UEPVC 0.00	-	1		1	1				457.92		+		1			1		
NARS Unbunded Netrook Access Register - Combination UPPS	-	 		 	-				437.83		+					-		
Distructified Nework Access Register - Conditionation UEP95 UARCX 0.00 0.00 0.00 40.18 9.45 1.00 1.00 1.00 0.00 0.00 0.00 0.00 40.18 9.45 1.00 1.00 1.00 0.00 0.00 0.00 0.00 0.00 40.18 9.45 1.00 1.00 1.00 0.00 0.00 0.00 0.00 0.00 40.18 9.45 1.00 1.00 1.00 0	-	NADC	Mil Centrex Control Features Offered, per port	1	1	OL1 30	OLF VO	0.00			+		1					
Unbounded Network Access Register - Outstall UEP96 UARYX 0.00 0.00 0.00 0.00 0.01 0.00 0.00 0.00 0.00 0.01 0.00		MANO	Unbundled Network Access Register - Combination	1	+	LIFP95	LIARCY	0.00	0.00	0.00	 				<i>I</i> 0 19	0.45		
URBOAND Terminations URBOS URBON URBOS URBON URBOS URBON URBOS URBON URBOS URBON URBOS URBOS URBON URBOS	-	 		 	1													
Miscellaneous Terminations																		
2 Wire Trunk Side		Miscel				OLI SO	O/ II (O/)	0.00	0.00	0.00					40.10	0.40		
Trunk Side Terminations, each																		
A-Wire Digital (1-544 Megabits)						UEP95	CEND6	12.36										
DST Circul Terminations, each		4-Wire			1													
DSO Channels Activated, each UEP95 MHDO 0.00 28.81 40.18 9.45						UEP95	M1HD1	123.65							40.18	9.45		
Interoffice Channel Rileage - 2-Wire									28.81									
Interdirec Channel mileage, per mile or fraction of mile UFP95 MIGBM 0.0282		Interof																
Feature Activations (DS0) Centrex Loops on Channellized DS1 Service			Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00										
O 4 Channel Bank Feature Activations Feature Activation on D 4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.65			Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282										
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1POWS 0.65				е														
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.65		D4 Cha																
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95			Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95																		
Slot						UEP95	1PQW6	0.65										
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95																		
Different Wire Center						UEP95	1PQW7	0.65										
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 1PQW 0.65																		
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP95 1PQWQ 0.65			Different Wire Center			UEP95	1PQWP	0.65										
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP95 1PQWQ 0.65						l												
Slot						UEP95	1PQWV	0.65										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWA 0.65		1		1	1	LIEDOE	10000	0.05	l					1		1		
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed charges, per port UEP95		 	6.61	<u> </u>	+						 							
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port	-	Non D		1	╂	UEP95	IPQWA	0.65			 							
Changes, per port	 	NON-RE		1	1		+		+		+ +			 		1		
New Centrex Standard Common Block		1		1	1	LIEDOS	LISAC2		2 77	0.40				1	40.10	0.45		
New Centrex Customized Common Block	-	1		1	1			0.00		0.40	+		1					
NAR Establishment Charge, Per Occasion	<u> </u>	 		1	+						 							
UNE-P CENTREX - DMS100 (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	 		 	1													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		UNE-P		1	1		5.125/1	0.00	12.10		† †				70.10	5.45		
UNE Port/Loop Combination Rates (Non-Design)				1	1						† †					1		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				1			1		j		1					İ		
Non-Design				1	1													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		1		1	1	UEP9D		24.75						1		Ì		
Non-Design 2 UEP9D 33.05			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						Ì									
Non-Design 3 UEP9D 44.33	L	<u> </u>		<u></u>	2	UEP9D		33.05			<u> </u>			<u></u>	<u> </u>	<u> </u>		
UNE Port/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		<u> </u>		<u></u>	3	UEP9D		44.33										
		UNE P																
Design	1	1		-[
			Design		1	UEP9D		28.97					1					

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											- B'				D - ((ft)		
-							Rec	Nonrec			g Disconnect	001150	001111		Rates(\$)	0011411	001441
-		2 Wire VC Lean /2 Wire Voice Crade Bort (Contrav) Bort Comba	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		39.93										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D	+	33.33										
		Design		3	UEP9D		54.81										
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
		ort Rate															
	ALL S	2-Wire Voice Grade Port (Centrex) Basic Local Area	 		UEP9D	UEPYA	14.00	105.00	85.00		-	-		40.18	9.45		
-		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEFTA	14.00	105.00	65.00			-		40.16	9.45		
		Area			UEP9D	UEPYB	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI OD	OLITB	14.00	100.00	00.00					40.10	0.40		
		Area			UEP9D	UEPYC	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
		Area			UEP9D	UEPYE	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
		Area			UEP9D	UEPYF	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
-		Area			UEP9D	UEPYG	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLF 9D	OLFII	14.00	103.00	65.00					40.10	9.43		
		Area			UEP9D	UEPYU	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI OD	OLI 10	14.00	100.00	00.00					40.10	0.40		
		Area			UEP9D	UEPYV	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
		Area			UEP9D	UEPY3	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
		Area			UEP9D	UEPYH	14.00	105.00	85.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
<u> </u>		Indication))3 Basic Local Area	1		UEP9D	UEPYW	14.00	105.00	85.00		ļ	1		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	105.00	85.00					40.18	9.45		
\vdash	-	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	!		OLI 3D	OLFIJ	14.00	105.00	00.00		 			40.10	9.45		
		2 Basic Local Area	1		UEP9D	UEPYM	14.00	215.00	165.00				1	40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1						.00.00		1			.50	50		
	L	Basic Local Area	<u>L</u>		UEP9D	UEPYO	14.00	215.00	165.00	<u> </u>		<u></u>	<u> </u>	40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
		Basic Local Area	<u> </u>		UEP9D	UEPYP	14.00	215.00	165.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1										1				
		Basic Local Area	ļ		UEP9D	UEPYQ	14.00	215.00	165.00		ļ			40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			LIEDOD	LIEDY'S	44.00	045.00	105.00					40.40	0.4-		
-		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1		UEP9D	UEPYR	14.00	215.00	165.00		 			40.18	9.45		
		Basic Local Area	1		UEP9D	UEPYS	14.00	215.00	165.00				1	40.18	9.45		
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	1		OLFBD	ULFIO	14.00	215.00	165.00	1	1	1	-	40.18	9.45		
		Basic Local Area	1		UEP9D	UEPY4	14.00	215.00	165.00				1	40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1						.00.00		1			.50	50		
		Basic Local Area			UEP9D	UEPY5	14.00	215.00	165.00					40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
		Basic Local Area	<u></u>		UEP9D	UEPY6	14.00	215.00	165.00		<u> </u>			40.18	9.45		

HNDI	אווו בי	O NETWORK ELEMENTS - North Carolina												Attachment:	2	Evt.:	bit: C
UNDUI	NDLE	J NETWORK ELEMENTS - NOTHI Carollila		1		1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	DDV.	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc			Manual Svc
CATEGO	JKI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—				1		+		Nonrec	urring	Nonrecurring	Disconnect	-	l	066	Rates(\$)		
-				1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	-					FIIST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Basic Local Area			UEP9D	UEPY7	14.00	215.00	165.00					40.18	9.45	1	
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-		UEP9D	UEP17	14.00	215.00	165.00					40.16	9.43	 	
		Term			UEP9D	UEPYZ	14.00	215.00	165.00					40.18	9.45	1	
\vdash			-		UEP9D	UEPTZ	14.00	215.00	165.00					40.16	9.43	 	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	105.00	85.00					40.18	9.45	1	
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	UEP9D	UEPT9	14.00	105.00	65.00	-		-		40.16	9.45	\vdash	
		Local Area			UEP9D	UEPY2	14.00	105.00	85.00					40.18	9.45	1	
-	NC Onl				UEP9D	UEPTZ	14.00	105.00	65.00					40.16	9.43	 	
	NC OIII	2-Wire Voice Grade Port (Centrex)		1	UEP9D	UEPUA	14.00	105.00	85.00	-		-		40.18	9.45	\vdash	
\vdash		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP9D UEP9D	UEPUB	14.00	105.00	85.00	+		 		40.18	9.45		
\vdash		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3	1	1	UEP9D	UEPUB	14.00	105.00	85.00	+		 		40.18	9.45	 	
\vdash		2-Wire Voice Grade Port (Centrex / EBS-P5E1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3	-	1	UEP9D	UEPUD	14.00	105.00	85.00	+		1		40.18	9.45		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5009)3	-	1	UEP9D	UEPUE	14.00	105.00	85.00	+		1		40.18	9.45		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5209)3	-	1	UEP9D	UEPUF	14.00	105.00	85.00	+		1		40.18	9.45		
-		2-Wire Voice Grade Port (Centrex / EBS-M5112)3		1	UEP9D	UEPUG	14.00	105.00	85.00	+		1		40.18	9.45		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5012)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3	1	1	UEP9D	UEPUG	14.00	105.00	85.00	+		 		40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3		1	UEP9D	UEPUU	14.00	105.00	85.00	-		-		40.18		\vdash	
		2-Wire Voice Grade Port (Centrex / EBS-M5206)3		1	UEP9D	UEPUV	14.00	105.00	85.00	-		-		40.18	9.45	\vdash	
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3		1	UEP9D	UEPU3	14.00	105.00	85.00	-		-		40.18	9.45	\vdash	
-		2-Wire Voice Grade Port (Centrex / Ebs-Niss16)3 2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPUH	14.00	105.00	85.00	+		1		40.18	9.45		
-		2-Wire Voice Grade Fort (Centrex With Caller ID/Msg Wtg Lamp		1	OLF 9D	OLFOIT	14.00	103.00	85.00					40.16	5.43		
		Indication)3			UEP9D	UEPUW	14.00	105.00	85.00					40.18	9.45	1	
-		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		1	UEP9D	UEPUJ	14.00	105.00	85.00	+		1		40.18	9.45		
-		2-Wire Voice Grade Fort (Centrex/Wag Wig Early Indication) 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	OLI 3D	OLI OS	14.00	103.00	05.00					40.10	3.43		
		2-Wile Voice Grade Fort (Certitex Horri dill Serving Wile Certier)			UEP9D	UEPUM	14.00	215.00	165.00					40.18	9.45	1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		1	UEP9D	UEPUO	14.00	215.00	165.00					40.18	9.45	 	
		2-ville voice Grade i ort (Gentiex diller GWG/EBG-i GE1)2, 3		-	OLI 3D	OLI OO	14.00	213.00	103.00	† 				40.10	3.43		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	14.00	215.00	165.00					40.18	9.45	1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		1	UEP9D	UEPUQ	14.00	215.00	165.00					40.18	9.45	 	
-		2-ville voice Grade Fort (Gentlewallier GWG/EBG-3203)2, 3			OLI 3D	OLI OQ	14.00	213.00	103.00					40.10	3.43		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	14.00	215.00	165.00					40.18	9.45	1	
		2 Wile Voice Glade Fort (Gentlewaller GWO/EBG WOTTE)2; 0		1	OLI OD	OLI OIL	14.00	210.00	100.00					40.10	0.40	 	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	14.00	215.00	165.00					40.18	9.45	1	
-		2 11110 10100 01000 1 011 (0011110) 01110 0110 (220 11100 12)2; 0		1	02.00	02.00		210.00	100.00			1		10.10	0.10		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	14.00	215.00	165.00					40.18	9.45	1	1
\vdash		: ::::::::::::::::::::::::::::::		1		J J _T	14.00	210.00	100.00	+				40.10	5.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	14.00	215.00	165.00	1			1	40.18	9.45	1	1
 				1		1-2.00	00	2.0.00	.00.00	 				.0.10	5.40		—
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	14.00	215.00	165.00					40.18	9.45	1	1
\vdash						1 2 2			.00.00					.00	50		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	14.00	215.00	165.00	1			1	40.18	9.45	1	1
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		t			00	_::::00							5.10		
		Term			UEP9D	UEPUZ	14.00	215.00	165.00	1			1	40.18	9.45	1 1	1
						1				†				131.0	50		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	14.00	105.00	85.00					40.18	9.45	1	1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	14.00	105.00	85.00					40.18	9.45		
	Local S	Switching				1				† †							
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903			† †				İ			
1	Local N	lumber Portability				1											
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
1	Feature					1											
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00			† †				İ			
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83		† †				40.18	9.45		
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
1	NARS	2.27(1.2.1.2.2				1											
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
				1	UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
		Unbundled Network Access Register - Inward			OLI 3D	UAITIN	0.00	0.00							0.40		

UNBUNDLED NE	ETWORK ELEMENTS - North Carolina												Attachment:			ibit: C
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
															2.00 .01	2.007.00
						Rec	Nonrec			g Disconnect	SOMEC	SOMAN	SOMAN	Rates(\$)	001111	001111
Missellense	Tamain ation a				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ous Terminations															
2-Wire Truni				LIEDOD	OFNIDO	40.00										
	k Side Terminations, each			UEP9D	CEND6	12.36										
	al (1.544 Megabits)															ļ
	Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		ļ
	Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		ļ
	Channel Mileage - 2-Wire															ļ
	office Channel Facilities Termination			UEP9D	MIGBC	18.00										
	office Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										<u> </u>
	ivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	Bank Feature Activations															
Feat	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
Foot	cure Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	ture Activation on D-4 Channel Bank FX Trunk Side Loop			UEF9D	IFQW6	0.05										
Slot	ure Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW7	0.65										
Feat	ure Activation on D-4 Channel Bank Centrex Loop Slot -															1
	erent Wire Center			UEP9D	1PQWP	0.65										
	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Slot				UEP9D	1PQWQ	0.65										
	ure Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	ing Charges (NRC) Associated with UNE-P Centrex															
NRC	Conversion Currently Combined Switch-As-Is with allowed															
	nges, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
	Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
NAR	Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	quired Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2 - Red	qures Interoffice Channel Mileage															
	quires Specific Customer Premises Equipment															
Note: Rates	displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Condition	ons.							İ	İ	

LIMPIIN	חו בי	NETWORK ELEMENTS - South Carolina												Attack · ·	1	F.,1.	hit. C
UNBUN	DLEL	O NETWORK ELEMENTS - South Carolina		1	ı		1					Cur Onden	Cora Carden	Attachment:			ibit: C
													1	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	PΛ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc		Manual Svc	
CAILGO		KATE ELEMENTO	m	20116	500	0000			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
T	he "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographicall	y Deaveraged Ul	NE Zones. To	view Georgrap	hically Deave	raged UNE Zor	ne Desiganti	ons by C O	refer to Inter	net Website:		
h	ttp://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
		SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge.															
N	OTE: ((2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate I	isted in this	category. Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	o determine	if a product of	can be ordere	d electronical	ily. For
th	nose el	lements that cannot be ordered electronically at present per t	the BBR	R-LO, th	ne listed SOMEC rat	e in this cate	gory reflects the	e charge that	would be billed	I to a CLEC on	ce electronic o	ordering cap	pabilities co	me on-line fo	r that element	t. Otherwise,	the manual
О		g charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	1 LSR t	o BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS	1	1							_					1	
		interactive interfaces (Regional)		<u> </u>		SOMEC		3.50									
		DATE ADVANCEMENT CHARGE	D-110	11.15.51	00 No. 4 Towlff Co. 12	1						ļ			ļ		↓
N	OIE:	The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Secti	on 5 as appl	icable.										ļ
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav	1	1	ALL UNE	SDASP		200.00			I					1	
LIMBUMD		XCHANGE ACCESS LOOP			ALL UNE	SDASP		200.00									
		ANALOG VOICE GRADE LOOP										1	1				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32		15.69				1
		Loop Testing - Basic 1st Half Hour		Ŭ	UEANL	URET1	20.112	34.23	34.23	20.00	0.02		15.69				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
2.		Unbundled COPPER LOOP	<u> </u>			115001	40.04		10.10				1= 00				_
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>		UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				_
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I		UEQ UEQ	UEQ2X UEQ2X	14.51 15.02	36.40 36.40	16.10 16.10	22.66 22.66	4.42 4.42	1	15.69 15.69				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	<u> </u>	3	UEQ	UEQZX	15.02	36.40	16.10	22.00	4.42		15.69				<u> </u>
		Designed (per loop)			UEQ	USBMC		8.17	8.17								
		Unbundled Copper Loop, Non-Designed Billing for BST			ULQ	USBIVIC		0.17	0.17								+
		providing make-up			UEQ	UEQMU		13.47	13.47				15.69				
		Loop Testing - Basic 1st Half Hour	†	1	UEQ	URET1	†	34.23	34.23		†	1	15.69		1	1	t
		Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		19.90	19.90		1		15.69			İ	1
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)	<u> </u>	<u></u>	UEQ	UREWO	<u> </u>	14.30	7.45	<u></u>	<u></u>		15.69	<u></u>		<u> </u>	<u></u>
		XCHANGE ACCESS LOOP															
2.	-WIRE	ANALOG VOICE GRADE LOOP	<u> </u>														<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1 .												1	
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		HEDOD LEDOD	LIEADO	440.	07.00	17.00	00.50			45.00			1	
\vdash		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 	1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32	1	15.69			 	
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69				
\vdash		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 	-	OLF ON UEFOD	ULALO	21.39	31.92	17.02	23.36	5.32	}	15.69	1		1	+
		Zone 2	1	2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69			1	
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	†		021 OK 021 0D	32,100	21.03	31.32	17.02	25.50	5.52	1	10.09	1	1	 	1
		Zone 3	1	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69			1	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<u> </u>	Ť			252	37.32	52	20.00	5.52					1	1
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69				
U		op Rates for Line Splitting	1									Ì					1
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	14.89	0.10	0.10								
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPRX	UEPLX	21.52	0.10	0.10								
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	27.17	0.10	0.10								

UNBUN	DLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: C
0.1.20.1												Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- ()			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUND	LED E	XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			I							1		Ì		
\vdash		Battery Signaling - Zone 1	ļ	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			l		40=							Ì		
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_													
\vdash		Battery Signaling - Zone 3	 	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69				
-		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13	00.44				45.00				
	WIDE	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				
4	-WIKE	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1		-	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		45.00				
		4-Wire Analog Voice Grade Loop - Zone 1		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69 15.69				
-		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				-
-		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	43.30	18.13	94.03	39.33	14.01	1	15.69				
-		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				-
2	-WIDE	SISDN DIGITAL GRADE LOOP			OLA	OKEWO		07.30	30.44				13.03				
—	*****	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				1
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2	-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.82	44.25				15.69				
2	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP		1											ļ
		2 Wire Unbundled ADSL Loop including manual service inquiry	1		l	l							1		1		
		& facility reservation - Zone 1	ļ	1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
		2 Wire Unbundled ADSL Loop including manual service inquiry	1				40	400.01	70.50	50.00	7.00		45.00				
\vdash		& facility reservation - Zone 2	!	2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69		 		├
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69		1		
+		Order Coordination for Specified Conversion Time (per LSR)	 	3	UAL	OCOSL	14.14	18.13	70.00	50.37	1.93		15.69		-		
+		2 Wire Unbundled ADSL Loop without manual service inquiry &	 		UAL	JUUSL		10.13							1		
		facility reservation - Zone 1	1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				
+		2 Wire Unbundled ADSL Loop without manual service inquiry &	†		J. 4	J, 122 V V	12.19	33.01	37.02	30.37	7.33		10.09		 		
		facility reservaton - Zone 2	1	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				
		2 Wire Unbundled ADSL Loop without manual service inquiry &	†			1					50				1		
		facility reservaton - Zone 3	1	3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		15.69		1		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48				15.69				
2	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	•	2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1	ļ	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				<u> </u>
	_	2 Wire Unbundled HDSL Loop including manual service inquiry	1										1]		
		& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				

UNBUI	NDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Fxhi	bit: C
0.120.		THE THORK ELEMENTO GOULD GUIDING										Svc Order	Svc Order			Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	nev	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
CAILO	OIX I	KATE ELEMENTO	m	20116	ВСО	0000			I(A) LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec		Nonrecurring	Disconnoct		l	000	Rates(\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2 Wire Unbundled HDCL Loop including manual conice inquire				-		FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				
		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.40	18.13	19.24	30.37	7.93		15.69				
		2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UCUSL		10.13									
				1	UHL	UHL2W	9.58	404.40	00.50	50.07	7.93		45.00				
1		and facility reservation - Zone 1		1	UHL	UHLZVV	9.58	104.49	66.50	50.37	7.93		15.69				
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69				
-		2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHLZVV	10.92	104.49	06.00	50.37	7.93		15.69				
				3	UHL	UHL2W	44.40	404.40	00.50	50.07	7.00		45.00				
-		and facility reservation - Zone 3		3			11.40	104.49	66.50	50.37	7.93		15.69				
-		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13	40.40				45.00				
-	4 14/15/5	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE I	000	UHL	UREWO		86.32	40.48				15.69				
 	4-WIKE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP		-											├
		4 Wire Unbundled HDSL Loop including manual service inquiry					40.00	450.40		10			4= 00				
		and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
		4-Wire Unbundled HDSL Loop including manual service inquiry		_		l											
		and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
		4-Wire Unbundled HDSL Loop including manual service inquiry		_		l											
		and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48				15.69				
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73		15.69				
		4-Wire DS1 Digital Loop - Zone 3		3		USLXX	229.15	253.03	157.89	44.80	11.73		15.69				
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13				15.69				
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69				
]		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85				15.69				
$\Box \Box$	2-WIRE	Unbundled COPPER LOOP											l				L
		2-Wire Unbundled Copper Loop/Short including manual service															1
		inquiry & facility reservation - Zone 1	<u></u>	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	<u></u>	15.69				<u>1</u>
		2-Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				1
		2 Wire Unbundled Copper Loop/Short including manual service															
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
		2-Wire Unbundled Copper Loop/Short without manual service								İ							
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				1
		2-Wire Unbundled Copper Loop/Short without manual service					0		22.30		50						
		inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93	1	15.69				1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service		3	UCL	UCLPW	4444	94.87	56.89	50.07	7.00		45.00				
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPW	14.14	94.87 8.17	8.17	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	OCLIVIC		0.17	0.17								
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				
1	2-Wire Unbundled Copper Loop/Long - includes manual svc.			002	00222	00.22	110.01	00.02	00.01	7.00		10.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69		1		
	2-Wire Unbundled Copper Loop/Long - without manual service		1	UCL	UCLZVV	38.22	94.87	56.89	50.37	7.93		15.69				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service		† -			33.00	507	55.00	33.07			.0.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	67.95	94.87	56.89	50.37	7.93	<u> </u>	15.69	<u> </u>	<u> </u>	<u> </u>	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
4-WII	RE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry		<u> </u>	002	002.0	20.00		00.00	00.12	10.00		10.00				1
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and		_		1101 414	00.00	440.40	04.45	55.40	40.00		45.00				
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	19.54	8.17	8.17	33.12	10.30		10.00				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	0020		0	0								1
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															1
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				ļ
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_			,		22.5								
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4L UCLMC	144.10	144.17 8.17	93.88 8.17	55.12	10.38		15.69				-
	4-Wire Unbundled Copper Loop/Long - without manual svc.		 	UGL	UCLIVIC		0.17	0.17						1		-
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.				7-1-	20		20	22.12					İ		†
	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38	<u> </u>	15.69			<u> </u>	<u> </u>
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.17	8.17								<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		1	UCL	UREWO		94.87	42.57				15.69		1		
LOOP MODIF		1	 	UUL	UKEWU		94.87	42.57			1	15.09	1	1		+
-201 14101011	TORTION .		l	UAL, UHL, UCL,	 						1					
			1	UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,]]											
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		32.46	32.46				15.69				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			l	I T									1		
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire		<u> </u>	UCL, ULS, UEQ	ULM2G		170.89	170.89			1	15.69				
	u innungied i don Modification Removal of Load Colls - 4 Wife	1	1	i	1				1		1	1	ı	1	ı	1

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			ibit: C
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec			Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification Removal of Load Coils - 4 Wire						4=0.00	.=								
		pair greater than 18k ft			UCL UAL, UHL, UCL,	ULM4G		170.89	170.89				15.69				
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.48	32.48				15.69				
SUB-LOC	OPS	F								İ					1		
S	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		241.42	241.42				15.69				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.69	22.69				15.69				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder			LIEANI	LICEC		177.04	177.04	1			15.00				
		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		177.84	177.84				15.69				
		Set-Up	1		UEANL	USBSD		55.58	55.58	1			15.69				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1	- 1	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	_	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	I	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				
		Onder Consideration for Habrardlad Cub Lanca and sub-lanca aria			LIFANII	LICOMO		0.47	0.47								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		8.17	8.17								
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02, 112	005.11		70.21	20	10.02	0.00		10.00				
		Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69		1		
		Cub 200p 2 Till a minabananig Hormon Cable (inc)	<u> </u>		02, 112	005.12	2	00.10	.0.21	10.00	0		10.00				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEANL	USBMC	7.1.	8.17	8.17	45.00	0		45.00				
-+		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF UEF	UCS2X UCS2X	7.11 9.83	65.94 65.94	31.03 31.03	45.35 45.35	6.71 6.71		15.69 15.69		 		-
-+		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF	UCS2X	10.48	65.94	31.03	45.35	6.71	 	15.69		 		-
		11pps: Silvariaida das 200p Biotribution 2016 0	<u> </u>	<u> </u>		200 <u>2</u> /	10.40	00.04	01.00	40.00	0.71		10.00				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L		UEF	USBMC	<u> </u>	8.17	8.17	<u> </u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ļ		UEF	UCS4X	14.17	79.21	44.29		9.09	1	15.69				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09	1	15.69				1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17	1							
u	Jnbun	dled Sub-Loop Modification			<u></u>	CODIVIO		0.17	0.17						—		
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
		Unbundled Sub-loop Modification - 4-W Copper Dist Load			l												
		Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		278.82	6.13	1			45.60				
- 10		l ap Removal, per PR unloaded dled Network Terminating Wire (UNTW)			ULF	ULIVI4 I		218.82	0.13	 		1	15.69				
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20	-			15.69		-		1
		k Interface Device (NID)			l		2.2200			1		 		1	1		1

UNRUNDI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhi	ibit: C
ONDONDE	COULT GATOMIA	I	1		1						Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates(\$)		
_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79	FIISL	Auu i	SOWIEC	15.69	JOWAN	JOWAN	JOWAN	SOWAN
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53				15.69				
-	Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92				15.69				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92				15.69				
SUB-LOOPS				OLIVIV	ONDO4		0.02	3.32				13.03				
	Loop Feeder															
Oub	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA.												
	Distribution Facility set-up			UDN.UCL.UDL.UDC	USBFW		241.42					15.69				
_	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA.	OODI W		241.42					13.03				
	set-up			UDN,UCL,UDL,UDC	USBFX		22.69	22.69				15.69				
 	USL Feeder DS1 Set-up at DSX location, per DS1 termination		 	USL	USBFZ		523.87	11.34			1	15.69		1		
 	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice	1	 	OOL	OODI Z	 	323.01	11.34				15.09		 		
	Grade - Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
\vdash	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	1	- '-	OLA	OOD! A	0.93	33.20	50.09	J 4 .00	13.74	-	13.09		-		
	Grade - Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			UEA	USBFA	11.74	93.20	36.69	34.00	13.74		15.69				-
	Voice Grade - Zone 3	1	3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69		Ì		
	Order Coordination for Specified Conversion Time, per LSR	<u> </u>	3	UEA	OCOSL	14.74	18.13	36.69	34.00	13.74		15.69				
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	<u> </u>		UEA	OCOSL		10.13									
	Grade - Zone 1		4	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
—	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			UEA	USBFB	0.93	93.20	36.69	34.00	13.74		13.69				
	Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
	Grade - Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69				
—	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	14.74	18.13	30.09	34.00	13.74		13.09				
—	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		10.13									
	Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
—	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	USBI C	0.53	93.20	30.09	34.00	13.74		13.09				
	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
_	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			OLA	ООВГО	11.74	33.20	30.03	34.00	13.74		13.03				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
_	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	14.74	18.13	30.09	34.00	13.74		13.09				
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLA	OCOSL		10.13									-
	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
 	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		 '	OLA	OODI D	21.03	107.31	70.50	02.20	17.52		13.03				
	Grade - Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	OODI D	21.51	107.31	70.50	02.20	17.52		13.03				
	Grade - Zone 3	1	3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69		Ì		
	Order Coordination For Specified Conversion Time, Per LSR	 	Ť	UEA	OCOSL	20.04	18.13	70.00	02.20	17.02		10.00				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	 	1			 	10.10					l				
	Grade - Zone 1	1	1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69		Ì		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		<u> </u>		- UD. L	21.00	107.01	70.00	32.20	17.02		10.00		1		
	Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			- **		2,		. 0.00	52.20	52		.0.00		1		
	Grade - Zone 3	1	3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69		Ì		
	Order Coordination For Specified Conversion Time, Per LSR		Ť	UEA	OCOSL	20.01	18.13	7 0.00	02.20	17.02		10.00				
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37		15.69		1		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69		1		
	Order Coordination For Specified Conversion Time, Per LSR		Ť	UDN	OCOSL		18.13							1		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	l	1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37		15.69		İ		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	l	2	UDC	USBFS	20.92	106.47	68.92	55.81	13.37		15.69		İ		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	23.49	106.47	68.92	55.81	13.37		15.69		1		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	l	1	USL	USBFG	55.85	102.19	64.64	62.26	17.52		15.69		İ		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	l	2	USL	USBFG	109.16	102.19	64.64	62.26	17.52		15.69		İ		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	l	3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69		İ		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.13									
-	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				

UNBUN	NDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: C
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_													
		2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			1101	HODELL	4.50	00.07	40.40	50.44	40.00		45.00				
		3		3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69				
		Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL UCL	OCOSL USBFJ	13.21	18.13 101.22	63.67	58.03	13.29		15.69				
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	8.28	101.22	63.67	58.03	13.29	1	15.69				1
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.42	101.22	63.67	58.03	13.29	1	15.69				1
		Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	0.42	18.13	05.07	30.03	15.25		15.05				
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				1
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	20.17	102.19	64.64	62.26	17.52		15.69				1
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -							•								1
		Zone 1	<u> </u>	1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52	<u> </u>	15.69	<u></u>	<u></u>	<u></u>	<u> </u>
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -					_										
		Zone 2		2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFO	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.13									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		١.,													
		Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIDI	LICDED	24.20	100.10	04.04	CO OC	47.50		45.00				
		Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69				
		Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	20.17	18.13	04.04	02.20	17.52	1	13.09				
SUB-LO	OPS	Order Goordination For Specified Conversion Filme, per Lorc			ODL	OCCOL		10.13									
		op Feeder															1
		Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20.44										
		Sub Loop Feeder - DS3 - Facility Termination Per Month	ı		UE3	USBF1	348.12	3,408.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – STS-1 – Per Mile Per Month	I		UDLSX	1L5SL	20.44										
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	369.07	3,408.62	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	ı		UDLO3	1L5SL	15.51										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	I		UDLO3	USBF5	56.04										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565.50	3,408.62	407.90	160.83	91.17	<u> </u>	15.69		ļ		<u> </u>
		Sub Loop Feeder - OC-12 - Per Mile Per Month	ı		UDL12	1L5SL	19.08			 		ļ		-	ļ	ļ	.
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	669.82							1			
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	<u> </u>		UDL12 UDL12	USBF6 USBF3	1,840.00	3,408.62	407.90	160.83	91.17	 	15.69		1	-	
+		Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month	 		UDL12 UDL48	1L5SL	62.60	3,400.02	407.90	100.03	91.17	 	15.69	t	1	1	
-		Sub Loop Feeder - OC-48 - Facility Termination Protection Per			0000	12002	02.00			+ +				-			†
		Month	l ı		UDL48	USBF9	326.16			1							
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	i		UDL48	USBF4	1,560.00	3,594.62	407.90	160.83	91.17		15.69	1			1
		Sub Loop Feeder - OC-12 Interface On OC-48	I		UDL48	USBF8	366.86	806.47	407.90	160.83	91.17		15.69				
UNBUNI	DLED L	OOP CONCENTRATION															
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	318.73	326.13	326.13				15.69				
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	46.69	135.89	135.89				15.69				
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	351.78	326.13	326.13	ļ			15.69	ļ			<u> </u>
		Unbundled Loop Concentration - System B (TR303)	ļ		ULC	UCT3B	78.67	135.89	135.89	10.55		ļ	15.69				↓
		Unbundled Loop Concentration - DS1 Loop Interface Card	<u> </u>		ULC	UCTCO	4.42	63.43	46.18	16.83	4.71	ļ	15.69	-	ļ	ļ	4
		Unbundled Loop Concentration - ISDN Loop Interface (Brite	1		LIDNI	111.004	7.00	40.50	40.50		F 07		45.00	I			
		Card)	 		UDN	ULCC1	7.02	10.56	10.50	5.41	5.37	 	15.69	!	1	1	1
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)	l		UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69	1			
+		Unbundled Loop Concentration2 Wire Voice-Loop Start or	1		ODC	ULUUU	7.02	10.56	10.50	5.41	5.37	1	15.69	 	1	1	
		Ground Start Loop Interface (POTS Card)	1		UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69	I			
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1			02002	1.75	10.00	10.00	Ų.Ŧ1	0.01		10.00	I		1	†
		Loop Interface (SPOTS Card)	I	1	UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69	1	1	1	1

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: C
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec			g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
		(Specials Card)			UEA	ULCC4	6.22 30.38	10.56 10.56	10.50 10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			ULC	UCTTC	30.38	10.56	10.50	5.41	5.37		15.69				
		Interface			UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			ODL	OLOG!	5.21	10.00	10.00	0.41	0.01		10.00				
		Interface			UDL	ULCC5	9.21	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
		Interface			UDL	ULCC6	9.21	10.56	10.50	5.41	5.37		15.69				
UNE OTI	HER, F	ROVISIONING ONLY - NO RATE	<u> </u>		LIENTON	LINIDDY		0.00		ļ	ļ	<u> </u>		ļ	ļ		_
├─ ┼		NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	 		UENTW UENTW	UNDBX UENCE	0.00	0.00		1		 			-		
1		OINT W Circuit to Establishinent, Provisioning Only - No Rate	1		UEANL,UEF,UEQ,U	OLINGE	0.00	0.00		1			1				+
		Unbundled Contract Name, Provisioning Only - No Rate	l		ENTW	UNECN	0.00	0.00									
UNE OTI	HER, P	ROVISIONING ONLY - NO RATE						2.20			İ						1
	-																
			l		UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				LIODEO	0.00	0.00									
		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	12.26										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLS	ULSFA	300.30	432.32	204.55	119.73	63.77		13.09				+
		month			UDLSX	1L5ND	12.26						15.69				
		High Capacity Unbundled Local Loop - STS-1 - Facility					_										
		Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP M	AKE-U																
		Loop Makeup - Preordering Without Reservation, per working or			LIMIZ	LIMIZLAN		2421	0461								
		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		24.04	24.04	1	-	 					
		queried (Manual).			UMK	UMKLP		25.49	25.49								
		Loop MakeupWith or Without Reservation, per working or						20.70	20.40								
		spare facility queried (Mechanized)	<u> </u>		UMK	PSUMK	<u> </u>	0.34	0.34		<u> </u>	<u> </u>					
		NCY SPECTRUM							•								
		HARING															1
S	SPLITT	ERS-CENTRAL OFFICE BASED			111.0	III CD A	040.00	100.01	0.00	170.00	0.00	<u> </u>	45.00				
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	216.22 54.05	189.21 189.21	0.00	178.38 178.38	0.00	 	15.69 15.69				
-		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSDB ULSD8	18.02	189.21	0.00	178.38	0.00	 	15.69				
		Line Sharing Opinter, Fel System, 6 Ente Sapatity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	- -				2	100.21	2.00		3.00						
		deactivation (per LSOD)	l		ULS	ULSDG		86.67	0.00	49.95	0.00		15.69				
E	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM													
		Line Sharing - per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				ļ
		Line Sharing - per Subsequent Activity per Line				III CDC		40.40	0.01				45.00				
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21		-	1	15.69	-	-		
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)	l		ULS	ULSCS		16.42	8.21				15.69				
		Line Sharing - per Line Activation (DLEC owned Splitter)	1		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.69				†
L	INE S	PLITTING	<u> </u>				0.01			20.01	.2.74			İ	Ì		1
		SER ORDERING-CENTRAL OFFICE BASED															1
_		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										

IINRIII	IDI E	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhil	nit: C
CIABOI	*DEEL	NETWORK ELEMENTS - SOUTH CATOLINA		1			1					Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			Disconnect				Rates(\$)		
		Live Orlinia and Proposition BOT and a basical	-		LIEDOD LIEDOD	LIDEDD	0.04	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	1		UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	37.09 37.09	21.24 21.24	20.07	9.85 9.85		15.69				
	DEMOT	E SITE HIGH FREQUENCY SPECTRUM	I		UEPSK UEPSB	UKEBV	0.61	37.09	21.24	20.07	9.85	-	15.69				
		ERS-REMOTE SITE								-		-					
	J. L	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	54.05	378.42	0.00	356.76	0.00		15.69				
		Remote Site Line Share Cable Pair Activation CLEC Owned at	·		020	020.12	0 1100	0.02	0.00	000.70	0.00		10.00				
		RS and Deactivation	- 1		ULS	ULSTG		74.38	0.00	46.77	0.00		15.69				
	END US	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	W AKA	REMOT	E SITE LINE SHARI	NG											
		Remote Site Line Share Line Activation for End User Served at															
		RS, BST Splitter		<u> </u>	ULS	ULSRC	0.61	37.09	21.24	20.07	9.85		15.69		ļ		
		RS Line Share Line Activation for End User served at RS, CLEC			l												
LINE		Splitter FRANCEOFF		!	ULS	ULSTC	0.61	37.09	21.24	20.07	9.85		15.69		ļ		
		EDICATED TRANSPORT INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billi-	a nort-	d - bolow Des-e	month Deal	CTC_1_fa.u	nthe		 		1			 		
		DEFICE CHANNEL - DEDICATED TRANSPORT	III DIIIIII	g penc	d - below D33=offe	111011th, D33/	313-1=10ur 1110	nuis		-		-					
	NILKC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -								İ							
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade				41 = 207											
-		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0167			1							
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	01174	21.23	40.03	21.71	10.77	0.31		13.03				
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			l												
		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		1	U1TD1	1L5XX	0.3415			1					1		
 		Interoffice Channel - Dedicated Tranport - DS1 - Facility	-	 	וטווט	ILOAA	0.3415			 							
		Termination		1	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69		1		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					1		230	1	10				İ		
		month		<u>L</u>	U1TD3	1L5XX	8.02			<u></u>					<u> </u>		
		Interoffice Channel - Dedicated Transport - DS3 - Facility												_			
		Termination per month		<u> </u>	U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69		ļ		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1						1					1		
\vdash		month		 	U1TS1	1L5XX	8.02			 					-		
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		1	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69		1		
 	OCAI	CHANNEL - DEDICATED TRANSPORT		1	01101	UTIFO	000.55	219.31	100.12	00.33	30.59		13.09				
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ow DS3=one month.	DS3/STS-1=	four months			†		1			1		
		Local Channel - Dedicated - 2-Wire Voice Grade	Ĭ <u>.</u>	1	ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69		Ì		
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				· · · · · · · · · · · · · · · · · · ·
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
\vdash		Local Channel - Dedicated - DS1 - Zone 2			ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
\vdash		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69		 		
		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3 ULDD3	1L5NC ULDF3	11.93 446.00	452.52	264.53	119.75	83.77		15.69				
\vdash		Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month		 	ULDD3 ULDS1	1L5NC	446.00 11.93	452.52	∠04.53	119.75	83.77		15.09		-		
- 		Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination	1	 	ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77	-	15.69		 		
		200a Shamis. Dodioalog OTO 1 Tuolity Toffilliation		1	02201	02010	700.10	702.02	204.00	110.70	55.77	L	10.00		1		

LINDI	INDI E	D NETWORK ELEMENTO Court Courties															
ONBC	INDLE	D NETWORK ELEMENTS - South Carolina	1	1		1	1					Cur Onder	Cura Curdan	Attachment:			bit: C
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILC	JONI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF	1L5DC	97.65										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF	1L5DF	36.41										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		640.51	138.17	317.76	198.11		15.69				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF	1L5DL	97.65										
03/3/ 4/	00000	NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				
8XX A	CESS	TEN DIGIT SCREENING			OHD		0.0000070										
-	 	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	 	 	טווט	+	0.0006673						 				
	1	Number Reserved	1		OHD	N8R1X		2.59	0.44				15.69				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	NOICIX	+	2.00	0.44				13.03				
		POTS Translations			OHD			5.95	0.81	4.58	0.54		15.69				
		8XX Access Ten Digit Screening, Per 8XX No. Established With			OTID			0.00	0.01	4.00	0.04		10.00				
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54		15.69				
		8XX Access Ten Digit Screening, Customized Area of Service					İ										
		Per 8XX Number			OHD	N8FCX		2.59	1.30				15.69				
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74				15.69				
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.59	2.59				15.69				
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
L	<u> </u>	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE II	NFORMA	ATION DATA BASE ACCESS (LIDB)			007		0.0000040										
		LIDB Common Transport Per Query			OQT		0.0000246										
	<u> </u>	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change		<u> </u>	OQU OQT, OQU	NRPBX	0.0138158	34.40		42.18			15.69				
SIGNA	LING (C				OQ1, OQU	INKPDA		34.40		42.10			15.09				
SIGNA	I ING (C	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Connection, Per STP Port			UDB	PT8SX	163.49	33.01	33.01	10.40	10.40						
	1	CCS7 Signaling Usage, Per TCAP Message	1		UDB		0.0000692						 				
	†	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	1	CCS7 Signaling Connection, Per link (B link) (also known as D							22.31					İ			
1	1	link)	1		UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
1	1	CCS7 Signaling Point Code, per Originating Point Code	1										1				
<u> </u>	<u> </u>	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65		15.69				
		CCS7 Signaling Point Code, per Destination Point Code	l		LIDD	00455							4				
F044 5	<u> </u>	Establishment or Change, Per Stp Affected	!		UDB	CCAPD	 	29.08	29.08	35.65	35.65		15.69	ļ			
E911 S	ERVICE	Local Channel - Dedicated - 2-wr Voice Grade	 	 		1	45.00	193.53	33.24	20.70	3.21		45.00				
	<u> </u>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		<u> </u>		-	15.33 0.0167	193.53	33.24	36.72	3.21		15.69				
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.0167										
1		Termination	l				24.30	40.63	27.47	16.77	6.91		15.69				
\vdash	!	Local Channel - Dedicated - DS1 - Zone 1				1	42.62	177.87	154.06	22.24	15.30		15.69				
	<u> </u>	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30		15.69				
	†	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30		15.69				
	†	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
		·															
	<u></u>	Interoffice Transport - Dedicated - DS1 Per Facility Termination	<u> </u>				77.14	89.47	81.99	16.39	14.48		15.69	<u></u>			
CALLI	NG NAM	IE (CNAM) SERVICE			-						· · · · · · · · · · · · · · · · · · ·						
		CNAM For DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
		CNAM For Non DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				

LINDIINI	DI EI	NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhi	bit: C
UNDUNI	DLEI	O NETWORK ELEMENTS - South Carolina				1						Svc Order	Svc Order				Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC AUG I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CNAM For DB Owners - Service Provisioning With Point Code															,
		Establishment			OQV			993.09	734.47	269.53	198.18		15.69				<u> </u>
		CNAM For Non DB Owners - Service Provisioning With Point															, '
		Code Establishment			OQV			343.09	245.69	275.87	198.18		15.69				
		CNAM for DB Owners, Per Query			OQV		0.0010433										
		CNAM for Non DB Owners, Per Query			OQV		0.0010433										
LNP Quer	y Ser																
		LNP Charge Per query					0.0008837	000			20.00						
		LNP Service Establishment Manual		<u> </u>				25.09	25.09	23.07	23.07		15.69				
ODEDATO		LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				
OPERATO	JK CA	LL PROCESSING		-		+											
		Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB				1	1.20						1				1
-		Oper. Call Processing - Oper. Provided, Per Min Using					1.20										
		Foreign LIDB					1.24										ł
-		Oper. Call Processing - Fully Automated, per Call - Using BST				+	1.24					1					
		LIDB					0.20										í
 		Oper. Call Processing - Fully Automated, per Call - Using					0.20										
		Foreign LIDB					0.20										ł '
INWARD	OPER	ATOR SERVICES					0.20										
IIIII I	O. L.	Inward Operator Services - Verification, Per Minute				+	1.15										
		Inward Operator Services - Verification and Emergency Interrupt					0										
		- Per Minute					1.15										i '
BRANDIN	G - 0	PERATOR CALL PROCESSING															[
Fa	cility	based CLEC															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				
		Loading of Custom Branded OA Announcement per shelf/NAV															í T
		per OCN				CBAOL		500.00	500.00				15.69				l
UI	NEP (
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.69				<u> </u>
		Loading of Custom Branded OA Announcement per shelf/NAV															í
		per OCN						500.00	500.00				15.69				
Ur		ding via OLNS for UNEP CLEC						4 000 00									
		Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.69				
		SSISTANCE SERVICES															
DI	RECI	ORY ASSISTANCE ACCESS SERVICE				+	0.275										
DI	DECT	Directory Assistance Access Service Calls, Charge Per Call TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	1400				0.275										
	KEUI	Directory Assistance Call Completion Access Service (DACC),	JACC)	-		+	-			-					-		
		Per Call Attempt				1	0.10						1				í
DIRECTO	RY A	SSISTANCE SERVICES				+	0.10			1							
		ORY ASSISTANCE DATA BASE SERVICE (DADS)	-			+				 			 				
		Directory Assistance Data Base Service Charge Per Listing	1			+	0.04					<u> </u>	 				(
		Directory Assistance Data Base Service, per month				DBSOF	150.00										(
BRANDIN	G - D	RECTORY ASSISTANCE				1				1							i T
		Based CLEC															í
	1	Recording and Provisioning of DA Custom Branded															i
		Announcement			AMT	CBADA		6,000.00	6,000.00				15.69				i
		Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00				15.69				i
UI	NEP (<u> </u>
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.69				
		Loading of DA Custom Branded Announcement per Switch per				1											1
		OCN				1		1,170.00	1,170.00				15.69				<u> </u>
Ur	nbran	ding via OLNS for UNEP CLEC		<u> </u>		1											i
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.69				
051 505	<i></i>	Loading of DA per Switch per OCN		<u> </u>		+		16.00	16.00				15.69				
SELECTIV	/E RC					+											<u>'</u>
		Selective Routing Per Unique Line Class Code Per Request Per		1		USRCR		84.89	84.89	14.14	14.14		15.69				, '
\Box		Switch	1	<u> </u>		USRUR		84.89	84.89	14.14	14.14	l	15.09		l		

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: C
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTU	AL COL	LOCATION	<u> </u>							0.71	0.51		1= 00				
		Virtual Collocation - Application Cost	<u> </u>		AMTES	EAF		1,207.95	1,207.95	0.51	0.51		15.69				
		Virtual Collocation - Cable Installation Cost, per cable	 	1	AMTES	ESPCX	0.05	794.22	794.22	22.54	22.54		15.69				
		Virtual Collocation - Floor Space, per sq. ft.	1		AMTES	ESPVX	3.95										
		Virtual Collocation - Power, per fused amp	1		AMTFS	ESPAX	9.19										
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	18.66										
		cable	-		UEANL,UEA,UDN,U	ESPSX	18.00										
					DC,UAL,UHL,UCL,U												
					EQ. AMTFS. UDL.												
					UNCVX, UNCDX,												
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
	-	virtual Conocation - 2-wire Cross Connects (100p)	 	1	OIVOIVA	ULAUZ	0.0317	12.32	11.03	0.04	5.45	}	15.09			1	
					UEA,UHL,UCL,UDL,												
					AMTFS, UAL, UDN,		Į Į										
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
		Virtual Collocation - 4-wire Cross Conflects (100p)			AMTFS,UDL12,	OLACT	0.0054	12.72	11.30	0.40	3.74		13.03				
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3. ULD12.												
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93		15.69				
		Virtual Collocation 2 1 ibor Cross Confricts	1		AMTFS,UDL12,	ONOZI	2.00	20.04	10.20	7.40	0.00		10.00				
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				
		Vintadi Generalien 11 iber erese cenneste			USL,ULC,AMTFS,	0.10	0.7 .	20.01	10.00	00	0.20		10.00				
					ULR, UXTD1,												
					UNC1X, ULDD1,												
		Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,												
		DS1			UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
					USL,ULC,AMTFS,U												
					E3, U1TD3, UXTS1,												
					UXTD3, UNC3X,												
					UNCSX, ULDD3,												
		Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,												
		DS3			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
		Support Structure, per linear foot			AMTFS	VE1CB	0.0022										
1		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per linear ft	<u> </u>		AMTFS	VE1CD	0.0033										
1		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable						_									
		Support Structure,per cable	<u> </u>		AMTFS	VE1CC		536.56									
1		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax						_									
L		Cable Support Structure, per cable	ļ		AMTFS	VE1CE	ļ	536.56		ļ							
		Virtual Collocation Cable Records - per request			AMTFS	VE1BA		760.98	489.20	133.29	133.29						
1		Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMEEO	VE4D5		co= c-									
		record	1	\vdash	AMTFS	VE1BB		327.65	327.65	189.54	189.54	1					
1		Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMEEO	VE4D0											
-		100 pair	 		AMTES	VE1BC	1	4.82	4.82	5.91	5.91	1					
\vdash		Virtual Collocation Cable Records - DS1, per T1TIE	1	\vdash	AMTES	VE1BD		2.26	2.26	2.77	2.77	1					
<u> </u>		Virtual Collocation Cable Records - DS3, per T3TIE	 		AMTFS	VE1BE		7.90	7.90	9.68	9.68	}				1	
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.68	84.68	77.30	77.30						
-			1		AMTFS AMTFS	SPTBX			10.75	11.30	11.30		15.69				
		Virtual collocation - Security Escort - Basic, per half hour Virtual collocation - Security Escort - Overtime, per half hour	+		AMTFS AMTFS	SPTOX		16.96 22.10	13.89	 		-	15.69			-	
\vdash		Virtual collocation - Security Escort - Overtime, per half hour	1	\vdash	AMTFS	SPTPX	+	27.23	17.02	1		1	15.69			1	
-		Virtual collocation - Maintenance in CO - Basic, per half hour	1		AMTFS	CTRLX		27.23	10.75			1	15.69				
	<u> </u>	virtual conocation - Maintenance III CO - Dasic, per ridii 11001			/ uvi 11 U	JINLA	L	21.38	10.75	1	<u> </u>	1	13.09			L	

HINDH	NDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	<u> </u>	Evh:	bit: C
UNDU	NULE	NETWORK ELEMENTS - South Carolina				1						Svc Order	Svc Order	Incremental	Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
020	•		m		200							per LSR	perLSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89				15.69				
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69				
VIRTUA	L COL	LOCATION Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				+											
		Wire Analog - Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
-		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSK	VETRZ	0.0317	12.32	11.03	0.04	5.45	-	15.09				\vdash
		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			02. 0.	V =	0.0011	12.02	11.00	0.01	0.10		10.00				
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			=												
		Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire				l											
		ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
VIRTUA	L COL	LOCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE4LC	0.0317	12.32	11.83	6.04	5.45		15.69				
DUVEIO	AL CO	LLOCATION			UEPSK, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45	-	15.69				
FITSIC	AL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+						-					\vdash
		Splitting			UEPSR, UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45		15.69				
AIN SE	FCTIV	E CARRIER ROUTING			OLI OK, OLI OD	I LILO	0.0541	12.02	11.00	0.04	3.43		13.03				
7		Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
		End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
		Query NRC, per query			SRC		0.0035036										
AIN - BI	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11		15.69				
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11		15.69				
		AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				1 '
-		AIN SMS Access Service - Security Card, Per User ID Code,			AIIN	CAIVIAU		აა.08	30.08	21.12	21.12		15.69				
		Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				1 '
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027	00					.0.50				
		AIN SMS Access Service - Session, Per Minute				1	0.7121										[
		AIN SMS Access Service - Company Performed Session, Per															
		Minute				<u> </u>	0.8364								<u></u>	<u></u>	<u> </u>
AIN - BI	ELLSO	JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,				L]				1 7
<u> </u>		Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78		15.69		ļ	ļ	 '
-		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69				\longleftarrow
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				1 '
1		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-			DAF I I		7.00	7.65	9.11	9.11	-	15.09		1	1	
		DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				1 '
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				2,1112		7.00	7.00	5.11	0.11		10.00				
		DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				1 '
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1			50		2.11						
		DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39		15.69				1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		34.54	34.54	14.39	14.39		15.69		<u> </u>	<u> </u>	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
		DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39		15.69				1

IINBUNDI E	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Evt:	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonred			Disconnect	201150	001111		Rates(\$)	SOMAN	0011411
	AIN Toolkit Service - Query Charge, Per Query					0.0558238	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	AIN Toolkit Service - Query Charge, Fer Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0556256			1					1		
	Subscription, Per Node, Per Query					0.0069214										
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52		15.69				
	Subscription			CAM	BAPLS	3.51	8.68	8.68				15.69				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
ENILLANCED	Service Subscription EXTENDED LINK (EELs)			CAM	BAPES	0.12	8.68	8.68				15.69				
	: New Density Zone 1 EELs are available in the following MSA	s: Orlan	ndo FI	l ·Miami Fl·Ft Iau	derdale FI:	Atlanta Ga: Ne	ν Orleans Ι Δ		1					1		
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem					Attanta, Ga, No	oricans, EA,									
	: In all states, EEL network elements shown below also apply t					verted to UNE ra	tes. A Switch	As Is Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	ecurring rates	do not apply	.)
NOTE	: In All States the EEL network elements apply to ordinarily co	mbined	netwo	rk elements.(No Sw									Ì.	Ī		Í
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		<u> </u>													
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			110000		40.00	405.00	00.40	50.05	40.04		45.00				
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				_
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -								10.30	9.01						
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				

UNBUNI	DLE	NETWORK ELEMENTS - South Carolina												Attachment:			ibit: C
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
		A LISS and A Miss Analysis Constant and Secretary BOA						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-1	WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	DEFICE	TRANSPORT (EEL)												-
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-1		64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)												
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)		Ī	UNCDX	1D1DD	1.19	6.59	4.73	23.30			15.69				
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC	1.10	5.61	5.61	7.00	7.00		15.69				
4-1	WIRF	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE TR		2.1000		0.01	3.01	7.00	7.00		10.00				

UNBUNI	OLF	NETWORK ELEMENTS - South Carolina												Attachment:	2	Fxhi	bit: C
CIADOIAL	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE TWO KIN ELEMENTO GOULD GALORING	1									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGOR	· ·	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	١,	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			-				ı	Managa		Name a committee of	- Diazanasat			000	D-4(f)		
			-				Rec	Nonrec			Disconnect	001150	001111		Rates(\$)	0011411	0011411
		AND BOARD IN A COLUMN TO THE BOARD OF						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															1
		Transport - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															i
		Transport - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															i
		Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				L
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
		Per Month			UNC1X	1L5XX	0.27										i
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				1
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				i
4-1	WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA	NSPORT (EEL)												
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
		1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				1
		First DS1Loop in DS3 Interoffice Transport Combination - Zone			0.10.17	00200	00.07	200.00	101.00	11.00			10.00				
		2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				i
		First DS1Loop in DS3 Interoffice Transport Combination - Zone			ONOTA	OOLXX	100.40	255.05	137.03	44.00	11.75		13.03				t
		2 This Do ILoop in Doo interonice Transport Combination - Zone		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				1
		Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNCIX	USLAA	201.09	255.05	137.09	44.00	11.73		13.09				
					LINCOV	1L5XX	6.42										1
		Per Month			UNC3X	ILOXX	6.42										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per				===	=0.4 =0										i
		month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				└
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				└
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
		Additional DS1Loop in DS3 Interoffice Transport Combination -															i
		Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
		Additional DS1Loop in DS3 Interoffice Transport Combination -															1
		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				<u> </u>
		Additional DS1Loop in DS3 Interoffice Transport Combination -															i
		Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				<u> </u>
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				L
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		ls Charge	<u> </u>	<u></u>	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69		L		L
2-1	WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
		2-WireVG Loop used with 2-wire VG Interoffice Transport												_			
		Combination - Zone 1	l	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69		İ		1
		2-WireVG Loop used with 2-wire VG Interoffice Transport															
		Combination - Zone 2	l	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	1	15.69		İ		1
		2-WireVG Loop used with 2-wire VG Interoffice Transport															[
		Combination - Zone 3	l	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	1	15.69		l		1
		Interoffice Transport - Dedicated - 2-wire VG combination - Per			-	1			22.70	22.30	12.31				İ		ſ
		Mile Per Month	l	1	UNCVX	1L5XX	0.0134					1	1		l		1
		Interoffice Transport - Dedicated - 2- Wire Voice Grade	1	1		1	3.0.04					I	1		 		f
		combination - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				1
+		Nonrecurring Currently Combined Network Elements Switch -As-	-	-	5.10 VA	511142	13.74	₩.0.03	21.71	10.77	0.91	1	13.03		 		
		Is Charge	l		UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				1
4.1	WIDE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFE	ICE TO		311000		5.01	0.01	7.00	7.00	+	13.09		 		
4-1	**IKE	4-WireVG Loop used with 4-wire VG Interoffice Transport	LNOFF	IOL IN	ANOFUNI (EEL)	+									 		
					UNCVX	115 41 4	32.59	400.00	04.00	50.05	44.04		45.00				i
		Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
		4-WireVG Loop used with 4-wire VG Interoffice Transport	l	_	LINOVO	LIEALA	40.00	400.00	04.00	50.05	44.00		45.00				1
\vdash		Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
		4-WireVG Loop used with 4-wire VG Interoffice Transport	1	_	111000										Ì		1
		Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire VG combination - Per	l	1								1	1		l		1
		Mile Per Month			UNCVX	1L5XX	0.0134						<u> </u>				
		Interoffice Transport - Dedicated - 4- Wire Voice Grade	l										l				1
1 1		combination - Facility Termination per month	l	1	UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69		1		1

CATEGORY MATE ELEMENTS Part 2006 BCS USOC Part 2006 BCS USOC Part 2006 Par	UNBUNDI F	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Fyhi	bit: C
CATEGORY SATE ELEMENTS Trans T	SHOUNDEE											Svc Order	Svc Order				Incremental
ACTIONNY RATE ELEMENTS Done BCS USC RATES BCS BCS USC RATES BCS																	Charge -
## 2006 BCG USDC ## RATE ELEMENTS Mail Zone BCG USDC ## RATE Park P			Intori													_	Manual Svc
Record R	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								Order vs.
Second Column Second Colum			m									F	,				Electronic-
Non-control Non-control																	Disc Add'l
December Company Com																	
Non-control Control Common Service S							Rec										
SCHUNGE DISCOUNT		Name and the Commentation Comments of the control o		1				First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DOS DOTAL EXTENDED LOOP WITH DEDUCATED DOS INTERCOPPICE TEXASPORT (EEL)					LINCVY	LINCCC		5.61	5.61	7.00	7.00		15.60				
High Copacity (Unrounded Load Loap - DSS combridges - Per UNCSX LISND 12.26	DS3 D		CE TRA	NSPOR		UNCCC		3.01	5.01	7.00	7.00		13.09				
Mile per morth UNICKX 1.500 1.226	DOG D		1	1		1											
Right Capacity Distanced Local Ease OF SS contribution					UNC3X	1L5ND	12.26										
Facility Termination per month		High Capacity Unbundled Local Loop - DS3 combination -															
Vascelfar Transport - Declarated - DS3 combination - Facility UNCSX UNCS		Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
Termination pay part month					UNC3X	1L5XX	6.42										
Notice																	
In Charge Michael Control			ļ	1	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
STST GIGHAL EXTENDED LOOP WITH DEDICATED STST INTEROFFICE TRANSPORT (EEL.)			1		LINICOV	LINICCO		F 04	F 01	7.00	7.00		45.00				
High Capacity Unburdied Local Losp - STS1 combination - Per Mode ger morth UNCSX 1L5ND 12.26	CTC4 1		L FICE TO	ANGD		UNCCC		5.61	5.61	7.00	7.00	-	15.69				
Mile per mounth	31311		T	MINOP	JIN (EEL)	+				 		1	1	1	1	1	
High Capacity Unburded Local Locy - STS1 combination - Park UNCSX			1		UNCSX	1L5ND	12 26			1							
Facility Termination per month UNCSX UNCSX UNCSX 115.05 119.75 83.77 15.69			1		2.100/1		12.20			1							
Interdifice Transport - Dedicated - STST combination - Per Millie per monh UNCSX 1LSXX 6.42					UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
Interoffice Transport - Desticated - STS1 combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility Interoffice Combination - Facility - Facilit																	
Termination per month UNCSX UTFS 704.44 279.37 183.12 69.33 58.69 15.69		per month			UNCSX	1L5XX	6.42										
Noncecuring Currently Combined Network Elements Switch -As- S. Charge UNCSX UNCCC 5.61 5.61 7.00 7.00 15.69																	
Scharge UNCSX UNCCC 5.61 5.61 7.00 7.00 15.68					UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
Additional Zwee ISDN EXTENDED LOOP WITH DST INTEROFFICE TRANSPORT (EEL)			-														
First 2-Wire SDN Loop in a DS1 Interoffice Combination 1 UNCNX U1L2X 25.21 117.58 80.03 53.05 10.61 15.69	0.14/10/))		UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
Transport - Zone 1	Z-WIRI		KI (EEL	-)		-						-					
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 2 UNCNX				1	LINCNY	1111.28	25 21	117 50	80 03	53.05	10.61		15.60				
Transport - Zone 2			1	 ' -	ONONA	UTLZX	20.21	117.50	00.03	33.03	10.01		13.03				
First 2-Wire ISDN Loop in a DSI Interoffice Combination 3 UNCNX UTL2X 37.70 117.58 80.03 53.06 10.61 15.69 15.69 11.69 15.69 11.				2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X 1L5XX 0.27		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
Interoffice Transport - Dedicated - DSI combination - Facility Termination per month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 15.69				3				117.58	80.03	53.05	10.61		15.69				
Termination per month					UNC1X	1L5XX	0.27										
Channelization - Channel System DS1 to DS0 combination - per month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81 15.69																	
Der month					UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
Carrier ISDN COCI (BRITE) - DS1 to DS0 Channel System					LINCAV	MO1	107.57	01.24	60.71	10.56	0.01		15.60				
Combination - per month	 		1	1	UNUIA	IVIQ I	107.57	91.24	02.71	10.56	9.81		15.69				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 1 UNCNX			1		UNCNX	UC1CA	2.56	6.59	4.73	1			15.69				
Combination - Zone 1			1			1	2.55	0.00	0	1							
Combination - Zone 2		Combination - Zone 1	<u>L</u>	_1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69	<u> </u>	<u> </u>	<u> </u>	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month UNCNX UC1CA 2.56 6.59 4.73 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.61 5.61 7.00 7.00 15.69 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL) First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 UNC1X USLXX USLXX USLXX 155.43 253.03 157.89 44.80 11.73 15.69 First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month UNCSX USLXX USL																	
Combination - Zone 3 3 UNCNX U1L2X 37.70 117.58 80.03 53.05 10.61 15.69			ļ	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System				_	LINIONIN	1141.037			22.5	== ==							
Combintation- per month	\vdash		!	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69	-	-	-	
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X			1		LINCNIY	LIC1CA	2 56	6 50	4 72	1			15.60				
Is Charge	 		 	1	CINCINA	JUTUA	2.30	6.09	4.73	 		-	15.69				
A-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)			1		UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
First DS1 Loop in STS1 Interoffice Transport Combination - 1 UNC1X	4-WIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T				0.01	5.51	7.50	50						
First DS1 Loop in STS1 Interoffice Transport Combination - 2 UNC1X USLXX 155.43 253.03 157.89 44.80 11.73 15.69					` ,												
Zone 2				1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
First DS1 Loop in STS1 Interoffice Transport Combination - 3 UNC1X USLXX 261.89 253.03 157.89 44.80 11.73 15.69																	
Zone 3			ļ	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month UNCSX 1L5XX 6.42 Interoffice Transport - Dedicated - STS1 combination - Facility Termination UNCSX U1TFS 704.44 279.37 163.12 60.33 58.59 15.69			1	2	LINICAV	LICL VV	004.00	050.00	457.00	44.00	44 70		45.00				
Per Month			 	3	ONCIA	USLXX	261.89	253.03	157.89	44.80	11./3	-	15.69				
Interoffice Transport - Dedicated - STS1 combination - Facility Termination UNCSX U1TFS 704.44 279.37 163.12 60.33 58.59 15.69			1		UNCSX	11.5XX	6.42			1							
Termination UNCSX U1TFS 704.44 279.37 163.12 60.33 58.59 15.69			1		5.100A	1LO///	0.72			†		1		1	1	1	
			1		UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
ן אסיסי טווויסיוויסייסי טווויסייסיסי טווויסיסיסיסיסיסיסיסיסיסיסיסיסיסיסיסיסיס		STS1 to DS1 Channel System conbination per month	1	1	UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69	İ	İ	İ	

UNBL	JNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: C
0.1.2												Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Order vs.		Order vs.	
OAIL		KATE EEEMENTO	m	20110	200	0000			ιται Εσ(ψ)			per LSR	per LSR		Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73	11130	Addi	COME	15.69	COMPAR	COMPAN	COMPAN	COMPAR
		Additional DS1Loop in STS1 Interoffice Transport Combination -			ONOTA	00101	0.04	0.00	4.70				10.00				
		Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
		Additional DS1Loop in STS1 Interoffice Transport Combination -		<u> </u>	0110171	002,01	00.07	200.00	101.00	11.00	11110		10.00				
		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				!
		Additional DS1Loop in STS1 Interoffice Transport Combination -															
		Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANSI	PORT (EEL)												
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			` '												
		Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				1
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
		Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSI	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
ADDIT		ETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, t					As Is Charge of	loes not.		ļ	ļ						1
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											ļ
		Nonrecurring Currently Combined Network Elements Switch -As-															1
	ļ	Is Charge - 2 wire/4-Wire VG		 	UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-	•		LINODY	LINIOGO							4= 0-				1
	1	Is Charge - 56/64 kbps		<u> </u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				├
		Nonrecurring Currently Combined Network Elements Switch -As-															
<u> </u>	<u> </u>	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-									=		4= 00				
		Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINIOOV	Liniono		.	F	7.00	7.00		45.00				I
	NOTE	Is Charge - STS1	l Da'r	DC2	UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69		-		
	NOTE:	Local Channel - Dedicated Transport - minimum billing perior	u - Belo	w DS3:				400.50	20.04	20.70	2.01		45.00				
	 	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 4-Wire Voice Grade	-	1	UNCXV UNCXV	ULDV2 ULDV4	15.33 16.54	193.53 193.97	33.24 33.68	36.72 37.19	3.21 3.68		15.69 15.69		-		
—	1	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDV4 ULDF1	16.54 42.62	193.97	154.06	22.24	15.30		15.69				
—	+	Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2	-	2	UNC1X UNC1X	ULDF1 ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
<u> </u>	1	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X UNC1X	ULDF1 ULDF1	70.32 190.68	177.87	154.06	22.24	15.30		15.69		-		
-	1	Local Channel - Dedicated - DS3 - Per Mile per month		3	UNC3X	1L5NC	11.93	177.87	134.06	22.24	15.30	1	15.09				
-	+	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination		-	UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				
 	1	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month	-		UNCSX	1L5NC	11.93	+52.52	204.33	119.75	03.77		15.69		1		
	1	Local Onamiel - Dedicated - 313-1- Fel Mile pel month	1	1	014000	ILUINU	11.93								i	l	<u> </u>

LINDLING	N ED NETWO	RK ELEMENTS - South Carolina												Attachment	2	Evhi	bit: C
UNDUNL	LED NETWO	RK ELEMENTS - South Carollia		ı								Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	ov	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	\ 1	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates(\$)	l	l .
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Local Chan	nel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77	JOINEC	15.69	JOHAN	JONAN	JOHAN	JOHIAN
Or	tional Features				ONOOX	OLDI O	400.10	402.02	204.00	113.73	00.77		13.03				
	ULTIPLEXERS	a ranonono.															
H 1		tion - DS1 to DS0 Channel System			UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCI (data) - DS1 to DS0 Channel System - per			0,11.51		101.01	02.	02.7.	10.00	0.01		10.00				
	month (2.4-				UDL	1D1DD	1.19	6.59	4.73				15.69				
		COCI (BRITE) - DS1 to DS0 Channel Systsem - per			002	15.55	0	0.00	0				10.00				
	month	· · · · · · · · · · · · · · · ·			UDN	UC1CA	2.56	6.59	4.73				15.69				
		e COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.56	6.59	4.73				15.69				
		Channel System per month		†	UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
		31 Channel System per month			UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
		ce Unit (DS1 COCI) used with Loop per month			USL	UC1D1	8.64	6.59	4.73				15.69				
		ce Unit (DS1 COCI) used with Local Channel per		1		1					İ				İ	İ	İ
	month	, , , , , , , , , , , , , , , , , , , ,			ULDD1	UC1D1	8.64	6.59	4.73				15.69				
		ce Unit (DS1 COCI) used with Interoffice Channel		1													
	per month	, , , , , , , , , , , , , , , , , , , ,		1	U1TD1	UC1D1	8.64	6.59	4.73				15.69				
Su	b-Loop Feeder																
	Unbundled	Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
	Unbundled	Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55.85	102.19	64.64	62.26	17.52						
	Unbundled	Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	109.16	102.19	64.64	62.26	17.52						
	Unbundled	Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	203.35	102.19	64.64	62.26	17.52						
		Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
UNBUNDL	ED LOCAL EXC	HANGE SWITCHING(PORTS)															
Ex	change Ports																
NC	OTE: Although th	ne Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	g retail USOCs	3								
2-1		ADE LINE PORT RATES (RES)															
	Exchange F	Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange F	Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33		15.69				
\vdash		Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69				
		Ports - 2-Wire VG unbundled SC extended local															
		ty Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69				
		Ports - 2-Wire VG unbundled South Carolina Area															
		with Caller ID - Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69				
		Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIEDAD	4.05	0.00	0.00	4.40	4.00		45.00				
$\vdash \vdash$	with Caller I			<u> </u>	UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69		1	1	1
	Exchange F	Ports - 2-Wire VG South Carolina Residence Dialing			LIEDOD	UEPWL	1.65	2.38	2.28	1.42	1.33		15.69				
$\vdash \vdash$		Ports - 2-Wire VG South Carolina Residence Area		 	UEPSR	UEFVVL	1.05	2.38	2.28	1.42	1.33		15.09				
		orts - 2-wire vg South Carolina Residence Area without Caller ID capability		1	UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33		15.69				
\vdash		e unbundled Low Usage Line Port without Caller ID		1	ULFOR	UEPRO	1.00	2.38	2.28	1.42	1.33	1	15.69				
	Capability	s unbunided Low Osage Line Fort without Caller ID			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33		15.69				
$\vdash \vdash$	Subsequen	t Activity		1	UEPSR	USASC	0.00	0.00	0.00	1.42	1.33	 	15.69		1	1	1
EF	ATURES	T. / NOLLYING		 	OLI OIL	20/100	0.00	0.00	0.00				10.09				
F		e Vertical Features		l	UEPSR	UEPVF	3.04	0.00	0.00				15.69				
2-1		ADE LINE PORT RATES (BUS)		1		J=. 71	0.04	0.00	0.00		1		10.00		1	1	1
		Ports - 2-Wire Analog Line Port without Caller ID -		1		1					1				1	1	1
	Bus				UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
		Ports - 2-Wire VG unbundled Line Port with			-		50	0			50						
		port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	1				-												
	Exchange F	Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
		Ports - 2-Wire VG unbundled SC extended local									1		- · · · ·		İ	İ	İ
		ty Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
		orts - 2-Wire VG unbundled incoming only port with															
	Caller ID - E		<u></u>	<u>L</u>	UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33	<u> </u>	15.69		<u> </u>	<u> </u>	<u> </u>
	Exchange F	Ports - 2-Wire VG unbundled South Carolina Bus															
1 1		Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33	1	15.69		1	1	i

CATEGORY RATE ELEMENTS Exchange Ports - 2-Wire Voice South Caro Plan without Caller ID Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Incoming 2-Wire VG Line Side Unbundled PBX ID Terminal PB 2-Wire Vice Unbundled PBX Toll Terminal 2-Wire Vice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unb	olina Business Dialing olina Business Area ort without Caller ID Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports	Interi	Zone	UEPSB UEPSB UEPSB UEPSB UEPSB	UEPWM UEPBB UEPBE USASC UEPVF UEPVF	1.65 1.65 1.65 0.00 3.04 3.04	Nonrec First 2.38 2.38 2.38 0.00	RATES(\$) curring Add'I 2.28 2.28 0.00	Nonrecurring	1.33 1.33	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR SOMAN 15.69	Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN		Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Exchange Ports - 2-Wire Voice South Card Plan without Caller ID Exchange Ports - 2-Wire Voice South Card Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled Outward 1 2-Wire VG Line Side Unbundled Outward 1 2-Wire VG Line Side Unbundled PBX LD Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal 2-Wir	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports		Zone	UEPSB UEPSB UEPSB UEPSB	UEPWM UEPBB UEPBE USASC	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28	1.42 1.42	1.33 1.33	Submitted Elec per LSR	Submitted Manually per LSR SOMAN 15.69	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Exchange Ports - 2-Wire Voice South Caro Plan without Caller ID Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports		Zone	UEPSB UEPSB UEPSB UEPSB	UEPWM UEPBB UEPBE USASC	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28	1.42 1.42	1.33 1.33	Elec per LSR	Manually per LSR SOMAN 15.69	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Exchange Ports - 2-Wire Voice South Card Plan without Caller ID Exchange Ports - 2-Wire Voice South Card Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled Outward 1 2-Wire VG Line Side Unbundled Outward 1 2-Wire VG Line Side Unbundled PBX LD Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal 2-Wir	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports		Zone	UEPSB UEPSB UEPSB UEPSB	UEPWM UEPBB UEPBE USASC	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28	1.42 1.42	1.33 1.33	per LSR	SOMAN 15.69	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Exchange Ports - 2-Wire Voice South Card Plan without Caller ID Exchange Ports - 2-Wire Voice South Card Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Dat Loreminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports	m	Zone	UEPSB UEPSB UEPSB UEPSB	UEPWM UEPBB UEPBE USASC	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28	1.42 1.42	1.33 1.33	•	SOMAN 15.69	Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Plan without Caller ID Exchange Ports - 2-Wire Voice South Carc Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Incoming 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28 2.28	1.42 1.42	1.33 1.33	SOMEC	15.69	1st OSS	Add'I Rates(\$)	Disc 1st	Disc Add'l
Plan without Caller ID Exchange Ports - 2-Wire Voice South Carc Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Incoming 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28 2.28	1.42 1.42	1.33 1.33	SOMEC	15.69	OSS	Rates(\$)		
Plan without Caller ID Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Putward I 2-Wire VG Line Side Unbundled PLAND Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28 2.28	1.42 1.42	1.33 1.33	SOMEC	15.69			SOMAN	SOMAN
Plan without Caller ID Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Incoming 2-Wire VG Line Side Unbundled PLATED Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD TERMINAL	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 1.65 0.00	2.38 2.38 2.38 0.00	2.28 2.28 2.28	1.42 1.42	1.33 1.33	SOMEC	15.69			SOMAN	SOMAN
Plan without Caller ID Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Putward I 2-Wire VG Line Side Unbundled PLAND Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 0.00 3.04	2.38 2.38 2.38 0.00	2.28 2.28 2.28	1.42	1.33	SOMEC	15.69	SOMAN	SOMAN	SOMAN	SOMAN
Plan without Caller ID Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Putward I 2-Wire VG Line Side Unbundled PLA LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res SX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Ports Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 0.00 3.04	2.38 2.38 0.00	2.28	1.42	1.33						
Exchange Ports - 2-Wire Voice South Caro Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire VG Line Side Unbundled Incoming 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Y Trunk - Bus X Trunk - Bus Ports			UEPSB UEPSB UEPSB	UEPBB UEPBE USASC UEPVF	1.65 1.65 0.00 3.04	2.38 2.38 0.00	2.28	1.42	1.33						
Calling Port without Caller ID 2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features (EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Line Side Unbundled 2-Way PBX Trunk- 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled 10-way PE 2-Wire VG Line Side Unbundled Incoming 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter DEVICE Vice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter DEVICE Voice Unbundled PBX LD Terminal	Res BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus Y Trunk - Bus X Trunk - Bus Ports			UEPSB UEPSB UEPSB	UEPBE USASC UEPVF	1.65 0.00 3.04	2.38 0.00	2.28				15.69				
2-Wire voice unbundled Incoming Only Po Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Incoming 2-Wire VG Line Side Unbundled PLX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res 3X Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports			UEPSB UEPSB UEPSB	UEPBE USASC UEPVF	1.65 0.00 3.04	2.38 0.00	2.28				15.69				
Capability Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	Res 3X Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports			UEPSB UEPSB	USASC UEPVF	3.04	0.00		1.42							
Subsequent Activity FEATURES All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PF 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports			UEPSB UEPSB	USASC UEPVF	3.04	0.00		1.42							i
FEATURES All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports			UEPSB	UEPVF	3.04		0.00		1.33		15.69				
All Available Vertical Features All Available Vertical Features All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Incoming 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX Underwinder 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports											15.69				
All Available Vertical Features EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PB 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports															
EXCHANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - 2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward I 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports			HEDGE	UEPVF	3.04	0.00	0.00				15.69				
2-Wire VG Unbundled 2-Way PBX Trunk- 2-Wire VG Line Side Unbundled 2-Way PB 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX LD Terminal	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports			LIEDSE			0.00	0.00				15.69				
2-Wire VG Line Side Unbundled 2-Way PE 2-Wire VG Line Side Unbundled Outward i 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled PBX LD Terminal 2-Wire Voice Unbundled PBX TD Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	BX Trunk - Bus PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Ports			LIEDCE												
2-Wire VG Line Side Unbundled Outward 2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled 2-Way PBX Usage 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	PBX Trunk - Bus PBX Trunk - Bus X Trunk - Bus Ports Port			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire VG Line Side Unbundled Incoming 2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled 2-Way PBX Usage 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	PBX Trunk - Bus X Trunk - Bus Ports			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled 2-Way PBX Usage 2-Wire Voice Unbundled PBX Tol Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	X Trunk - Bus Ports Port			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Analog Long Distance Terminal PB 2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled 2-Way PBX Usage 2-Wire Voice Unbundled PBX Tol Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	X Trunk - Bus Ports Port			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Voice Unbundled PBX LD Terminal 2-Wire Vice Unbundled 2-Way PBX Usage 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	Ports Port			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Vice Unbundled 2-Way PBX Usage 2-Wire Voice Unbundled PBX Toll Terminal 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	Port			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Voice Unbundled PBX Toll Termina 2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal				UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Voice Unbundled PBX LD DDD Ter 2-Wire Voice Unbundled PBX LD Terminal	I Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Voice Unbundled PBX LD Terminal				UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		15.69				
				UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
i iz-vvire voice unnungled PBX LD Terminal				02. 0.	02.70	1.00	01.01		10.01	0.00		10.00				
Capable Port	omionocara ibb			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				1
2-Wire Voice Unbundled 2-Way PBX Hotel	/Hospital Economy			OLI OI	OLI AL	1.00	01.04	14.00	10.07	0.00		10.00				
Administrative Calling Port	71100pital Economy			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				i
2-Wire Voice Unbundled 2-Way PBX Hotel	/Hospital Economy			OLI OI	OLI AL	1.00	31.54	14.00	10.01	0.30		13.03				
Room Calling Port	/ iospital Economy			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				i
2-Wire Voice Unbundled 1-Way Outgoing	DBY Hotal/Hospital			ULFSF	OLFAIN	1.03	31.34	14.00	13.31	0.90		13.09				
Discount Room Calling Port	FBA Hotel/Hospital			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				i
	DDV Massured Dark			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
2-Wire Voice Unbundled 1-Way Outgoing 2-Wire Voice Unbundled 2-Way PBX South				UEPSP	UEPAS	1.00	31.34	14.88	13.97	0.90		15.69				
	n Carolina Area Plus			UEPSP	UEPXT	4.05	24.24	44.00	40.07	0.90		45.00				i
Calling Port					_	1.65	31.34	14.88	13.97	0.90		15.69				
Subsequent Activity				UEPSP	USASC	0.00	0.00	0.00				15.69				
FEATURES				HEDOD HEDOE	LIED) /E	0.04	0.00	0.00				45.00				
All Available Vertical Features				UEPSP UEPSE	UEPVF	3.04	0.00	0.00				15.69				
EXCHANGE PORT RATES (COIN)						4.0=						4= 00				
Exchange Ports - Coin Port						1.65	2.38	2.28	1.42	1.33		15.69				
Local Switching Features offered with Port	Legal BOTC 1					1			<u> </u>		-41					
NOTE: Transmission/usage charges associated														L		
NOTE: Access to B Channel or D Channel Pack	et capabilities will be	availab	ie only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	uties will be de	termined via t	ne Bona Fid	ie Request/l	New Business	Request Pro	cess.	
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
EXCHANGE PORT RATES					<u> </u>				ļ							
Exchange Ports - 2-Wire DID Port				UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				
Exchange Ports - DDITS Port - 4-Wire DS1	Port with DID	I	1 7		1				_							
capability				UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
Exchange Ports - 2-Wire ISDN Port (See N	lotes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69				
All Features Offered				UEPTX UEPSX	UEPVF	3.04	0.00	0.00								
NOTE: Transmission/usage charges associated																
NOTE: Access to B Channel or D Channel Pack		availab	ole only						lities will be de	etermined via t	he Bona Fid	le Request/l	New Business	Request Pro	cess.	
Exchange Ports - 2-Wire ISDN Port Char	nnel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
Exchange Ports - 4-Wire ISDN DS1 Port				UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				
UNBUNDLED PORT with REMOTE CALL FORW	ARDING CAPABILITY															
UNBUNDLED REMOTE CALL FORWARDING SE																
Unbundled Remote Call Forwarding Service				UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				-
	<i>y,</i>				İ				İ	,,,						
Unbundled Remote Call Forwarding Service	ce. Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				1
Unbundled Remote Call Forwarding Service				UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
Unbundled Remote Call Forwarding Service				UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
Non-Recurring	,				1		2.00		· · · · ·	50		.0.00				

IINDI	INDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Eul:	hit: C
ONRC	NULE	D NETWORK ELEMENTS - South Carolina	1		I	T	1					Sup Order	Sup Orde-	Attachment: Incremental		Exhil Incremental	oit: C Incremental
												Svc Order					
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			-				Nonrec	urring	Nonrecurring	Disconnect			000	Rates(\$)		
				-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service - Conversion -		-				FIRST	Add I	FIRSt	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Switch-as-is			UEPVR	USAC2		0.10	0.10				15.69				
	-	Unbundled Remote Call Forwarding Service - Conversion with			UEPVK	USACZ		0.10	0.10				15.09				
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	LIMBUR	NDLED REMOTE CALL FORWARDING - Bus		-	UEPVK	USACC		0.10	0.10								
	UNDU	VOLED REMOTE CALL FORWARDING - Bus					-										
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
	-	Oribundied Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.00	2.30	2.20	1.42	1.33		15.09				
		Habita diad Bassata Call Familiania Camina Lacal Callina Bua			UEPVB	UERLC	4.05	2.20	0.00	4.40	4.00		45.00				
—	1	Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	1	1		UERTE	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33 1.33		15.69 15.69				
-	<u> </u>	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	 	1	UEPVB UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33		15.69	-	-		
<u> </u>	1		 	1	UEPVB	UEKIK	1.65	2.38	2.28	1.42	1.33		15.69				
		Unbundled Remote Call Forwarding Service Expanded and		1	UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33	1	15.69	Ì			
	Non D	Exception Local Calling	1	1	UEFVB	UERVJ	1.65	∠.38	2.28	1.42	1.33		15.69				
	NON-Re	ecurring	1	1		1											
		Unbundled Remote Call Forwarding Service - Conversion -			UEPVB	USAC2		0.40	0.40				45.00				
<u> </u>	1	Switch-as-is	 	1	UEPVB	USAC2		0.10	0.10				15.69				
		Unbundled Remote Call Forwarding Service - Conversion with			LIEDVD	110400		0.40	0.40								
LINIBLI	IDI ED I	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBU		LOCAL SWITCHING, PORT USAGE															
	End Of	ffice Switching (Port Usage)					0.0040=40										
		End Office Switching Function, Per MOU					0.0010519										
	<u> </u>	End Office Trunk Port - Shared, Per MOU					0.0002136										
	I ander	m Switching (Port Usage) (Local or Access Tandem)					0.0001001										
		Tandem Switching Function Per MOU					0.0001634										
		Tandem Trunk Port - Shared, Per MOU					0.0002863										
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000045										
		Common Transport - Facilities Termination Per MOU					0.0004095										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	L., _		L	<u> </u>											
<u> </u>		ased Rates are applied where BellSouth is required by FCC ar								L							
<u> </u>		es shall apply to the Unbundled Port/Loop Combination - Cos												L			
<u> </u>		ffice and Tandem Switching Usage and Common Transport Us															
<u> </u>		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	ed Compos. For Cur	rently Combi	nea Compos tr	e nonrecurrin	g cnarges sna	ii be those ider	itified in the N	onrecurring	- Currently	Combined s	ections.		
-		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
<u> </u>	UNE P	ort/Loop Combination Rates	1	1		1	44.00					-		1	-		
<u> </u>	1	2-Wire VG Loop/Port Combo - Zone 1	1			1	14.89					-		1	-		
<u></u>	-	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			21.52										
<u> </u>	LINE :	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		1	27.17								1		
<u> </u>	UNE L	oop Rates	<u> </u>	L	LIEDDY	LIEBLY	40 =0								1		
<u> </u>	<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPRX	UEPLX	13.76								1		
<u> </u>	<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPRX	UEPLX	20.38								1		
<u> </u>	0 16"	2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPRX	UEPLX	26.04										
<u> </u>	2-Wire	Voice Grade Line Port Rates (Res)	<u> </u>	1	LIEDDY	LIEDDI	4.0	40.00	10.00	04.00	0.05		45.00				
	1	2-Wire voice unbundled port - residence	<u> </u>	1	UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65		15.69				
	1	2-Wire voice unbundled port with Caller ID - res	1	1	UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65		15.69				
<u> </u>	<u> </u>	2-Wire voice unbundled port outgoing only - res	<u> </u>	 	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65		15.69		1		
		2-Wire voice Grade unbundled South Carolina extended local			LIEBBY			40					4				
				1	UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65		15.69				
		dialing parity port with Caller ID - res		+								l			1		
		2-Wire voice unbundled South Carolina Area Calling port with															
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID								24.98	6.65						
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX UEPRX	UEPAJ UEPAP	1.13 1.13	40.30 37.93	19.90 16.72	24.98	6.65		15.69 15.69				
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan			UEPRX	UEPAP	1.13	37.93	16.72				15.69				
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID								24.98	6.65						
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port			UEPRX UEPRX	UEPAP UEPWL	1.13	37.93 40.30	16.72 19.90	24.98	6.65		15.69 15.69				
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability			UEPRX	UEPAP	1.13	37.93	16.72				15.69				
		2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX	UEPAP UEPWL UEPRS	1.13 1.13 1.13	37.93 40.30 40.30	16.72 19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	FEATU	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPWL	1.13	37.93 40.30	16.72 19.90	24.98	6.65		15.69 15.69				

CATEGORY MATE ELEMENTS Manual Done BC3 USOC RATERIO Decimal	IINBIIND! E	NETWORK ELEMENTS - South Carolina												Attachma=+-	<u> </u>	E	hit. C
CATEGORY PATE ELEMENTS Total T	UNDUNDLE	NETWORK ELEMENTS - SOUTH CAPOLINA				1 1						Svo Ord	Cua Ord	Attachment:			bit: C Incremental
CATEGORY RATE ELEMENTS Rose BCS USC RATES(S) Pack Set March Set Rose Code vis. Gold Code vi																	
## Date BCD BC																	Charge -
March Marc			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Part														Electronic-	Electronic-	Electronic-	Electronic-
COLAN MERCAN CHARGE (NOTE) LINE														1st	Add'l	Disc 1st	Disc Add'l
COLAN MERCAN CHARGE (NOTE) LINE																	
ADDITIONAL NUCL							Rec										
COCAL NAMES PORTABLETY										First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
Description Description					UEPRX	UEPVF	3.04	0.00	0.00				15.69				
NOMECURENCE CARROL CONTROL CONTR																	
EVMY Vice Greek Coar Liver Part Commission - Commission - Superpose					UEPRX	LNPCX	0.35										
Settle Access U.S.ACZ	NONRE																
SWIN VIOLE CORRECT Logs FLIT Commission - Subsequent USPRX USACC 0.10 0.10 11.60 1.60																	
South with change ULPPIX USACC 0.10 0.10 15.69					UEPRX	USAC2		0.10	0.10				15.69				
ADDITIONAL NINCS 2 2 2 2 2 2 2 2 2																	
2-WW Vood Grade Long Live Prof Combination - Subsequent UEPRX USAS2 0.00 0.00 0.00 15.69					UEPRX	USACC		0.10	0.10				15.69				
Activity WORD GRADE COP WITH 2WIRE LINE PORT (BUS)	ADDITI	ONAL NRCs															
2 2 2 2 2 2 2 2 2 2		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
UNE Loop Combination Rates			<u></u>	<u> </u>	UEPRX	USAS2	0.00	0.00	0.00				15.69		<u></u>	L	<u></u>
UNE Loop Combination Rates	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
2-Wire Vol CoopPert Combo- Zene 2																	
SWINE VS LoopProt Combo - Zone 2 2 2 21.52				1			14.89						l				
Description Finds				2			21.52										
UNEL Cop Rates						1				İ			İ		İ	İ	İ
2	UNE Lo			_													
2-Wire Voice Grade Loop (SL1) - Zone 2 UEPRX UEPLX 26.04				1	LIFPRX	LIFPLX	13.76										
2-Wire Votes Grade Lorp (Stu) - Zone 3 3 UEPBX				2													
2-Wire Voice Grade Line Port (Bus) UEPBX UEPBL 1,13 40,30 19,90 24,98 6,66 15,69																	
2-Wire votes unbundled port without Caller ID- bus UEPBX UEPBC 1.13 40.30 19.90 24.98 6.65 15.69	2-Wire			Ŭ	OLI DX	OLI EX	20.04										
2-Wire voice unbundled port with Caller r E484 ID -bus UEPBX UEPBC 1.13 40.30 19.90 24.98 6.65 15.68	2 11110				LIEPRX	LIEPRI	1 13	40.30	19 90	24 98	6.65		15.69				
2-Wire voice probabilistic per outpoing only - bus UEPBX																	
2-Wire voice Orade unbundled South Carolina setended local UEPBX																	
dailing partly port with Caller ID - bus UEPBX UEPAZ 1.13 40.30 19.90 24.98 6.65 15.69					OLI DX	OLI DO	1.13	40.50	13.30	24.30	0.00		13.03				
2-Wire voice unbundled South Carloring only port with Caller ID - Bus UEPBX UEPBX UEPBA 1.13 40.30 19.90 24.98 6.65 15.69					LIEDDV	LIEDAZ	1 12	40.20	10.00	24.00	6.65		15.60				
2-Wire votoe unbundled South Carolina Bus Area Calling Port With Caller ID (LMB)	-														-		
With Caller ID (LMB)					UEPDA	UPEBI	1.13	40.30	19.90	24.90	6.03		15.69				
2-Wire Voice Unbundled South Carolina Business Dialing Plan UEPBX UEPWM 1.13 40.30 19.90 24.98 6.65 15.69					LIEDDY	LIEDAD	4.40	40.00	40.00	24.00	0.05		45.00				
Without Caller ID UEPRX UEPWM 1.13 40.30 19.90 24.98 6.65 15.69	-				UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65		15.69				
2-Wire voice unbundled South Carolina Business Area Calling Dept without Caller ID Capability UEPBX UEPBB 1.13 40.30 19.90 24.99 6.65 15.69					LIEDDY	LIEDWA	4.40	40.00	40.00	04.00	0.05		45.00				
Port without Caller ID Capability					UEPBX	UEPWW	1.13	40.30	19.90	24.98	6.65		15.69				
2-Wire voice unbundled incoming Only Port without Caller ID UEPBX UEPBE 1.13 40.30 19.90 24.98 6.65 15.69								40.00					4= 00				
Capability					UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65		15.69				
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB																	
Local Number Portability (1 per port)	<u> </u>				UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65		15.69		.	ļ	
FEATURES										ļ			ļ		ļ	ļ	
All Features Offered					UEPBX	LNPCX	0.35			ļ					ļ		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-ass-is UEPBX USAC2 0.10 0.10 15.69 15.69													<u> </u>				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UEPBX USAC2 0.10 0.10 0.10 15.69					UEPBX	UEPVF	3.04	0.00	0.00				15.69				
Switch-as-is	NONRE												<u> </u>				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Wuepha												İ			1		
Switch with change					UEPBX	USAC2		0.10	0.10				15.69				
ADDITIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPBX USAS2 0.00 0.00 15.69													1				1
2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPBX					UEPBX	USACC		0.10	0.10				15.69				
Activity USAS2 0.00 0.00 15.69																	
2-Wire Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) UNE Port/Loop Combination Rates		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
UNE Port/Loop Combination Rates		Activity			UEPBX	USAS2		0.00	0.00			İ	15.69		1		
2-Wire VG Loop/Port Combo - Zone 1	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
2-Wire VG Loop/Port Combo - Zone 2 2 21.52 2.Wire VG Loop/Port Combo - Zone 3 3 27.17																	
2-Wire VG Loop/Port Combo - Zone 2 2 21.52 2. Wire VG Loop/Port Combo - Zone 3 3 27.17		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
2-Wire VG Loop/Port Combo - Zone 3 3 27.17				2													
UNE Loop Rates																	
2-Wire Voice Grade Loop (SL 1) - Zone 1						1				İ					İ	İ	İ
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPRG UEPLX 20.38 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPRG UEPLX 26.04 2-Wire Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				1	UEPRG	UEPLX	13.76			İ			İ		İ	İ	İ
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPRG UEPLX 26.04				2						1					1	İ	
2-Wire Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															t	1	
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	2-Wire						20.01			1			1		1	1	
	26					+									t	 	
		Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22	1	15.69		I	Ì	

UNE	UNDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
	FEATU	RES															
		All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00				15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.93	1.91				15.69				
	ADDITI	ONAL NRCs															
1		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1									1		_	<u> </u>	1
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt													1		1
		Group						7.34	7.34				15.69				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ														
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22		15.69				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22		15.69				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD											4= 00				
		Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	4.40	00.00	00.50	07.50	0.00		45.00				
	-	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22		15.69				
1		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	UEPPX	HEDVM	1 40	60.00	22.50	27.52	6.00		15.00		I	Ì	1
	+	Room Calling Port	 	-	UEFFA	UEPXM	1.13	69.26	32.50	37.53	6.22		15.69		 		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	1		UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22		15.69		1		1
 	+	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22		15.69			-	
<u> </u>	+	2-Wire Voice Unbundled 1-way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	 	 	ULFFA	UEFAS	1.13	69.∠6	3∠.50	31.53	0.22		15.09		 		
		Calling Port	1	1	UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22		15.69		I	Ì	1
	LOCAL	NUMBER PORTABILITY	1	1	OLIFA	OLFAI	1.13	03.20	32.30	31.55	0.22	1	15.09		1		
	LOCAL	Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00	1		 	15.69		 	1	
	FEATU			1	OLFFX	LINFOF	3.13	0.00	0.00				13.09				
	ILAIO	All Features Offered		1	UEPPX	UEPVF	3.04	0.00	0.00				15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.04	0.00	0.00				10.00				
-	THO THE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	l		+									-		
1		Conversion - Switch-As-Is	1	1	UEPPX	USAC2		7.93	1.91				15.69		I	Ì	1
-	+	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	1	0_1 1 A	00/102		1.00	1.31				10.09		 		—
		Conversion - Switch with Change	1		UEPPX	USACC		7.93	1.91				15.69		1		1
-	ADDITI	ONAL NRCs	 	 	021 1 A	00/100		1.33	1.31				10.09		 	 	
-	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	l		+									-		—
1		Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00				15.69		I	Ì	1
	+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	 	1	0_1 1 A	00/102	0.00	0.00	0.00				10.09		 		—
1		Group	1	1				7.34	7.34				15.69		I	Ì	1
-	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT	 		+		7.54	1.54				10.09		 	 	
		10.01 0.0 10 10 10 10 10 10 10 10 10 10 10 10 10		1						l	l	1			l	I	1

IINP	INDI E	O NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhil	bit: C
UND	JNDLE	NETWORK ELEMENTS - South Carolina	1									Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										ĺ
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										ĺ
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										<u> </u>
		oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										1
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										1
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without	1		LIEDOO	LIEBOS											ł
	1	Blocking (SC)	!		UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65		15.69				
	1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		LIEDOO	LIEDOA	4.40	40.00	40.00	04.00	0.05		45.00		Ì		1
<u> </u>	1	900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65		15.69		-		
	1	, , ,	1		LIEDOO	LIEDOLI	4.40	40.00	40.00	04.00	0.05		45.00		Ì		1
<u> </u>	+	(SC)	1		UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65		15.69		 		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC)	1		UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65		15.69				ł
-					UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65		15.69				f
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,		-	UEFCO	UEPCC	1.13	40.30	19.90	24.90	6.03		13.69				
					UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65		15.69				f
-	1	011+, Local; Enhanced Call OPT 3YV (SC) 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			UEPCO	UEPCE	1.13	40.30	19.90	24.90	6.03		13.69				
		011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65		15.69				í
-	1	2-Wire Coin Outward without Blocking and without Operator			OLFCO	OLFGI	1.13	40.30	19.90	24.30	0.03		13.09				
		Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65		15.69				í
		2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI CO	OLI OO	1.10	+0.50	13.30	24.30	0.03		13.03				f
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65		15.69				í
		2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02. 0.	0	10.00	.0.00	2 1.00	0.00		10.00				
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65		15.69				í
		2-Wire Coin Outward with Operator Screening and Blocking:				0 = 1 0 0											
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65		15.69				ł
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															í
		011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65		15.69				f
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65		15.69				í
		2-Wire Coin Outward Smartline with 900/976 (all states except															í
1	1	LA)	1		UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		15.69		Ì		1
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)															í
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	40.30	19.90	24.98	6.65		15.69				i
		NUMBER PORTABILITY						<u> </u>	<u> </u>								
		Local Number Portability (1 per port)	<u> </u>		UEPCO	LNPCX	0.35			ļ							
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	ļ			ļ				ļ					ļ		
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1							I					1		ł
<u> </u>	 	Switch-as-is	ļ		UEPCO	USAC2		0.10	0.10				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1							1							ł
	A D D / = :	Switch with change	!		UEPCO	USACC		0.10	0.10	-			15.69				
<u> </u>	ADDITI	ONAL NRCs	!			1				!					 		
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		LIEDCO	116 4 60		0.00	0.00	I			45.00		1		ł
<u> </u>	2-1//105	Activity VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	l Elikie:	OPT /	UEPCO	USAS2		0.00	0.00	 			15.69		 		
<u> </u>		ort/Loop Combination Rates	LLINE	UKI (NEO)	1				 					-		
-	UNE PO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	22.50			 					1		
H	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		1	30.56			t					1		ſ
-	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	3		1	37.22			1		1	1				
-	LINE 1	pop Rates	1	J		1	31.22			1		1	1				
—	0.4E E	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFR	UECF2	20.85			 					 		
-	+	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFR	UECF2	28.91			t					 		
	1	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFR	UECF2	35.57			-							
—	2-Wire	Voice Grade Line Port Rates (Res)	 	3	021111	32012	55.57			 					 		
—		2-Wire voice unbundled port - residence	†	-	UEPFR	UEPRL	1.65	108.36	70.71	1.42	1.33	 	15.69		-		ſ
		and and port	1			J \L	1.00	100.00	10.11	1.72	1.00	1	10.00		l		

UNRUNDI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhi	bit: C
CHECHEL	LD NETWORK ELEMENTO - SOURI Carollia		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
i .											Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			NATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
i .													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$							Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.65	108.36	70.71	1.42	1.33	SOWIEC	15.69	JOWAN	JOWAN	SOWAN	SOWAN
	2-Wire voice unbundled port with Caller 10 - res			UEPFR	UEPRO	1.65	108.36	70.71	1.42	1.33		15.69				
\vdash	2-Wire voice dribundled port origining only 1 les 2-Wire voice Grade unbundled South Carolina extended local			OLFIK	OLFKO	1.05	100.30	70.71	1.42	1.33		13.09			-	
1	dialing parity port with Caller ID - res			UEPFR	UEPAU	1.65	108.36	70.71	1.42	1.33		15.69				
\vdash	2-Wire voice unbundled South Carolina Area Calling port with			OLFIK	ULFAU	1.03	100.30	70.71	1.42	1.33		13.09			-	
i l	Caller ID - res (LW8)			UEPFR	UEPAJ	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID			OLFIK	ULFAJ	1.05	100.30	70.71	1.42	1.33		13.09				
i l	(LUM)			UEPFR	UEPAP	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan			OLFIK	ULFAF	1.05	100.30	70.71	1.42	1.33		13.09			-	
	without Caller ID			UEPFR	UEPWL	1.65	108.36	70.71	1.42	1.33		15.69				
INTE	ROFFICE TRANSPORT	1	1	UEFFR	UEPVVL	1.00	100.30	70.71	1.42	1.33		15.09				
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		+				 	1	1	 	1	1	 	1
	Termination			UEPFR	U1TV2	24.30	40.63	27.47	16.77	6.91					1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	OLFIN	01172	24.30	40.03	21.41	10.77	0.91			-	-		
	or Fraction Mile			UEPFR	1L5XX	0.0167			I		1			Ì	I	
EE A-	TURES	1	1	OLFFR	ILSAA	0.0167			 				-	-		
FEAT	All Features Offered	-	-	UEPFR	UEPVF	3.04	0.00	0.00				15.69				
100	AL NUMBER PORTABILITY		-	UEPFR	UEFVF	3.04	0.00	0.00				15.09				
LUC	Local Number Portability (1 per port)		-	UEPFR	LNPCX	0.35										
NON			-	UEPFR	LINFOX	0.33										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				-							-			-	
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	UEPFR	USACZ		17.00	3.74				15.69				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		17.00	3.74				15.69				
2 14/1	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E I INE I	BODT (USACC		17.00	3.74				13.09			-	
	Port/Loop Combination Rates	LINE	POKI (L								1				
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			22.50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			30.56										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			37.22										
LINE	Loop Rates		J			31.22										
OIVE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	20.85										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	28.91										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	35.57										
2-Wi	re Voice Grade Line Port (Bus)		Ť	OLITE	OLOI Z	00.07										
- - '''	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus	1	1	UEPFB	UEPBC	1.65	108.36	70.71	1.42	1.33		15.69			 	1
	2-Wire voice unbundled port with Callet + L404 ID - Bus 2-Wire voice unbundled port outgoing only - bus	1	1	UEPFB	UEPBO	1.65	108.36	70.71	1.42	1.33		15.69			 	1
	2-Wire voice Grade unbundled South Carolina extended local	1	1	02.10	52.00	1.00	100.00	70.71	1.72	1.00		10.00			-	
	dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.65	108.36	70.71	1.42	1.33	1	15.69		Ì	I	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	1	UEPFB	UEPB1	1.65	108.36	70.71	1.42	1.33		15.69			 	1
	2-Wire voice unburidled South Carolina Bus Area Calling Port		1	52.10	52.5.	1.00	100.00	70.71	1.42	1.55		10.00		1	†	
	with Caller ID (LMB)			UEPFB	UEPAB	1.65	108.36	70.71	1.42	1.33	1	15.69		Ì	I	
+-	2-Wire Voice Unbundled South Carolina Business Dialing Plan	1	1	02.10	JEI / LD	1.00	100.00	70.71	1.72	1.00		10.00			-	
	without Caller ID			UEPFB	UEPWM	1.65	108.36	70.71	1.42	1.33	1	15.69		Ì	I	
I OC	AL NUMBER PORTABILITY	1	1	02.10	SEI WIW	1.00	100.00	70.71	1.72	1.00		10.00			-	
1200	Local Number Portability (1 per port)	1	1	UEPFB	LNPCX	0.35			 						 	1
INTE	ROFFICE TRANSPORT	1	1	0_110	L141 O/	0.55			 						 	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		-				-						-	
	Termination			UEPFB	U1TV2	24.30	40.63	27.47	16.77	6.91	1			Ì	I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1		52	2-7.00	40.00	2111	10.77	0.01					 	1
	or Fraction Mile			UEPFB	1L5XX	0.0167			I		1			Ì	I	1
FFA.	TURES	1	1		0,50	5.0107			t	1			1	1	†	1
	All Features Offered	1	1	UEPFB	UEPVF	3.04	0.00	0.00	 			15.69			 	1
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	- "		3.54	0.00	3.30	t	1			1	1	†	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		1				t	1			1	1	†	1
J	Combination - Conversion - Switch-as-is			UEPFB	USAC2		17.00	3.74	I		1	15.69		Ì	I	l
		+	+		00,02		17.00	0.77	1	 		10.00	 	-	 	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		17.00	3.74				15.69				

CATEGORY RATE ELEMENTS Interf Manually Manual	IBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: C
CATEGORY RATE ELIMENTS Intert	J J.		1									Svc Order	Svc Order			Incremental	Incremental
ATECORY RATE ELEMENTS Interl m Zere BCS USOC RATES(8) Rec Rot Rec Nonrouring Nonrouring Discornes Rec First AddT First AddT SOMEC SOMAN															Charge -	Charge -	Charge -
### CAPE CONTROLOGY CO															Manual Svc		Manual Svc
None	TEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES(\$)				,				
Net Rec	LOOKI	TATE ELEMENTO	m	20110	200	0000			π. Ευ(ψ)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
Rec															Electronic-	Electronic-	Electronic-
New Person Combination Rates														1st	Add'l	Disc 1st	Disc Add'l
UNE POPUL OO COMBINATION RAISE 2-WINE VSC LOGADO, Transport/PMC Contions - Zune 1 1 25.55 25				1			1	Monroe	urring	Nonrocurring	Disconnoct		l .	088	Pates(\$)	l .	l .
Description Description				 			Rec					COMEC	COMAN		SOMAN	SOMAN	SOMAN
2-Wine Vis Logicilly Transport Part Corticle - Zone 2 2 5 5 5 5 5 5 5 5	UNED	ant/l and Combination Dates		<u> </u>				FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
EWINE VS Loog/ID Transport/PRC Combo - Zone 3 3 3 3 3 2 3 3 2 2	UNE PO			-			22.50										
William Will																	
WHE Loop Rates																	
SAVINE Votors Grade Long (SL2) - Zone 2				3			37.22										
2-Wire Votes Critate Log (152) - Zone 2	UNE Lo																
2-Wire Votes Grade Lines (1983 - 7-26ns 3 3 USPPP USPPC 18.5 137.32 83.31 67.02 11.51 15.69																	
2-Wire Vote Grade Line Port Rates (BUS - PBX)																	
Line Side Unbundled Combination 2-Way PRX Trunk Port - Bus UEPPP UEPPC 1.65 137:32 83.31 67:02 11.51 15:69				3	UEPFP	UECF2	35.57										
Line Bide Unbundled Outward PBX Trunk Port - Bus UEPPP UEPPD 1.65 137.32 83.31 67.02 11.51 15.69	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Line Bide Unbundled Outward PBX Trunk Port - Bus UEPPP UEPPD 1.65 137.32 83.31 67.02 11.51 15.69			1	1								1	1	1			
Line Side Note Unbundled Hood PRIX ID X Tremnal Ports UEPPP UEPX 1.65 137.32 83.31 67.02 11.51 15.59																	
2-Wire Voice Unburided PWIX D Terminal Port UEPPP UEPXA 1.65 137.32 83.31 67.02 11.51 15.69				Щ													
2-Wire Violace Unbundled 2-Way (Combination PEX Usage Port UEPFP UEPXA 1.65 137.32 8.3.31 67.02 11.51 15.69		Line Side Unbundled Incoming PBX Trunk Port - Bus					1.65	137.32	83.31	67.02	11.51		15.69				
2-Wire Visce Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 1.65 137.32 8.3.31 67.02 11.51 15.69		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.65	137.32	83.31		11.51		15.69				
2-Wire Voice Unbundled PRX DID Terminal Fort UEPFP UEPX 1.65 137.32 83.31 67.02 11.51 15.09					UEPFP	UEPXA	1.65	137.32	83.31	67.02	11.51						
2-Wire Voice Unbundled PRX LD DDD Terminal Switchboard Port UEPFP UEPX 1.65 137.32 83.31 67.02 11.51 15.69	1				UEPFP												
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPP UEPXE 1.65 137.32 83.31 67.02 11.51 15.69 Capable Port UEPXE 1.65 137.32 83.31 67.02 11.51 15.69 Capable Port UEPXE 1.65 137.32 83.31 67.02 11.51 15.69 Capable Port UEPXE UEPXE 1.65 137.32 83.31 67.02 11.51 15.69 Capable Port UEPXE					UEPFP			137.32	83.31		11.51						
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPP UEPX 1.65 137.32 83.31 67.02 11.51 15.69																	
Capable Port UEPR UEPK 1.65 137.32 83.31 67.02 11.51 15.69					_					-	_						
2-Wire Voice Unburdled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXL 1.65 137.32 83.31 67.02 11.51 15.69					LIEPEP	UEPXE	1 65	137 32	83 31	67.02	11.51		15 69				
Administrative Calling Port				†	02	OL. AL	1.00	107.02	00.01	07.02			10.00				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXM 1.65 137.32 83.31 67.02 11.51 15.69					LIEDED	LIEDYI	1.65	137 32	83 31	67.02	11 51		15.60				
Room Calling Port UEPFP UEPXM 1.65 137.32 83.31 67.02 11.51 15.69					OLITI	OLI XL	1.00	107.02	00.01	07.02	11.51		13.03				
Discount Room Calling Port UEPFP UEPX 1.65 137.32 83.31 67.02 11.51 15.69					LIEDED	HEDVM	1.65	127 22	02 21	67.02	11 51		15.60				
Discount Room Calling Port					OLITI	OLI XIVI	1.00	107.02	00.01	07.02	11.51		13.03				
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.65 137.32 83.31 67.02 11.51 15.69					LIEDED	LIEDYO	1.65	127 22	02 21	67.02	11.51		15.60				
2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus UEPFP UEPXT 1.65 137.32 83.31 67.02 11.51 15.69															-		
Calling Port					UEFFF	UEFAS	1.05	137.32	03.31	07.02	11.31		15.69				
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) LUEPFP LNPCP 3.15 0.00 0.00 15.69					HEDED	LIEDVE	4.05	407.00	00.04	67.00	44.54		45.00				
Local Number Portability (1 per port)					UEPFP	UEPXI	1.00	137.32	83.31	67.02	11.51		15.69				
INTEROFFICE TRANSPORT	LOCAL						0.45	2.22					4= 00				
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	===				UEPFP	LNPCP	3.15	0.00	0.00				15.69				
Termination	INTERC																
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					l	l <u></u>											
DEPFP 1L5XX 0.0167					UEPFP	U11V2	24.30	40.63	27.47	16.77	6.91						
FEATURES																	
All Features Offered					UEPFP	1L5XX	0.0167										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 17.00 3.74 15.69 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 15.69 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPFP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC 17.00 3.74 UEPPP USACC USAC	FEATU																
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-ass-is UEPFP USAC2 17.00 3.74 15.69			<u> </u>	<u> </u>	UEPFP	UEPVF	3.04	0.00	0.00				15.69		ļ		
Combination - Conversion - Switch-as-is	NONRE		<u> </u>	<u> </u>		1									ļ		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 17.00 3.74 15.69 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-Wire VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT			1									İ					
Combination - Conversion - Switch with change]		UEPFP	USAC2		17.00	3.74				15.69				
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASEĎ RATES																	
2-Wire Voice GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT			<u></u>	Ш_	UEPFP	USACC	l	17.00	3.74	<u> </u>	<u> </u>	<u> </u>	15.69	<u> </u>	<u> </u>	<u> </u>	<u> </u>
UNE Port/Loop Combination Rates																	
UNE Port/Loop Combination Rates	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	UNE Po																
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 35.52		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.75										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 35.52	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.20										
UNE Loop Rates	1			3			35.52										
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	UNE Lo		Ì														
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2				1	UEPPX	UECD1	16.68						l				
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 3 UEPPX UECD1 28.46			1	2						İ	İ			İ	İ	İ	İ
			†														
UNE Port Rate			1	Ť		1	200			1	1			1	†	1	1
			1		LIFPPX	UEPD1	7 06	225 55	R7 21	113 08	14 38	1	1	15 60			1
NONRECURRING CHARGES - CURRENTLY COMBINED	NONPE		 	 	0=11 A	JL1 D1	7.00	£20.00	01.21	115.00	17.30			13.09	1		
	INCINE			 		+	1										
Switch-as-is UEPPX USAC1 7.32 1.87 15.69			1	1	LIEDDY	LISAC1		7 22	1 07			1	1	15.60			

IINBIINDI	ED NETWORK ELEMENTS - South Carolina													Attachment:	2	Evhil	bit: C
SINBUNDE	LD IAL I WORK ELLIVIEW 19 - SOUGH CATOLINA											Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	Е	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
<u> </u>	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87					15.69			
ADDI	TIONAL NRCs													45.00			
T.1.	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1		UEPPX		USAS1		26.84						15.69			
i elep	bhone Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)	<u> </u>		UEPPX		NDT	0.00	0.00	0.00					15.69			
 	DID Numbers, Establish Trunk Group and Provide First Group			UEPFA		INDT	0.00	0.00	0.00					15.69			
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00					15.69			
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00					15.69			
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00					15.69			
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00	1				15.69	İ		İ
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00					15.69			
LOC/	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT														
UNE	Port/Loop Combination Rates	1								ļ							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			==													
	UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_														
	UNE Zone 2	-	2	UEPPB	UEPPR		38.60			1							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.23										
LINE	Loop Rates	-	3	UEPPB	UEPPR		44.23										
ONL	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	LISL 2Y	21.90							15.69			
	2-Ville ISBN Digital Grade Loop - GIVE Zone 1	-	-	OLITE	OLITIK	OOLZX	21.30							15.05			
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64							15.69			
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27							15.69			
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08					15.69			
	TIONAL NRCs																
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
В-СН	ANNEL USER PROFILE ACCESS:	 	1	LIEDDE	LIEDDS	LIALICA	0.00	0.00	0.00	!				1	1		1
\vdash	CVS/CSD (DMS/5ESS)	 	1	UEPPB	UEPPR	U1UCA U1UCB	0.00	0.00	0.00	!				1	1		-
\vdash	CVS (EWSD) CSD	+	1	UEPPB UEPPB	UEPPR UEPPR	U1UCC	0.00	0.00	0.00	 							
R-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	L TN)	OLI FD	OLITE	31000	0.00	0.00	0.00	 							
В-СП	CVS/CSD (DMS/5ESS)	1	1111)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	+							
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	1							
	CSD	1		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	1							
USEF	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	FICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00					15.69			
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
$\sqsubseteq \sqsubseteq \sqsubseteq$	facilities termination	1			UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			
4	Interoffice Channel mileage each, additional mile	L DOET	1	UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00	.				ļ	ļ		
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT	1			ļ				.				ļ	ļ		
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 	1			1				!				1	1		-
1 1	Zone 1		4	UEPPP			176.82										
1 1			1 1	UEFFP		ļ	170.82				-		1				-
		1															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	LIFPPP			241 38										
			2	UEPPP			241.38										

HINDI	NDI EI	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhil	hit. C
ONBO	NULLI	NETWORK ELEMENTS - South Carolina	I									Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						-(1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	90.87							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	155.43							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPPP	USL4P	261.89			-				15.69			
	UNE Po	Exchange Ports - 4-Wire ISDN DS1 Port	-		UEPPP	UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			
		CURRING CHARGES - CURRENTLY COMBINED	+		OLFFF	ULFFF	05.95	457.50	259.07	124.13	31.03			13.09			
	INCINIC	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	+			+	-										
		Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.34	78.73					15.69			
	ADDITI	ONAL NRCs					0.00										
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					İ										
	1	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49	0.49				1	15.69			
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.54	11.54					15.69	<u> </u>		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -							-								
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.07	23.07					15.69			
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Name an	Inward Data Additional "B" Channel	1		UEPPP	PR71E	0.00	0.00	0.00								
		New or Additional - Voice/Data B Channel	1		UEPPP	PR7BV	0.00	14.56						15.69			
	-	New or Additional - Voice/Bata B Channel	1		UEPPP	PR7BF	0.00	14.56						15.69			
		New or Additional Inward Data B Channel	-		UEPPP	PR7BD	0.00	14.56						15.69			
	CALL T				OLITI	T K7 DD	0.00	14.50						15.05			
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interoff	ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69			
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
		rt/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<u> </u>	1	UEPDC		149.77										
-	 	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	2	UEPDC UEPDC	+	214.33			 				-	-		
<u> </u>		op Rates	+	3	UEPDC	+	320.78			-				-	-		
-	SINE LO	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	90.87					1	-	15.69	1		
—	 	4-Wire DS1 Digital Loop - UNE Zone 2	+	2	UEPDC	USLDC	155.43			 			 	15.69			
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89							15.69			
	UNE Po		1			10000	201.00			1				.0.55			
		4-Wire DDITS Digital Trunk Port	1		UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69	İ		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1														
		- Switch-as-is	1		UEPDC	USAC4		129.78	67.17					15.69			
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				l							1				
	ļ	- Conversion with DS1 Changes	ļ		UEPDC	USAWA		129.78	67.17					15.69			
	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		LIEBBO	LIGANAD		400 =0	07.1-				1	45.00			
-	ADDIT	- Conversion with Change - Trunk DNAL NRCs	1	-	UEPDC	USAWB		129.78	67.17	 				15.69	-		
-	AUUIII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	 	1		+	+										
	l	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB	[14.51	14.51					15.69			
-	 	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1		021 00	00110	+	14.51	14.31	1				15.09	1		
1	1	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51				1	15.69			
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1			550		17.01	14.01					10.00			
	l	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD	[14.51	14.51					15.69			
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			-		İ	-									
	l	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51			1		15.69			

JNBUND	LEC	NETWORK ELEMENTS - South Carolina												Attachment:	2	Fxhi	bit: C
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
ATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.		Order vs.	Order vs.
		·····- ===-··-··-	m									per LSK	per LSR		Order vs. Electronic-	Electronic-	Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	a Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BIF	OLA	R 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					15.69			
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00					15.69			
Alt	ernat	e Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tel		ne Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							15.69			
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							15.69			
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							15.69			
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00					15.69			
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							15.69			
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00					15.69			
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00					15.69			
		Reserve DID Numbers		<u> </u>	UEPDC	NDV	0.00	0.00	0.00					15.69			
Dec		ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digita	Loop	with 4-Wire DDITS	Trunk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
		Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
		Literative Observation Additional			LIEDDO	41.000	0.0445	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	ILINO2	0.00	0.00	0.00								
		miles			UEPDC	1LNOB	0.3415	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	ILINOB	0.3413	0.00	0.00			1					
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
		Termination)			OLI DO	ILINOS	0.00	0.00	0.00			1					
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3415	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
		Central Office Termininating Point			UEPDC	CTG	0.00										
4-V		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	5													
Eac	ch Sy	stem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UN	E DS	1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
UN		O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82.78	0.00	0.00					15.69			
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00					15.69			└
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00			<u> </u>		15.69			↓
		144 DS0 Channel Capacity - 1 per 6 DS1s		ļ	UEPMG	VUM14	496.68	0.00	0.00			ļ		15.69			├
		192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	662.24	0.00	0.00		 	<u> </u>		15.69	ļ		├
		240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM20	827.80	0.00	0.00		 	}		15.69	1		├
		288 DS0 Channel Capacity - 1 per 12 DS1s		!	UEPMG	VUM28	993.36	0.00	0.00		 	1		15.69			
		384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s		!	UEPMG UEPMG	VUM38 VUM40	1,324.48 1,655.60	0.00	0.00		 	1		15.69 15.69			
		576 DS0 Channel Capacity - 1 per 20 DS1s		<u> </u>	UEPMG	VUM57	1,655.60	0.00	0.00	-				15.69	-		
- -		672 DS0 Channel Capacity - 1 per 28 DS1s		1	UEPMG	VUM67	2,317.84	0.00	0.00			1	1	15.69			
No		curring Charges (NRC) Associated with 4-Wire DS1 Loop witl	h Char	neliztio					0.00		 			15.09			
		num System configuration is One (1) DS1, One (1) D4 Channe						0.0111				1					—
		es of this configuration functioning as one are considered Ac									<u> </u>	 					
inu		NRC - Conversion (Currently Combined) with or without	unto	1			- 34					1					—
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38					15.69			1
Svs		Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat		bination Curre			3.00					.0.00			
		ot Currently Combined) in all states, except in Density Zone 1									İ			İ	İ		
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port				1	1				İ			İ	İ		
		and Assoc Fea Activation			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69	I	l	15.69			1

LIND	IINDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Eul.:	bit: C
OIND	ONDLE	D NET WORK ELEMENTS - SOUTH CATOIINS										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually	_	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
-	Dimeler	r 8 Zero Substitution						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Біроіаі	Clear Channel Capability Format, superframe - Subsequent										-					
		Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								
		Clear Channel Capability Format - Extended Superframe -			OLI IVIO	00001	0.00	0.00	003.00								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00								
	Alterna	ate Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchar	nge Ports															
	1	The Otto Continue Change 15777	l		LIEDDY	HEDOX											
-	-	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX UEPPX	UEPCX UEPOX	1.13	0.00	0.00	0.00	0.00			15.69			
 	-	Line Side Outward Channelized PBX Trunk Port - Business	<u> </u>		UEFFX	UEPUX	1.13	0.00	0.00	0.00	0.00			15.69		-	
1	1	Line Side Inward Only Channelized PBX Trunk Port without DID	1		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00			15.69	1		
 	+	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00			15.69	 		
	Feature	e Activations - Unbundled Loop Concentration			SE. 7 X	OLI DIVI	7.03	0.00	0.00	0.00	0.00			10.00			
	, outur	Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17			15.69			
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
-	-	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00	-							
-	-	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			-					
	I ocal N	Number Portability			OLITA	NDV	0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	IRES - Vertical and Optional					J.1.9										
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.04	0.00	0.00					15.69			
UNBU		PORT LOOP COMBINATIONS - MARKET RATES															
		Rates shall apply where BellSouth is not required to provide	unbund	lled lo	al switching or swit	ch ports per	FCC and/or St	ate Commission	n rules.								
		cludes:		L		l				l							
		dled port/loop combinations that are Currently Combined or N															
-	Reliso	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica	are, wra	the rec	urring and non-recu	rring Market	Rates in this e	viliston Salem	or nonrecurri	anotte-Gaston	not currently	IIIVnesin) vi	e). Fland N∩	In the interi	m where Rell	South cannot	hill Market
		BellSouth shall bill the rates in the Cost-Based section preceded								ig charges for	not currently t	Zinbined III	L and NO	the litter	where bell	coatii caiiilot	Jili market
		arket Rate for unbundled ports includes all available features			marnet nates and		J. Igin to tide-	ap and bining t									
		ffice and Tandem Switching Usage and Common Transport Us			ne Port section of thi	s rate exhibi	t shall apply to	all combination	ons of loon/no	rt network elen	nents except	for UNE Coi	n Port/Loor	Combination	ns which have	a flat rate us	age charge
		: URECU).	go .ut	u		210 0/11101	u upp.y to		ссср/рс				5.4-50				
		t Currently Combined scenarios the Nonrecurring charges are	listed	in the F	irst and Additional I	NRC column	s for each Port	USOC. For Ci	rrently Comb	ined scenarios	the Nonrecur	ring charge	s are listed	in the NRC -	Currently Con	bined section	n.
		onal NRCs may apply also and are categorized accordingly.			/ / /						, 	9 0 90	u		Join.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
		ort/Loop Combination Rates												<u> </u>	<u> </u>		
		2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
	1	2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
	1	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			40.04							ļ	ļ		
	UNE Lo	oop Rates	ļ		HEDDY	LIEDLY	40.70										
-	+	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	13.76					1		 	 		
	+	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRX UEPRX	UEPLX UEPLX	20.38 26.04			<u> </u>		-					
-	2-Wire	Voice Grade Line Port (Res)	 	J	OLFKA	OLPLA	20.04							1	1	-	-
-	Z-44116	2-Wire voice unbundled port - residence	 		UEPRX	UEPRL	14.00	90.00	90.00			-	15.69	 	 		
	1	2-Wire voice unbundled port with Caller ID - res	1		UEPRX	UEPRC	14.00	90.00	90.00				15.69				
	1	2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	14.00	90.00	90.00				15.69	1	1		
		banaida port dargoing dinj 100			/ 0 1		00	55.00	55.00					ı	L	·	

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Fvhi	bit: C
OIND	MULE	DIALI WORK ELEMENTS - South Carollila	1	1		1 1						Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			1.									Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CAIL	JOIN	NATE ELEMENTS	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+ +		Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	1	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundles res, low usage line port with Caller ID				+ +		11130	Auu i	11130	Auu i	JOINEC	JONAN	JOHIAN	JOHIAN	JOHAN	JOHAN
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00				15.69				
-		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLFKA	ULFAF	14.00	90.00	90.00	-		-	13.09		-		
		Capability			UEPRX	UEPRT	14.00	90.00	90.00				15.69				
-		2-Wire Voice Unbundled South Carolina Residence Dialing Plan			OLFKA	OLFKI	14.00	90.00	90.00	-		-	13.09		-		
		without Caller ID			UEPRX	UEPWL	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled South Carolina Area Calling Port			UEFRA	UEPWL	14.00	90.00	90.00	-		-	15.09		-		
					UEPRX	UEPRS	14.00	90.00	90.00				15.60				
	1.0041	without Caller ID Capability NUMBER PORTABILITY			UEPRX	UEPRS	14.00	90.00	90.00				15.69				
	LUCAL	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35			 							
	FEATU				UEPRX	LINPUX	0.35										
	FEATU				LIEDDY	LIEDVE	0.00	0.00	0.00				45.00				
	ADDIT	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	AUUII	IONAL NRCs	<u> </u>	<u> </u>		1						1			1		
1	1	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1		HEDDY	110465]				Ì	I	Ì	
<u> </u>	0 15	Subsequent	<u> </u>	<u> </u>	UEPRX	USAS2		0.00	0.00				15.69		-		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<u> </u>	1		1											
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
		2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
		2-Wire VG Loop/Port Combo - Zone 3		3			40.04										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				15.69				
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled South Carolina Bus Area Calling Port															
		with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled South Carolina Business Dialing Plan								i i							
1	1	without Caller ID	I		UEPBX	UEPWM	14.00	90.00	90.00			1	15.69	Ì	I	Ì	
		2-Wire voice unbundled South Carolina Business Area Calling											1				
	1	Port without Caller ID Capability	1		UEPBX	UEPBB	14.00	90.00	90.00]			15.69	Ì	I	Ì	
	LOCAL	NUMBER PORTABILITY	1	i –		1				† †		1	1	İ	İ	İ	
		Local Number Portability (1 per port)	1	i –	UEPBX	LNPCX	0.35			† †			İ	İ	1	İ	
	FEATU		1				0.00							1	t	1	
	1	All Features Offered	1	1	UEPBX	UEPVF	0.00	0.00	0.00	1		1	15.69	1	1	1	
	ADDIT	IONAL NRCs	1	1		1	0.00	3.00	3.00			<u> </u>	.0.00	 	—	 	
-		NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1	1		+ +				 					 		
1	1	Subsequent	I		UEPBX	USAS2		0.00	0.00			1	15.69	Ì	I	Ì	
—	2-WIP	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	!	i	OLI DA	JUNUZ		0.00	0.00	 			15.09		 	-	
-		ort/Loop Combination Rates	1	1		+ +				 				 	 	 	
-	SIVE P	2-Wire VG Loop/Port Combo - Zone 1	1	1		+ +	27.76			+ +		+	 	 	 	 	
-	ł	2-Wire VG Loop/Port Combo - Zone 1	1	2		+ +	34.38			+		-	-	-		-	
	 	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3		+	40.04			+				-		 	
-	LINE	oop Rates	1	3		+ +	40.04			+		-	-	-		-	
	ONE L	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRG	UEPLX	13.76			+				-		 	
<u> </u>	1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRG UEPRG	UEPLX	20.38			 		1	 	 	 	 	
	!		1	3	UEPRG UEPRG	UEPLX	26.04			 		1	 	 	 	 	
	2 M:	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	ULFRU	UEPLA	∠6.04			 					 		
<u> </u>	2-Wire	Voice Grade Line Port Rates (RES - PBX)	1	1		1						1		1	 	1	
1	1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1		LIEDDO	HEDDS	44.00	22.22	20.00]			45.00	Ì	I	Ì	
		Res	<u> </u>	<u> </u>	UEPRG	UEPRD	14.00	90.00	90.00	 			15.69			ļ	
	LOCAL	NUMBER PORTABILITY	ļ	ļ	LIEBBO	1.11000				ļ			ļ				
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			1	l	l	1	l	L

UNBUND	DLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: C
0.100.10		THE TWO THE ELEMENTO GOULD GOI ON THE										Svc Order	Svc Order	Incremental			
													Submitted				
															Charge -	Charge -	Charge -
0475005		DATE EL EMENTO	Interi	-	500	usoc			DATEO(6)			Elec		Manual Svc	Manual Svc		
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															, .uu .	2.00 .00	2.007.444
							B	Nonrec	urring	Nonrecurrin	ng Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FF	ATU	RES															
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES - CURRENTLY COMBINED		-	OLI IKO	OLI VI	0.00	0.00	0.00				10.00				+
		ONAL NRCs				-											+
AD											-						
		2 Wire Loop/Line Side Port Combination - Non feature -															
		Subsequent Activity- Nonrecurring						0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64				15.69				
2-V	NIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UN	IE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1		1	27.76										
		2-Wire VG Loop/Port Combo - Zone 2	1	2		1	34.38			İ	İ	1	İ		İ	İ	†
		2-Wire VG Loop/Port Combo - Zone 3	1	3		+	40.04				1	1	1				+
LINI		op Rates	 	- 3		+	40.04			1	1	1	l		1	1	+
UN			 	1	UEPPX	UEPLX	13.76			-	1	1	 		 	 	+
		2-Wire Voice Grade Loop (SL1) - Zone 1	1							1	1	1	 		1	1	+
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-V	Vire \	/oice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.69				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.69				
-		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00		1		15.69				
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69				+
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69				+
		2-Wire Voice Unbundled PBX 10ii Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69				
																	-
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									1						+
		Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	 	UEPPX	UEPXS	14.00	90.00	90.00	1	1	1	15.69		1	1	+
			<u> </u>	-	ULFFA	UEPAS	14.00	90.00	90.00	-	+	 	10.09		-	-	+
LO		NUMBER PORTABILITY	1	-	LIEDDY	LNDCD	0.1-	0.00	0.00		1	1					+
		Local Number Portability (1 per port)	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00	ļ	-		ļ				
FΕ	ATU	-									ļ	ļ	ļ				
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00		1	1	15.69				↓
		CURRING CHARGES - CURRENTLY COMBINED	<u> </u>														<u> </u>
AD	DITIO	DNAL NRCs				1					1						
						1											
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		1	UEPPX	USAS2		0.00	0.00	1			15.69		1	1	1
		2 Wire Loop/Line Side Port Combination - Non feature -	1														1
		Subsequent Activity- Nonrecurring	1	1		1		0.00	0.00	l		1	15.69		Ì	Ì	1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1		-		0.00	0.00		1	 	10.00				+
		Group						7.34	7.34				15.69				1
2.11		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	J	-		+		1.34	1.34	 	 	1	15.69		 	 	+
			N I	-		+				1	1	1	 		1	1	+
UN		rt/Loop Combination Rates	1	<u> </u>		+				ļ	1	!	 		ļ	ļ	
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			27.76				ļ	ļ	ļ				4
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			34.38				<u> </u>						<u> </u>
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			40.04										
UN	IE Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76				1		l				1
		2-Wire Voice Grade Loop (SL1) - Zone 2	1		UEPCO	UEPLX	20.38			İ	1	1	İ		İ	İ	1
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04			1	1	1	1		1	1	
		/oice Grade Line Port Rates (Coin)	 	-	32, 00	OLI LA	20.04			 	1	1	 		1	1	+

CATEGORY RATE ELEMENTS Maria Cook BCS USOC RATE(SIS) Decision Company College Colleg	IINRIINDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhil	hit: C
CATEGORY RATE ELEMENTS Intel m One CCS USCG RATE(S) CROSS Changes	ONBONDE	DIALITATORY ELEMENTS - SOUTH CATOLINA	1									Svc Order	Svc Order				Incremental
ACTEONY RATE ELEMENTS BOS BOS BOS BOS BOS BOS BOS B													1				Charge -
CATEGORY RATE ELEMENTS																	Manual Svc
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								Order vs.
Second S			m						,			per Lor	per Lor				Electronic-
Additional Company of Management Note																	Disc Add'l
Description Description																DISC 1St	DISC Add I
Description Print							Per										
Biococo (CE) Sept. Committed Committed Control (CE) Sept. Committed Committed Control (CE) Sept. Committed C							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
E-View Color 2-View with Operator Screening and Booking 011, UEPCO UEPSA 14,00 10,000 15,560 15,5																	
BIRDOYSE H-DOO (LEVY LA NES SC)					UEPCO	UEPSD	14.00	90.00	90.00				15.69				
Description Description																	
BROWER 1000 (St)					UEPCO	UEPRA	14.00	90.00	90.00				15.69				
2.WW Cnn 2.WW yeth Operator Screening and 011 Blocking UEPCO UEPGI 14.00 80.00 90.00 15.00					LIEDOO	LIEDOA	44.00	00.00	00.00				45.00				
CC 2					UEPCO	UEPSA	14.00	90.00	90.00	-		-	15.69				
2-Wire Corp Z-Way with Operator Screening and 011 Blocking UEPCO UEPCC 14.00 50.00 16.66					LIEDCO	HEDSH	14.00	90.00	90.00				15.60				
with Dalling Party (PC)					OLI OO	OLI OII	14.00	30.00	50.00				10.00				
2-Wise Con 2-Wise with Contained Scientific UEPCC 14,00 90.00 15,00					UEPCO	UEPSC	14.00	90.00	90.00				15.69				
		2-Wire Coin 2-Way with Operator Screening and Blocking:	1		- "	1		22.30	20.00	1	Ì				Ì		
2-Wire Con 2-VV Cyer Screen & Blocking: 900978; 1-9DD. UEPCO		900/976, 1+DDD, 011+, and Local (SC)	1		UEPCO	UEPCC	14.00	90.00	90.00	I			15.69		1		
2-Wite Cain 2-Wide Cyan Chuster with Clear Enhanced Calling OPT APT (EC) LEPCD L		2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,															
A Local Enhanced Calling OPT APT (SC)					UEPCO	UEPCE	14.00	90.00	90.00				15.69				
Serving (SC) Continued without Blocking and without Operator UEPCO UEPSG 14.00 90.00 90.00 15.68			1]		
Screening (SC)			ļ		UEPCO	UEPCF	14.00	90.00	90.00	ļ	ļ		15.69		ļ		
SAVINC Cân Outward with Operator Screening and of Ibocking UEPCO UEPSF 14.00 90.00 90.00 15.69						LIEBS 5											
SC 2-Wire Coin Outward with Operator Screening and Blocking: UEPCO UEPS 14.00 90.00 90.00 15.69					UEPCO	UEPSG	14.00	90.00	90.00				15.69				
2-Wire Corp Outward with Operator Screening and Blocking: 011-800-807, 1-10-01 (SC) (SC) (SC) (SC) (SC) (SC) (SC) (SC)																	
D11, 900976, 1+DDD (SC)	-				UEPCO	UEPSF	14.00	90.00	90.00	1			15.69				
2-Wire Conn Outward with Operator Screening and Blocking: 900076, 1+DD, 011+, and Local (SC) 15.69 15.69 15.69		2-wire Coin Outward with Operator Screening and Biocking:			LIEDCO	LIEDE I	14.00	00.00	00.00				15.60				
S00978, 1+DDD, 011+, and Local (SC)	-		1		OLFCO	ULF 33	14.00	90.00	90.00			1	13.09				
2-Wire Coan Out Oper Screen & Block: 909/976, H-DDD, 011+,					UEPCO	UEPCM	14 00	90.00	90.00				15 69				
Local x will Enhanced Call OPT 3YW (SC)					02. 00	02. 0	1 1.00	00.00	00.00				10.00				
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB					UEPCO	UEPCP	14.00	90.00	90.00				15.69				
ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent UEPCO	LOCA																
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent UEPCO USAS2 0.00 0.00 15.69					UEPCO	LNPCX	0.35										
UNBLUNDLED PORTILODP COMBINATIONS - MARKET BASED RATES	ADDIT	IONAL NRCs															
UNBLUNDLED PORTILODP COMBINATIONS - MARKET BASED RATES																	
2-Wire Volce GRADE LOOP. BUS ONLY - WITH 2-WIRE DID TRUNK PORT 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 73.68					UEPCO	USAS2		0.00	0.00				15.69				
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 73.68																	
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 80.13 85.46	2-WIR		PORT				70.00										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 85.46																	
UNE Loop Rates	\vdash		1			+				 					-		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	IINE I		1	3		+ -	გე.46			 	1	-		1	1		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	ONE L		l	1	LIEPPX	UECD1	16 69			 				-			
2.Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 3 UEPPX UECD1 28.46			1							I		<u> </u>	<u> </u>		 		
UNE Port Rate	<u> </u>		i							1							
Exchange Ports - 2-Wire DID Port	UNE F		1	Ť													
NONRECURRING CHARGES - CURRENTLY COMBINED					UEPPX	UEPD1	57.00	600.00	75.00				15.69		1		
Switch-As-Is Top 8 MSAs only	NONR	ECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion With BellSouth Allowable Changes Top 8 MSAs only UEPPX USA1C 125.00 75.00 15.69			1														
With BellSouth Allowable Changes Top 8 MSAs only					UEPPX	USAC1		125.00	75.00				15.69				
ADDITIONAL NRCs																	
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			ļ		UEPPX	USA1C		125.00	75.00	ļ	ļ		15.69		ļ		
Telephone Number/Trunk Group Establisment Charges UEPPX NDT 0.00 0.00 0.00 DID Trunk Termination (One Per Port) UEPPX NDT 0.00 0.00 0.00 DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers UEPPX NDZ 0.00 0.00 0.00 DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 DID Numbers Non- consecutive DID Numbers UEPPX ND5 0.00 0.00 0.00 DID Numbers Non- consecutive DID Numbers UEPPX ND5 0.00 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 DID NUmbers UEPPX ND5 0.00 0.00 DID N	ADDIT		ļ		HEDDY	110404		F0 00					45.00				
DID Trunk Termination (One Per Port)			ļ	-	UEPPX	USAS1		53.68		1			15.69				
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers UEPPX NDZ 0.00 0.00 0.00 Numbers Or 20 DID Numbers of each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 Numbers, Non-consecutive DID Numbers, Per Number UEPPX ND5 0.00 0.00 0.00 Numbers, Non-consecutive DID Numbers UEPPX ND5 0.00 0.00 0.00 Numbers UEPPX ND6 0.00 0.00 0.00 Numbers UEPPX ND6 0.00 0.00 0.00 Numbers UEPPX ND6 0.00 0.00 0.00 Numbers UEPPX ND6 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 Numbers UEPPX ND7 0.00 0.00 NUmbers UEPPX ND7 0.00 0.0	I elep		 		LIEDDY	NDT	0.00	0.00	0.00	_		-	-		-		
Of 20 DID Numbers	\vdash		1		ULFFA	וטא	0.00	0.00	0.00	 	1	-		1	1		
Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 0.00			1		LIEPPX	ND7	0.00	0.00	0.00	I					1		
DID Numbers, Non- consecutive DID Numbers , Per Number UEPPX ND5 0.00 0.00 0.00 0.00	 		1							t	1			1	1		
Reserve Non-Consecutive DID numbers	 		 							t					 		
Reserve DID Numbers										1							
LOCAL NUMBER PORTABILITY																	
	LOCA																
		Local Number Portability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00								

HINBHIND	ED NETWORK ELEMENTS - South Carolina													Attachment:	2	Euki	bit: C
SINDUNDL	D NETWORK ELEMENTS - SOUTH CATOLINA											Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		76.90										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_														
	UNE Zone 2	<u> </u>	2	UEPPB	UEPPR		84.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDDD	HEDDD		00.07										
LINE	UNE Zone 3	1	3	UEPPB	UEPPR		90.27										
UNE	Loop Rates	1	_	LIEDDD	HEDDD	1101.07	04.00										
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 1	+	1	UEPPB	UEPPR	USLZX	21.90			 						-	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64			I					I	1	
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	+	3	UEPPB	UEPPR	USL2X USL2X	35.27			 						-	
LINE	Port Rate	+	3	UEFPB	UEPPR	USLZX	35.27			 						-	
UNE	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1		ULFFD	OLPPK	ULF I'D	55.00	323.00	400.00	t			15.69		t	1	
NON	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	+				+				t					t	 	
	Combination - Conversion - Top 8 MSAs only			LIEPPR	UEPPR	USACB	0.00	225.00	225.00				15.69				
ADDI	FIONAL NRCs	+		OLITE	OLITIK	OOAOD	0.00	225.00	223.00	1			13.03				
	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:			02	<u> </u>	Liti Oxt	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB		U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USEF	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
L	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE	<u> </u>	<u> </u>														
	Interoffice Channel mileage each, including first mile and			LIEDDD	HEDDD	1440110	04.00	00.00	40.00	05.00	40.00		45.00				
\vdash	facilities termination	1	-		UEPPR UEPPR	M1GNC M1GNM	24.30 0.0167	60.00 0.00	40.00 0.00	25.00	10.00		15.69		 	 	
4-18/11	Interoffice Channel mileage each, additional mile E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K DODT	 	UEFPB	UEPPK	IVITGINIVI	0.0167	0.00	0.00	 						-	
	Port/Loop Combination Rates	FURI				1				 					 	1	
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	 			1				 					 	 	
1 1	Zone 1		1	UEPPP			940.87			I					I	1	
 	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	- '-	J 1 1			340.07			1					1	1	
	Zone 2		2	UEPPP			1,005.43			1					1		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	 	<u> </u>				.,			t					1	1	
	Zone 3		3	UEPPP			1,111.89			1					1		
UNE	oop Rates	1					,										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89						15.69				
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.69				
NON	RECURRING CHARGES - CURRENTLY COMBINED								-								
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port]	
	Combination - Conversion -Switch-As-Is Top 8 MSAs only	1		UEPPP		USACP	0.00	950.00	950.00				15.69				
ADDI	TIONAL NRCs	ļ								ļ					ļ	ļ	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			====						I					I	1	
\vdash	Inward/two way Telephone Numbers (except NC)	ļ		UEPPP		PR7TF		0.9822					15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			LIEDSS		DDZTO		00.00	00.00	I			45.00		I	1	
\Box	Outward Tel Numbers (All States except NC)	<u> </u>		UEPPP		PR7TO		23.02	23.02	I			15.69		L	l	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: C
		1									Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						==(+)			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -							71441		7.44		00	•••••			
	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		46.05	46.05				15.69				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
ı	New or Additional - Voice/Data B Channel	Ì		UEPPP	PR7BV	0.00	40.00									
ı	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	40.00									
ı	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	40.00									
CALL	TYPES		1													
	Inward		1	UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48		15.69				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840.87										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		905.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94		15.69				
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		259.56	134.33				15.69				
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1											1	I	
	Activation / Chan - 2-Way DID w User Trans]		UEPDC	UDTTE		29.01	29.01				15.69				
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					-			
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00								
Alteri	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	phone Number/Trunk Group Establisment Charges															
1	Telephone Number for 2-Way Trunk Group	1	1	UEPDC	UDTGX	0.00						15.69		l	1	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				

UNB	JNDLF	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec					Manual Svc
CATE	SOBA	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc	Manual Svc		
CAIL	JOICI	KATE EEEMENTO	m	20116	ВСО	0000			I(A) LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	urring	Nonrocurring	g Disconnect		l .	066	Rates(\$)		
-	+					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	FIISL	Auu i	FIISL	Add I	SOWIEC	15.69	SOWAN	SOWAN	SOWAN	SOWAN
	+	DID Numbers, Establish Trunk Group and Provide First Group			UEPDC	UDIGZ	0.00						13.69				
					LIEDDO	NDZ	0.00	0.00	0.00				45.00				
	 	of 20 DID Numbers			UEPDC	NDZ		0.00	0.00				15.69				
	 	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.69				
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.69				
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.69				
		ted DS1 (Interoffice Channel Mileage) -															
	FX/FC	ofor 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1			1						i	1				1
		Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
																	1
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	l		UEPDC	1LNOA	0.3415	0.00	0.00			1					1
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
1	1	Termination)	l	1	UEPDC	1LNO2	0.00	0.00	0.00		Ì	l	1				1
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.7598	0.00	0.00								
	+	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLI DO	TENOB	0.1000	0.00	0.00								
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	+	Termination)			OLFDC	ILINOS	0.00	0.00	0.00								
		Later William Character Milliam Additional and a Committee Committ			LIEDDO	41.1100	0.7500	0.00	0.00								
	<u> </u>	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.7598	0.00	0.00								<u> </u>
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	<u> </u>	Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
		em can have various rate combinations based on type and nur	mber of	ports	ısed												
	UNE D	S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	103.47	0.00	0.00				15.69				
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206.94	0.00	0.00				15.69				
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00				15.69				
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00				15.69				
	1	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00				15.69				
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,034.70	0.00	0.00				15.69				
 	+	288 DS0 Channel Capacity - 1 per 10 DS1s	 	1	UEPMG	VUM28	1,241.64	0.00	0.00		1	1	15.69		1		
-	1	384 DS0 Channel Capacity - 1 per 12 DS1s	1	-	UEPMG	VUM38	1,655.52	0.00	0.00	-	 	 	15.69		-		
	1	480 DS0 Channel Capacity - 1 per 16 DS1s	1	-	UEPMG	VUM40	2,069.40	0.00	0.00	-	 	 	15.69		-		
	+	576 DS0 Channel Capacity - 1 per 20 DS1s	 	 	UEPMG UEPMG	VUM57	2,069.40	0.00	0.00			-	15.69				
	+		 	 		VUM67	2,483.28 2,897.16					-					
⊢—	Na	672 DS0 Channel Capacity - 1 per 28 DS1s		Latine.	UEPMG		_,007.10	0.00	0.00				15.69				├
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multip	es of this configuration functioning as one are considered Ac	id'i afte	r the m	ınımum system con	riguration is	counted.					ļ					
1	1	NRC - Conversion (Currently Combined) with or without	l	1		1					Ì	l	1				1
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	150.81	8.38				15.69				
		Additions Where Currently Combined and New (Not Currently	y Comb	ined)		1						ļ	<u> </u>				
	In Den	sity Zone 1 Top 8 MSAs															
1	1	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	1			1						<u> </u>	1				1
L	<u> </u>	Fea Activation -	<u> </u>	<u></u>	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69		<u></u>		<u> </u>
	Bipola	8 Zero Substitution															1
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only	l		UEPMG	CCOSF	0.00	0.00	605.00			1					1
		Clear Channel Capability Format - Extended Superframe -															
i		Subsequent Activity Only	l		UEPMG	CCOEF	0.00	0.00	605.00			1					1
	Alterna	te Mark Inversion (AMI)	1			1	5.50	3.50	555.50			1	1				
	1	Superframe Format	1	1	UEPMG	MCOSF	0.00	0.00	0.00		†	 	1				<u> </u>
	 	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00		 	 					<u> </u>
	1	12.00.000 Ouponiumo i onnat	1		3-1 IVIO		0.00	0.00	0.00	l	ı	1			ı		1

	INDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhil	bit: C
												Svc Order					Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc			
CATEG	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
	Exchan	ige Ports															
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69				
								0.00									
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port		 	UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				
	Feature	Activations - Unbundled Loop Concentration		 	CLITA	OLI DIVI	07.00	0.00	0.00	0.00	0.00		10.00				
	reature	Feature (Service) Activation for each Line Port Terminated in D4		-													
		Bank			UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00	l	15.69				
		Bank	1	-	UEPPA	IPQWW	0.70	40.00	∠0.00	0.00	5.00		15.69				
1		Feature (Service) Activation for each Trunk Port Terminated in	1	1	HEDDY	4001177		,				1	,=				
	<u> </u>	D4 Bank	!	<u> </u>	UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
		one Number/ Group Establishment Charges for DID Service	<u> </u>		1							ļ					
		DID Trunk Termination (1 per Port)	<u> </u>		UEPPX	NDT	0.00	0.00	0.00			<u> </u>	15.69				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				15.69				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.69				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.69				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
	Local N	lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional		1	OLI I X	L. 1. O.	0.10	0.00	0.00								
		Switching Features Offered with Line Side Ports Only															
			1														
		IAII Egaturos Availablo			ILIEDDA	I IED\/E	2 04	0.00	0.00				15.60				
LINIDIIN		All Features Available	•		UEPPX	UEPVF	3.04	0.00	0.00				15.69				
UNBUN	IDLED C	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE		State									15.69				
UNBUN	DLED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC	and/or		Commission rule to	provide Unb	undled Local S	witching or Sw	ritch Ports.	dlad Part saction	on of this Date	Evhibit	15.69				
UNBUN	DLED C 1. Cost 2. Featu	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C	and/or ost Bas	ed Rat	Commission rule to te section in the san	provide Unb ne manner as	undled Local So they are applie	witching or Sw d to the Stand	ritch Ports. -Alone Unbun					on Combinat			
UNBUN	DLED C 1. Cost 2. Featu 3. End	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCG ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport	and/or cost Bas Usage	ed Rat rates i	Commission rule to the section in the san	provide Unb ne manner as this rate exh	undled Local So they are applie libit shall apply	witching or Sw d to the Stand to all combina	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•			
UNBUN	DLED C 1. Cost 2. Featu 3. End 4. The f	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C	and/or cost Bas Usage	ed Rat rates i	Commission rule to the section in the san	provide Unb ne manner as this rate exh	undled Local So they are applie libit shall apply	witching or Sw d to the Stand to all combina	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 2. Featu 3. End 4. The tapply a	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly.	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 2. Featu 3. End 4. The fapply a 5. Mari	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C ulso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 2. Featu 3. End 4. The tapply a 5. Mark	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - COMFIGE and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not COMFIGE and are categorized accordingly. Reter National Port Not COMFIGE TO Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 1. Cost 2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 1. Cost 2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC urres shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 1. Cost 2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 1. Cost 2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to te section in the san the Port section of ined Combos. For	provide Unb ne manner as this rate ext Currently Co	undled Local So they are applie libit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 1. Cost 2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to the section in the sam the Port section of ined Combos. For on an Individual Ca	provide Unb ne manner as this rate ext Currently Co	undled Local St they are applie sibit shall apply mbined Combo til further notice	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	1. Cost 1. Cost 2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Cost Bas Usage urrently	ed Rat rates in Comb	Commission rule to the section in the sam the Port section of ined Combos. For on an Individual Ca	provide Unb ne manner as this rate ext Currently Co	undled Local St they are applie sibit shall apply mbined Combo til further notice	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	DLED C 1. Cost 2. Featu 3. End 4. The sapply a 5. Mari UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently	eed Raterates in Comb	Commission rule to the section in the sam the Port section of ined Combos. For on an Individual Callery of the Port Section	undled Local States applie iibit shall apply mbined Combotil further notice	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	DLED C 1. Cost 2. Featu 3. End 4. The sapply a 5. Mari UNE-P 2-Wire	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or Cost Bas Usage urrently	eed Raterates in Comb	Commission rule to be section in the same the Port section of ined Combos. For on an Individual Company of the Port Section of the Port Section of the Port Section of the Port Section 1995	provide Unb ne manner as this rate ext Currently Co	undled Local Step they are applie iibit shall apply mbined Combottil further notice 14.89	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or Cost Bas Usage urrently	ed Ratrates in Comb	Commission rule to the section in the sam the Port section of ined Combos. For on an Individual Callery of the Port Section	undled Local States applie iibit shall apply mbined Combotil further notice	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or Cost Bas Usage urrently	ed Ratrates in Comb	Commission rule to be section in the same the Port section of ined Combos. For on an Individual Company of the Port Section of the Port Section of the Port Section of the Port Section 1995	provide Unb ne manner as this rate ext Currently Co	undled Local Step they are applie iibit shall apply mbined Combottil further notice 14.89	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or Cost Bas Usage urrently	ed Ratrates in Comb	Commission rule to the section in the same the Port section of ined Combos. For on an Individual Callery of the Port Section	undled Local St they are applie iibit shall apply mbined Combo til further notice 14.89 21.52	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	and/or Cost Bas Usage urrently	ed Ratrates in Comb	Commission rule to be section in the same the Port section of ined Combos. For on an Individual Company of the Port Section of the Port Section of the Port Section of the Port Section 1995	provide Unb ne manner as this rate ext Currently Co	undled Local Step they are applie iibit shall apply mbined Combottil further notice 14.89	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or Cost Bas Usage urrently	combotiated	Commission rule to the section in the san the Port section of ined Combos. For on an Individual Ca UEP95 UEP95	provide Unb ne manner as this rate ext Currently Co	undled Local States and Indian	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo TvLoop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	and/or Cost Bas Usage urrently	ed Ratrates in Comb	Commission rule to the section in the same the Port section of ined Combos. For on an Individual Callery of the Port Section	undled Local St they are applie iibit shall apply mbined Combo til further notice 14.89 21.52	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	IDLED C 1. Cost 2. Featu 3. End 4. The sapply a apply a 5. Mari UNE-P	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or Cost Bas Usage urrently	ced Raterates in Combotiated	Commission rule to be section in the same the Port section of ined Combos. For on an Individual Callery of the Post Section	undled Local Step they are applie iibit shall apply mbined Combottil further notice 14.89 21.52 27.17 17.81 24.26	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	UNE PO	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	and/or Cost Bas Usage urrently	combotiated	Commission rule to the section in the san the Port section of ined Combos. For on an Individual Ca UEP95 UEP95	provide Unb ne manner as this rate ext Currently Co	undled Local States and Indian	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PO	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Design Design Design Design Design Design Design Design Design Design Design Design Design Design Design	and/or Cost Bas Usage urrently	combinated	UEP95 UEP95 UEP95 UEP95 UEP95	provide Unb e manner as this rate exi Currently Co ase Basis, un	undled Local St they are applie libit shall apply mbined Combo til further notice 14.89 21.52 27.17 17.81 24.26 29.59	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PO	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	and/or Cost Bas Usage urrently	combinated 1 1 2 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	provide Unb ee manner as this rate exf Currently Co see Basis, un	undled Local Step they are applie ibit shall apply mbined Combottil further notice 14.89 21.52 27.17 17.81 24.26 29.59 13.76	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PO	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or Cost Bas Usage urrently	combinated and a second and a s	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	provide Unb provid	undled Local Step they are applied ibit shall apply mbined Combottil further notice 14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PO	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C ilso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design -De	and/or Cost Bas Usage urrently	combinated and a second and a s	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	provide Unb he manner as this rate exi Currently Co ase Basis, un	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PO	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in Ali States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or Cost Bas Usage urrently	ed Ratarates in Combo	UEP95	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	UNE Po	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	and/or Cost Bas Usage urrently	combinated and a second and a s	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PC	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C ilso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or Cost Bas Usage urrently	ed Ratarates in Combo	UEP95	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may	
UNBUN	UNE PC	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	and/or Cost Bas Usage urrently	combinated and a second and a s	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PC	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Design VG Rate Design VG Roop/2-Wire Voice Grade Loop (SL 2) - Zone 3 Design VG Roop/2-Wire Voice Grade Loop (SL 2) - Zone 3 Design VG Roop/2-Wire Voice Grade Loop (SL 2) - Zone 3 Design VG Roop/2-Wire Voice Grade Loop (SL 2) - Zone 3 Design VG Roop/2-Wire Voice Gra	and/or Cost Bas Usage urrently	combinated and a second and a s	UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	witching or Sw d to the Stand to all combina s, the nonrect	ritch PortsAlone Unbuntitions of loop/	port network el shall be those	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may
UNBUN	UNE PC	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - CO Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	and/or Cost Bas Usage urrently	combinated and a second and a s	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbunations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	•		Additional NR	Cs may

UNBLIND	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhi	bit: C
CHECIADE	LD NETWORK ELEMENTS - South Carollia										Svc Order		Incremental		Incremental	Incremental
1		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Ì			1								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
1		1											1st	Add'l	Disc 1st	Disc Add'l
 		 			+ -		Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	I	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						11130	Auu i	11130	Auu	JOINEC	JONAN	JOHAN	JONAN	JOHAN	JOHIAN
	Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 93	OLFIII	1.13	40.30	19.90	24.30	0.03	-	13.09				
	Center)2 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
—	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 93	OLFTW	1.13	100.30	70.71	34.47	11.54	-	13.09				
	Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
—	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEF95	UEPTZ	1.13	106.36	70.71	54.47	11.94	-	15.69				
	- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated on 800 Service Term -	<u> </u>	<u> </u>	UEF95	UEPT9	1.13	40.30	19.90	24.90	0.00		15.69				
	Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
A1 1	(Y, LA, MS, SC, & TN Only			UEF95	UEP 12	1.13	40.30	19.90	24.90	0.03	-	15.69				
AL, P	2-Wire Voice Grade Port (Centrex)	1	1	UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65	-	15.69		-	-	-
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP95 UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	 	UEP95 UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
		-	-	UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDOM	4 40	400.00	70.74	54.47	44.04		45.00				
	Center)2	ļ	1	UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94	1	15.69		 		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	UEDO7	4.40	400.00	70.74	54.47	44.04		45.00				
	Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
							40.00									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Loca	l Switching				I											
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69				
NAR:																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
	ellaneous Terminations															
2-Wii	re Trunk Side	ļ	 		1				.					ļ		ļ
	Trunk Side Terminations, each		<u> </u>	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-Wii	re Digital (1.544 Megabits)	<u> </u>	<u> </u>		<u> </u>				ļ							
	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
<u> </u>	DS0 Channels Activated, each	<u> </u>	<u> </u>	UEP95	M1HDO	0.00	14.51		ļ			15.69				
Inter	office Channel Mileage - 2-Wire	<u> </u>	<u> </u>						ļ							
<u> </u>	Interoffice Channel Facilities Termination	<u> </u>	<u> </u>	UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	hannel Bank Feature Activations							-								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69				
I I =		1	1		1				_							<u> </u>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>	<u></u>	UEP95	1PQW6	0.56				<u></u>		15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1							<u> </u>					l	
	Slot	<u> </u>	<u></u>	UEP95	1PQW7	0.56				<u></u>		15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1							<u> </u>					l	
	Different Wire Center	<u> </u>		UEP95	1PQWP	0.56						15.69				
] [Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	1	UEP95	1PQWV	0.56			I			15.69		Ì		Ì
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
] [Slot	1	1	UEP95	1PQWQ	0.56			I			15.69		Ì		Ì
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56						15.69				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				1 1											
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1		1				İ	İ				İ	İ	İ
	changes, per port	1	1	UEP95	USAC2		37.93	16.72	I	ı	ì	15.69		1	ı	

HNRI	NDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhil	hit: C
ONBU	HULE											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				-				
CAILC	OKI	KATE EEEMENTO	m	20116	500	0000			KAT LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	rurring	Nonrecurring	Disconnect		l .	088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70	Auu i	FIISL	Auu i	SOMEC	15.69	JOWAN	JOWAN	SOWAN	JOWAN
		New Centrex Standard Common Block			UEP95	M1ACC	0.00	668.70				-	15.69		-		
<u> </u>	LINIE B	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69				
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
		Non-Design		1	UEP9D		14.89										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									<u> </u>		1	1			
	l	Non-Design		3	UEP9D		27.17						1				
	UNE P	ort/Loop Combination Rates (Design)					İ										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1			1							
		Design		1	UEP9D		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-					İ	İ	1	İ	İ	1		
		Design		2	UEP9D		24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 05		220					1					
		Design		3	UEP9D		29.59										
-	LINEL	poop Rate			OLI OD	-	20.00										
	ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										
-		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9D	UECS1	20.38										
				3													
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
-		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
	UNE P	ort Rate															
	ALL S																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
		Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	l	Area		1	UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65	1	15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	l	Area		1	UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69		I		
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
1	l	Area		1	UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65	1	15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		1		1		.0.00	.0.50	250	3.30	I	.0.00		t		
	l	Area		1	UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69		I		
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1		52. 10	1.10	40.00	10.00	24.30	0.00	I	10.09		t		
	l	Area		1	UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65	1	15.69				
1		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	021 00	JL: 1 V	1.13	+0.50	13.30	24.30	0.00	1	13.03	1	1		
		Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
-	-	1		-	OLI 3D	OL: 13	1.13	40.30	19.90	24.30	0.03	+	13.09	1	 		
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	4 40	40.20	10.00	24.98	6.65		15.60				
—		1			OFLAD	UEFIH	1.13	40.30	19.90	24.98	0.05		15.69	-			
	1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1	LIEDOD	LIEDY	4 40	40.00	40.00	04.00	0.05		45.00		I		
<u> </u>		Indication))3 Basic Local Area		<u> </u>	UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69	1	-		
1	l	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3		1				40	40			1					
		Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						,									
		2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94	1	15.69		1		
1	l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		1	l	1							1				
	<u> </u>	Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69				

UNB	JNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: C
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted					
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															7144	2.00	
							Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															í
		Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				i
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3								*****							ſ
		Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				í
	+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			OLI OD	OLI I Q	1.10	100.00	70.71	04.47	11.04		10.00				
					UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				í
		Basic Local Area			UEP9D	UEPTR	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															i
		Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															i
		Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															í
		Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															·
		Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3								•							
		Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				í
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF3D	OLF 17	1.13	100.30	70.71	34.47	11.54		13.09				
					LIEDOD	LIEDV7	4.40	400.00	70.74	54.47	44.04		45.00				í
		Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
		Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				Ļ
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															í
		Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				í
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				·
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65		15.69				
	+	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65		15.69				
				-	UEP9D	UEPQE			19.90	24.98	6.65		15.69				
	_	2-Wire Voice Grade Port (Centrex / EBS-M5209)3					1.13	40.30									
		2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69				l
		2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69				ı
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				1
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															i
		Indication)3			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65		15.69				ł
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65	1	15.69		1		í
-	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					0	.0.00		250	3.30	1	.0.00	1			
		2			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				ł
	+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		\vdash	UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94	1	15.69		1		
—	+	2-vviie voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		 	OFLAD	UEFQU	1.13	108.36	70.71	54.47	11.94	 	15.09				
	1	0 M/2 - Vei - O - I - D - (O - I -) / F/(- O MO / ED 2 : E222) 2 2	l		LIEDOD	LIEBOB		400.00	70		44.51		45.00	1	1		ł
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69				
1	1		l							Ì		1	1		l		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				ı
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69				í
	1	,				1											i
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	l		UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94	1	15.69		l		1
	1	: ::::::::::::::::::::::::::::::				J &T	1.10	100.00	70.71	U-1F/	11.54	I	10.09		 		
1	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	l		UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69	1	1		ł
<u> </u>	+	2-vviie voice Glaue Fult (Gentlex/Ulliel SVVC/EDS-IVIS/208)2, 3		\vdash	OFLAD	ULFUO	1.13	100.30	70.71	54.47	11.94	1	15.69	-	 		
		O Miss Vaiss Crade Bast (Contravidiffer CMC /FRO M5010)			LIEDOD	LIEBOG	4.40	400.00	70.74	54.47	44.04		45.00				ł
<u> </u>	+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		<u> </u>	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94	.	15.69				
1	1		l			1				Ì		1	1		l		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94	1	15.69]			
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l										l	1	1		ł
	1	Term	l		UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69	1	1		1

HOUNDLE	D NETWORK ELEMENTS - South Carolina	1	1	1							Comp Control		Attachment:			bit: C
														Incremental		Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1		-				ı	Nonrec	urrina	Nonrecurring	Disconnoct			000	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1		-		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated in 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Local	Switching			OLI OD	OLI QZ	1.10	40.00	10.00	24.00	0.00		10.00				
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69				
Local	Number Portability			OLI 3D	OKLOO	0.7330						13.03				
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur				OLI 3D	LIVI CC	0.55										
i catur	All Standard Features Offered, per port	 	 	UEP9D	UEPVF	3.04	-		+			15.69			 	
+	All Select Features Offered, per port	 	 	UEP9D	UEPVS	0.00	406.42		+			15.69			 	
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04	400.42					15.69				
NARS		 	-	021 30	JLI VO	3.04			 		1	15.05			-	
IVANO	Unbundled Network Access Register - Combination		 	UEP9D	UARCX	0.00	0.00	0.00			1	15.69			1	
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69				_
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69				
Miscol	llaneous Terminations			OLFBD	UAROX	0.00	0.00	0.00				13.09				
	Trunk Side															
2-44116	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-Wiro	Digital (1.544 Megabits)			OLF 9D	CLINDO	0.00	119.57	10.70	00.03	3.11		13.09				
4-44116	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	DS0 Channels Activiated per Channel			UEP9D	M1HD0	0.00	14.51	95.90	12.13	2.47		15.69				
Interef	ffice Channel Mileage - 2-Wire			UEP9D	MIHDO	0.00	14.51					15.69				
interor	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP9D	MIGBM	0.0167	40.03	21.41	10.77	0.91		15.69				
Fastur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		UEF9D	IVIIGDIVI	0.0167										
	e Activations (DSU) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e														
D4 Cha		<u> </u>		LIEDOD	1PQWS	0.56						45.00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP9D	IPQW5	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.56						15.69				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	IFQWV	0.36						15.09				
	Slot			UEP9D	1PQWQ	0.56						15.69				
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP9D	1PQWQ	0.56						15.69				
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex	 	1	051.90	IFQWA	0.30			-		-	15.09		-	-	-
NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed	 	1	+	+	+			-		-			-	-	-
	changes, per port		1	UEP9D	USAC2		37.93	16.72				15.69				
	New Centrex Standard Common Block	1	-	UEP9D	M1ACS	0.00	668.70	10.72			1	15.69				1
	New Centrex Standard Common Block New Centrex Customized Common Block	 	 	UEP9D	M1ACC	0.00	668.70		-							
	NAR Establishment Charge, Per Occasion	 	 	UEP9D	URECA	0.00	72.89		-			15.69 15.69				
Note 4		 	-	OLYAD	UKEUA	0.00	12.69		 			15.69		-	-	-
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	 	 	_					-							
	2 - Requires Interoffice Channel Mileage	 	 	_					-							_
	- Requires Specific Customer Premises Equipment Rates displaying an "R" in Interim column are interim and sub	<u> </u>	<u> </u>	L												

UNBUN	DLED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Submitted Elec		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGO	KI .	NATE ELEMENTS	m	Zone	803	0300			KATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring	A -1 -111		Disconnect	COMEC	COMAN		Rates(\$)	COMAN	COMAN
H-	he "70	ne" shown in the sections for stand-alone loops or loops as	nart of	a com	ination refers to Ge	ographically	/ Deaveraged U	First NF Zones. To	Add'l view Georgran	First	Add'l		SOMAN ons by C.O.			SOMAN	SOMAN
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpinoan	Deaveraged of	AL LONGS. 10	view Georgia	mouny Deaver	agea ONE Eor	ic Desiguiiti	ons by o o	, reier to inter	net Website.		
		SUPPORT SYSTEMS															
		1) Electronic Service Order: CLEC should contact its contract															is rate
		s the BellSouth regional electronic service ordering charge. 2) Any element that can be ordered electronically will be bill															lly For
		ements that cannot be ordered electronically at present per t															
		charge, SOMAN, will be applied to a CLECs bill when it sub				o iii iiiio dalo	go.y . ooo.o	o on ango anar .				ruoring out	, a.b		0.0		
	E	Electronic OSS Charge, per LSR, submitted via BST's OSS															
UNIT OFF		nteractive interfaces (Regional) DATE ADVANCEMENT CHARGE				SOMEC		3.50									
		The Expedite charge will be maintained commensurate with I	BellSou	th's FO	C No.1 Tariff, Section	on 5 as annli	cable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			To Horr Turni, ocoan	on o as appn	Cubic.										
		Day			ALL UNE	SDASP		200.00									
		KCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															
2		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
-		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	(UVL-SL1) Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
		billing for BST providing make-up			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	00001		04.00	04.00								
2		Unbundled COPPER LOOP			UEANL	OCOSL		34.29	34.29								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı		UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	l I	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	l l	Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop) Unbundled Copper Loop, Non-Designed Billing for BST			UEQ	USBMC		36.52	36.52								
		providing make-up			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUND		KCHANGE ACCESS LOOP			DEQ	UKEWU		14.29	7.44					20.35	10.54	13.32	13.32
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	- 2	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
<u> </u>		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 op Rates for Line Splitting		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
├		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	14.18					1	1				
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPRX	UEPLX	18.01										
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	23.02										
UNBUND	LED E	XCHANGE ACCESS LOOP															

UNRI	INDI F	NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	ibit: C
3.400	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ALL TOTAL LELIELITIO - Tellilessee										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_			04.00	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	20.20	34.29	46.20	20.70	17.04			20.33	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OCOGL		34.29							1		
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		i i	027	0271112	10.00	7 0.00	10.20	200	11.01			20.00	10.01	10.02	10.02
		Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1							1	1				1		
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17		85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	2-WIRE	ISDN DIGITAL GRADE LOOP			LIBNI	1141.07/	00.00	440.70	00.00	70.05	00.40			00.05	40.54	40.00	40.00
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN UDN	U1L2X U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 2	1	3	UDN	U1L2X U1L2X	29.02 37.95	142.76 142.76	88.88 88.88	76.35 76.35	39.16 39.16			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	37.95	34.29	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIT	OILETTO		31.77	77.22					20.00	10.04	10.02	10.02
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
		3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	l		1 🗍				I	l		1	I	I	I	l
		& facility reservation - Zone 1	ļ	1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry		_		1141.637											
		& facility reservation - Zone 2	1	2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UAL	OCOSL	23.60	34.29	234.63	74.54	39.14			∠0.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	 		UAL	UCUSL		34.29		 				-	 	-	
		facility reservaton - Zone 1	1 .	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	- '-	-	U, 1∟	UNLLYV	13.02	31.88	20.02	10.05	1.41		 	20.35	10.34	13.32	13.32
		facility reservation - Zone 2	1 1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	 	Ė			.0.50	055	20.02					20.00		.5.52	.5.52
		facility reservaton - Zone 3	1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL		34.29		1					1		
		CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry	1										1				
		& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry	1			1								1		1	
		& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32

31120110	LED NETWORK ELEMENTS - Tennessee												Attachmen*	2	Evhi	ibit: C
						l					Svc Order	Svc Order	Attachment: Incremental		Incremental	
		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						-(1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
\vdash						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry	١.				40.00	04.00	00.00	40.05				00.05	40.54	40.00	40.00
\vdash	and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	١.,	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>		OFIL	UTILZVV	14.13	31.33	20.02	10.03	1.41			20.33	10.54	13.32	13.32
	and facility reservation - Zone 3	1 1	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ŭ	UHL	OCOSL	10.00	34.29	20.02	10.00				20.00	10.01	10.02	.0.02
	CLEC to CLEC Conversion Charge without outside dispatch	T		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry							· · · · · · · · · · · · · · · · · · ·					1	1		
$\perp \perp \downarrow$	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	_													
\vdash	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	3	UHL	UHL4X	22.02	279.60	244.22	74.54	20.44			20.35	10.54	40.00	13.32
\vdash	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UHL UHL	OCOSL	23.80	279.60 34.29	244.22	74.54	39.14	-		20.35	10.54	13.32	13.32
 	4-Wire Unbundled HDSL Loop without manual service inquiry	1		OFF	OCOSL		34.29									
	and facility reservation - Zone 1	1 1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	<u> </u>	0.12	0.12.11	10.00	01.00	20.02	10.00				20.00	10.01	10.02	.0.02
	and facility reservation - Zone 2	1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	IRE DS1 DIGITAL LOOP															
\vdash	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95 11.95
\vdash	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	75.40 98.59	313.08 313.08	219.72 219.72	96.86 96.86	40.45 40.45			18.98 18.98	8.43 8.43	11.95 11.95	11.95
\vdash	Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	OCOSL	90.39	34.59	219.72	90.00	40.45	-		10.90	0.43	11.95	11.95
-	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-W	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	0.12110		100.11		İ				20.00	10.01	10.02	10.02
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
$\vdash \vdash$	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ	2		UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
\vdash	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	ļ	3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
\vdash	Order Coordination for Specified Conversion Time (per LSR)	1	1	UDL UDL	OCOSL UDL64	31.10	34.29	444.00	90.70	44.18	1		20.05	40.54	40.00	13.32
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		UDL	UDL64 UDL64	31.10 40.61	207.01 207.01	141.38 141.38	90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		UDL	UDL64	53.11	207.01	141.38	90.70	44.18	-		20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	!	-	UDL	OCOSL	33.11	34.29	171.30	30.70	77.10			20.33	10.54	10.02	15.52
	CLEC to CLEC Conversion Charge without outside dispatch	†		UDL	UREWO		102.28	49.82	1				20.35	10.54	13.32	13.32
2-W	IRE Unbundled COPPER LOOP	1							1				1		1	
	2-Wire Unbundled Copper Loop/Short including manual service	1														
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short including manual service	1			L									1		
\vdash	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop/Short including manual service	1 .	_		1101 55											
\vdash	inquiry & facility reservation - Zone 3		3	UCL UCL	UCLPB	22.53	31.99 36.52	20.02 36.52	10.65	1.41	-		20.35	10.54	13.32	13.32
\vdash	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service	<u> </u>		UCL	UCLIVIC		30.52	30.52	-						-	
	inquiry and facility reservation - Zone 1	1 .	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service	 ' -	-	JUL	OOLI- WV	13.19	31.39	20.02	10.05	1.41	-		20.35	10.34	13.32	13.32
	inquiry and facility reservation - Zone 2	1 .	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service					17.20	01.00	20.02	10.00	141			20.00	10.04	10.02	10.02
	inquiry and facility reservation - Zone 3	1 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	t i	Ť	UCL	UCLMC		36.52	36.52	13.30					12.2.		1.2.52

LINIDLINIDI	ED NETWORK ELEMENTO Tamasasas												I			
ONBONDE	ED NETWORK ELEMENTS - Tennessee	1		1		ı					Core Conden	Cur Onder	Attachment:			ibit: C
												Svc Order		Incremental		
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash							Nonrecurring		Nonrecurring	a Disconnect		1	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.						1 1130	Addi	11130	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	inquiry and facility reservation - Zone 1	l i	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			-			0.100									
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															1
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2	l l	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch	١.														
4 140	(UCL-Des)	- !		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
—	4-Wire Copper Loop/Short - including manual service inquiry		-	UCL	UCL43	24.70	122.70	05.57	76.33	39.10			20.33	10.54	13.32	13.32
	and facility reservation - Zone 2		2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - including manual service inquiry	- '-		UCL	UCL43	32.23	122.70	05.57	70.33	39.10			20.33	10.54	13.32	13.32
	and facility reservation - Zone 3	1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
—	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC	72.17	36.52	36.52	70.00	00.10			20.00	10.04	10.02	10.02
	4-Wire Copper Loop/Short - without manual service inquiry and			-												
	facility reservation - Zone 1	l i	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 2	- !	2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	١.,	3	UCL	UCL4L	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	42.17	36.52	36.52	76.33	39.10			20.33	10.54	13.32	13.32
\vdash	4-Wire Unbundled Copper Loop/Long - without manual svc.			UOL	OCLIVIC		30.52	30.52	 	 			1	1	 	+
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - without manual svc.	<u> </u>	<u> </u>		55245	24.70	122.70	55.57	70.00	33.10			20.00	10.04	10.02	10.02
	inquiry and facility reservation - Zone 2	1 1	2	UCL	UCL4O	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL4O	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch			1												1
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODI	FICATION															
				UAL, UHL, UCL,												
	Haland Halland Ma Propries Book at 10 % 5000	1		UEQ, ULS, UEA,					I	I			1	1	I	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	Ι.		UEANL, UDL, UDC,			05.10	05.10	I	I			00.00	40 = 1	40.00	40.00
\vdash	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		65.40	65.40	-	-			20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	1		LICE THE TIES	ULM2G		740 74	23.77	I	I			20.35	10.54	13.32	13.32
\vdash	Unbundled Loop Modification Removal of Load Coils - 4 Wire	- '-	-	UCL, ULS, UEQ	ULIVIZU		710.71	23.11	-	-			20.35	10.54	13.32	13.32
	less than or equal to 18K ft	Ι.,		UHL. UCL	ULM4L		65.40	65.40	I	I			20.35	10.54	13.32	13.32
+-+-	Unbundled Loop Modification Removal of Load Coils - 4 Wire	- '-	-	01 IL, 00L	CLIVITL		03.40	03.40	-	-			20.33	10.54	10.02	10.02
	pair greater than 18k ft	1		UCL	ULM4G		710.71	23.77	I	I			20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-	Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>														
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65	 		20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		34.29	34.29								
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29							10.00	10.00
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_ !		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	!		UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
Unbu	indled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
Unbu	Tap Removal, per PR unloaded indled Network Terminating Wire (UNTW)			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.32
	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)	I		UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
ivetw	Network Interface Device (NID) - 1-2 lines	1	-	UENTW	UND12	1	89.69	54.56	0.6391	0.6391	1	-	20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-5 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	Ì	11.11	11.11	0.0022	0.0022			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-	Loop Feeder														1	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC UEA,	USBFW		517.25						20.35	10.54	13.32	13.32
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UDN,UCL,UDL,UDC	USBFX		42.68	42.68					20.35	10.54	13.32	13.32
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			002	005. 2		551.61						20.00	10.01	10.02	10.01
	Grade- Statewide		sw	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA UEA	USBFB	12.05	122.24 34.29	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	OCOSL		34.29									.
	Voice Grade Loop - Statewide		sw	UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, per LSR		3**	UEA	OCOSL	12.00	34.29	00.00	70.00	00.10			20.00	10.04	10.02	10.02
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	36.76	34.29	61.93	118.04	30.13			20.35	10.54	13.32	13.34
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	OCOSL		34.23									+
	Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	OCOSL USBFF	16.11	34.29 142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34.29									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL USL	USBFG USBFG	39.74 51.90	116.00 116.00	40.62 40.62	106.82 106.82	18.91 18.91			19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		Ť	USL	OCOSL	07.00	34.59	.0.02	100.02	10.01			10.00	10.00	10.00	
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53	ļ		19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l			HODELL	40.00	444.5-	00.00	404.04	40 =0			40.00	40.00	40.00	46.55
 	Order Coordination For Specified Convenies Time and CD		3	UCL	USBFH	16.26	114.27 34.29	38.89	104.64	18.53	 	1	19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL UCL	OCOSL USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		Ľ	UCL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
 	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91	<u> </u>	<u> </u>	19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	1	1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
 	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	 	+	ODL	O O D I O	20.06	110.00	40.02	100.02	10.91			15.99	19.99	13.33	19.98
	Zone 2	l	2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic-		Incrementa Charge -
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_					40.00					40.00			
	Zone 3 Order Coordination For Specified Conversion Time, per LSR		3	UDL UDL	USBFP OCOSL	44.50	116.00 34.29	40.62	106.82	18.91	1		19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	UCUSL		34.29									+
	oop Feeder															+
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	14.11										1
	Sub Loop Feeder - DS3 - Facility Termination Per Month	i		UE3	USBF1	333.26	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	1
	Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	14.11										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	359.02	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per			l												
	Month			UDLO3	USBF5	56.64	0.100.01	40= 00		=01.01					10.00	
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	546.31	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per	- 1		UDL12	1L5SL	13.18					1					+
	Month			UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	<u> </u>		UDL12	USBF3	1.697.00	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	+
	Sub Loop Feeder - OC-48 - Per Mile Per Month	i i		UDL48	1L5SL	43.22	3,400.01	407.00	103.17	301.31			20.55	10.54	10.02	+
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	<u> </u>		052.0	.2002	10.22										1
	Month	- 1		UDL48	USBF9	320.36										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,457.00	3,592.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 Interface On OC-48	_		UDL48	USBF8	361.44	806.02	407.68	165.17	501.31			20.35	10.54	13.32	
UNBUNDLED	LOOP CONCENTRATION															
	Loop Channelization System			ULC	ULCCS	307.07	307.34	74.37	4.18				20.35	10.54	13.32	
	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1.20	9.57	9.52	8.66	8.60			20.35	10.54	13.32	
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC ULC	UCT8A UCT8B	500.18 54.82	613.60 255.67	613.60 255.67					20.35 20.35	10.54 10.54	13.32 13.32	
	Unbundled Loop Concentration - System 8 (TR008)			ULC	UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92.37	255.67	255.67					20.35	10.54	13.32	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6.23	74.39	53.07	30.23	8.46			20.35	10.54	13.32	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															1
	Card)			UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or			l												
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
-	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	12.45	0.09	0.00	9.71	9.65		-	20.33	10.54	13.32	13.32
	(Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			020	00110	00.11	0.00	0.00	0	0.00			20.00	10.01	10.02	10.02
	Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
<u> </u>	Interface			UDL	ULCC5	11.03	8.69	8.65	9.71	9.65	ļ		20.35	10.54	13.32	13.32
1	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			l						_						
	Interface			UDL	ULCC6	11.03	8.69	8.65	9.71	9.65	<u> </u>		20.35	10.54	13.32	13.32
INE OTHER	PROVISIONING ONLY - NO RATE								9.71		1		 	-		
UNE UTHER,	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				1	-				+
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00						1	-	-	+
 	5 Should be backers in the Nate			UEANL,UEF,UEQ,U	JEITOL	0.00	0.00				1		1	1		
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00						1			
	PROVISIONING ONLY - NO RATE			İ	1						1	1				†

UNBUNI	DLED NETWORK ELEMENTS - Tennessee			<u> </u>								-	Attachment:	2	Exhi	bit: C
CATEGOR		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrecurring		Nonrecurring		201150	001441		Rates(\$)	001111	001141
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Superifame Format Option - No rate Unbundled DS1 Loop - Expanded Superframe Format option -	1		USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAP	PACITY UNBUNDLED LOCAL LOOP					0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month		<u> </u>	UE3	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 - Facility									.=						
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1	UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
	month			UDLSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS-1 - Facility			OBLOX	TEGINE	0.10										
	Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
	ote (1): Rates provided in TN for both electronic and manual Loop	Makeu	p are in	nterim and subject to	retro-active	true-up adjust	ments pending	a permanent	rate ruling on t	hese rate elen	nents from t	he Tenness	ee Regulatory	Authority.		
LOOP MA																
	Loop Makeup - Preordering Without Reservation, per working or	_														
	spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0.76	0.76								
	Loop MakeupWith or Without Reservation, per working or	- 1		OWIN	OWINE		0.70	0.70								
	spare facility queried (Mechanized)	R		UMK	PSUMK		0.76	0.76								
	EQUENCY SPECTRUM															
	NE SHARING															
SF	PLITTERS-CENTRAL OFFICE BASED			111.0	LII CDA	100.00	450.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	1		ULS ULS	ULSDA ULSDB	25.00	150.00 150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Ophitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODB	25.00	130.00	0.00	0.00	0.00			20.55	10.54	10.02	10.02
	deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
EN	ND USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	Y SPEC	TRUM	AKA LINE SHARING												
	Line Sharing - per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line							4= 00								
	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
LII	NE SPLITTING								0.00							
EN	ND USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter	I		UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical	<u> </u>		UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
DE	Line Splitting - per line activation BST owned - virtual EMOTE SITE HIGH FREQUENCY SPECTRUM	<u> </u>		UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	PLITTERS-REMOTE SITE	1	 													
- 0.	Remote Site Line Share BellSouth Owned Splitter, 24 Port	1	<u> </u>	ULS	ULSRB	25.00	150.00	0.00	150.00	0.00			20.35	10.54	13.32	13.32
	Remote Site Line Share Cable Pair Activation CLEC Owned at															
	RS and Deactivation	- 1		ULS	ULSTG		74.38	0.00	46.77	0.00			20.35	10.54	13.32	13.32
EN	ND USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	M AKA	REMOT	TE SITE LINE SHARII	NG											
	Remote Site Line Share Line Activationfor End User Served at	١.	1		LILCDC	0.04	40.00	24.00	25.00	40.70			20.25	40.54	40.00	40.00
	RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC		!	ULS	ULSRC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.32
	Splitter	1		ULS	ULSTC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.32
UNBUNDL	LED DEDICATED TRANSPORT	- '-	†	0_0	32010	0.01	40.00	31.39	33.00	10.79			20.00	10.54	10.02	10.02
NC	OTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
IN	TEROFFICE CHANNEL - DEDICATED TRANSPORT															·

UNBUND	DLED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGOR		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	1 -	
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Per Mile per month	-		U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	-	1	UTTVX	ILJAA	0.0054							1			
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	9														
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	- 1		U1TVX	U1TR2	18.58	55.00	17.37	27.00	3.51			20.25	21.09	9.80	10.54
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade		1	UTIVX	UTTRZ	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Per Mile per month	´		U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grad	е														
	- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			LIATOV	1L5XX	0.0474										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	ILSAA	0.0174										1
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	17.98	55.00	17.37	27.96	0.54			20.35	21.09	9.80	40.54
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDX	U11D6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1-2											
	Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LUTDO	1L5XX	0.04										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	ILSXX	2.34							1			1
	Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile pe	r														
	month			U1TS1	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	U1TFS	849.30	205.20	470.50	109.04	405.04			20.04	36.84	19.01	19.01
10	Termination OCAL CHANNEL - DEDICATED TRANSPORT	-	1	01151	UTIFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	OTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum bill	ina perio	d - belo	ow DS3=one month	. DS3/STS-1=f	our months			-							
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	J P	1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80			İ			
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat			LII DVX	ULDR2	47.40	400.00	04.40	54.04	4.00						
	Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat	-	1	ULDVX	ULDK2	17.18	199.33	24.16	54.81	4.80	+		-			-
	Zone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
	Zone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						ļ
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	UNDVX	ULDV4	18.18	201.53	24.83	55.52	5.51			ļ			
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	-	2	UNDVX	ULDV4	23.74	201.53	24.83	55.52	5.51			1	-		ļ
 	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 Local Channel - Dedicated - DS1 - Zone 1	-	3	UNDVX ULDD1	ULDV4 ULDF1	31.05 36.24	201.53 277.35	24.83 233.26	55.52 33.18	5.51 22.30			 			
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	+	2	ULDD1	ULDF1	47.33	277.35	233.26		22.30			+			
	Local Channel - Dedicated - DS1 - Zone 3	-	3	ULDD1	ULDF1	61.89	277.35	233.26		22.30			 			†
	Local Channel - Dedicated - DS3 - Per Mile per month	1	Ť	ULDD3	1L5NC	7.15			22.10	00			1			l
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.15		· · · · · · · · · · · · · · · · · · ·								
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
DARK FIBE				1	-				 				1			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	58.83							1			
	NRC Dark Fiber - Local Channel	-	1	UDF	UDFC4	30.03	1,121.00	153.19	580.26	357.17	1		20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	+	1	1	1		.,.200	.00.10	555.20	007.17			20.00	200	0.50	.0.04
	Thereof per month - Interoffice Channel	1	1	UDF	1L5DF	28.74	1		1		1	i	i .	1	i	1

LIMIDI	INDI E	D NETWORK ELEMENTS - Tennessee												A44b	•	FL:	bit: C
ONDO	INDLE					1	I					Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Add I	DISC ISL	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF	1L5DL	58.83										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
8XX A	CESS	TEN DIGIT SCREENING			OLID.		0.0005400										
	<u> </u>	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		<u> </u>	OHD		0.0005192										
		Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	1	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			מווט	NONTA		5.21	0.70					20.33	20.33	13.20	13.20
		POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID			11.47	1.40	7.04	0.7002			20.00	20.00	10.20	10.20
		POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	†	8XX Access Ten Digit Screening, Customized Area of Service				1											
1	1	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	i	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE I	NFORM/	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000354										
<u> </u>		LIDB Validation Per Query	<u> </u>	<u> </u>	OQU OQT. OQU	NRPBX	0.0117403	40.00						20.35	00.05	40.00	40.00
CICNIA	LING (C	LIDB Originating Point Code Establishment or Change			OQ1, OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNA	LING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
	1	CCS7 Signaling Termination, Per 31P Port CCS7 Signaling Usage, Per TCAP Message			UDB	F100A	0.0000916										
		CCS7 Signaling Osage, Fel TOAF Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	1	CCS7 Signaling Connection, Per link (8 link) (also known as D			ODD		17.04	100.04	100.04					20.00	20.00	10.02	10.02
		link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment															
		or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLI	NG NAM	E (CNAM) SERVICE															
		CNAM for DB Owners, Per Query			OQV		0.0010541										
		CNAM for Non DB Owners, Per Query			OQV		0.0010541										
		CNAM (Non-Databs Owner), NRC, applies when using the			oqv	CDDCH		505.00	595.00					20.35	20.35	40.00	40.00
OBED	TOP C	Character Based User Interface (CHUI) ALL PROCESSING		<u> </u>	OQV	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
OF ER/	I	Oper. Call Processing - Oper. Provided, Per Min Using BST				1										-	
	1	LIDB					1.08							1	1		1
	1	Oper. Call Processing - Oper. Provided, Per Min Using	1			1	1.00					1		1	1		1
		Foreign LIDB					1.13										
		Oper. Call Processing - Fully Automated, per Call - Using BST															
L	<u></u>	LIDB	<u></u>	<u>L</u>		<u> </u>	0.1010353					<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
		Oper. Call Processing - Fully Automated, per Call - Using															
		Foreign LIDB					0.122818										
INWA	D OPER	RATOR SERVICES	ļ			ļ								ļ	ļ		ļ
<u> </u>	ļ	Inward Operator Services - Verification, Per Minute	ļ			.	1.03					ļ					
1	1	Inward Operator Services - Verification and Emergency Interrupt					4							1	1		1
DDAN	INC O	- Per Minute PERATOR CALL PROCESSING	 	-		+	1.03					1		 	 	-	
BRAN		based CLEC	 	<u> </u>		+						 				-	
 	racility	Recording of Custom Branded OA Announcement	 			CBAOS		1,555.00	1,553.00	7.03	7.03	}		19.99	19.99	19.99	19.99
-	 	Loading of Custom Branded OA Announcement per shelf/NAV	 			35,100		1,000.00	1,000.00	7.03	7.03	 		15.35	15.55	15.55	15.55
		per OCN				CBAOL		240.71	240.71					19.99	19.99		
	UNEP (1								12700	12700		
		Recording of Custom Branded OA Announcement				1		1,555.00	1,555.00					19.99	19.99	19.99	19.99

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
0.120	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTS TOMOSSO										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Auu	Diac 1at	Disc Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
							IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loading of Custom Branded OA Announcement per shelf/NAV															
		per OCN						240.71	240.71					19.99	19.99		
		ding via OLNS for UNEP CLEC															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00					19.99	19.99		
DIREC		SSISTANCE SERVICES															
	DIRECT	TORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call					0.2286787										
	DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACC)														
		Directory Assistance Call Completion Access Service (DACC),															
		Per Call Attempt					0.0364771										
<u> </u>		R SERVICES INTERCEPT ACCESS SERVICE					1										
		Number Services Intercept Per Query				1	0.017793								ļ		
		TORY TRANSPORT (DT)															
		DT-Local Channel DS1					40.99	277.35	233.26	33.18	22.30			20.35	10.54	13.32	1.40
		DT-DS1 Level Interoffice per mile					0.3562										
		DT-DS1 Level Interoffice per facility termination					77.86	112.40	76.27	19.55	14.99			20.35	10.54	13.32	1.40
		SWA Common Transport per Directory Assistance Access															
		Service Per Call					0.000271										
		SWA Common Transport per Directory Assistance Access															
		Service Per Call Per Mile					0.0000165										
		Access Tandem Switching Per Directory Assistance Access															
		Service Per Call					0.0001875										
		DT- Directory Assistance Interconnection Per Directory															
		Assistance Service Call					0.00										
		DT-Installation NRC, Per Trunk or Signaling Connection						204.62	4.43	136.09	4.43			20.35	10.54	13.32	1.40
		DT Local Channel DS1-Incremental Cost-Manual Svc Order vs															
		Electronic						45.68	1.76	21.75	1.76						
		DT Interoffice DS1-Incremental Cost-Manual Svc Order vs															
		Electronic	1					20.35	21.09	9.80	10.54						
DIREC		SSISTANCE SERVICES	1														
	DIRECT	TORY ASSISTANCE DATA BASE SERVICE (DADS)	1														
		Directory Assistance Data Base Service Charge Per Listing				22225	0.0485										
		Directory Assistance Data Base Service, per month	1			DBSOF	104.13										
		IRECTORY ASSISTANCE	1														
<u> </u>	racility	Based CLEC	 	+		1	 								-		1
1	1	Recording and Provisioning of DA Custom Branded		1 l.	MAT	CDADA	I	4 555 00	4 550 00	7.00	7.00		1	00.0-	10.51	10.00	
<u> </u>	 	Announcement	 		AMT AMT	CBADA CBADC	 	1,555.00	1,553.00	7.03	7.03	-	ļ	20.35	10.54	13.32	1.40
<u> </u>	UNEP (Loading of Custom Branded Announcement per Switch	1	<i>'</i>	AIVI I	CBADC	 	240.71	240.71					20.35	10.54		
<u> </u>	UNEP		1	1		1	 	1 555 00	1 550 00	7.00	7.00			20.25	40.54	40.00	4.40
\vdash	 	Recording of DA Custom Branded Announcement	+	1		+	 	1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.40
1	l	Loading of DA Custom Branded Announcement per Switch per OCN					1	240.71	240.71					20.35	10.54		1
	Unbron	Iding via OLNS for UNEP CLEC	1				-	240.71	240.71					20.35	10.54		
<u> </u>	Ulibran	Loading of DA per OCN (1 OCN per Order)	1	-				420.00	420.00					20.35	10.54		
\vdash	-	Loading of DA per Och (1 Och per Order) Loading of DA per Switch per OCN	+	+		+	 	16.00	16.00					20.35	10.54		
SELEC	TIVE P	DUTING	1	 		+		16.00	16.00			 	-	20.35	10.54		-
SELEC	IIVE KU	Selective Routing Per Unique Line Class Code Per Request Per	+	+ +		1	 					 	-		1		
	l	Switch				USRCR	1	179.60	179.60					20.35	20.35		
VIRTU	I COLI	LOCATION	1	 		OUNCK		179.00	179.00			 	-	20.33	20.33		-
VIIX 1 0 A	L JOLL	Virtual Collocation - Application Cost	+	 ,	AMTFS	EAF	 	2,633.00	2,633.00			 	-	2.07	2.81	0.67	1.41
\vdash	 	Virtual Collocation - Cable Installation Cost, per cable	1		AMTFS	ESPCX	t	1,749.00	1,749.00			1		2.07	2.81	0.67	1.41
—	1	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.	+		AMTFS	ESPVX	3.91	1,749.00	1,749.00			 	-	2.07	2.01	0.67	1.41
-	1	Virtual Collocation - Power, per fused amp	1		AMTFS	ESPAX	6.79					1					1
	I		1		uvii 1 O	-01 A	0.79					 	.				
—		Virtual Collocation - Cable Support Structure, per entrance															

HINRIN	IDI FI	NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	bit: C
CINDOIN	IDELL	NETWORK ELLMENTO - Termessee										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						(+/			per LSK	per LSK			Electronic-	
														Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect		l .	OSS	Rates(\$)		l .
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UEANL,UEA,UDN,U				,,,,,,		71441		00				
					DC,UAL,UHL,UCL,U												
					EQ, AMTFS, UDL,												
					UNCVX, UNCDX,												
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
-		virtual Collocation - 2-wire Cross Connects (100p)			UNCIX	UEAC2	0.57	11.02	9.90	10.38	8.00			2.07	2.81	0.67	1.41
					HEATHII HOL HDI												
					UEA,UHL,UCL,UDL,												
		No. 10 11 11 11 11 11 11 11 11 11 11 11 11			AMTFS, UAL, UDN,												
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
					AMTFS,UDL12,												
			1		UDLO3, U1T48,						Ì	I	l		Ì		1
			1		U1T12, U1T03,						Ì	I	l		Ì		1
			1		ULDO3, ULD12,						Ì	I	l		Ì		1
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
					AMTFS,UDL12,												
					UDLO3, U1T48,												
					U1T12, U1T03,												
					ULDO3, ULD12,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
					USL,ULC,AMTFS,												
					ULR, UXTD1,												
					UNC1X, ULDD1.												
		Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,												
		DS1			UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
		20.			USL,ULC,AMTFS,U	0.10171	1.02	02.22		10.10	0.70			2.07	2.01	0.01	
					E3, U1TD3, UXTS1,												
					UXTD3, UNC3X,												
					UNCSX, ULDD3,												
		Virtual collocation - Special Acess & UNE, cross-connect per			U1TS1, ULDS1,												
		DS3			UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	4 44
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			UDLOX, UNLDO	CINDSA	12.32	29.97	10.30	12.03	0.99	1		2.07	2.01	0.67	1.41
					ANATEC	VE1CB	0.0004										
		Support Structure, per linear foot			AMTFS	VETCB	0.0031										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	l			\/E400							1				
\vdash		Support Structure,per cable	<u> </u>	1	AMTFS	VE1CC		555.03				1	ļ	2.07	2.81	0.67	1.41
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1			VE405											
\vdash		Cable Support Structure, per cable	 		AMTES	VE1CE		555.03				1		2.07	2.81	0.67	1.41
\vdash		Virtual Collocation Cable Records - per request	 		AMTFS	VE1BA		1,711.00				1					
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1												Ì		I
		record	 		AMTFS	VE1BB		925.06				ļ	ļ				
		Virtual Collocation Cable Records - VG/DS0 Cable, per each	1		l						Ì	I	İ		Ì		1
		100 pair	<u> </u>		AMTFS	VE1BC		18.05	18.05			ļ			ļ		1
		Virtual Collocation Cable Records - DS1, per T1TIE	ļ		AMTFS	VE1BD		8.45	8.45								1
		Virtual Collocation Cable Records - DS3, per T3TIE	ļ		AMTFS	VE1BE		29.57	29.57								1
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	l										1				
		records			AMTFS	VE1BF		279.42	279.42								
		Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	1.41
		Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		41.50	25.61					2.07	2.81	0.67	1.41
		Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	1.41
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					2.07	2.81	0.67	1.41
		Virtual collocation - Maintenance in CO - Overtime, per half hour	l		AMTFS	SPTOM		35.77	35.77				1	2.07	2.81	0.67	1.41
		-															
		Virtual collocation - Maintenance in CO - Premium per half hour	l		AMTFS	SPTPM		40.90	40.90				1	2.07	2.81	0.67	1.41
VIRTUAL	COLL	OCATION											İ				
		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
1 1		Wire Analog - Res	l		UEPSR	VE1R2	0.30	19.20	19.20		Ì	I	İ	20.35	10.54	13.32	1.40

LINBLI	NDI FI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	ibit: C
ONDO	IDEL	NETWORK ELLMENTO - Termessee										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p = = = = = = = = = = = = = = = = = = =	F 0 0.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										·							
							Rec	Nonrecurring		Nonrecurring		001150	SOMAN		Rates(\$)	001141	001111
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-				-		First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOWAN	SOMAN	SOMAN
		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OI	VETIVE	0.30	13.20	13.20	1				20.55	10.54	10.02	1.40
		Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			HEDEV	VE4D4	0 =0	40.00	40.00	I				00.00	40 = 1	40.00	4
VIDTUA	1 001	ISDN DS1 LOCATION			UEPEX	VE1R4	0.50	19.20	19.20	.				20.35	10.54	13.32	1.40
VIKTUA	L COLI	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				 				_			-	 	}	 	
		Splitting			UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSIC	AL CO	LLOCATION		 	OLI ON, OLFOD	VL ILO	0.57	11.02	5.90	10.36	0.00			15.99	19.99	19.99	19.99
1111010	AL 001	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99	19.99	19.99
AIN SEI	ECTIV	E CARRIER ROUTING								1							
		Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
		End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
		Query NRC, per query			SRC		0.0206047										
AIN - BI	LLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P		41.75	41.75				-	20.35		13.28	
		AIN SMS Access Service - For Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAWITE		41.73	41.73					20.33	20.33	13.20	13.20
		ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Security Card, Per User ID Code,			,	0, 1112 10		00.00	00.00					20.00	20.00	10.20	10.20
		Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
		AIN SMS Access Service - Session, Per Minute					0.0820123										
		AIN SMS Access Service - Company Performed Session, Per												1			
413: 5		Minute		 		<u> </u>	2.27								 	ļ	ļ
AIN - BI	LLSO	JTH AIN TOOLKIT SERVICE								1	-			1	1	1	1
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		132.04	132.04	1				20.35	20.35	13.28	13.28
 		AIN Toolkit Service - Training Session, Per Customer			O/ 4VI	BAPVX		7,915.00	7,915.00	 			-	20.35	20.35	13.28	13.28
		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 V/		7,313.00	7,313.00			1		20.33	20.33	15.20	15.20
		DN, Term. Attempt				BAPTT		31.21	31.21	1				20.35	20.35	13.28	13.28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1				1				1	1	1	1
		DN, Off-Hook Delay				BAPTD		31.21	31.21	<u></u>	<u></u>			20.35	20.35	13.28	13.28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								I						40	40
\vdash		DN, 10-Digit PODP				BAPTO		85.24	85.24	1	-			20.35	20.35	13.28	13.28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		85.24	85.24	I				20.35	20.35	13.28	13.28
\vdash		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPIC		გე.24	85.24	-				∠0.35	∠0.35	13.28	13.28
		DN, Feature Code				BAPTF		85.24	85.24	I				20.35	20.35	13.28	13.28
		AIN Toolkit Service - Query Charge, Per Query				2, 11	0.0211882	00.Z4	00.24	-		1		20.00	20.00	10.20	10.20
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				t	5.521.002			1				1	1	1	1
		Subscription, Per Node, Per Query				1	0.0054774			1				1			
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					1.50							<u> </u>	<u> </u>		
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service												1			
		Subscription			CAM	BAPMS	17.43	33.52	33.52	l				20.35	20.35	13.28	13.28

UNBLINDI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Fyhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge -			Incremental Charge -
1					+	+	Nonrecurring	I	Nonrecurring	Disconnect			OSS	Rates(\$)	l	
					-	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			0.444	D 4 D D O	47.05	00.50	00.50					00.05	00.05	40.00	40.00
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	XTENDED LINK (EELs)															
	: New Density Zone 1 EELs are available in the following MSA					Atlanta, Ga; Ne	w Orleans, LA,									
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem						4.0							l		<u> </u>
	: In all states, EEL network elements shown below also apply t : In All States the EEL network elements apply to ordinarily co												UNES.(Non-re	ecurring rates	do not apply	'
	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				TON AS IS ON	Targe., When or	dering ordina	liy combined i	ictwork cicinici	ito, itoli icouli	ing rates a	о арріў.				1
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport			\		1										
	Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			LINGVO	LIENIO	24.00	100.70	25.47	70.04	40.00			20.05	04.00	0.00	40.54
	Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															10.0
	per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
\vdash	Termination per month DS1 Channelization System Per Month	ļ		UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	-		UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.14			-			1
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONOVA	15110	0.01	0.70	7.72								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVA	UEALZ	20.20	100.76	33.47	72.94	10.00			20.33	21.09	9.60	10.54
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	EROFF	ICE TR	ANSPORT (EEL)	+	1										
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<u> </u>	0110171	027121	20	100.10	00.11	72.01	10.00			20.00	21.00	0.00	10.01
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	120701	0.0002										
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ļ
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	5.1017	15.70	0.91	5.70	7.42			t		†	†		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
\vdash	Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	ļ		20.35	21.09	9.80	10.54
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Voice Grade COCI - DS1 to DS0 Channel System combination -			OHOVA	ULALT	72.10	100.70	33.47	72.54	10.00			20.33	21.03	3.00	10.34
	per month	<u>L</u>	<u>L</u>	UNCVX	1D1VG	0.91	5.70	4.42			<u> </u>	<u></u>	<u> </u>	<u> </u>		
	Nonrecurring Currently Combined Network Elements Switch -As-									_						
	Is Charge	1		UNC1X	UNCCC	1	52.73	24.62	9.12	9.12		l	20.35	21.09	9.80	10.54

CATEGORY MATE ELEMENTS Marie BCS USOC MATES Material Control Material Con	UNBUNDI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Fvhi	bit: C
ATTECHNICAL DISTANCE PROPERTY OF THE LEMENTS IN THE PATE ELEMENTS IN THE	SINDSINDLE	- ITELITORIA ELEMENTO - TEIMESSEE										Svc Order	Svc Order				Incremental
## RATE ELEMENTS March Mar																	Charge -
CATEGORY RATE RELEMENTS			Intori														Manual Svc
Average Security Description Descrip	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR					Order vs.
No. Pack P			m									F	,				Electronic-
AND SURPE CONTRIBUTION OF THE PROPERTY AND SURPE CONTRI																	Disc Add'l
SAMPE SENSES CENTRAL COOP WITH PERFORMANCE OF INTERCOFFICE TRANSPORT (SER.) SAMPE SENSES SERVIN SOURCE SERVIN																	
Amministration Description Company Description D							Rec					201150	001141			001111	001111
First New Bodge Digital Great Loan in a DST Intensifies 1,00000 10,00	4 10/10	E 56 VEDE EVTENDED DIGITAL LOOD WITH DEDICATED DEA	INTER	SEEICE	TRANSPORT (EEL)	-		FIRST	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Transport Combination - Zene 1 (INCDIX U.0.55 4.05 10.07 1	4-4411		INTERC	I	TRANSFORT (ELL)												
First A-vise SORIOS Digital Control Logo in p 505 Interoffice 2 LINCOX DD.556 48.61 198.76 35.67 72.94 10.86 20.35 21.09 5.80 11.				1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Fixed = A West SIGNED STORE (Certification 2- Disc)							• • • • • • • • • • • • • • • • • • • •										
Transport Contribution - Zozer 9 3 UNCDX UDLS8 S3.11 100.76 36.47 72.94 10.86 20.35 21.00 9.00 10		Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Interface Transport Combination - Per Mile UNC1X 1L50X 0.3969 UNC1X UTF1 77.86 171.24 113.12 70.07 30.90 20.35 21.00 9.80 15 15 15 15 15 15 15 1																	
Per Notes				3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Insertition Francesion Controlled System DS1 to SSS combination Feed Model Termination Feed Model Control System DS1 to SSS combination Feed Model Cont																	
Termination Per Month					UNC1X	1L5XX	0.3562										
Charmelization - Charmel System DSI to DSI combination Par DNCIX MO1 80.77 105.76 14.48 3.04 2.74					LINC1V	LIATE1	77.06	171 24	112 12	70.07	30.00			20.25	21.00	0.90	10.54
Month OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - per OCCUP COCI (data) - De's to DBO Charmel System - De's trievrofice - De's to DBO Charmel System - De's trievrofice - De's to DBO Charmel System - De's to DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - De's DBO Charmel System - DBO DBO Charmel System - DBO DBO Charmel System - DBO DBO Charmel System - DBO DBO Charmel System - DBO DBO Charmel System - DBO DBO Charmel System - DBO DBO Charmel System - DBO			 		014017	01111	11.00	17 1.24	110.12	70.07	30.90			20.35	21.09	9.00	10.34
OCULP COCI (data) - US to DSD Chamel System - per			1		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			1	1	1	
Additional 4-Vive Settings Digital Grade Loops same DST 1 UNCDX UDL66 31.10 108.76 35.47 72.94 10.86 20.35 21.00 9.80 11																	
Intereffice Transport Combination - Zone 1					UNCDX	1D1DD	0.91	5.70	4.42								
Additional 4-Wire SKRips Digital Condex Loopin same DST 2 UNCDX UDL66																	
Interestinate Transport Combination - Zone 2 2 UNCDX UDL56 40.61 108.76 35.47 72.94 10.86 20.35 21.00 9.80 11				1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Additional 4-Wire 690thgs Digital Grade Loopin same DS1 Invotorities Transport Combination - Zone 2 21.09 9.80 11.00					LINORY	LIDI FO	40.04	100.70	05.47	70.04	40.00			00.05	04.00	0.00	40.54
Intereffice Transport Combination - Zone 3				2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
COUL-DP CODI (data) - DS1 to DS0 Channel System - Combination per morting L2-4-64kbs UNCDX IDIDD 0.91 5.70 4.42				2	LINCDY	LIDLES	52 11	109.76	25.47	72.04	10.96			20.25	21.00	0.90	10.54
Combination per month (2.4-6-kbs)				3	UNCDX	ODLSO	55.11	100.70	33.47	72.94	10.80			20.33	21.09	9.60	10.34
Nonrecuring Currently Combined Network Elements Switch -A8- UNCCC 52,73 24,62 9,12 9,12 2,035 21,09 9,80 10					UNCDX	1D1DD	0.91	5.70	4.42								
AWRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT (EEL)																	
First A-Wire 64Kpps Digital Grade Loop in a DSI Interoffice 1 UNCDX UDL64 31.10 108.76 35.47 72.94 10.86 20.35 21.09 9.80 11.00								52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
Transport Combination - Zone 1 UNCDX UDL64 31.10 108.76 35.47 72.94 10.86 20.35 21.09 9.80 10	4-WIR		INTERC	FFICE	TRANSPORT (EEL)												
First 4-Wire 64Kpps Digital Grade Loop in a DST Interoffice Transport Combination - Zone 2 UNCDX UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 8.80 10 10.65										=0.04							
Transport Combination - Zone 2 UNCDX UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 9.80 11	-			1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
First 4-Wire 64Ktops Digital Grade Loop in a DSI Interoffice Transport - Dedicated - DSI combination - Per Mile UNC1X				2	LINCDY	LIDI 64	40.61	109.76	25.47	72.04	10.96			20.25	21.00	0.90	10.54
Transport Combination - Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 9.80 11.					UNCDX	ODL04	40.01	100.70	33.47	72.94	10.80			20.33	21.09	9.00	10.34
Interdifice Transport - Dedicated - DS1 combination - Per Mile UNC1X				3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
InterOffice Transport - Dedicated - DS1 combination - Facility Transport - Dedicated - DS1 combination - Facility UNC1X																	
Termination Per Month					UNC1X	1L5XX	0.3562										
Channelization - Channel System DS1 to DS0 combination Per UNC1X MC1 80.77 105.76 14.48 3.04 2.74 20.35 21.09 9.80 10 10 10 10 10 10 10																	
Month			ļ	<u> </u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
CCU-DP COCI (data) - DS1 to DS0 Channel System					LINCAV	MO1	00.77	405.70	44.40	201	0.74			00.05	04.00	0.00	40.54
Combination - per month (2.4-64kbs)	\vdash		1		UNC1X	IVIQT	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1					UNCDX	1D1DD	0 91	5.70	4 42								
Interoffice Transport Combination - Zone 1					5.10DA	.0.00	0.91	3.70	7.42								
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 9.80 10 10 10 10 10 10 10		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 9.80 100				2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) UNCDX 1D1DD 0.91 5.70 4.42			1	_													
Combination - per month (2.4-64kbs)	\vdash		 	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X			1		LINCDX	10100	0.01	5.70	1 12					1	1	1	
Is Charge				1	OINODA	טטוטו	0.91	3.70	4.42					1	1	1	
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 1 UNC1X USLXX 57.73 228.40 161.74 79.87 24.88 20.35 21.09 9.80 100 100					UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
A-Wire DS1 Digital Loop in Combination with DS1 Interoffice 1 UNC1X USLXX 57.73 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 1 UNC1X USLXX 75.40 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 1 UNC1X USLXX 75.40 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 1 UNC1X USLXX 75.40 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 75.40 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 2 UNC1X USLXX 98.59 228.40 2 UNC1X U	4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TRA													
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice 2 UNC1X USLXX 75.40 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 10 10 10 10 10 10 10		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
Transport - Zone 2				1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 Interoffice Transport - Dedicated - DS1 combination - Per Mile				_													
Transport - Zone 3 3 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 9.80 10 10 10 10 10 10 10			ļ	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
Interoffice Transport - Dedicated - DS1 combination - Per Mile				2	LINC1Y	LISI YY	00 50	220 40	161 74	70.97	24 00			20.25	21.00	0.90	10.54
			1	3	UNU IA	USLAA	90.59	220.40	101.74	18.81	24.88			20.35	21.09	9.80	10.54
I I ICELINICIUI		Per Month			UNC1X	1L5XX	0.3562										

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	
													1st	Add'I	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates(\$)	1	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
L	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT	EROFFI	CE TRA	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	-	<u> </u>	UNCIX	USLAA	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	3	UNCIA	USLAA	90.59	220.40	101.74	19.01	24.00	1		20.33	21.09	9.60	10.54
	Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNUSA	ILJAA	2.34					1					
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	DS3 to DS1 Channel System combination per month	1		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.00	21.00	0.00	10.04
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42	2	0						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
L	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-WI	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROFF	ICE IN	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport	<u> </u>	<u> </u>	UNCVA	UEALZ	10.50	100.70	33.47	72.94	10.00			20.33	21.09	9.60	10.54
	Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1		ONOVA	OLITE	21.00	100.70	00.47	12.04	10.00			20.00	21.00	0.00	10.04
	Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 2-wire VG combination - Per								-							
	Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
<u> </u>	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	IEROFF	ICE TR	ANSPORT (EEL)	1					 	<u> </u>		 	ļ	-	
	4-WireVG Loop used with 4-wire VG Interoffice Transport		_	LINCVY	LIEALA	04.70	400.70	25.47	70.04	40.00			20.05	04.00	0.00	40.54
\vdash	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport	1	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	1		20.35	21.09	9.80	10.54
	Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
\vdash	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per	+	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	 		20.35	21.09	9.80	10.54
	Mile Per Month			UNCVX	1L5XX	0.0174										
 	Interoffice Transport - Dedicated - 4- Wire Voice Grade	1		0140 V A	ILUAA	0.0174			1	1	1		1	1	t	1
1 1	combination - Facility Termination per month		1	UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-	1		0.10 171		27.00	7 0.00	11.00	00.02	01.00			20.00	21.00	0.00	10.01
	Is Charge		1	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR					,-					1	1	1	
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month		<u> </u>	UNC3X	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 combination -]			
	Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
. 1	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.34								Ī	_	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:			ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Literation Transaction Delivated Book and Conference Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP		011000		02.10	24.02	0.12	0.12			20.00	21.00	0.00	10.0
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	37.95 0.3562	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T													1,11,1
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.5
	STS1 to DS1 Channel System conbination per month		ļ	UNCSX UNC1X	MQ3 UC1D1	222.98 17.58	156.02	49.41 4.42	17.12	6.77	1		20.35 20.35	21.09 21.09	9.80 9.80	
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X UNC1X	USLXX	57.73	5.70 228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42		100			20.35	21.09	9.80	10.5

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-W	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE	FRANSI		0.1000		02.70	202	0.12	0.12			20.00	21.00	0.00	10.0 .
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			UNCDX	UDL56	40.61	100.76	35.47	72.94	10.66			20.33	21.09	9.00	10.54
	Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
\vdash	Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01103	21.19	79.03	44.00	09.32	31.00			20.33	21.09	9.00	10.5
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WI	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	TRANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			LINCDY	LIDI 64	24.40	400.70	25.47	70.04	40.00			20.25	24.00	0.00	40.54
+-+-	Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			0.1027	00201	10.01	100.10	00.11	72.01	10.00			20.00	21100	0.00	10.0
	Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0174										
i I	Facility Termination			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01150	20	70.00	11.00	00.02	01.00			20.00	21100	0.00	10.0
	ls Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	L NETWORK ELEMENTS		L	L			l									
	en used as a part of a currently combined facility, the non-recurren used as ordinarily combined network elements in All States, the															
	recurring Currently Combined Network Elements "Switch As Is"					l As is charge	does not.									
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		50.70	04.00	9.12	9.12			20.25	21.09	9.80	10.54
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOT	E: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:			r months	52.73	24.02	9.12	9.12			20.33	21.09	9.00	10.54
1.0.	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2	17.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	22.44	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09	9.80 9.80	10.54
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4 ULDV4	18.18 23.74	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09	9.80	10.54 10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 3		3	UNCXV	ULDV4	31.05	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.24	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
				LINICAV	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X			000 :-	101 -:								10.54
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month			UNC1X UNC3X	ULDF1 1L5NC	61.89 7.15										
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	61.89	228.40 595.37	304.50	79.87	151.15			20.35	21.09	9.80	10.54
	Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1 - Per Month Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination			UNC1X UNC3X UNC3X	ULDF1 1L5NC ULDF3	61.89 7.15 611.30										10.54

CATEORY RATE ELEMENTS	LINBLING	LED NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	bit: C
ATE ELEMENTS Intell Date Bos USOC RATES(S) Company C	ONDONE	LED NETWORK ELEMENTO Tellicosec										Svc Order	Svc Order				Incremental
CATEGORY RATE ELEMENTS Interf. Zero Box Supplement Per Cal St. Supplement Per Cal St																	Charge -
CATEGORY RATE ELEMENTS m Zook BOS USO RATES Description Descriptio			Intori														Manual Svc
Description Description	CATEGOR	Y RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	,				Order vs.
Coll. of C			m									F • · · · · · · · · · · · · · · · · · ·	p = = = = = = = = = = = = = = = = = = =				Electronic-
COLUMP COLI Ideas DST to DSS Channel System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS DSS Counted System part DSS Counted S																	Disc Add'l
COURT COUNT (1967) Charred System - per U.B.																	
OCLOP COCI Linear - CST to SSD Charmer System - per							Rec										
month C-4-debtaics month C		0011000001(1.1.) 0011 00001 10.1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Control Cont					LIDI	10100	4.00	0.07	4.00					00.05	0.00	44.40	4.40
DOI: DOI:	-				UDL	טטוטו	1.82	6.07	4.66					20.35	9.80	11.49	1.18
Wask Grade COCOL OSE to SSO Description Systems - per recent USTS WAS 22,28 30,05 10,04 44,47 42,62 20,05 0,00 11,40					LIDNI	110404	2.40	0.07	4.00					20.25	0.00	44.40	1.18
OSSI DEST Channel System per month	-																1.18
STR 10 DST Channel System per morm UST USS USS 22.20 30.503 10.64 4.47 4.65 20.23 20.35 21.00 9.00	-									11 17	12.62						1.18
OST Intentions DNR DOCK (OCC) used with Local principal principal (OST Intentions Unit DSS COL) used with Local principal (OST Intentions Unit DSS COL) used with Local principal (OST Intentions Unit DSS COL) used with Local principal (OST Intentions Unit DSS COL) used with Local principal (OST Intentions Unit DSS COL) used (OST	-																9.80
DSS interface bits (DSF COCC) used with Local Charmed per ULDD1 UC1D1 6.07 4.66 20.58 9.80 11.40	-									44.47	42.02						1.18
Sub-Loop Feeder Sub-Loop Feeder Loop, 4-Winn DS1 - Statestick Sub-Loop Feeder Loop, 4-Winn DS1 - Statestick Sub-Loop Feeder Loop, 4-Winn DS1 - Statestick Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U.SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U.SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U. SBSFG Sub-Loop Feeder Loop, 4-Winn DS1 - Zone 2 U. MCTX U.	-				OOL	OCIDI	17.50	0.07	4.00					20.55	3.00	11.43	1.10
Sub-Loop Feeder Sub-Loop F					וון DD1	LIC1D1		6.07	4 66					20.35	9.80	11 49	1.18
Sphanedic Sub-Lope Feder Loop, A Wile DST - Zenet 1 NATIX USBFG 38.74 116.00 40.62 106.62 18.91 1.	Su				:	1		3.57	50		1			20.00	3.50	,	0
Christopide Sub-Loop Federic Loop, 4-Web DS1 - Zone 1 1 (MC)X USBFG 5130 116.00 40.02 10.082 18.91			1	SW	UNC1X	USBFG		j									
Unbounded Sub-Loop Feeder Loop, 4-Wine DS1 - Zone 2			1		UNC1X		39.74	116.00	40.62	106.82	18.91						
Unbundled Sub-Loop Feeder Loop,		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	51.90	116.00	40.62	106.82	18.91						
UNBINUALED LOCAL EXCHANGE SWITCHING/PORTS		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	67.86	116.00	40.62	106.82	18.91						
Exchange Ports		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
NOTE: Atthough the Port Rate Includes all available features (RES) A TN, the desired features will need to be ordered using retail USOSs																	
### AWRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - Vivire Analog Line Port Res. UEPSR UEPRC 1.89 9.53 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - Vivire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - Vivire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - Vivire V																	
Exchange Potrs - 2-Wire Analog Line Potr With Caller ID - Res. UEPSR UEPRC 1.89 9.93 9.19 3.66 2.92 2.035 10.54 13.32			KY, LA	& TN, tl	ne desired features	will need to	be ordered usi	ng retail USOCs	i								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. LEPSR UEPS	2-V					_											
Exchange Ports - 2-Wire Via unbundled TN extended local dialing party Pret Mc Caller ID - Res (ACS) Exchange Ports - 2-Wire Via unbundled TN extended local dialing party Pret Mc Caller ID - Res (ACS) UEPSR UEPAQ 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled TR extended local dialing party Pret Mc Caller ID - Res (ACS) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Les Caller		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Ports - 2-Wire Via unbundled TN extended local dialing party Pret Mc Caller ID - Res (ACS) Exchange Ports - 2-Wire Via unbundled TN extended local dialing party Pret Mc Caller ID - Res (ACS) UEPSR UEPAQ 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled TR extended local dialing party Pret Mc Caller ID - Res (ACS) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Res (TACSR) UEPSR UEPAH 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire Via Unbundled Tennessee Area Calling Dort with Caller ID - Les Caller		Endough Body OMfor Analysis Body St. Oslica ID. Body			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
Exchange Ports - 2-Wire VG unbundled TN extended local dialing parily Port with Caller ID - Res (ACT) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (ACT) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (ACT) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FAR) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID (LUM) Exchange Ports - 2-Wire VG Tennessee Residence Dialing Plan Exchange Ports - 2-Wire VG Tennessee Residence Dialing Plan UEPSR UEPAR 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire VG Tennessee Residence Area Plus with Caller ID UEPSR UEPAR 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire VG Tennessee Residence Area Plus UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire VG Tennessee Residence Area Plus UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR 2.90 2.00 2.00 2.00 2.00 2.00 2.00 2.00	-	Exchange Ports - 2-wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Ports - 2-Wire VG unbundled TN extended local dising pairly Port with Caller ID - Res (ACT) UEPSR UEPAQ 1.88 9.93 9.19 3.66 2.92 20.35 10.54 13.32		Evahanga Parta - 2 Wira Analog Lina Part autgaing only - Pag			LIEDOD	LIEDBO	1 90	0.03	0.10	2.66	2.02			20.25	10.54	12.22	1.40
Glaining parity Port with Caller ID - Res. UEPAQ 1.88 9.93 9.19 3.66 2.92 20.35 10.54 13.32	-				UEFSK	UEPRU	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (ACT) UEPSR UEPAR 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32					HEDED	LIEDAO	1 90	0.03	0.10	2.66	2.02			20.25	10.54	12 22	1.40
With Caller ID - Res (AC7)	-				OLI OIL	OLI AQ	1.03	3.33	3.13	3.00	2.52			20.55	10.54	10.02	1.40
Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (FZR) UEPSR UEPAK 1.80 9.93 9.19 3.66 2.92 20.35 10.54 13.32					UFPSR	UEPAH	1 89	9 93	9 19	3 66	2 92			20.35	10.54	13.32	1.40
Dort with Caller ID - Res (FZR)					02. 0.1	02.74.	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	
Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TRACER) Der With Caller ID - Res					UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Dort with Caller ID - Res (TACER)																	
Dort with Caller ID - Res (TACSR)					UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (AMP) UEPSR UEPAN 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
Depth with Caller ID - Res (1MF2X)					UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Profts - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR) UEPSR UEPAO 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32																	
Depart of the Caller ID - Res (ZMR)					UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID UEPSR UEPWN 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32			1			I]		1	1	1	_	1
With Caller ID (LUM)	$oxed{oxed}$		ļ		UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan without Caller ID UEPSR UEPWN 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32			1		LIEDOD								1				
Without Caller ID	— ——		 		UEPSK	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID UEPSR UEPRR 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32			1		LIEDOD	LIEDWN	1 00	0.03	0.10	2 66	2.02		1	20.25	10.54	12 22	1.40
Without Caller ID	\vdash		 		ULFOR	DEFVVIN	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
2-Wire voice unbundled Low Usage Line Port without Caller ID UEPSR UEPRT 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32			1		LIEPSR	LIEPPP	1 90	0 02	0.10	3 66	2.02		1	20.25	10.54	12 22	1.40
Capability	 		1	1	OLI OIL	JEI KK	1.09	3.93	3.13	3.00	2.32			20.33	10.34	13.32	1.40
Subsequent Activity			1		UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92		1	20.35	10.54	13.32	1.40
FEATURES UEPSR UEPVF 0.00 0.0										2.30							1.40
Exchange Ports - 2-Wire Analog Line Port without Caller ID -	FE																
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus UEPSB UEPBL 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
Bus	2-1																
Exchange Ports - 2-Wire VG unbundled Line Port with unbundled Dine Port with Caller+E484 ID - Bus.		Exchange Ports - 2-Wire Analog Line Port without Caller ID -							-								
Unbundled port with Caller+E484 ID - Bus. UEPSB UEPBC 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32					UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. UEPSB UEPBO 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32 Exchange Ports - 2-Wire VG unbundled TN extended local			1]		1	1	1	_	<u> </u>
Exchange Ports - 2-Wire VG unbundled TN extended local		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Exchange Ports - 2-Wire VG unbundled TN extended local		Fortune Body O.W. Andre His Body of S.	1		LIEDOD	LIEBBO		0.00	0.10	0.00	0.55		1	00.00	40 = 1	40.00	
	 		 		UEL2R	OEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
dialing parity Port with Caller ID - Bus. UEPSB UEPAV 1.89 9.93 9.19 3.66 2.92 20.35 10.54 13.32					LIEDOD	LIEDAY	1 00	0.00	0.40	2.00	2.00	İ		20.25	10.54	12.00	1.40

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrecurring			Disconnect				Rates(\$)		
	5. 5. 6.15. 10. 1. 11. 1. 1. 1. 1.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	TURES															ļ
EVO	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXC	HANGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.02			20.35	10.54	13.32	1.40
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92 2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,					. ==						1				l
	Collierville and Memphis Local Calling Plan	<u> </u>		UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Calling Port		-	UEPSP UEPSP	UEPXV	1.79 0.00	9.93	9.19 0.00	3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40
EE A 7	Subsequent Activity FURES		-	UEPSP	USASC	0.00	0.00	0.00	1	-	-	-	20.35	10.54	13.32	1.40
FEA	All Available Vertical Features		1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXC	HANGE PORT RATES (COIN)			0. 01. 01		2.00	5.00	0.00					20.00		.5.62	7.40
	Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92	İ		20.35	10.54	13.32	1.40

UNBII	NDLF	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Fyhi	ibit: C
2.420						1						Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								I & 1			B'		l .	200	D-((A)		
							Rec	Nonrecurring			g Disconnect				Rates(\$)		
						<u> </u>	L	First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN
		Transmission/usage charges associated with POTS circuit sw													L		
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	equest Process	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	
		LOCAL EXCHANGE SWITCHING(PORTS)															
	EXCHA	ANGE PORT RATES				L											
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		Transmission/usage charges associated with POTS circuit sv															
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only						lities will be de	etermined via t	he Bona Fic	le Request/	New Business	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
	UNBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
		NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE										İ	l				
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92	İ	İ	20.35	10.54	13.32	1.40
		The state of the s				1	50	5.50	0.70	5.50	2.52	1	1	20.00	.5.54	.5.52	
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92	l	1	20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntelEATA - Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non De	ecurring			OLI VIX	OLIVIIX	1.03	3.33	3.13	3.00	2.32			20.55	10.54	10.02	1.40
	NOII-RE																
		Unbundled Remote Call Forwarding Service - Conversion -			LIED) (D	110400		4.00	0.00					00.05	40.54	40.00	4.40
		Switch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29								
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -				1											
		Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with			OLI VD	CONCE		1.00	0.20					20.00	10.04	10.02	1.40
		allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
LINBIIN	DLED	LOCAL SWITCHING, PORT USAGE			OL: VD	00/100	1	1.03	0.29		1	 			1	1	†
		fice Switching (Port Usage)				+	1	-		-	 	 	1		 	 	}
—		End Office Switching Function, Per MOU		-		 	0.0008041					-	-		 		
—				-		 	0.0008041					-	-		 		
	ranger	m Switching (Port Usage) (Local or Access Tandem)				1	0.0000770					1			1		1
	<u> </u>	Tandem Switching Function Per MOU				_	0.0009778										
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000064										
		Common Transport - Facilities Termination Per MOU				1	0.0003871				ļ		ļ		ļ		
		PORT/LOOP COMBINATIONS - COST BASED RATES				<u> </u>											
	Cost B	ased Rates are applied where BellSouth is required by FCC an	d/or St	ate Cor	mmission rule to pro	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	ection in the same r	manner as th	ey are applied	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
	End Of	fice and Tandem Switching Usage and Common Transport Us	age rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	rt network eler	ments except	or UNE Coi	n Port/Loop	Combination	ns.		
		st and additional Port nonrecurring charges apply to Not Curre															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)											1				
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1		1	14.18				İ	İ			1	İ	
		2-Wire VG Loop/Port Combo - Zone 2		2		1	18.01					1			1	1	1
1		2-Wire VG Loop/Port Combo - Zone 3		3		 	23.02				 	 	1		—	 	†
		12 TYTE TO LOUD! TOLL COLLIDO - AUTO 3	i .	J	1	1	23.02	•		•						1	1
	IINE ! -																
		oop Rates		4	HEDDY	I IEDI V	10.40										
				1 2	UEPRX UEPRX	UEPLX UEPLX	12.48 16.31										

HINDHIND	LED NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	bit: C
ONBOND	LED NETWORK ELEMENTS - Tellilessee	1									Svc Order		Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					-		Nonrecurring		Nonrecurring	n Disconnoct	-		088	Rates(\$)	l	
			 		-	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	0.107		_	LIEDDY	LIEDLY	04.00	FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
0.187	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
2-VV	ire Voice Grade Line Port Rates (Res)			LIEBBY/	LIEBBI		20.44		0.15			1= 00				<u> </u>
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
l	ID - res (F2R)	<u> </u>	<u>L</u>	UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69		<u> </u>	<u> </u>	<u>1</u>
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACER)	1	1	UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				1
	2-Wire voice unbundled Tennessee Area Calling port with Caller	1	1		1	_			1		1			İ	İ	
	ID - res (TACSR)	1		UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				1
h	2-Wire voice unbundled Tennessee Area Calling port with Caller			OLITOR	OLI 7 UVI	1.70	22.17	10.20	0.40	0.01	1	10.00				
	ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller		1	OLITAX	OLIAN	1.70	22.14	10.20	0.40	3.31		15.05				
	ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
-				UEPRA	UEPAU	1.70	22.14	15.25	0.40	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID					. =0										
	(LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan															
	without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without															
	Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change	1	1	UEPRX	USACC		1.03	0.29	I		1	15.69				1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						5.20	1			12.30				
	Subsequent Database Update	1	1				0.76		I		1	15.69				1
ADE	DITIONAL NRCs	1	 		1		50		 		I	.0.00				†
100	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1					 		—		<u> </u>					
	Activity	1	1	UEPRX	USAS2	0.00	0.00	0.00	I			15.69				1
2-1/	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	 	 	0=1 N/N	30/102	0.00	0.00	0.00	t		1	15.09				
	Port/Loop Combination Rates	1	 		1		 		t		1					
JINE	2-Wire VG Loop/Port Combo - Zone 1	ł	1		+	14.18				-	-			-	-	
\vdash		1	2		-		 		-		-					
\vdash	2-Wire VG Loop/Port Combo - Zone 2	 	3		+	18.01			 							
115.0	2-Wire VG Loop/Port Combo - Zone 3	1	3		+	23.02			 		1	 		-	-	
UNE	Loop Rates	!	<u> </u>	HEDDY	HEDLY	10.70			1		-			1		├
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1	!	1	UEPBX	UEPLX	12.48			1		1					├
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPBX	UEPLX	16.31										└
	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPBX	UEPLX	21.32						ļ				
2-W	ire Voice Grade Line Port (Bus)	<u> </u>	<u> </u>						ļ		1					
	2-Wire voice unbundled port without Caller ID - bus	ļ		UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus	<u></u>	Ш_	UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69	<u> </u>	<u> </u>		1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91		15.69				1
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
i 1	Port Economy Option (TACC1)		1	UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69		1	1	1

IINRIII	אוון די	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhil	hit: C
CIADOL	1DEE	NETWORK ELEMENTS - Tellilessee										Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
		Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
		Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan					. =0						4= 00				
-		without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	45.05	0.45	3.91		45.00				
-		Tennessee 2-Way Collierville and Memphis Local Calling Plan			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
		(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBA	UEPB3	1.70	22.14	15.25	0.40	3.91	1	15.69				
		Capability	1		UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69		1		
 	OCAI	NUMBER PORTABILITY	 		0_1 D/(JE: DE	1.70	22.14	10.20	0.43	5.31		10.08		 		
	J U. 1L	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			1							
	EATU						2.30			1					1		
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00	1			15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	·														
		Subsequent Database Update						0.76					15.69				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	MIDE	Activity			UEPBX	USAS2	0.00	0.00	0.00	1			15.69				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates								-							
	JINE PO	2-Wire VG Loop/Port Combo - Zone 1		1		-	14.18										
-		2-Wire VG Loop/Port Combo - Zone 2		2			18.01			†							
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32			İ							
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res	<u></u>		UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69	<u> </u>			
	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
	EATU		ļ			1				ļ							
		All Features Offered	<u> </u>	<u> </u>	UEPRG	UEPVF	0.00	0.00	0.00				15.69		ļ		
$\vdash \vdash \vdash$	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>							.					 		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	1		UEPRG	USAC2		1.03	0.29	I			15.69		1		
\vdash			 	-	UEPKG	USAU2		1.03	0.29	 		-	15.69		 		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change	1		UEPRG	USACC		1.03	0.29	I			15.69		1		
\vdash		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		OLFING	JUNCU		1.03	0.29	t			15.69		1		
		Subsequent Database Update						0.76		1			15.69				
 	ADDITI	ONAL NRCs	 			1		5.76		-			10.00				
H		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			1		1		t					1		
		Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00	I			15.69		1		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1														
		Group	1					14.64	14.64	I			15.69		1		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						<u> </u>									
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01		-								
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	JNE L	pop Rates															

IINRIIN	IDI E	NETWORK ELEMENTS - Tennessee												Attachment:	2	Evh:	bit: C
UNDUN	IDLEI	O NETWORK ELEMENTS - Tellilessee	1	ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OA! LOO		KATE ELEMENTO	m	20110	500	0000			IIAT LO(ψ)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							n	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										í T
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										í
2-	-Wire	Voice Grade Line Port Rates (BUS - PBX)															í
																	i
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				l
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				ĺ
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															ł
$oxed{oxed}$		Calling Port	<u> </u>	<u> </u>	UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	1		l	1								1	1		í
		Calling Port		<u> </u>	UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				i
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>	<u> </u>	UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															í
		Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															í
		Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															ł
		Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy					. =-										í
-		Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	4.70	00.44	45.05	0.45	0.04		45.00				ł
-		Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-			1.70 1.70	22.14 22.14	15.25	8.45 8.45	3.91 3.91		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				
		Port			UEPPX	UEPXU	1.70	22.44	45.05	8.45	2.04		45.00				í
-		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
		Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				ł
-		Tennessee PBX 2-Way Combo Each Additional Trunk			UEPFA	UEFAV	1.70	22.14	15.25	0.40	3.91		15.69				
		Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				í
		Tennessee PBX 2-Way Combo First Trunk Collierville and			OLITA	OLI AO	1.70	22.14	13.23	0.40	3.31		15.05				
		Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				í
 	OCAI	NUMBER PORTABILITY	 		OLI I A	JLI AI	1.70	22.14	10.20	0.40	3.91		13.09	 	 		
H	JUAL	Local Number Portability (1 per port)	 		UEPPX	LNPCP	3.15	0.00	0.00	1			15.69	 	 		
F	EATU		1				3.70	5.50	0.00		1			1	1		í
H		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00		1		15.69	1	1		í
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1 71	3.30	5.50	0.00		1			1	1		í
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -									İ						í
		Conversion - Switch-As-Is	1	1	UEPPX	USAC2		1.03	0.29				15.69	Ì	Ì		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													1
		Conversion - Switch with Change	1		UEPPX	USACC		1.03	0.29				15.69	1	1		í
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															í
		Subsequent Database Update						0.76					15.69				ł
A	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -]]		1
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1												-	
		Group						14.64	14.64				15.69				
U	JNE Po	rt/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										i
$oxed{oxed}$		2-Wire VG Coin Port/Loop Combo – Zone 3	<u> </u>	3			23.02										1
U	JNE Lo	op Rates	<u> </u>			1											1
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	12.48				ļ			ļ	ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	16.31						l]]		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
													Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-Wir	e Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			LIEDCO	UEPTC	1.70	22.44	15.05	0.45	2.04		15.00		1		I
	2-Wire Coin Outward with Operator Screening and Blocking:	1		UEPCO	UEPIC	1.70	22.14	15.25	8.45	3.91	-	15.69		-		
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69		1		I
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCK	1.88	22.17	10.20	0.43	3.31		15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except			OLI GO	OLI OK	1.00						13.03				
	LA)			UEPCO	UEPCR	1.88						15.69				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			02. 00	02. 0.0	1.00						10.00				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00				15.69				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
LINIE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	30.17										
UNE	_oop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63					-					-
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
2-Wir	e Voice Grade Line Port Rates (Res)		3	OLFIK	OLGI Z	20.20										
2 ****	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
1	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69		1		I
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
	2-Wire voice unbundled Tennessee Area Calling port with Caller]		
	ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller]]		_
	ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				1
	2-Wire voice unbundled Tennessee Area Calling port with Caller			LIEDED	LIEDA							4		1		I
 	ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69		 		-
	2-Wire voice unbundled Tennessee Area Calling port with Caller		1	LIEDED	LIEDAN	4.00	04.00	F7 00	20.00	20.50		45.00				1
	ID - res (1MF2X)		-	UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56	-	15.69		 		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69		1		I
	2-Wire voice unbundles res, low usage line port with Caller ID		-	ULFFR	UEPAU	1.89	04.99	31.39	32.36	20.56		15.69		-		-
	(LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69		1		I
, I			1	OLFIN	ULFAF	1.09	04.99	57.39	32.36	20.36		15.69		1		t
	12-Wire Voice Unbundled Tennessee Residence Dialing Dian															1
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				

HINBHINDI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Euki	bit: C
SINDUNDL	FD METAOUV EFFIMENTS - THIIII62266	1									Svc Order		Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
<u> </u>	or Fraction Mile			UEPFR	1L5XX	0.0174										
FEAT	TURES			HEDED	LIED /E	0.00	0.00	0.00				45.00				
100	AL NUMBER PORTABILITY			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
LUCA	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFK	LINFOX	0.35										
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										1					
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		J. 110	00/102		10.54	0.12				10.00				
	Combination - Conversion - Switch-With-Change	1		UEPFR	USACC		16.94	3.72				15.69		1		
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (BUS)												
	Port/Loop Combination Rates		, T	,											İ	İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.28										
2-Wir	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
\vdash	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
\longrightarrow	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local			UEPFB	UEPAV	1.89	84.99	F7 20	20.20	20.56		45.00				
\vdash	dialing parity port with Caller ID - bus			UEPFB UEPFB	UEPAV UEPB1	1.89	84.99	57.39 57.39	32.36 32.36	20.56		15.69 15.69				
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEPFB	UEPBI	1.09	04.99	37.39	32.30	20.56		15.69				
	Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			OLITB	OLI AC	1.03	04.33	37.33	32.30	20.50		13.03				
	Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			02.10	02.7.0	1.00	0 1.00	07.00	02.00	20.00		10.00				
	Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan															
	without Caller ID	1		UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69		1		
	Tennessee Inward Collierville and Memphis Local Calling Plan															
	(BUS)	<u></u>	<u> </u>	UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69		<u> </u>	<u></u>	<u></u>
	Tennessee 2-Way Collierville and Memphis Local Calling Plan							<u> </u>								
$\sqcup \sqcup \sqcup$	(BUS)	ļ		UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOC/	AL NUMBER PORTABILITY	ļ			LUBOY									ļ		
	Local Number Portability (1 per port)	ļ	1	UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT	!	ļ		1				1					 	1	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1		UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
\vdash	Interrination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	ULFFD	UIIVZ	18.38	55.39	17.37	21.96	3.51	-	 		1	1	1
	or Fraction Mile	1		UEPFB	1L5XX	0.0174						1		1		
FFA ⁻	TURES	 	+	02110	LUAA	0.0174			1					1	1	1
	All Features Offered	1		UEPFB	UEPVF	0.00	0.00	0.00	1		<u> </u>	15.69		 		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	†				3.00	3.00	2.00				.0.50				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change	<u> </u>		UEPFB	USACC		16.94	3.72	<u> </u>		<u> </u>	15.69			<u> </u>	<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45		-								
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										

HINBLINDI E	D NETWORK ELEMENTS - Tennessee												Attackment.	2	Evt:	bit: C
CHECHDLE	D MET MOUVE EFFINENTS - Tellife2266										Svc Order		Attachment: Incremental		Incremental	Incremental
		1									Svc Order Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				,				
OAT LOOK!	KATE EEEMENTO	m	20.10	500	0000			π. Ευ(φ)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)				 									-		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Combination 2-Way PBA Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54	-	15.69		-		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54	<u> </u>	15.69		I	 	1
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee				1-2		.00.40	22.00	.2.07	.0.04		.0.50		1		
	Calling Port	1		UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69			1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee				1 1											
	Calling Port	<u></u>		UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69		<u> </u>		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08		18.54		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08		18.54		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08		18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	LIEDVI	4.70	400.40	CO 00	42.67	40.54		45.00				
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy			OLFIF	OLFAIVI	1.75	100.40	03.00	42.07	10.54		13.09				
	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			02	02.7		100.10	00.00	12.07	10.01		10.00				
	Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
LOCA	L NUMBER PORTABILITY				LVESS							1= 00				
INITEE	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00	1		1	15.69		1	 	
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1				1		1			1	 	
	Termination	1		UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51		1		I	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 		02111	31172	10.30	33.39	11.31	21.90	3.31	-			t	 	
	or Fraction Mile	1		UEPFP	1L5XX	0.0174						1		I	1	
FEATU						0.0.74	İ							1		
1	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69		1	Ì	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l		l	1		l l							1		
IIIIIIIIII III	Combination - Conversion - Switch with change	ļ		UEPFP	USACC		16.94	3.72				15.69				
	PORT/LOOP COMBINATIONS - COST BASED RATES	L			1		ļ		ļ					-	 	
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			+				1					 	 	-
UNE P	Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1		+ +	18.38	+							+		-
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	2		+ +	19.87	+							+		-
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3		1	24.78	+		1					t	1	1
LINF I	oop Rates	1	-		† †	2-1.10	1							-		
15.72	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60	İ							1		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09	İ									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16.00	İ									
	Port Rate								İ		i e					

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													Attachment:	2	Exhi	bit: C
												Svc Order	Svc Order			Incremental	Incremental
İ												Submitted	Submitted		Charge -	Charge -	Charge -
		Intori										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	E	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										,	J	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY								-								
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR	!	32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADD	TIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	t															
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
LOC	AL NUMBER PORTABILITY																
igsquare	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						ļ		ļ
B-CH	IANNEL USER PROFILE ACCESS:	<u> </u>		<u> </u>		1					ļ	<u> </u>					
$\vdash \!$	CVS/CSD (DMS/5ESS)	ļ		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		.						
$\vdash \vdash \vdash$	CVS (EWSD)	ļ	<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		.			ļ	ļ		ļ
	CSD	1		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1					
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)	LIEBBE							.			ļ	ļ		ļ
\vdash	CVS/CSD (DMS/5ESS)	ļ	<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00		.			ļ	ļ		ļ
\vdash	CVS (EWSD)	1	<u> </u>	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			1					
 	CSD	 	ļ	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00		.						
USE	R TERMINAL PROFILE	 	ļ	LIEBBS	LIESSE	1141.05.					.						
	User Terminal Profile (EWSD only)	1	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1					
VER	FICAL FEATURES	<u> </u>		LIEDDE	HEDDE	LIEDVE	0.00	0.00	0.00		-						
\longleftarrow	All Vertical Features - One per Channel B User Profile	 	ļ	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		-						
1 1	Interoffice Channel mileage each, including first mile and		1	LIEDDE	LIEDDE			50.00	47.00		1			40.00	40.00		
\longleftarrow	facilities termination	 	ļ		UEPPR	M1GNC	17.91	53.99	17.37		-			19.99	19.99		
	Interoffice Channel mileage each, additional mile	V DC 55	<u> </u>	UEPPB	UEPPR	M1GNM	0.173	0.00	0.00			1					
ı (4-WI)	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT				+	ļ				-						
	Port/Loop Combination Rates	1	1	1									[
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDE			100 =0										
			1	UEPPP			132.58										

UNBUNDI	LED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
0202.	Ħ											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
OAT LOOK	.	NATE ELEMENTO	m	20.10	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect		l .	088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						riist	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Zone 3		3	UEPPP		173.44										
LINE		op Rates	1	3	UEPPP	_	173.44										
UNE		4-Wire DS1 Digital Loop - UNE Zone 1		4	UEPPP	USL4P	57.73					ļ					
		4-Wire DS1 Digital Loop - UNE Zone 1	1	2	UEPPP	USL4P	75.40										
			-														
		4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPPP	USL4P	98.59										
UNE		rt Rate			UEPPP	UEPPP	74.85	415.53	366.90	00.00	77.43			19.99	19.99		
NO		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		ļ
NON		CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port							e								
		Combination - Conversion -Switch-as-is	ļ		UEPPP	USACP	0.00	328.53	328.53			ļ		19.99	19.99		
ADE		DNAL NRCs	<u> </u>									<u> </u>					
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		<u> </u>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOC	CAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										1
INT		ACE (Provsioning Only)															1
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data	1		UEPPP	PR71E	0.00	0.00	0.00								1
New		Additional "B" Channel			02		0.00	0.00	0.00								
		New or Additional - Voice/Data B Channel	1		UEPPP	PR7BV	0.00	28.39						19.99	19.99		1
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CAL		YPES			OLITI	11(700	0.00	23.53				1		13.33	13.33		
CAL		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
leste		ce Channel Mileage			UEPPP	PR/CC	0.00	0.00	0.00			ļ					
inte			-		UEPPP	1LN1A	70 4005	445.00	400.05	10.55				19.99	19.99		
		Fixed Each Including First Mile					76.1825	145.98	109.85	19.55				19.99	19.99		ļ
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525					1					├
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<u> </u>			4						1	ļ				
UNE		rt/Loop Combination Rates	ļ	L	LIEBBO							ļ					
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	ļ	1	UEPDC	4	93.28					1		19.99	19.99		
_		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ļ	2	UEPDC		110.95							19.99	19.99		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<u> </u>	3	UEPDC		134.14					ļ	ļ	19.99	19.99		
UNE		op Rates		<u> </u>													
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										<u> </u>
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
UNE		rt Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NON		CURRING CHARGES - CURRENTLY COMBINED														_	
	ŀ	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is	1	1	UEPDC	USAC4		312.91	312.91				1	19.99	19.99		
1		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															1
		- Conversion with DS1 Changes	1	1	UEPDC	USAWA		312.91	312.91				1	19.99	19.99		
i i		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			-							İ					1
	Į,	- Conversion with Change - Trunk	1	1	UEPDC	USAWB		312.91	312.91				1	19.99	19.99		
ADE	DITIC	DNAL NRCs			· · ·			3.2.01	3.2.01	-				.0.50			t
1.102		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		t		+				-		1	 		 		
		Service Activity Per Service Order	1	1	UEPDC	USAS4		94.88	94.88				1		l		
			•	i	021 00	00/104		34.00	J4.00			1	1		1		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -								l l							

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								1
	KATE EEEMENTO	m	20110	200	0000			παι Εσ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			 		+		Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
			1			Rec	First	Add'l	First	Add'I	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
$-\!\!\!\!+\!\!\!\!-$	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				+		riist	Add I	FIISL	Add I	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAIN
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
$-\!+\!-\!-$	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		-	UEPDC	UDITB		108.67	108.67					19.99	19.99		
				LIEDDO	LIDTTO		400.07	400.07					40.00	40.00		
$-\!\!\!\!-\!\!\!\!\!-$	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						400.00						40.00			
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00					19.99	19.99		
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
-	Telephone Number for 1-Way Inward Trunk Group Without DID		†	UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers		1	UEPDC	ND4	0.00							19.99	19.99		
-+-	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.		 	UEPDC	ND6	0.00	0.00	0.00					13.33	13.33		
	Reserve DID Numbers		 	UEPDC	NDV	0.00	0.00	0.00								
Dodie	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loon			0.00	0.00	0.00								-
Deulca	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Г	With 4-Wile DDITS	Tulik Folt											
	Termination)			UEPDC	41 N/O4	75.83	445.00	109.85	19.66	14.99						
-+-	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.00	14.99						
	Later (Cara Observation Additional Additiona			LIEDDO	41.110.4	0.0505	0.00	0.00								
$-\!+\!-\!-$	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on			ber of ports used												
	S1 Loop	J														
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00		İ				İ		1
\neg	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00			i	i				1
-+-	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00			 	1				t
IINE F	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ť			00.00	0.00	3.50			 	1				1
JIVE D	24 DSO Channel Capacity - 1 per DS1	,	 	UEPMG	VUM24	131.87	0.00	0.00			ł – – –		19.99	19.99		1
-+-	48 DSO Channel Capacity - 1 per 2 DS1s		 	UEPMG	VUM48	263.74	0.00	0.00			1		19.99	19.99		1
$-\!$	96 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM96	527.48	0.00	0.00		-	 	H	19.99	19.99		+
$-\!$	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	791.42	0.00	0.00		-	 	H	19.99	19.99		+
$-\!$	192 DS0 Channel Capacity - 1 per 8 DS1s		1	UEPMG	VUM19	827.76	0.00	0.00		-	-		19.99	19.99		-
-+-	240 DS0 Channel Capacity - 1 per 8 DS1s	-	├	UEPMG	VUM19 VUM20	1.318.70	0.00	0.00			-		19.99	19.99		
-+-		-	├								-			19.99		
$-\!\!\!\!\!-$	288 DS0 Channel Capacity - 1 per 12 DS1s		<u> </u>	UEPMG	VUM28	1,582.44	0.00	0.00			1		19.99			1
$-\!+\!-\!-$	384 DS0 Channel Capacity - 1 per 16 DS1s		<u> </u>	UEPMG	VUM38	2,109.92	0.00	0.00			ļ		19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s		<u> </u>	UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
\pm	672 DS0 Channel Capacity - 1 per 28 DS1s		<u> </u>	UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with			n with Port - Conve	rsion Charge	Based on a Sy		0.00					19.99	19.99		
A Mini		l Bank,	and Up	n with Port - Conve To 24 DSO Ports v	rsion Charge vith Feature A	Based on a Sy ctivations.		0.00					19.99	19.99		

CATEGORY	ED NETWORK ELEMENTS - Tennessee					ı							Attachment:	4	Exhi	bit: C
CATEGORY											0	0			1	1
CATEGORY													Incremental		Incremental	Incremental
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc			Manual Svc
CATEGORI	KATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - Conversion (Currently Combined) with or without								1							
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizati	on with Port Comb	ination Curre	ntly Exists and	d									
New ((Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
\vdash	Activity Only	ļ		UEPMG	CCOSF	0.00	0.00	590.00	ļl					ļ	ļ	
1 1	Clear Channel Capability Format - Extended Superframe -	l				_	_							1	1	
	Subsequent Activity Only	 		UEPMG	CCOEF	0.00	0.00	590.00					ļ	-	-	
Alterr	nate Mark Inversion (AMI)	 		LIEDMO	MOOOF	0.00	0.00	2.00					ļ	-	-	
\vdash	Superframe Format	 		UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00					1	!	!	
Fueb	Extended Superframe Format		Dant	UEPING	IVICOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization process angle Ports	on with	rort		-		1		 			 				
Excha	ange rons	1					H		1			 	1	+	+	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
 	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Elife Glad Gatward Gharmonzod i Exc Harik i Git Basinoss			OLITA	OLI OX	1.70	0.00	0.00	0.00	0.00			00.00	7.00		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
Featu	re Activations - Unbundled Loop Concentration			02.17.	02. 5	0.07	0.00	0.00	0.00	0.00			00.00	7.00		
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
	Feature (Service) Activation for each Trunk Port Terminated in															
	D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03		
Telep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only			LIEDDY	LIEDVE	0.00	0.00	0.00								
LINDUNDI 55	All Features Available PORT LOOP COMBINATIONS - MARKET RATES	 		UEPPX	UEPVF	0.00	0.00	0.00					1	!	!	
			lad !a :	al authobies as as a second	toh norte re	ECC or diamon	toto Corrector	n ruloo					-	 	 	
	et Rates shall apply where BellSouth is not required to provide includes:	unpund	iea ioc	ai Switching or SW	non ports per	ruu and/or St	tate Commissio	n ruies.	 			 				
	includes: Indled port/loop combinations that are Currently Combined or I	lot C	ently C	ombined in Zono 4	of the Ton o	MSAS in Balls	South's rogion f	or and usors	with 4 or more	DS0 equivalen	t lines	 	1	 	+	
	on 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											L e)	1	 	+	
Bells	outh currently is developing the billing capability to mechanica	ally hill f	he reci	irring and non-reci	irring Market	Rates in this s	section except f	or nonrecurri	ng charges for	not currently o	ombined in	FL and NC	In the interi	m where Rell	South cannot	bill Market
	s, BellSouth shall bill the rates in the Cost-Based section preced									canoning c		110				
	Market Rate for unbundled ports includes all available features			market Nates al	IOGGIVES III	o right to true-	LP GIC DINING C									
	Office and Tandem Switching Usage and Common Transport Us			e Port section of th	nis rate exhibi	it shall apply to	o all combination	ns of loop/no	rt network elen	nents except	or UNE Coi	n Port/Loor	Combination	ns which have	e a flat rate us	age charge
	C: URECU).		•							Acopt						J
	lot Currently Combined scenarios the Nonrecurring charges are	listed i	n the F	irst and Additional	NRC column	s for each Port	t USOC. For Co	rrently Comb	ined scenarios	the Nonrecur	ring charge	s are listed	in the NRC - 0	Currently Con	nbined section	n.
	ional NRCs may apply also and are categorized accordingly.							,	,	,	.590					
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)								l l							
	Port/Loop Combination Rates	 			Ì		1							1	1	
1 1	2-Wire VG Loop/Port Combo - Zone 1		1			26.48							İ	1	1	
	2-Wire VG Loop/Port Combo - Zone 2	 	2		Ì	30.31	1							1	1	
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
LINE	Loop Rates								i i							
UNE.	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48			İ				l			
ONL	2-wire voice Grade Loop (SL1) - Zone 1			OLITIX	OLI LX	12.70	<u> </u>									
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		2	UEPRX UEPRX	UEPLX UEPLX	16.31 21.32			<u> </u>							

UNRU	INDI FI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Fyhi	bit: C
ONDO	NULL	NETWORK ELLINENTO TOTALOSSES										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Res)			UEPRX	LIEDDI	11.00	00.00	20.00					30.89	7.03		
-		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRL UEPRC	14.00 14.00	90.00 90.00	90.00					30.89	7.03		
		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice Grade unbundled Tennessee extended local			OLFKX	OLFRO	14.00	90.00	90.00					30.09	7.03		
		dialing parity port with Caller ID - res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller			02.101	02.710	1 1100	00.00	00.00	İ				00.00	7.00		
		ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
1		2-Wire voice unbundled Tennessee Area Calling port with Caller	l]]	
L		ID - res (1MF2X)	ļ		UEPRX	UEPAN	14.00	90.00	90.00	ļ	ļ			30.89	7.03	ļ	
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (2MR)	<u> </u>		UEPRX	UEPAO	14.00	90.00	90.00	-				30.89	7.03	 	
		2-Wire voice unbundles res, low usage line port with Caller ID			HEDDY	LIEDAD	44.00	00.00	00.00					00.00	7.00		
-		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	UEPRT	44.00	90.00	90.00					20.00	7.03		
		Capability 2-Wire Voice Unbundled Tennessee Residence Dialing Plan			UEPRX	UEPRI	14.00	90.00	90.00					30.89	7.03		
		without Caller ID			UEPRX	UEPWN	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Area Plus Port without			OLITAX	OLI WIN	14.00	30.00	30.00	<u> </u>				30.03	7.00		
		Caller ID Capability			UEPRX	UEPRR	14.00	90.00	90.00					30.89	7.03		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	ADDITI	change			UEPRX	USACC		41.50	41.50					30.89	7.03		
-	ADDITI	ONAL NRCs								1					-		
1		NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1		UEPRX	USAS2	0.00	0.00	0.00	I				30.89	7.03	1	
-	2-WIPE	Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	1	ULFRA	USASZ	0.00	0.00	0.00	 	1			30.89	7.03	1	
		ort/Loop Combination Rates	 			+				 					 		
		2-Wire VG Loop/Port Combo - Zone 1	1	1			26.48	 		I				 	I	 	
		2-Wire VG Loop/Port Combo - Zone 2		2			30.31			1					1		
		2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
		pop Rates												1		1	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port (Bus)				1				ļ	ļ			ļ	ļ	ļ	
		2-Wire voice unbundled port without Caller ID - bus	ļ		UEPBX	UEPBL	14.00	90.00	90.00	ļ	ļ			30.89	7.03	ļ	
<u> </u>		2-Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPBX	UEPBC	14.00	90.00	90.00	-				30.89	7.03		
-		2-Wire voice unbundled port outgoing only - bus	!		UEPBX	UEPBO	14.00	90.00	90.00	 				30.89	7.03	-	
1		2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus	1		UEPBX	UEPAV	14.00	90.00	90.00	I				30.89	7.03	1	
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	 		OLFDA	JLFAV	14.00	90.00	90.00	t	1			30.69	7.03	1	
		Port Economy Option (TACC1)	1		UEPBX	UEPAC	14.00	90.00	90.00	I				30.89	7.03	1	
—		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			0_1 D/	JE1 710	14.00	30.00	30.00	t				30.09	7.03	 	
		Port Standard Option (TACC2)	l		UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and				7	50	22.20	22.50	1	1			55.55	50	1	
1		Memphis Local Calling Port (B2F)	1		UEPBX	UEPAE	14.00	90.00	90.00	I				30.89	7.03	1	
		2-Wire voice unbundled Incoming Only Port without Caller ID															
1		Capability	1		UEPBX	UEPBE	14.00	90.00	90.00	I				30.89	7.03	Ì	

LINIDIIN	IDI EF	NETWORK ELEMENTS Topposes												Attachment	•	Fulti	h:4. C
UNDUN	IDLEL	NETWORK ELEMENTS - Tennessee	1	1		1						Cua Ordar		Attachment: Incremental		Incremental	bit: C Incremental
												Svc Order					
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	אחע	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(#)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	JK T	RATE ELEMENTS	m	Zone	BUS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>								N		T 81	B'			000	D - ((ft)		
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled Tennessee Business Dialing Plan															
		without Caller ID			UEPBX	UEPWO	14.00	90.00	90.00					30.89	7.03		
L		NUMBER PORTABILITY															
$\sqcup \sqcup$		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
F	EATU																
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
N	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
	Ī	2-Wire Voice Grade Loop / Line Port Combination - Switch with	1									i	1				<u> </u>
$oxed{oxed}$		change			UEPBX	USACC		41.50	41.50					30.89	7.03		
		ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -							-								
		Subsequent			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
		2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
l		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21.32										
2		Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
		NUMBER PORTABILITY			OLITIO	OLITO	14.00	50.00	50.00					00.00	7.00		
-		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
F	EATU				OLI IIO	LIVI OI	0.10	0.00	0.00								
H		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
		CURRING CHARGES - CURRENTLY COMBINED			OLI NO	OLI VI	0.00	0.00	0.00					30.03	7.03		
	VOINTE	CORRING CHARGES - CORRENTET COMBINED				1											
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
-	-	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-is			OLFRG	USACZ		41.50	41.50	-				30.09	7.03		
					UEPRG	USACC		44.50	41.50					20.00	7.03		
		Change	 	1	ULPRU	USACC		41.50	41.50	 		-	-	30.89	7.03		
		ONAL NRCs	 	1		-				 			-				
	ŀ	2 Wire Loop/Line Side Port Combination - Non feature -	1					0.00	0.00				1	20.00	7.00		l
\vdash		Subsequent Activity- Nonrecurring	-	<u> </u>		+		0.00	0.00			1	ļ	30.89	7.03		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt										1					
 		Group	<u> </u>	<u> </u>		1		14.64	14.64					30.89	7.03		ļ
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ	<u> </u>													
		rt/Loop Combination Rates	ļ	<u> </u>													
$\sqcup \sqcup$		2-Wire VG Loop/Port Combo - Zone 1	ļ	1			26.48										ļ
$\vdash \!$		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		1	30.31						ļ				
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
l\		op Rates	<u> </u>														
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	21.32		-								
2	2-Wire \	Voice Grade Line Port Rates (BUS - PBX)							-								
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00			1		30.89	7.03		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					30.89	7.03		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					30.89	7.03		
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPPX	UEPT2	14.00	90.00	90.00			1		30.89	7.03		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee						1									

CATEGORY NATE ELEMENTS Name Section Name	UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	hit: C
CATEGORY PATE REMENTS Draw Dr	U. IDUIIDEL	D ILLI WORK ELLINEITI O - Tellifessee										Svc Order	Svc Order				Incremental
Part Part																	Charge -
CATEGORY RATE ELEMENTS																	Manual Svc
Beautiful Beau	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								Order vs.
14			m									per LSK	per LSK				Electronic-
Note Section Prints Add Section Se																	
Comparison Com														1st	Add'I	Disc 1st	Disc Add'l
Comparison Com							_	Nonrecurring		Nonrecurring	a Disconnect			OSS	Rates(\$)	ı	
2-Year Votes Michaeled 2-Year Combined 2-Year Combined 2-Year Votes Michaeled 2-Year Vote							Rec		Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Service voice ultranspert of Year Part Annual Selection Perf Company		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00										
SWee Value Unbridded PRX LD Terminal Survivational TO					UEPPX												
2-Were Votes Ulburned SPEX LD Terminal Switchboard Do		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					30.89	7.03		
2-view votes Unbrunded Park LD Terminal South-board DD UEPPK UEPVE 14.00 00.					UEPPX	UEPXD	14.00	90.00							7.03		
2-View votes Unburded 2-View PREX Hostin/Augusta Economy UEPPK UEPVK 14.00 90.00 90.00 90.00 90.00 7.00		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Administrative Calling Port		Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		
2-Wire Wase Unknowled Zerby PEX Nesterolisopate Economy UEPPX UEPPX UEPPX 14.00 60.00 60.00 30.89 7.03		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
Room Calfing Part 100 PRX 100		Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
Score Caling Part Versic Unbranded - LW California California (
Administrative Califor Port TN					UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
Administrative Califor Port TN	1		Ì														
2-Wire Vote Unburded F-Wg Outgoing PEX Hotel/Hospital Discours (Rom Calling Pex Mount (Norm Calling	1		1		UEPPX	UEPXN	14.00	90.00	90.00	1				30.89	7.03		
Discount Room, Calling Port UEPPX UEPX 14.00 90.00 90.00 30.88 7.03	İ					1					1						
2-Wire Voter Unbunded 1-Way Outgoing PSX Measured Port UEPPX UEPX	1		1		UEPPX	UEPXO	14.00	90.00	90.00	I				30.89	7.03		
2-Wire Voca Unbounded PSX Colleville and Memphs Colling Port UEPPX UEPX	İ				UEPPX	UEPXS					1						
Port	İ																
2-Wire Vote Unbunded 2-Way PBX Ternessee Rogins Service UEPPX UEPA 14.00 90.00 90.00 30.89 7.03	1		1		UEPPX	UEPXU	14.00	90.00	90.00	1				30.89	7.03		
Calling Port Calling Port Cambridge Calling Port Cambridge Calling Port Calling Port Cambridge Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling Port Calling		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
Collectified and Memphis Local Calling Plan UEPPX UEPAS 14.00 90.00 90.00 90.00 30.88 7.05					UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
Collectified and Memphis Local Calling Plan UEPPX UEPAS 14.00 90.00 90.00 90.00 30.88 7.05																	
Tennessee PRX-2Wey Combo First Trunk Colleaville and Membres Local Caling Plan UEPPX UEPAT 14.00 90.					UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03		
Memphis Local Calling Plan																	
Coal Number Portability (1 per port)		Memphis Local Calling Plan			UEPPX	UEPA7	14.00	90.00	90.00					30.89	7.03		
FEATURES	LOCAL	NUMBER PORTABILITY															
All Features Offered UEPPX UEPPK U. O. O. 0.00		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
NONRÉCURRING CHARGES - CURRENTLY COMBINED	FEATU	IRES															
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is UEPPX		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change UEPPX USACC 41.50 41.50 30.89 7.03	NONR	CURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change UEPPX USACC 41.50 41.50 30.89 7.03																	
Change					UEPPX	USAC2		41.50	41.50					30.89	7.03		
ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Side Port Combination - Subsequent 2-Wire Voice Grade Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring PPSX Subsequent Activity - Nonrecurring PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Group PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Group PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Group PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Group PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Group PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Group PPSX Subsequent Activity - Change/Rearrange Multiline Hunt Brown - Brown		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent UEPPX					UEPPX	USACC		41.50	41.50					30.89	7.03		
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64	ADDIT	IONAL NRCs															
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64																	
Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64					UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64 14.64 30.89 7.03	1		1			1 7]				<u> </u>	<u> </u>]	_		
Scroup 14,64 14,64 14,64 30,89 7,03								0.00	0.00					30.89	7.03		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															1		
UNE Port/Loop Combination Rates								14.64	14.64	1				30.89	7.03		
2-Wire VG Coin Port/Loop Combo - Zone 1			RT			 				.	ļ				.		
2-Wire VG Coin Port/Loop Combo - Zone 2 2 30.31	UNE P		ļ			 		ļļ		.	ļ			ļ	.		
2-Wire VG Coin Port/Loop Combo - Zone 3 3 3 35.32			ļ			<u> </u>				.	ļ				.		
UNE Loop Rates			ļ			<u> </u>				.	ļ			ļ	.		
2-Wire Voice Grade Loop (SL1) - Zone 1			ļ	3		 	35.32	ļļ		.	ļ			ļ	.		
2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPCO UEPLX 21.32 2-Wire Voice Grade Line Port Rates (Coin) 2-Wire Coin 2-Way without Operator Screening and without Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 012, 013, 014, 015, 015, 015, 015, 015, 015, 015, 015	UNE L		ļ			Lucation					ļ						
2-Wire Voice Grade Line Port Rates (Coin)			!								ļ						
2-Wire Voice Grade Line Port Rates (Coin)			ļ					ļļ		.	ļ			ļ	.		
2-Wire Coin 2-Way without Operator Screening and Without Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) UEPCO UEPTA 14.00 90.00 90.00 30.89 7.03 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 011+, and Local (NC, TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)	0.14"		!	3	UEPCO	UEPLX	21.32				ļ						
Blocking (TN)	2-Wire	` '	!			+				-	ļ				-		
2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) UEPCO UEPRP 14.00 90.00 90.00 30.89 7.03 UEPCO UEPTA 14.00 90.00 90.00 30.89 7.03 UEPCO UEPTA 14.00 90.00 90.00 30.89 7.03 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 14.00 90.00 90.00 30.89 7.03 UEPCO UEPCA 14.00 90.00 90.00 90.00 30.89 7.03	1		1		LIEDOO	LIEDTS	44.00	20.00	20.00	1				00.00	7.00		
900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 12-Wire Coin Outward with Operator Screening and 011 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 12-Wire Coin Outward with Operator Screening and 011 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 12-Wire Coin Outward with Operator Screening and 011 Blocking			1		UEPCO	OFFIR	14.00	90.00	90.00	 	 			30.89	7.03	-	
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking: 900/976 (1+DDD, 011+) and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking: 900/976 (1+DDD, 011+) and Local (NC, TN) 1-Wire Coin Outward with Operator Screening and 011 Blocking	1		1		LIEDOO	LIEDES	44.00	20.00	20.00	1				00.00	7.00		
(TN) UEPCO UEPTA 14.00 90.00 90.00 30.89 7.03 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 14.00 90.00 90.00 30.89 7.03 2-Wire Coin Outward with Operator Screening and 011 Blocking 2-Wire Coin Outward with Operator Screening and 011 Blocking 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward with Operator Screening 1-Wire Coin Outward Wire Coin Outward Wire Coi			!		UEPCO	UEPRP	14.00	90.00	90.00		ļ			30.89	7.03		
2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 14.00 90.00 90.00 30.89 7.03	1		1		LIEDOO	UEDT:				1							
900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 14.00 90.00 90.00 30.89 7.03 2-Wire Coin Outward with Operator Screening and 011 Blocking	\longrightarrow		!		UEPCO	UEPTA	14.00	90.00	90.00	.	1			30.89	7.03	1	
2-Wire Coin Outward with Operator Screening and 011 Blocking	1		1		LIEDOO	LIEDOA	44.00	00.00	00.00	I				00.00	7.00		
	\longrightarrow		!		UEPCO	UEPCA	14.00	90.00	90.00	.	1			30.89	7.03	1	
	l	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)	1		UEPCO	UEPTC	14.00	90.00	90.00	1		l	l	30.89	7.03		

UNBUN	NDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
3551		TOTAL CONTROL OF THE		1								Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			I4									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add I
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03		
	OCAL	NUMBER PORTABILITY			02. 00	02.0.	1 1.00	00.00	00.00					00.00	7.00		
H 1		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					<u> </u>					
 		CURRING CHARGES - CURRENTLY COMBINED			021 00	LIVIOA	0.00					<u> </u>					
	NONKE	CORRING CHARGES - CORRENTET COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
-		2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEFCO	USACZ		41.50	41.50					30.09	7.03		
					UEPCO	USACC		44.50	41.50					20.00	7.03		
	A D D I T I	Change		-	UEPCO	USACC		41.50	41.50					30.89	7.03		
$\vdash \vdash \vdash'$	ADDITIO	DNAL NRCs		-		+ +				-		 	 	 	 	-	
		OMF - Vision Oralla Lauri (Line Bort Oralline)		l	LIEBOO	1,10,400	0.00	0.00	0.00			I	İ	00.00	7.00		1
<u> </u>	2 14/15	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		L	UEPCO	USAS2	0.00	0.00	0.00			ļ		30.89	7.03		
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ΌΚΤ (I	KES)							1					├
⊢		rt/Loop Combination Rates		<u> </u>								1					├
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.56					1					├
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	35.63					ļ	ļ				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			42.28										
	UNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
		Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice Grade unbundled Tennessee extended local															
		dialing parity port with Caller ID - res			UEPFR	UEPAQ	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
		res (AC7)			UEPFR	UEPAH	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (F2R)			UEPFR	UEPAK	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (TACER)			UEPFR	UEPAL	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (TACSR)			UEPFR	UEPAM	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller				1					22.50			İ	İ	İ	1
		ID - res (1MF2X)		1	UEPFR	UEPAN	14.00	115.00	75.00	40.00	30.00		15.69	Ì	I		I
		2-Wire voice unbundled Tennessee Area Calling port with Caller					00				22.00	l	12.00	1	1		
		ID - res (2MR)		1	UEPFR	UEPAO	14.00	115.00	75.00	40.00	30.00		15.69	Ì	I		I
1		2-Wire voice unbundles res, low usage line port with Caller ID				1	00		. 5.56	.5.56	55.50			1	t	1	†
		(LUM)		l	UEPFR	UEPAP	14.00	115.00	75.00	40.00	30.00	I	15.69	Ì	I		1
—		2-Wire Voice Unbundled Tennessee Residence Dialing Plan		l -		JE171	14.00	110.00	70.00	70.00	55.00	1	10.00	 	—	 	
		without Caller ID			UEPFR	UEPWN	14.00	115.00	75.00	40.00	30.00		15.69		1		
 	NTERC	OFFICE TRANSPORT		l	OL: TK	OLI VVIV	14.00	115.00	75.00	40.00	50.00	1	15.09	1	 		
 		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 		+ +						1	1	1	t	1	
		Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51		1		1		
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		l	OLITA	01172	10.30	55.59	17.37	21.90	3.31	1	1	1	 		
		or Fraction Mile			UEPFR	1L5XX	0.0174						1		1		
 	FEATU			-	OLPER	ILOAA	0.0174			 		1			 		
⊢		All Features Offered		 	UEPFR	UEPVF	0.00	0.00	0.00	 		 	15.69	 	 		
		NUMBER PORTABILITY		 	UEPFK	UEPVF	0.00	0.00	0.00	 		 	15.69	 	 		
				-	LIEDED	LNDCV	0.05			 		1			 		
├		Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	UEPFR	LNPCX	0.35			1		1		1	 	-	
						+ +						1			1		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	LIEDED	110465								Ì	I		I
\vdash		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72	-			15.69		-	1	├
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	LIEDED	110466								Ì	I		I
L .		Combination - Conversion - Switch-With-Change		<u> </u>	UEPFR	USACC		16.94	3.72			ļ	15.69				
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (I	BUS)	1						ļ			ļ		
	UNE Po	rt/Loop Combination Rates				1				l		l	<u>l</u>]	l .		1

CATEGORY MATE ELEMENTS Manual Property Color Material Manual Property Color Material Manual Property Color Material Manual Property Color Material Manual Property Material Manual Property Material Manual Property Material	IINBIINDI E	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	hit. C
CAPEGON December	UNBUNDLE	D NETWORK ELEMENTS - Tellilessee	1			1	I					Svc Order					Incremental
RATE ELEMENTS March																	
### Core BCS USOC PATE(\$0) Pate BCS USOC PATE(\$0) PAT																	
Record	CATEGORY	PATE ELEMENTS	Interi	Zone	BCS.	USOC			DATES(\$)				,				Manual Svc
Second Control Seco	CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR	per LSR				Order vs.
																	Electronic-
Second Company Country Count														1st	Add'l	Disc 1st	Disc Add'l
Second Company Country Count								Nonrecurring		Nonrecurring	Disconnect		l	oss	Rates(\$)	l	
2-View VS. Lase IDF Transported Controls - Zero 1 1							Rec		I'bbA			SOMEC	SOMAN			SOMAN	SOMAN
2		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.56	1 1130	Addi	11130	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAN
Description Company																	
UPE Loop Rates																	
E-Vitro Visto Grade Loss (ESS - Zono 1 1 EFFP UECF2 15.56	UNE L			Ť													
2-year values (critical Lorge (2612-7, Zeno 2) 1, UEPPR UEPPS 14, 50 115, 50 75, 50 40, 50 50, 50 15, 69 1, 27, 27, 27, 27, 27, 27, 27, 27, 27, 27				1	UEPFB	UECF2	16.56										
2-Wine Vacco Grante Lorg (SLI) - Zerona 3 JEPPR UEPC 22.20				2	UEPFB												
2 New Yorks of Info Carlo Control Co				3													
2-Wive votes unbruided port with Colder to Public Colder (1984 b) - Use UEPPB UE	2-Wire																
2-Wire voice unfunded pot with Caller 1-Seed 10 - Seed UEPPB UEPSC 1400 15:00 75:00 40:00 30:00 15:69					UEPFB	UEPBL	14.00	115.00	75.00	40.00	30.00		15.69				
2-Wire voice Grade unbounded removables extended local disting princip year with Califor D- bus control on the control of th		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	115.00	75.00	40.00	30.00		15.69				
2-Wire voice Grade unbounded removables extended local disting princip year with Califor D- bus control on the control of th							14.00			40.00							
Gaining points port with Callete ID - Biss													-				
2-Wire votor unbrunded incoming only pot with Called D - Bios					UEPFB	UEPAV	14.00	115.00	75.00	40.00	30.00	1	15.69		I		
2-Vive voce unbundled Terrinsease Bus 2-Vivy Area Calling UEPFB UEPAC 14.00 115.00 75.00 40.00 30.00 15.69					UEPFB	UEPB1	14.00										
Pert Economy Option (TACC1)																	
E-Wire votes unbundled Tennesses Buz 2-Way Area Calling Per Standard Option (TACC2)					UEPFB	UEPAC	14.00	115.00	75.00	40.00	30.00	1	15.69		I		
EXPRISE COLOR INFORMATION Logical Color Logical Part Logical Color Logical Part																	
2-Vitre voice unbundled Tennessee Bus 2-Vitry Colleville and Memphis Local Calling Plan UEPAB UE		Port Standard Option (TACC2)			UEPFB	UEPAD	14.00	115.00	75.00	40.00	30.00		15.69				
2-Wife Votor Unbundled Tennessee Business Bluing Plan WEPFB UEPWO 14.00 116.00 75.00 40.00 30.00 15.69 WEPFB UEPWB UEPBB UEBBB UEPBB UEBBB UEBBB UEBBB UEBBB UEBBB UEBBB		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
Webhout Caller ID UEPHB UEPHD 14.00 115.00 75.00 40.00 30.00 15.69		Memphis Local Calling Port (B2F)			UEPFB	UEPAE	14.00	115.00	75.00	40.00	30.00		15.69				
Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)		2-Wire Voice Unbundled Tennessee Business Dialing Plan															
(BUS)					UEPFB	UEPWO	14.00	115.00	75.00	40.00	30.00		15.69				
Tennesse 2-Way Collerville and Memphis Local Calling Plan UEPB UEPB UEPB 14.00 115.00 75.00 40.00 30.00 15.69 We College We College We Voice Grade - Facility UEPB UTV2 18.58 55.39 17.37 27.96 3.51 WITROFFICE TRANSPORT UEPB UTV2 18.58 55.39 17.37 27.96 3.51 WITROFFICE TRANSPORT UEPB UTV2 18.58 55.39 17.37 27.96 3.51 WITROFFICE TRANSPORT UEPB UTV2 18.58 55.39 17.37 27.96 3.51 WITROFFICE TRANSPORT UEPB UTV2 18.58 55.39 17.37 27.96 3.51 WITROFFICE TRANSPORT UEPB UTV2 UEPB UTV2 UEPB UTV2 UEPB UTV2 UEPB UTV2 UEPB UTV2 UEPB UEPB UEPB UEPPB		Tennessee Inward Collierville and Memphis Local Calling Plan															
COLAN MUBER PORTABILITY Local Number Portability (1 per port) UEPFB UNPCX 0.35		(BUS)			UEPFB	UEPB2	14.00	115.00	75.00	40.00	30.00		15.69				
LOCAL NUMBER PORTABILITY UEPFB UPPFB U		Tennessee 2-Way Collierville and Memphis Local Calling Plan															
Local Number Portability (1 per port)					UEPFB	UEPB3	14.00	115.00	75.00	40.00	30.00		15.69				
INTEROFFICE TRANSPORT Dedicated - 2 Wire Voice Grade - Facility UEPFB	LOCAL	NUMBER PORTABILITY															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFB		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
Termination UEPFB UTT/2 18.58 55.39 17.37 27.96 3.51	INTER																
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFB UEPFB UEPFF UEPFB UEPFF UEPFB UEFFB																	
Or Fraction Mile					UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
FEATURES																	
All Features Offered					UEPFB	1L5XX	0.0174										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEATU																
2-Wire Loop / Dedicated O Transport / 2 Wire Line Port Combination - Conversion - Switch-assis UEPFB USAC2 16.94 3.72 15.69					UEPFB	UEPVF	0.00	0.00	0.00				15.69				
Combination - Conversion - Switch-as-is UEPFB USAC2 16.94 3.72 15.69	NONR					ļ											
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFB USACC 16.94 3.72 15.69										I		1			I		
Combination - Conversion - Switch with change					UEPFB	USAC2		16.94	3.72				15.69				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)					LIEDED	110466				1			4-0-		1		
UNE Port/Loop Combination Rates			-		UEPFB	USACC		16.94	3.72	-			15.69		-		
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			1			1				!					!	1	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 35.63 3 42.28 3 5.63	UNE P		!	_		1	00.50			-					-	ļ	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 42.28 42.28	\vdash		-			1				-					-		
UNE Loop Rates			1			1		 		 			ļ		 	-	
2-Wire Voice Grade Loop (SL2) - Zone 1	IIN'E I		1	3		1	42.28			 					 		
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 21.63	UNE L		1	4	LIEDED	LIECES	16.50	 		 		-	 				
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFP UECF2 28.28	\vdash		1	2						 					 		
2-Wire Voice Grade Line Port Rates (BUS - PBX)	\vdash		<u> </u>												-	-	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPFP UEPPC 14.00 106.40 63.08 42.67 18.54 15.69 Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPPO 14.00 106.40 63.08 42.67 18.54 15.69 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPFP UEPPD 14.00 106.40 63.08 42.67 18.54 15.69 2-Wire Voice Unbundled PBX LD Terminal Ports UEPFP UEPLD 14.00 106.40 63.08 42.67 18.54 15.69 Calling Port UEPFP UEPTD 14.00 106.40 63.08 42.67 18.54 15.69 UEPFP UEPTD 14.00 106.40 63.08 42.67 18.54 15.69	2-14/:		1	J	OLI IT	OLUI Z	20.20			1		1			1		
Line Side Unbundled Outward PBX Trunk Port - Bus	2-44116	Voice Grade Lille Fort Nates (BOS - FBA)	1			+		 		 					 		
Line Side Unbundled Outward PBX Trunk Port - Bus		Line Side Unbundled Combination 2-Way PRX Trunk Port - Rus			LIEPEP	LIEPPC	14.00	106.40	63.08	42.67	18 54	1	15.60		I		
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPFP UEPF1 14.00 106.40 63.08 42.67 18.54 15.69	 		1												t	1	
2-Wire Voice Unbundled PBX LD Terminal Ports	 		1												 		
2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port UEPFP UEPT2 14.00 106.40 63.08 42.67 18.54 15.69 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	 	2-Wire Voice Unbundled PRX LD Terminal Ports	1												 		
Calling Port UEFF UEFT2 14.00 106.40 63.08 42.67 18.54 15.69 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee UEFF UEFT2 14.00 106.40 63.08 42.67 18.54 15.69	 		1		OLITI	JLI LD	14.00	100.40	03.06	42.07	10.34		13.09		t		
2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee					UEPFP	UEPT2	14 00	106.40	63.08	42 67	18 54		15 69		I		
	 		†		02.11	QL1 12	14.00	100.40	00.00	72.07	10.04		10.00		-		
		Calling Port			UEPFP	UEPTO	14.00	106.40	63.08	42.67	18.54	1	15.69		I		

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY	r RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPFP	UEPXE	14.00	106.40	63.08	42.67	18.54		15.69				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-		UEPFP	UEPAE	14.00	106.40	63.08	42.07	18.54	1	15.69			-	
	Administrative Calling Port			UEPFP	UEPXL	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	1	OLITI	OLI AL	14.00	100.40	03.00	42.07	10.54		15.05				
	Room Calling Port			UEPFP	UEPXM	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy	1				50		55.50	.2.07	.0.04			İ		1	1
	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	14.00	106.40	63.08	42.67	18.54		15.69	1		I	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	Port			UEPFP	UEPXU	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						400.40		40.00							
	Callling Port			UEPFP	UEPXV	14.00	106.40	63.08	42.67	18.54		15.69				
LOC	CAL NUMBER PORTABILITY	+	1	HEDED	LNPCP	2.45	0.00	0.00			1	45.00			-	<u> </u>
INITE	Local Number Portability (1 per port) EROFFICE TRANSPORT		-	UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+	-		+											
	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02	01112	10.00	00.00		27.00	0.01						1
	or Fraction Mile			UEPFP	1L5XX	0.0174										
FEA	ATURES					******										
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES															
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNI	K POR I	1		+						1				-	<u> </u>
UNE	Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	+	1		+	49.60										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	2		+	51.09					1	-			-	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	+	3		+ -	56.00	+		1				 		 	
UNE	E Loop Rates	1	Ť		1	33.30							1		1	
15.1.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX	UECD1	9.60	†									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	11.09	j						1			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16.00										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	40.00	600.00	45.00	8.45	3.91			30.89	7.03		
NON	NRECURRING CHARGES - CURRENTLY COMBINED							•								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-]			
	Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		100.00	42.50					30.89	7.03	1	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY	110440		400.00	40.50					00.00	7.00	I	
	with BellSouth Allowable Changes Top 8 MSAs only	1	1	UEPPX	USA1C		100.00	42.50			 		30.89	7.03	!	
rele	ephone Number/Trunk Group Establisment Charges		-	LIEDDY	NDT	0.00	0.00	0.00			<u> </u>		-		 	
	DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers	1	<u> </u>	UEPPX UEPPX	NDT ND4	0.00	0.00	0.00	1		 	-	1	-		
	DID Numbers, Non- consecutive DID Numbers , Per Number	+		UEPPX	ND5	0.00	0.00	0.00							+	+
	Reserve Non-Consecutive DID numbers	1		UEPPX	ND6	0.00	0.00	0.00			 		1	1	t	
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00	†			<u> </u>	 	1	I	
LOC	CAL NUMBER PORTABILITY	1			1.2.	3.00	5.50	2.00							1	1
	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15	0.00	0.00						İ	1	1
2-W	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDI	E PORT		1											1
	Port/Loop Combination Rates		_													1

UNRII	NDI FI	NETWORK ELEMENTS - Tennessee													Attachment:	2	Fyhi	bit: C
CIADO	INDEL	THE TWOKE ELEMENTO TERMESSEE					1						Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Submitted		Charge -	Charge -	Charge -
													Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	В	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							- (.,			per LSK	per LOK	Electronic-		Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	DISC 1St	DISC Add I
								Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		32.27										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						0.4 = 0										
		UNE Zone 2		2	UEPPB	UEPPR		34.78										├
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32										
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20	1									
		2-VIIIe IODIV Digital Grade Loop - GIVE Zone 1		- ' -	OLITB	OLITIK	OOLZX	10.20	1									
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										İ
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		28.25										
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		
	ADDITI	ONAL NRCs																
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	t				l								1			1
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						30.89	7.03		
		NUMBER PORTABILITY					LNBOY		2.22									
		Local Number Portability (1 per port)		<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHAI	NNEL USER PROFILE ACCESS:			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00					-			
		CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								-
		CSD (EWSD)			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			-		-			
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	CMS 8	TN)	OLITB	OLITIK	01000	0.00	0.00	0.00								
	2 0.1.7 1.	CVS/CSD (DMS/5ESS)	J,O, O	1,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	USER 1	ERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
		AL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
		Interoffice Channel mileage each, including first mile and							=====									İ
		facilities termination		<u> </u>		UEPPR	M1GNC	17.91	53.99	17.37								
	4 MIDE	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(DODT		UEPPB	UEPPR	M1GNM	0.173	0.00	0.00					-			
		ort/Loop Combination Rates	PORT				1						-		-			
	JINE PO	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	 			 	1	 		1		-		t	 	 	
		Zone 1		1	UEPPP			982.73							I		1	1
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		Ė			1	552.76							1	1		
		Zone 2		2	UEPPP			1,000.40									1	1
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1				1					1		
		Zone 3		3	UEPPP		<u> </u>	1,023.59	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>		<u> </u>
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	57.73										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	75.40		•								
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	98.59										
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED		ļ			<u> </u>				ļ					 	ļ	├
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only		1	UEPPP		USACP	0.00	925.00	925.00					30.89	7.03	1	1
-	ADDIT	ONAL NRCs		<u> </u>	UEPPP		USACP	0.00	925.00	925.00	 				30.89	7.03		
	ADDITE	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					1		 		 				 	 		
		Inward/two way Telephone Numbers (except NC)		1	UEPPP		PR7TF		0.94						I		1	1
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		J=: 1 1		1		0.04		1		<u> </u>		I	1	 	—
		Outward Tel Numbers (All States except NC)		1	UEPPP		PR7TO		22.36	22.36					I		1	1
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -							1		1					İ		
		Subsequent Inward Telephone Numbers			UEPPP		PR7ZT		44.71	44.70					1			1
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	INTERF	ACE (Provsioning Only)																

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
0.1.20												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	<u> </u>	lu i in i				DD=41/4		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
-		Digital Data Inward Data			UEPPP UEPPP	PR71D PR71E	0.00	0.00	0.00								
	Now or	Additional "B" Channel			UEPPP	PR/IE	0.00	0.00	0.00			ļ					
	New Or	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39									
-		New or Additional - Voice/Data B Channel			UEPPP	PR7BF	0.00	29.11				1					
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39				1					
	CALL 1				OLITI	TITOD	0.00	20.00									
	OALL .	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interoff	ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55					İ		İ
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525										
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
		ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93.28										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		110.95										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14										
	UNE Lo	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
	UNE Po	ort Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23			30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		312.91	312.91					30.89	7.03		
-		- Switch-As-is Top 8 MSAs only			UEPDC	USAC4		312.91	312.91					30.89	7.03		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
-		- Conversion with DST Changes Top 6 MSAs only			UEPDC	USAWA		312.91	312.91			1		30.69	7.03		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		312.91	312.91					30.89	7.03		
	ADDITI	ONAL NRCs			OLI DO	CONTE		012.01	012.01					00.00	7.00		
	700111	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
1		Subsequent Channel Activation/Chan - 2-Way Trunk	1		UEPDC	UDTTA		108.67	108.67					30.89	7.03		1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	<u></u>	Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>		UEPDC	UDTTB		108.67	108.67					30.89	7.03		<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel							-]		
L		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					30.89	7.03		
1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan									-]]
<u> </u>	<u> </u>	Activation Per Chan - Inward Trunk with DID	<u> </u>		UEPDC	UDTTD		108.67	108.67			<u> </u>		30.89	7.03		
1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1												1		1
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					30.89	7.03		
<u> </u>	RIPOL	AR 8 ZERO SUBSTITUTION			LIEDDO	00005		0.00	F00 00								
<u> </u>	!	B8ZS -Superframe Format	<u> </u>		UEPDC	CCOSF		0.00	590.00								
<u> </u>	A 14	B8ZS - Extended Superframe Format	 		UEPDC	CCOEF		0.00	590.00	1		}			 		
\vdash	Aiterna	te Mark Inversion	 	-	LIEDDC	MCOSF		0.00	0.00	 		1			 		
-	}	AMI -Superframe Format	 		UEPDC UEPDC	MCOSF		0.00	0.00			1			-		-
\vdash	Tolon	AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges	 	-	UEPUC	IVICOPO		0.00	0.00	 		1			 		
 	reiehu	Telephone Number for 2-Way Trunk Group	 	H	UEPDC	UDTGX	0.00			-		}			1		1
 	}	Telephone Number for 2-way Trunk Group Telephone Number for 1-Way Outward Trunk Group	 	H	UEPDC UEPDC	UDTGX	0.00			-		}			1		1
\vdash	 	Telephone Number for 1-Way Dutward Trunk Group Without DID	 		UEPDC	UDTGZ	0.00			 		1			 		
\vdash	1	DID Numbers, Establish Trunk Group and Provide First Group	 		011 00	ODIGE	0.00			1		1			1		1
1		of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00						Ì		Ì
	1	0. 20 2.2 (Millipolo	<u> </u>		J_1 DU	11102	0.00	0.00	0.00	1		·	1		1		l

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				-				
AILOOKI	KATE EEEMENTO	m	20116	500	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-				Nonrecurring		Nonrecurring	Dissennest			000	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	FIIST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
						0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5		0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	ated DS1 (Interoffice Channel Mileage) -															
FX/FC	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				l											
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25	1	1								1					1
	miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIRI	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	em can have various rate combinations based on type and nu			used												
	S1 Loop	1														
0.12.2	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ů	OLI WO	COLDO	50.05	0.00	0.00								
OILE D	24 DSO Channel Capacity - 1 per DS1	1.0,		UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03		
	96 DSO Channel Capacity -1 per 4 DS1s		 	UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		
	144 DS0 Channel Capacity - 1 per 6 DS1s		 	UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		
	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		
	240 DS0 Channel Capacity - 1 per 10 DS1s		-	UEPMG	VUM20	1.318.70	0.00	0.00					30.89	7.03		
			-	UEPMG	VUM28	,	0.00	0.00					30.89	7.03		
	288 DS0 Channel Capacity - 1 per 12 DS1s	 	 	UEPMG	VUM28 VUM38	1,582.44 2,109.92	0.00	0.00	 				30.89	7.03		-
	384 DS0 Channel Capacity - 1 per 16 DS1s	1	 	UEPMG	VUM40	2,109.92	0.00				-					
	480 DS0 Channel Capacity - 1 per 20 DS1s	!	1					0.00			ļ		30.89	7.03		ļ
	576 DS0 Channel Capacity -1 per 24 DS1s	1	1	UEPMG	VUM57 VUM67	3,164.88	0.00	0.00			ļ		30.89	7.03		ļ
	672 DS0 Channel Capacity - 1 per 28 DS1s	L 01		UEPMG		3,692.36		0.00			ļ		30.89	7.03		ļ
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	les of this configuration functioning as one are considered Ac	dd'i afte	r the m	inimum system cor	niguration is	counted.										
	NRC - Conversion (Currently Combined) with or without	1	1	LIEBNAO	11046						1					
	BellSouth Allowed Changes - Top 8 MSAs Only	<u> —</u>	<u> </u>	UEPMG	USAC4	0.00	303.61	15.74					30.89	7.03		
	n Additions Where Currently Combined and New (Not Currently	ly Comi	ined)													
In Den	sity Zone 1 Top 8 MSAs	ļ	 													
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	1	1	l	l						1					
	Fea Activation -	<u> </u>	<u> </u>	UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			30.89	7.03		
IBipola	r 8 Zero Substitution	<u> </u>	<u> </u>													
	Clear Channel Capability Format, superframe - Subsequent	I	1								1					I
			1	UEPMG	CCOSF	0.00	0.00	590.00								
	Activity Only			02: 1110						·	i -					I
	Clear Channel Capability Format - Extended Superframe -								l l							
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe -				CCOEF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only				CCOEF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI)			UEPMG												
Alterna	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format	on with	Port	UEPMG UEPMG	MCOSF	0.00	0.00	0.00								

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	oit: C
0												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	7	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
-	Fasting	2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			30.89	7.03		
-	reature	Feature (Service) Activation for each Line Port Terminated in D4															
		Bank (includes Q.1.4, P.50.1, & P.50.498)			UEPPX	1PQWM	2.02	40.00	20.00	6.00	5.00						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank (includes Q.1.4, P.50.1, & P.50.498)			UEPPX	1PQWU	2.02	110.00	30.00	75.00	15.00						
	Teleph	one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
-	-	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability			UEPPX	LNPCP	0.45	0.00	0.00								
-	EEATH	Local Number Portability - 1 per port RES - Vertical and Optional			UEPPX	LNPCP	3.15	0.00	0.00								
		Switching Features Offered with Line Side Ports Only				+											
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC								<u> </u>							
-		ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport											oin Bort/Lo	on Combinat	ione		
		first and additional Port nonrecurring charges apply to Not Cu														Additional NR	Cs may
		also and are categorized accordingly.				ouo, oo			9 0.1.4. 900	0.14.1 50 1.1000				,	, ,		,
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	il further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)				1											
	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		Non-Design		1	UEP91		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP91		23.02										
	LINE P	ort/Loop Combination Rates (Design)		3	UEF91	1	23.02										
	0.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		Design		1	UEP91		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDO4												
-	+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91	1	23.33										
1		Design 2-wire voice Grade Port (Centrex)Port Combo -		3	UEP91		29.98										
	UNE Lo	pop Rate		Ŭ			20.00										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
-	1	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	21.32 16.56										
—	+	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	21.63			 							
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	28.28										
	UNE Po																
-	All Stat	tes (Except North Carolina and Sout Carolina)			LIEDO4	LIEDVA	4 = 0	00.11	45.00	0.15	0.01		00.00	7.00			
-	+	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1				27.10	2.01		22.30				
1	1	Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

IINPI	INDI E	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Evh:	bit: C
UNDC	INDLE		1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
l			l									Submitted	Submitted		Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc		Manual Svc
CATE	JUKT	RATE ELEMENTS	m	Zone	BC3	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				-				Managan		Nana	- Di			000	Detec(f)		
							Rec	Nonrecurring			g Disconnect				Rates(\$)		
	-	0.147 1/2 0		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					. ==							=			
		Center)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	l	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1				i			1			1	İ	İ	
		Center)2	l		UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1						20	2.01		22.00		1		
		Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		Tom		1	OLI OI	OLI QZ	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent		1	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Lasalf	Switching		 	OLF91	ULFQZ	1.70	22.14	13.23	0.45	3.91		30.09	7.03			
	Local			<u> </u>	LIEDO4	LIDECC	0.0004										
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
		Number Portability			LIEDOA	LNDOO	0.05										
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e:e														
	D4 Cha	nnel Bank Feature Activations						İ									
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
								i i									
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP91	1PQW6	0.66					İ					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1				i l			İ		İ	İ	İ	1	
	1	Slot	l	1	UEP91	1PQW7	0.66]				1		Ì	Ì	I	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1			2.00						1	1	1		
	1	Different Wire Center	l	1	UEP91	1PQWP	0.66]			Ì	1	l	Ì	Ì		
-	 	Simosia villo dollidi	-	 	0_1 01	11 94 441	0.00			1	 		 	 	 	1	
l	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	1	UEP91	1PQWV	0.66]			Ì	1	l	Ì	Ì		
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	l	 	021 01	11 00 00 0	0.00			1			1	1	1	1	
		Slot	l		UEP91	1PQWQ	0.66					İ					
	 		<u> </u>	 						-						-	
-	Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot	 	1	UEP91	1PQWA	0.66	 		1	 		 	 	 	1	
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	<u> </u>		1				ļ	ļ		ļ	ļ			
l	1	Conversion - Currently Combined Switch-As-Is with allowed	l	1							Ì	1			Ì		
	.	changes, per port		ļ	UEP91	USAC2		1.03	0.29				30.89	7.03			
	.	New Centrex Standard Common Block		ļ	UEP91	M1ACS	0.00	658.60					30.89	7.03			
<u> </u>	<u> </u>	New Centrex Customized Common Block	<u> </u>	<u> </u>	UEP91	M1ACC	0.00	658.60			ļ		30.89	7.03		1	
		Secondary Block, per Block	<u> </u>		UEP91	M2CC1	0.00	73.55					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
	UNE-P	CENTREX - 5ESS (Valid in All States)															

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Fyhi	bit: C
CHECHEL	LD NETWORK ELLINENTO TERMESSEE		1		T I						Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted				
														Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	BCS	11000			DATEC(A)			Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.007
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		 		+											
	Non-Design		1	UEP95		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		'	UEF95		14.10										
			_													
	Non-Design		2	UEP95		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		23.02										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
[Design		1	UEP95		18.26]]	I	1	1	1	1
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†			1		1		1			1	1	1	1	
	Design		2	UEP95		23.33					l					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OLI 30	+	20.00	1		1	-	 	 	 	 	 	+
		1	_	LIEDOE		00.00]			Ì		İ	Ì	Ì	Ì	1
	Design	1	3	UEP95	1	29.98			!	ļ	 	.	ļ	ļ	ļ	
UNE	Loop Rate		<u> </u>						ļ		ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
LINE	Port Rate		3	OLI 33	OLOOZ	20.20										
					_											
All St							20.11		0.45				=			
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 33	OLITZ	1.70	22.14	10.20	0.40	5.51		30.03	7.00			ļ
				LIEDOE	LIEDVO	4.70	20.44	45.05	0.45	2.04		20.00	7.00			
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -										l					
	Basic Local Area		1	UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only	L	<u> </u>				<u> </u>			<u> </u>	l	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
i	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91	i	30.89	7.03			
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1			0		.0.20	5.70	3.01	1	55.55		1	1	t
	Center)2		1	UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91]	30.89	7.03	1	1	1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	 	OLI 30	OLI WIVI	1.70	22.14	10.25	0.40	3.91	 	30.09	1.03	 	 	
[1	UEP95	UEPQZ	4.70	20.44	45.05	0.45	3.91]	20.00	7.00	1	1	
	Term	1	<u> </u>	UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			├
			1]]	I	1	1	1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term	L	<u> </u>	UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91	l	30.89	7.03	<u> </u>	<u> </u>	
	GA Only															
Loca	Switching															
i	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381	1		1	İ	ĺ		İ	İ	İ	
l oca	Number Portability				1 1		i		i e		i					
Loca	Local Number Portability (1 per port)	1	1	UEP95	LNPCC	0.35			1		1	 				—
Featu		1	 	OL: 33	L. VI OO	0.33			1	1		 	1	1	1	
reatt		1	 	UEP95	UEPVF	0.00	 		 		 	30.89	7.00	 	 	+
	All Standard Features Offered, per port	!	1			0.00	100 =-		1	1			7.03		1	
	All Select Features Offered, per port		 	UEP95	UEPVS	0.00	433.78		ļ			30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00			1			30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
													Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zono	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
	ellaneous Terminations															
2-Wir	e Trunk Side															
L	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wir	e Digital (1.544 Megabits)			LIEDOE	M1HD1	25.55	75.93	38.15				30.89	7.00			
-	DS1 Circuit Terminations, each DS0 Channels Activated, each			UEP95 UEP95	M1HD0	35.55 0.00	108.67	38.15			-	30.89	7.03 7.03			
Inter	office Channel Mileage - 2-Wire	1		OLF 95	WITIDO	0.00	100.07				1	30.09	7.03			
intere	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174			00							
Featu	ire Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 CI	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66									_	
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	<u> </u>	UEP95	1PQW6	0.66							ļ	ļ		ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			LIEDOS	1PQW7	0.00										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.66										
	Different Wire Center			UEP95	1PQWP	0.66										
	Different wife Center			OLI 33	ii QWi	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.00										
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
-	changes, per port			UEP95 UEP95	USAC2 M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03			
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60				-	30.89	7.03 7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
UNF-	P CENTREX - DMS100 (Valid in All States)			OLI 33	UKLUA	0.00	00.57					30.03	7.00			
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D		23.02										
LINE	Non-Design Port/Loop Combination Rates (Design)		3	UEP9D		23.02										
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		18.26								1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	† ·			.5.20								1		
L	Design	<u> </u>	2	UEP9D		23.33				<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>		<u></u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	1	3	UEP9D		29.98								ļ		
UNE	Loop Rate		<u> </u>	LIEBAR	1.15001	40.15										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9D UEP9D	UECS1 UECS1	12.48										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D UEP9D	UECS1	16.31 21.32							-			-
 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS1	16.56							-			-
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	28.28										
UNE	Port Rate	1		•		,										
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		_	_
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local]		
	Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.70		15.25	8.45	3.91		30.89	7.03			
ΔI L	Local Area Y, LA, MS, SC, & TN Only		 	UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			†
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.70		15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.70		15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		1	UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

CATEGORY	xhibit: C
Act ELEMENTS	ntal Incremental
ATE CLEMENTS and 200 BCS WEST STATES (1) STA	
ATTECHNOMY RATE ELEMENTS May 2009 ROSE SACTION SA	
Part Victor Contact Part Contact Part	
New York Class For Centre 1.5	
Process	
No. Section	st Disc Add'l
No. Section	
E-Miler Visio Global Prof. Common CERS-450033	N SOMAN
2-Wiles Votes Grants Prof. Control (1885 A65) 1.70 1	1 JOINAIN
2-Wine Visco Grade Part (Centerwife Selection (1) 1.70	-
2-Wive Votes Grade Pot Controval Cells DNR (Victoria) 30,000 7,000 1,7	+
2-Wire Votes Grande Prof (Centrevolating Wing Lamp Indications)	+
Indication(3)	-
2-Wire Voto Grade Port CentrewReft (Vig Large Indication) 3 UEPPO UEPQ 1,70 22,14 15,25 8,45 3,91 30,98 7,03	
2-Wire Votor Grade Port (Centres/differ SVC, FBS-P8ET)2, 3. UEPRO UEPCO 170 22.14 15.25 8.45 3.91 30.80 7.03	-
2 Vivin Vicco Grade Port (Centrevidifier SWC, EBS-MESCH)2, 3 UEP90 UEPO0 1,70 22.14 15.26 8.46 3.91 30.89 7.03 2.70	+
2-Wine Vision Grade Port (Contravelidite SWC (FIBS-MS00)g. 3 UEPRO UEPO 1,70 22.14 15.25 8.45 3.91 30.89 7.03	
2-Wire Voice Grade Port Centrevidifier SWC #BS-M5009(2, 3)	+
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M52192, 3 UEPPD UEPOR 1,70 22,14 15,25 8,45 3,91 30,89 7,03	-
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M52192, 3 UEPPD UEPOR 1,70 22,14 15,25 8,45 3,91 30,89 7,03	
2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M512)2, 3	$-\!$
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP04 1.70 22.14 15.25 8.46 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP05 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP06 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP06 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP06 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP07 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Difficulty of the Voice	
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP04 1.70 22.14 15.25 8.46 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP05 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP06 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP06 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP06 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M65092, 3 UEP90 UEP07 1.70 22.14 15.25 8.45 3.91 30.88 7.03 2-Wire Voice Grade Port (Difficulty of the Voice	
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M6089)2, 3 UEP90 UEPQ5 1.70 22.14 15.25 8.45 3.91 30.89 7.03	
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M6089)2, 3 UEP90 UEPQ5 1.70 22.14 15.25 8.45 3.91 30.89 7.03	
2-Wire Voice Grade Port (Centrevidifier SWC /EBS-M6216)2, 3	
2-Wire Voice Grade Port (Centrex/differ SWC_/EBS-M6248)2, 3 UEP9D UEP0D UEP0B 1.70 22.14 15.25 8.45 3.91 30.89 7.03	
2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5216)2, 3 UEP9D UEP07 1.70 22.14 15.25 8.45 3.91 30.88 7.03	
2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-M5216)2, 3 UEP9D UEP07 1.70 22.14 15.25 8.45 3.91 30.88 7.03	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	
Carrier Nierom Fortability Deep Content	
Carrier Nierom Fortability Deep Content	
Term	
2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEP02 1.70 22.14 15.25 8.45 3.91 30.89 7.03 Cantrex Intercom Funtionality, per port UEP9D UEP02 1.70 22.14 15.25 8.45 3.91 30.89 7.03 Cantrex Intercom Funtionality, per port UEP9D URECS 0.6381	
Control Number Portability Control Number	
Control Number Portability Control Number	
Local Switching	
Centrex Intercom Funtionality, per port UEP9D URECS 0.6381	
Local Number Portability Local Number Portability (1 per port) UEPPD UPPC 0.35	
Local Number Portability (1 per port)	
Features	
All Standard Features Offered, per port UEP9D UEPVF 0.00 30.89 7.03	
All Select Features Offered, per port	
All Centrex Control Features Offered, per port UEP9D UEPVC 0.00	
NARS Unbundled Network Access Register - Combination UEP9D UARCX 0.00	-
Unbundled Network Access Register - Combination	
Unbundled Network Access Register - Inward	
Unbundled Network Access Register - Outdial	
Miscellaneous Terminations 2-Wire Trunk Side	
2-Wire Trunk Side	
Trunk Side Terminations, each	
4-Wire Digital (1.544 Megabits)	
DS1 Circuit Terminations, each	
DS0 Channels Activated per Channel UEP9D M1HDO 0.00 108.67 30.89 7.03	$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$
Interoffice Channel Mileage - 2-Wire	
Interoffice Channel Facilities Termination	
Interoffice Channel mileage, per mile or fraction of mile UEP9D MIGBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.66	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.66	$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.66	$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66	
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.66	
I I Footure Activation on D.4 Channel Bank EV Trunk Cide Loop	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9D 1PQW7 0.66	

UNRUI	NDI FI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	bit: C
3,4001	.0221	- HELLIGING - Telliessee					l					Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.66										
$\perp \perp \downarrow$		Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	400000	0.00										
\vdash		Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	<u> </u>	UEP9D UEP9D	1PQWQ 1PQWA	0.66 0.66					-					
 	Non-Po	curring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	<u> </u>	UEP9D	TPQVVA	0.00					-					
	NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed	1			+						-		-		-	
		changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
+		New Centrex Standard Common Block	!		UEP9D	M1ACS	0.00	658.60	0.29	1			30.89	7.03	 	t	
 		New Centrex Standard Common Block	1	1	UEP9D	M1ACC	0.00	658.60					30.89	7.03	†	<u> </u>	
\vdash		NAR Establishment Charge, Per Occasion	t		UEP9D	URECA	5.50	68.57					30.89	7.03	1	1	1
l l		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	†			1								1.30	İ	1	İ
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1								İ	1	İ	İ
		ort/Loop Combination Rates (Non-Design)													1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP9E		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		23.02										
I	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP9E		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design	ļ	2	UEP9E		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		29.98										
	INC L	Design Parts		3	UEP9E	+	29.98							-			
		pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9E	UECS1	12.48					-					
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31					1			1		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9E	UECS1	21.32					1			1		
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
 		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 3	†	3	UEP9E	UECS2	28.28							1	1	t	1
l l	UNE Po	ort Rate	†	Ť		32002	25.20							1	İ	1	
		KY, LA, MS, & TN only	†			1								1	İ	1	İ
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area	<u></u>		UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>	<u></u>	L
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1														
igsquare		Area	ļ		UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1														
igspace		Center)2 Basic Local Area	ļ		UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ	ļ	ļ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		l	1					_			I _		I	1
igsquare		Term - Basic Local Area	ļ		UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEDOE	LIEDYO		00.4:	45.00	0.7-	0.01		00.00	7.00		I	1
$\vdash \vdash$		- Basic Local Area	!	<u> </u>	UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ	!	1
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1		LIEDOE	LIEDVO	4 70	00.44	45.05	0.45	0.01		20.00	7.00		I	1
\vdash	AI L/V	Basic Local Area	 	 	UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		-
⊢ —- ′	AL, KY,	LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex)	1	-	UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	 	 	
\vdash		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP9E UEP9E	UEPQA	1.70	22.14	15.25	8.45 8.45	3.91		30.89	7.03	1		-
$\vdash \vdash$		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 		UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	t	1
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLFBL	ULFUN	1.70	22.14	15.25	0.45	3.91		30.09	7.03	1	t	1
		Center)2	1		UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		I	1
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			C S(1V)	1.70	22.17	10.20	0.40	5.31	<u> </u>	30.00	7.00	1	I	
1		Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

CATEGORY RATE ELEMENTS Niter N	Exhibit: C
Part Part	
Part Part	
ATE ELEMENTS	
None Part	
Text	
Non-conting Non-conting	
Comparison	1st Disc Add'l
Comparison	
2 No. Notes Class Port Terminated in XI Mayeriatory equipments SEPPE SEPCE 1.70 22.14 15.28 8.46 3.91 20.88 7.00	ANI 0014ANI
2.Wine Votes Great Port Ferninand on 200 Service 10 PSP26 170 22.14 15.25 8.46 3.01 30.80 7.03	AN SOMAN
Diversion Notes for the reminenant on abl Service North DisPrise DisPri	
Coas Switching	
Centre Netrocon Functionally, per port	-+
Local Number Protesting DEPISE DIPCC 0.35	$-\!\!\!+\!\!\!\!-\!\!\!\!-$
Lucial Number Porticality (1 per port)	
Feature	
All Standard Features Offered, per port	$-\!\!\!+\!\!\!\!-\!\!\!\!-$
All Select Features Offered, per port	$-\!\!\!+\!\!\!\!-\!\!\!\!-$
August A	$-\!\!\!+\!\!\!\!-\!\!\!\!-$
NARS NARS	$-\!\!\!+\!\!\!\!-\!\!\!\!-$
Unbounded Network Access Register - Fording UEPPE UARCX 0.00 0	-+
Unbrounded Network Access Register - Voldal UEPPE UARIX 0.00 0.00 0.00 0.00 30.99 7.03	
Unbondien Nework Access Register - Outdid UEPPE UAROX 0.00 0.0	
Miscellaneous Terminations	
Wire Trunk Side	
Trunk Side Terminations, each UEPSE CENDS 8.78 22.14 15.25 8.45 3.31 30.89 7.03	
Avive Digital (1-54 Megabita)	
DS1 Circuit Terminations, each	
InterOffice Channel Mileage 2-Wire	
Interoffice Channel Mileage - 2-Wire	
Interoffice Channel Facilities Termination	
Interoffice Channel mileage, per mile or fraction of mile Peature Activations (SD) Centrex Loops on Channelized BSI Service Peature Activations Peature Activations Peature Activations Peature Activations Peature Activation on D-4 Channel Bank Centrex Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank Centrex Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Side Loop Slot Peature Activation on D-4 Channel Bank FX Time Slot Loop Slot Peature Activation on D-4 Channel Bank FX Time Slot Loop Slot Peature Activation on D-4 Channel Bank FX Time Slot Loop Slot Peature Activation on D-4 Channel Bank FX Time Slot Loop Slot Peature Activation on D-4 Channel Bank FX Time Slot Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank WATS Loop Slot Peature Activation on D-4 Channel Bank	
Feature Activations (DS9) Centrex Loops on Channell Bank Fature Activations Del Channel Bank Fature Activations on D-4 Channel Bank Fature No. 1984 Dept.	
December December	
Feature Activation on D-4 Channel Bank PX line Side Loop Slot UEP9E 1PQWB 0.66	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9E 1POW7 0.66	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9E 1PQW7 0.66	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP9E 1PQW7 0.66	
Slot	
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9E 1PQWP 0.66	
Different Wire Center	
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9E	
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP9E	
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP9E 1PQWQ 0.68	
Slot	
Feature Activation on D-4 Channel Bank WATS Loop Stot UEP9E IPQWA 0.66	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E USAC2 1.03 0.29 30.89 7.03	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E	
Changes, per port	
New Centrex Standard Common Block	
New Centrex Customized Common Block	
NAR Establishment Charge, Per Occasion	
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP93 14.18 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 3 UEP93 2 UEP93 18.01 UNEP93 2 UEP93 18.01 2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 3 UEP93 2 UEP93 3 UEP93 4 UEP93 4 UEP93 4 UEP93 4 UEP93 5 UEP93 5 UEP93 5 UEP93 6 UEP93 7 UEP93 7 UEP93 7 UEP93 8 UEP93	
UNE Port/Loop Combination Rates (Non-Design	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	
Non-Design	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	
Non-Design 2 UEP93 18.01	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP93 23.02	
Non-Design 3 UEP93 23.02	
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP93 18.26	
Design 1 UEP93 18.26 9 18.26 18	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	
Design 2 UEP93 23.33	

UNBUNDU	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Fvhi	bit: C
ONDONDE	TENTORIA ELEMENTO TENNESSEE										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually				Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CATEGORI	KATE EEEMENTO	m	20116	B00	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2 Wire VC Lean/2 Wire Voice Crade Bart (Contray) Bart Comba				-		FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOS		20.00										
L	Design		3	UEP93		29.98										
UNE	oop Rate			ļ												
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
UNE	Port Rate															
AL, K	Y, LA, MS, & TN only															
1 1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1												1		
	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	t			0		.0.20	0.40	3.01	-	55.55		1		
	Area			UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	1	OLI 90	OL: 111	1.70	22.14	10.20	0.40	3.91	1	30.09	1.03	1	1	
		I	1	UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Center)2 Basic Local Area			UEP93	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Temi			OLI 33	OLI QZ	1.70	22.14	10.20	0.40	5.51		30.03	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated in on Negarink of equivalent		-	UEP93	UEPQ2	1.70		15.25	8.45	3.91		30.89	7.03			
				UEF93	UEFQZ	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
Local	Switching Control Income Funding life and the control Income Inco	1	-	LIEDOS	LIDECC	0.0001	+ +		-		1	 	 	 	1	
	Centrex Intercom Funtionality, per port	1	-	UEP93	URECS	0.6381	ļ				1	1	1	1	1	
Local	Number Portability	ļ		LIEBAA	111000		├					ļ		ļ		
_	Local Number Portability (1 per port)	ļ		UEP93	LNCCC	0.35	1					ļ		ļ		
Featu		ļ		L	1		1					ļ		ļ		
	All Standard Features Offered, per port	<u> </u>	<u> </u>	UEP93	UEPVF	0.00	ļ				1		ļ	ļ	1	
	All Centrex Control Features Offered, per port	<u> </u>		UEP93	UEPVC	0.00						ļ		ļ		
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			
Misce	Ilaneous Terminations													1		
	e Trunk Side						1					İ				
	Trunk Side Terminations, each	1		UEP93	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03	İ	1	
4-Wir	e Digital (1.544 Megabits)	1			1	20			50	2.3.	1	1	1.30	1	1	
1	DS1 Circuit Terminations, each	1	t	UEP93	M1HD1	35.55	75.93	38.15	1		t	30.89	7.03	1	t	
	DS0 Channels Activated, Per Channel	1	t	UEP93	M1HDO	0.00	108.67	55.15			-	30.89	7.03	1		
Interc	ffice Channel Mileage - 2-Wire	 	-	021 00	MILLIDO	0.00	100.07				1	30.09	7.03	1	1	
mierc	Interoffice Channel Facilities Termination	1	1	UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91	+	30.89	7.03	1	 	
	Interoffice Channel mileage, per mile or fraction of mile	1	 	UEP93	MIGBM	0.0174	22.14	15.25	0.40	3.91	 	30.09	1.03	1	-	
Faster			 	OLF 30	IVIIODIVI	0.0174	1		-		 	-	 	1	-	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	-	 	+		+ +		ļ		1	 	 	 	1	
D4 Ch	nannel Bank Feature Activations	!	-	LIEDOO	4001110		+ +		1		-	1	-	1	-	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP93	1PQWS	0.66								ļ		
	L	1	1	l	1	_						I			1	
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66			L					<u> </u>	<u> </u>	

IINRI	INDI F	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhi	bit: C
UND	INDLE	NETWORK ELEMENTS - Tellilessee			I							Svc Order		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
			lutani									Elec		Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nananaarinaa		Namaaaaa	. Diacommont			000	Detec(f)		
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop						FIISL	Add I	FIISL	Addi	SOWIEC	JOWAN	SOWAN	JOWAN	SOWAN	JOWAN
		Slot			UEP93	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP93	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWV	0.66										-
		Slot			UEP93	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	1	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			ļ
-	1	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP93 UEP93	M1ACC URECA	0.00	658.60 68.57					30.89 30.89	7.03 7.03			
-	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			UEP93	UKECA		08.57					30.89	7.03			+
-		- Required For for Centrex Control in TAESS, 3ESS & EWSD				+	†										—
		- Requires Specific Customer Premises Equipment															İ
UNBU		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
		tet Rates are applied where BellSouth is not required by FCC					ındled Local Sv	vitching or Swi	itch Ports.								
		irring Charges for all Standard Centrex and Centrex Conrol Fe															
		Office and Tandem Switching Usage and Common Transport														A 1 1'4' 1 NIF	1
		first and additional Port nonrecurring charges apply to Not Cเ เIso and are categorized accordingly.	urrentiy	Comb	inea Combos. Fo	r Currently Co	ombinea Combo	s, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	entry Combin	ed sections. I	Additional Nr	kcs may
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	1		1		1							l		l	ı
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
		Non-Design		1	UEP91		26.48										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	UEP91		30.31										
	1	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91		30.31										
		Non-Design		3	UEP91		35.32										
	UNE P	ort/Loop Combination Rates (Design)		Ť	02. 0.		00.02										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		30.56										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDO4	1											
<u> </u>	1	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		35.63										1
		Design		3	UEP91	1	42.28										
	UNE I	pop Rate		3	OLI 31	+	42.20					 	 		1	 	†
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32	_			·			_			
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
<u> </u>	 	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91 UEP91	UECS2	21.63 28.28					-			1		
-	UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										+
—		tes (Except North Carolina and Sout Carolina)				+									1		
	5.0	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	İ	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				L.==:											
<u> </u>	<u> </u>	Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
—	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OFLAI	UEPTIVI	14.00	90.00	45.00	20.00	10.00		30.89	1.03			
		Term - Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
									0						•	·	·

UNBUN	DLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Fxhi	bit: C
O.V.DO.V.		THE INDICATE LEE MENTO TO MICO COO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
-		OME Visco On the Brattonia de Live Manufella de la cienta del cienta de la cienta del cienta de la cienta del cienta de la cienta del cienta de la cienta de la cienta de la cienta del cienta de la cienta de la cienta de la cie						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOA	LIEDVO	44.00	00.00	45.00	00.00	40.00		00.00	7.00			ĺ
-		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			ĺ
	ΙVV	LA, MS, & TN Only			UEF91	UEF12	14.00	90.00	45.00	20.00	10.00		30.69	7.03			
- A		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2			UEP91	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			İ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
L l		Term	<u></u>	<u>L</u>	UEP91	UEPQZ	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03	<u> </u>	<u> </u>	<u>1</u>
					_												
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Lo	ocal S	witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										L
Lo		umber Portability			LIEDA	LUBOO											
<u> </u>		Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0.35										
Fe	ature				LIEDOA	LIED) (E	0.00						00.00	7.00			
		All Standard Features Offered, per port			UEP91 UEP91	UEPVF UEPVS	0.00	400.70					30.89	7.03			
		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89 30.89	7.03 7.03			ļ
NI.	ARS	All Certifex Control Features Offered, per port			UEF91	UEFVC	0.00						30.69	7.03			
14/	ANO	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
М		aneous Terminations			02. 0.	07.11.071	0.00	0.00	0.00				00.00	7.00			
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
In		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4	1 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66							ļ	ļ		
														1	1		1
\vdash		Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDO4	400147	0.00							1	1		1
\vdash		Slot	-	-	UEP91	1PQW7	0.66			1		1	1	 	 	-	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										1
\vdash	-	Different Wile Cellel	-		OLF31	IF QVVF	0.00	-		1		-	}	1	1	1	
1 1		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66							1	1		1
\vdash		Feature Activation on D-4 Channel Bank Frivate Line Loop Slot	-		021 01	11 32 77 7	0.00			1			 	 	 		
		Slot			UEP91	1PQWQ	0.66										1
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66							1	1		
No		curring Charges (NRC) Associated with UNE-P Centrex			-		2.30							1	1		
		Conversion - Currently Combined Switch-As-Is with allowed															
L l		changes, per port	<u></u>	<u>L</u>	UEP91	USAC2		1.03	0.29	<u> </u>		<u> </u>	30.89	7.03	<u> </u>	<u> </u>	<u>1</u>
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
		Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UI		rt/Loop Combination Rates (Non-Design)		<u> </u>													!
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE									1	1		1
oxdot		Non-Design		1	UEP95		26.48					1	1	<u> </u>	<u> </u>	l	1

HINBUND	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Evt.:	bit: C
UNDUNDL	ED NETWORK ELEMENTS - Tellilessee		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						THOU	Auu i	THOU	Auu i	JOINEC	JONAN	JOHIAN	JOHIAN	JOHAN	JONAN
	Non-Design		2	UEP95		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		30.31	+				-			-		
	Non-Design		3	UEP95		35.32										
LINE			3	OLF 93		33.32	+				-			-		
UNE	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						+				-			-		
	Design		1	UEP95		30.56										
			'	UEF93		30.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE		25.02										
	Design			UEP95		35.63										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE		40.00						1		1		
1.05-	Design Peter	-	3	UEP95	1	42.28			1		1		1	 	1	
UNE	Loop Rate		<u> </u>	LIEDOE	LIECC1	10.70			ļ					-		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	ļ					ļ				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56	ļ									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
	Port Rate															
All S																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL. F	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		t	UEP95	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03	t	1	
	2-Wire Voice Grade Fort (Centrex with Carlet 15)1		1	00	J=. XII	14.00	55.55	-10.00	20.00	10.00		30.00	7.55	t	1	
1 1	Center)2			UEP95	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03	1		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		t			50	55.55	.0.50	20.00	.0.50	I	55.55		†	 	
1 1	Term			UEP95	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03	1		
 	10		1	J_1 JJ	JL1 44	14.00	30.00	45.00	20.00	10.00		30.09	7.03	 		
1 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPQ9	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	I	Ì	
 	2-Wire Voice Grade Port Terminated in on Negarink of equivalent		 	UEP95	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03	 	 	
El 9	GA Only		1	OLI 33	JL1 42	14.00	90.00	45.00	20.00	10.00	 	30.09	7.03	 	1	
	Switching		 		1		ł				1	1	1	 	1	
Loca	Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.6381			1		 	1	1	 	1	
1.000	Number Portability		1	OLF 30	UNLUG	0.0361	+		1		+	 	 	 	 	
Loca	Local Number Portability (1 per port)		 	LIEDOE	LNPCC	0.35			-		-			-		
Featu			 	UEP95	LINECC	0.35			-					 		
reatt			1	LIEDOE	LIEDVE	0.00			1		1	20.00	7.00	 	 	
	All Standard Features Offered, per port		1	UEP95	UEPVF	0.00	400.70				1	30.89	7.03	 	 	
 	All Select Features Offered, per port	-	1	UEP95	UEPVS	0.00	433.78		1		1	30.89	7.03	 	1	
—	All Centrex Control Features Offered, per port		<u> </u>	UEP95	UEPVC	0.00						30.89	7.03			
NAR			 	LIEBAS												
\vdash	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
igwdow	Unbundled Network Access Register - Indial		 	UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03	.	ļ	
<u> </u>	Unbundled Network Access Register - Outdial		ļ	UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
	ellaneous Terminations		<u> </u>		1									ļ		
2-Wii	e Trunk Side				1							ļ				
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
												Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-V		Digital (1.544 Megabits)	ļ		LIEDOE	MALIDA	05.55	75.00	00.45				00.00	7.00			
		DS1 Circuit Terminations, each DS0 Channels Activated, each	1		UEP95 UEP95	M1HD1 M1HDO	35.55 0.00	75.93 108.67	38.15				30.89 30.89	7.03 7.03			
Inte		ce Channel Mileage - 2-Wire			OLF 95	WITTIDO	0.00	100.07					30.69	7.03			
		Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174										
	ature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	J	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.66										
		Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP95	1PQWQ	0.66										
No		curring Charges (NRC) Associated with UNE-P Centrex			UEF95	IPQWA	0.00										
110		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
		CENTREX - DMS100 (Valid in All States)	ļ														
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design)				+						-					
OIN		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Non-Design		1	UEP9D		26.48										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		30.31										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		35.32										
UN		rt/Loop Combination Rates (Design)		Ŭ	02. 03		00.02										
	2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP9D		30.56										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2													
 		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	2	UEP9D	+	35.63					1					<u> </u>
		Design		3	UEP9D		42.28										
UN		op Rate	1														
	- 2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP9D	UECS1	21.32							ļ	ļ		
		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP9D UEP9D	UECS2 UECS2	16.56 21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
UN		rt Rate		<u> </u>		02002	20.20										
		ATES					<u> </u>										
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			l												
		Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
 		Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	<u> </u>		UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
		Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	(500 M500)					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	14.00	90.00	45.00		10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		 	UEP9D UEP9D	UEPQB UEPQC	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00	-	30.89 30.89	7.03 7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3		-	UEP9D UEP9D	UEPQT UEPQU	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00		30.89 30.89	7.03 7.03			
 	2-Wire Voice Grade Port (Centrex / EBS-N5206)3		1	UEP9D	UEPQV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	14.00	90.00	45.00	20.00	10.00		30.89	7.03		Ì	†
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC BCS USOC RATES(\$) RATES(\$) Svc Order Submitted Submitted Charge - C	UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
APTER ELEMENTS IN MARKE COLOR PLANT ELEMENTS IN MARKE AND	0.1.20.1.22.											Svc Order	Svc Order				Incremental
APTER ELEMENTS IN MARKE COLOR PLANT ELEMENTS IN MARKE AND												Submitted	Submitted	Charge -	Charge -	Charge -	
MAIL SCHEMAN Page			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
Bestronic Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note Name Canale Per Commonwhile Note															Electronic-	Electronic-	Electronic-
Print April South Sout																	Disc Add'l
Print April South Sout																	
2-74 2-74							Rec										
Principation 14-00 14-00 14-00 12-00	ļļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-New Votor Cloude Perf (Centercolline SVPC, FBS-NESS102, 3 UEPPID UEPOD 14.00 10.00 40.00 20.00 10.00 30.98 7.00																	
2-Wire Votas Clark Part (Certimotific SWC FIBS-MSD192, 3 DEPRO D																	
P Committed Section	ļļ				UEP9D	UEPQJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Average Closed Port Contrace Clifford (PMC PRESS AND 1967)		2-wire voice Grade Port (Centrex from diff Serving wire Center)															
2-Wire Voted Class Prof. (Centrovalifier SWC EBS-MG0092.3 UEP90 UEP02 14.00 50.00 45.00 20.00 10.00 30.59 7.05		2 Wise Value Conda Book (Contract/differ CMC /EBC BCET/2 2															
2-Wife Votos Grade Port (Centrecidifier SWC-RES-8509)C, 3 2-Wife Votos Grade Port (Centrecidifier SWC-RES-84019)C, 3 2-Wife Votos Grade Port (Centrec		2-wire voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
2-Wife Votos Grade Port (Centrecidifier SWC-RES-8509)C, 3 2-Wife Votos Grade Port (Centrecidifier SWC-RES-84019)C, 3 2-Wife Votos Grade Port (Centrec		3 Wire Voice Crade Bort (Centroy/differ SWC /EBS M5000)3 3			LIEDOD	LIEDOD	14.00	00.00	45.00	20.00	10.00		20.00	7.02			
2-Wire Vision Grade Part (Centescidiffer SWC RBS-M5112), 3 UEP90 UEPGS 14.00 90.00 45.00 20.00 10.00 30.80 7.03			1														
2-Wine Votes Grade Part (Centerworldiffer SWC (FBS-MS0192, 3 UEPPS UEPPS 14.00 90.00 45.00 20.00 10.00 30.89 7.03	-	2-Wile Voice Grade Port (Certifex differ SWC /EB3-3209)2, 3			UEP9D	UEFQQ	14.00	90.00	45.00	20.00	10.00		30.69	7.03			
2-Wine Votes Grade Part (Centerworldiffer SWC (FBS-MS0192, 3 UEPPS UEPPS 14.00 90.00 45.00 20.00 10.00 30.89 7.03	1 1	2-Wire Voice Grade Port (Centrey/differ SWC /EBS ME112)2 2	1		LIEDOD	LIEDOR	14.00	90.00	45.00	20.00	10.00		30.90	7 02			
2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5008)2, 3 2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5008)2, 3 2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5008)2, 3 2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5106)2, 3	 	12 TVIII VOICE CIAGE I OIL (CEITHENGINEI SVVC /LDG-IVISTIZ)Z, 3	 	\vdash	OLI 3D	OLI VI	14.00	50.00	40.00	20.00	10.00		30.09	1.03			
2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5008)2, 3 2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5008)2, 3 2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5008)2, 3 2-Wire Votos Grade Port (Centrexidiries SWC / EBS-M5106)2, 3		2-Wire Voice Grade Port (Centrey/differ SWC /FRS-M5312)2 3	1		LIEP9D	UEPOS	14 00	90.00	45 00	20.00	10.00		30.80	7 03			
2-Wire Voto Grade Port (Centrevidiffer SWC (EBS-M62092, 3 UEP90 UEP06 14.00 90.00 45.00 20.00 10.00 30.88 7.03	 	2 ***** ***** Orace orace i on (oeintexullier ovvo /Lbo-ivib312)2, 3	 		OL1 3D	ULI QU	14.00	90.00	45.00	20.00	10.00		30.09	1.03		1	
2-Wire Voto Grade Port (Centrevidiffer SWC (EBS-M62092, 3 UEP90 UEP06 14.00 90.00 45.00 20.00 10.00 30.88 7.03		2-Wire Voice Grade Port (Centrey/differ SW/C /ERS_MECCO)2 2	1		I IEP9D	LIEPO4	1/1 00	90.00	45.00	20.00	10.00		30 80	7 02			
2-Wire Voice Grade Port (Centrevoldfler SWC /EBS-MS216)2, 3	 	12 TVIIG VOICE GIAGE I OIT (GEITHENGINEI GWO/LDG-INDUO)2, 3	 	 	OLI 3D	ULI Q4	14.00	50.00	40.00	20.00	10.00		30.09	1.03			
2-Wire Voice Grade Port (Centrevoldfler SWC /EBS-MS216)2, 3		2-Wire Voice Grade Port (Centrey/differ SWC /FRS-M5208)2_3			LIEPAD	LIEPO5	14 00	90.00	45.00	20.00	10.00		30.89	7.03			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M6316)2, 3 UEP00 UEP07 14.00 90.00 45.00 20.00 10.00 30.88 7.03		2 WHO VOICE GRACE FOR (GOTHLEW WHICH GWYG / EBG WIGEGO)2, G			OLI OD	OLI QU	14.00	30.00	40.00	20.00	10.00		00.00	7.00			
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M6316)2, 3 UEP00 UEP07 14.00 90.00 45.00 20.00 10.00 30.88 7.03		2-Wire Voice Grade Port (Centrex/differ SWC /FBS-M5216)2_3			LIFP9D	UEPO6	14 00	90.00	45.00	20.00	10.00		30.89	7 03			
E-Vitre Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 14,00 90,00 45,00 20,00 10,00 30,88 7,00																	
E-Vitre Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 14,00 90,00 45,00 20,00 10,00 30,88 7,00		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Term																	
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEP02 14.00 90.00 45.00 20.00 10.00 30.89 7.03					UEP9D	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
2-Wire Vace Crade Port Terminated on 800 Service Term																	
2-Wire Vace Crade Port Terminated on 800 Service Term		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Cocet Number Portability					UEP9D												
Local Number Portability (1 per port)	Local	Switching															
Local Number Portability (1 per port)		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Features	Local	Number Portability															
All Standard Features Offered, per port UEPD UEPV 0.00 30.88 7.03		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
All Select Features Offered, per port	Featu																
All Centrex Control Features Offered, per port UEP9D UEP9C 0.00 30.88 7.03														7.03			
NARS								433.78									
Unbundled Network Access Register - Combination					UEP9D	UEPVC	0.00						30.89	7.03			
Unbundled Network Access Register - Inward UEP9D UAR1X 0.00 0.	NARS																
Unbundled Network Access Register - Outdial UEP9D UAROX 0.00 0																	
Miscellaneous Terminations	\vdash																
2-Wire Trunk Side			<u> </u>	 	UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03		ļ	
Trunk Side Terminations, each			 	ļ		1				1	-					1	
4-Wire Digital (1.544 Megabits)	2-Wire		 	1	LIEDOD	CENIDO	0.70	00.00	45.00	20.00	40.00	-	20.00	7.00			
DS1 Circuit Terminations, each	4 1A/:		 		UEF9D	CENDO	8.78	90.00	45.00	20.00	10.00		30.89	7.03		-	
DS0 Channels Activiated per Channel UEP9D M1HDO 0.00 108.67 30.89 7.03	4-1/170		 	 	HEDOD	M1HD1	2E EE	75.02	20 45	1			20.00	7 02			
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination UEP9D MIGBC 18.58 90.00 45.00 20.00 10.00 30.89 7.03 Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile UEP9D MIGBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.66 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66 UEP9D 1PQWP 0.66	 		1						30.13			1					
Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile UEP9D MIGBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.66 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.66	Intere		 		OL1 3D	IVI II IDO	0.00	100.07		1			30.09	1.03		1	
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWS 0.66	Intero		 	 	LIFP9D	MIGRO	18 58	90.00	45 00	20.00	10.00		30.80	7 03			
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66 Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66	 							33.00	-10.00	20.00	10.00		55.55	7.00			
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.66 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.66 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66 UEP9D 1PQWP 0.66	Featu		e				0.0	1			1					1	
Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQW7 0.66 UEP9D 1PQW7 0.66																	
Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Different Wire Center UEP9D 1PQW7 0.66 UEP9D 1PQWP 0.66			1		UEP9D	1PQWS	0.66	i			İ					İ	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center DEPPD 1PQW7 0.66 UEP9D 1PQWP 0.66 UEP9D 1PQWP 0.66					-												
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center DEPPD 1PQW7 0.66 UEP9D 1PQWP 0.66 UEP9D 1PQWP 0.66	1 1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQW6	0.66]									
Slot UEP9D 1PQW7 0.66 Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.66 UEP9D 1PQWP 0.66																	
Different Wire Center	I	Slot	<u> </u>		UEP9D	1PQW7	0.66	<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u></u>		<u> </u>	
Different Wire Center		Feature Activation on D-4 Channel Bank Centrex Loop Slot -						j									
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.66		Different Wire Center			UEP9D	1PQWP	0.66									<u> </u>	
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.66																	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>		UEP9D	1PQWV	0.66										

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2		ibit: C
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Francisco D. A. Characal David Tillia (Translation						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										+
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 02		0.00										†
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			<u> </u>
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
UNITE	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			+
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											+
	ort/Loop Combination Rates (Non-Design)		 	 	+						 	 				+
OIAL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		!	+	+						 					+
	Non-Design		1	UEP9E		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Non-Design		2	UEP9E		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l		·										
	Non-Design		3	UEP9E		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF9E	1	30.36					1					+
	Design		2	UEP9E		35.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		00.00										1
	Design		3	UEP9E		42.28										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										4
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2	UEP9E UEP9E	UECS2 UECS2	16.56 21.63	-		-							+
_	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										+
UNE P	ort Rate		3	OLI SL	02002	20.20										+
	., KY, LA, MS, & TN only															1
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				T		20.5		I							
	Area		!	UEP9E	UEPYH	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	UEPYM	14.00	00.00	45.00	20.00	10.00		20.00	7.00			
_	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	UEP9E	UEPTIVI	14.00	90.00	45.00	20.00	10.00		30.89	7.03			+
	Term - Basic Local Area			UEP9E	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>		1	00	55.55	.0.00	20.00	.0.00		55.55				
	- Basic Local Area		1	UEP9E	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -					-										
	Basic Local Area			UEP9E	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
AL, KY	Y, LA, MS, & TN Only			LIEDOE	LIEBC:		22.25									
	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP9E	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			↓
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		 	UEP9E UEP9E	UEPQB UEPQH	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00		30.89 30.89	7.03 7.03			
_	2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire		 	OLPAE	UEFUN	14.00	90.00	45.00	20.00	10.00		30.89	1.03			
	Center)2		1	UEP9E	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
- -	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>				55.55	.0.00	20.00	.0.00		55.55				
	Term		<u> </u>	UEP9E	UEPQZ	14.00	90.00	45.00	20.00	10.00	L	30.89	7.03			
		_										I				T
$+\!\!-$							l l		l J							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E UEP9E	UEPQ9 UEPQ2	14.00 14.00	90.00 90.00	45.00 45.00	20.00 20.00	10.00 10.00		30.89 30.89	7.03 7.03			

HINRHIND	LED NETWORK ELEMENTS - Tennessee												Attachment:	2	Evhil	bit: C
ONBOND	LED NETWORK ELEMENTS - Tellilessee		1		1 1						Svc Order	Svc Order	Incremental		Incremental	Incremental
ł											Submitted	Submitted		Charge -	Charge -	Charge -
ł											Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
i	NATE ELEMENTO	m		200	0000			π. Ευ(φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
í													Electronic-	Electronic-	Electronic-	Electronic-
í													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$			1				Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)		l .
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381	11130	Auu i	THOU	Auu i	JOINEC	JONAN	JOHIAN	JONAN	JOHAN	JONAN
Loc	al Number Portability			OLI OL	OKEGO	0.0301										
	Local Number Portability (1 per port)		+	UEP9E	LNPCC	0.35	+				-					
For	tures		+	OLFBL	LINECC	0.33	+				-					
rea	All Standard Features Offered, per port		+	UEP9E	UEPVF	0.00	+				-	30.89	7.03			
+	All Select Features Offered, per port	+	+	UEP9E	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port		+	UEP9E	UEPVC	0.00	433.76				-	30.89	7.03			
NAF			-	UEP9E	UEFVC	0.00						30.69	7.03			
INAI	Unbundled Network Access Register - Combination		-	UEP9E	UARCX	0.00	0.00	0.00				30.89	7.03			
		-	-	UEP9E	UAR1X	0.00	0.00	0.00				30.89	7.03			
+	Unbundled Network Access Register - Indial		-													
	Unbundled Network Access Register - Outdial	1	+	UEP9E	UAROX	0.00	0.00	0.00	-		-	30.89	7.03			-
	cellaneous Terminations	1	1		 		 		1		1		1	1		
2-W	ire Trunk Side	1	1	LIEDOE	CENIDO	0.70	00.00	45.00	20.00	40.00	1	20.00	7.00	1		-
	Trunk Side Terminations, each	-	-	UEP9E	CEND6	8.78	90.00	45.00	20.00	10.00	1	30.89	7.03			
4-W	ire Digital (1.544 Megabits)	-	 	LIEBOE	MALIE				ļ			60.0-				
	DS1 Circuit Terminations, each		<u> </u>	UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel	1	1	UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Inte	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 (Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
ı l																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
i l	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
ı l	Slot			UEP9E	1PQW7	0.66										
i I	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
ı l	Different Wire Center			UEP9E	1PQWP	0.66										
i I																
ı l	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
i I	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
ı l	Slot			UEP9E	1PQWQ	0.66										
í	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Nor	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed						İ									
ı l	changes, per port		1	UEP9E	USAC2		1.03	0.29			1	30.89	7.03	Ì		1
<i>i</i>	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	658.60					30.89	7.03			1
i l	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
-	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
UNI	E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)						İ									
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		1		1									1
	Port/Loop Combination Rates (Non-Design)				1 1		i i					İ				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-			1											
ı l	Non-Design		1	UEP93		26.48]					l	Ì	Ì		1
$\overline{}$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-			1											
ı l	Non-Design		2	UEP93		30.31							Ì	Ì		
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-1	 		1 1		1				1	1	1	1		1
ı I	Non-Design		3	UEP93		35.32						1				
UNI	Fort/Loop Combination Rates (Design)	1	Ť		1 1	33.32	 						1	1		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	1		1							1	1	1		
ı l	Design		1	UEP93		30.56							Ì	Ì		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	. †	† ·		1 1	55.00	 				-	 	 	 		l
	Design		2	UEP93		35.63							Ì	Ì		
١	I =3	+	+-		1	55.00	 				-	 	 	 		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrey)Port Combo -	- 1														ī
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	3	UFP93		42 28										
LIME	Design		3	UEP93		42.28										
UNE			3	UEP93 UEP93	UECS1	42.28 12.48										

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: C
J.NDE	Tomosoo	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -			Charge -
														Charge -	Charge -	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR Manually per LSR	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-			-	1	Name a comina a		Name and a second to a	. Diazzanast			000	D-4(f)		
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
			_			24.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area	l		UEP93	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire											1				
	Center)2 Basic Local Area	1	1	UEP93	UEPYM	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	Ì		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 00	02	1 1.00	00.00	10.00	20.00	10.00		00.00	7.00			
	Term - Basic Local Area	1	1	UEP93	UEPYZ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	Ì		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	OLI 33	OLITZ	14.00	30.00	45.00	20.00	10.00		30.03	7.05			
				UEP93	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	- Basic Local Area	-		UEP93	UEPT9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOO	LIEDVO	44.00	00.00	45.00	00.00	40.00		00.00	7.00			
	Basic Local Area			UEP93	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP93	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featu																
	All Standard Features Offered, per port	l	t	UEP93	UEPVF	0.00					-	1		 		
 	All Centrex Control Features Offered, per port		-	UEP93	UEPVC	0.00					1			 		1
NARS			 	OLI 33	OLI VO	0.00								-		
INAKS	Unbundled Network Access Register - Combination	1	-	UEP93	UARCX	0.00	0.00	0.00			+	30.89	7.03	 	1	
\vdash	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 	 	UEP93	UARCX UAR1X	0.00	0.00	0.00			 	30.89	7.03			
		 	-								1			 		1
	Unbundled Network Access Register - Outdial	!	-	UEP93	UAROX	0.00	0.00	0.00			1	30.89	7.03	 	-	1
	ellaneous Terminations	!	-		+						1	-		 	-	1
2-Wir	e Trunk Side	 		115500	051150											
	Trunk Side Terminations, each			UEP93	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)	<u> </u>	<u> </u>								1	ļ		ļ		1
	DS1 Circuit Terminations, each	ļ		UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination		$oldsymbol{ol}}}}}}}}}}}}}}}}$	UEP93	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	· ·															
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	1	1	UEP93	1PQW6	0.66					1	1		Ì		1
<u> </u>	Feature Activation on D-4 Channel Bank FX Trunk Side Loop													İ		
1 1	Slot	1	1	UEP93	1PQW7	0.66						1		Ì		1
 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			- "	1	5.50					1	1			1	1

UNBUNDLED NETWORK ELEMENTS - Tennessee														2	Exhibit: C		
											Svc Order				Incremental	Incremental	
											Submitted		Charge -		Charge -		
	RATE ELEMENTS			ne BCS						Elec					Manual Svc		
CATEGORY		Interi	Zone		USOC					per LSR	-	Order vs.			Order vs.		
		m						(+/			per Lak	per LSR					
													Electronic-	Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l	
						Rec	Nonrecurring		Nonrecurring	Disconnect	OSS Rates(\$)						
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										i	
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop																
	Slot			UEP93	1PQWQ	0.66										i l	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66											
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed																
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			i l	
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03				
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD																
Note 2	- Requres Interoffice Channel Mileage																
Note 3	- Requires Specific Customer Premises Equipment																
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Condition	ons.										