BELLSOUTH® / CLEC Agreement

Customer Name: Alternative Telecommunications, Inc.

| Alternative Telecommunications 2006 wo Swtc | 2 |
|--|-----|
| Table of Contents | 3 |
| General Terms and Conditions | 5 |
| Signature Page | 24 |
| Att 1 - Resale | 25 |
| Att 1 - Resale Discounts & Rates | 47 |
| Att 2 - Network Elements & Other Services | 56 |
| Att 2 - Network Element Rates Exh A | 99 |
| Att 2 - Network Element Rates, Exh B | 235 |
| Att 3 - Network Interconnection | 262 |
| Att 3 - Network Interconnection Rates | 292 |
| Att 4 - Collocation - Central Office | 310 |
| Att 4 - Collocation - Remote Site | 360 |
| Att 4 - Collocation Rates - Exhibit B | 400 |
| Att 5 - Access to Numbers and Number Portability | 446 |
| Att 6 - Ordering | 452 |
| Att 7 - Billing | 461 |
| Att 7 - CMDS Rates | 475 |
| Att 8 - Rights of Way | 484 |
| Att 9 - Perf Meas Intro | 486 |
| Att 10 - Disaster Recovery Plan | 488 |
| Att 11 - RFR and NRR Process | 497 |

Interconnection Agreement

Between

BellSouth Telecommunications, Inc.

and

Alternative Telecommunications, Inc.

TABLE OF CONTENTS

General Terms and Conditions

| \mathbf{r} | Co. | • . • | |
|--------------|------|-------|-----|
| ı, | efir | niti | nns |

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- **26.** Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation Central Office**
- **Attachment 4 Physical Collocation Remote Site**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- **Attachment 7 Billing**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request and New Business Request Process**

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Alternative Telecommunications, Inc. (Alternative), Louisiana corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Alternative or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Alternative is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; Alternative wishes to purchase certain services from BellSouth; and

WHEREAS, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Alternative agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent (10%).

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Version: 2Q05 Standard ICA

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 Alternative agrees to provide BellSouth in writing Alternative's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Alternative is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Alternative may not purchase services hereunder in that state. Alternative will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, Alternative may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approval.
- 1.3 Should Alternative's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, or BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. Alternative shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

Version: 2Q05 Standard ICA

2. Term of the Agreement

- 2.1 The initial term of this Agreement shall be three (3) years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- 2.3.1 Alternative may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to Alternative. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Alternative pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.

Version: 2Q05 Standard ICA

- If, at any time during the term of this Agreement, BellSouth is unable to contact Alternative pursuant to the Notices provision hereof or any other contact information provided by Alternative under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to Alternative pursuant to the Notices section hereof.
- 2.5 In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.

3. Nondiscriminatory Access

When Alternative purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Alternative shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of Alternative shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Alternative.

4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services for Alternative, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Alternative End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Alternative End Users for the same length of time it maintains such information for its own End Users.
- 4.2 <u>Subpoenas Directed to Alternative.</u> Where BellSouth is providing resold services to Alternative, then Alternative agrees that in those cases where Alternative receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Alternative End Users, and where Alternative does not have

Version: 2Q05 Standard ICA

the requested information, Alternative will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with Section 4.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

5 Liability and Indemnification

- Alternative Liability. In the event that Alternative consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using Alternative's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of Alternative under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> BellSouth shall not be liable to Alternative for any act or omission of another entity providing any services to Alternative.
- 5.3 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to Alternative pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to Alternative pursuant to this Agreement.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 5.3.2 Neither BellSouth nor Alternative shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of

Version: 2Q05 Standard ICA

a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.

- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

6 Intellectual Property Rights and Indemnification

Version: 2Q05 Standard ICA

- No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

6.3 <u>Intellectual Property Remedies</u>

6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

6.3.2 Claim of Infringement

6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:

Version: 2Q05 Standard ICA

- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

7 Proprietary and Confidential Information

Proprietary and Confidential Information. It may be necessary for BellSouth and Alternative, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

Version: 2Q05 Standard ICA

7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

7.3 <u>Exceptions</u>

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue

Version: 2Q05 Standard ICA

resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any

Version: 2Q05 Standard ICA

proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

- 9.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided,

Version: 2Q05 Standard ICA

however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- 9.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Alternative, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased);

Version: 2Q05 Standard ICA

provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to Alternative any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

12 Modification of Agreement

- 12.1 If Alternative changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Alternative to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, Alternative shall provide BellSouth with any necessary supporting documentation.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Alternative or BellSouth to perform any material terms of this Agreement, Alternative or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the dispute resolution process set forth in Section 8 above.

13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

14 Indivisibility

Version: 2Q05 Standard ICA

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

18 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each

Version: 2Q05 Standard ICA

state that Alternative is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Alternative shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) Alternative pays all bills, past due and current, under this Agreement, or (2) Alternative's assignee expressly assumes liability for payment of such bills.

In the event that Alternative desires to transfer any services hereunder to another provider of Telecommunications Service, or Alternative desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

19 Notices

With the exception of billing notices, governed by Attachment 7, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 10th floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Alternative Telecommunications, Inc. Gregory Thomas V.P. 2501 Delta Pointe Drive Marrero, LA 70072 (504) 367-6252 telcom2@bellsouth.net

Version: 2Q05 Standard ICA

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

20 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Alternative is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

24 Compliance with Law

Version: 2Q05 Standard ICA

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. Consistent with Section 252(a) of the Act and to the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

27. Rates

- Alternative shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill Alternative for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement. To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- To the extent Alternative requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

28 Rate True-Up

28.1 This section applies to rates that are expressly subject to true-up.

Version: 2Q05 Standard ICA

- The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Alternative specifically or upon all carriers generally, such as a generic cost proceeding.

29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

30 Entire Agreement

- 30.1 This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Alternative acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- Any reference throughout this Agreement to a tariff, industry guideline,
 BellSouth's technical guideline or reference, BellSouth business rule, guide or
 other such document containing processes or specifications applicable to the
 services provided pursuant to this agreement, shall be construed to refer to only
 those provisions thereof that are applicable to these services, and shall include any

Version: 2Q05 Standard ICA

successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned.

Version: 2Q05 Standard ICA

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By:

Name: Kristen E. Shore

Title: Director

Date:

Alternative Telecommunications, Inc

By:

Name: Enviory A.

Title:

Date: //- 65-05

Version: 2Q05 Standard ICA 09/29/05

Attachment 1

Resale

Version: 2Q05 Standard ICA

Table of Contents

| 1. | Discount Rates | 4 |
|-----|--|-----------|
| 2. | Definition of Terms | 4 |
| 3. | General Provisions | 4 |
| 4 | BellSouth's Provision of Services to Alternative | 9 |
| 5. | Maintenance of Services | 10 |
| 6. | Discontinuance of Service | 10 |
| 7. | White Pages Listings | 10 |
| 8. | Operator Services (Operator Call Processing and Directory Assistance) | 12 |
| 9. | Branding for Wholesale OCP and DA | 13 |
| 10. | LIDB | 14 |
| 11. | Revenue Accounting Office (RAO) Hosting | 15 |
| 12. | Optional Daily Usage File (ODUF) | 15 |
| 13. | Enhanced Optional Daily Usage File (EODUF) | 15 |
| Res | ale Restrictions | Exhibit A |
| Opt | tional Daily Usage File (ODUF) | Exhibit B |
| Enh | nanced Option Daily Usage File (EODUF) | Exhibit C |
| Res | ale Discounts and Rates | Exhibit D |

Version: 2Q05 Standard ICA 07/06/05

RESALE

Version: 2Q05 Standard ICA 07/06/05

1. Discount Rates

- 1.1 The discounts rates applied to Alternative's purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit D. Such discounts have been determined by the applicable Commission
 to reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Alternative for the purposes of resale to Alternative's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D and subject to the exclusions and limitations set forth in Exhibit A.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Alternative, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Alternative for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Alternative provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations

Version: 2Q05 Standard ICA

and discounts for the tariffing state will apply. Billing will be from the serving state.

- Alternative as a reseller of Lifeline and Link-Up Services hereby certifies that it has and will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 417(a) and (b). This includes the requirements set forth in BellSouth's GSST, Sections A3.31 and A4.7.
- 3.2.1 Alternative shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and Alternative shall provide such documentation to the FCC or it's Administrator upon request.
- 3.2.2 In Tennessee, if Alternative does not resell Lifeline service to any End Users, and if Alternative agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event Alternative resells Lifeline service to any End User in Tennessee, BellSouth will begin applying the sixteen percent (16%) discount rate to all services. Upon Alternative and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service End Users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- 3.2.2.2 Alternative must provide written notification to BellSouth within thirty (30) days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- 3.3 Alternative may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 Alternative must resell services to other End users.
- 3.3.2 Alternative cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3.3 Alternative will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Alternative for said services.
- 3.4 Alternative will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Alternative. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End

Version: 2Q05 Standard ICA

Users of Alternative. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 BellSouth will accept a request from another CLEC for conversion of the End User's service from Alternative to such other CLEC. Upon completion of the conversion BellSouth will notify Alternative that such conversion has been completed.
- 3.5.2 When an End User of Alternative or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.3 BellSouth and Alternative will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Alternative to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Alternative, BellSouth will provide Alternative with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Alternative acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Alternative acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Alternative shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Alternative to designate up to one hundred (100) intermediate telephone numbers per CLLIC, for Alternative's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Alternative acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six (6) months supply of numbering resources.

Version: 2Q05 Standard ICA

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Alternative's End Users, pursuant to Section 4 of General Terms and Conditions.
- 3.13 If Alternative or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Alternative has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Alternative remain the property of BellSouth.
- 3.15 Service Ordering and Operations Support Systems (OSS)
- 3.15.1 Alternative must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Alternative may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by BellSouth.
- 3.15.2 LSRs submitted by means of one of these interactive interfaces will incur an electronic service order charge as set forth in Exhibit D. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual service order charge as set forth in Exhibit D. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line (CF/B)
 - Call Forward Don't Answer (CF/DA)

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

Version: 2Q05 Standard ICA

- 3.17 BellSouth shall provide branding for, or shall unbrand, voice mail services for Alternative per the Bona Fide Request/New Business Request process as set forth in Attachment 11.
- 3.18 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.19 In the event Alternative acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Alternative that Special Assembly at the wholesale discount at Alternative's option. Alternative shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.20 BellSouth shall provide 911/E911 for Alternative End Users in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Alternative customer information to the Public Safety Answering Point (PSAP). BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Alternative customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- 3.21 Pursuant to 47 C.F.R. § 51.617, BellSouth shall bill to Alternative, and Alternative shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

Version: 2Q05 Standard ICA 07/06/05

4 BellSouth's Provision of Services to Alternative

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's GSST, Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Alternative to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Alternative shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Alternative for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If Alternative cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and Private Line Services Tariffs.
- 4.4 Service Jointly Provisioned with an Independent Company or CLEC
- 4.4.1 BellSouth will in some instances provision resold services in accordance with BellSouth's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC.
- 4.4.2 When Alternative assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to Alternative.
- 4.4.4 Alternative must establish a billing arrangement with the ICO or other CLEC prior to assuming an End User account where such circumstances apply.

Version: 2Q05 Standard ICA

4.4.5 Specific guidelines regarding such services are available on the BellSouth Interconnection Web site.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Alternative or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Alternative accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Alternative will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Alternative shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth reserves the right to contact Alternative's End Users, if deemed necessary, for maintenance purposes.

6. Discontinuance of Service

- The procedures for discontinuing service to an End User are as follows:
- 6.1.1 BellSouth will deny service to Alternative's End User on behalf of, and at the request of, Alternative. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Alternative.
- At the request of Alternative, BellSouth will disconnect a Alternative End User.
- All requests by Alternative for denial or disconnection of an End User for nonpayment must be in writing.
- Alternative will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- BellSouth will continue to process calls made to the Annoyance Call Center and will advise Alternative when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Alternative and/or the End User against any claim, loss or damage arising from providing this information to Alternative. It is the responsibility of Alternative to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

7. White Pages Listings

7.1 BellSouth shall provide Alternative and its End Users access to white pages directory listings under the following terms:

Version: 2Q05 Standard ICA

- 7.1.1 <u>Listings.</u> Alternative shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Alternative residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Alternative and BellSouth End Users. Alternative shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> Alternative will be required to provide to BellSouth the names, addresses and telephone numbers of all Alternative End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.3 <u>Inclusion of Alternative End Users in Directory Assistance Database.</u> BellSouth will include and maintain Alternative End User listings in BellSouth's Directory Assistance databases. Alternative shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Alternative's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as Alternative provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Alternative one (1) basic White Pages directory listing per Alternative End User at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Alternative End User at no charge or as specified in a separate agreement between Alternative and BellSouth's agent.
- 7.3 Procedures for submitting Alternative Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Alternative authorizes BellSouth to release all Alternative SLI provided to BellSouth by Alternative to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS) in BellSouth's GSST. Such Alternative SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to Alternative for BellSouth's receipt of Alternative's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the

Version: 2Q05 Standard ICA

release of Alternative's SLI, or costs on an ongoing basis to administer the release of Alternative's SLI, Alternative shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Alternative's SLI, Alternative will be notified. If Alternative does not wish to pay its proportionate share of these reasonable costs, Alternative may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Alternative shall amend this Agreement accordingly. Alternative will be liable for all costs incurred until the effective date of the amendment.

- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Alternative under this Agreement. Alternative shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Alternative listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Alternative any complaints received by BellSouth relating to the accuracy or quality of Alternative listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- 8.2 Upon request for BellSouth OCP, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls.
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to Alternative End User's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and ELI requests.

Version: 2Q05 Standard ICA

8.2.9 Process emergency call trace originated by PSAP. 8.2.10 Process operator-assisted DA calls. 8.2.11 Adhere to equal access requirements, providing Alternative local End Users the same IXC access that BellSouth provides its own operator service (OS). 8.2.12 Exercise at least the same level of fraud control in providing OS to Alternative that BellSouth provides for its own OS. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Alternative. 8.2.15 Provide call records to Alternative in accordance with Optional Daily Usage File (ODUF) standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards. 8.3 DA Service 8.3.1 DA Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 DA Service shall provide up to two (2) listing requests per call, if available and if requested by Alternative's End User. BellSouth shall provide caller-optional DA call completion service at rates set forth in BellSouth's GSST to one of the provided listings. 8.4 DA Service Updates. BellSouth shall update End User listings changes daily. These changes include: 8.4.1 New End User connections; 8.4.2 End User disconnections; 8.4.3 End User address changes; and 8.4.4 Non-listed and non-published numbers for use in emergencies. 9. **Branding for Wholesale OCP and DA** BellSouth's branding feature provides a definable announcement to Alternative's 9.1 End Users using BellSouth's DA/OCP prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows Alternative to have its calls custom branded with Alternative's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D. 9.2 BellSouth offers three (3) branding options to Alternative when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.

Version: 2Q05 Standard ICA 07/06/05

9.3 Alternative's order for Custom Branding is considered firm ten (10) business days after BellSouth's receipt of the order. Alternative may cancel its order more than ten (10) business days after BellSouth's receipt of the order. Alternative shall notify BellSouth in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), Alternative must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.

9.4 Branding via OLNS

- 9.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Alternative shall not be required to purchase dedicated trunking.
- 9.4.2 BellSouth Branding is the default branding offering.
- 9.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Alternative must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, Alternative must submit a manual order form which requires, among other things, Alternative's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth Traffic Operator Position System (TOPS) during the peak busy hour. Alternative shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Alternative's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Alternative End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

10. LIDB

- 10.1 BellSouth LIDB stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention.
- Where Alternative is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from Alternative LSR's to populate LIDB with Alternative's End User information. BellSouth provides access to information in its LIDB, including Alternative End User information, to various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for Alternative, pursuant to this Agreement, shall be available to those Telecommunications Service providers.
- When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of Alternative data to the LIDB (e.g., calling card deactivation).
- 10.3 <u>Responsibilities of the Parties</u>

Version: 2Q05 Standard ICA

- 10.3.1 BellSouth will administer the data provided by Alternative pursuant to this Agreement in the same manner as BellSouth administers its own data.
- 10.3.2 Alternative is responsible for completeness and accuracy of the data being provided to BellSouth.
- 10.3.3 BellSouth shall not be responsible to Alternative for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- 11. Revenue Accounting Office (RAO) Hosting
- 11.2 RAO Hosting is not required for resale in the BellSouth region.
- 12. Optional Daily Usage File (ODUF)
- 12.1 The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D.
- 12.2 BellSouth will provide ODUF service upon written request.
- 13. Enhanced Optional Daily Usage File (EODUF)
- The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D.
- 13.2 BellSouth will provide EODUF service upon written request.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)

| | True of Court | | AL | | FL | | GA | | KY |] | LA | I | MS |] | NC | | SC | | TN |
|----|---|-----------|------------|---------|--------------|--------|-------------|----------|--------------|-----------|-------------|------------|------------|---------|-------------|----------|-----------|----------|----------|
| | Type of Service | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount |
| | | | | | | | | | | | | | | | | | | | |
| 1 | Grandfathered Services (Note 1) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 2 | Promotions - > 90 Days(Note 2 & 3) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 3 | Promotions - \leq 90 Days (Note 2 & 3) | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 4 | Lifeline/Link Up Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 5 | 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 6 | N11 Services (Note 1) | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes |
| 7 | MemoryCall®Service | No | No | No | No | No | No | No | No | Yes | No | No | No | No | No | Yes | No | No | No |
| 8 | Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 9 | Federal Subscriber Line Charges | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 10 | Nonrecurring Charges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| | End User Line Chg- Number Portability | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 12 | Public Telephone Access Svc(PTAS) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes |
| 13 | Inside Wire Maint Service Plan | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Applicable No | | | | | | | | | | | | | | | | | | |
| | 1. Grandfathered | | | | | | | | | | | | | | | | | | |
| | 2. Where availabl | | | | | | | | | would h | ave qualif | ried for t | he promot | ion had | it been pro | ovided b | y BellSou | th direc | tly. |
| | 3. Promotions sha | | | - | | | 11 | | | | | | | | | | | | |
| | 4. Some of BellSo | outh's lo | cal exchar | ige and | toll telecoi | nmunic | ations serv | ices are | e not availa | able in c | ertain cent | tral offic | es and are | as. | | | | | |

Version: 2Q05 Standard ICA

Optional Daily Usage File

1. Upon written request from Alternative, BellSouth will provide the ODUF service to Alternative pursuant to the terms and conditions set forth in this section. 2. Alternative shall furnish all relevant information required by BellSouth for the provision of the ODUF. The ODUF feed provides Alternative messages that were carried over the 3. BellSouth network and processed by BellSouth for Alternative. 4. Charges for ODUF will appear on Alternative's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D. 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format. 6. **ODUF Specifications** 6.1 **ODUF** Message to be Transmitted 6.1.1 The following messages recorded by BellSouth will be transmitted to Alternative: 6.1.1.1 Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.); 6.1.1.2 Measured local calls; 6.1.1.3 Directory Assistance messages; 6.1.1.4 IntraLATA Toll; 6.1.1.5 WATS and 800 Service; 6.1.1.6 N11; 6.1.1.7 Information Service Provider Messages; 6.1.1.8 OS Messages; 6.1.1.9 OS Message Attempted Calls; 6.1.1.10 Credit/Cancel Records; and 6.1.1.11 Usage for Voice Mail Message Service. 6.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Alternative.

Version: 2Q05 Standard ICA

- 6.1.4 In the event that Alternative detects a duplicate on ODUF they receive from BellSouth, Alternative will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to Alternative via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and Alternative for the purpose of data transmission. Where a dedicated line is required, Alternative will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Alternative will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Alternative's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Alternative. Additionally, all message toll charges associated with the use of the dial circuit by Alternative will be the responsibility of Alternative. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Alternative's end for the purpose of data transmission will be the responsibility of Alternative.
- 6.2.3 If Alternative utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Alternative.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Alternative which BellSouth RAO is sending the message. BellSouth and Alternative will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Alternative and resend the data as appropriate.

Version: 2Q05 Standard ICA

6.4 <u>ODUF Pack Rejection</u>

Alternative will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Alternative will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Alternative by BellSouth.

6.5 ODUF Control Data

Alternative will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Alternative's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Alternative for reasons stated in the above section.

6.6 <u>ODUF Testing</u>

6.6.1 Upon request from Alternative, BellSouth shall send ODUF test files to Alternative. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that Alternative set up a production (live) file. The live test may consist of Alternative's employees making test calls for the types of services Alternative requests on ODUF. These test calls are logged by Alternative, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 2Q05 Standard ICA 07/06/05

Enhanced Optional Daily Usage File

- 1. Upon written request from Alternative, BellSouth will provide the EODUF service to Alternative pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Alternative shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on Alternative's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
- 5. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of Alternative will be the responsibility of Alternative. If, however, Alternative should encounter significant volumes of errored messages that prevent processing by Alternative within its systems, BellSouth will work with Alternative to determine the source of the errors and the appropriate resolution.
- 7. EODUF Specifications
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Alternative:
- 7.1.1.1 Customer usage data for flat rated local calls originating from Alternative's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time
- 7.1.1.1.5 Conversation Time
- 7.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators
- 7.1.1.1.11 Bill to Number

Version: 2Q05 Standard ICA

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Alternative.
- 7.1.3 In the event that Alternative detects a duplicate on EODUF they receive from BellSouth, Alternative will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 <u>EODUF Physical File Characteristics</u>
- 7.2.1 EODUF feed will be distributed to Alternative via FTP. The EODUF messages will be intermingled among Alternative's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Alternative for the purpose of data transmission. Where a dedicated line is required, Alternative will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Alternative will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dialup facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Alternative. Additionally, all message toll charges associated with the use of the dial circuit by Alternative will be the responsibility of Alternative. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Alternative's end for the purpose of data transmission will be the responsibility of Alternative.
- 7.2.3 If Alternative utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Alternative.
- 7.3 <u>EODUF Packing Specifications</u>
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Alternative which BellSouth RAO is sending the message. BellSouth and Alternative will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Alternative and resend the data as appropriate.

Version: 2Q05 Standard ICA

| RESAL | LE DIS | COUNTS & RATES - Alabama | | | | | | | | | | | | Attachment: | 1 Exh D | | |
|---------|---|--|--|-----------|------------------|-----------------|-------------------|-----------------|----------------|-----------------|-----------------|-------------------|-----------------------|---------------|------------------------|------------------------|--|
| | | | | | | | | | | | | | | | Incremental | Incremental | Increment |
| | | | Interi | | | | | | | | | Submitted Elec | Submitted Manually | | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Sv |
| ATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | • | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | + | | _ | ļ | Nonrec | urring | Nonrecurring | n Disconnect | | | oss | Rates(\$) | | |
| | | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | 1 | | | | THOL | Auu | Tilot | Auu | JONEC | JONIAN | JOINAIN | JOWAN | JOHAN | JONAN |
| APPLIC | ABI F I | DISCOUNTS | | 1 | | | | | | | | | | | | | |
| 1 - 1 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Residence % | | 1 | | | 16.30 | | | | | | | | | | |
| | | Business % | 1 | 1 | | | 16.30 | | | | | | | | | | |
| | | CSAs % | | | | | 16.30 | | | | | | | | | | |
| OPERA | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | e specifi | c" OSS charges a | s ordered by | the State Comm | issions. The C | SS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | . CLEC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | ice or ac | oning cir | arges, or occom | ay elect the re | gioriai service (| ordering charge | s, nowever, or | LC can not or | rain a mixture | or the two | egararess i | OLLO Has a | interconnecti | on contract e | stabilisticu i |
| | eacii o | OSS - Electronic Service Order Charge, Per Local Service | | 1 1 | | | | | | | ı | | | | | 1 | |
| | | Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | + + | | SOIVILO | - | 3.30 | 0.00 | 3.30 | 0.00 | | | | | | |
| | | (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DIDECT | | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COETI | MADE | | SOMAN | - | 19.99 | 0.00 | 13.33 | 0.00 | | | | | | |
| DIRECT | OKTA | Recording of DA Custom Branded Announcement | SOFI | WARE | | | | 3.000.00 | 3,000.00 | | | | | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per | | + | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | OCN | | | | | | 1,170,00 | 1,170.00 | | | | | | | | |
| DIRECT | | SSISTANCE UNBRANDING via OLNS SOFTWARE | | 1 | | - | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECT | | Loading of DA per OCN (1 OCN per Order) | | 1 | | - | | 420.00 | 420.00 | | | | | | | | |
| | | Loading of DA per Octv (1 OCtv per Otder) | | 1 | | - | | 16.00 | 16.00 | | | | | | | | - |
| OPERA | | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | 10.00 | 10.00 | | | | | | | | |
| OI LIVA | | Recording of Custom Branded OA Announcement | 00111 | TAIL | | + | | 7.000.00 | 7,000.00 | | | | | | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | + | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| | | Loading of OA Custom Branded Announcement per Switch per | | 1 | | | | 000.00 | 000.00 | | | | | | | | |
| | | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERA | | SSISTANCE UNBRANDING via OLNS SOFTWARE | | 1 | | - | | 1,170.00 | 1,170.00 | | | | | | | | |
| O. L.KA | TON A | Loading of OA per OCN (Regional) | | 1 | | | | 1,200.00 | 1.200.00 | | | | | | | | |
| ODUF/F | ODUE | SERVICES | | † † | | + | † | .,200.00 | .,200.00 | | | 1 | | | | | — |
| | | NAL DAILY USAGE FILE (ODUF) | | † † | | + | † | | | | | 1 | | | | | — |
| | | ODUF: Recording, per message | | | | | 0.000011 | | | | | | | | | | |
| | | ODUF: Message Processing, per message | | 1 1 | | - | 0.004101 | | | | | | | | | | |
| | | ODUF: Message Processing, per Magnetic Tape provisioned | | 1 1 | | - | 42.67 | | | | | | | | | | |
| | | ODUF: Data Transmission (CONNECT:DIRECT), per message | | 1 | | + | 0.000094 | | | | | | | | | | |
| | | ICED OPTIONAL DAILY USAGE FILE (EODUF) | | 1 | | + | 0.000034 | | | | | | | | | | |
| | LINIA | EODUF: Message Processing, per message | | 1 1 | | | 0.22 | | | | | | | | | | |
| | | LODOI . Micoodye i Tobessiny, per message | | | | | 0.22 | | | | | | | | ļ | ļ | |

| RESALE DISCOUNTS & RATES - Florida | | | | | | | | | | | | Attachment: | 1 Exh D | | |
|--|-----------|-----------|------------------|-----------------|------------------|-----------------|----------------|-----------------|-----------------|------------|--------------|---------------|----------------|---------------|---------------|
| | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | m | | | | | | | | | P | F 0 0 | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 2.00 .01 | 2.007.444 |
| | | 1 | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 1 | 1 | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| APPLICABLE DISCOUNTS | | + + | | _ | | - | | | | | | | | | |
| Residence % | | + | | | 21.83 | | | | | | | | | | |
| Business % | - | + + | | | 16.81 | + | | | | | | | | | |
| CSAs % | + | + | | | 16.81 | | | | | | | | | | - |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | + + | | | 10.01 | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers the | ho "etati | o enocifi | o" OSS charges a | s ordered by t | ha Stata Comm | iccione The C | SS charges o | urrontly contai | nod in this rat | ovhibit ar | the Bellse | uth "rogional | " corvice orde | ring charges | CI EC may |
| elect either the state specific Commission ordered rates for the serv | | | | | | | | | | | | | | | |
| • | ice ora | ering cha | arges, or CLEC m | ay elect the re | gional service o | ordering charge | e, nowever, Ci | EC can not or | itain a mixture | or the two | regardiess i | CLEC nas a | interconnecti | on contract e | stablished ii |
| each of the 9 states. | 1 | | | 1 | | | | | | | | | | | |
| OSS - Electronic Service Order Charge, Per Local Service | | | | 001450 | | 0.50 | 0.00 | 0.50 | 0.00 | | | | | | |
| Request (LSR) - Resale Only | | 1 | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Reques | t | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| (LSR) - Resale Only DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: | 0.0057 | WADE | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| Recording of DA Custom Branded Announcement | 3 3UF I | WARE | | | | 3,000,00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Announcement per Switch per | | + | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | VARE | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Loading of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0000071 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.002146 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.91 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | 1 | | 1 | 0.00010375 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message | | | | | 0.080698 | | | | | | | | | | |

Page 2 of 9

| RESALE DISCOUNTS & RATES - Georgia | | | | | | | | | | | | Attachment: | 1 Evh D | | |
|--|-----------|----------|---------------------|----------------|-------------------|-----------------|----------------|-----------------|-----------------|---------------|--------------|---------------|---------------|---------------|---------------|
| RESALE DISCOUNTS & RATES - Georgia | 1 | 1 | I | 1 | 1 | | | | | Cua Ordar | Cua Ordar | | Incremental | Ingramantal | Incremental |
| | | | | | | | | | | | Submitted | | | | |
| | | | | | | | | | | | | | Charge - | Charge - | Charge - |
| CATEGORY RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Elec | | | | Manual Svc | |
| CATEGORY RATE ELEMENTS | m | Zone | BUS | 0300 | | | KAIES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | l | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | ,,,,,, | 101 | 7.44 | 0020 | 00 | | | 00 | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 20.30 | | | | | | | | | | |
| Business % | | | | | 17.30 | | | | | | | | | | |
| CSAs % | | | | | 17.30 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers to | he "state | e specif | fic" OSS charges as | ordered by t | he State Comm | issions. The C | SS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | service orde | ring charges. | CLEC may |
| elect either the state specific Commission ordered rates for the serv | ice orde | ering ch | narges, or CLEC ma | y elect the re | gional service of | ordering charge | e, however, Cl | EC can not ob | otain a mixture | of the two | regardless i | f CLEC has a | interconnecti | on contract e | stablished in |
| each of the 9 states. | | · | | • | • | | | | | | ū | | | | |
| OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request | t | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN | S SOFT | WARE | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | NARE | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Loading of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0000068 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.002167 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 36.06 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010856 | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | 1 | 1 | | | | I | | |
| EODUF: Message Processing, per message | | | | | 0.227409 | | | | | | | | | | |

Page 3 of 9

| RESALE DISC | COUNTS & RATES - Kentucky | | | | | | | | | | | | Attachment: | 1 Exh D | | |
|--|---|-----------|------------|------------------|-----------------|-----------------------|--------------------|--------------------|-----------------|------------------|---|-----------------------|------------------------|------------------------|------------------------|-----------------------|
| | • | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | Interi | | | | | | | | | Submitted Elec | Submitted Manually | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Sv |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | , | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | _ | | Nonrec | urrina | Nonrecurring | Disconnect | | | 088 | Rates(\$) | | |
| | | | + + | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Add I | FIISL | Auu i | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| APPLICABLE DI | SCOUNTS | | | | | | | | | | | | | | | |
| | Residence % | | 1 | | | 16.79 | | | | | | | | | | |
| | Business % | | 1 | | | 15.54 | | | | | | | | | | |
| | CSAs % | | | | | 15.54 | | | | | | | | | | |
| | UPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | I) CLEC should contact its contract negotiator if it prefers th | ne "state | e specifi | c" OSS charges a | s ordered by t | he State Comm | issions. The C | SS charges c | urrently contai | ned in this rate | exhibit are | the BellSou | th "regional | service orde | ring charges. | CLEC may |
| | her the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | the 9 states. | ice or a | sining Cit | arges, or occom | ay elect the re | gioriai service (| ordering charge | s, However, Or | LO Can not of | tani a mixture | or the two i | egararess ii | OLLO Has a | inter connecti | on contract e | stabilisticu ii |
| | DSS - Electronic Service Order Charge, Per Local Service | | 1 1 | | | | | | | | | | | | | |
| | Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | + + | | SOIVILO | | 3.30 | 0.00 | 3.30 | 0.00 | | | | | | |
| | LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| | SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | COET | MADE | | SOMAN | | 19.99 | 0.00 | 15.55 | 0.00 | | | | | | |
| | Recording of DA Custom Branded Announcement | 3061 | WARE | | | | 3.000.00 | 3,000.00 | | | | | | | | |
| | Loading of DA Custom Branded Annuarcement per Switch per | | + | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | OCN | | | | | | 1.170.00 | 1,170.00 | | | | | | | | |
| | SISTANCE UNBRANDING via OLNS SOFTWARE | | 1 | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | 1 | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | 1 | | | | 16.00 | 16.00 | | | | | | | | |
| | SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | VARE | | | | 10.00 | 10.00 | | | | | | | | |
| | Recording of Custom Branded OA Announcement | 1 | 1 | | | | 7.000.00 | 7,000.00 | | | | | | | | |
| | | | | | | | | ., | | | | | | | | |
| | _oading of Custom Branded UA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | oading of Custom Branded OA Announcement per shelf/NAV | | | | | | 500.00 | 500.00 | | | | | | | | |
| р | per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| p L | per OCN Loading of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| L C | per OCN | | | | | | 500.00 1,170.00 | 500.00 1,170.00 | | | | | | | | |
| DPERATOR ASS | per OCN Loading of OA Custom Branded Announcement per Switch per OCN | | | | | | | | | | | | | | | |
| OPERATOR ASS | per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASS | per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASS ODUF/EODUF SI OPTION/ | per OCN coading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE coading of OA per OCN (Regional) ERVICES | | | | | 0.0000136 | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASS ODUF/EODUF SI OPTION | per OCN Loading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) | | | | | 0.0000136 0.002506 | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASS ODUF/EODUF SI OPTION | Der OCN Loading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) DDUF: Recording, per message DDUF: Message Processing, per message | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASS ODUF/EODUF SI OPTION OCCUPANTO | Der OCN Loading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) DDUF: Recording, per message | | | | | 0.002506 | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASS ODUFFEODUF SIS OPTION OCCUPANTION | per OCN coading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE coading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) DDUF: Recording, per message DDUF: Message Processing, per message DDUF: Message Processing, per Magnetic Tape provisioned | | | | | 0.002506 35.90 | 1,170.00 | 1,170.00 | | | | | | | | |

Version: 2Q05 Standard ICA

08/25/05 Page 4 of 9 CCCS 50 of 503

| DESALE DIS | SCOUNTS & RATES - Louisiana | | | | | | | | | | | | Attachment: | 1 Evh D | | 1 |
|--|---|-----------|----------|--------------------|----------------|-------------------|--------------------------------|--------------------------------|-----------------|-----------------|-------------|--------------|----------------|----------------|---------------|---------------|
| RESALE DIS | l | 1 | 1 | | ı | 1 | | | | | Cvo Ordor | Cua Ordar | | Incremental | Ingramantal | Incremental |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | 7 | BCS | usoc | | | DATEC(#) | | | Elec | | | | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l | |
| | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | 1 | | 101 | 7.00 | | 71441 | | 00 | | 00 | | |
| APPLICABLE I | DISCOUNTS | | | | | | | | | | | | | | | |
| | Residence % | | | | | 20.72 | | | | | | | | | | |
| | Business % | | | | | 20.72 | | | | | | | | | | |
| | CSAs % | | | | | 9.05 | | | | | | | | | | |
| OPERATIONS | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: | (1) CLEC should contact its contract negotiator if it prefers th | ne "state | e specif | ic" OSS charges as | ordered by t | he State Comm | issions. The C | SS charges c | urrently contai | ned in this rat | exhibit are | the BellSo | uth "regional' | ' service orde | ring charges. | CLEC may |
| elect ei | ither the state specific Commission ordered rates for the servi | ice orde | ering ch | arges, or CLEC ma | y elect the re | gional service of | ordering charge | e, however, Cl | EC can not ob | tain a mixture | of the two | egardless if | CLEC has a | interconnecti | on contract e | stablished in |
| | f the 9 states. | | - | | - | - | | | | | | _ | | | | |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DIRECTORY A | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | WARE | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | Loading of DA Custom Branded Anouncement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY A | SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | 1 | | 1,110.00 | 1,170.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | II cading of DA per OCN (1 OCN per Order) | | | | 1 | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 16.00 | 420.00 16.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | SOFTV | WARF | | | | 420.00 16.00 | 420.00 16.00 | | | | | | | | |
| | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | VARE | | | | 16.00 | 16.00 | | | | | | | | |
| | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement | SOFTV | WARE | | | | | | | | | | | | | |
| | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV | SOFTV | WARE | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | SOFTV | WARE | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR AS | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per | SOFTV | VARE | | | | 7,000.00 500.00 | 7,000.00 500.00 | | | | | | | | |
| OPERATOR AS | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | SOFTV | WARE | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| OPERATOR AS | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE | SOFTV | WARE | | | | 7,000.00 500.00 | 7,000.00 500.00 | | | | | | | | |
| OPERATOR AS | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) | SOFTV | WARE | | | | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR AS OPERATOR AS ODUF/EODUF | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) | SOFTV | WARE | | | | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR AS OPERATOR AS ODUF/EODUF OPTION | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES | SOFTV | WARE | | | 0.0000117 | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR AS OPERATOR AS ODUF/EODUF OPTIOI | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) | SOFTV | WARE | | | 0.0000117 | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR AS OPERATOR AS ODUF/EODUF OPTIOI | Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | SOFTV | WARE | | | | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR AS OPERATOR AS ODUF/EODUF OPTIO | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) [ODUF: Recording, per message | SOFTV | WARE | | | 0.004641 | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR AS OPERATOR AS ODUF/EODUF OPTIO | Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned | SOFTV | WARE | | | 0.004641 48.45 | 7,000.00 500.00 1,170.00 | 7,000.00 500.00 1,170.00 | | | | | | | | |

| | SCOUNTS & RATES - Mississippi | | | | | | | | | | | | Attachment: | 1 Exh D | | |
|--|---|-------------|-----------|-------------------|----------------|-------------------|---|---|---------------|----------------|-----------------|------------------------|-------------------------|-------------------------|-------------------------|------------------------|
| | | | | | | | | | | | | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incrementa Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Elec per LSR | | | | Manual Svc Order vs. | Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| APPLICABLE | | | | | | | | | | | | | | | | |
| | Residence % | | | | | 15.75 | | | | | | | | | | |
| | Business % | | | | | 15.75 | | | | | | | | | | |
| ODED ATIONS | CSAs % | | | | | 15.75 | | | | | | | | | | |
| | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" : (1) CLEC should contact its contract negotiator if it prefers the | | | - 11 000 - 11 | | 01-1- 0 | · · · · · · · · · · · · · · · · · · | 00 -1 | <u> </u> | | | 41 - 5 - 110 - | | | | 01.50 |
| | oither the state specific Commission ordered rates for the servi of the 9 states. | ice orde | ering cha | arges, or CLEC ma | y elect the re | gional service o | ordering charge | e, however, Cl | EC can not ob | tain a mixture | of the two | egardless if | CLEC has a | interconnecti | on contract e | stablished |
| | OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| | | | | | | | | | | | | | | | | |
| DIRECTORY A | ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | WARE | | | | | | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement | SOFT | WARE | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN | SOFT | WARE | | | | 3,000.00 1,170.00 | 3,000.00 1,170.00 | | | | | | | | |
| | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE | SOFT | WARE | | | | -, | | | | | | | | | |
| | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) | SOFT | WARE | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | | | | | | 1,170.00 420.00 16.00 | 1,170.00 420.00 16.00 | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 1,170.00 420.00 16.00 | 1,170.00 420.00 16.00 | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 420.00 16.00 7,000.00 | 1,170.00 420.00 16.00 7,000.00 | | | | | | | | |
| DIRECTORY A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per CCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| OPERATOR A OPERATOR A OPERATOR A ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR A OPERATOR A OPERATOR A ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES SHALD ALLY USAGE FILE (ODUF) | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR A OPERATOR A OPERATOR A ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per CCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES UNDAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message | | | | | 0.000063 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR A OPERATOR A OPERATOR A ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES INAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.004707 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR A OPERATOR A OPERATOR A ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 0.004707 49.04 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |
| OPERATOR A OPERATOR A OPERATOR A OPERATOR A | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES INAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.004707 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | 1,170.00 420.00 16.00 7,000.00 500.00 1,170.00 | | | | | | | | |

Version: 2Q05 Standard ICA

08/25/05

| | | | | | | | | | | | | 1 | | 1 | |
|--|--|-----------|-------------------|------------------|-------------------|------------------|---------------------|-----------------------|-------------------|--------------|-------------|---------------|----------------|---------------|----------------|
| RESALE DISCOUNTS & RATES - North Carolina | | | | | | | | | | | | Attachment: | | | |
| | | | | | | | | | | | | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | m | | | | | | | | | po. 20.1 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | Add'l | | |
| | | | | | | | | | | | | 1st | Add I | Disc 1st | Disc Add'l |
| | | | | | _ | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 21.50 | | | | | | | | | | |
| Business % | | | | | 17.60 | | | | | | | | | | |
| CSAs % | | | | | 17.60 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers t | he "state | e specifi | ic" OSS charges a | s ordered by | the State Comm | issions. The | OSS charges o | urrently conta | ned in this rat | e exhibit ar | the BellSo | uth "regional | " service orde | ring charges. | . CLEC may |
| elect either the state specific Commission ordered rates for the serv | | | | | | | | | | | | | | | |
| each of the 9 states. | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | cinig on | arges, or otto in | ay cicot tile ic | gioriai scivioc v | oracining oriang | c, 110 W C V C 1, O | 0 0 0 0 1 1 1 0 1 0 1 | Julii a illixturo | or the two | egararess i | . OLLO mas a | microomicot. | on contract c | otabilorica ii |
| OSS - Electronic Service Order Charge, Per Local Service | | 1 1 | | | 1 | | | 1 | | 1 | 1 | ı | | 1 | 1 |
| | | | | 001450 | | 3.50 | 0.00 | 0.50 | 0.00 | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Reques | t | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN | S SOFT | WARE | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | S SOFT\ | WARE | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Loading of OA Custom Branded Announcement per Switch per | | 1 1 | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE | + | + + | | | | 1,110.00 | 1,170.00 | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1.200.00 | 1,200,00 | | | | | | | | |
| ODUF/EODUF SERVICES | 1 | + + | | + | 1 | 1,200.00 | 1,200.00 | 1 | | 1 | | | 1 | 1 | 1 |
| OPTIONAL DAILY USAGE FILE (ODUF) | + | | | + | | | | | | 1 | | | | | |
| ODUF: Recording, per message | + | + | | - | 0.0000174 | | | - | - | 1 | | - | - | - | - |
| ODUF: Recording, per message ODUF: Message Processing, per message | - | + + | | - | | | | | 1 | 1 | | - | 1 | | 1 |
| | | 1 | | | 0.001647 | | | ļ | | . | | | | | - |
| ODUF: Message Processing, per Magnetic Tape provisioned | ļ | 1 | | | 35.91 | | | | | | | | | | |
| | 1 | 1 | | | 0.00011029 | | | 1 | I | 1 | ı | l | 1 | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00011023 | | | | | | | | | | |
| COUNT: Data Transmission (CONNECT:DIRECT), per message ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) EODUF: Message Processing, per message | | | | | 0.131005 | | | | | | | | | | |

| RESALE DISCOUNTS & RATES - South Carolina | | | | | | | | | | | | Attachment: | 1 Evh D | 1 | |
|---|-----------|----------|--------------------|----------------|------------------|-----------------|----------------|-----------------|-----------------|---------------|--------------|---------------|----------------|---------------|---------------|
| RESALE DISCOUNTS & RATES - South Carolina | 1 | 1 | ı | 1 | 1 | | | | | Cua Oudan | Cur Ouder | | Incremental | lu anamantal | Incremental |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY RATE ELEMENTS | Interi | 7 | BCS | USOC | | | DATEC(#) | | | Elec | | | | Manual Svc | |
| CATEGORY RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | + | 1 | | | | Nonrec | urrina | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | 1 |
| | 1 | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | ,,,,,, | 1 01 | 7.44 | 0020 | 00 | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 14.80 | | | | | | | | | | |
| Business % | | | | | 14.80 | | | | | | | | | | |
| CSAs % | | | | | 8.98 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers the | ne "state | e specif | ic" OSS charges as | ordered by t | he State Comm | issions. The C | SS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | . CLEC may |
| elect either the state specific Commission ordered rates for the serv | ice orde | ering ch | arges, or CLEC ma | y elect the re | gional service o | ordering charge | e, however, Cl | EC can not ol | otain a mixture | of the two | regardless i | f CLEC has a | interconnect | on contract e | stablished in |
| each of the 9 states. | | · | | | • | | | | | | • | | | | |
| OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request | i i | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | S SOFT | WARE | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Loading of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | - | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0000216 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.004704 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 48.87 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010863 | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | _ | | | | | | | | | | | |
| EODUF: Message Processing, per message | | | | | 0.258301 | | | | | | | | | | |

| RESALE DISCOUNTS & RATES - Tennessee | | | | | | | | | | | | Attachment: | 1 Evb D | 1 | |
|---|-----------|----------|---------------------|----------------|----------------|-----------------|----------------|-----------------|-----------------|---------------|--------------|---------------|----------------|---------------|----------------|
| RESALE DISCOUNTS & RATES - Tellilessee | 1 | 1 | | | | | | | | Cua Ordar | Sua Ordar | | Incremental | Ingramantal | Incremental |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY RATE ELEMENTS | Interi | 7 | BCS | usoc | | | DATEC(#) | | | Elec | | | | Manual Svc | |
| CATEGORY RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | + | | Nonrecurring | | Nonrecurring | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 16.00 | | | | | | | | | | |
| Business % | | | | | 16.00 | | | | | | | | | | |
| CSAs % | | | | | 16.00 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers the | ne "state | e specif | fic" OSS charges as | ordered by t | he State Comm | issions. The C | SS charges c | urrently contai | ned in this rat | e exhibit are | e the BellSo | uth "regional | " service orde | ring charges. | . CLEC may |
| elect either the state specific Commission ordered rates for the serv | ice orde | erina ch | narges. or CLEC ma | v elect the re | gional service | ordering charge | e. however. Cl | _EC can not ob | otain a mixture | of the two | regardless i | f CLEC has a | interconnect | on contract e | established in |
| each of the 9 states. | | | | , | • | 3 | , , . | | | | • | | | | |
| OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request | i | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN | S SOFT\ | WARE | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Anouncement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Loading of OA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0000044 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.002446 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.54 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.0000339 | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | | | _ | | | | | | | | | | | | |
| EODUF: Message Processing, per message | | | | | 0.229779 | | | | | | | | | | |

Page 9 of 9

Attachment 2

Network Elements and Other Services

Version: 2Q05 Standard ICA - New

TABLE OF CONTENTS

| 1 | Introduction | 3 |
|-----|--|-----------|
| 2 | Loops | 7 |
| 3 | Line Splitting | 27 |
| 4 | Unbundled Network Element Combinations | 28 |
| 5 | Dedicated Transport and Dark Fiber Transport | 31 |
| 6 | Automatic Location Identification/Data Management System (ALI/DMS) | 37 |
| 7 | White Pages Listings | 41 |
| Rat | tes | Exhibit A |
| Rat | tes | Exhibit B |

Version: 2Q05 Standard ICA - New

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Alternative for Alternative's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Alternative (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Alternative to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Alternative purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Alternative may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Alternative shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Alternative pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Alternative pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from

Version: 2Q05 Standard ICA - New

Alternative. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Alternative and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Alternative may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Alternative has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide Alternative with thirty (30) days written notice to disconnect or convert such Arrangements. If Alternative fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Alternative shall undertake a reasonably diligent inquiry to determine whether Alternative is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Alternative self-certifies that to the best of Alternative's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Alternative's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill Alternative the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days

Version: 2Q05 Standard ICA - New

following a decision finding in BellSouth's favor, Alternative shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

- 1.9 Alternative may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Alternative, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Alternative has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Alternative must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

Version: 2Q05 Standard ICA - New

- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.
- 1.13 <u>Ordering Guidelines and Processes</u>
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Alternative should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on BellSouth's Interconnection Web site at: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Alternative's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Alternative's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.
- 1.13.4 Testing/Trouble Reporting
- 1.13.4.1 Alternative will be responsible for testing and isolating troubles on Network Elements. Alternative must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Alternative will be required to provide the results of the Alternative test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once Alternative has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network

Version: 2Q05 Standard ICA - New

facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

- 1.13.4.3 If Alternative reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Alternative a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Alternative (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Alternative for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Alternative shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential

Version: 2Q05 Standard ICA - New

MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Alternative on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Alternative. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Alternative with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 <u>DS1 and DS3 Loop Requirements</u>
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 except as described below:
- 2.1.4.2.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.

Version: 2Q05 Standard ICA - New

- 2.1.4.2.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3 A list of wire centers meeting the criteria set forth in Sections 2.1.4.2.1 and 2.1.4.2.2 above as of March 10, 2005 (Initial Wire Center List), is available on BellSouth's Interconnection Services Web site.
- 2.1.4.4 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.5 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 2.1.4.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.2 above but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.6.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 2.1.4.6.3 For purposes of Section 2.1.4.6 above, BellSouth shall make available DS1 and DS3 Loops that were in service for Alternative in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.6.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 2.1.4.6.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.6.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Alternative shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other

Version: 2Q05 Standard ICA - New

BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 2.1.4.6.6.1 If Alternative fails to submit the spreadsheet(s) specified in Section 2.1.4.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Alternative's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.6.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.6.6 above or transitioned pursuant to Section 2.1.4.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Alternative in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Alternative wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Alternative may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

Version: 2Q05 Standard ICA - New

2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Alternative shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.

2.1.8 OC and Order Coordination-Time Specific (OC-TS)

- 2.1.8.1 OC allows BellSouth and Alternative to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Alternative's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Alternative to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Alternative's specific conversion time request. However, BellSouth reserves the right to negotiate with Alternative a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Alternative may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Alternative specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

2.1.9

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|----------------------------|-------------------------------|--|------------------|---|---|
| SL-1 (Non- Designed) | Chargeable Option | Chargeable Option | Not available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| UCL-ND | Chargeable | Not Available | Not | Chargeable Option – | Charged for Dispatch inside and outside |

Version: 2Q05 Standard ICA - New

| (Non- Designed) | Option | | Available | ordered as Engineering Information Document | Central Office |
|---|---|-------------------|------------------------------------|---|--|
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |

For UVL-SL1 and UCLs, Alternative must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by Alternative when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Alternative's Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Alternative pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.11 Bulk Migration

2.1.11.1 BellSouth will make available to Alternative a Bulk Migration process pursuant to which Alternative may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs);

Version: 2Q05 Standard ICA - New

and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site:

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

- 2.1.11.2 Should Alternative request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Alternative must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Alternative will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Alternative, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Alternative may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which

Version: 2Q05 Standard ICA - New

is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Alternative may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Alternative. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Alternative to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop;
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or
- 2.3.2.8 STS-1 Loop.
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard

Version: 2Q05 Standard ICA - New

with a test point, OC, and a DLR. Alternative will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 <u>4-wire Unbundled DS1 Digital Loop.</u>
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, DS1 Loops include 2-wire and 4-Wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Alternative at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

Version: 2Q05 Standard ICA - New

- 2.3.9 <u>STS-1 Loop.</u> STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501

 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Alternative may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Alternative.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Alternative to provide a wide-range of telecommunications services as

Version: 2Q05 Standard ICA - New

long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Alternative can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Alternative may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Alternative to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Alternative may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

Version: 2Q05 Standard ICA - New

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.5.3 For any copper loop being ordered by Alternative which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Alternative, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Alternative. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Alternative may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Alternative requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Alternative will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Alternative shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Alternative desires BellSouth to condition.

2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Alternative, Alternative will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Alternative is available at the location for which the ULM was requested, Alternative will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Alternative will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving IDLC</u>

- 2.6.1 Where Alternative has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Alternative. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Alternative (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Alternative, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Alternative will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The

Version: 2Q05 Standard ICA - New

NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit Alternative to connect Alternative's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Alternative may access the End User's premises wiring by any of the following means and Alternative shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Alternative to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Alternative may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Alternative's responsibility to ensure there is no safety hazard, and Alternative will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists

Version: 2Q05 Standard ICA - New

in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 Alternative shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Alternative shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Alternative to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Alternative's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Alternative may request BellSouth to do additional work to the NID on a time and material basis. When Alternative deploys its own local loops in a multiple-line termination device, Alternative shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG) Unbundled Copper Subloop (UCSL)

Version: 2Q05 Standard ICA - New

USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Alternative requests a UCSL and it is not available, Alternative may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Alternative, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Alternative's use on this cross-connect panel. Alternative will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Alternative shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the setup process. Alternative's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Alternative is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Alternative's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/html/unes.html.

Version: 2Q05 Standard ICA - New

- 2.8.2.7 The site set-up must be completed before Alternative can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Alternative's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Alternative will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Alternative requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Alternative for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Alternative does own or control such wiring, Alternative will install UNTW Access Terminals for BellSouth

under the same terms and conditions as BellSouth provides UNTW Access Terminals to Alternative.

- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Alternative for each pair activated commensurate to the price specified in Alternative's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

Version: 2Q05 Standard ICA - New

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.9 <u>Loop Makeup</u>

2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to Alternative LMU information with respect to Loops that are required to be unbundled under this Agreement so that Alternative can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Alternative intends to install and the services Alternative wishes to provide. LMU is a preordering transaction, distinct from Alternative ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Alternative LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.

Version: 2Q05 Standard ICA - New

- 2.9.1.3 BellSouth's LMU information is provided to Alternative as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Alternative may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Alternative and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Alternative's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Alternative or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Alternative is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Alternative, according to the applicable network disclosure requirements. It will be Alternative's responsibility to move any service it may provide over such facilities to alternative facilities. If Alternative fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

2.9.2.1 Alternative may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and

Version: 2Q05 Standard ICA - New

conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on BellSouth's Interconnection Web site:

www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Alternative needs further Loop information in order to determine Loop service capability, Alternative may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.

- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Alternative will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Alternative does not reserve facilities upon an initial LMUSI, Alternative's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Alternative has reserved multiple Loop facilities on a single reservation, Alternative may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Alternative, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Alternative.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Alternative provides its own switching or obtains switching from a third party, Alternative may engage in line splitting arrangements with another CLEC using a splitter, provided by Alternative, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 Provisioning Line Splitting and Splitter Space UNE-L
- 3.3.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Alternative owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.

Version: 2Q05 Standard ICA - New

- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 <u>CLEC Provided Splitter Line Splitting UNE-L</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, Alternative must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Alternative may purchase, install and maintain central office POTS splitters in its collocation arrangements. Alternative may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.3 Any splitters installed by Alternative in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Alternative may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 <u>Maintenance Line Splitting UNE-L</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.5.2 Alternative shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Alternative are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Alternative are not already combined by BellSouth in the location requested by Alternative but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Alternative are not elements that BellSouth combines for its use in its network.

Version: 2Q05 Standard ICA - New

- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Alternative requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Alternative.

4.3 <u>Enhanced Extended Links (EELs)</u>

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Alternative with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled

Version: 2Q05 Standard ICA - New

with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

- By placing an order for a high-capacity EEL, Alternative thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Alternative's high-capacity EELs as specified below.
- 4.3.4 <u>Service Eligibility Criteria</u>
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Alternative must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Alternative has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Alternative will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Alternative will have at least one (1) active DS1 local service interconnection trunk over which Alternative will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.

Version: 2Q05 Standard ICA - New

- 4.3.4.3 BellSouth may, on an annual basis, audit Alternative's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Alternative failed to comply with the service eligibility criteria, Alternative must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Alternative did not comply in any material respect with the service eligibility criteria, Alternative shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Alternative did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Alternative for its reasonable and demonstrable costs associated with the audit. Alternative will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Alternative converts special access services to UNEs, Alternative shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

- Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Alternative, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Alternative. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Alternative unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth (Entrance Facilities).
- 5.2 DS1 and DS3 Dedicated Transport Requirements
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport except as described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.

Version: 2Q05 Standard ICA - New

- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 A list of wire centers meeting the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above as of March 10, 2005, is available on BellSouth's Interconnection Services Web site as (Initial Wire Center List).
- 5.2.2.4 Once a wire center exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 5.2.2.5 Once a wire center exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 5.2.2.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.2.2.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 5.2.2.6.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 5.2.2.6.3 For purposes of Section 5.2.2.6, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for Alternative in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.2.2.6.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 5.2.2.6.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Alternative shall submit a spreadsheet(s) identifying the

Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 5.2.2.6.6.1 If Alternative fails to submit the spreadsheet(s) specified in Section 5.2.2.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Alternative's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.6 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.2.3 BellSouth shall:
- 5.2.4 Provide Alternative exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, Alternative to connect Dedicated Transport to equipment designated by Alternative, including but not limited to, Alternative's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, Alternative to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.3 BellSouth shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Alternative.
- 5.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

Version: 2Q05 Standard ICA - New

Alternative may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

5.6 Technical Requirements

- BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.6.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.6.2.1 DS0 Equivalent;
- 5.6.2.2 DS1;
- 5.6.2.3 DS3;
- 5.6.2.4 STS-1; and
- 5.6.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.6.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Alternative shall specify the termination points for Dedicated Transport.
- 5.6.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.6.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.6.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

Version: 2Q05 Standard ICA - New

- 5.6.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.7 <u>Unbundled Channelization (Multiplexing)</u>
- To the extent Alternative is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Alternative may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.7.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Alternative's channelization equipment must adhere strictly to form and protocol standards. Alternative must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Dark Fiber Transport Requirements

- 5.9.1.1 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport except as described below:
- 5.9.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.9.1.3 A list of wire centers meeting the criteria set forth in Section 5.9.1.2.1 above as of March 10, 2005, (Initial List) is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com.
- 5.9.1.4 Once a wire center exceeds either of the thresholds set forth in Section 5.9.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.9.1.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.9.1.2.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 5.9.1.5.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 5.9.1.5.3 For purposes of Section 5.9.1.5, BellSouth shall make available Dark Fiber Transport that was in service for Alternative in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.9.1.5.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 5.9.1.5.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.

- 5.9.1.5.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Alternative shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 5.9.1.5.6.1 If Alternative fails to submit the spreadsheet(s) specified in Section 5.9.1.5.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Alternative's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.9.1.5.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 5.9.1.5.6 above or transitioned pursuant to Section 5.9.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

5.10 <u>Rearrangements</u>

- A request to move a working Alternative circuit from one connecting facility assignment (CFA) to another Alternative CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of Alternative, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Alternative may request OC-TS for such orders.
- 5.10.4 BellSouth shall accept a LOA between Alternative and another carrier that will allow Alternative to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

6 Automatic Location Identification/Data Management System (ALI/DMS)

6.1 911 and E911 Databases

Version: 2Q05 Standard ICA - New

- 6.1.1 BellSouth shall provide Alternative with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 6.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Alternative will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.
- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide Alternative the capability of providing updates to the ALI/DMS database through a specified electronic interface. Alternative shall contact BellSouth's 911 database vendor directly to request interface. Alternative shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Alternative and BellSouth shall not be liable for the transactions between Alternative and BellSouth's 911 database vendor.
- 6.2.2 It is Alternative's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 Alternative shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Alternative, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Alternative to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Alternative that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Alternative shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Alternative within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Alternative shall reimburse BellSouth for any

charges BellSouth's database vendor imposes on BellSouth for the deletion of Alternative's records.

- 6.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 6.3.1.1 The database capability allows Alternative to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the Alternative PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- Alternative may order either the database capability or the transport component as desired or Alternative may order both components of the service.
- 6.3.3 <u>911 PBX Locate Database Capability.</u> Alternative's End User or Alternative's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- Ordering, provisioning, testing and maintenance shall be provided by Alternative pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- Alternative's End User, or Alternative's End User DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Alternative to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. Alternative should not submit telephone number updates for specific PBX station telephone numbers that are submitted by Alternative's End User, or Alternative's End User DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 Alternative must provision all PBX station numbers in the same LATA as the E911 tandem.
- Alternative agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Alternative's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by

Version: 2Q05 Standard ICA - New

Alternative or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. Alternative is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Alternative's End User or DMA pursuant to these terms. Specifically, Alternative's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 6.3.7 Alternative may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for Alternative's End Users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires Alternative to order a CAMA type dedicated trunk from Alternative's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the Alternative's End User premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. Alternative is responsible for connectivity between the End User's PBX and Alternative's switch or POP location. Alternative will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Alternative purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Alternative is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

Version: 2Q05 Standard ICA - New

- 6.3.9 Ordering and Provisioning. Alternative will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by Alternative pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by Alternative pursuant to the terms and conditions set forth in Attachment 3.

7 White Pages Listings

- 7.1 BellSouth shall provide Alternative and its End Users access to white pages directory listings under the following terms:
- 7.1.1 <u>Listings.</u> Alternative shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Alternative residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Alternative and BellSouth End Users. Alternative shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> Alternative will be required to provide to BellSouth the names, addresses and telephone numbers of all Alternative End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.
- 7.1.3 <u>Inclusion of Alternative End Users in Directory Assistance Database.</u> BellSouth will include and maintain Alternative End User listings in BellSouth's DA databases. Alternative shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Alternative's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.

Version: 2Q05 Standard ICA - New

- 7.1.6 Rates. So long as Alternative provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Alternative one (1) basic White Pages directory listing per Alternative End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Alternative End User at no charge or as specified in a separate agreement between Alternative and BellSouth's agent.
- 7.3 Procedures for submitting Alternative SLI are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Alternative authorizes BellSouth to release all Alternative SLI provided to BellSouth by Alternative to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), BellSouth's GSST. Such Alternative SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Alternative for BellSouth's receipt of Alternative SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Alternative's SLI, or costs on an ongoing basis to administer the release of Alternative SLI, Alternative shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Alternative's SLI, Alternative will be notified. If Alternative does not wish to pay its proportionate share of these reasonable costs, Alternative may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Alternative shall amend this Agreement accordingly. Alternative will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Alternative under this Agreement. Alternative shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages,

losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Alternative listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Alternative any complaints received by BellSouth relating to the accuracy or quality of Alternative listings.

7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

Version: 2Q05 Standard ICA - New

| UNBU | JNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | | | |
|-------|--------|---|----------|-----------|--------------------------------|----------------|-------------------|------------------|-----------------|-----------------|-----------------|---------------|--------------|------------------|------------------|---------------|---------------|
| | | | | | | | | | | | | | Svc Order | | | | |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATE | CORV | DATE ELEMENTS | Interi | 7 | DOC | usoc | | | DATEC(¢) | | | Elec | | | Manual Svc | Manual Svc | |
| CATE | JUNT | RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | one" shown in the sections for stand-alone loops or loops as | | | | ographically | Deaveraged U | NE Zones. To | view Geograp | hically Deavera | aged UNE Zon | e Designation | ons by Cent | ral Office, refe | er to internet \ | Website: | |
| ODED | | www.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | 1 | | 1 | | | 1 | 1 | ı | 1 | | 1 |
| OPERA | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers th | o "ototo | onocit | io" OCC charges as | ardered by | ha Stata Camm | icciono The | OSS sharass a | urrantly cantai | nad in this rat | o ovhibit or | a the Bellee | uth "rogional | " comitos ordo | ring sharass | CL EC mov |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | ther the state specific commission ordered rates for the servi | ce orde | ing ci | larges, or CLEC may | elect the re | gioriai service o | ordering charg | je, nowever, Ci | EC can not of | itain a mixture | or the two | regardiess | I CLEC IIas a | mierconnecu | on contract e | stablished in |
| | | (2) Any element that can be ordered electronically will be bill | ed acco | ordina 1 | to the SOMEC rate lis | sted in this | ategory. Pleas | se refer to Bell | South's Local | Ordering Hand | book (LOH) to | determine | if a product | can be order | ed electronica | lly. For thos | e elements |
| | | nnot be ordered electronically at present per the LOH, the list | | | | | | | | | | | | | | | |
| | | N, will be applied to a CLECs bill when it submits an LSR to B | | | | | 5 | | | | | | | | | | - J |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | ED\#05 | (LSR) - UNE Only | | | | SOMAN | | 15.66 | 0.00 | 1.97 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with I | Balleau | th's EC | C No 1 Tariff Coatio | n F ac annli | aabla | | | | | | | | | | |
| - | NOTE: | The Expedite charge will be maintained commensurate with i | l elisou | IIII S FC | UAL, UEANL, UCL, | лі з аз арріі | cable. | | | | | | | I | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3. ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, U1TUA, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | NTCVG, NTCUD, | | | | | | | | | | | | |
| | | Day | | | NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | | | |
| ORDE | | ICATION CHARGE | | | | | | | | | | | | | | | |
| - | | Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD) | | - | | - | | 35.13 150.00 | 0.00 | 0.00 | 0.00 | 1 | | | | | - |
| UNRU | | EXCHANGE ACCESS LOOP | 1 | - | | - | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| 31100 | | ANALOG VOICE GRADE LOOP | - | 1 | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | | UEANL | UEAL2 | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | ļ | 1 | UEANL | UEASL | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | ļ | | UEANL | UEASL UEASL | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| Щ_ | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | l . | 3 | UEANL | UEASL | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | 1 | 1 | l | l | | ı |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 1 of 136

| אטטטאר | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | | | ↓ |
|-----------------------|---|--|------------------|--------------------------|----------------|----------------|------------------|----------------|----------------|----------------|---|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | <u> </u> | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | Halanda Maria Maria Bara Bara Bara da Tandara da Establara | | | | 1 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | UEANL | LIDETI | | 0.00 | 0.00 | | | | | | | | |
| | Premise | | | | URETL | | 8.93 | 0.88 | | | | | | | | |
| -+- | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 34.16 19.85 | 19.85 | | | | | | | | |
| +- | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEAINL | UKETA | | 19.00 | 19.00 | | | | | | | | + |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | OL/ UVL | OIKEWO | | 10.70 | 0.04 | | | | | | | | 1 |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.44 | | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.15 | 8.15 | | | | | | | 1 | + |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | 1 |
| | (per LSR) | | | UEANL | OCOSL | | 18.09 | | | | | | | | | |
| 2-WIF | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.20 | 34.14 | 15.10 | 21.25 | 4.15 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 13.27 | 34.14 | 15.10 | 21.25 | 4.15 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 15.07 | 34.14 | 15.10 | 21.25 | 4.15 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | | | | | | | | | | | | | |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 8.15 | | | | | | | | | ↓ |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.44 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.16 | 0.00 | | | | | | | | |
| INDUNE EF | Loop Testing - Basic Additional Half Hour | | <u> </u> | UEQ | URETA | | 19.85 | 19.85 | | | | | | | | |
| | EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP | | | | + | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | - | | | | | | | | | | | + |
| | Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | - ' - | OLA, INTOVO | ULALZ | 14.30 | 88.00 | 33.00 | 47.24 | 7.44 | | | | | | + |
| | Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| -+ | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | OLA, IVIOVO | OLALL | 22.00 | 00.00 | 00.00 | 77.27 | 7 | | | | | | + |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | Ť | 02/4/11/01/0 | O E / ILE | 00 | 00.00 | 00.00 | | | | | | | | † |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | , , , , , , , , | | | | | | | | | | | | 1 |
| | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | | | | | | | | | | | _ | | |
| | DS0) | | | UEA, NTCVG | URESL | | 24.89 | 3.51 | | | | | | | | 1 |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per | | | | | | | | | | | | | 1 | 1 | |
| | DS0) | ļ | | UEA, NTCVG | URESP | | 26.37 | 4.99 | | | | | | ļ | ļ | 4 |
| $-\!\!+\!\!-$ | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UEA, NTCVG | UREWO | | 87.72 | 36.36 | | | | | | | | |
| | Loop Tagging - Service Level 2 (SL2) | | <u> </u> | UEA, NTCVG | URETL | | 11.21 | 1.10 | | | | | | | | |
| 4-WIF | RE ANALOG VOICE GRADE LOOP | | 1 | LIEA NITOVO | LIEAL 4 | 05.04 | 404.0= | 04.51 | 50.11 | 1150 | | | | ! | ! | + |
| -+ | 4-Wire Analog Voice Grade Loop - Zone 1 | | 2 | UEA, NTCVG | UEAL4 UEAL4 | 25.34 38.58 | 131.97 131.97 | 94.51 94.51 | 59.14 59.14 | 14.50 14.50 | | | | | | + |
| $-\!\!\!\!+\!\!\!\!-$ | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | ├ | | UEA, NTCVG UEA, NTCVG | UEAL4 UEAL4 | 38.58 60.02 | 131.97 131.97 | 94.51 94.51 | 59.14 59.14 | 14.50 14.50 | | | | | | + |
| -+ | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | ├ | 3 | OEA, INTOVO | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | + |
| | DS0) | | | UEA, NTCVG | URESL | | 24.89 | 3.51 | | | | | | 1 | 1 | |
| -+- | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | 1 | \vdash | JE/1, 1410VO | JINEOL | | 24.09 | 5.51 | | | | | | | | + |
| | DS0) | 1 | | UEA, NTCVG | URESP | | 26.37 | 4.99 | | | | | | 1 | I | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | † | UEA, NTCVG | UREWO | | 87.72 | 36.36 | | | | | | <u> </u> | <u> </u> | + |
| 2-WII | RE ISDN DIGITAL GRADE LOOP | 1 | | | | | J2 | 55.50 | | | | | | 1 | 1 | 1 |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | İ | İ | 1 |
| *** | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| | | | 3 | UDN UDN | U1L2X U1L2X | 32.85 48.55 | 117.24 117.24 | 79.77 79.77 | 52.88 52.88 | 10.54 10.54 | | | | | | |

| LINDI | NDI E | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 0 Fub. A | I | I |
|----------|--|--|--|----------|------------|------------|--------|--------|---------------|--|-------|--|-----------|-------------|--|-------------|-------------|
| UNDU | NDLE | D NETWORK ELEWIENTS - Alabama | 1 | 1 | | 1 | | | | | | Cua Ordar | Cvo Ordor | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | DATE EL EMENTO | Interi | - | BCS | USOC | | | D 4 T E O (A) | | | Elec | , | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.01 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 12.73 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.30 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.01 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | 0,12 | O/ ILLIY | 11.01 | 00.00 | 07.00 | | | | | | | | |
| | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 12.73 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| 1 | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | J, L | UNLLYV | 12.13 | 30.00 | 31.00 | 41.24 | 7.44 | 1 | l | | 1 | 1 | 1 |
| | l | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 14.30 | 90.00 | 57.00 | 47.24 | 7.44 | 1 | | | | | |
| — | | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UAL | UREWO | 14.30 | 86.20 | 40.40 | 41.24 | 7.44 | - | - | | - | | |
| - | 2 March | ICLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIF | 000 | UAL | UKEWU | | 86.20 | 40.40 | | | | - | | 1 | | |
| | Z-WIKE | | IIIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | 440.00 | | 47.04 | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.74 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.17 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.44 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.74 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.17 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.44 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | OOP | OTIL | OKEWO | | 00.14 | 40.40 | | | | | | | | |
| | 7 ****** | 4 Wire Unbundled HDSL Loop including manual service inquiry | 1 | 1 | | + | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.95 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u>'</u> | OFIL | UI IL4X | 13.93 | 140.30 | 00.00 | 31.70 | 9.13 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.56 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHL4A | 13.36 | 140.30 | 00.00 | 31.70 | 9.73 | | | | | | |
| | | | | 3 | UHL | 111111 437 | 45.05 | 440.00 | 68.00 | F4 70 | 9.73 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.25 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | 40.05 | | | | | | | | | | |
| | <u> </u> | and facility reservation - Zone 1 | <u> </u> | 1 | UHL | UHL4W | 13.95 | 94.00 | 57.00 | 51.70 | 9.73 | ļ | ļ | | | | |
| 1 | 1 | 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | l _ | | l | | | | | | l | 1 | | | | |
| | <u> </u> | and facility reservation - Zone 2 | <u> </u> | 2 | UHL | UHL4W | 15.56 | 94.00 | 57.00 | 51.70 | 9.73 | | ļ | | 1 | | |
| | l | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | 1 | | | l | | | | |
| | ļ | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.25 | 94.00 | 57.00 | 51.70 | 9.73 | ļ | <u> </u> | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | <u> </u> | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | | USL, NTCD1 | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL, NTCD1 | USLXX | 154.18 | 252.47 | 157.54 | | 11.71 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL, NTCD1 | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, single LSR, (per | | | | | | | | | | | | | | | |
| 1 | 1 | DS1) | 1 | 1 | USL, NTCD1 | URESL | | 24.89 | 3.51 | I | | l | 1 | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | 1 | | | | | | İ | | İ | İ | | 1 | İ | İ |
| 1 | 1 | DS1) | 1 | 1 | USL, NTCD1 | URESP | | 26.37 | 4.99 | I | | l | 1 | | | | |
| | 1 | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | USL | UREWO | | 101.09 | 43.05 | | | | 1 | | t | | |
| | 4-WIRE | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | 1 | | CICLIVO | | 101.00 | 40.00 | — | | | | | | | |
| — | 7 771111 | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL, NTCUD | UDL19 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | 1 | | |
| | 1 | 4 Wire Unbundled Digital 19.2 Kbps | 1 | | UDL, NTCUD | UDL19 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 1 | | | 1 | 1 |
| <u> </u> | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | - | - | | - | | |
| <u> </u> | | | | | UDL, NTCUD | | 26.09 | 126.27 | 88.80 | | 14.50 | - | - | | - | | |
| | ! | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | | UDL56 | | | | 59.14 | | | | | 1 | - | |
| <u> </u> | ! | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL, NTCUD | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | 1 | ļ | | - | 1 | 1 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL, NTCUD | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | ļ | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL, NTCUD | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |

| UNBI | NDLF | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|---|---|----------|----------------|-----------------------------|--|--|--------|-----------|----------------------|-------|--|-----------|-------------|--|-------------|-------------|
| 3.400 | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | - ITET TOTAL ELEMENTO - Alabama | l | | | | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| 1 | | | l | 1 | | | I | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEG | OPV | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | , | | | Manual Svc | Manual Svc |
| CAILG | OKI | RATE ELEMENTS | m | Zone | BC3 | 0300 | | | KAIL3(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | - | | | <u> </u> | Managa | | Names a commission a | . Di | | | 000 | D=4==(#) | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| - | - | AME IIII III III III III III III III III | | _ | LIDI. NITOLID | LIDI 04 | 07.00 | First | Add'I | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | - | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL, NTCUD | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, single LSR, (per | | | | | | | | | | | | | | | |
| | | DS0) | | | UDL, NTCUD | URESL | | 24.89 | 3.51 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| | | DS0) | | | UDL, NTCUD | URESP | | 26.37 | 4.99 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL, NTCUD | UREWO | | 102.13 | 49.75 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.01 | 112.46 | 65.30 | 47.24 | 7.44 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 12.73 | 112.46 | 65.30 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.30 | 112.46 | 65.30 | 47.24 | 7.44 | | | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 11.01 | 91.46 | 54.30 | 47.24 | 7.44 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 12.73 | 91.46 | 54.30 | 47.24 | 7.44 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.30 | 91.46 | 54.30 | 47.24 | 7.44 | | | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| | 4-WIRE | COPPER LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.36 | 135.21 | 88.05 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.76 | 135.21 | 88.05 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | | 002 | 002.0 | 200 | 100.21 | 00.00 | 00 | 00 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.21 | 135.21 | 88.05 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry | | | 002 | 002.0 | 20.21 | 100.21 | 00.00 | 00 | 0.70 | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.36 | 114.21 | 67.05 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry | | <u> </u> | OCL | OCLAVV | 17.50 | 114.21 | 07.03 | 31.70 | 3.73 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.76 | 114.21 | 67.05 | 51.70 | 9.73 | | | | | | |
| - | | 4-Wire Copper Loop-Designed without manual service inquiry | | - | OOL | COLTIT | 20.70 | 117.21 | 01.00 | 01.70 | 3.70 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.21 | 114.21 | 67.05 | 51.70 | 9.73 | | | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 20.21 | 8.15 | 8.15 | 31.70 | 5.13 | | | | | | |
| - | 1 | CLEC to CLEC conversion Charge without outside dispatch | 1 | 1 | UCL | UREWO | | 97.23 | 42.48 | | | - | - | | - | | |
| - | 1 | Order Coordination for Unbundled Copper Loops (per loop) | 1 | 1 | UCL | UCLMC | | 8.15 | 8.15 | | | - | - | | - | | |
| — | 1 | order obstraination for oribunated copper Loops (per 100p) | 1 | 1 | UEA, UDN, UAL, | JOLIVIC | | 0.10 | 0.15 | - | | | 1 | | | | |
| 1 | 1 | | l | 1 | UHL, UDL, NTCVG, | |] | | | | | | 1 | | I | | |
| | l | | l | | | | | | | | | 1 | | | | | |
| 1 | l | Order Coordination for Specified Conversion Time (per LSR) | l | 1 | NTCUD, USL, NTCD1, UEANL | OCOSL |] | 18.09 | | | | İ | 1 | | | | |
| LOOP | MODIE | CATION | l | 1 | NICDI, UEANL | UCUSL | | 18.09 | | | | | - | | 1 | | |
| LOOP | MODIFIC | JATION | 1 | 1 | LIAL LILIL LICI | | | | | | | | ļ | | | | |
| | l | | l | | UAL, UHL, UCL, | | | | | | | 1 | | | | | |
| 1 | l | Halanda Markara B | l | 1 | UEQ, ULS, UEA, | | | | | | | İ | 1 | | | | |
| 1 | l | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | l | 1 | UEANL, UEPSR, | |] | 0.00 | 0.00 | | | İ | 1 | | | | |
| | | pair less than or equal to 18k ft. per Unbundled Loop | | <u> </u> | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | | | | |
| | l | Unbundled Loop Modification Removal of Load Coils - 4 Wire | l | | | l | | | | | | 1 | | | | | |
| | | less than or equal to 18K ft, per Unbundled Loop | | ļ | UHL, UCL, UEA | ULM4L | ļ | 0.00 | 0.00 | | | | | | | | |
| | 1 | | l | 1 | UAL, UHL, UCL, | |] | | | | | | 1 | | I | | |
| 1 | l | | l | 1 | UEQ,ULS,UEA, | |] | | | | | İ | 1 | | | | |
| | l | Unbundled Loop Modification Removal of Bridged Tap Removal, | l | | UEANL, UEPSR, | | | | | | | 1 | | | | | |
| | | per unbundled loop | | 1 | UEPSB | ULMBT | | 32.41 | 32.41 | | | | | | | | |
| SUB-LO | | | | | | | | | | | | | | | | | |
| | Sub-Lo | op Distribution | | | | | | | | | | | | | | | |
| | 1 | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | 1 | 1 | | | [| | | | | <u> </u> | 1 | | _ | | |
| 1 | <u> </u> | Up | <u> </u> | <u>L</u> | UEANL, UEF | USBSA | <u> </u> | 244.42 | | | | | <u> </u> | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | | <u> </u> | <u> </u> |
|--------------|---|-------------|--|-------------------|----------------|-------|---------------|---------------|--------------|-------|--|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL, UEF | USBSB | | 22.64 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | | | UEANL | USBSC | | 177.45 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | OLANL | USBSC | | 177.43 | | | | | | | | | |
| | Set-Up | | | UEANL | USBSD | | 55.15 | | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 11.21 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN2 | 11.94 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | _ | | | 40.00 | | | 4= 0= | . =- | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 16.86 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | 1 | 1 | | 1 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANE | CODIVIC | | 0.13 | 0.13 | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.46 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | 1 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 16.67 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 32.57 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR2 | 2.27 | 8.15 53.01 | 8.15 18.17 | 45.25 | 6.70 | | | | | | |
| | Sub-Loop 2-wire intrabuliding Network Cable (INC) | | | UEANL | USBRZ | 2.21 | 53.01 | 18.17 | 45.25 | 6.70 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | l |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 5.16 | 59.25 | 24.41 | 49.71 | 9.07 | | | | | | |
| | () | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | l |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.16 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.85 | 19.85 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.22 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 8.76 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 11.27 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | — |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.11 | 79.03 | 44.19 | | 9.07 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS4X | 12.61 | 79.03 | 44.19 | | 9.07 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UCS4X | 15.36 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | |
| ı | · | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- | | | LIEE LIEAN | UDET | | 0.00 | 2.55 | | | | | | | | 1 |
| | Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour | | | UEF, UEANL UEF | URETL URET1 | | 8.93 34.16 | 0.88 | 1 | | <u> </u> | 1 | | | | 1 |
| + | Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour | | - | UEF | URETA | | 19.85 | 19.85 | + | | 1 | 1 | 1 | 1 | 1 | |
| Unbun | dled Sub-Loop Modification | | | V=1 | JILIA | | 13.03 | 19.00 | + | | | | | | | |
| 55411 | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | İ | İ | | |
| | Coil/Equip Removal per 2-W PR | L | | UEF | ULM2X | | 175.78 | 5.10 | | | <u> </u> | <u> </u> | | | <u> </u> | <u> </u> |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 175.78 | 5.10 | | | | | | | | |
| | Unbundled Loop Modification, Removal of Bridge Tap, per | | | uee | | | .= | | | | | | | | | 1 |
| l labre | unbundled loop dled Network Terminating Wire (UNTW) | | | UEF | ULMBT | | 278.20 | 6.11 | - | | 1 | | | | | - |
| Unbun | Unbundled Network Terminating Wire (UNTW) per Pair | | - | UENTW | UENPP | 0.40 | 30.01 | | - | | | | - | - | 1 | |
| Networ | rk Interface Device (NID) | | | CLIVIVY | OLIVE | 0.40 | 30.01 | | 1 | | | - | | | | |
| 1.51.761 | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.23 | 28.38 | 1 | | | | 1 | 1 | | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 63.97 | 49.11 | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.87 | 5.87 | | | | | | | | |
| j | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.87 | 5.87 | | | | | | | | |
| UNE OTHER, P | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--|--|--------|--|------------------|--------|----------|--------|-----------|--------------|------------|--------------|-----------|-------------|--|-------------|--|
| | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Add I | DISC ISL | DISC Add I |
| | | | | | | B | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UAL, UCL, UDC, | | | | | | | | | | | | |
| | | | | UDL. UDN. UEA. | | | | | | | | | | | | |
| | | | | UHL, UEANL, UEF, | | | | | | | | | | | | |
| | | | | UEQ, UENTW, | | | | | | | | | | | | |
| | | | | NTCVG, NTCUD, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| - | Unbundled DS1 Loop - Expanded Superframe Format option - | | | 002 | 0000. | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Establishment, Provisioning Only - No Rate | | - | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | - | OLITIVY | CLINOL | 0.00 | 0.00 | | | | | | | | | |
| | : minimum billing period of three months for DS3/STS-1 Local | Loon | 1 | l . | | | | 1 | 1 | | 1 | | | 1 | ı | |
| NOTE | High Capacity Unbundled Local Loop - DS3 - Per Mile per | Loop | | | | | 1 | | I | | | | | | I | |
| | month | | | UE3 | 1L5ND | 8.38 | | | | | | 1 | | I | | 1 |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | UES | ILOND | 0.30 | | | | | | | | - | | |
| | Termination per month | | | UE3 | UE3PX | 308.98 | 451.52 | 263.94 | 119.49 | 83.58 | | | | | | |
| - | | | - | UES | UESFA | 300.90 | 451.52 | 203.94 | 119.49 | 03.30 | - | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | LIDLOV | 1L5ND | 8.38 | | | | | | | | | | |
| | month | | | UDLSX | ILOND | 8.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 319.83 | 451.52 | 263.94 | 119.49 | 83.58 | | | | | | |
| LOOP MAKE- | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 20.00 | 20.00 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 21.00 | 21.00 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.59 | 0.59 | | | | | | | | |
| LINE SPLITTI | | | | | | | | | | | | | | | | |
| END U | ISER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.01 | 21.19 | | 9.83 | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | | | | | |
| | NDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | 1 | | 1 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | 1 | | I | | 1 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | 1 | | I | | 1 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | | | 1 | | 1 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | Ť | | | | | | | 0.00 | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| PHYS | ICAL COLLOCATION | | Ť | | | 004 | 301 | 00 | 20.40 | 3.00 | 1 | | | — | | — |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | 1 | UEPSR UEPSB | PE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 1 | | I | | 1 |
| VIDTI | IAL COLLOCATION | | - | OLI OK OLI OD | 1.0 | 0.03 | 12.30 | 11.00 | 0.03 | 3.44 | | | | | | |
| VIKIO | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | 1 | | | | | | | | 1 | | | | | |
| | Splitting | | | UEPSR UEPSB | VE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 1 | | I | | 1 |
| IINBIINDI ED | DEDICATED TRANSPORT | | | OLF ON UEFOD | VL ILO | 0.03 | 12.30 | 11.60 | 6.03 | 5.44 | | | | | - | |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | - | | | | | | | - | | - | | |
| INTER | | | | | - | | | | | | 1 | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | LIATV | 11.577 | 0.00000 | | | | | | | | 1 | | 1 |
| | Per Mile per month | - | | U1TVX | 1L5XX | 0.008838 | | | | | 1 | ļ | | | - | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | LIATIV | U1TV2 | 04.40 | 40.51 | 07 ** | 40 | 0.00 | | l | | | | 1 |
| | Facility Termination | | | U1TVX | U11V2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | l | l | | | l | |

| CATEGORY RATE FLEMENTS RATE SLEMEN | UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 2 Fxh. A | | |
|--|--|--|--|--|------------|----------|-----------------|----------------|-----------------|----------------|---------------|--|------------------------------------|---|---|--|--|
| Mode | CATEGORY | | | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - |
| Preserving Channel Dustomer Transport - 2 Were VCR Roy But UTTX LSXX 0.000000 UTTX UTX UTTX UTX | | | | | | | _ | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | L |
| Precedition Channel - Disclosed Transport - E-Vive Vision Grade UTTX | | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Scality Termination | | | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| Interoffice Charmer - Decident Transport - 4-Wire Vote Order UTTX | | | | | | | | | | | | | | | | | |
| Part Miles per month | | ··· , · · · · · | | | U1TVX | U1TR2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| Fracticy Termination UTTX UTX UT | | Per Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| per month | | - Facility Termination | | | U1TVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| Interdiffic Channel - Decisioned Transport - 58 Rips - Facility UTIDX UTIDS 15.12 40.54 27.41 16.74 6.90 | | | | | LIATOV | 11 5 7 7 | 0.00000 | | | | | | | | | | |
| Interesting Channer - Dedicated Transport - 64 kbps - Facility U1TDX | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | 40.54 | 27.41 | 16.74 | 6.00 | | | | | | |
| Insertifice Channel - Dedicated Transport - Oth Apps - Facialty Termination Interestifice Channel - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - DSS - Per Mile per Interesting - Dedicated Transport - DSS - Per Mile per Interesting - Dedicated Transport - DSS - Per Mile per Interesting - Dedicated Transport - DSS - Per Mile per Interesting - Dedicated Transport - DSS - Per Mile per Interesting - Dedicated Transport - DSS - Per Mile per Interesting - Dedicated Transport - DSS - Per Mile per Interesting - DSS - Per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per Mile per | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | 40.54 | 21.41 | 10.74 | 0.90 | | | | | | |
| Termination UTIDX UTIDS 15.12 40.54 27.41 16.74 6.99 | | | | | U1TDX | 1L5XX | 0.008838 | | | | | | - | | | | - |
| Incomb Interdirec Channel - Dedicated Transport - DS1 - Facility U1TD1 U1TP1 (1,50X 0,18 16,35 14,44 16,35 | | Termination | | | U1TDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| Termination UTD1 | | month | | | U1TD1 | 1L5XX | 0.18 | | | | | | | | | | |
| Interdifice Channel - Dedicated Transport - DS3 - Facility | | Termination | | | U1TD1 | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| Termination per month | | | | | U1TD3 | 1L5XX | 4.09 | | | | | | | | | | |
| Interdirec Channel - Dedicated Transport - STS-1 - Per Mile per U1TS1 | | | | | U1TD3 | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 28.46 | | | | | | |
| Termination | | | | | U1TS1 | 1L5XX | 4.09 | | | | | | | | | | |
| Dark Fiber, Per Four Fiber Strands, Per Route Mile Of Fraction UDF, UDFCX 1,50F 22,34 639,09 137.87 317.06 197.66 | | | | | U1TS1 | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 28.46 | | | | | | |
| Thereof - Intendifice Transport | UNBUN | IDLED DARK FIBER | | | | | | | | | | | | | | | |
| 191 PBX LOCATE | | | | | | | | | | | | | | | | | |
| 1911 PBX LOCATE DATABASE CAPABILITY | | | | | UDF, UDFCX | 1L5DF | 22.34 | 639.09 | 137.87 | 317.06 | 197.66 | | | | | | |
| Service Establishment per CLEC per End User Account | | | | | | | | | | | | | | | | | |
| Changes to TN Range or Customer Profile 99BDC 9PBTN 181.44 | 911 PB | | | - | ODBDC | ODDELL | | 1 912 00 | | | | | | | | | ļ |
| Per Telephone Number (Monthly) | | | | | | | | | | | | 1 | - | | | | |
| Change Company (Service Provider) ID | | | | - | | | 0.07 | 101.44 | | | | 1 | | | | | |
| PBX Locate Service Support per CLEC (Monthit) | | | | | | | 0.07 | 532 60 | | | | | | | | | 1 |
| Service Order Charge 9PBDC 9PBSC 15.66 | | | 1 | 1 | | | 181.33 | 302.00 | | | | | | | 1 | 1 | 1 |
| See Att 3 | | | | | 9PBDC | 9PBSC | | 15.66 | | | | | | | | | |
| ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44 | | | | | | | | | | | | | | | | | |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 22.85 88.00 55.00 47.24 7.44 First 2-Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 22.85 88.00 55.00 47.24 7.44 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X UTF1 60.16 89.27 81.81 16.35 14.44 1// Channelization System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COCI - Per Month UNCVX 1DVX UEAL2 14.38 88.00 55.00 47.24 7.44 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44 | | | | | | | | | | | | | | | | | |
| NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| EXTENTED 2-WIRÉ VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | | | | | UNE combination | ons provisione | ed as ' Current | ly Combined' N | letwork Eleme | ents. | | 1 | T | T | т |
| First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 22.85 88.00 55.00 47.24 7.44 7.44 7.44 7.44 7.44 7.44 7.4 | EXTEN | | ED DS | 1 INTER | | | 44.00 | | == 00 | | | | | | | | |
| First 2-Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 36.14 88.00 55.00 47.24 7.44 | | | | 1 | | | | | | | | | - | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | <u> </u> | | | | | | | | | | | - | | | |
| Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 1/0 Channelization System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COCI - Per Month UNCVX ID1VG 0.53 6.58 4.72 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44 | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | | | | 00.00 | 33.00 | 41.24 | 7.44 | | | | | | |
| 1/0 Channelization System in combination Per Month | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | 22.2- | 54.5: | 10.0- | | | | | | | |
| Voice Grade COCI - Per Month UNCVX 1D1VG 0.53 6.58 4.72 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44 | | | | 1 | | | | | | | | <u> </u> | | - | | 1 | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44 | | | | 1 | | | | | | 10.54 | 9.79 | | - | | | | 1 |
| | | | | _ | | | | | | 47.04 | 7.11 | | | | | | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 22.85 88.00 55.00 47.24 7.44 | | , , , | | 1 | | | | | | | | | | | | | |

| CATEGORY | RATE ELEMENTS RATE ELEMENTS Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per | Interi m | 3 1 INTEF | | UEAL2 | Rec - | Nonrec First | RATES(\$) curring Add'I | Nonrecurring First | | Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|---|-------------|--------------|-----------------------------------|---------|--------|-----------------|-------------------------|--|---------|------------------------------|---|---|---|---|---|
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | m | 3 1 INTER | UNCVX UNCVX ROFFICE TRANSPO | UEAL2 | | | urring | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | m | 3 1 INTER | UNCVX UNCVX ROFFICE TRANSPO | UEAL2 | | | urring | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'I Rates(\$) | Manual Svc Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- Disc Add'l |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | m | 3 1 INTER | UNCVX UNCVX ROFFICE TRANSPO | UEAL2 | | | urring | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'I Rates(\$) | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | m | 3 1 INTER | UNCVX UNCVX ROFFICE TRANSPO | UEAL2 | | | urring | | | • | | Electronic- 1st | Electronic- Add'l Rates(\$) | Electronic- Disc 1st | Electronic- Disc Add'l |
| EXTER | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | | | | | | • | | 1st OSS | Add'I Rates(\$) | Disc 1st | Disc Add'l |
| EXTE | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS4 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | | | | | | | | 1st OSS | Rates(\$) | Disc 1st | |
| EXTER | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS4 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | | | | | | | | OSS | Rates(\$) | | |
| EXTER | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS1 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | | | | | | | ' | | | | |
| EXTE | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS4 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | | First | Add'l | First | A 1 111 | | | | | | |
| EXTER | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | TED DS1 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | 36.14 | | | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| EXTER | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS1 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | 36.14 | | | | | | | | | | |
| EXTE | Voice Grade COCI - Per Month IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS1 | 1 INTER | UNCVX ROFFICE TRANSPO | 1D1VG | | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | i |
| EXTE | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | FED DS1 | 1 | ROFFICE TRANSPO | | 0.53 | 6.58 | 4.72 | 77.27 | 7.77 | | | | | | |
| EXTER | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | IED DS | 1 | | | 0.55 | 0.30 | 4.12 | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 1 2 | | KI | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 2 | 1 | | | | | | | | | | | | i |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 2 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 2 | | | | | | | | | | | | | i |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | i |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 1 | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | i |
| | Per Month | 1 | | | 7 | 55.52 | .007 | 001 | 554 | 50 | | | | | | |
| | | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | 1 |
| | principline transport - Dedicated - DOT - Facility Termination Per | | 1 | CHOIA | LUAA | 0.10 | | | | | | | | - | | |
| \vdash | Month | | | LINCAV | U1TF1 | 00.40 | 00.07 | 04.04 | 40.05 | 44.44 | | | | | | ı |
| | | | | UNC1X | | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| \vdash | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | | | | | | | <u>. </u> |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | i |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | i |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | i |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | i |
| - | Additional Voice Grade COCI in combination - per month | | J | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | 33.14 | 14.50 | | | | | | |
| EVEE | | OATED: | 504 151 | | | 0.55 | 0.30 | 4.72 | | | | | | | | |
| EXIE | NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | D51 IN | TEROFFICE TRANS | PORT | | | | | | | | | | | , |
| | | | | | | | | | | | | | | | | i |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | <u>. </u> |
| | | | | | | | | | | | | | | | | i |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | i |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | i |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ť | | | 01.00 | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | i |
| - | Interoffice Transport - Dedicated - DS1 - combination Facility | | | ONOTA | TLOXX | 0.10 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | i |
| - | | | | | | | | | | | | | | | | |
| \vdash | 1/0 Channel System in combination Per Month | | <u> </u> | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | |] | | | | | | | 1 |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | . <u></u> |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | 1 |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | 1 |
| | Additional OCU-DP COCI (data) - in combination per month (2.4- | | Ŭ | | | 350 | .20.27 | 55.00 | 55.17 | 00 | | | | | | |
| 1 | 64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | 1 |
| EVTE | | CATER | Det III | | | 1.12 | 0.56 | 4.12 | | | | | | - | | |
| EXIE | NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | CATED | NI I CO | IEROFFICE TRANS | FUKI | | | | | | | | | | | |
| | E | | | | | | , | | | | | | | | | 1 |
| <u> </u> | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | 1 |
| | interoffice Transport - Dedicated - DS1 combination - Facility | - | + - | 5 IA | . 20/01 | 0.10 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | 1 |
| | | | 1 | | | | | | | | | | | | | |
| \vdash | 1/0 Channel System in combination Per Month | | <u> </u> | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | |
| 1 1 | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | |] | | | | | 1 | | 1 |
| 1 1 | Interoffice Transport Combination - Zone 1 | 1 | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 8 of 136

| | | | | | | | | | | | | | Attachment: | 2 EXN. A | | |
|----------------|---|-------------|----------|-----------|----------------|----------------|--------|-----------------|--------------|------------|--------|---|---|-----------|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Name | | Nonrecurring | Diagonuset | | | 220 | Detec(f) | | |
| | | | | | | Rec | Nonred | urring Add'l | , | | 201150 | 001111 | | Rates(\$) | 0014411 | SOMAN |
| -+- | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | + | | First | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | UNCDA | UDL64 | 33.93 | 120.21 | 00.00 | 39.14 | 14.50 | | | | | | + |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination - per month | | 3 | UNCDA | ODL04 | 37.00 | 120.21 | 88.80 | 35.14 | 14.50 | | | | | | + |
| | (2.4-64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | FD DS1 | INTER | | | 1.12 | 0.30 | 7.72 | | | | | | | | + |
| - EXIL | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | + |
| _ | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | + |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ť | | | 3102 | 202.47 | .004 | 0 | | | | | 1 | 1 | † |
| | Per Month | | 1 | UNC1X | 1L5XX | 0.18 | | | | | | | | I | I | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | 1 | | | | | | | | | İ | İ | |
| | Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | 1 | 1 | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | | | | | | | | | | | | | |
| | First DS1Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | l _ | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | - |
| EVEE | Additional DS1 COCI in combination per month | 0040 | <u> </u> | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | - |
| EXIEN | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | EINIE | | | 14 20 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| -+- | 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 UEAL2 | 14.38 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | + |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | 3 | UNCVA | UEALZ | 30.14 | 00.00 | 55.00 | 41.24 | 7.44 | 1 | | | 1 | 1 | + |
| | Month | | 1 | UNCVX | 1L5XX | 0.008838 | | | | | | | | I | I | |
| _ | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | 0.40 4 / | ILOAA | 0.000000 | | | | | | | | t | t | + |
| 1 | Termination per month | | 1 | UNCVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | I | I | |
| FXTFI | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | E INTE | | | 21.13 | 70.04 | 21.71 | 10.74 | 0.50 | | | | I | I | |
| EXTEN | 4-WireVG Loop in combination - Zone 1 | JIKAD | | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | | 1 | 1 | |
| | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | 1 | 1 | † |
| - | 4-WireVG Loop in combination - Zone 3 | | | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | <u> </u> | <u> </u> | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | Ť | | 1 | | | | | 50 | | | | 1 | 1 | † |
| 1 | Month | | 1 | UNCVX | 1L5XX | 0.008838 | | | | | | | | I | I | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | İ | | | | | | | |
| | Termination per month | | | UNCVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | | | 1 | 1 | |
| EXTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | TRANSPORT | | | | | İ | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 8.38 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 308.98 | 451.52 | 263.94 | 119.49 | 83.58 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | 1 | | | | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | 1 | 1 | <u> </u> |
| EXTEN | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | | | | | | | | | | | ļ | ļ | |
| | STS-1 Local Lolp in combination - per mile per month | 1 | | UNCSX | 1L5ND | 8.38 | | | | | 1 | | | | ļ | 1 |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |

| | | 1 | i | i . | | | | | | | | | | | | т. |
|-------------------|---|-------------|---------|---------|----------------|----------------|----------------|----------------|--|--------------|---|---|--|--|----------|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - Manual Svo Order vs. |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| - | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | 1 |
| | per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| EXTE | NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRANS | SPORT | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | <u> </u> |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | <u> </u> |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| \longrightarrow | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | | | | | | 1 | + |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| -+- | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | - | 1 | ONCINA | UILZX | ∠1.88 | 117.24 | 19.77 | 5∠.88 | 10.54 | | | | 1 | | + |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| \longrightarrow | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCINA | UILZA | 32.03 | 117.24 | 19.11 | 52.00 | 10.54 | | | | | | + |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| -+- | Additional 2-wire ISDN COCI (BRITE) - in combination- per | | 3 | UNCINA | UILZA | 46.55 | 117.24 | 19.11 | 52.00 | 10.54 | | | | | | + |
| | month | | | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | | | | | | | |
| EYTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | -1 INTE | | | 2.41 | 0.30 | 4.72 | | | | | | | | + |
| LATE | First DS1 Loop Combination - Zone 1 | LD 010 | | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | + |
| +- | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | + |
| +- | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | + |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | 3 | UNCIA | USLAA | 314.32 | 252.41 | 137.34 | 44.70 | 11.71 | | | | | | + |
| | Per Month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | ONCOX | TESTA | 4.03 | | | <u> </u> | | | | | | | + |
| | Termination per month | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | + |
| -+ | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | 00.20 | 01.00 | | | | | | + |
| -+ | Additional DS1Loop in the same STS-1 Interoffice Transport | | | 0.10.1% | 00.5. | 12.70 | 0.00 | 2 | | | | | | | | + |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | 000 | | | | | | | | | | † |
| | Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | - | | | | | 1 1 | | | | | | | 1 |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | 1 |
| EXTE | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB | PS INT | EROFF | | | | | | | | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | └ |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB | PS INT | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | ↓ |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | ļ | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | ļ | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | ļ | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | 1 | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | ļ | |
| EXTEN | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | KANSP | | | | 44 | | | I | | | | | | ļ | 4 |
| | First 2-wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | ļ | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 UEAL2 | 22.85 36.14 | 88.00 88.00 | 55.00 55.00 | 47.24 47.24 | 7.44 7.44 | ļ | | | | | ↓ |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 2 Exh. A | <u></u> | |
|----------|--|-------------|-----------------|-------------------|--------------|-----------------|----------------|---------------|--------------|------------|----------|-----------|--------------|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | Per each DS1 Channelization System Per Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| | Per each Voice Grade COCI - Per Month per month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | 04.00 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 UC1D1 | 166.13 12.70 | 178.14 6.58 | 93.97 4.72 | | 31.83 | | | | | - | |
| | Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | <u> </u> | UNC1X | UCIDI | 12.70 | 0.08 | 4.72 | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | - '- | ONCVA | ULALZ | 14.30 | 88.00 | 33.00 | 41.24 | 7.44 | | | | | | - |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | | 1 | | I | 1 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | ΙĪ | | 1 | | 33.50 | 55.50 | | | | | 1 | | 1 | t |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | | 1 | | I | 1 |
| | , | | | | 1 | | | | | | | | | İ | 1 | |
| | Each Additional Voice Grade COCI - in combination - per month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | | | | | | 1 | 1 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| EXTEN | DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT w/ 3/1 M | UX | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | İ |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | _ | | | | | | | | | | | | | l |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | 1110000 | | 00.00 | 404.07 | 04.54 | 50.44 | 44.50 | | | | | | |
| | Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | UNCIA | ILSAA | 0.10 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | 1 | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | | 9.79 | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | | 0.70 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | | 31.83 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | 01.00 | | | 1 | | 1 | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | 1 | | 2.00 | | | | | | İ | | İ | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | 1 | | I | 1 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | <u> </u> | | <u> </u> |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | - | | |] | | | 1 |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | 1 7 | | | | | | | |] | | _ | 1 |
| | Channel System per month | | | UNC1X | 1L5XX | 0.18 | | | ļ | | | | ļ | | 1 | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | l= | | | | | | | | 1 | | I | 1 |
| | same 3/1 Channel System per month | | <u> </u> | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| EVTE | Additional Voice Grade COCI - in combination - per month | INTERA | LECTOR | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | 1 | | | | | 1 | ! | ├ |
| EATEN | DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | INTERC | TRICE | I KANSPUK I W/ 3/ | I WIUX | | | | | | | | | - | - | |
| | Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | 1 | | I | 1 |
| + | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | - '- | 014007 | JULJU | 20.09 | 120.27 | 00.00 | 39.14 | 14.30 | | | | | t | |
| 1 | Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | 1 | | I | 1 |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | 32200 | 00.00 | 120.21 | 00.00 | 55.14 | 14.50 | | | | | I | <u> </u> |
| | Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | 1 | 1 |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | 1 | | | | | | | | | İ | 1 | |
| 1 | Mile Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | 1 | | I | 1 |
| | First Interoffice Transport - Dedicated - DS1 - combination | | | | | | | | | | | | | | | |
| | Facility Termination Per Month | | <u>L</u> | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| 1 | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

| ONRONDLE | D NETWORK ELEMENTS - Alabama | | | 1 | | | | | | | 1 - | | Attachment: | | 1 | |
|----------|---|--|-----------------|-----------------|---------|-----------------|----------------|----------------|----------------|---------------|---|---|---|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | _ | LINCDY | LIDI 50 | 25.05 | 400.07 | 00.00 | 50.44 | 44.50 | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | 3 | UNCDA | UDLS6 | 31.00 | 120.27 | 00.00 | 59.14 | 14.50 | | | | | - | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | ONODA | 10100 | 1.12 | 0.50 | 7.12 | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | 1 | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | 1 | - | | 20 | | | 1 | | | | | İ | 1 | 1 |
| | same 3/1 Channel System per month | 1 | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | 1 | I | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/ | /1 MUX | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | LINICAV | U1TF1 | CO 4C | 00.07 | 04.04 | 40.05 | 44.44 | | | | | | |
| | Facility Termination Per Month Per each Channel System 1/0 in combination Per Month | | | UNC1X | MQ1 | 60.16 101.06 | 89.27 91.04 | 81.81 62.57 | 16.35 10.54 | 14.44 9.79 | | | | | | |
| | Per each OCU-DP COCI (data) in combination - per month (2.4- | | | UNC1X | IVIQ1 | 101.06 | 91.04 | 02.37 | 10.54 | 9.79 | | | | | | <u> </u> |
| | 64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | 33.20 | 31.03 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | ONOTA | 00101 | 12.70 | 0.00 | 7.12 | | | | | | | | + |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 1 | | | | | | | | | | | | | 1 |
| | Interoffice Transport Combination - Zone 3 | <u> </u> | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | <u> </u> | <u></u> | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | 1 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | 1 | | | 1 | | | | | | | | | 1 | _ | |
| | Channel System per month | <u> </u> | <u> </u> | UNC1X | 1L5XX | 0.18 | | | | | | | | ļ | | <u> </u> |
| | Each Additional DS1 Interoffice Channel Facility Termination in | 1 | | l | 1 7 | | | | | | | | | | _ | |
| | same 3/1 Channel System per month | ļ | <u> </u> | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | ↓ |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | 40.00 | | . =- | | | | | | | | |
| EVEE | combination per month NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | T w./ ^/ | 4 MILES | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | 1 | |
| EXIE | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | KIW/3/ | IWUX | | + | | | | | | | | | | | |
| | Transport - Zone 1 | | 4 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | 1 | |
| - | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | - '- | OINCINA | UILZA | 21.08 | 111.24 | 19.77 | 5∠.08 | 10.54 | | | | 1 | t | |
| | Transport - Zone 2 | 1 | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | 1 | I | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | † | | | 5X | 02.00 | 117.27 | 10.11 | 32.30 | 10.04 | | | | | I | † |
| | Transport - Zone 3 | 1 | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | | | 1 | I | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | 1 | | | | | | | | | | | |
| | Mile per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | 1 | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | 1 | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | l | I | |
| | Per each Channel System 1/0 in combination - per month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

| ONRON | NULE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | _ | _ | Attachment: | | l | |
|--------|--------|---|-------------|----------|--------------------|-----------------|----------------|------------------|----------------|----------------|----------------|---|---|--|--|--|--|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | n | Nonrec | urring | Nonrecurring | Disconnect | | l . | oss | Rates(\$) | 1 | 1 |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINIONIN | 1141.00/ | 04.00 | 447.04 | 70.77 | 50.00 | 40.54 | | | | | | |
| | | Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCINA | UTLZX | 32.03 | 117.24 | 19.11 | 32.00 | 10.54 | | | | | | 1 |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | |
| | | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | Ŭ | | J | 70.00 | 117.27 | 10.11 | 52.50 | 10.04 | | | | 1 | 1 | |
| | | system combination- per month | | | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | | | | | I | | |
| | | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | | Channel System per month | L | | UNC1X | 1L5XX | 0.18 | | | | | <u> </u> | | | <u> </u> | | <u></u> |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | _ | _ | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | | combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| E | XTEN | DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | | | | | | | | | | | | | | |
| | | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | | | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - Per | | | LINGAV | 41.577 | 0.40 | | | | | | | | | | |
| | | Mile Per Month First Interoffice Transport - Dedicated - DS1 combination - | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | | Facility Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | 33.20 | 31.03 | | | | | | |
| | | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | 0.10.71 | 00.5. | .2 | 0.00 | | | | | | | | | |
| | | Channel System per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | | combination per month | | | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | | | | | | | | |
| | | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | | 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | | 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | I | | . 7 | | | | | | | | | | |
| | | 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | ļ | <u> </u> |
| E | | DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTERO | | | LIDL 50 | 00.00 | 100.00 | 00.00 | 50.11 | 44 = 2 | | | | - | ļ | |
| | | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | 1 | 1 | |
| | | First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 UDL56 | 35.95 37.88 | 126.27 126.27 | 88.80 88.80 | 59.14 59.14 | 14.50 14.50 | - | | | | 1 | |
| | | First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile | | 3 | OINCDV | บบเอช | 37.88 | 120.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | per month | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | I | | |
| | | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | O. TODA | 120// | 0.000036 | | | | | | | | - | 1 | |
| | | Termination per month | | | UNCDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | I | | |
| E | XTEN | DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTERO | FFICE | | | 2 | 10.04 | 2 | | 0.00 | | | | 1 | 1 | |
| | | First 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | 1 |
| | | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | | | | | | _ | _ | | |
| | | per month | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | _ | | |
| | | Termination per month | | | UNCDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | ļ | | |
| | | IETWORK ELEMENTS | L | <u> </u> | <u> </u> | | | | | | | | | | L | | <u> </u> |
| 10 | √nen ι | used as a part of a currently combined facility, the non-recurr | ng chai | rges do | o not apply, but a | Switch As is cl | arge does app | DIY. | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 2 Exh. A | | <u> </u> |
|--|--|-------------|----------|---|----------|--|-----------------|-----------|--------------|--------|---|---|---|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonred First | | Nonrecurring | | 201150 | 001111 | | Rates(\$) | 001141 | 001141 |
| Name | Lurring Currently Combined Network Elements "Switch As Is" | Ch anna | | | | - | FIrst | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | nal Features & Functions: | Charge | | | | | | | | | 1 | | | | | |
| Ориол | di Features & Functions. | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | , | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 184.85 | 23.81 | 1.99 | 0.7741 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.13 | 7.67 | 0.7355 | 0.00 | | | | | | |
| | | | | UNCVX, UNCDX, UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX, UNCSX, | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | | | | | |
| | WITOGODIE TO OTAL, OWIGHTAS-IS CONVENSION CHANGE | | 1 | | UNCCC | | 5.59 | 5.59 | 0.96 | 0.90 | | | 1 | | | - |
| | Link and Ind Mine Date Florent CNF CAL Circle National | | | U1TVX, U1TDX, U1TD1, U1TD3, | | | | | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) | | | U1TS1, UDF, UE3 | URESL | | 40.28 | 13.52 | | | | | | | | |
| | 3 3 7 | | | | UKLSL | | 40.20 | 13.32 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | URESP | | 64.09 | 25.63 | | | | | | | | |
| MIII TI | (Spreadsheet) PLEXER Interfaces | - 1 | | U1TS1, UDF, UE3 | URESP | - | 64.09 | 25.63 | | | | | | | | <u> </u> |
| WIOLII | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | 1 | | | | | + |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNCIX | IVIQI | 101.00 | 31.04 | 02.37 | 10.34 | 5.75 | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.12 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.12 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.41 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | . == | | | | | | | | |
| - | in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month | | | U1TUB | UC1CA | 2.41 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | <u> </u> |
| | used for a Local Loop | | | UEA | 1D1VG | 0.53 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| + | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | ULA | IDIVG | 0.55 | 0.56 | 4.72 | 0.00 | 0.00 | | | | | | 1 |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.53 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| Δετρεί | s to DCS - Customer Reconfiguration (FlexServ) | | 1 | OLDDI | OCIDI | 12.70 | 86.0 | 4.72 | 0.00 | 0.00 | | | | | | |
| Acces | Customer Reconfiguration Establishment | | <u> </u> | | | | 1.48 | | 1.84 | | | | | + | + | |
| | DS1 DSC Termination with DS0 Switching | | <u> </u> | | | 29.46 | 25.55 | 19.66 | 16.63 | 13.38 | | | | | | 1 |
| | DS1 DSC Termination with DS1 Switching | | | Ì | 1 | 9.94 | 18.47 | 12.58 | 12.21 | 8.96 | | | İ | | | 1 |
| | DS3 DSC Termination with DS1 Switching | | | | | 105.16 | 25.55 | 19.66 | 16.63 | 13.38 | | | | | | 1 |
| Service | e Rearrangements | | | | | | | | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Service Rearrangement | | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETD | | 270.08 | 47.13 | | | | | | | | |

| UNI | UNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-------|-------|--|--------|------|------------------|-------|------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| Ţ | | 7.4.0 | | | | | | | | | | Svc Order | | | | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | | | Manual Svc | |
| CAT | GORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| 0, 11 | | | m | | | | | | 101120(4) | | | per LSR | per LSR | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | | | | UEA, UDL, U1TUC, | | | | | | | | | | | | |
| | | | | | U1TUD, U1TUB, | | | | | | | | | | | | |
| | | NRC - Change in Facility Assignment per circuit Project | | | ULDVX, ULDDX, | | | | | | | | | | | | |
| | | Management (added to CFA per circuit if project managed) | - 1 | | UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | | | | |
| | | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCSX, U1TD1, | | | | | | | | | | | | |
| | | | | | U1TD3, U1TS1, | | | | | | | | | | | | |
| | | | | | UE3, UDLSX, | | | | | | | | | | | | |
| | | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | Commingling Authorization | | | U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | aneous | | | | | | _ | | | | | | | | | |
| | | NRC - Order Coordination Specific Time - Dedicated Transport | - 1 | | UNC1X | OCOSR | | 18.93 | 18.93 | | | | | | | | |

| UNBU | JNDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | | | |
|-------|----------|--|----------|----------|------------------------------------|----------------|----------------|------------------|---------------|-----------------|-----------------|---------------|--------------|-----------------|-----------------|----------------|--------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | | | | | Monro | curring | Monroourrin | g Disconnect | | | 000 | Rates(\$) | | |
| | | | | | | | Rec | First | Add'I | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | First | Addi | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | The "7 | one" shown in the sections for stand-alone loops or loops as | nart of | a comb | nination refers to Ge | ographically | Deaveraged II | NF Zones To | view Geogran | hically Deaver: | aged LINE Zone | Designation | ons by Cent | ral Office refe | r to internet \ | Nehsite: | |
| | | ww.interconnection.bellsouth.com/become a clec/html/inter | | | | ograpinoany | Deaveragea o | NE Edites. 10 | view Geograp | mouny Deaven | aged ONE LON | Designanc | one by cent | rai Omoc, reio | or to interriet | reporte. | |
| OPER | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | specif | ic" OSS charges as | ordered by t | ne State Comm | issions. The | OSS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | | | | | , | | ,-,, | | | | | | | | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | ed acco | ording t | o the SOMEC rate lis | sted in this o | ategory. Pleas | se refer to Bell | South's Local | Ordering Hand | book (LOH) to | determine i | if a product | can be ordere | ed electronica | Illy. For thos | e elements |
| | | nnot be ordered electronically at present per the LOH, the list | | | | | | | | | | | | | | | |
| | | I, will be applied to a CLECs bill when it submits an LSR to B | | | • • • | | - | | | | | | | | | • | |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | <u> </u> | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | <u> </u> | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 11.90 | 0.00 | 1.83 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | | n 5 as appli | cable. | | 1 | 1 | 1 | 1 | 1 | | 1 | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, UDLO3. UDLSX. | | | | | | | | | | | | |
| | | | | | UE3, ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | 1 | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | 1 | | | | UNCNX, UNCSX, | | | | | | | | | | | | 1 |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, | | | | | | | | | | | | |
| | 1 | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUA,NTCVG, NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | | | |
| OBDE | D MODIC | Day ICATION CHARGE | | <u> </u> | NICOD, NICDI | SUASP | | ∠00.00 | ∠00.00 | | | | | | - | | |
| OKDE | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | 1 | | |
| | 1 | Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD) | 1 | | | 1 | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| UNBU | NDLED F | XCHANGE ACCESS LOOP | | | | | | .00.00 | 5.50 | 5.50 | 5.50 | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | Ì | Ì | | | | | | İ |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | ļ |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | l | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 16 of 136

| UNBUNDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|------|--------------------------|----------------|----------------|-----------------|----------------|--------------|--------------|--|---|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| 1 | | | | | | | Nonrec | | Nonrecurring | Dissennest | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 11130 | Add I | 11130 | Addi | JOINEO | JOINAIN | JONIAN | JONIAN | JOHAN | JONAN |
| | Premise | | | UEANL | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 48.65 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.95 | 23.95 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.49 | | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | | · · · · · · | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | | UEQ | UEQ2X | 7.69 | 44.98 | 20.90 | 24.88 | 6.45 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | | UEQ2X UEQ2X | 10.92 19.38 | 44.98 44.98 | 20.90 | 24.88 | 6.45 6.45 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 3 | UEQ | UEQZX | 19.38 | 44.98 | ∠0.90 | 24.88 | 6.45 | | | | - | - | |
| | Premise | | | UEQ | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 9.00 | | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.49 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 48.65 | 0.00 | | | | | | | | |
| | Loop Testing - Basic 1st Hall Hour | | | UEQ | URETA | | 23.95 | 23.95 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | CLQ | OKEIA | | 20.00 | 20.00 | | | | | | | | 1 |
| | (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | |
| | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | | UEA, NTCVG | UEAR2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per IDS0) | | | UEA, NTCVG | URESL | 30.07 | 24.97 | 3.52 | 00.00 | 12.01 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| | DS0) CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG UEA, NTCVG | URESP UREWO | | 26.46 87.71 | 5.01 36.35 | | | 1 | | | | | - |
| | Loop Tagging - Service Level 2 (SL2) | | - | UEA, NTCVG | URETL | | 11.21 | 1.10 | | | | | | | | |
| 4-WIRE | ANALOG VOICE GRADE LOOP | | | 527, 111010 | JILLIL | | 11.21 | 1.10 | | | | | | | | |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA, NTCVG | UEAL4 | 18.89 | 167.86 | 115.15 | 67.08 | 15.56 | | | | | | 1 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA, NTCVG | UEAL4 | 26.84 | 167.86 | 115.15 | 67.08 | 15.56 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA, NTCVG | UEAL4 | 47.62 | 167.86 | 115.15 | 67.08 | 15.56 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | UEA, NTCVG | URESL | | 24.97 | 3.52 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) | | | UEA, NTCVG | URESP | | 26.46 | 5.01 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.71 | 36.35 | | | | | | | | |
| 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | | | | • | | • | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | | | | ļ | | <u> </u> |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 27.40 | 147.69 | 94.41 | 62.23 | 10.71 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UDN UDN | U1L2X UREWO | 48.62 | 147.69 91.61 | 94.41 44.15 | 62.23 | 10.71 | | | | - | | |
| | CLEO to CLEO Conversion Charge without outside dispatch | l | 1 | אוסט | OKEWO | | 91.01 | 44.15 | | | 1 | | | | ı | l |

| ONBONDE | ED NETWORK ELEMENTS - Florida | | | _ | | | | | | | | | Attachment: | | l | |
|--|--|-------------|----------------|------------|----------------|--------|-----------------|----------------|--|-------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | | N | | T 81 | B' | | | | | 2.00 .01 | 2.007.00. |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | - | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 8.30 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | - | UAL | UALZA | 0.30 | 149.55 | 103.03 | 75.05 | 15.65 | - | | | | - | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.80 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | <u> </u> | 0,12 | O, LLL, C | 11.00 | . 10.00 | 100.00 | 70.00 | 10.00 | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20.94 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 8.30 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.80 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | <u> </u> |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | | UAL2W | 20.01 | 404.00 | 74.40 | 20.01 | 2.42 | | | | | | |
| | facility reservaton - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UAL | UREWO | 20.94 | 124.83 86.19 | 71.12 40.39 | 60.64 | 9.12 | 1 | | | | 1 | |
| 2-14/10 | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRIF | | UAL | UKEWU | | 86.19 | 40.39 | | | | | | | - | ├ ── |
| 2-4411 | 2 Wire Unbundled HDSL Loop including manual service inquiry | IIDLL | LOOF | | | | | | | | | | | | | 1 |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.22 | 159.09 | 113.41 | 75.05 | 15.63 | | | | 1 | I | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ _ | | J | 1.22 | 100.00 | 110.41 | , 0.00 | 10.00 | | | | 1 | 1 | <u> </u> |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.26 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.21 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.22 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.26 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | <u> </u> |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | 40.04 | 404.40 | 00.00 | 00.04 | 0.40 | | | | | | |
| - | and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UHL UHL | UHL2W UREWO | 18.21 | 134.40 86.12 | 80.69 40.39 | 60.64 | 9.12 | | | | | | |
| 4-10/10 | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOB | UNL | UKEWU | | 00.12 | 40.39 | | | | | | | | <u> </u> |
| 7-1111 | 4 Wire Unbundled HDSL Loop including manual service inquiry | I DEL | 1 | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.86 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.39 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.86 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | | 45.44 | 400.00 | 445.47 | 62.74 | 44.00 | | | | | | |
| - | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 15.44 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | - | <u> </u> |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.39 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UHL | UREWO | 21.35 | 86.12 | 40.39 | 02.74 | 11.22 | | | | | | |
| 4-WIR | RE DS1 DIGITAL LOOP | | | OTIL | OKEWO | | 00.12 | 40.00 | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL, NTCD1 | USLXX | 70.74 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL, NTCD1 | USLXX | 100.54 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL, NTCD1 | USLXX | 178.39 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | | | | | | | | | | | | | |
| | DS1) | | | USL, NTCD1 | URESL | | 24.97 | 3.52 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | 1 | LIOL NITCE | LIDEGE | | | | j | | | | | | | |
| | DS1) | | <u> </u> | USL, NTCD1 | URESP | | 26.46 | 5.01 | ļ . | | | | | ļ | - | 4 |
| 4 14/15 | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | USL | UREWO | | 101.07 | 43.04 | | | | | | | | |
| 4-WIR | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL, NTCUD | UDL19 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | - | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | - | | UDL, NTCUD | UDL19 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | 1 | | 1 |
| | 4 Wire Unbundled Digital 19.2 Kbps | <u> </u> | | UDL, NTCUD | UDL19 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL, NTCUD | UDL56 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | 1 | 1 | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL, NTCUD | UDL56 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL, NTCUD | UDL56 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | 1 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL, NTCUD | UDL64 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |

| | I ED NETWODY | LEMENTS - Florida | | | | | | | | | | | | Attackmert: | 2 Evh ^ | | I |
|-------------|---------------------|---|--|--|------------------|----------|-------|--------|-----------|--------------|------------|-----------|-----------|----------------------------|--|-------------|-------------|
| SHOOKD | PED NEIWORK E | LEWEN 13 - FIORIDA | 1 | 1 | | | | | | | | Svc Order | Svc Order | Attachment: Incremental | Incremental | Incremental | Incremental |
| | | | 1 | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | Manual Svc | Manual Svc | | |
| CATEGOR | v | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | , | | | Manual Svc | Manual Svc |
| CATEGOR | | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| \vdash | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | l . | 088 | Rates(\$) | | l . |
| \vdash | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| — | 4 Wire Unbundler | Digital Loop 64 Kbps - Zone 3 | | 2 | UDL, NTCUD | UDL64 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | SOWIEC | JOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| \vdash | | version rate per UNE Loop, Single LSR, (per | | 3 | ODL, NICOD | UDL04 | 33.99 | 101.50 | 100.03 | 07.00 | 13.30 | | | | | | |
| | DS0) | reision rate per one Loop, Single LSR, (per | | | UDL, NTCUD | URESL | | 24.97 | 3.52 | | | | | | | | |
| — | | version rate per UNE Loop, Spreadsheet, (per | | | ODL, NICOD | UKLSL | | 24.31 | 3.32 | | | | | | | | |
| | DS0) | reision rate per orte 200p, opreadsheet, (per | | | UDL, NTCUD | URESP | | 26.46 | 5.01 | | | | | | | | |
| \vdash | | onversion Charge without outside dispatch | | | UDL, NTCUD | UREWO | | 102.11 | 49.74 | | | | | | | | |
| 2-V | VIRE Unbundled COP | | | | ODL, NICOD | UKLVVO | | 102.11 | 45.74 | † | | | | | | | |
| Z-V | | Copper Loop-Designed including manual | + | | | | | | | | | | | | | | |
| | | acility reservation - Zone 1 | | 1 | UCL | UCLPB | 8.30 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | |
| \vdash | | d Copper Loop-Designed including manual | | _ ' | OCL | OCLID | 0.50 | 140.50 | 102.02 | 73.03 | 13.03 | | | | | | |
| 1 1 | | acility reservation - Zone 2 | 1 | 2 | UCL | UCLPB | 11.80 | 148.50 | 102.82 | 75.05 | 15.63 | | 1 | | Ì | | |
| \vdash | | I Copper Loop-Designed including manual | | | UUL | JOLI D | 11.00 | 140.50 | 102.02 | 75.05 | 10.03 | | | | | | |
| 1 1 | | acility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 20.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 1 | | Ì | | |
| \vdash | | d Copper Loop-Designed without manual | + | - 3 | 001 | COLID | 20.94 | 140.00 | 102.02 | 75.05 | 10.03 | | | | | | |
| | | d facility reservation - Zone 1 | | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| | | d Copper Loop-Designed without manual | | - ' - | UCL | OCLF W | 0.30 | 123.01 | 70.09 | 00.04 | 9.12 | | | | | | |
| | | d facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| — | | d Copper Loop-Designed without manual | + | | UCL | OCLF W | 11.00 | 123.01 | 70.09 | 00.04 | 9.12 | | | | | | |
| | | d facility reservation - Zone 3 | | 3 | UCL | UCLPW | 20.94 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| \vdash | | onversion Charge without outside dispatch | | 3 | OCL | OCLI W | 20.34 | 123.01 | 70.03 | 00.04 | 3.12 | | | | | | |
| | (UCL -Des) | oriversion charge without outside dispatch | | | UCL | UREWO | | 97.21 | 42.47 | | | | | | | | |
| 4-V | VIRE COPPER LOOP | | | | UCL | UKLVVO | | 31.21 | 42.47 | † | | | | | | | |
| · | | op-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reserv | | | 1 | UCL | UCL4S | 11.83 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | |
| — | | op-Designed including manual service inquiry | | • | 002 | COLTO | 11.00 | 177.07 | 102.70 | 77.10 | 17.70 | | | | | | |
| | and facility reserv | | | 2 | UCL | UCL4S | 16.81 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | |
| — | | op-Designed including manual service inquiry | | | OCL | 00140 | 10.01 | 177.07 | 132.70 | 77.13 | 17.73 | | | | | | |
| | and facility reserv | | | 3 | UCL | UCL4S | 29.82 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | |
| — | | op-Designed without manual service inquiry | | | 002 | COLTO | 20.02 | 177.07 | 102.70 | 77.10 | 17.70 | | | | | | |
| | and facility reserv | | | 1 | UCL | UCL4W | 11.83 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | |
| | | op-Designed without manual service inquiry | | <u> </u> | 002 | OOLTIV | 11.00 | 100.10 | 100.00 | 02.14 | 11.22 | | | | | | |
| | and facility reserv | | | 2 | UCL | UCL4W | 16.81 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | |
| | | op-Designed without manual service inquiry | | | 002 | 002 | 10.01 | 100.10 | 100.00 | 02.7 1 | | | | | | | |
| | and facility reserv | | | 3 | UCL | UCL4W | 29.82 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | |
| | | onversion Charge without outside dispatch | | Ŭ | UCL | UREWO | 20.02 | 97.21 | 42.47 | 02.7 . | | | | | | | |
| | | n for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | Order Georginatio | The enganated experiences (per leap) | | | UEA, UDN, UAL, | 002.11.0 | | 0.00 | 0.00 | | | | | | | | |
| | | | | | UHL, UDL, NTCVG, | | | | | | | | | | | | |
| 1 1 | | | 1 | 1 | NTCUD, USL, | | | | | I | | | 1 | | Ì | | |
| 1 1 | Order Coordination | n for Specified Conversion Time (per LSR) | 1 | 1 | NTCD1, UEANL | OCOSL | | 23.02 | | I | | | 1 | | Ì | | |
| LOOP MOI | DIFICATION | The second second | 1 | | , | | | | | İ | | | | | İ | | |
| | | | 1 | 1 | UAL, UHL, UCL, | | | | | 1 | | | | | İ | | İ |
| 1 1 | | | 1 | 1 | UEQ, ULS, UEA, | | | | | I | | | 1 | | Ì | | |
| 1 1 | Unbundled Loop | Modification, Removal of Load Coils - 2 Wire | 1 | | UEANL, UEPSR, | | | | | 1 | | | | | | | |
| 1 1 | | equal to 18k ft, per Unbundled Loop | 1 | 1 | UEPSB | ULM2L | | 0.00 | 0.00 | I | | | 1 | | Ì | | |
| | | Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| 1 1 | | to 18K ft, per Unbundled Loop | 1 | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | 1 | | | | | | | |
| | | ** | 1 | 1 | UAL, UHL, UCL, | | | | | 1 | | | | | İ | | İ |
| 1 1 | | | 1 | 1 | UEQ, ULS, UEA, | | | | | I | | | 1 | | Ì | | |
| | Unbundled Loop | Modification Removal of Bridged Tap Removal, | .1 | 1 | UEANL, UEPSR, | | | | | I | | | 1 | | Ì | | |
| 1 1 | per unbundled lo | | 1 | 1 | UEPSB | ULMBT | | 10.52 | 10.52 | I | | | 1 | | Ì | | |
| SUB-LOOP | | • | | | | | | | | | | | | | | | |
| | b-Loop Distribution | | 1 | 1 | | | | | | 1 | | | | | İ | | İ |
| | | ross Box Location - CLEC Feeder Facility Set- | 1 | 1 | | | | | | 1 | | | | | İ | | İ |
| | Up | , | 1 | | UEANL, UEF | USBSA | | 487.23 | | 1 | | | | | | | |
| | · · | | | 1 | | | | | | | | | | | | | |
| | Sub-Loop - Per C | ross Box Location - Per 25 Pair Panel Set-Up | 1 | | UEANL, UEF | USBSB | | 6.25 | | I | | | 1 | | 1 | | |
| | | uilding Equipment Room - CLEC Feeder | | 1 | | | | - | | | | | | | | | |
| 1 1 | | | | | UEANL | USBSC | | 169.25 | | 1 | ı | 1 | 1 | | 1 | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|------------|--|-------------|------|----------------|----------------|--------|-----------------|----------------|--------------|-------|-------|------------------------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Set-Up | | | UEANL | USBSD | | 38.65 | | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | - | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | _ | | LIODNIO | 0.40 | 00.40 | 04.70 | 47.50 | 5.00 | | | | | | |
| | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN2 | 9.18 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 16.29 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | | | | | | | | | | 0.20 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 7.37 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 10.47 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | - | 027.112 | 002.11 | | 00.00 | 00.12 | | 0.00 | | | | | | 1 |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.58 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR2 | 3.96 | 9.00 51.84 | 9.00 13.44 | 47.50 | 5.26 | | | | | | |
| | Sub-Loop 2-Wile intrabuliding Network Cable (INC) | | | UEAINL | USBRZ | 3.90 | 31.04 | 13.44 | 47.50 | 5.26 | | | | | 1 | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 9.37 | 55.91 | 17.51 | 49.71 | 6.60 | | | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour | | | UEANL UEANL | USBMC URET1 | | 9.00 48.65 | 9.00 | | | | | | | | |
| | Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | + | 23.95 | 23.95 | | | | | | | 1 | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.15 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | <u> </u> |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS2X | 7.31 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 12.98 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | | | | uee | 1100140 | | 0.00 | 0.00 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF UEF | USBMC UCS4X | 5.36 | 9.00 68.83 | 9.00 30.42 | 49.71 | 6.60 | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | UEF | UCS4X | 7.61 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UCS4X | 13.51 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops | | | UEF, UEANL | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 48.65 | 0.00 | | | | | | | 1 | + |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 23.95 | 23.95 | | | | | | | İ | + |
| Unbu | ndled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10.11 | 10.11 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 10.11 | 10.11 | | | | | | | | |
| | Unbundled Loop Modification, Removal of Bridge Tap, per | | | J-1 | OLIVIAV | | 10.11 | 10.11 | | | | | | | † | |
| | unbundled loop | | | UEF | ULMBT | | 15.58 | 15.58 | | | | | | | | |
| Unbu | ndled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4572 | 18.02 | | | | | | | | | <u> </u> |
| Netw | ork Interface Device (NID) | | | UENTW | UND12 | | 71.49 | 48.87 | | | | | | | 1 | |
| | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | | | UENTW | UND12 UND16 | - | 71.49 113.89 | 48.87 89.07 | | | | | | | - | + |
| | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 7.63 | 7.63 | | | | | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 7.63 | 7.63 | | | | | | İ | 1 | † |
| UNE OTHER. | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|---------------|--|-------------|--|--|--------|--------|--------|-----------|--|-------|-------|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | - |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | İ |
| - | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | 1 | | | | | |
| | UNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | 1 | | | 5.50 | 0.00 | | | | | | | | | |
| | minimum billing period of three months for DS3/STS-1 Local | Loop | | 1 | | | | 1 | | 1 | | | 1 | • | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | <u> </u> | UE3 | 1L5ND | 10.92 | | | | | | | | | | <u> </u> |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | OBLOX | ILOIND | 10.02 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | | | | | İ |
| LOOP MAKE-U | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.6784 | 0.6784 | | | | | | | | |
| LINE SPLITTIN | | | | O.M. | 0 | | 0.0.01 | 0.0.0. | | | | | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | | | | | | |
| | NDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEPSK UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSR UEPSB | UEALS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| DUVE | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| PHISI | CAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line | 1 | 1 | | | | | | | | | | | | | — |
| | Splitting | | <u> </u> | UEPSR UEPSB | PE1LS | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | | | | | |
| VIRTU | AL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | - | | | | | | | | | | | | | |
| LINDHN'S ES | Virtual Collocation-2 wire Cross Connects (Loop) for Line | | | UEPSR UEPSB | VE1LS | 0.0502 | 11.57 | 11.57 | 0.00 | 0.00 | | | | | | |
| | DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT | ├ | | | - | - | | | 1 | | 1 | | | - | | |
| INIEK | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Fxh. A | | |
|--------------|--|-------------|--------|--------------------|----------------|-----------------|-----------------|-----------------|-----------------------|---------------|------------|------------------------|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | N | RATES(\$) | N | P | 1 | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | Rec | Nonrec First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | | Rates(\$) | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | riist | Add I | Filst | Addi | SOMEC | SOWAN | SOMAN | SOWAN | SOWAN | SOWAN |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | LIATION | U1TR2 | 25.22 | 47.05 | 24.70 | 40.04 | 7.00 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX U1TVX | 1L5XX | 25.32 0.0091 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | OTTVX | 01114 | 22.00 | 47.00 | 01.70 | 10.01 | 7.00 | | | | | | |
| | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| UNBUN | DLED DARK FIBER | | | | | | | | | | | | | | | |
| | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport | | | UDF, UDFCX | 1L5DF | 26.85 | 751.34 | 193.88 | | | | | | | | |
| 911 PBX LOCA | | | 1 | UDF, UDFCX | ILSDF | 26.65 | 751.54 | 193.00 | | | | | | | | |
| | X LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | |
| | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,820.00 | | | | | | | | | |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 182.14 | | | | | | | | | |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | |
| | Change Company (Service Provider) ID | | 1 | 9PBDC | 9PBPC | | 534.66 | | | | | | | | | <u> </u> |
| | PBX Locate Service Support per CLEC (MonthIt) | <u> </u> | 1 | 9PBDC | 9PBMR | 178.80 | | | | | ļ | | | | | |
| 244.55 | Service Order Charge X LOCATE TRANSPORT COMPONENT | <u> </u> | 1 | 9PBDC | 9PBSC | | 11.90 | | | | | | | | | |
| See At | | | - | | | | | | | | | | | | | - |
| | (TENDED LINK (EELs) | | 1 | | | | | | | | | | | | | |
| | The monthly recurring and non-recurring charges below will: | apply a | nd the | Switch-As-Is Charn | e will not ann | oly for UNE com | binations pro | visioned as ' O | rdinarily Comb | ined' Network | k Elements | I | 1 | 1 | <u> </u> | |
| | The monthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | |
| | ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | | | | | | • | | | | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | per month Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | 1/0 Channelization System in combination Per Month | | 1 | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | ļ | | | | | _ |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |

| CATEGORY RATE REMEMPS | LINDII | NDI EI | NETWORK ELEMENTS Florido | | | | | | | | | | | | A44b | 0 Fub. A | | |
|--|----------|--|--|--|---------|-------------------|----------|--------|--------|-----------|--------------|------------|--|--|---|--------------|-------------|-------------|
| ATECHORY RATE ELEMENTS In ord Jones BCS USOC RATES(S) RATES(| UNBU | NDLE | D NETWORK ELEMENTS - FIORIDA | 1 | | | 1 | 1 | | | | | Cur Onden | Cur Onden | | | l | I |
| ## PATE FLEMENTS Inter- ## PATE SCHEINTS Inter- ## PATE FLEMENTS | | | | | | | | | | | | | | | | | | |
| CATEGORY RATE ELEMENTS | | | | | | | | | | | | | | | | | | |
| March Marc | | | | Interi | l_ | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| Best | CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| Recommend Reco | | | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| Recommend Reco | | | | | | | | | | | | | | | | l'bbA | | Disc Add'l |
| Septiment Sept | | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| ### Additional 2-Vitin Visi Logo (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visi Logo (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visi Logo (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visi Logo (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visi Logo (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visi Logo (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 1 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Additional 2-Vitin Visio (8.2.) in Combination - Zero 2 ### Addit | | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| Vision Control Control (Per Nation) Vision Control (See Per National Control (Na | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Note collect COLD - Per North No. No | | | | | | | | | | | | | | | | | | |
| Note collect COLD - Per North No. No | | | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | i |
| ExtraCod Author Vote Conduct ExtraCode Loop Information - Zone 1 1 10/CVX U.S.B.A. 16.89 177.99 100.54 42.79 2.81 | | | | | | | | | | | | | | | | | | |
| Part 4-Win Androg Varo Grade Lorge in Combination - Zone 1 | - | EYTEN | DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA | TED DS | 1 INTER | | | 1.00 | 12.10 | 0.77 | 0.71 | 4.04 | | | | | | |
| First 4-Wite Analogy Votes Grade Loco in Combination - Zone 2 2 UNCVX | - | -XI-LIV | DED 4 WIRE TOIGE GRADE EXTERDED EGG! WITH DEDIGA | 12220 | | COLLIGE LIGHTON O | 1 | | | | | | | | | | | |
| First A-Wille Analog Vice Glade Loop in Combination - Zone 2 | | | First 4 Wire Angles Voice Crade Lean in Combination - Zone 1 | | 4 | LINCVV | LIENIA | 10.00 | 127.50 | 60.54 | 42.70 | 2.04 | | | | | | i |
| Hirst Avitor Analog Vase Glade Loop in Combination - Zone 3 3 MACVX UPA,4 47 62 127 59 60 54 42 79 2.81 | | | First 4-Wire Arialog Voice Grade Loop in Combination - Zone i | | - | UNCVA | UEAL4 | 10.09 | 127.59 | 60.34 | 42.79 | 2.01 | | | | | | |
| Hirst Avitor Analog Vase Glade Loop in Combination - Zone 3 3 MACVX UPA,4 47 62 127 59 60 54 42 79 2.81 | | | First A Million Associated Vision Constitution in Constitution 7 O | | _ | 1110101 | | 00.04 | 407.50 | 00.54 | 40.70 | 0.04 | | | | | | i |
| Intercedition Transport Commission - Per Nile No. CY 11.50X 0.1866 No. CY 0.1866 No. CY | | | First 4-wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| Intercedition Transport Commission - Per Nile No. CY 11.50X 0.1866 No. CY 0.1866 No. CY | | | | | | | | | | | | | | | | | | i |
| Per Mortin | | | | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| Intereffice Transport Controllation - Zero 1 1 UNCIX UTTP1 88.44 174.46 122.46 45.61 17.65 1 | | | | | | | | | | | | | | | | | | i |
| Document | | <u> </u> | | <u> </u> | <u></u> | UNC1X | 1L5XX | 0.1856 | | | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | 1 |
| Document | | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | 1 |
| 10 Channel System in combination Per Morth UNCIX MOI 146,77 51,83 10,75 7 6,71 4,84 1 1 1 1 1 1 1 1 1 | | l | | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | 1 |
| Vision Cluster DCDC in combination - per month UNCVX 151VG 1.38 12.16 8.77 6.71 4.84 4.85 4.279 2.81 4.281 4 | | | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | | | | | |
| Additional 4-Wire Analogy Votes Grade Loop in same DS1 1 (INCVX UEAL4 18.89 127.59 60.54 42.79 2.81 | | | | | | | | | | | 6.71 | 4 84 | | | | | | |
| Interestities Transport Combination - Zone 1 1 UNCVX UEAL4 18.88 127.59 60.54 42.79 2.81 | | | | | | O. CO TA | .5 | 1.00 | 12.10 | 0 | 0 | | | | | | | |
| Additional 4-Wine Analog Viola Grade Loop in same DS1 2 UNCXX | | | | | 1 | LINCVX | ΙΙΕΔΙΛ | 18 80 | 127 50 | 60.54 | 12 70 | 2.81 | | | | | | i |
| Intereffice Transport Combination - Zone 2 2 VNCVX UER44 28.84 127.59 60.54 42.79 2.81 | - | | | | - | ONOVA | OLAL | 10.03 | 127.55 | 00.54 | 42.73 | 2.01 | | | | | | |
| Additional 4-Wire Analog Voice Grade Loop in Same DS1 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 47 62 127 59 60.54 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 42.79 2.81 INNCVX UEAL4 43.61 17.95 INNCVX UEAL4 43.61 17.95 INNCVX UEAL4 43.61 17.95 INNCVX UEAL4 43.61 17.95 INNCVX UEAL4 44.67 12.46 45.61 17.95 INNCVX UEAL4 44.67 12.46 45.61 17.95 INNCVX UEAL4 44.67 12.46 45.61 17.95 INNCVX UEAL4 44.67 12.46 44.67 12.46 44.66 14.79 14.84 INNCVX UEAL4 44.67 12.46 44.67 14.84 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX UEAL4 INNCVX U | | | | | _ | LINOVA | 115 41 4 | 20.04 | 407.50 | CO 54 | 40.70 | 0.04 | | | | | | i |
| Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 47.62 127.59 60.54 42.79 2.81 | - | | | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| Additional Visios Grade COC in combination - per month INRCVX IDIVIS 1.38 12.16 8.77 6.71 4.84 | | | | | _ | | | | | | | | | | | | | i |
| EXTENDED 4-WIRE 58 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | 3 | | | | | | | | | | | | | |
| First 4-Wire 58Kbps Digital Grade Loop in Combination - Zone 1 | | | | | | | | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | 1 |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 65.99 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DSI combination - Per Mile Per Month UNC1X ILL5XX 0.1856 Interoffice Transport - Dedicated - DSI - combination - Zone 1 UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - combination - Zone 1 UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - combination - Zone 1 UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - Combination - Zone 2 UNC1X UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - Combination - Zone 2 UNC1X UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - Combination - Zone 2 UNC1X UNC1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT U | | EXTEN | DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | TEROFFICE TRANS | PORT | | | | | | | | | | | ı |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 65.99 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DSI combination - Per Mile Per Month UNC1X ILL5XX 0.1856 Interoffice Transport - Dedicated - DSI - combination - Zone 1 UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - combination - Zone 1 UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - combination - Zone 1 UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - Combination - Zone 2 UNC1X UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - Combination - Zone 2 UNC1X UNC1X ILL5XX 0.1856 Per Month Interoffice Transport - Dedicated - DSI - Combination - Zone 2 UNC1X UNC1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT UNc1X INTEROFFICE TRANSPORT U | | | | | | | | | | | | | | | | | | i |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | i |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | | | | | | | | | | | | | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | i |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X | | | - | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X | | | First 4-Wire 56Khos Digital Grade Loop in Combination - Zone 3 | | 3 | LINCDX | LIDL56 | 55 99 | 127 59 | 60 54 | 42 79 | 2.81 | | | | | | i |
| Per Month Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X | | | | | | ONODA | ODLOG | 00.00 | 127.00 | 00.04 | 72.10 | 2.01 | | | | | | |
| Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X | | | | | | LINC1V | 11 5 7 7 | 0.1956 | | | | | | | | | | i |
| Termination Per Month | | | | | | UNCIA | ILSAA | 0.1000 | | | | | | | | | | |
| 1/0 Channel System in combination Per Month | | | | | | LINIOAV | 114754 | 00.44 | 474.40 | 100.10 | 45.04 | 47.05 | | | | | | i |
| OCU-DP COCI (data) per month (24-646bs) | | | | | | | | | | | 45.61 | 17.95 | | | | | | |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | | | | |
| Interoffice Transport Combination - Zone 1 | | | | ļ | | UNCDX | 1D1DD | 2.10 | 10.07 | 8.77 | 6.71 | 4.84 | ļ | ļ | | | | |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | 1 | | 1 | 1 | | |] | | | I | | l | l | Ì | İ | | ı |
| Interoffice Transport Combination - Zone 2 | | | | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 | | l | | | | | | | | | | | l | l | | | - | |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 | | <u> </u> | Interoffice Transport Combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | <u> </u> |
| Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 | | | | | | | | | | | | | | | | | | |
| Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 8.77 6.71 4.84 | | 1 | | 1 | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | l | l | Ì | İ | | ı |
| CAMPAIGN | | 1 | | 1 | T - | | | 22.20 | | | | | i | i | 1 | 1 | | |
| EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | 1 | | 1 | 1 | UNCDX | 1D1DD | 2 10 | 10.07 | 8 77 | 6.71 | 4 84 | l | l | Ì | l | | ı |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | EXTEN | | CATED | DS1 IN | | | 2.10 | 10.01 | 0.77 | 0.,, | 7.04 | | | | | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1856 Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95 1/O Channel System in combination Per Month UNC1X MQ1 146.77 51.83 10.75 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1DDD 2.10 10.07 8.77 6.71 4.84 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | LAIEN | DED 4 WINE 04 KDI O EXTENDED DIGITAL LOOF WITH DEDI | OK LED | DOT IN | LINOITIOE INANS | | | | | t | | 1 | 1 | 1 | 1 | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1856 Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95 1/O Channel System in combination Per Month UNC1X MQ1 146.77 51.83 10.75 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1DDD 2.10 10.07 8.77 6.71 4.84 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 1 | First 4-Wire 64Khne Digital Grade Loop in Combination 7000 1 | 1 | 4 | LINCDY | LIDL64 | 22.20 | 127.50 | 60 F4 | 42.70 | 2 04 | l | l | Ì | l | | ı |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 | \vdash | | i iist wiie o4kups Digital Grade Loop III Combination - Zone T | | | OIYODA | JDL04 | 22.20 | 127.09 | 00.34 | 42.79 | 2.01 | - | - | | | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 | | 1 | First 4 Wire 64Khan Digital Crade Lannin Combination 7 | 1 | _ | LINCDY | LIDL 64 | 04.50 | 407.50 | 00.51 | 40.70 | 0.04 | l | l | Ì | l | | ı |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile | — | | riist 4-vviie 64kbps Digital Grade Loop in Combination - Zone 2 | - | 2 | UNCDX | UDL04 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | 1 | | 1 | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 1 | E | 1 | | | | | | | | | l | l | Ì | l | | ı |
| Per Month UNC1X 1L5XX 0.1856 | L | | | ļ | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | ļ | ļ | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X | | 1 | | 1 | 1 | | |] | | | I | | l | l | Ì | l | | ı |
| Termination Per Month | | L | | <u> </u> | L | UNC1X | 1L5XX | 0.1856 | | | <u> </u> | | <u> </u> | <u> </u> | <u>l</u> | <u> </u> | | 1 |
| 1/0 Channel System in combination Per Month | | | interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| 1/0 Channel System in combination Per Month | | l | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | 1 |
| OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | | | | | | | | | | | | | İ | İ | | |
| Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | 6.71 | 4.84 | | | | | | |
| | | 1 | | | 1 | | 1 | | | J1 | <u> </u> | | | | | | | |
| | | l | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | 1 |

| INBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Exh. A | | 1 |
|----------|---|-------------|--|-----------|--------|----------|--------|-----------|--------------|------------|--------|---|---|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual So Order vs Electronic Disc Add |
| 1 | | | | | | | Nonrec | rrina | Nonrecurring | Disconnect | | | | Rates(\$) | DISC 1St | DISC Add |
| | | | | | - | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | FIISL | Add I | FIISL | Add I | SOWIEC | SOMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | 0.105/1 | 0520. | 01.00 | 127.00 | 00.01 | 12.10 | 2.0. | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination - per month | | | | | | | | | | | | | | | |
| | (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 8.77 | 6.71 | 4.84 | | | | | | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| _ | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | ļ | - | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINCAV | 1L5XX | 0.1950 | | | | | | | | | 1 | |
| _ | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | - | UNC1X | ILDXX | 0.1856 | | | | | | | | | | 1 |
| | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| FYTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | | | 00.44 | 174.40 | 122.40 | 45.01 | 17.95 | | | | | | |
| LATE | First DS1Loop in Combination - Zone 1 | LD D03 | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | - | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | _ | LINGAY | LICLYY | 400.54 | 047.75 | 404.00 | 54.44 | 44.45 | | | | | | |
| | Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | Additoinal DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| FXTF | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | FINTE | | | 10.70 | 10.01 | 7.00 | 0.00 | 0.00 | | | | | | |
| | 2-WireVG Loop in combination - Zone 1 | | 1 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | 1 | | | | | | | | | | | | | |
| | Termination per month | 05:5 | <u> </u> | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | ļ |
| EXIE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE 4-WireVG Loop in combination - Zone 1 | GRAD | | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | - | |
| + | 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 | 1 | | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | | | 1 | | 1 |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | ONOVA | OLALT | 47.02 | 127.55 | 00.54 | 42.73 | 2.01 | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | 0.1017. | 120701 | 0.0001 | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV4 | 22.58 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| EXTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | TRANSPORT | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 10.92 | | | | | | | | | | |
| | | | | | | | _ | | | - | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 386.88 | 249.97 | 162.05 | 67.10 | 26.82 | | | | | | ļ |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | 1 | <u> </u> |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | LINIONY | LIATES | 4.074.07 | e | | | | | | | | 1 | |
| -V | Termination per month | 0 4 15:= | | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | ļ | - | <u> </u> |
| EXTE | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | 5-1 INT | EKOFF | | 1L5ND | 40.00 | | | | | | | | | | 1 |
| _ | STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per | - | | UNCSX | ILDIND | 10.92 | | | | | | | | - | | |
| | | | 1 | 1 | 1 | 1 | | | | | 1 | | 1 | I | I | 1 |

| IINDII | NDI E | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach mont. | 2 Evb A | | |
|-------------------------------------|-------|--|--|--|----------------|----------|----------|--------|-----------|--|-------|--|--|--|--|-------------|-------------|
| UNDU | NULE | I NETWORK ELEMENTS - FIORIDA | ı | 1 | | 1 | ı | | | | | Svc Order | Cua Ordar | Attachment: Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATEC | ODV | DATE ELEMENTO | Interi | 7 | DCC | ucoc | | | DATEC(A) | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Neo | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | |
| | EXTEN | IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRAN | SPORT | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - per mile | 1 | 1 | | | | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| \vdash | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | 5.101/ | TEON | 5.1050 | | | | | | | | | | |
| | | Termination per month | 1 | 1 | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | l | l | Ì | İ | | |
| \vdash | | 1/0 Channel System in combination - per month | | 1 | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | 40.01 | 17.33 | | | | | | |
| \vdash | | | | ├ | | UC1CA | | 12.16 | | 6.74 | 4.84 | - | - | | | | |
| \vdash | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UCTCA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | 1 | 1 . | LINIONIV | 1141.034 | 40.00 | 407.50 | 00.00 | 40.70 | 0.01 | İ | İ | Ì | l | | |
| \vdash | | Combination - Zone 1 | - | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | 1 | 1 | | 1 | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | | Additional 2-wire ISDN COCI (BRITE) - in combination- per | | | | | | | | | | | | | | | |
| | | month | | | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | |
| | EXTEN | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | -1 INTE | ROFFICE TRANSP | ORT | | | | | | | | | | | |
| | | First DS1 Loop Combination - Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | 0.100/1 | 120701 | 0.01 | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| - | | | | - | UNCIA | OCIDI | 13.70 | 10.07 | 7.00 | 0.00 | 0.00 | | | | | | |
| | | Additional DS1Loop in the same STS-1 Interoffice Transport | | | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| - | | Combination - Zone 1 | - | 1 | UNCIX | USLAA | 70.74 | 217.75 | 121.02 | 51.44 | 14.45 | | | | | | |
| | | Additional DS1Loop in the same STS-1 Interoffice Transport | 1 | 1 _ | LINIOAY | 1101.307 | | c | | | | İ | İ | Ì | l | | |
| $\vdash \vdash$ | | Combination - Zone 2 | <u> </u> | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | ļ | ļ | | | | |
| | | Additional DS1Loop in the same STS-1 Interoffice Transport | 1 | 1 | | 1 | | | | | | l | l | Ì | l | | |
| igsquare | | Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | | DS1 COCI in combination per month | <u> </u> | <u> </u> | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| $ldsymbol{ldsymbol{ldsymbol{eta}}}$ | EXTEN | DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | BPS INT | | | 1 | | | | | | ļ | ļ | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile per month | 1 | 1 | UNCDX | 1L5XX | 0.0091 | | | | | l | l | Ì | l | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | | Facility Termination per month | 1 | 1 | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | l | l | Ì | l | | |
| | EXTEN | DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | BPS INT | EROFF | ICE TRANSPORT | | | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | İ | İ | İ | İ | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | i | i | 1 | 1 | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | 1 | | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | i | i | 1 | 1 | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | ۱ | | 32237 | 00.00 | 127.00 | 00.04 | 72.13 | 2.01 | | | † | | | |
| | | Per Mile per month | 1 | 1 | UNCDX | 1L5XX | 0.0091 | | | | | l | l | Ì | l | | |
| \vdash | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | CITODA | TEON | 0.0091 | | | | | 1 | 1 | | 1 | | |
| | | Facility Termination per month | 1 | 1 | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | l | l | Ì | l | | |
| \vdash | EVTEN | Facility Fermination per month IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | DANCE | OPT | | סטווט | 18.44 | 94.70 | 5∠.59 | 50.49 | ∠1.53 | - | - | | | | |
| \vdash | EXIEN | | KANSP | | | LIEALO | 40.04 | 407.50 | 00.51 | 40.70 | 0.04 | | | | | | |
| \vdash | | First 2-wire VG Loop (SL2) in Combination - Zone 1 | - | | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | 1 | | 1 | | |
| \vdash | | First 2-wire VG Loop (SL2) in Combination - Zone 2 | <u> </u> | | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | ļ | ļ | | | | |
| | | First 2-wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | l | 1 | l | l | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 25 of 136

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | | | |
|--|---|-------------|----------|------------------|--------------|-----------------|-----------------|---------------------------------------|---------------|---------------|----------|---|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | LINIOAV | 114754 | 00.44 | 474.40 | 100.10 | 45.04 | 47.05 | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 MQ1 | 88.44 146.77 | 174.46 51.83 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month | | | UNC1X UNCVX | 1D1VG | 1.38 | 12.16 | 10.75 8.77 | 6.71 | 4.84 | + | - | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | | 0.00 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | 0.10.77 | 00.5. | 10.70 | 10.01 | | 0.00 | 0.00 | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | ļ |
| ļļ | Each Additional Voice Grade COCI in combination - per month | ļ | ļ | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | ĺ | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | LINIOAV | U1TF1 | 00.44 | 474.40 | 100.10 | 45.04 | 47.05 | | | | | | |
| | same 3/1 Channel System per month Each Additional DS1 COCI combination per month | | | UNC1X UNC1X | UC1D1 | 88.44 13.76 | 174.46 10.07 | 122.46 7.08 | 45.61 0.00 | 17.95 0.00 | 1 | | | | | |
| EVTEN | IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | EDOEE | ICE TO | | | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | + | - | | | | |
| EXIEN | First 4-Wire Analog Voice Grade Local Loop in Combination - | EKUFF | ICE IN | ANSPORT W/ 3/1 W | 10. | | | | | | 1 | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | <u> </u> | ONOVA | OL71L4 | 10.00 | 127.00 | 00.04 | 42.70 | 2.01 | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | | 4.84 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 UC1D1 | 211.19 | 115.60 10.07 | 59.93 | 5.45 0.00 | 0.00 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UCIDI | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | + | - | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | | 1 | | 1 | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | +- | 5.10 1/1 | JE/127 | 10.09 | 121.00 | 00.54 | 72.13 | 2.01 | 1 | | | | | |
| | Interoffice Transport Combination - Zone 2 | ĺ | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | i – | | | | | | | - | 1 | | | İ | | |
| | Interoffice Transport Combination - Zone 3 | <u> </u> | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | <u> </u> | | | <u> </u> | <u> </u> | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | _ | - | | | | |] | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | <u> </u> |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | · | | | | | | | | |
| | same 3/1 Channel System per month | <u> </u> | <u> </u> | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | 1 | | | | | |
| EVTEN | Additional Voice Grade COCI - in combination - per month | L INTERA | FFIOR | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | |
| EXIEN | IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INIEK | JEFICE | IKANSPORT W/ 3/ | 1 WUX | | | | 1 | | 1 | 1 | | | | ļ |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1 | l | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | 1 | | 1 | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | - | +- | 01400/ | 00100 | 22.20 | 121.39 | 00.34 | 42.19 | 2.01 | + | - | | | | |
| | Zone 2 | ĺ | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | T - | | | 550 | .200 | 00.04 | .20 | 2.31 | | | Ì | | İ | † |
| | Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | 1 | | 1 | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | - | 1 | | | 1 | | |
| L | Mile Per Month | <u></u> | <u> </u> | UNC1X | 1L5XX | 0.1856 | | | | <u> </u> | <u> </u> | <u> </u> | | | <u> </u> | |
| | First Interoffice Transport - Dedicated - DS1 - combination | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | 1 | | 1 | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | | | | | 1 |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 8.77 | 6.71 | 4.84 | | | | | | <u> </u> |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|---|-------------|----------|-----------------|---------|---------|--------|-----------|--------------|-------|-------|---|---|---|--------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Increments Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 24 21 | | | LINIOOV | 1400 | 044.40 | First | Add'I | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | LINODY | 1101.50 | 00.00 | 407.50 | 00.54 | 40.70 | 0.04 | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | 2 | LINODY | 1101.50 | 04.50 | 407.50 | 00.54 | 40.70 | 0.04 | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | 3 | LINCDY | LIDLEC | 55.00 | 407.50 | CO 54 | 40.70 | 0.04 | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | | . II. IOD. | | | 40.00 | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 8.77 | 6.71 | 4.84 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | ļ |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | 4= 04 | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/ | /1 MUX | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Per each Channel System 1/0 in combination Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | | | | | |
| | Per each OCU-DP COCI (data) in combination - per month (2.4- | | | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 8.77 | 6.71 | 4.84 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 8.77 | 6.71 | 4.84 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | - | | | | | | | | | |
| | combination per month | l | l | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| EXTE | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | RT w/ 3/ | 1 MUX | | - | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | | | | | | | i - 1 | | | | | İ | | |
| | Transport - Zone 1 | 1 | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | | | l | | |
| T I | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | _ | | | | | | | | | |
| | Transport - Zone 2 | l | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | <u> </u> | | | | 00 | | | | | | | İ | | |
| | Transport - Zone 3 | 1 | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | | | l | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | i | | | | | İ | | |
| | Mile per month | l | l | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | 21.1200 | | | i | | İ | | | İ | | |
| | Facility Termination per month | 1 | 1 | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | l | | |
| | Per each Channel System 1/0 in combination - per month | l | — | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | .0.01 | 50 | | | | | 1 | |

| ONROND | DLED NETWORK ELEMENTS - Florida | | 1 | | | | | | | | | | Attachment: | | ļ | |
|----------|---|--------------|----------|----------|----------|--------|--------|-----------|---|------------|---|---|---|---|----------|--|
| CATEGOR | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | | | ļ |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | ļ |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINIONIN | 1141.00/ | 40.00 | 407.50 | 00.00 | 40.70 | 0.04 | | | | | | |
| | Combination - Zone 1 | - | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | <u> </u> |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | 1 | | UNCINA | UILZX | 27.40 | 127.39 | 00.00 | 42.79 | 2.01 | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | 1 | | OHOHA | OTLEX | 40.02 | 127.00 | 00.00 | 42.70 | 2.01 | | | | | | |
| | system combination- per month | | 1 | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | | | I | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | 1 | | | 1 | | | | | | | | | 1 | | † |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | İ | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| EX | TENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | ETRANS | | | | | | | | | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | | | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | 41 =>04 | | | | | | | | | | | |
| | Mile Per Month | 1 | <u> </u> | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Facility Termination Per Month 3/1 Channel System in combination per month | - | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | | | - | | + |
| | Per each DS1 COCI combination per month | 1 | 1 | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | ONOTA | COIDI | 10.70 | 10.01 | 7.00 | 0.00 | 0.00 | | | | | | + |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | 0110171 | 120701 | 0.1000 | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | - | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 1 | <u> </u> | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | <u></u> | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | <u> </u> | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | 1 | | <u> </u> |
| EX | TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 | INTERO | | | LUBI ST | | , | | | | | | | | ļ | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | <u> </u> | | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | ļ | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | 1 | 1 | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | 1 | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | 1 | <u> </u> |
| | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | 1 | UNCDX | 1L5XX | 0.0091 | | | | | | | | I | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | 1 | OINCDV | ILOAA | 0.0091 | | | + | | | | | + | | |
| | Termination per month | | 1 | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | | | I | | |
| EX | TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 | INTERO | FFICE | | 31150 | 10.44 | 54.70 | 02.00 | 55.45 | 21.00 | | | | - | 1 | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | 1 | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | 1 | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | 1 | | | | - | - | | | | | | | | | |
| | per month | 1 | L | UNCDX | 1L5XX | 0.0091 | | | <u> </u> | | <u> </u> | | | <u> </u> | | <u> </u> |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| ADDITION | AL NETWORK ELEMENTS | 1 | 1 | | | | | | | | | | | | | |
| | nen used as a part of a currently combined facility, the non-recur | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | | | <u> </u> |
|--|---|-------------|--|-----------------------------|------------|------------------|------------------|----------------|----------------|---------------|--|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001111 | | Rates(\$) | 001141 | 001141 |
| Manage | curring Currently Combined Network Elements "Switch As Is" | Ch ann | | | 1 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | nal Features & Functions: | Charge | | | + | | | | | | 1 | | | - | | + |
| Орио | lai reatures & runctions. | | | U1TD1, | | | | | | | | | | | | 1 |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | , | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 184.92 | 23.82 | 2.07 | 0.80 | | | | | | <u> </u> |
| | O L'A Destrucción de la constant Authoritation de DOO | i | | U1TD3, ULDD3, | NDOOO | | 219.09 | 7.07 | 0.773 | 0.00 | | | | | | |
| - | C-bit Parity Option - Subsequent Activity - per DS3 | | | UE3, UNC3X UNCVX, UNCDX, | NRCC3 | | 219.09 | 7.67 | 0.773 | 0.00 | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | | | | | |
| | This is said to one, owner, to is conversion on any | | 1 | U1TVX, U1TDX. | 0.1000 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | 1 | | U1TS1, UDF, UE3 | URESL | | 40.28 | 13.52 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TVX, U1TDX. | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | (Spreadsheet) | | | U1TS1, UDF, UE3 | URESP | | 64.09 | 25.64 | | | | | | | | |
| MULT | IPLEXER Interfaces | | 1 | 01101, 001, 000 | OIKEOI | | 04.00 | 20.04 | | | | | | | | |
| - | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | l <u>-</u> | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.10 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | UDIN | UCTCA | 3.00 | 10.07 | 7.06 | | | | | | | | 1 |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 3.66 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 1.38 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | UNC3X UNCSX | MQ3 MQ3 | 211.19 211.19 | 115.60 115.60 | 59.93 59.93 | 5.45 5.45 | 0.00 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | 5.45 | 0.00 | 1 | | 1 | | 1 | + |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | 30101 | 13.70 | 10.07 | 7.00 | | | | | | — | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | 1 | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | <u> </u> | ULDD1 | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| Acces | s to DCS - Customer Reconfiguration (FlexServ) | | <u> </u> | | 1 | | | | | | | | | | | |
| | Customer Reconfiguration Establishment | | <u> </u> | | - | 07.00 | 1.63 | 00.50 | 1.63 | 10 | | | | 1 | 1 | |
| | DS1 DSC Termination with DS0 Switching DS1 DSC Termination with DS1 Switching | | <u> </u> | | <u> </u> | 27.39 11.70 | 32.89 25.07 | 23.58 15.76 | 16.96 13.05 | 12.77 8.86 | | | - | | 1 | |
| | DS3 DSC Termination with DS1 Switching DS3 DSC Termination with DS1 Switching | | ! | | | 11.70 | 32.89 | 23.58 | 13.05 | 12.77 | | | 1 | | | |
| Servic | e Rearrangements | | - | | | 140.01 | 32.09 | 23.30 | 10.90 | 12.77 | | | | | 1 | |
| Joe. VIC | | | | U1TVX, U1TDX, | 1 | | | | 1 | | | | 1 | † | 1 | † |
| | | | | UEA, UDL, U1TUC, | | | | | | | | | | 1 | | |
| | | | | U1TUD, U1TUB, | | | | | | | | | | 1 | | |
| | NRC - Change in Facility Assignment per circuit Service | | | ULDVX, ULDDX, | | | | | | | | | | 1 | | |
| 1 | Rearrangement | ı | | UNCVX, UNCDX | URETD | | 270.08 | 47.13 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|------|---|-------|------|--------|-----------|--------------|------------|-------|-----------------------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) | ı | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | | | | |
| | Commingling Authorization | | | UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Miscel | aneous | | | | | | | | | | | | | | | |
| | NRC - Order Coordination Specific Time - Dedicated Transport | I | | UNC1X | OCOSR | | 18.90 | 18.90 | | | | | | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|--|--|---------|------------------------------------|----------------|-------------------|------------------|----------------|----------------------|------------------|--------------|--------------|------------------|------------------|---------------|-----------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | The #7 | | | | ination refere to Co | | . Danuara and H | NF 7 T- | | hiaallu Daawan | | Danimuntia | | nal Office mafe | | Mahaita. | |
| | | one" shown in the sections for stand-alone loops or loops as www.interconnection.bellsouth.com/become_a_clec/html/inter | | | | eographically | Deaveraged U | NE Zones. 10 | view Geograp | nically Deaver | aged UNE Zone | e Designatio | ons by Cent | rai Office, refe | er to internet v | vebsite: | |
| OPERA | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | connec | tion.nt | III . | ı | 1 | | | ı | I | 1 | 1 | | 1 | | |
| OI LIV | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | snecif | ic" OSS charges as | ordered by t | he State Comm | issions The (| OSS charges c | l urrently contai | ned in this rate | exhibit are | the BellSo | uth "regional' | " service orde | ring charges | CL FC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | ice or ac | ing ci | arges, or occornay | , elect the re | gioriai service (| ordering charg | e, nowever, or | LO Call Hot Of | nam a mixture | or the two | regardiess i | i ollo nas a | interconnecti | on contract e | stabilished iii |
| | | (2) Any element that can be ordered electronically will be bill | ed acco | rding t | o the SOMEC rate li | sted in this | ategory Pleas | se refer to Rell | South's Local | Ordering Hand | hook (LOH) to | determine i | if a product | can be ordere | ed electronica | lly For those | elements |
| | | nnot be ordered electronically at present per the LOH, the list | | | | | | | | | | | | | | | |
| | | N, will be applied to a CLECs bill when it submits an LSR to B | | | , outogo. , . o. | | ango unat mount | . 20 204 10 4 | 00 000 0 | | g capas | | | | ,oo,oo | | , o.i.a. go, |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 11.73 | 0.00 | 6.13 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | C No.1 Tariff, Section | on 5 as appli | cable. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDC, UDF, | | | | | | | | | | | | |
| | | | | | UEQ, UDL, UENTW, UDN, UEA, UHL, | | | | | | | | | | | | |
| | | | | | ULC, USL, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, U1TD1, | | | | | | | | | | | | |
| | | | | | U1TD3, U1TDX, | | | | | | | | | | | | |
| | | | | | U1TO3, U1TS1, | | | | | | | | | | | | |
| | | | | | U1TVX, UC1BC, | | | | | | | | | | | | |
| | | | | | UC1BL, UC1CC, | | | | | | | | | | | | |
| | | | | | UC1CL, UC1DC, | | | | | | | | | | | | |
| | | | | | UC1DL, UC1EC, | | | | | | | | | | | | |
| | | | | | UC1EL, UC1FC, | | | | | | | | | | | | |
| | | | | | UC1FL, UC1GC, | | | | | | | | | | | | |
| | | | | | UC1GL, UC1HC, | | | | | | | | | | | | |
| | | | | | UC1HL, UDL12, | | | | | | | | | | | | |
| | | | | | UDL48, UDLO3, | | | | | | | | | | | | |
| | | | | | UDLSX, UE3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | ULDD1, ULDD3, | | | | | | | | | | | | |
| | | | | | ULDDX, ULDO3, ULDS1. ULDVX. | | | | | | | | | | | | |
| | | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCDX, UNCNX, | | | | | | | | | | | | |
| | | | | | UNCSX, UNCVX, | | | | | | | | | | | | |
| | | | | | UNLD1, UNLD3, | | | | | | | | | | | | |
| | | | | | UXTD1, UXTD3, | | | | | | | | | | | | |
| | | | | | UXTS1, U1TUC, | | | | | | | | | | | | |
| | | | | | U1TUD, U1TUB, | | | | | | | | | | | | |
| 1 | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | 1 | | U1TUA,NTCVG, | | | | | | | | | | | | |
| | | Day | | | NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | | | |
| ORDE | R MODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| <u> </u> | ļ | Order Modification Charge (OMC) | ļ | | | | ļ | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| | IDI EE | Order Modification Additional Dispatch Charge (OMCAD) | ļ | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| ONBU | | EXCHANGE ACCESS LOOP | | - | | | | | | | | | | | | | |
| - | 2-WIRE | ANALOG VOICE GRADE LOOP | - | 1 | LIEANI | LIEALO | 40.54 | 40.02 | 0.00 | F 01 | 4 70 | | | | | | |
| <u> </u> | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL UEANL | UEAL2 UEAL2 | 10.51 15.85 | 40.02 | 9.99 9.99 | 5.61 5.61 | 1.72 1.72 | | | | 1 | | |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 31.97 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 10.51 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | <u> </u> | 2 | UEANL | UEASL | 15.85 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 31.97 | 40.02 | 9.99 | 5.61 | 1.72 | İ | İ | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 31 of 136

| UNBUNDLE | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--|---|-------------|----------|--------------------------|----------------|----------------|----------------|----------------|--------------|------------|----------|---|-------------------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| - | | | | | + | - | Nonred | curring | Nonrecurring | Disconnect | | | 088 | Rates(\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 11130 | Addi | 11100 | даат | COME | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | Premise | | | UEANL | URETL | | 8.92 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 25.12 | 0.00 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 13.62 | 13.62 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.92 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 7.30 | 7.30 | | | | | | | | |
| | Manual Order Coordiantion for UVL-SL1s (per loop) | | <u> </u> | UEANL | UEAMC | | 18.92 | 18.92 | | | | | | | | |
| 2-WIR | E UNBUNDLED COPPER LOOP - NON-DESIGNED | | _ | UEO | LIEGOV | 44.00 | 44.00 | 00.40 | 0.00 | 0.00 | | | | | | - |
| | 2 Wire Unbundled Copper Loop Non-Designed- Zone 1 2 Wire Unbundled Copper Loop Non-Designed- Zone 2 | | 1 | UEQ UEQ | UEQ2X UEQ2X | 11.02 12.72 | 44.69 44.69 | 22.40 22.40 | 0.00 | 0.00 | | | | | | - |
| | 2 Wire Unbundled Copper Loop Non-Designed-Zone 2 | | | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 3 | ULQ | ULQZX | 20.22 | 44.03 | 22.40 | 0.00 | 0.00 | | | | | | + |
| | Premise | | | UEQ | URETL | | 8.92 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | CLQ | OKETE | | 0.02 | 0.00 | | | | | | | | + |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 18.92 | 18.92 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | 1 |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 7.30 | 7.30 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 25.12 | 0.00 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 13.62 | 13.62 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 11.57 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 16.95 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | OLA, NICVO | ULALZ | 10.95 | 79.03 | 24.03 | 10.52 | 7.07 | | | | | | + |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 33.08 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | Ŭ | 027,111010 | OLALL | 00.00 | 7 0.00 | 24.00 | 10.02 | 7.07 | | | | | | + |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 11.57 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | , , , , , , | | | | | | | | | | | | + |
| | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 16.95 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 33.08 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | | | | | | | | | | | | | |
| | DS0) | ļ | | UEA, NTCVG | URESL | | 25.06 | 3.53 | | | | | | ļ | ļ | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | 1 | LIEA NECUO | LIDECS | | | | | | | | | I | | |
| | DS0) | | | UEA, NTCVG | URESP | | 26.55 | 5.03 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2) | | - | UEA, NTCVG UEA, NTCVG | UREWO URETL | - | 87.72 11.19 | 36.36 1.10 | | | | | | | 1 | + |
| 14-14/15 | Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP | | | UEA, NICVG | UKEIL | | 11.19 | 1.10 | | | | | | | | + |
| 4-WIR | 4-Wire Analog Voice Grade Loop - Zone 1 | - | 1 | UEA, NTCVG | UEAL4 | 17.80 | 93.01 | 28.17 | 19.52 | 8.12 | | | | + | + | + |
| | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA, NTCVG | UEAL4 | 21.68 | 93.01 | 28.17 | 19.52 | 8.12 | | | | | t | + |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | 1 | | UEA, NTCVG | UEAL4 | 30.25 | 93.01 | 28.17 | 19.52 | 8.12 | | | | - | - | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | 1 | | , | J , T | 55.25 | 55.51 | 20.17 | 10.02 | 0.12 | | | | I | I | + |
| | DS0) | l | 1 | UEA, NTCVG | URESL | | 25.06 | 3.53 | | | | | | I | I | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | 1 | | | | | | 1 | |
| <u> </u> | DS0) | <u> </u> | L | UEA, NTCVG | URESP | | 26.55 | 5.03 | | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.72 | 36.36 | | | | | | | | |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.89 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | |
| 1 1 | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 25.27 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | |
| | 10 Wise ICDN Digital Conde Lang. Zana 2 | ı | 3 | UDN | U1L2X | 40.17 | 180.06 | 35.25 | 18.23 | 6.97 | | | | 1 | 1 | 1 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 120.98 | 33.04 | | | | | | 1 | | _ |

| ONRONDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | | | <u> </u> |
|----------|---|-------------|--|------------|----------------|-------|----------------|----------------|--------------|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | rtco | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | ١. | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.23 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | - |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | UAL | UALZX | 12.91 | 44.03 | 31.33 | 0.00 | 0.00 | | | | | | + |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20.62 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | 0.00 | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.23 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 20.62 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | - |
| 2 WID | CLEC to CLEC Conversion Charge without outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E | LOOP | UAL | UREWO | | 44.69 | 29.29 | | | | | | | - | + |
| 2-4411 | 2 Wire Unbundled HDSL Loop including manual service inquiry | TIBLE | LOOF | | | | | | | | | | | | | + |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | OTIL | OTILEX | 7.00 | 44.00 | 01.00 | 0.00 | 0.00 | | | | | | † |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 14.48 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | <u> </u> |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | 44.40 | 44.00 | 04.55 | 0.00 | 0.00 | | | | | | |
| | and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UHL UHL | UHL2W UREWO | 14.48 | 44.69 44.69 | 31.55 31.55 | 0.00 | 0.00 | | | | | | + |
| 4-WID | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E | LOOP | UNL | UKEWU | | 44.09 | 31.33 | | | | | | | | + |
| 4-7711 | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIDEE | 1 | | | | | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.39 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 12.00 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.39 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | - |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 12.00 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UNL | UHL4VV | 12.00 | 44.09 | 31.33 | 0.00 | 0.00 | | | | | - | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | 10.01 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | 1 | 1 |
| 4-WIR | E DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL, NTCD1 | USLXX | 41.02 | 211.93 | 72.49 | 38.24 | 7.20 | | | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL, NTCD1 | USLXX | 46.41 | 211.93 | 72.49 | 38.24 | 7.20 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL, NTCD1 | USLXX | 62.03 | 211.93 | 72.49 | 38.24 | 7.20 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | | | | | | | | | | | | | |
| | DS1) | | | USL, NTCD1 | URESL | | 25.06 | 3.53 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) | | | USL, NTCD1 | URESP | | 26.55 | 5.03 | | | | | | | | |
| + | CLEC to CLEC Conversion Charge without outside dispatch | | | USL, NTCDT | UREWO | | 100.91 | 42.97 | 1 | | 1 | | | 1 | | + |
| 4-WIR | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | UUL | UKLWU | | 100.91 | 42.97 | | | | | | | | + |
| 7 | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL, NTCUD | UDL19 | 21.86 | 196.66 | 37.00 | 18.82 | 7.20 | | | | 1 | 1 | |
| İ | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | | | | Ì | 1 | † |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 38.22 | 196.66 | 37.00 | | 7.20 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL, NTCUD | UDL56 | 21.86 | 196.66 | 37.00 | | 7.20 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL, NTCUD | UDL56 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL, NTCUD | UDL56 | 38.22 | 196.66 | 37.00 | | 7.20 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 21.86 | 196.66 | 37.00 | | 7.20 | | | | ļ | . | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL, NTCUD | UDL64 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | 1 | | | l | 1 | |

| HNDH | NDI E | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attackment: | 2 Evh ^ | | |
|--------|-----------|--|----------|-------|---------------------------------|----------|-------|--------|-----------|--|------------|-----------|-----------|----------------------------|--------------------------|--------------------------|-------------|
| ONDU | NULE | DINET WORK ELEMIENTS - Georgia | 1 | | | 1 | | | | | | Svc Order | Svc Order | Attachment: Incremental | Incremental | Incremental | Incremental |
| | | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | | | | |
| OA!LO | | NATE ELEMENTO | m | 20110 | 500 | 0000 | | | KATEO(ψ) | | | per LSR | per LSR | Order vs. | Order vs. Electronic- | Order vs. Electronic- | Order vs. |
| | | | | | | | | | | | | | | Electronic- | | | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL, NTCUD | UDL64 | 38.22 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | | | | | | | | | | | | | |
| | | DS0) | | | UDL, NTCUD | URESL | | 25.06 | 3.53 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| | | DS0) | | | UDL, NTCUD | URESP | | 26.55 | 5.03 | | | | | | | | |
| - | 0.14/10/5 | CLEC to CLEC Conversion Charge without outside dispatc h | | | UDL, NTCUD | UREWO | | 101.95 | 49.66 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | 1 | | | | | | | |
| | | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.02 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed including manual | | - ' | OCL | OCLEB | 12.02 | 44.03 | 31.33 | 0.00 | 0.00 | | | | | | |
| | | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 2 Wire Unbundled Copper Loop-Designed including manual | 1 | | | | 10.00 | 44.00 | 01.00 | 0.00 | 0.00 | | | | 1 | | |
| | | service inquiry & facility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 22.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | 1 | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | † | Ť | | <u> </u> | | | 230 | 2.30 | 2.30 | | | | 1 | | |
| | | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.02 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | | service inquiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCLPW | 13.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | 1 | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 22.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 44.69 | 31.55 | | | | | | | | |
| | 4-WIRE | COPPER LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | _ | | | 40.00 | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | 3 | UCL | UCL4S | 30.55 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry | | 3 | UCL | UCL45 | 30.55 | 44.69 | 31.00 | 0.00 | 0.00 | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry | | | UCL | UCL4VV | 10.03 | 44.03 | 31.33 | 0.00 | 0.00 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry | | | 002 | OOLTIV | 10.22 | 44.00 | 01.00 | 0.00 | 0.00 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 30.55 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | CLEC to CLEC conversion Charge without outside dispatch | | | UCL | UREWO | | 44.69 | 31.55 | | | | | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | | UCL | UCLMC | | 18.92 | 18.92 | | | | | 1 | | | |
| | | 11 | | | UEA, UDN, UAL, | | | | | | | | | | | | |
| | | | 1 | | UHL, UDL, NTCVG, | | | | | I | | | | | 1 | | |
| | | | | | NTCUD, USL, | | | | | | | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | | NTCD1, UEANL | OCOSL | | 57.79 | | ļ | | | | | ļ | | |
| LOOP N | MODIFIC | ATION | ļ | | | | | | | ļ | | | | | ļ | | |
| | | | 1 | | UAL, UHL, UCL, | | | | | 1 | | | | | 1 | | |
| | | | 1 | | UEQ, ULS, UEA, | | | | | 1 | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | | pair less than or equal to 18k ft, per Unbundled Loop | ! | | UEPSB | ULM2L | | 0.00 | 0.00 | . | | | | - | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | 1 | | | ULM4L | | 0.00 | 0.00 | 1 | | | | | 1 | | |
| | | less than or equal to 18K ft, per Unbundled Loop | l | | UHL, UCL, UEA UAL, UHL, UCL, | ULIVI4L | | 0.00 | 0.00 | | | | | | | | |
| | | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | 1 | | UEANL, UEPSR, | | | | | I | | | | | 1 | | |
| | | per Unbundled Loop | 1 | | UEPSB | ULMBT | | 17.91 | | I | | | | | 1 | | |
| SUB-LC | OPS | per onbundica Loop | 1 | | OL: 0D | CLIVID | | 17.91 | | - | | | | | | | |
| 302 20 | | op Distribution | 1 | | | | | | | - | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | † | | | | | | | 1 | | | | | | | |
| | | Up | | | UEANL, UEF | USBSA | | 255.76 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | <u></u> | | UEANL, UEF | USBSB | | 7.29 | | | | | | <u></u> | | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | _ | | | | | | |] | | |
| | | Facility Set-Up | | | UEANL | USBSC | | 175.09 | | 1 | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | | | |
|----------|---|-------------|--|----------------|----------------|-------|----------------|---------------|--|------------|----------|---|--|-------------------------------------|-------------------------------------|------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add' |
| | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | L | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | | | | | | | | |
| | Set-Up | | | UEANL | USBSD | | 51.61 | | | | | | | | | |
| | Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working | | | | | | | | | | | | | | | |
| | and Spare Loop Activation | | | UEANL | USBRC | 3.61 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working | | | | | | | | | | | | | | | |
| | and Spare Loop Activation | | | UEANL | USBRD | 7.67 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 6.52 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | | LIODNIO | 40.40 | 00.40 | 0.05 | 0.00 | 0.04 | | | | | | |
| | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN2 | 10.18 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 19.51 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANE | OODIVE | 19.51 | 20.40 | 3.03 | 2.20 | 0.01 | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 5.93 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | 1 | |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.71 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.85 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 18.92 | 18.92 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 3.61 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 18.92 | 18.92 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 7.67 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | | | | | | | | 40.00 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 18.92 | 18.92 | | | | | | | | |
| - | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | 1 | UEANL UEANL | URET1 URETA | | 25.12 13.62 | 0.00 13.62 | - | | | | | | - | |
| - | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.94 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | - | - |
| + | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 2 | UEF | UCS2X | 7.51 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UCS2X | 9.22 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | 2 Three copper embarrated can been breakfully being control | | | 02. | CCCEA | 0.22 | 20.10 | 0.00 | 2.20 | 0.01 | | | | | 1 | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 18.92 | 18.92 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.37 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS4X | 6.32 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 9.10 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | | | | l | | | | | | | | | | | 1 | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | ļ | <u> </u> | UEF | USBMC | | 18.92 | 18.92 | ļ | | | | | | | |
| | Loop tagging Service Level 1, Unbundled Copper Loop, Non- | | | | UDET | | 0.00 | 0.00 | | | | | | | 1 | |
| | Designed and Distribution Subloops | | 1 | UEF, UEANL | URETL | | 8.92 | 0.88 | - | | | | | | - | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEF UEF | URET1 URETA | | 25.12 13.62 | 0.00 13.62 | | | | | | | | |
| Unbur | ndled Sub-Loop Modification | | | UEF | UKETA | | 13.02 | 13.02 | | | | | | | | |
| Olibui | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | 1 | | + | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | OL: | OLIVIZA | | 0.00 | 0.00 | | | | | | | | |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 0.00 | 0.00 | | | | | | | 1 | 1 |
| İ | Unbundled Loop Modification, Removal of bridge Tap, per | | | | | | | | | | | | | | | |
| | unbundled loop | <u></u> | | UEF | ULMBT | | 17.91 | 17.91 | <u> </u> | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| Unbur | ndled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.533 | 25.12 | 12.28 | | | | | | | | |
| Netwo | rk Interface Device (NID) | | | L | 1 | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | ļ | | UENTW | UND12 | | 32.86 | 20.69 | ļ | | | | | ļ | ļ | |
| | Network Interface Device (NID) - 1-6 lines | <u> </u> | 1 | UENTW | UND16 | | 56.03 | 43.86 | ļ | | | | | | - | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 2.45 | 2.45 | | | | | | | ! | |
| 1 | Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE | <u> </u> | 1 | UENTW | UNDC4 | | 2.45 | 2.45 | 1 | | - | | | | | ļ |

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-------------|---|-------------|------|--|----------------|--|-----------------|-----------------|--------------|--------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nauc | RATES(\$) | Nonrecurring | Diogram | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | First | Add'l | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | Unbundled Contact Name, Provisioning Only - no rate Unbundled DS1 Loop - Superframe Format Option - no rate | | | UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL | UNECN CCOSF | 0.00 | 0.00 | Addi | LIISI | Add I | SOWIEC | SUMAN | SUMAN | SUMAN | SUMAN | SOMAN |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | _ |
| NOTE | E: minimum billing period of three months for DS3/STS-1 Local High Capacity Unbundled Local Loop - DS3 - Per Mile per | Loop | 1 | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 10.97 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 253.38 | 1,753.23 | 131.90 | 112.91 | 75.88 | | | | | | |
| | month | | | UDLSX | 1L5ND | 10.97 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 305.42 | 1,753.23 | 131.90 | 112.91 | 75.88 | | | | | | |
| LOOP MAKE | -UP | | | | | | | | | | | | | | | 1 |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 15.19 | 15.19 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 19.85 | 19.85 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.82 | 0.82 | | | | | | | | |
| LINE SPLITT | | | | OWIN | OWINIVIQ | | 0.02 | 0.02 | | | | | | | | 1 |
| | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.6297 | 20.10 | 12.40 | 7.68 | 4.30 | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.6288 | 20.10 | 12.40 | 7.68 | 4.30 | | | | | | |
| | JNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | RE ANALOG VOICE GRADE LOOP | L | L | | | <u> </u> | | | | | | | | | | |
| UNE | Loop Rates for Line Splitting (In Ga. PSC ordered the line spli | | | | | | | 7.00 | 4.07 | 4.00 | | | | | | _ |
| \vdash | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | - 1 | 1 | UEPSR UEPSB UEPSR UEPSB | UEALS UEABS | 9.56 9.56 | 10.05 10.05 | 7.36 7.36 | 1.37 1.37 | 1.28 1.28 | - | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | Ė | | UEPSR UEPSB | UEALS | 14.86 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | i i | 2 | UEPSR UEPSB | UEABS | 14.86 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | + |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 | l i | 3 | UEPSR UEPSB | UEALS | 31.66 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | |
| | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | i | 3 | UEPSR UEPSB | UEABS | 31.66 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | 1 |
| PHYS | SICAL COLLOCATION | | | | | <u> </u> | | | | | | | | <u> </u> | <u> </u> | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | 5541.5 | | | | | | | | | | | |
| VIDT | Splitting | | | UEPSR UEPSB | PE1LS | 0.0197 | 0.00 | 0.00 | | | | | | | | |
| VIRI | UAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | 1 | | | | | | | | | | | |
| 1 1 | Splitting | | 1 | UEPSR UEPSB | VE1LS | 0.0188 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| UNBUNDLED | D DEDICATED TRANSPORT | | | 52. 6 62. 65 | | 0.0.00 | 0.00 | 3.00 | 0.00 | 2.00 | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | İ | | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 12.87 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | | U1TVX | 1L5XX | 0.0057 | | | | | | | | | | - |
| | Facility Termination | | | U1TVX | U1TR2 | 12.87 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | |

| CATEGORY RATE & LEMBUTS RATE & LEM | JNBUNDLEI | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | 2 Exh. A | | 1 |
|--|-----------|--|---------|--------|--------------------|----------------|----------------|---------------|-----------------|----------------|---------------|-------------------|------------------------------------|--|--|--|--|
| Machine Channel - Discission Transport - A Wire Voxe Grade | | - | | Zone | BCS | USOC | | | , ,, | | | Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. Electronic- | Charge - |
| Insertities Charmed - Decisioned Transport - 4-White Your Order of the Part | | | | | | | Rec | | | | | 001150 | 001111 | | | 0011411 | 001111 |
| Per Mile per mouth Per Mile per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per Mile per mouth Per Mile per mouth Per Mile per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile per mouth Per Mile p | | Literation Channel Bullion I Transport AMin Vision Control | | | | | | First | Add'l | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Interesting Channel - Dedicated Transport - 6 lb lbps - per mile UTTX UTTAL UT | | | | | 11477.07 | 41.5307 | 0.0057 | | | | | | | | | | |
| Facility Terronation | | | | | UTIVX | 1L5XX | 0.0057 | | | | | | | | | | |
| Intercentic Channel - Dedicated Transport - 56 ktps - finally U1TDX U1DS 7.83 48.46 19.48 15.58 5.00 U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS 1.50X U1DS | | | | | LIATAN | LIATVA | 10.70 | 40.46 | 10.49 | 16 50 | E 00 | | | | | | |
| Interesting Channel - Districted Transport - 68 kpps - Facility VITTIX | | | | | UTIVA | 01174 | 10.76 | 40.40 | 13.40 | 10.30 | 3.00 | | | | | | |
| Interesting Channel - Decisioned Transport - 68 kbps - Facility UTDX | | | | | LIATOV | 11.577 | 0.0057 | | | | | | | | | | |
| Terrination Unito Unito 1.00 | | | | | UTIDA | ILJAA | 0.0037 | | | | | | | | | | |
| Misrofice Channel - Dedicated Transport - 64 kbps - Pacific UTDX | | | | | LITTOX | LITUS | 7 83 | 18 16 | 10.48 | 16 58 | 5.00 | | | | | | |
| Democritic Channel - Described Transport - 64 Reps - Facility UTDX LLDXX 0.0057 | | | | | OTIDA | 01103 | 7.00 | 40.40 | 13.40 | 10.50 | 3.00 | | | | | | |
| Interdiffic Channel - Dedicated Transport - GR St - Per Mile par | | | | | LITTOX | 11 5XX | 0.0057 | | | | | | | | | | |
| Termination | | | | | OTIDA | 120701 | 0.0007 | | | | | | | | | | |
| Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - DS1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per month Interoffice Charen's - Deficiated Transport - STS - 1 - Per Mile per Mile | | | | | U1TDX | U1TD6 | 7.83 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | |
| month Interoffice Channel - Dedicated Transport - DS1 - Facility U1TD1 | | | | | | 1 | | | | .0.00 | 0.30 | | | | 1 | 1 | t |
| Termination | | | | | U1TD1 | 1L5XX | 0.1154 | | | | | | | | | | |
| Termination | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| Interoffice Channel - Decisizated Transport - DSS - Pet Mey per U1TD3 | | | | | U1TD1 | U1TF1 | 34.19 | 111.03 | 80.28 | 31.36 | 21.73 | | | | | | |
| Interoffice Channel - Dedicated Transport - DS3 - Facility U1TDS | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| Termination per month | | month | | | U1TD3 | 1L5XX | 2.53 | | | | | | | | | | |
| Intereffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS U1TS 368.67 320.47 66.32 66.77 52.81 | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| month | | Termination per month | | | U1TD3 | U1TF3 | 342.02 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | |
| Interdiffice Channel - Dedicated Transport - STS-1 - Facility Termination UTTS1 | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | 1 |
| Termination | | month | | | U1TS1 | 1L5XX | 2.53 | | | | | | | | | | |
| Dark Fietr, Per Four Fiber Strands, Per Route Mile Or Fraction DuF, UDFCX 1L5DF 23.29 1,776.53 89.75 73.53 18.70 | | | | | | | | | | | | | | | | | |
| Dark Fiber, Per Four Fiber Strands, Per Route Mile Of Fraction UDF, UDFCX LSDF 23.29 1,776.53 89.75 73.53 18.70 | | | | | U1TS1 | U1TFS | 358.67 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | |
| Thereof - Interoffice Transport | UNBUN | | | | | | | | | | | | | | | | |
| 1911 PBX LOCATE 182 182 182 183 184 | | | | | | | | | | | | | | | | | |
| Service Establishment per CLEC (per End User Account 9PBDC 9PBEU 1,825,00 | | | | | UDF, UDFCX | 1L5DF | 23.29 | 1,776.53 | 89.75 | 73.53 | 18.70 | | | | | | |
| Service Establishment per CLEC per End User Account 9PBDC 9PBIN 1826.07 | | | | | | | | | | | | | | | | | _ |
| Changes to TN Range or Customer Profile SPBDC SPBIN 182.67 | 911 PB. | | | | 00000 | ODDELL | | 4 005 00 | | | | | | | | | |
| Per Telephone Number (Monthly) | | | | | | | | | | | | | | | | | |
| Change Company, (Service Provider) D | | | | | | | 0.07 | 182.67 | | | | | | | | | |
| PRIX_Locate Service Support per CLEC (Monthit) | | | | | | | 0.07 | 526.22 | | | | | | | | | |
| Service Order Charge | | | | | | | 176.06 | 330.23 | | | | | | | | | |
| Size Att 3 | | | | | | | 170.30 | 11 72 | | | | | | | | | - |
| See Att 3 | 011 PR | | | | ar bdc | 9F B3C | | 11.73 | | | | | | | | | |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. | | | | | | | | | | | | | | | | | |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | | | | | | | | | | | | 1 | 1 | |
| NOTE: The monthly recurring and the Switch-As-1s: Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currently Combined" Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | apply a | nd the | Switch-As-Is Charg | e will not app | ly for UNE com | binations pro | visioned as ' O | rdinarily Comb | ined' Networl | Elements. | | 1 | | | |
| EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 | EXTEN | TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | ED DS | INTER | ROFFICE TRANSPO | RT | | | , , , , , , | | | | | | | | |
| First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 | | | | | | | 11.57 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97 UNC1X MQ1 69.75 86.10 Voice Grade COC1 - Per Month UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 UNCVX UEAL2 36.86 UNCVX | | | | | | UEAL2 | 16.95 | | | | | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | | 3 | UNCVX | UEAL2 | 33.08 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97 1/0 Channelization System in combination Per Month UNC1X MQ1 69.75 86.10 Voice Grade COCI - Per Month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 Voice Grade COCI - Per Month UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 | | | | | | | | | | | | | | | | | |
| Termination per month | | | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | <u> </u> |
| 1/0 Channelization System in combination Per Month | | | | | | | | | | | | | | |] | | |
| Voice Grade COCI - Per Month | | | | | | | | | 45.73 | 43.80 | 27.97 | | | | | | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 Voice Grade COCI - Per Month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04 | | | | | | | | | | | | | | | | | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 Voice Grade COCI - Per Month UNCVX 101VG 0.4689 27.33 2.90 16.86 1.04 | | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | <u> </u> |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 16.95 195.94 36.38 18.42 6.86 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 Voice Grade COCI - Per Month UNCVX 101VG 0.4689 27.33 2.90 16.86 1.04 | | | | | | | | | | | | | | | | | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 Voice Grade COCI - Per Month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04 | | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 11.57 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | 1 |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 Voice Grade COCI - Per Month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04 | | | | | | 1 | | | | | | | | | | | |
| Voice Grade COCI - Per Month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04 | | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 16.95 | 195.94 | 36.38 | 18.42 | 6.86 | | | | ļ | ļ | ļ |
| Voice Grade COCI - Per Month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04 | | | | | | l | | , | | | | | 1 | | 1 | 1 | |
| | | | | 3 | | | | | | | | | | | | ļ | |
| EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | voice Grade COCI - Per Month | 1 | 1 | | | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | l | l | | | | <u> </u> |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | • | | Attachment: | | | |
|-------------|---|--|--------|-----------------|---------|--------|--------|-----------|--------------|------------|---|---|--|--|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4 Wire A relay Vision Oracle Laws to Oracle region 7 | | _ | 110000 | | 00.05 | 405.04 | 00.00 | 40.40 | 0.00 | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | ONOTA | TEO/O | 0.1104 | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | 4= 00 | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| . 1 | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVA | UEAL4 | 21.00 | 195.94 | 30.30 | 10.42 | 0.00 | | | | | 1 | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| EXTEN | IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | CATED | DS1 IN | ITEROFFICE TRAN | SPORT | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4 Wiss FOR the Divisit One to Leave in Oracle in Fig. 7 | | _ | LINODY | LIDI 50 | 00.00 | 105.04 | 00.00 | 40.40 | 0.00 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | - | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ŭ | CHODA | ODLOO | 00.22 | 100.04 | 00.00 | 10.42 | 0.00 | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | - | UNCDX | UDLS6 | 21.00 | 195.94 | 30.30 | 10.42 | 0.00 | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination per month (2.4- | | | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| EXTEN | IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | CATED | DS1 IN | TEROFFICE TRAN | SPORT | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | I list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone 1 | | | UNCDA | UDL04 | 21.00 | 195.94 | 30.30 | 10.42 | 0.00 | | | | | 1 | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | <u> </u> | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | <u> </u> | <u></u> | <u></u> |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | l | | | | | | | | | | | | | | |
| | Per Month | <u> </u> | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| 1 | interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | 1 | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | I |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 69.75 | 86.10 | 45.73 | 43.00 | 21.91 | | | | 1 | t | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | - | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | + |
| 1 | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | , | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | ı | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | ĺ | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |

| ONBOND | LED | NETWORK ELEMENTS - Georgia | | 1 | 1 | | | | | | | | | Attachment: | | ļ | ļ |
|----------|-----|---|-------------|----------|----------------|----------------|----------------|------------------|----------------|--|--------------|---|---|--|--|--|---|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | _ | dditional OCLEDD COCL(data) in combination and another | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional OCU-DP COCI (data) - in combination - per month 2 4-64khs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| FX1 | /- | ED 4-WIRE D\$1 DIGITAL EXTENDED LOOP WITH DEDICAT | FD DS1 | INTER | | | 0.9903 | 21.33 | 2.90 | 10.00 | 1.04 | | | | | | |
| LA. | | I-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | | I-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | İ | |
| | 4 | I-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | | nteroffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | | nteroffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | ermination Per Month | | <u> </u> | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| EXT | | ED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | | | | 44.00 | 200 45 | 70.44 | 27.01 | 0.00 | | | | | 1 | 1 |
| | | First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2 | 1 | | UNC1X UNC1X | USLXX | 41.02 46.41 | 209.45 209.45 | 70.44 70.44 | 37.91 37.91 | 6.86 6.86 | | | | | | 1 |
| | | First DS1Loop in Combination - Zone 2 | 1 | | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | 1 | | | 1 | | 1 |
| | | nteroffice Transport - Dedicated - DS3 combination - Per Mile | 1 | - | CINCIA | JOLAN | 02.03 | 209.40 | 70.44 | 31.31 | 0.00 | | | | 1 | t | 1 |
| | | Per Month | | 1 | UNC3X | 1L5XX | 2.53 | | | | | | | | | | |
| | | nteroffice Transport - Dedicated - DS3 - Facility Termination per | | | | | 00 | | | | | | | | | | |
| | | nonth | | 1 | UNC3X | U1TF3 | 342.02 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | | |
| | 3 | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 121.90 | | | | | | | | | | |
| | | OS1 COCI in combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | _ | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | LINIOAN | 1101.307 | 00.00 | 000 45 | 70.44 | 07.04 | 0.00 | | | | | | |
| | | Zone 3 Additoinal DS1 COCI in combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 62.03 7.35 | 209.45 27.33 | 70.44 2.90 | 37.91 16.86 | 6.86 1.04 | | | | | | |
| EY | | ED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | E INTE | | | 7.35 | 21.33 | 2.90 | 10.00 | 1.04 | | | | | - | |
| LA. | | 2-WireVG Loop in combination - Zone 1 | UNAD | 1 1 | UNCVX | UEAL2 | 11.57 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 16.95 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.08 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | | Month . | | | UNCVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | lr | nteroffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCVX | U1TV2 | 12.87 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| EXT | | ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | | | | | | | | | | | | | | |
| | | -WireVG Loop in combination - Zone 1 | | | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | I-WireVG Loop in combination - Zone 2 | | | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | I-WireVG Loop in combination - Zone 3 nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | Nonth | | | UNCVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | | nteroffice Transport - 4-wire VG - Dedicated - Facility | | | UNCVA | ILJAA | 0.0037 | | | | | | | | | | |
| | | Termination per month | | | UNCVX | U1TV4 | 10.78 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| EXT | | ED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | | | | | | | | | | | 1 | |
| | D | OS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 10.97 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | OS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 253.38 | 1,260.47 | 628.84 | 41.53 | 20.76 | | | | | | |
| | | nteroffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.53 | | | | | | | | | | |
| | | nteroffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | 1 | |
| - | | remination per month | C 4 ''- | LDC- | UNC3X | U1TF3 | 342.02 | 325.91 | 77.07 | 49.56 | 32.88 | | | | 1 | 1 | 1 |
| EXT | | ED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | o-1 INT | EKOFF | UNCSX | 1L5ND | 10.97 | | | 1 | | | | | | | 1 |
| | | STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per | | <u> </u> | UNCOX | ILDIND | 10.97 | | | | | | | | | - | - |
| | | nonth | | 1 | UNCSX | UDLS1 | 305.42 | 1,260.47 | 628.84 | 41.53 | 20.76 | | | | | | |
| | | nteroffice Transport - Dedicated - STS-1 combination - per mile | | | 5.156/ | CDLO! | 000.42 | 1,200.77 | 020.04 | 71.00 | 20.70 | | | | | - | |
| | | per month | | 1 | UNCSX | 1L5XX | 2.53 | | | | | | | | | | |
| | | nteroffice Transport - Dedicated - STS-1 combination - Facility | | | | | 0 | | | † | | | | | | | |
| | Т | Termination per month | | | UNCSX | U1TFS | 358.67 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | 1 | |
| | | ED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TDANG | SPORT | 1 | | | | | | | | | | | | i |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 39 of 136

| ONRONDER | ED NETWORK ELEMENTS - Georgia | 1 | | 1 | | | | | | | · | | Attachment: | | ļ | ļ |
|----------|---|-------------|------------|---------|----------------|----------------|------------------|---------------------------------------|----------------------------|---------------------------------------|---|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Manne | | l Name and a committee and | Dianamant | | | | | Diac rat | Disc Add |
| | | | | | - | Rec | Nonrec First | arring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.82 | 195.94 | 36.38 | 18.42 | 6.86 | SOWIEC | JOWAN | JOWAN | SOWAN | JOWAN | JOWAN |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 26.26 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.17 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 1.66 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | l . | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.82 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 2 | UNCNX | 1141.00 | 26.20 | 105.04 | 26.20 | 10 40 | 6.00 | 1 | | | | | |
| | Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCIVA | U1L2X | 26.26 | 195.94 | 36.38 | 18.42 | 6.86 | | | | - | - | 1 |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.17 | 195.94 | 36.38 | 18.42 | 6.86 | 1 | | | | | |
| + | Additional 2-wire ISDN COCI (BRITE) - in combination- per | - | 3 | CINCINA | UILEA | 42.17 | 133.34 | 30.30 | 10.42 | 0.00 | | | | | 1 | † |
| | month | | 1 | UNCNX | UC1CA | 1.66 | 27.33 | 2.90 | 16.86 | 1.04 | 1 | | | | | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | -1 INT | | | | 27.00 | 2.00 | 10.00 | | | | | | | |
| | First DS1 Loop Combination - Zone 1 | | | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 2.53 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 358.67 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 121.90 | | | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | ١, | LINICAY | LICLYY | 41.02 | 200.45 | 70.44 | 27.04 | 0.00 | | | | | | |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | - | UNCIX | USLAA | 40.41 | 209.43 | 70.44 | 37.91 | 0.00 | | | | | | 1 |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | DS1 COCI in combination per month | | Ť | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| EXTE | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | BPS INT | EROFF | | 1 | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | === | | | | | | | | | | | |
| FVT | Facility Termination per month | L | | UNCDX | U1TD5 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | ļ | <u> </u> |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | PS INT | EROFF 1 | | | 24.00 | 105.04 | 36.38 | 18.42 | 6.00 | | | | | | <u> </u> |
| | 4-wire 64 kbps Local Loop in Combination - Zone 1 | | 2 | UNCDX | UDL64 UDL64 | 21.86 | 195.94 | | 18.42 18.42 | 6.86 | | | | - | 1 | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 UDL64 | 28.36 38.22 | 195.94 195.94 | 36.38 36.38 | 18.42 | 6.86 6.86 | | | | - | | |
| + | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | 3 | OINODA | UDL04 | 30.22 | 195.94 | 30.38 | 10.42 | 0.00 | | | | | 1 | |
| | Per Mile per month | | 1 | UNCDX | 1L5XX | 0.0057 | | | | | 1 | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | ,20,01 | 3.5507 | | | | | | | | | | |
| | Facility Termination per month | | 1 | UNCDX | U1TD6 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | 1 | | | | | |
| EXTE | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | RANSP | ORT w | | | | | | | | | | | 1 | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 11.57 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 16.95 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.08 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | <u> </u> | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | <u> </u> |
| | First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | 1 | | | | | .= | 40 | | 1 | | | | | |
| | | | 1 | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | ı | | | 1 | 1 | 1 |

| ONBONDLE | ED NETWORK ELEMENTS - Georgia | | | | | | · | - | | | | | Attachment: | 2 Exh. A | | |
|-------------|--|-------------|--|-------------------|------------|----------------|----------------|-----------|--------------|------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | 1 | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Per each Voice Grade COCI - Per Month per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 121.90 | | | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 11.57 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 16.95 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.08 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Each Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 1 | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | 1 | LINICAV | 41.577 | 0.115 | | | | | | | | I | 1 | |
| | Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in | | - | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| 1 | same 3/1 Channel System per month | | 1 | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | I | 1 | |
| | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| EYTE | NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | FROFE | ICE TR | | | 7.55 | 21.33 | 2.90 | 10.00 | 1.04 | | | | | | |
| LATE | First 4-Wire Analog Voice Grade Local Loop in Combination - | LICOLI | | ANOI OKT W/ J/T N | 1 | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | i i | 0.1.0 17. | 02/121 | 11.00 | 100.01 | 00.00 | .02 | 0.00 | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | 1 | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 121.90 | | | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | ١. | | | 4= 00 | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVX | UEAL4 | 21.08 | 195.94 | 36.38 | 18.42 | 0.80 | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | 3 | ONCVA | ULAL4 | 30.23 | 190.94 | 30.36 | 10.42 | 0.00 | | | | | | |
| | Channel System per month | | 1 | UNC1X | 1L5XX | 0.1154 | | | | | | | | I | 1 | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | , | 354 | | | | | | | | 1 | 1 | |
| | same 3/1 Channel System per month | | 1 | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | 1 | |
| | Additional Voice Grade COCI - in combination - per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| EXTE | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | BPS INT | EROFF | ICE TRANSPORT V | v/ 3/1 MUX | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | |] | |
| | Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | 1 | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | ۱. | l . | l | | | | | _ | | | | I | 1 | |
| | Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 1 | LINIOAN | 41.5307 | 0.44 | | | | | | | | I | 1 | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | - |
| | First Interoffice Transport - Dedicated - DS1 - combination | | l | UNC1X | U1TF1 | 34.19 | 07 70 | 45.73 | 43.80 | 27.97 | | | | 1 | | |
| | Facility Termination Per Month Per each 1/0 Channel System in combination Per Month | | | UNC1X UNC1X | MQ1 | 34.19 69.75 | 87.76 86.10 | 45.73 | 43.80 | 21.91 | | | | | | |
| - | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | - | 1 | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | 1 | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 121.90 | 21.00 | 2.90 | 10.00 | 1.04 | | | | | | |
| -+ | Per each DS1 COCI in combination per month | | - | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | I | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | 55.51 | 7.00 | 27.00 | 2.50 | 10.00 | 1.04 | | | | 1 | 1 | |
| 1 | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | I | | | | 1 | |

| UNBUNDLI | ED NETWORK ELEMENTS - Georgia | | | • | | , | | | | | | | Attachment: | | | |
|--|---|----------|--|-----------------|--------|--------|--------|-----------|--------------|--------------|--|--------------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | | Incremental | | | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 100 | Auu | D130 131 | DISC Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | 0.10.1% | | 00 | 01.110 | 10.70 | 10.00 | 27.07 | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| FXTE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTER | FFICE | | | 7.55 | 27.00 | 2.30 | 10.00 | 1.04 | | | | | | |
| LATE | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | THE LINE | I | TRANSFORT W/ 3/ | 1 WOX | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | UNCDA | UDL04 | 21.00 | 155.54 | 30.30 | 10.42 | 0.00 | | | | | | - |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | UNCDA | UDL64 | 20.30 | 195.94 | 30.30 | 10.42 | 0.00 | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | | ļ | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 30.38 | 18.42 | 0.80 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | LINIOAN | 41.500 | 0.4454 | | | | | | | | | | |
| | Mile Per Month | ļ | - | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | 40.00 | | | | | | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | Per each Channel System 1/0 in combination Per Month | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | Per each OCU-DP COCI (data) in combination - per month (2.4- | | | | 1 | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | ļ |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 121.90 | | | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | 1 | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | 1 | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | 1 | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | I | | | | |
| EXTE | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO | RT w/ 3/ | 1 MUX | | | | | | | 10. | | İ | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | 1 | | 1 | İ | | | İ | İ | 1 | İ | | İ | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 19.82 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | 1 | | | 22.00 | | 2.00 | | İ | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 26.26 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | † - | | | | | 22.00 | | 2.00 | | i | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 42.17 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | T - | | | | | 22.00 | | 2.00 | | i | | | | |
| | Mile per month | | 1 | UNC1X | 1L5XX | 0.1154 | | | Ì | Ì | 1 | I | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | 1 | - | 5.401A | ILO/// | 0.1154 | | | | | | | | | | |
| | Facility Termination per month | | 1 | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | 1 | I | | | | |
| | Per each Channel System 1/0 in combination - per month | 1 | | UNC1X | MQ1 | 69.75 | 86.10 | 40.13 | 45.00 | 21.31 | | 1 | | 1 | | 1 |
| | r or odon onamier dystem 1/0 in combination - per month | 1 | 1 | 014017 | IVIQI | 09.73 | 00.10 | | 1 | | + | | | 1 | | |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | 1 | UNCNX | UC1CA | 1.66 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | 3/1 Channel System in combination per month | 1 | | UNC3X | MQ3 | 121.90 | 21.33 | 2.90 | 10.00 | 1.04 | | 1 | | 1 | | 1 |
| | Per each DS1 COCI in combination per month | 1 | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | - | | | | |
| | Fer each Do I COOI in combination per month | 1 | 1 | OINCIA | OCIDI | 1.35 | 21.33 | 2.90 | 10.86 | 1.04 | I | l | | L | | <u> </u> |

| UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | , | | | | | | | | Attachment: | | | <u> </u> |
|--------------|---|--|----------|---------------------|----------------|----------------|-----------|----------------|----------------|--------------|---|---|--|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.82 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 26.26 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.17 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month | | | UNCNX | UC1CA | 1.66 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| EXTEN | NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | | W/ 3/1 MUX UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 | | 2 | UNC1X UNC1X | USLXX | 46.41 | 209.45 | 70.44 70.44 | 37.91 | 6.86 | | | | | | |
| | First 4-wire DS1 Digital Leoal Loop in Combination - Zone 3 | | | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | ļ |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | ONCIA | USLAA | 02.03 | 209.43 | 70.44 | 37.91 | 0.00 | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 121.90 | 07.70 | 45.75 | 43.00 | 21.51 | | | | | | - |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | 0.10.77 | 00.5. | 7.00 | 27.00 | 2.00 | 10.00 | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | 0.10.7. | 00.2. | 7.00 | 21.00 | 2.00 | 10.00 | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| ı İ | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | UNCIA | USLAA | 40.41 | 209.43 | 70.44 | 37.91 | 0.00 | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| EXTEN | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTERO | FFICE | TRANSPORT | | | | | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| ĺ | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.0057 | | | | | | | | | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | LIATE - | | | | | | | | | | | |
| EVT- | Termination per month | NTERC | | UNCDX | U1TD5 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| EXIE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NIERO | | | UDL64 | 04.00 | 195.94 | 36.38 | 40.40 | 0.00 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 | 1 | 2 | UNCDX UNCDX | UDL64 UDL64 | 21.86 28.36 | 195.94 | 36.38 | 18.42 18.42 | 6.86 6.86 | | | | | 1 | 1 |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | + |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | Ŭ | | | | 100.04 | 00.00 | 10.42 | 0.00 | | | | | | |
| | per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | - | UNCDX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Termination per month | | 1 | UNCDX | U1TD6 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| ADDITIONAL I | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | ng charges apply a | nd the Switch | As Is Charge | does not. | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | Charge | <u> </u> | | | | | | | | | | | | | |
| Option | nal Features & Functions: | | 1 | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | | 1 | |
|--|--|-------------|------|-----------------------------------|----------------|--------------|----------------|----------------|--------------|--------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ 1 | Nonrec | curring | Nonrecurring | Disconnect | | 1 | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | ı | 1 | UNC1X, USL | NRCCC | | 184.62 | 23.78 | 2.03 | 0.79 | | | | | | |
| | O. L. T. Brack and O. C. | | | U1TD3, ULDD3, | NDOOO | | 040.74 | 7.00 | 0.7504 | 0.00 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | - | | UE3, UNC3X UNCVX, UNCDX, | NRCC3 | | 218.74 | 7.66 | 0.7591 | 0.00 | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 5.70 | 5.70 | 6.61 | 6.61 | | | | | | |
| | g- | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| i l | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | 1 | | U1TS1, UDF, UE3 | URESL | | 40.26 | 13.51 | | | | | | | | |
| | 0 0 11 | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | (Spreadsheet) | | | U1TS1, UDF, UE3 | URESP | | 64.05 | 25.62 | | | | | | | | |
| MULT | IPLEXER Interfaces | | | 01101, 001, 020 | CITEOI | | 04.00 | 20.02 | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 0.9963 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 0.9963 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | UDN | UC1CA | 1.66 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 1.66 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | 1 | ОТТОВ | UCTCA | 1.00 | 13.01 | 11.55 | 0.01 | 0.01 | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.4689 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | İ | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.4689 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 121.90 | | | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 121.90 | | | | | | | | | | |
| | DS1 COCI used with Loop per month | | 1 | USL | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | 1147114 | 110454 | 7.05 | 45.04 | 44.00 | 0.04 | 0.04 | | | | | | |
| | Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month | | | U1TUA U1TD1 | UC1D1 UC1D1 | 7.35 7.35 | 15.81 15.81 | 11.39 11.39 | 6.61 6.61 | 6.61 6.61 | | | | | | |
| - | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | וטווטו | OCIDI | 7.33 | 15.61 | 11.39 | 0.01 | 0.61 | 1 | | | | - | - |
| | month | | | ULDD1 | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | |
| Acces | s to DCS - Customer Reconfiguration (FlexServ) | | | 0200. | 00.5. | 7.00 | 10.01 | 11.00 | 0.01 | 0.01 | | | | | | |
| | Customer Reconfiguration Establishment | | | | | | 1.40 | | 1.63 | | | | | | | |
| | DS1 DSC Termination with DS0 Switching | | | | | 19.65 | 24.90 | 18.92 | 15.04 | 11.95 | | | | | | |
| | DS1 DSC Termination with DS1 Switching | | | | | 7.09 | 18.18 | 12.20 | 11.14 | 8.05 | | | | | | |
| | DS3 DSC Termination with DS1 Switching | | | | | 125.62 | 24.90 | 18.92 | 15.04 | 11.95 | | | | | | |
| Servic | e Rearrangements | | | | | | | | | | | | | | | |
| | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | | | UEA, UDL, U1TUC, U1TUD, U1TUB, | | | | | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Service | | | ULDVX, ULDDX, | | | | | | | | | | 1 | I | |
| | Rearrangement | 1 | | UNCVX, UNCDX | URETD | | 269.92 | 47.10 | | | | | | | | |
| | redirangement | <u> </u> | | U1TVX, U1TDX, | O.KETD | | 200.32 | 77.10 | | | | | | | - | |
| | | | | UEA, UDL, U1TUC, | | | | | | | | | | | | |
| | | | | U1TUD, U1TUB, | | | | | | | | | | 1 | I | |
| | NRC - Change in Facility Assignment per circuit Project | | | ULDVX, ULDDX, | | | | | | | | | | | 1 | |
| 1 1 | Management (added to CFA per circuit if project managed) | 1 | 1 | UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | I | | Ì | | |

| UN | BUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-----|---------|--|--------|------|---------------|-------|------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCSX, U1TD1, | | | | | | | | | | | | |
| | | | | | U1TD3, U1TS1, | | | | | | | | | | | | |
| | | | | | UE3, UDLSX, | | | | | | | | | | | | |
| | | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | Commingling Authorization | | | U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Miscell | | | | | | • | | • | | | | | | | | |
| | | NRC - Order Coordination Specific Time - Dedicated Transport | Ī | | UNC1X | OCOSR | | 18.89 | 18.89 | | | | | | | | |

| UNB | JNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | | | |
|----------|---------|---|--|----------|------------------------------------|----------------|-----------------|------------------|----------------|-----------------|-----------------|---------------|---------------|-----------------|-----------------|----------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | l | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | | Monro | curring | Monroourrin | g Disconnect | | | 000 | Rates(\$) | | |
| - | | | | | | | Rec | First | Add'I | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | FIISL | Addi | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | The "7 | one" shown in the sections for stand-alone loops or loops as | nart of | a comb | nination refers to Ge | ographically | Deaveraged II | NF Zones To | view Geogran | hically Deaver: | aged LINE Zone | Designation | ons by Cent | ral Office refe | r to internet \ | Nehsite: | l |
| | | ww.interconnection.bellsouth.com/become a clec/html/inter | | | | ograpinoany | Deaveragea o | INE EDITIOS. TO | view Geograp | mouny Deaver | aged ONE LON | Designation | one by cent | rai Omoc, reio | or to interriet | reporte. | |
| OPER | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | <u> </u> | 1 | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | specif | ic" OSS charges as | ordered by t | he State Comm | issions. The | OSS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | | • | . 3 , | | • | 3 | ., , . | | | | • | | | | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | ed acco | ording t | o the SOMEC rate lis | sted in this o | ategory. Pleas | se refer to Bell | South's Local | Ordering Hand | book (LOH) to | determine i | if a product | can be ordere | ed electronica | Illy. For thos | e elements |
| | that ca | nnot be ordered electronically at present per the LOH, the list | ed SOM | IEC rate | in this category ref | lects the cha | arge that would | be billed to a | CLEC once el | ectronic orderi | ng capabilities | come on-li | ne for that e | element. Othe | erwise, the ma | anual ordering | g charge, |
| L_ | SOMAN | I, will be applied to a CLECs bill when it submits an LSR to B | ellSout | h. | | | | | | | | | | | | <u> </u> | |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | 1 | | | | | | | | | | | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 7.86 | 0.00 | 0.99 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | <u> </u> | | L | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | ith's FC | | n 5 as appli | cable. | | 1 | | 1 | | 1 | | 1 | | 1 |
| | | | | | UAL, UEANL, UCL, UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3. UDLSX. | | | | | | | | | | | | |
| | | | | | UE3. ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | l | | ULDO3, ULDS1, | | | | | 1 | | | | | | | |
| | | | l | | ULDVX, UNC1X, | | | | | 1 | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | 1 | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | UXTU3, UXTS1, U1TUC, U1TUD, | | | | | 1 | | | | | | | |
| | 1 | | l | | U1TUB, | | | | | I | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUA,NTCVG, | | | | | | | | | | | | |
| | | Day | | | NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | 1 | | | | | | | |
| ORDE | R MODIF | ICATION CHARGE | | 1 | | | | | 1,1,0 | 1 | İ | | | | İ | | l |
| | | Order Modification Charge (OMC) | | | | | | 33.37 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | L | | | | ļ | ļ | | | | | | |
| <u> </u> | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | - | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | - | | - |
| \vdash | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL UEANL | UEAL2 UEASL | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| - | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | <u> </u> | 2 | UEANL | UEASL | 10.56 15.34 | 46.66 46.66 | 22.57 22.57 | 26.65 26.65 | 7.65 7.65 | | | | - | | |
| — | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | | UEANL | UEASL | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | 1 | | 1 |
| | | z mio maiog voice crade Loop - Service Level 1- Zulle 3 | | J | OLAINE | ULAUL | 31.11 | 40.00 | 22.31 | 20.03 | 7.00 | 1 | 1 | | l | | l . |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 46 of 136

| UNBUNDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | · | · | · | | | | Attachment: | 2 Exh. A | | |
|--|---|--|------|------------|----------------|----------------|----------------|----------------|----------------|--------------|--------|---|-------------------------|--------------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | D130 131 | Disc Add |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 11131 | Addi | 11100 | Auu | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | Premise | | | UEANL | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 46.88 | 0.00 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 24.16 | 24.16 | | | | | | | | 1 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.49 | 13.49 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| 2-WIR | RE Unbundled COPPER LOOP | | | UEO | LIEGOV | 10.50 | 44.07 | 00.00 | 05.04 | 0.05 | | | | | | - |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 1 | UEQ UEQ | UEQ2X UEQ2X | 10.58 11.51 | 44.97 44.97 | 20.89 20.89 | 25.64 25.64 | 6.65 6.65 | | | | | | + |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X UEQ2X | 13.19 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 3 | ULQ | ULQZX | 13.15 | 44.37 | 20.09 | 25.04 | 0.03 | | | | | | + |
| | Premise | | | UEQ | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | CLQ | OIKETE | | 0.00 | 0.00 | | | | | | | | |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.49 | 13.49 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 46.88 | 0.00 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 24.16 | 24.16 | | | | | | | | 1 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | - | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | - |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | 3 | UEA, NTCVG | UEARZ | 33.22 | 134.89 | 81.87 | 73.00 | 14.88 | | | | | | + |
| | DS0) | | | UEA, NTCVG | URESL | | 24.96 | 3.52 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | 027,111010 | OINEGE | | 24.00 | 0.02 | | | | | | | | + |
| | DS0) | | | UEA. NTCVG | URESP | | 26.44 | 5.01 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.72 | 36.36 | | | | | | | | |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA, NTCVG | URETL | | 11.21 | 1.10 | | | | | | | | |
| 4-WIR | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | 1 |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA, NTCVG | UEAL4 | 29.26 | 164.11 | 112.36 | 78.91 | 18.66 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA, NTCVG | UEAL4 | 34.25 | 164.11 | 112.36 | 78.91 | 18.66 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA, NTCVG | UEAL4 | 85.06 | 164.11 | 112.36 | 78.91 | 18.66 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | l | | | | | | | | | | | | | | |
| | DS0) | | | UEA, NTCVG | URESL | | 24.96 | 3.52 | | | | | | ļ | 1 | <u> </u> |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | l | | l | 1 | | | _ | 1 | | | | | | 1 | |
| | DS0) | <u> </u> | | UEA, NTCVG | URESP | | 26.44 | 5.01 | | | | | | ļ | - | |
| | CLEC to CLEC Conversion Charge without outside dispatch | <u> </u> | | UEA, NTCVG | UREWO | | 87.72 | 36.36 | | | | | | ļ | - | |
| 2-WIR | RE ISDN DIGITAL GRADE LOOP | | 1 | UDN | U1L2X | 18.44 | 146.77 | 95.02 | 71.38 | 13.83 | | | | 1 | ! | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X U1L2X | 25.08 | 146.77 | 95.02 | 71.38 | 13.83 | | | | - | | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | 1 | | UDN | U1L2X U1L2X | 42.87 | 146.77 | 95.02 | 71.38 | 13.83 | | | | 1 | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | - 3 | UDN | UREWO | 42.07 | 91.63 | 44.16 | 11.30 | 13.03 | | | | | | + |
| | TOLLO IO OLLO CONVENSION CHANGE WILLIOUS CUISIDE DISPARCIT | 1 | LOOP | | SILLANO | | 91.03 | 77.10 | | | 1 | 1 | | I | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|---|--|------|--------------------------|----------------|----------------|------------------|------------------|----------------|----------------|--|--|--|--|---|---|
| CATEGORY | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 10.82 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.79 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 12.87 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 10.82 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.79 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 12.87 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | Ŭ | UAL | UREWO | 12.01 | 86.20 | 40.40 | 00.00 | 11.01 | | | | | | |
| 2-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | - | | | 22.20 | | | | | | 1 | İ | | † |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.75 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.56 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 10.61 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.56 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 10.61 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | L | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | |
| 4-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | ļ |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 13.95 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL4X | 15.68 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 16.98 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry 4-Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHL4W | 13.95 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.68 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.98 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | <u> </u> |
| 4 1471 | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 86.14 | 40.40 | 1 | | <u> </u> | 1 | 1 | | | |
| 4-WI | RE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL, NTCD1 | USLXX | 86.47 | 306.69 | 174.44 | 65.83 | 14.55 | | 1 | | | - | |
| - | 4-Wire DS1 Digital Loop - Zone 1 | 1 | | USL, NTCD1 | USLXX | 114.10 | 306.69 | 174.44 | 65.83 | 14.55 | | | + | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL, NTCD1 | USLXX | 297.76 | 306.69 | 174.44 | 65.83 | 14.55 | | - | | | | + |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) | | Ŭ | USL, NTCD1 | URESL | 201.110 | 24.96 | 3.52 | 00.00 | 14.00 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) | | | USL, NTCD1 | URESP | | 26.44 | 5.01 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.09 | 43.04 | | | | | 1 | Ì | | 1 |
| 4-WI | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | | ļ | ļ | | ļ |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | <u> </u> | | UDL, NTCUD | UDL56 | 27.59 | 157.81 | 106.06 | | 18.66 | <u> </u> | <u> </u> | | ļ | | <u> </u> |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL, NTCUD | UDL56 | 32.48 | 157.81 | 106.06 | | 18.66 | | | 1 | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD UDL, NTCUD | UDL56 UDL64 | 36.37 27.59 | 157.81 157.81 | 106.06 106.06 | 78.91 78.91 | 18.66 18.66 | | 1 | | | - | |
| 1 | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | 1 | | - | - | | |

| UNRUN | IDI FI | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Fyh Δ | | 1 |
|-------------|--------|---|-------------|------|--|---------|-------|--------|-----------|--------------|------------|---|---|-------------|---|----------|---|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | l . | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL, NTCUD | UDL64 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | UDL, NTCUD | URESL | | 24.96 | 3.52 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) | | | UDL, NTCUD | URESP | | 26.44 | 5.01 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL, NTCUD | UREWO | | 102.13 | 49.75 | | | | | | | | 1 |
| 2 | | Unbundled COPPER LOOP | | | , | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 10.82 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.79 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | | 2 Wire Unbundled Copper Loop-Designed including manual | | | COL | COLID | 11.75 | 140.00 | 70.70 | 00.00 | 11.04 | | | | | | |
| | | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 12.87 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | 40.00 | | | | | | | | | | |
| \vdash | | service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual | | 1 | UCL | UCLPW | 10.82 | 120.15 | 67.97 | 69.09 | 11.54 | - | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual 2-Wire Unbundled Copper Loop-Designed without manual | | 2 | UCL | UCLPW | 11.79 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 12.87 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| 4 | -WIRE | COPPER LOOP | | | | | | 0 | | | | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.92 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 17.36 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.10 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 16.92 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | | |
| | | Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 17.36 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | | |
| | | Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.10 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | | | | UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD. USL. | | | | | | | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | NTCD1, UEANL | OCOSL | | 23.01 | | | | | | | | | |
| LOOP M | ODIFIC | ATION | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 9.24 | 9.24 | | | | | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | OLFOD | ULIVIZL | | 9.24 | 9.24 | | | - | | | | | |
| | | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 9.24 | 9.24 | | | <u> </u> | <u> </u> | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | |
| SUB-LO |) PS | per unbundled loop | | | UEPSB | ULMBT | | 10.47 | 10.47 | | | | | | | | |
| | | op Distribution | | | | | | | | | | - | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | | | UEANL, UEF | USBSA | | 207.91 | 207.91 | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL, UEF | USBSB | | 12.50 | 12.50 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|--|----------------|----------------|-------|--------------|---------------|--------------|------------|--|---|--|--|-------------------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | _ | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | ı | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | | | UEANL | USBSC | | 80.87 | 80.87 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | | | UEANL | USBSD | | 45.04 | 45.04 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 6.34 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 9.06 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 14.82 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.14 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 8.63 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 25.60 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | == 0.1 | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.57 | 68.35 | 22.36 | 59.81 | 7.90 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 4.98 | 76.49 | 30.51 | 65.24 | 10.88 | | | | | | |
| | Cub 200p 1 11110 Intrabanang Hothor Cabio (1110) | | | 02/11/2 | CCBITT | | 7 0.10 | 00.01 | 00.21 | 10.00 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 46.88 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 24.16 | 24.16 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.45 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 7.06 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 9.67 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 7.09 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS4X | 8.66 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 19.40 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non- | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Designed and Distribution Subloops | | | UEF, UEANL | URETL | | 8.93 | 0.88 | | | ļ | | ļ | ļ | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 46.88 | 0.00 | | | ļ | | | | | |
| 111. | Loop Testing - Basic Additional Half Hour | | ļ | UEF | URETA | | 24.16 | 24.16 | | | <u> </u> | | ļ | ļ | ļ | <u> </u> |
| Unbun | dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | 1 | | | | <u> </u> |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 5.23 | 5.23 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 5.23 | 5.23 | | | | | | | | |
| | Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop | | | UEF | ULMBT | | 7.97 | 7.97 | | | | | | | | |
| | dled Network Terminating Wire (UNTW) | | | - | | | - | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.53 | 23.51 | 23.51 | | | | | | | | |
| Networ | k Interface Device (NID) | | | 115151 | 1111540 | | | | | | | | ļ | ļ | | |
| | Network Interface Device (NID) - 1-2 lines | | ļ | UENTW | UND12 | | 73.53 | 49.47 | | | | | | | | |
| - | Network Interface Device (NID) - 1-6 lines | | | UENTW UENTW | UND16 | | 115.96 | 91.91 8.56 | | | | 1 | | | | ļ |
| | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW | UNDC2 UNDC4 | | 8.56 8.56 | 8.56 8.56 | | | 1 | | - | - | | |
| | | | | | | | | | | | | | | | | |

| UNBU | NDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | T |
|---------|------------|--|-------------|------|--|-------|--------|--------|-----------|--------------|------------|-------|---|-------------------------|--|---|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | ' |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | <u> </u> |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | 1 |
| | | UNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | <u> </u> |
| | NOTE: | minimum billing period of three months for DS3/STS-1 Local High Capacity Unbundled Local Loop - DS3 - Per Mile per | Loop | | | ļ | | | | | | ļ | | | | | |
| | | month High Capacity Unbundled Local Loop - DS3 - Fel Mille Pel Month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | 1L5ND | 9.25 | | | | | | | | | | |
| | | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 308.31 | 551.38 | 338.08 | 173.00 | 120.42 | | | | | | |
| | | month High Capacity Unbundled Local Loop - STS-1 - Fel Mile Per | | | UDLSX | 1L5ND | 9.25 | | | | | | | | | | |
| 1 000 1 | 4 A I/E II | Termination per month | | | UDLSX | UDLS1 | 320.51 | 551.38 | 338.08 | 173.00 | 120.42 | | | | | | |
| LOOP N | IAKE-U | Loop Makeup - Preordering Without Reservation, per working or | | | | | - | | | | | | | | | | + |
| | | spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per working of spare facility | | | UMK | UMKLW | | 23.40 | 23.40 | | | | | | | | |
| | | queried (Manual). Loop MakeupWith or Without Reservation, per working or | | | UMK | UMKLP | | 24.85 | 24.85 | | | | | | | | |
| | | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.67 | 0.67 | | | | | | | | |
| LINE SE | | | | | | | | | | | | | | | | | ļ |
| | END U | SER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BET owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | | | | | + |
| | | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | | | | | |
| | | DLED EXCHANGE ACCESS LOOP | | | | | | | - | _ | | | | | | | 1 |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | PHYSIC | AL COLLOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | PE1LS | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | AL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | DLED [| Splitting DEDICATED TRANSPORT | | | UEPSR UEPSB | VE1LS | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | · · · · · | | | | | | | | ļ <u> </u> |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|------------------|--|-------------|--|--------------------|----------------|----------------|---------------|-----------------|-----------------|---------------|--------------|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX | U1TR2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 25.86 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TDX | U1TD5 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | - |
| | per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TDX | U1TD6 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.23 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 1,149.51 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| UNBUN | IDLED DARK FIBER | | | | | | | | | | | | | | | |
| | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction | | | | | | | | | | | | | | | |
| | Thereof - Interoffice Transport | | | UDF, UDFCX | 1L5DF | 30.74 | 732.53 | 192.67 | 377.27 | 241.67 | | | | | | |
| 911 PBX LOCA | X LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | |
| 911 PB. | Service Establishment per CLEC per End User Account | | <u> </u> | 9PBDC | 9PBEU | | 1.814.00 | | | | | | | | | - |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 181.57 | | | | | | | | | |
| + | Per Telephone Number (Monthly) | | 1 | 9PBDC | 9PBMM | 0.07 | 101.57 | | | | 1 | | | | | |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | 0.07 | 533.00 | | | | | | | | | + |
| | PBX Locate Service Support per CLEC (Monthlt) | | | 9PBDC | 9PBMR | 179.88 | 555.00 | | | | | | | - | | |
| | Service Order Charge | | 1 | 9PBDC | 9PBSC | | 7.86 | | | | l - | | | 1 | 1 | † |
| 911 PR | X LOCATE TRANSPORT COMPONENT | | 1 | | | | | | | | l - | | | 1 | 1 | † |
| See Att | | | | | | | | | | | | | | | | |
| | (TENDED LINK (EELs) | | | | 1 | | | | | | İ | | | İ | | |
| | The monthly recurring and non-recurring charges below will a | apply a | nd the | Switch-As-Is Charg | e will not app | ly for UNE con | binations pro | visioned as ' C | ordinarily Comb | ined' Networl | k Elements. | | | • | | |
| | The monthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | |
| | TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | | | | | | | | | | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | | | |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |

| CATEGORY RATE ELEMENTS Month M | IINBIINDI B | D NETWORK ELEMENTS - Kontucky | | | | | | | | | | | | Attachma=t- | 2 Evb A | | |
|--|--|--|----------|----------|-----------------|----------|-------|--------|-----------|--|------------|---|-----------|-------------|--|-------------|--|
| ATTEMORY RATE ELEMENTS RATE ELEMENT | OMBUNDER | D NETWORK ELEWENTS - Kentucky | 1 | | | | I | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| ## BCS USOC ### BATESIAN PART ELEMENTS ### BCS USOC ### BATESIAN PART STATE OF THE ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS ANAL | | | | | | | | | | | | | | | | | Charge - |
| CATEGORY RAYE ELEMENTS Ray Scale SCALE SCA | | | | | | | | | | | | | | | | | Manual Svc |
| Best contents | CATEGORY | PATE ELEMENTS | Interi | Zone | BCS. | usoc | | | PATES(\$) | | | | | | | | |
| | CATEGORI | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | | | | Order vs. |
| Sept. Auditional 2 Visit Visit Insign (St. 2) in Community (St. 200) (St. 2) in Community (St. 200) (St. 2) in Community (St. 200) (St. 2) in Community (St. 200) (St. 2) in Community (St. 200) (| | | | | | | | | | | | | | | | | Electronic- |
| September Sept | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| September Sept | 1 | | | | | - | 1 | Nonroc | urrina | Monrocurring | Disconnect | | l | 066 | Patos(\$) | | |
| Seat Authority 2015 (1912) 16 Commission - Zona 1 1 10 10 10 10 10 10 | | | | | | - | Rec | | | | | COMEC | COMAN | | | COMAN | SOMAN |
| Vision Control Contr | | | <u> </u> | | | - | | FIIST | Addi | FIRST | Addi | SOWIEC | SUMAN | SOWAN | SOWAN | SUMAN | SUMAN |
| Vision Control Contr | | Each Additional 2 Wire VC Lean (SL 2) in Combination Tana 2 | | 2 | LINCVA | LIEVIO | 22.22 | 125.22 | 60.49 | E0 60 | 7.04 | | | | | | ł ' |
| ENTENDED AWRIEL VOICE GRADE EXTENDED LOS WITH DESCORTED 181 MESCOPE NEW YORK NEW AND NEW | | | <u> </u> | 3 | | | | | | 39.09 | 7.04 | | | | | | |
| Part 4-Wite Analog Valor Grade Loop in Combination - Zone 1 1 DACVX UEA44 34.25 155.22 60.46 59.69 7.86 | EVTE | NOCE GIAGE COCI - PEI MOITH | TED DO | 1 INITE | | | 0.02 | 0.71 | 4.04 | | | | | | | | |
| First 4-Wile Analog Video Grade Loop in Combination - Zone 2 2 2 MCVX UEALA 34.25 125.22 60.46 99.69 7.84 1 155.22 60.46 99.69 7.84 1 155.22 60.46 99.69 7.84 1 155.25 1 155.2 | LATE | THE VOICE GRADE EXTENDED LOOP WITH DEDICA | I ED D3 | INIE | COFFICE TRANSFO | 1 | | | | | | | | | | | |
| First Affirm Analog Vioce Grade Loop in Combination - Zone 2 2 DNCVX UEALA 36.06 195.22 60.48 59.69 7.84 | | First 4 Wire Analog Voice Grade Lean in Combination Zone 1 | | 1 | LINCVY | LIENIA | 20.26 | 125.22 | 60.49 | 50.60 | 7 9/ | | | | | | ł |
| First 4-Wire Analog Visco Gride Loco in Combination - Zone 3 3 UNCVX UEAL4 86.06 125.22 60.46 59.89 7.64 | | First 4-Wire Arialog Voice Grade Loop in Combination - Zone 1 | | - | UNCVA | UEAL4 | 29.20 | 123.22 | 00.40 | 39.09 | 7.04 | | | | | | |
| First 4-Wire Analog Visco Gride Loco in Combination - Zone 3 3 UNCVX UEAL4 86.06 125.22 60.46 59.89 7.64 | | First 4 Wire Angley Voice Crade Lean in Combination - Zone 2 | | 2 | LINCVV | LIENIA | 24.25 | 105.00 | 60.49 | E0 60 | 7.04 | | | | | | ł |
| Interedition Transport Control (1987) | | 1 list 4-Wile Arialog Voice Grade Loop in Combination - Zone Z | | | UNCVA | ULAL4 | 34.23 | 123.22 | 00.40 | 39.09 | 7.04 | | | | | | |
| Interedition Transport Control (1987) | | First 4 Wire Apples Voice Grade Lean in Combination 7 2 | | 3 | LINCVY | LIEAL 4 | 05.00 | 105.00 | 60.40 | E0.60 | 7.04 | | 1 | | Ì | | 1 |
| Per Mortin | | | - | 3 | OINCAV | UEAL4 | მე.06 | 125.22 | bU.48 | 59.69 | 7.84 | | | | | | |
| Intendifice Transport Conditional - DSI - Facility Termination Park UNC1X U1TF1 79.02 181.24 125.55 56.72 22.32 | | | | | LINC1V | 11.577 | 0.40 | | | | | 1 | | | | | 1 |
| Mornin UNCIX UTFE 79:02 181:24 123:33 56:72 22:32 | | | <u> </u> | | UNCIA | ILSAA | 0.19 | | | | | | | | | | |
| 160 Channel System in combination Per Mortin UNCIX MOT 11333 57.26 14.74 1.86 1.67 | | | | | LINC1V | LIATE4 | 70.00 | 101 04 | 100 50 | EG 70 | 22.22 | | 1 | | Ì | | 1 |
| Vision Clarke COCC In combination - per morth MACVX UEVA 29.26 6.71 4.94 | | | - | | | | | | | | | | | | | | |
| Additional 4-Virine Analogy Voice Grade Loop in same DS1 | | | - | - | | | | | | 1.86 | 1.6/ | | | | | | |
| Interestrice Transport Combination - Zone 1 | | | - | - | OINCVX | IDIVG | 0.62 | b./1 | 4.84 | | | | | | | | |
| Additional 4-Wine Analog Voice Grade Loop in same DST 2 UNCVX | | | | | LINOVA | 115 41 4 | 20.20 | 405.00 | CO 40 | 50.00 | 7.04 | | | | | | í |
| Interection Transport - Zone 2 | | | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| Additional 4-Wire Analog Voice Grade Loop in Same DS1 INCOVX UEAL4 85.06 125.22 60.48 59.69 7.84 INCOVX UEAL4 RESCRIPTION RESCRIPTIO | | | | _ | | | | 40= 00 | | ===== | | | | | | | ł |
| Intereffice Transport Combination - Zone 3 UNCVX UEALA 85.66 125.22 60.48 58.69 7.84 | | | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| Additional Voice Grade COCI In combination - per month | | | | _ | | l | | | | | | | | | | | ł |
| EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | 3 | | | | | | 59.69 | 7.84 | | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | <u> </u> | | | | 0.62 | 6.71 | 4.84 | | | | | | | | - |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | EXTE | NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | TEROFFICE TRANS | PORT | | | | | | | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | | | | | | | | | | | | | | | ł |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Decicated - DS1 - combination Facility Per Month Interoffice Transport - Decicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 [UNCDX U1TF1 79.02 181.24 123.53 | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Decicated - DS1 - combination Facility Per Month Interoffice Transport - Decicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 [UNCDX U1TF1 79.02 181.24 123.53 | | | | | | | | | | | | | | | | | ł |
| Interoffice Transport - Dedicated - DST combination - Per Mile Per Month UNC1X | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | <u></u> |
| Interoffice Transport - Dedicated - DST combination - Per Mile Per Month UNC1X | | | | | | | | | | | | | | | | | ł |
| Per Month Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X | | | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | <u> </u> |
| Intereffice Transport - Dedicated - DS1 - combination Facility UNC1X | | | | | | | | | | | | | | | | | ł |
| Termination Per Month | | | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | 1 |
| 1/0 Channel System in combination Per Month | | | | | | | | | | | | | | | | | ł |
| OCU-DP COCI (data) per month (24-64kbs) | | Termination Per Month | | | | U1TF1 | | 181.24 | | 56.72 | 22.32 | | | | | | 1 |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | 1.86 | 1.67 | | | | | | l . |
| Interoffice Transport Combination - Zone 1 | | | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | | | | | |
| Additional 4-Wire 66Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | | - | |
| Interoffice Transport Combination - Zone 2 | | | <u> </u> | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | L | | <u> </u> |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs) UNCDX ID1DD 1.32 6.71 4.84 UNCDX ID1DD 1.32 6.71 4.84 EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL64 27.59 125.22 60.48 59.69 7.84 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X UTF1 79.02 181.24 123.53 56.72 22.32 170 Channel System in combination - Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | | | ı |
| Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 | | | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | <u> </u> | | | | ı |
| Additional OCU-DP COCI (data) - in combination per month (2.4 GARDS) Additional OCU-DP COCI (data) - in combination per month (2.4 GARDS) Additional 4-Wire 64Kbps Digital Grade Loop in Combination - Facility COCU (Data) - in combination - Facility COCU (Data) - in combination - Per month (2.4-64kbs) UNCIX U | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| SAMPS Content Conten | | | <u> </u> | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | <u> </u> | | <u> </u> | | 1 |
| EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | Additional OCU-DP COCI (data) - in combination per month (2.4- | | | | | | | • | | | | | _ | | | 1 |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | | <u> </u> | <u> </u> | | | 1.32 | 6.71 | 4.84 | L | | | | | L | | <u></u> |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | EXTE | NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | TEROFFICE TRANS | PORT | | | | | | | | | | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | | | 1 |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 | [I | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | <u></u> | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | <u></u> | | <u> </u> | | <u> </u> |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 | | | | | | | | | | | | | | | | | 1 |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 | [I | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | <u></u> | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | <u></u> | | <u> </u> | | <u> </u> |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | | | 1 |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X | [I | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | <u></u> | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | <u></u> | | <u> </u> | | <u> </u> |
| Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X | | | | | | | | | | | | | | | | | 1 |
| Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X | | | 1 | | UNC1X | 1L5XX | 0.19 | | | | | | 1 | | Ì | | 1 |
| Termination Per Month | | interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | 1 |
| 1/0 Channel System in combination Per Month | | | 1 | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 1 | | Ì | | 1 |
| OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | | | i |
| Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | | | 1 |
| | | | l | | | 1 | i | | | 1 | | | | | İ | | i Total |
| Interorrice Transport Combination - Zone 1 | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | 1 | | | | | 1 |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 53 of 136

| UNBUNDLI | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|----------|-----------------|----------------|----------------|-----------------|-----------------|--------------|-----------|----------|---|---|---|--------------------------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge Manual Sounder vs |
| | | | | | | | Managa | | Nanaaa | Dianamant | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring | | COMEC | COMAN | | Rates(\$) | COMAN | SOMAN |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | - | | FIRST | Add I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOWAN |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| - | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | UNCDA | UDL04 | 32.40 | 123.22 | 00.40 | 39.09 | 7.04 | 1 | | | | | + |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination - per month | | Ü | ONODA | ODLOT | 00.07 | 120.22 | 00.40 | 00.00 | 7.04 | | | | | | + |
| | (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | | | | | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | INTER | OFFICE TRANSPOR | RT | | | | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | <u> </u> | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | 1 | | I | | | | I | | | | | 1 | _ | |
| | Termination Per Month | <u></u> | L | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | ļ | ļ | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | | | | | 010 | | | | ļ | | | | | 1 |
| | First DS1Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | - |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | First DS1Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | | | | LINCOV | 41.577 | 4.00 | | | | | | | | | | |
| | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | + |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | 13.12 | 5.50 | | | | | | + |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | ONOTA | OCIDI | 11.00 | 0.71 | 4.04 | | | | | | | | + |
| | Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | 0.10.17 | 002.00 | 00 | 2.00 | 111100 | 00.00 | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | 1 |
| | Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Additoinal DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | 1 |
| EXTE | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | EINTE | ROFFICE TRANSPO | RT | | | | | | | | | | | |
| | 2-WireVG Loop in combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | 1 | 1 | | | | | | | | | | | 1 | _ | |
| | Month | | | UNCVX | 1L5XX | 0.01 | | | | | <u> </u> | | | ļ | 1 | <u> </u> |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | l | l | 1110101 | 11477./2 | | | == == | | | | | | | 1 | |
| -V | Termination per month | 0045 | | UNCVX | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | <u> </u> | | | ļ | - | |
| EXIE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | | | | 00.00 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | - |
| | 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 UEAL4 | 29.26 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | + |
| | 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 | | | UNCVX | UEAL4 | 34.25 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | + |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | 1 | ٥ | OINCVA | UEAL4 | 00.06 | 123.22 | 60.48 | 59.69 | 1.84 | | | | | + | + |
| | Month | l | l | UNCVX | 1L5XX | 0.01 | | | | | | | | | 1 | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | UNCVA | ILJAA | 0.01 | | | | | 1 | | | | | + |
| | Termination per month | | | UNCVX | U1TV4 | 21.28 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| EXTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | 3 | 21.20 | 55.55 | 55.57 | 55.51 | 2212 | 1 | | | | I | |
| | DS3 Local Loop in combination - per mile per month | I | | UNC3X | 1L5ND | 9.25 | | | † | | | | | İ | 1 | † |
| | | | | | | | | | | | | | | | | 1 |
| | DS3 Local Loop in combination - Facility Termination per month | 1 | 1 | UNC3X | UE3PX | 308.31 | 237.36 | 147.69 | 83.43 | 32.67 | | | | 1 | I | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| EXTE | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | ICE TRANSPORT | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 9.25 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | 1 | 1 | | | | | | | | | | | <u> </u> | _ | |
| | month | l | <u> </u> | UNCSX | UDLS1 | 320.51 | 237.36 | 147.69 | 83.43 | 32.67 | <u> </u> | | | <u> </u> | <u> </u> | 1 |

| · · · · · · · · · · · · · · · · · · · | D NETWORK ELEMENTS - Kentucky | | 1 | | | | | | | | | | Attachment: | | | + |
|---------------------------------------|---|-------------|--|--------|----------------|----------------|--------|----------------|--------------|--------------|---|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - Manual Svo Order vs. |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| - | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| EXTEN | NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRAN | | | <u> </u> | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - per mile | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNCIX | ILJAA | 0.19 | | | | | | | | | | + |
| 1 | Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | I | | |
| -+ | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | 1 | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | 1 | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | | | 1 | | 1 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | i – | | 1 | | | | 1 | | | | | | | 1 |
| 1 | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | | | I | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | ĺ | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | <u> </u> |
| | Additional 2-wire ISDN COCI (BRITE) - in combination- per | | | | | | | | | | | | | | | |
| | month | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | | | | | |
| EXTEN | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | | | | | | | | | | | | | | <u> </u> |
| | First DS1 Loop Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | + |
| | Per Month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCOX | ILJAX | 4.09 | | | + | | | | | | | + |
| | Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | + |
| - | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | 1 |
| - | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | - | | | | | | | | | 1 |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | <u> </u> | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | <u> </u> | | | | | | |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | ļ | | |
| EXTEN | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | BPS INT | | | | | /0= 0- | *** | == == | | | | | - | | + |
| $\!\!\!\!+\!\!\!\!-$ | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | 1 | 1 | + |
| \longrightarrow | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | 1 | 2 | UNCDX | UDL56 UDL56 | 32.48 36.37 | 125.22 | 60.48 60.48 | 59.69 | 7.84 7.84 | | | | | | + |
| \longrightarrow | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | 1 | 3 | UNCDX | UDLOB | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | 1 | + |
| 1 | Per Mile per month | | 1 | UNCDX | 1L5XX | 0.01 | | | | | | | | I | | 1 |
| -+- | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | ! | OINODA | ILUAA | 0.01 | | | 1 | | | | | t | 1 | + |
| 1 | Facility Termination per month | | | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | 1 | | |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | PS INT | EROFF | | 550 | 17.23 | 55.55 | 55.51 | 00.01 | ££.⊣£ | | | | † | 1 | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | 1 | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | 1 | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | <u> </u> | <u></u> | UNCDX | 1L5XX | 0.01 | | | <u> </u> | | | | | <u> </u> | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | 1 |
| FXTF | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | RANSP | | | <u> </u> | | | | | | | | | 1 | | |
| - LAIL | | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | 1 | l | | 1 | 1 | 1 |
| EXIL | First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | | | |
|-------------|---|-------------|--|---------------------|--------------|-----------------|-----------------|-----------------|---------------|---------------|-------|--|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | =. | = | | =- | | | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 MQ1 | 79.02 113.33 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| | Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month | | | UNC1X UNCVX | 1D1VG | 0.62 | 57.26 6.71 | 14.74 4.84 | 1.86 | 1.67 | | | | | | — |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | - |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | 0.00 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | 0.10.77 | 00.5. | 11.00 | 0 | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | <u> </u> | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | _ | | _ | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Each Additional Voice Grade COCI in combination - per month | | <u> </u> | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | | | ļ | | I |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | 1 | LINGAY | 1L5XX | 0.40 | | | | | | 1 | | 1 | | 1 |
| | Channel System per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | l |
| | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | 36.72 | 22.32 | | | | | | - |
| EYTEN | DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | EPOEE | ICE TR | | | 11.00 | 0.71 | 4.04 | | | | | | | | — |
| LATEN | First 4-Wire Analog Voice Grade Local Loop in Combination - | LINOIT | I | ANOI OKI W/ 3/1 III | 1 | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | ĺ |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | _ | | | | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | ĺ |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | ĺ |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | LINIOAV | | 70.00 | 404.04 | 100 50 | 50.70 | 00.00 | | | | | | |
| | Termination Per Month Per each 1/0 Channel System in combination Per Month | | | UNC1X UNC1X | U1TF1 MQ1 | 79.02 113.33 | 181.24 57.26 | 123.53 14.74 | 56.72 1.86 | 22.32 1.67 | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | 1.07 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | — |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | 0.00 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | 0.10.77 | 00.5. | 11.00 | 0 | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | 1 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | | | | | | | | | | | | 1 | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | 1 | | | | | | | | |] | |] | | 1 |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | | | ļ | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | 1 |
| | Each Additional DS1 Interoffice Channel Facility Termination in | - | | ONCIA | ILOAA | 0.19 | | | 1 | | | | | - | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | 1 |
| | Additional Voice Grade COCI - in combination - per month | | 1 | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | 30.72 | 22.32 | | | | | | - |
| EXTEN | DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | 3.02 | 5.71 | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | T | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | <u> </u> | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | <u> </u> | | | | | | | | |
| | Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | ļ | | |
| 1 | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | _ | LINORY | UDI 50 | | | | == == | | | 1 | | 1 | | 1 |
| | Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 1 | UNC1X | 1L5XX | 0.19 | | | | | | 1 | | 1 | | 1 |
| | Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination | - | | UNCIX | ILDXX | 0.19 | | | 1 | | | | | - | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | 1 |
| | Per each 1/0 Channel System in combination Per Month | | † | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | | 1.67 | | | | <u> </u> | | |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | - | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | 1.57 | 1 | | | | l | |

| ONRONDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | | | |
|--|---|-------------|----------|-------------------|--------|----------|--------|-----------------|--|-------|-------|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | - | - | ONODA | ODESO | 21.00 | 120.22 | 00.40 | 33.03 | 7.04 | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | <u> </u> | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | LINGAV | U1TF1 | 70.00 | 404.04 | 123.53 | 50.70 | 22.32 | | | | | | |
| | same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system | - | | UNC1X | UTIFT | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTER | DEFICE | | | 11.60 | 0.71 | 4.04 | | | | | | | | |
| EXIL. | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | 1 | 1 | I TRANSFORT W/ G/ | I | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | _ | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | LINIOAV | | 70.00 | 104.04 | 100.50 | 50.70 | 00.00 | | | | | | |
| - | Facility Termination Per Month Per each Channel System 1/0 in combination Per Month | - | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 14.74 | 56.72 | 22.32 | | | | | | |
| | Per each OCU-DP COCI (data) in combination - per month (2.4- | - | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | LINODY | 40400 | 4.00 | 0.74 | 4.04 | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | LINICAV | 1L5XX | 0.19 | | | | | | | | | | |
| | Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in | 1 | | UNC1X | ILOAA | 0.19 | | | | | | | | - | - | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | 1 | | | J 1 | 70.02 | 101.24 | 120.00 | 00.72 | 22.02 | | | | | 1 | |
| | combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| EXTE | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO | RT w/ 3/ | 1 MUX | <u> </u> | | | | | <u> </u> | | | | | | <u> </u> | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | _ | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | [<u>-</u> | I ¬ | | | | 1 | · | | | | | | |
| | Transport - Zone 2 | <u> </u> | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | ļ | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | _ | LINIONIY | LIALOV | 40.07 | 405.00 | CO 10 | 50.00 | 7.04 | | | | | | |
| | Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per | 1 | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Mile per month | | | UNC1X | 1L5XX | 0.19 | | |] | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | + | - | 014017 | ILUAA | 0.19 | | | | | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| | Per each Channel System 1/0 in combination - per month | 1 | 1 | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | | | |
| | | | | | | | | | | | | | | İ | İ | |
| 1 1 | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | 1 | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | I | | | | | 1 | 1 | l |

| UNBUNDI F | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Fyh Δ | | |
|--|--|----------|---------|--------------------|----------------|-----------------|--------|-----------------|--------------|-------|-----------|-----------|-------------|-------------------|-------------------|--|
| ONDONDEL | NETWORK ELEMENTO Remadery | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Diac rat | Disc Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | | | | | | | | | | | | | | |
| | system combination- per month | | 1 | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | LINIOAY | 41.5307 | 0.40 | | | | | | | | | | |
| — | Channel System per month | | 1 | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | LINCAV | U1TF1 | 79.02 | 101 04 | 100 50 | 56.72 | 22.32 | | | | | | |
| | same 3/1 Channel System per month | | 1 | UNC1X | UTIFT | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | LINGAV | LICADA | 44.00 | C 74 | 4.04 | | | | | | | | |
| EVTEN | combination per month IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TDANK | CDODT | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| EXIE | | IRAN | | UNC1X | LICLVV | 96.47 | 210.70 | 114.60 | 63.06 | 17.97 | | | | | | |
| | First 4-wire DS1 Digital Local Loop in Combination - Zone 1 | | | UNC1X | USLXX | 86.47 114.10 | | | 63.96 | 17.97 | | | | | | |
| | First 4-wire DS1 Digital Local Loop in Combination - Zone 2 | | | | | | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | LINICAV | 41.577 | 0.40 | | | | | | | | | | |
| | Mile Per Month | | 1 | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | LINGAV | LIATEA | 70.00 | 404.04 | 400.50 | FC 70 | 20.20 | | | | | | |
| | Facility Termination Per Month | | 1 | UNC1X UNC3X | U1TF1 MQ3 | 79.02 158.20 | 181.24 | 123.53 56.53 | 56.72 | 22.32 | | | | | | |
| | 3/1 Channel System in combination per month | - | | | | | 115.48 | | 15.12 | 5.30 | | | | | | |
| | Per each DS1 COCI combination per month | - | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | LINCAV | 1L5XX | 0.19 | | | | | | | | | | |
| - | Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in | | - | UNC1X | ILSAA | 0.19 | | | | | | | | | | - |
| | | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| - | same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system | | | UNCIX | UTIFT | 79.02 | 101.24 | 123.33 | 30.72 | 22.32 | - | | | - | - | |
| | combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | - | | UNCIA | OCIDI | 11.00 | 0.71 | 4.04 | | | | | | | | |
| | Additional 4-Wife DST Digital Local Loop in Combination - Zone | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| — | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | - | UNCIX | USLAA | 00.47 | 210.70 | 114.00 | 05.90 | 17.37 | - | | | - | - | |
| | Additional 4-Wife DST Digital Local Loop in Combination - Zone | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | UNCIX | USLAA | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | - | | | - | - | - |
| | 2 Additional 4-Wife DST Digital Local Loop in Combination - Zone | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| EYTEN | IO IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | | | USLAA | 231.10 | 210.70 | 114.00 | 03.90 | 17.37 | 1 | | | | | |
| LXILI | First 4-wire 56 kbps Local Loop in combination - Zone 1 | ITILINO | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | - | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | t | t | + |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile | | - | 5.13DX | 30200 | 55.57 | 120.22 | 00.40 | 55.03 | 7.04 | | | | - | - | |
| | per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | 1 | 1 | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | 1 | | 1.20,01 | 5.01 | | | | | | | | <u> </u> | <u> </u> | t |
| | Termination per month | | | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | 1 | 1 | |
| EXTEN | IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | FFICF | | 050 | 17.20 | 55.55 | 55.57 | 55.51 | 22.72 | | | | t | t | t |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 | 1 | | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | 1 | 1 | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | t | t | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | İ | İ | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | | 1 | | | 22.10 | 1 | | | | | İ | İ | |
| | per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | I | I | |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | 1 | 1 | | | | i l | | | | | İ | İ | |
| | Termination per month | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | I | I | |
| ADDITIONAL I | NETWORK ELEMENTS | | | 1 | 1 | | | | | | | | | İ | İ | |
| | used as a part of a currently combined facility, the non-recurr | ng cha | rges de | not apply, but a S | Switch As Is c | harge does apr | oly. | | | | | | • | • | • | • |
| | used as ordinarily combined network elements in All States, t | | | | | | | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | |
| | al Features & Functions: | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|--|---|----------|----------------|--------|----------------|--------------|------------|---|-------|---|-----------|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | U1TD1. | | | | 7.00. | | 71441 | 0020 | 00 | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | , | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | - | | UNC1X, USL | NRCCC | | 184.91 | 23.82 | 1.99 | 0.78 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 205.70 | 7.20 | 0.6924 | 0.00 | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | | | | | |
| | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | - 1 | | U1TS1, UDF, UE3 | URESL | | 40.26 | 13.51 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | (Spreadsheet) | | | U1TS1, UDF, UE3 | URESP | | 64.05 | 25.62 | | | | | | | | |
| MULT | IPLEXER Interfaces | - | | 01101, 001, 003 | OKLOI | | 04.03 | 25.02 | | | | | | | | |
| III OLI | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | 0.10.17 | | 1.10.00 | 01.20 | | 1.00 | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.32 | 10.07 | 7.08 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | 002 | .0.00 | | 10.01 | 7.00 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.32 | 10.07 | 7.08 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.84 | 10.07 | 7.08 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 2.84 | 10.07 | 7.08 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | 1 | | 11045 | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | ļ | ļ | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | 1 | 1 | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | 1 | LII DD4 | LIC4D4 | 44.00 | 40.07 | 7.00 | | | | | | | | |
| A = = - | month s to DCS - Customer Reconfiguration (FlexServ) | | - | ULDD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | - | - | |
| Acces | Customer Reconfiguration (FlexServ) Customer Reconfiguration Establishment | | - | | 1 | | 1.63 | | 2.03 | | | | | - | - | |
| | DS1 DSC Termination with DS0 Switching | | 1 | | - | 25.69 | 32.88 | 23.58 | 21.09 | 15.88 | | | | | | - |
| - | DS1 DSC Termination with DS0 Switching DS1 DSC Termination with DS1 Switching | | - | 1 | | 25.69 12.41 | 25.07 | 23.58 15.76 | 16.23 | 11.02 | | | | 1 | 1 | |
| | DS3 DSC Termination with DS1 Switching | | - | 1 | 1 | 154.20 | 32.88 | 23.58 | 21.09 | 15.88 | | | | | | 1 |
| Servic | e Rearrangements | | | | <u> </u> | 134.20 | 32.00 | 23.30 | 21.09 | 10.00 | | | | | | |
| Jei VIC | o nounangements | | | U1TVX, U1TDX, | 1 | | | | | | | | | 1 | 1 | |
| | NRC - Change in Facility Assignment per circuit Service Rearrangement | I | | UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETD | | 269.66 | 47.05 | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Project | | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| UNI | BUNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-----|---------|--|--------|------|---------------|-------|------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I | I |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCSX, U1TD1, | | | | | | | | | | | | |
| | | | | | U1TD3, U1TS1, | | | | | | | | | | | | |
| | | | | | UE3, UDLSX, | | | | | | | | | | | | |
| | | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | Commingling Authorization | | | U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Miscell | aneous | | | | | • | | | | | | | | | | |
| | | NRC - Order Coordination Specific Time - Dedicated Transport | ı | | UNC1X | OCOSR | | 18.87 | 18.87 | | | | | | | | |

| UNB | JNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | | | |
|-------|---------|--|--|----------|------------------------------------|----------------|-----------------|------------------|---------------|----------------------|------------------|---------------|---------------|-----------------|-----------------|----------------|--------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | | Monroourrin | Disconnect | | | 000 | Rates(\$) | | |
| | | | | | | | Rec | First | Add'I | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | First | Auu i | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | The "7 | one" shown in the sections for stand-alone loops or loops as | nart of | a comb | nination refers to Ge | ographically | Deaveraged II | NF Zones To | view Geogran | l hically Deaver: | aged UNF Zone | Designation | ons by Cent | ral Office refe | r to internet \ | Nehsite: | |
| | | ww.interconnection.bellsouth.com/become a clec/html/inter | | | | ograpinoany | Deaveragea o | INE EDITIOS. TO | view Geograp | incany Deaven | aged ONE LON | Designation | one by cent | rai Omoc, reio | or to interriet | reporte. | |
| OPER | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | <u> </u> | | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | specif | ic" OSS charges as | ordered by t | ne State Comm | issions. The | OSS charges c | urrently contai | ned in this rate | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | | | | | , | | -,, | | | | | | | | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | ed acco | ording t | o the SOMEC rate lis | sted in this o | ategory. Pleas | se refer to Bell | South's Local | Ordering Hand | book (LOH) to | determine i | if a product | can be ordere | ed electronica | Illy. For thos | e elements |
| | that ca | nnot be ordered electronically at present per the LOH, the list | ed SOM | IEC rate | in this category ref | lects the cha | arge that would | be billed to a | CLEC once ele | ectronic orderi | ng capabilities | come on-li | ne for that e | element. Othe | erwise, the ma | anual ordering | g charge, |
| | | I, will be applied to a CLECs bill when it submits an LSR to B | | | • • • | | - | | | | | | | | | • | |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | <u></u> | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | - | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | | n 5 as appli | cable. | | | 1 | 1 | 1 | 1 | | 1 | | 1 |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, UDLO3. UDLSX. | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, UE3. ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | l | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | 1 |
| | | | l | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | 1 |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | l | | U1TUB, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | l | | U1TUA,NTCVG, NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | | | |
| OBDE | D MODIC | Day ICATION CHARGE | <u> </u> | - | NICOD, NICDI | SUASP | | ∠00.00 | ∠00.00 | | | | | | | | |
| OKDE | | Order Modification Charge (OMC) | | + | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | 1 | | |
| | 1 | Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD) | 1 | | | 1 | | 150.00 | 0.00 | 0.00 | 0.00 | 1 | | | | | |
| UNBU | NDLED F | XCHANGE ACCESS LOOP | | | | | | .55.50 | 5.50 | 5.50 | 5.50 | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.90 | 36.54 | 16.87 | | | | | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 23.33 | 36.54 | 16.87 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 48.43 | 36.54 | 16.87 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 12.90 | 36.54 | 16.87 | | | | | | | | |
| | ļ | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 23.33 | 36.54 | 16.87 | | | | | | | | |
| L | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | <u> </u> | 3 | UEANL | UEASL | 48.43 | 36.54 | 16.87 | | <u> </u> | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 61 of 136

| UNBUN | DLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | 1 | 1 |
|--------|------|---|--|----------|--------------------------|----------------|----------------|------------------|----------------|--|--------------|--------------|---|-------------------------|---|---|--|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| - | | | | | | - | | Nonrec | urring | Nonrecurrin | g Disconnect | - | | 220 | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 11131 | Addi | 11130 | Addi | COMILO | JOHAN | JOWAN | JOWAN | JONAN | JOHAN |
| | | Premise | | | UEANL | URETL | | 8.92 | 0.88 | | | | | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 0.00 | | | | | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | l | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.93 | | | 1 | | | | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.04 | 13.04 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 7.92 | 7.92 | | | 1 | | | | | + |
| 2- | WIRE | Unbundled COPPER LOOP | | | OLIVE | OL7 WIO | | 7.02 | 7.02 | | | | | | | | + |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | ı | 1 | UEQ | UEQ2X | 12.40 | 35.27 | 15.60 | | | | | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | ı | | UEQ | UEQ2X | 14.32 | 35.27 | 15.60 | | | | | | | | 1 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | UEQ | UEQ2X | 16.87 | 35.27 | 15.60 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | l | | | | | | | | | | 1 | | | | 1 |
| | | Premise | | | UEQ | URETL | | 8.92 | 0.88 | | | | | | | | |
| | | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) | | | UEQ | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | UEQ | USBIVIC | | 7.92 | 7.92 | | <u> </u> | - | | | | | + |
| | | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.04 | 13.04 | | | | | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 33.17 | 0.00 | | | | | | | | 1 |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.28 | 19.28 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | 1 |
| | | (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | | | | | | |
| | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2- | WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | 1 | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | UEA, NICVG | UEALZ | 14.93 | 102.10 | 05.72 | - | 1 | + | | | | | + |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | , | | | | | İ | | 1 | | | | | + |
| | | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 50.46 | 102.10 | 65.72 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 50.46 | 102.10 | 65.72 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | 3 | UEA, NICVG | UEARZ | 50.46 | 102.10 | 05.72 | - | 1 | + | | | | | + |
| | | DS0) | | | UEA, NTCVG | URESL | | 24.98 | 3.52 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | , | | | | | İ | | 1 | | | | | + |
| | | DS0) | | | UEA, NTCVG | URESP | | 26.47 | 5.01 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.59 | 36.30 | | | | | | | | |
| | | Loop Tagging - Service Level 2 (SL2) | | | UEA, NTCVG | URETL | | 11.20 | 1.10 | | | | | | | | |
| 4- | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA, NTCVG | UEAL4 | 30.81 | 127.40 | 91.02 | | | | | | | | |
| 1 | | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | 1 | | UEA, NTCVG UEA, NTCVG | UEAL4 UEAL4 | 38.32 60.39 | 127.40 127.40 | 91.02 91.02 | + | + | 1 | | | | | + |
| | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | 3 | OLA, NIOVO | ULAL4 | 00.39 | 121.40 | 31.02 | | <u> </u> | | | | | | + |
| | | DS0) | l | | UEA, NTCVG | URESL | | 24.98 | 3.52 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | , | | | | | | 1 | 1 | | | | | † |
| | | DS0) | | | UEA, NTCVG | URESP | | 26.47 | 5.01 | | | | | | <u> </u> | | <u> </u> |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | _ | 87.59 | 36.30 | | | | | | | | |
| 2- | WIRE | ISDN DIGITAL GRADE LOOP | | | LIBAL | 1141.0:: | | | | ļ | ļ | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | ļ | | UDN | U1L2X | 22.09 | 113.34 | 76.96 | - | 1 | | | | | | + |
| - | | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | ļ | | UDN UDN | U1L2X U1L2X | 35.28 65.18 | 113.34 113.34 | 76.96 76.96 | - | | 1 | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UDN | UREWO | 05.18 | 91.49 | 44.09 | | † | | | | - | - | + |
| | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | | <u> </u> | | DIVEAAO | | 31.43 | 44.09 | ļ | ! | | l | | | ļ | |

| LINDIA | IDI E | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Evb A | | |
|------------------|-------|--|--|--|-------------|----------|--------|-----------------|-----------|--|-------|-----------|--|--|--|-------------|--------------|
| ONBON | DLE | NETWORK ELEMENTS - Louisiana | 1 | | 1 | | | | | | | Cup Cade | Sup Carle | Attachment: | | In oron | Ingrarrant-1 |
| | | | l | | | | | | | | | | | Incremental | | | Incremental |
| | | | l | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | 2.00 .00 | 2.007.444 |
| | | | | | | | Rec | Nonrec | | Nonrecurring I | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.29 | 117.08 | 68.36 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 14.09 | 117.08 | 68.36 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 15.75 | 117.08 | 68.36 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.29 | 92.83 | 56.02 | | | | | | | | |
| - | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | 0712 | O/ KEETT | 12.20 | 02.00 | 00.02 | | | | | | | | |
| | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 14.09 | 92.83 | 56.02 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | 1 | | U, (L | JALZVV | 14.09 | 32.03 | 30.02 | | | | | | | | |
| | | facility reservation - Zone 3 | l | 3 | UAL | UAL2W | 15.75 | 92.83 | 56.02 | | | | | | | | |
| \vdash | | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UAL | UREWO | 15.75 | 92.83 86.07 | 40.34 | | | - | - | | | | |
| <u> </u> | WIDE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIE | LOCE | UAL | UKEWU | | 00.07 | 40.34 | | | | | | | | |
| | -WIKE | | IIBLE | LUUP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | l | 1 . | | 1111101 | 0.70 | 405.50 | 70 | 1 | | 1 | | Ì | Ì | | |
| \vdash | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.79 | 125.50 | 76.77 | 1 | | | 1 | | 1 | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.52 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.74 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.79 | 101.24 | 64.43 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.52 | 101.24 | 64.43 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.74 | 101.24 | 64.43 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.00 | 40.34 | | | | | | | | |
| 4 | -WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.24 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | t | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.65 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | OTIL | OTILAX | 10.00 | 100.20 | 104.04 | - | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.34 | 153.26 | 104.54 | | | | | | | | |
| - | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | <u> </u> | OTIL | OTILAX | 17.04 | 100.20 | 10-1.0-1 | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.24 | 129.00 | 92.20 | | | | | | | | |
| + | | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | <u> </u> | OFIL | Of IL4VV | 10.24 | 123.00 | 32.20 | + | | | 1 | 1 | 1 | | |
| | | and facility reservation - Zone 2 | l | 2 | UHL | UHL4W | 16.65 | 129.00 | 92.20 | 1 | | 1 | l | Ì | l | | |
| \vdash | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OI IL | JI IL4VV | 10.03 | 129.00 | 92.20 | | | - | - | | | | |
| | | and facility reservation - Zone 3 | l | 3 | UHL | UHL4W | 17.34 | 129.00 | 92.20 | 1 | | 1 | | Ì | Ì | | |
| \vdash | | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UHL | UREWO | 17.34 | 129.00 86.00 | 40.34 | | | - | - | | | | |
| | MIDE | | | 1 | UHL | UKEWU | | 86.00 | 40.34 | | | | | | | | |
| 4 | -wike | DS1 DIGITAL LOOP | | <u> </u> | LICE NITODA | LICL VV | 05.70 | 045.40 | 150.00 | 1 | | | | | | | |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 1 | <u> </u> | | USL, NTCD1 | USLXX | 85.70 | 245.16 | 152.98 | | | | | | 1 | | |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 2 | <u> </u> | | USL, NTCD1 | USLXX | 194.96 | 245.16 | 152.98 | - | | | ļ | | | | |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL, NTCD1 | USLXX | 491.94 | 245.16 | 152.98 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | l | 1 | | | | | | 1 | | 1 | | Ì | Ì | | |
| | | DS1) | <u> </u> | <u> </u> | USL, NTCD1 | URESL | | 24.98 | 3.52 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | l | | | 1 | | | | | | | 1 | | | | |
| | | DS1) | | <u> </u> | USL, NTCD1 | URESP | | 26.47 | 5.01 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.93 | 42.98 | | | | | | | | |
| 4 | | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| $\Box\Box$ | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 30.99 | 121.86 | 85.48 | | - | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 36.78 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 38.92 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL, NTCUD | UDL56 | 30.99 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL, NTCUD | UDL56 | 36.78 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL, NTCUD | UDL56 | 38.92 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 30.99 | 121.86 | 85.48 | | | | İ | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL, NTCUD | UDL64 | 36.78 | 121.86 | 85.48 | † † | | | İ | İ | İ | | |
| | | | 1 | | | , | 330 | 00 | 55.10 | · | | | · | l | · | | |

| UNRU | NDI FI | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Fyh Δ | | |
|----------|---------|---|-------------|------|----------------------------------|-----------|---|-----------------|----------------|-------|--------------|---|---|-------------|---|---|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | 1 | N. | | . N | - B' | | | | | 2.00 .00 | 2.007.001 |
| | | | | | | | Rec | Nonrec | | | g Disconnect | 001150 | 001441 | | Rates(\$) | 001141 | 001141 |
| - | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL. NTCUD | UDL64 | 38.92 | First 121.86 | Add'I 85.48 | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | 3 | ODL, NTCOD | UDL04 | 30.92 | 121.00 | 03.40 | | + | | | | | | |
| | | DS0) | | | UDL, NTCUD | URESL | | 24.98 | 3.52 | | | | | | | | |
| | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| | | DS0) | | | UDL, NTCUD | URESP | | 26.47 | 5.01 | | | | | | | | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP | | | UDL, NTCUD | UREWO | | 101.97 | 49.67 | | 1 | | | | | | |
| | Z-VVIKE | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.29 | 116.18 | 67.46 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed including manual | | | - | | | - | | | | | | | | | |
| | | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 14.09 | 116.18 | 67.46 | | | | | | | | |
| | | 2 Wire Unbundled Copper Loop-Designed including manual | | _ | | | | | | | | | | | | | |
| - | | service inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual | | 3 | UCL | UCLPB | 15.75 | 116.18 | 67.46 | | - | | | | | | |
| | | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.29 | 91.92 | 55.12 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 14.09 | 91.92 | 55.12 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop-Designed without manual | | _ | | | | | == | | | | | | | | |
| | | service inquiry and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UCL | UCLPW | 15.75 | 91.92 | 55.12 | | + | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 91.92 | 42.47 | | | | | | | | |
| | 4-WIRE | COPPER LOOP | | | 002 | 0.1.2.110 | | 01.02 | 12.17 | | | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 22.27 | 139.69 | 90.96 | | | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 18.95 | 139.69 | 90.96 | | | | | | | | |
| | | 4-Wire Copper Loop-Designed including manual service inquiry | | | UCL | UCL45 | 18.95 | 139.69 | 90.96 | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 10.99 | 139.69 | 90.96 | | | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 22.27 | 115.43 | 78.63 | | | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.95 | 115.43 | 78.63 | | | | | | | | |
| | | 4-Wire Copper Loop-Designed without manual service inquiry | | | UCL | UCL4VV | 16.95 | 115.45 | 70.03 | | 1 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 10.99 | 115.43 | 78.63 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 91.92 | 42.47 | | | | | | | | |
| - | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL UEA, UDN, UAL, | UCLMC | | 7.92 | 7.92 | | 1 | | | | | | |
| | | | | | UHL, UDL, NTCVG, | | | | | | 1 | | | | | | |
| | | | | | NTCUD, USL, | | | | | | | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | NTCD1, UEANL | OCOSL | | 17.56 | | | 1 | | | | | | |
| LOOP N | IODIFIC | CATION | | | LIAL LILIL LIAL | | | | | | _ | 1 | | | | | |
| | | | | | UAL, UHL, UCL, UEQ. ULS. UEA. | | | | | | 1 | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | 1 | | | | | | |
| | | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | <u> </u> | 0.00 | 0.00 | | 1 | | | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | _ | | | | | | | | | |
| | | less than or equal to 18K ft, per Unbundled Loop | ļ | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | | | | | | | | |
| | | | | | UAL, UHL, UCL, UEQ, ULS, UEA, | | | | | | 1 | | | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | | per unbundled loop | <u>L</u> | | UEPSB | ULMBT | <u> </u> | 12.15 | 12.15 | | <u> </u> | <u> </u> | | | | | |
| SUB-LC | | | | | | | | _ | | | | | | | | | |
| — | Sub-Lo | op Distribution | <u> </u> | | | | | | | | 1 | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | | | UEANL, UEF | USBSA | | 144.09 | 144.09 | | 1 | | | | | | |
| | | <u>~</u> r | 1 | | 02. 41L, 0L1 | 232071 | | 144.00 | 144.05 | | 1 | | | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | L_ | | UEANL, UEF | USBSB | <u> </u> | 10.99 | 10.99 | | <u> </u> | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | <u> </u> | <u> </u> |
|------------|--|--|------|------------|----------------|--------|--------|-----------|--|--|---|---|--|--|--------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | | | UEANL | USBSC | | 86.16 | 86.16 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | | | | | | | | |
| | Set-Up | | | UEANL | USBSD | | 27.13 | 27.13 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 7.57 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | | USBN2 | 40.75 | 00.00 | 30.06 | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN2 | 12.75 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 21.45 | 63.89 | 30.06 | | | | | | | | |
| - | Zone 3 | | 3 | UEANL | USBNZ | 21.45 | 63.89 | 30.06 | - | + | 1 | | | | - | - |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANL | USBIVIC | | 1.52 | 1.52 | | 1 | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 11.76 | 76.75 | 42.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OL7 II VL | CODITY | 11.70 | 10.10 | 42.02 | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 16.84 | 76.75 | 42.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 19.27 | 76.75 | 42.92 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.91 | 51.48 | 17.65 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 6.58 | 57.54 | 23.71 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.26 | 63.89 | 30.06 | | | | | | | | |
| - | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 3 | UEF UEF | UCS2X UCS2X | 10.07 | 63.89 | 30.06 | | + | | | | | - | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCSZX | 12.70 | 63.89 | 30.06 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 8.03 | 76.75 | 42.92 | | + | 1 | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS4X | 10.71 | 76.75 | 42.92 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UCS4X | 6.08 | 76.75 | 42.92 | | | | | | | | |
| | 2000 0000000000000000000000000000000000 | | Ť | T | 122.77 | 5.50 | | .2.02 | 1 | 1 | | | | İ | 1 | 1 |
| 1 | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | l | | UEF | USBMC | | 7.92 | 7.92 | I | I | | | | 1 | I | I |
| İ | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- | | | | | | | | | | | | | | | |
| | Designed and Distribution Subloops | | | UEF, UEANL | URETL | | 8.92 | 0.88 | | <u> </u> | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 33.17 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.28 | 19.28 | | | | | | | | |
| Unbu | ndled Sub-Loop Modification | | | | | | | | | | | | | | | |
| 1 | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | l | | l | 1 | | | | I | I | | | | 1 | I | I |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 0.00 | 0.00 | | | | | | | | |
| 1 | Unbundled Sub-loop Modification - 4-W Copper Dist Load | l | | luce | LILAMAN | | 0.00 | 0.00 | I | I | | | | 1 | I | I |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 0.00 | 0.00 | ! | + | ļ | | | | ! | 1 |
| | Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop | l | | UEF | ULMBT | | 224.55 | 4.29 | 1 | 1 | | | | | 1 | |
| Hebr | Indled Network Terminating Wire (UNTW) | - | | OLI. | ULIVID I | | 224.55 | 4.29 | - | + | <u> </u> | | | - | - | - |
| John | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3454 | 14.72 | 14.72 | | + | 1 | | | 1 | | |
| Netw | ork Interface Device (NID) | | | OFIAIAA | OLINEE | 0.3434 | 14.72 | 14.72 | | † | | | | | t | - |
| INGEN | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 42.26 | 27.83 | | † | | | | | t | - |
| | Network Interface Device (NID) - 1-2 lines | 1 | | UENTW | UND16 | | 62.86 | 48.43 | - | | | | | | I | † |
| 1 | Network Interface Device Cross Connect - 2 W | l | | UENTW | UNDC2 | | 5.73 | 5.73 | 1 | 1 | | | | 1 | 1 | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.73 | 5.73 | 1 | 1 | | | | İ | İ | 1 |
| LINE OTHER | PROVISIONING ONLY - NO RATE | | 1 | | | | | | | | İ | | | | | |

| UNBUND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-----------|--|-------------|------|--|-------|--------|--------|-----------|--------------|------------|-------|---|-------------------------|---|---|--|
| CATEGOR | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | I | Nonred | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Establishment, Provisioning Only - No Rate | | 1 | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | ACITY UNBUNDLED LOCAL LOOP | 1 | | | | | | | | | | | | | | |
| NO | TE: minimum billing period of three months for DS3/STS-1 Local | Loop | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 362.34 | 438.46 | 256.30 | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 374.56 | 438.46 | 256.30 | | | | | | | | |
| LOOP MAI | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per working or spare facility. | | | UMK | UMKLW | | 23.29 | 23.29 | | | | | | | | |
| | queried (Manual). Loop MakeupWith or Without Reservation, per working or | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.19 | 0.19 | | | | | | | | |
| LINE SPLI | | | | | | | - | | | | | | | | | |
| EN | D USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 17.97 | 10.29 | | | | | | | | |
| 118 | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 17.97 | 10.29 | | | | | | | | |
| | BUNDLED EXCHANGE ACCESS LOOP VIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 2-4 | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | UEPSR UEPSB | UEALS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 1 | UEPSR UEPSB | UEABS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEALS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEABS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSR UEPSB | UEALS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | ļ | | | | | |
| PH | Zone 3 YSICAL COLLOCATION | | 3 | UEPSR UEPSB | UEABS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | _ | _ | | | | | | |
| VIF | Splitting RTUAL COLLOCATION | | | UEPSR UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | 0.00 | 0.00 | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0296 | 11.94 | 11.46 | 0.00 | 0.00 | | | | | | |
| | ED DEDICATED TRANSPORT EROFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | | | | | | | | | | | | <u> </u> |
| IN | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | y rommanon | | | = | 1 | 22.00 | 55.56 | 20.02 | | l | | i | | l . | ı | l |

| UNBUNDI F | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--------------|--|-------------|----------|-------------------|-------|-----------------|----------------|--------------|-----------------|----------------|--|------------------------|---|-----------|----------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Charge - | Charge - |
| | | | | | | B | Nonrec | urring | Nonrecurrin | g Disconnect | | l | oss | Rates(\$) | ı | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | U1TVX | U1TR2 | 22.60 | 39.36 | 26.62 | | | | | | | | <u> </u> |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 19.81 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | U1TD5 | | 20.27 | 26.62 | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TDX | | 15.61 | 39.37 | 26.62 | | | | | | | | |
| | per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TDX | U1TD6 | 15.61 | 39.37 | 26.62 | | | | | | | | |
| | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.2652 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 70.47 | 86.69 | 79.44 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 830.19 | 270.69 | 158.05 | | | | | | | | |
| UNBUN | IDLED DARK FIBER | | | | | | | | | | | | | | | |
| | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction | | | | | | | | | | | | | | | |
| 911 PBX LOCA | Thereof - Interoffice Transport | | | UDF, UDFCX | 1L5DF | 25.28 | 620.60 | 133.88 | | | | | | | | |
| | X LOCATE DATABASE CAPABILITY | | | | | | | | | <u> </u> | | | | | | ļ |
| 31111 | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,819.00 | | | | | | | | | |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 181.99 | | | | | | | | | 1 |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 534.22 | | | | | | | | | |
| | PBX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR | 178.58 | | | | | | | | | | |
| | Service Order Charge | | | 9PBDC | 9PBSC | | 15.20 | | | | | | | | | |
| | X LOCATE TRANSPORT COMPONENT | ļ | ļ | | _ | | | | | ļ | | | | | | |
| See Att | | | | | | | | | | | | | | | | |
| | (TENDED LINK (EELs) | | | Cuitab Aa la Chan | | lu fan LINE aan | binatiana nua | delened ee l | andin anily Cam | himadi Naturad | . Flamoute | | | | | |
| | The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not to | | | | | | | | | | | | | | | |
| | THE MONTHLY RECURNING AND THE SWITCH-AS-IS CHARGE AND HOT I | | | | | ONE COMBINALI | ons provisione | das Current | y Combined | T THE THE THE | 1115. | ı | | 1 | 1 | 1 |
| EXIEN | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | 03 | 1 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | 1 | | | | 1 | 1 | 1 |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | 1 | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | 1 | | | | | | † |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | 1 | | | | 1 | 1 | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | 1/0 Channelization System in combination Per Month | | † | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | İ | | | | 1 | 1 | — |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | Ì | | | | 1 | İ | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | | | | | |

| LIMPLIA | חובי | NETWORK ELEMENTS Lauriciana | | | | | | | | | | | | Attack | 2 Evb. 4 | | |
|----------|-------|--|----------|--|-----------------|----------|--------|--------|-----------|--|------------|--|-----------|-------------|--|--------------|--------------|
| ONBON | DLEL | NETWORK ELEMENTS - Louisiana | | | | | | | | | | Sun Ord | Cua Ord | Attachment: | | In aramant-1 | In aramant-1 |
| | | | | | | | | | | | | | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | l_ | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | 2.00 .01 | 2.007.444. |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | | | | | |
| | | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| E | XTEN | DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | TED DS | INTE | ROFFICE TRANSPO | | | | | | | | | | | | |
| | | | | 1 | | Ī | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | | | | | |
| | | 1 list 4 Wile / Italog Voice Grade Loop in Combination | | | ONOVA | OL/1L- | 00.01 | 04.21 | 40.00 | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | | | | | |
| - | | Tilst 4-Wile Arialog Voice Grade Loop in Combination - Zone Z | | | UNCVA | ULAL4 | 30.32 | 34.21 | 43.09 | | | | | | | | |
| | | First AMF - Assler Weiter Ord Is I are in Ord Islandia. 7 | | _ | 1110101 | 115 41 4 | 00.00 | 04.04 | 45.00 | | | | | | | | |
| \vdash | | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | l | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | l | | | | |
| | | Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | ļ | <u> </u> | | | | |
| | | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | 0.1017 | 02/12 ! | 00.02 | 02. | 10.00 | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | | | | | |
| | | Additional Voice Grade COCI in combination - per month | | 3 | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| E. | | DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DC4 IN | | | 0.0497 | 3.91 | 4.20 | | | | | | | | |
| F | VIEIN | DED 4-WIRE 30 KBF3 EXTENDED DIGITAL LOOP WITH DEDI | CATED | DOTIN | TEROFFICE TRANS | PURI | | | | | | | | | | | |
| | | First A Mire FOlder - Divisit Occupation in Occupation in | | | LINODY | LIDI 50 | 00.00 | 04.04 | 45.00 | | | | | | | | |
| - | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | | | | _ | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | | Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | 1 | | İ | İ | İ | İ | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | 0.01 | 20 | 1 | | i | 1 | | 1 | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | l | 1 | | İ | | |
| \vdash | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | 32230 | 00.00 | J-1.21 | 70.00 | | | | | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | l | 1 | | İ | | |
| \vdash | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | סואסטא | JULJO | 30.18 | 94.21 | 45.09 | + + | | | 1 | 1 | | | |
| | | | | _ | LINCDY | LIDLEC | 20.00 | 04.04 | 45.00 | | | l | 1 | | İ | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | 1 | | 1 | | - | | | |
| | | Additional OCU-DP COCI (data) - in combination per month (2.4- | 1 | | LINODY | 40400 | 4.00 | F 0.1 | 4.00 | | | | l | | | | |
| | | 64kbs) | <u> </u> | <u> </u> | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| (E) | XTENI | DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | TEROFFICE TRANS | PORT | | | | | | | | | | | |
| | | | | | | | | | | | | | l | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | | | | | | | | | | | | l | 1 | 1 | | - | |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | <u></u> | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | <u></u> |
| | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | l | 1 | | İ | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | İ | l | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | l | | | | |
| | | interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | | 1 | 3.2002 | | | | | | 1 | | | | |
| | | Termination Per Month | | 1 | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | İ | 1 | | İ | | |
| \vdash | | 1/0 Channel System in combination Per Month | | 1 | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | 1 | l | 1 | 1 | | |
| \vdash | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | 1 | UNCDX | 1D1DD | 1.38 | 59.97 | 4.26 | | | 1 | l | 1 | 1 | | |
| \vdash | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | - | | OINODY | טטוטו | 1.38 | 0.81 | 4.20 | | | - | - | | | | |
| | | Interoffice Transport Combination - Zone 1 | | | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | İ | 1 | | İ | | |
| \Box | | interonice Transport Combination - Zone 1 | | 1 | UNCDY | UDL64 | 30.99 | 94.21 | 45.09 | ı | | i | l . | l | i | | |

| UNRONDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | | | <u> </u> |
|--|---|-------------|--|-----------------|----------|---------|--------|-----------|--------------|--|--|---|---|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | _ | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | _ | | | | | 4= 00 | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| EVTE | I(2.4-04KDS) NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DE1 | INITEE | | | 1.38 | 5.91 | 4.26 | | | | | | - | - | + |
| LAIL | 4-Wire DS1 Digital Loop in Combination - Zone 1 | LD D31 | | UNC1X | TUSLXX | 85.70 | 169.22 | 100.89 | | | | | | | | - |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | + |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | + |
| İ | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ť | | | .004 | .00.22 | .00.00 | | | | | | 1 | 1 | 1 |
| | Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | I | I | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | | | | | | 1 | | | | | 1 | 1 | 1 |
| | Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | 1 | 1 | 1 |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | | | | | | | | | | | | | |
| | First DS1Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | |
| | First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | | | | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | _ | LINIOAN | 1101.307 | 404.00 | 400.00 | 100.00 | | | | | | | | |
| | Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | - |
| | Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | |
| - | Additional DS1 COCI in combination per month | | 3 | UNC1X UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | + |
| EVTE | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | CDAD | EINTE | | | 11.70 | 5.91 | 4.20 | | | | | | | | + |
| LAIL | 2-WireVG Loop in combination - Zone 1 | GRAD | 1 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | | | | | + |
| | 2-WireVG Loop in combination - Zone 1 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | | | | | + |
| | 2-WireVG Loop in combination - Zone 3 | | | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | | | | | + |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | Ŭ | CHOVA | OLALL | 00.40 | 54.21 | 40.00 | | | | | | | | + |
| | Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 22.60 | 72.60 | 41.75 | | | | | | | | |
| EXTE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | Ė INTE | ROFFICE TRANSPO | RT | | | | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | | | | | 1 |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | 1 | |
| | Termination per month | <u> </u> | <u>L</u> | UNCVX | U1TV4 | 19.81 | 72.60 | 41.75 | | | ļ | | | 1 | | <u> </u> |
| EXTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | 11.505 | | | | ļ | | | | | ļ | ļ | |
| | DS3 Local Loop in combination - per mile per month | | <u> </u> | UNC3X | 1L5ND | 10.04 | | | | ļ | | | | | | |
| 1 | DC2 Local Local in combination Fig. 75 Territoria | | | LINCOV | LIEODY | 000 0 1 | 400 4- | 105.51 | | | | | | I | I | 1 |
| | DS3 Local Loop in combination - Facility Termination per month | - | ! | UNC3X UNC3X | UE3PX | 362.34 | 188.45 | 125.51 | | 1 | 1 | | | 1 | | + |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNC3X | 1L5XX | 6.04 | | | - | 1 | 1 | | | 1 | 1 | + |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | | | I | I | |
| EVTE | Termination per_montn ENDED STS-1 DIGITAL EXTENDED LOOP WITH_DEDICATED ST | C-1 INIT | EDOE | | UIIF3 | d5U.45 | ∠90.08 | 121.16 | - | 1 | | | | | | + |
| EXIE | STS-1 Local Lolp in combination - per mile per month | 3-1 INI | EKUF | UNCSX | 1L5ND | 10.04 | | | | | | | | - | - | + |
| ullet | STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per | | 1 | UNCOA | ILOND | 10.04 | | | - | | | | | - | | + |
| 1 1 | | | | | | | | | | | | | | | | |

| CHECHUL | ED NETWORK ELEMENTS - Louisiana | | | T | , · | | | | | | | | Attachment: | | l | + |
|------------------|--|--|----------|----------------|----------------|----------------|-----------------|-----------|--|----------|-------|---|--|-----------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Nonros | | Manroquering Di | cconnect | | | | Rates(\$) | l | |
| | | | | | - | Rec | Nonrec First | Add'l | Nonrecurring Dis | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | + | | FIISL | Add I | FIISL | Add I | SOMEC | SOMAN | SUMAN | SOWAN | SUMAN | SOWAN |
| | per month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | CHOOK | 120701 | 0.04 | | | | | | | | | | + |
| | Termination per month | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | | | | | | |
| EXTE | NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRAN | SPORT | | | | | | | | | | | | | 1 |
| | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | 1 |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | <u> </u> | <u> </u> | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| . | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | 1 | 1 | UNCNX | 1141.07 | 20.00 | 04.04 | 45.00 | | | | | | 1 | I | 1 |
| $\!\!\!+\!\!\!-$ | Combination - Zone 1 | | 1 | UNCINA | U1L2X | 22.09 | 94.21 | 45.09 | | | | | | - | | + |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | | | | | |
| | Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCINA | UILZA | 33.20 | 94.21 | 45.09 | | | | | | | | + |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | | | | | |
| | | | 3 | UNCINA | UILZX | 05.10 | 34.21 | 45.05 | | | | | | | | + |
| | Additional 2-wire ISDN COCI (BRITE) - in combination- per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| EVTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | 1 INT | | | 2.90 | 5.91 | 4.20 | | | | | | | | + |
| LAIL | First DS1 Loop Combination - Zone 1 | LD 313 | | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | + |
| | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | + |
| | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | + |
| +- | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | 0.1.0.1.1 | 002701 | 101.01 | .00.22 | 100.00 | | | | | | | | + |
| | Per Month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | 1 |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | - |
| EVTE | DS1 COCI in combination per month NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | DC INT | EBOE | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | + |
| EXIE | 4-wire 56 kbps Local Loop in combination - Zone 1 | SPS IN I | | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | - | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | - | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | + |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | ONODA | ODLOG | 00.02 | 04.21 | 40.00 | | | | | | | | + |
| | Per Mile per month | 1 | 1 | UNCDX | 1L5XX | 0.013 | | | | | | | | 1 | I | |
| -+ | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | 1 | | | .20,50 | 0.010 | | | | | | | | 1 | 1 | |
| | Facility Termination per month | 1 | 1 | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | | | 1 | I | 1 |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | BPS INT | EROFF | | 1 | | | - | | | | | | | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | _ | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | · | 1 | | | | | | 1 | |
| | Facility Termination per month | <u> </u> | <u> </u> | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | | | | 1 | <u> </u> |
| IEYTE | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | RANSP | | | 1 | | | | | | | | | | 1 | |
| EVIE | | | | | | | | 45.09 | | | | | | • | 1 | 1 |
| EVIE | First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX UNCVX | UEAL2 UEAL2 | 14.93 25.35 | 94.21 94.21 | 45.09 | | | | | | | | + |

| UNBUNDI | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------------|---|--|--|------------------|--------|--------|---------|-----------|-------------|--|--|--|-------------|--|--|--|
| J.IIDE | | 1 | | | | l | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Interi | l_ | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 100 | Addi | D130 131 | Disc Add I |
| | | | | | | D | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | ONOTA | TLOAK | 0.2002 | | | | | 1 | | | | | - |
| | Facility Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | Per each DS1 Channelization System Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Per each Voice Grade COCI - Per Month per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | | | | | |
| İ | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | 1 | | |] | | 1 | 1 | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | - | | 10 | 20.00 | V-1.2.1 | -10.00 | | + | | | | 1 | | + |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | | | | | |
| | | | 3 | | | | | | | | | | | | | - |
| | Each Additional Voice Grade COCI in combination - per month | 1 | ! | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | + | | | | 1 | | <u> </u> |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| EXTE | NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN | EROFF | ICE TR | ANSPORT w/ 3/1 M | IUX | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | 0.10171 | 027.21 | 00.01 | 01.21 | 10.00 | | | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | | | | | |
| | | | | UNCVA | UEAL4 | 30.32 | 94.21 | 45.09 | | | | | | | | - |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | _ | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | 1 | | | | | † |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | ONOTA | OCIDI | 11.70 | 5.51 | 4.20 | | | | | | | | |
| | | | | LINIONAY | 115414 | 20.04 | 04.04 | 45.00 | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | ١. | | l | | | | 1 | | |] | | 1 | 1 | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | 1 | ļ | | | | | ļ |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | 1 | | 1 | | | | | 1 | |] | | | | |
| | Interoffice Transport Combination - Zone 3 | <u></u> | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | <u></u> | <u> </u> | <u> </u> | | | | <u> </u> | <u> </u> |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | 1 | | | | | | | | | İ | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| 1 | Additional Voice Grade COCI - in combination - per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | 1 | 1 | | | 1 | | † |
| EYTE | NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTER | FFICE | | | 0.0401 | 5.51 | 7.20 | | + | | | | 1 | | + |
| EATE | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | ERC | | INAMO ON I W/ 3/ | 1.00 | - | | | 1 | + | | H | | | 1 | 1 |
| | | | 4 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | Zone 1 | 1 | - 1 | ONCDA | UDLOB | 30.99 | 94.21 | 45.09 | | 1 | 1 | | | 1 | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | ١. | | l | | | | 1 | | |] | | 1 |] | |
| | Zone 2 | ļ | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | <u> </u> | | | <u> </u> | | <u> </u> |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | 1 | UNC1X | 1L5XX | 0.2652 | | | 1 | | |] | | 1 | 1 | |
| İ | First Interoffice Transport - Dedicated - DS1 - combination | | | | | | | | | | | | | | | |
| | Facility Termination Per Month | 1 | 1 | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | 1 | |] | | | | |
| - | Per each 1/0 Channel System in combination Per Month | 1 | 1 | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | 1 | 1 | | t | | t |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | t | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | + | | | | 1 | | |
| | i di dadii 000-bi 000i (data) 000i pei montii (2.4-04kbs) | 1 | | CHODA | טטוטו | 1.30 | ا ق.ق | 4.20 | l | 1 | 1 | 1 | | | l | <u> </u> |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 71 of 136

| CITECITE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|---------------|---|-------------|-------|----------------|---------|-----------------|---------|-----------|-------------|--------------|--------|---|---|-----------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | _ | | Nonrec | urrina | Monrocurrin | a Disconnect | - | | 066 | Rates(\$) | | <u>, </u> |
| | | | | | - | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | FIISL | Addi | SOWIEC | JOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | 1 | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | ONOTA | OCIDI | 11.70 | 3.31 | 4.20 | | | 1 | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | 0.1027 | 02200 | 00.00 | 02. | .0.00 | | | 1 | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | | | | | | | | | | | | | | |
| i I | 64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| i I | Channel System per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | 1 |
| | combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| EXTEN | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3 | /1 MUX | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | 41 =204 | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | LINOAY | U1TF1 | 70.47 | 4.40.50 | 400.00 | | | | | | | | |
| <u> </u> | Facility Termination Per Month | | | UNC1X | MQ1 | 70.47 105.09 | 143.58 | 103.88 | | | | | | | | |
| \vdash | Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4- | | | UNC1X | MQT | 105.09 | 59.97 | 12.96 | | | - | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | + | | | | | - |
| - | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | 1 | | | | | |
| \vdash | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | UNCIX | OCIDI | 11.76 | 3.91 | 4.20 | | | + | | | | | - |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| \vdash | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | UNCDA | UDL04 | 30.99 | 34.21 | 45.09 | | | 1 | | | | | - |
| i I | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | ONODA | ODLO4 | 30.70 | 34.21 | 45.05 | | | | | | | | + |
| i I | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | Ŭ | 0.1027 | 02201 | 00.02 | 02. | .0.00 | | | 1 | | | | | 1 |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | 0.1027 | | 1.00 | 0.01 | 20 | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| 13TX3 | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | RT w/ 3/ | 1 MUX | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| \sqsubseteq | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | | | | | |
| 1 1 - | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | · | · | | | | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | | | | | ļ |
| 1 1 | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| \vdash | Mile per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | ļ |
| 1 | First Interoffice Transport - Dedicated - DS1 combination - | | | l | = | | | | | | | | | | | |
| | Facility Termination per month | | 1 | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | 1 | 1 | | | l | I | |

| ONBOND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | | l | |
|----------|--|-------------|----------|---------|----------|--------|--------|-----------|--|------------|---|---|---|-----------|----------|--|
| CATEGORY | 7 RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | | | | | | | | | | | | | | |
| | system combination- per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | 1 | | | | | 1 | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | 1 | | UNC1X | 1L5XX | 0.2652 | | | I | | | | | I | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | , | 3.2002 | | | t | 1 | | | | t | | 1 |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | 1 | | | | | 1 | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | ONOTA | 01111 | 70.47 | 140.00 | 100.00 | | | 1 | | | - | | |
| | combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| FXT | ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | PORT | | 00101 | 11.70 | 0.01 | 4.20 | | | | | | | | <u> </u> |
| | First 4-wire DS1 Digital Looal Loop in Combination - Zone 1 | 1 | | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | † |
| | First 4-wire DS1 Digital Leoal Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | † |
| | First 4-wire DS1 Digital Leoal Loop in Combination - Zone 3 | | | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | † |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCIA | USLAA | 431.34 | 109.22 | 100.09 | | | - | | | - | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | UNCIA | ILJAA | 0.2002 | | | | | - | | | - | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | - | | | - | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | UNCIA | OCIDI | 11.70 | 3.91 | 4.20 | | | - | | | - | | - |
| | Channel System per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | UNCIX | ILSAA | 0.2032 | | | | | 1 | | | | | 1 |
| | | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| | same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system | <u> </u> | - | UNCIX | UIIFI | 70.47 | 143.30 | 103.00 | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| | | <u> </u> | - | UNCIA | OCIDI | 11.70 | 5.91 | 4.20 | | | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | 1 | LINGAV | LICLYY | 05.70 | 400.00 | 400.00 | | | | | | | | |
| | Additional A Mina DCA Digital Land Land in Combination 7 and | <u> </u> | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | _ | LINGAV | LICLYY | 404.00 | 400.00 | 400.00 | | | | | | | | |
| | Additional 4 Wire DC4 Digital Level Level in Combine Com- | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | - | | | | 1 | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | _ | LINIOAN | 1101.307 | 404.04 | 400.00 | 400.00 | | | | | | | | |
| | [3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | 4 |
| EXI | ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 | NIERO | | | | | 2121 | 45.00 | | | | | | | | 4 |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | 1 | | | === | | | | I | | | | | I | | |
| | Termination per month | <u> </u> | <u> </u> | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | . | | | | | . | | ļ |
| EXT | TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | | | | | | | . | | | | | . | | ļ |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | ļ | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | ļ | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | ļ | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | . | | | | | . | | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | | 41.500 | | | | I | | | | | I | | |
| | per month | ļ | | UNCDX | 1L5XX | 0.013 | | | . | | | | | . | | |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | 1 | | | | | 1 | | |
| | Termination per month | <u> </u> | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | ļ | | | | | ļ | | ļ |
| | L NETWORK ELEMENTS | | | | | | | | | | | | | | | <u> </u> |
| | en used as a part of a currently combined facility, the non-recur | | | | A | | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | | <u> </u> |
|--|---|-------------|--|--|-----------|--------|--------|-----------|--------------|-------|---|---|--|--|--------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001441 | | Rates(\$) | 001111 | 001111 |
| Name | curring Currently Combined Network Elements "Switch As Is" | Ch ann | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | nal Features & Functions: | Charge | | | | | | | | | 1 | | | | - | + |
| Орио | liai reatures & runctions. | | | U1TD1, | | | | | | | | | | | | + |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | , | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 184.65 | 23.79 | 1.97 | 0.77 | | | | | | <u> </u> |
| | O L'A Parit - Outre - O Learnes Autri A BOO | i | | U1TD3, ULDD3, UE3, UNC3X | NIDOGO | | 218.78 | 7.00 | 0.7000 | 0.00 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | | | UNCVX, UNCDX, | NRCC3 | | 218.78 | 7.66 | 0.7263 | 0.00 | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | | | | | |
| | This is contained and and a second contained | | 1 | U1TVX, U1TDX. | 0.1000 | | 0.10 | 0.10 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | 1 | | U1TS1, UDF, UE3 | URESL | | 40.28 | 13.52 | | | | | | | | |
| | <u> </u> | · | | U1TVX, U1TDX. | O.K.E.O.E | | 10.20 | 10.02 | | | | | | | İ | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | (Spreadsheet) | | | U1TS1, UDF, UE3 | URESP | | 64.09 | 25.63 | | | | | | | | |
| MULT | (IPLEXER Interfaces | - ' | | 01131, 0DF, 0L3 | UKLSF | | 04.09 | 23.03 | | | | | | | 1 | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.38 | 6.39 | 4.58 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.38 | 6.39 | 4.58 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | UDN | UC1CA | 2.96 | 6.39 | 4.58 | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 2.96 | 6.39 | 4.58 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | 1 | 01100 | OCTOA | 2.30 | 0.55 | 4.50 | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.6497 | 6.39 | 4.58 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.6497 | 6.39 | 4.58 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | <u> </u> | UNCSX | MQ3 | 201.48 | 107.05 | 91.25 | | | ļ | | | | ļ | <u> </u> |
| \vdash | DS1 COCI used with Loop per month | | <u> </u> | USL | UC1D1 | 11.78 | 6.39 | 4.58 | | | <u> </u> | | | 1 | 1 | |
| | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | 1 | | | 1 | | + |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | 01101 | 55151 | 11.76 | 0.35 | 4.30 | | | | | | | — | † |
| | month | | | ULDD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | 1 | |
| Acces | s to DCS - Customer Reconfiguration (FlexServ) | | İ | | | | | | | | | | | | | 1 |
| | Customer Reconfiguration Establishment | | | | | | 1.43 | | | | | | | | | |
| | DS1 DSC Termination with DS0 Switching | | | | | 19.58 | 24.81 | 19.09 | | | | | | | | |
| | DS1 DSC Termination with DS1 Switching | | | ļ | | 10.95 | 17.93 | 12.22 | | | | | | | 1 | ļ |
| | DS3 DSC Termination with DS1 Switching | | ļ | | ļ | 149.41 | 24.81 | 19.09 | | | 1 | | | | - | - |
| Servic | e Rearrangements | | <u> </u> | HATAY HATAY | | - | | | | | 1 | | | - | 1 | |
| | | | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, | | | | | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Service Rearrangement | I | | ULDVX, ULDDX, UNCVX, UNCDX | URETD | | 269.66 | 47.05 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|------|---|-------|------|--------|-----------|--------------|------------|-------|-----------------------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) | 1 | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | | | | |
| | Commingling Authorization | | | UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Misce | llaneous | | | | | | | | | | | | | | | |
| | NRC - Order Coordination Specific Time - Dedicated Transport | ı | | UNC1X | OCOSR | | 18.85 | 18.85 | | | | | | | | |

| UNB | JNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|----------|--|--|----------|------------------------------------|----------------|-------------------|------------------|-----------------|-----------------|-------------------|--|--|------------------|------------------|----------------|----------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (17 | | | per LSK | per LON | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | | | | | | | | | 71001 | | 7.44 | 0020 | 00 | | 00 | | |
| | The "Z | one" shown in the sections for stand-alone loops or loops as | part of | a comi | nination refers to Ge | ographically | Deaveraged U | NF Zones. To | view Geograp | hically Deaver | aged UNF Zone | Designation | ons by Cent | ral Office, refe | er to internet \ | Vehsite: | |
| | | /ww.interconnection.bellsouth.com/become_a_clec/html/inter | | | | - 3 | | | | , | | | , | , | | | |
| OPER | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | 1 | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | specif | ic" OSS charges as | ordered by t | he State Comm | issions. The (| OSS charges o | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | 0.00 | g o. | larges, or occoming | CICOL LIIC IC | gioriai scriioc i | oracining onlarg | c, 11011C1C1, O | oun not of | Julii a illixture | or the two | reguraless i | OLLO Has a | microomicon | on contract c | stabilished in |
| | | (2) Any element that can be ordered electronically will be bill | od acco | rding | o the SOMEC rate li | etad in this | natogory Bloom | co refer to Ball | South's Local | Ordoring Hand | book (I OH) to | dotormino | if a product | can be order | ad alactronica | Ily For those | olomonte |
| | | nnot be ordered electronically at present per the LOH, the list | | | | | | | | | | | | | | | |
| | | N, will be applied to a CLECs bill when it submits an LSR to B | | | e in this category rei | iecis ine ch | arge mai would | i be billed to a | CLEC office ef | ectionic orden | ng capabilities | come on-ii | ne ioi that e | element. Othe | erwise, the ma | ınuai orderini | g charge, |
| - | SUMAI | | ensout | n. | | ı — — | 1 | 1 | | | 1 | 1 | 1 | | 1 | | |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| - | - | Request (LSR) - UNE Only | - | - | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | 001411 | | 45.75 | 0.00 | 4.07 | 0.00 | | | | | | |
| LINIE | EDVICE | (LSR) - UNE Only DATE ADVANCEMENT CHARGE | | | | SOMAN | | 15.75 | 0.00 | 1.97 | 0.00 | | | | | | |
| UNE | | The Expedite charge will be maintained commensurate with | DallCar | Abla FC | C No 4 Touist Contin | | | | | | | | | | | | |
| - | NOTE: | The Expedite charge will be maintained commensurate with | Belloot | th's FC | | n 5 as appii | cable. | | | | 1 | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, UDL. UENTW. UDN. | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | L | | | U1TUB, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUA,NTCVG, | | | | | | | | | | | | |
| | | Day | ļ | <u> </u> | NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | | | |
| ORDE | K MODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| <u> </u> | - | Order Modification Charge (OMC) | <u> </u> | <u> </u> | | 1 | 1 | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| LIBERT | NDI 55 5 | Order Modification Additional Dispatch Charge (OMCAD) | | 1 | | - | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| ONBU | | XCHANGE ACCESS LOOP | <u> </u> | <u> </u> | | 1 | 1 | | | . | | | | | | | |
| <u> </u> | 2-WIRE | ANALOG VOICE GRADE LOOP | <u> </u> | <u> </u> | 115 4411 | LIEALO | 10.0- | | .= | | = | | | | | | |
| - | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| 1 | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| <u> </u> | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| <u> </u> | - | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 | <u> </u> | 4 | UEANL | UEAL2 | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| - | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | T | UEANL | UEASL UEASL | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| - | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| L | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | 1 | 3 | UEANL | UEASL | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | 1 | 1 | | 1 | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 76 of 136

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | L | <u></u> |
|--|--|--|----------|---|----------------|----------------|----------------|-----------|--------------|--------------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 | | 4 | UEANL | UEASL | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEANL | URETL | | 8.92 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.36 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.97 | 19.97 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEANL | UREWO | | 15.75 | 8.92 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.51 | 13.51 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | <u> </u> | UEANL | UEAMC | | 8.20 | 8.20 | | | | | | | | |
| 2-WIRE | Unbundled COPPER LOOP | | | LIEO | LIEGOV | 44.04 | 00.50 | 10.10 | 00.00 | 4.40 | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.01 11.51 | 36.53 | 16.16 | 22.66 | 4.42 | 1 | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 3 | UEQ UEQ | UEQ2X UEQ2X | 11.51 11.57 | 36.53 36.53 | 16.16 | 22.66 | 4.42 4.42 | 1 | - | - | - | - | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | UEQ | UEQ2X UEQ2X | | | 16.16 | 22.66 | 4.42 | | - | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 4 | - '- | 4 | ULU | UEQZX | 13.10 | 36.53 | 16.16 | 22.66 | 4.42 | | | - | - | - | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | l | 1 | UEQ | URETL | | 8.92 | 0.88 | | | | | | | | 1 |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | 1 | ULQ | UNLIL | | 0.52 | 0.00 | | | 1 | | | | | |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | 1 | OLQ | OODIVIC | | 0.20 | 0.20 | | | 1 | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.51 | 13.51 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.36 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.97 | 19.97 | | | + | 1 | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | UREWO | | 14.24 | 7.42 | | | | | | | | |
| UNBUNDLED E | EXCHANGE ACCESS LOOP | | | 024 | 0.1.2.1.0 | | | | | | 1 | | | | | |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | , | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 4 | | 4 | UEA, NTCVG | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | 4= =0 | 40= 00 | | = | | | | | | | |
| | Battery Signaling - Zone 4 | | 4 | UEA, NTCVG | UEAR2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | LIEA NITOVO | URESL | | 25.01 | 3.53 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | UEA, NTCVG | UKESL | | 25.01 | 3.53 | | | - | | | | | |
| | DS0) | | | LIEA NITOVO | URESP | | 20.50 | 5.02 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG UEA, NTCVG | UREWO | | 26.50 87.56 | 36.29 | | | | | | | | |
| | Loop Tagging - Service Level 2 (SL2) | - | | UEA, NTCVG | URETL | | 11.19 | 1.10 | | | 1 | 1 | | | | - |
| 4-WIDE | E ANALOG VOICE GRADE LOOP | | | OLA, NIOVO | JINETE | | 11.19 | 1.10 | 1 | | 1 | | 1 | 1 | 1 | |
| 7 77111 | 4-Wire Analog Voice Grade Loop - Zone 1 | - | 1 | UEA, NTCVG | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | — |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | 2 | UEA, NTCVG | UEAL4 | 38.26 | 132.27 | 94.59 | | 14.64 | 1 | | 1 | 1 | 1 | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA, NTCVG | UEAL4 | 50.03 | 132.27 | 94.59 | | 14.64 | | | 1 | 1 | 1 | |
| | 4-Wire Analog Voice Grade Loop - Zone 4 | | | UEA, NTCVG | UEAL4 | 50.03 | 132.27 | 94.59 | | 14.64 | | | İ | İ | İ | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | , , , | | | | 230 | 22.30 | | | | 1 | 1 | 1 | |
| | DS0) | l | 1 | UEA, NTCVG | URESL | | 25.01 | 3.53 | | | | | | | | 1 |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | l i | | | | | | | | | | | |
| | DS0) | | <u></u> | UEA, NTCVG | URESP | | 26.50 | 5.02 | | | <u> </u> | | | | | <u></u> |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.56 | 36.29 | | | | | | | | |
| 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | l | 1 | UDN | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | 1 |

| UNBUND | LED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------------|--|-------|----------------|-------|----------------|---------------------------------------|--------------|---------------------------------------|--|---|--|--|---|---|
| CATEGORY | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 27.59 | 117.61 | 79.92 | | 10.37 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 4 | | 4 | UDN | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| 0.144 | CLEC to CLEC Conversion Charge without outside | | 1 005 | UDN | UREWO | | 91.46 | 44.07 | | | | | | | | |
| 2-W | /IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE | | LOOF | 1 | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual s & facility reservation - Zone 1 | service inquiry | 1 | UAL | UAL2X | 11.11 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual s | service inquiry | + | UAL | UALZA | 11.11 | 121.21 | 70.01 | 30.30 | 7.55 | | | | | | |
| | & facility reservation - Zone 2 | sorrico inquiry | 2 | UAL | UAL2X | 11.47 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual s | service inquiry | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 11.74 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual s | service inquiry | | | | | | | | | | | | | | |
| | & facility reservation - Zone 4 | | 4 | UAL | UAL2X | 12.69 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual ser | rvice inquiry & | | 1 | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | 1 | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.11 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual ser | rvice inquiry & | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.47 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual ser | rvice inquiry & | | | 1141 014/ | 44.74 | 00.45 | 50.00 | 50.00 | 7.00 | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 11.74 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual ser | rvice inquiry & | 4 | UAL | 1141 014 | 40.00 | 00.45 | 50.00 | 50.00 | 7.00 | | | | | | |
| | facility reservaton - Zone 4 CLEC to CLEC Conversion Charge without outside | a diapatah | 4 | UAL | UAL2W UREWO | 12.69 | 96.15 86.04 | 58.03 40.33 | 50.38 | 7.93 | | | | | | |
| 2.1/ | /IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (I | | LOOP | UAL | UREWU | | 86.04 | 40.33 | | | | | | | | |
| 2-77 | 2 Wire Unbundled HDSL Loop including manual s | | T | | 1 | | | | | | | | | | | 1 |
| | & facility reservation - Zone 1 | service inquiry | 1 | UHL | UHL2X | 8.75 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual s | service inquiry | + '- | OFIL | OFILEX | 0.73 | 123.30 | 13.32 | 30.30 | 7.33 | | | | | | |
| | & facility reservation - Zone 2 | oo.vioo iiiquii y | 2 | UHL | UHL2X | 9.22 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual s | service inquiry | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | ' ' | 3 | UHL | UHL2X | 9.87 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual s | service inquiry | | | | | | | | | | | | | | |
| | & facility reservation - Zone 4 | | 4 | UHL | UHL2X | 10.46 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual se | rvice inquiry | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual ser | rvice inquiry | l _ | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.22 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual ser | rvice inquiry | 3 | UHL | UHL2W | 9.87 | 404.00 | 66.74 | 50.38 | 7.93 | | | | | | |
| | and facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual set | nico inquin | 3 | UHL | UHLZVV | 9.87 | 104.86 | 00.74 | 50.38 | 7.93 | | | | | | |
| | and facility reservation - Zone 4 | i vice iriquity | 4 | UHL | UHL2W | 10.46 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside | e dispatch | - | UHL | UREWO | 10.40 | 85.98 | 40.33 | 00.00 | 7.00 | | | | | | |
| 4-W | /IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (I | HDSL) COMPATIBLE | LOOP | OFFE | OKEWO | | 00.00 | 40.00 | | | | | | | | 1 |
| | 4 Wire Unbundled HDSL Loop including manual s | | | | 1 | | | | | | | | | | | |
| | and facility reservation - Zone 1 | , | 1 | UHL | UHL4X | 13.78 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual s | service inquiry | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 13.43 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual s | service inquiry | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.59 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual s | service inquiry | 1. | L | 1 | 7 | | | | | | | |] | | |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL4X | 14.46 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual se | rvice inquiry | | l | | 10.70 | 400.00 | 05.50 | 50.70 | 10.00 | | | | 1 | | |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual se | mico inquin | 1 | UHL | UHL4W | 13.78 | 133.62 | 95.50 | 56.72 | 10.68 | 1 | | - | | - | |
| | 4-Wire Unbundled HDSL Loop without manual selland facility reservation - Zone 2 | rvice inquiry | 2 | UHL | UHL4W | 13.43 | 133.62 | 95.50 | 56.72 | 10.68 | | | | 1 | | |
| | 4-Wire Unbundled HDSL Loop without manual se | rvice inquiry | - | OI IL | OI IL+VV | 13.43 | 133.02 | 90.00 | 30.72 | 10.08 | } | | 1 | 1 | 1 | + |
| | and facility reservation - Zone 3 | TVIOC IIIquii y | 3 | UHL | UHL4W | 15.59 | 133.62 | 95.50 | 56.72 | 10.68 | | | | 1 | | |
| | 4-Wire Unbundled HDSL Loop without manual se | rvice inquiry | 3 | OI IL | JI ILTVV | 15.55 | 100.02 | 33.30 | 30.72 | 10.00 | | | | | | |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL4W | 14.46 | 133.62 | 95.50 | 56.72 | 10.68 | | | | 1 | | |
| | CLEC to CLEC Conversion Charge without outside | e dispatch | ΙĖ | UHL | UREWO | 5 | 85.98 | 40.33 | 552 | | | | | 1 | | 1 |
| | /IRE DS1 DIGITAL LOOP | -1 | + | 1 | + | | | | 1 | | | | | 1 | | |

| UNBUNDL | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--|--|-------------|------|--------------------------|----------------|----------------|------------------|----------------|----------------|----------------|--|---|---------------------------------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL, NTCD1 | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL, NTCD1 | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | | USL, NTCD1 | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 4 | | 4 | USL, NTCD1 | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) | | | USL, NTCD1 | URESL | | 25.01 | 3.53 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| | DS1) | | | USL, NTCD1 | URESP | | 26.50 | 5.02 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.90 | 42.96 | | | | | | | | |
| 4-WI | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | 4 | LIDI. NITCLID | LIDI 40 | 07.44 | 400.50 | 00.05 | 00.00 | 44.04 | | | | | | <u> </u> |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD UDL, NTCUD | UDL19 UDL19 | 27.44 34.55 | 126.53 | 88.85 | 60.68 60.68 | 14.64 | - | | - | - | - | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 UDL19 | 34.55 40.76 | 126.53 126.53 | 88.85 88.85 | 60.68 | 14.64 14.64 | - | | - | - | - | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | + | | - | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL, NTCUD | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | - | | UDL, NTCUD | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | t | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL, NTCUD | UDL56 | 40.76 | 126.53 | 88.85 | | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 | | | UDL, NTCUD | UDL56 | 32.25 | 126.53 | 88.85 | | 14.64 | | | | | | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 27.44 | 126.53 | 88.85 | | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL, NTCUD | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL, NTCUD | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 | | | UDL, NTCUD | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | UDL, NTCUD | URESL | | 25.01 | 3.53 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | 002,111000 | ONLOC | | 20.01 | 0.00 | | | | | | | | |
| | DS0) | | | UDL, NTCUD | URESP | | 26.50 | 5.02 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL, NTCUD | UREWO | | 101.94 | 49.66 | | | | | | | | |
| 2-WI | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.11 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.47 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 3 2 Wire Unbundled Copper Loop-Designed including manual | | 3 | UCL | UCLPB | 11.74 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | service inquiry & facility reservation - Zone 4 | | 4 | UCL | UCLPB | 12.69 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 11.11 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.47 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 11.74 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | UCL | UCLPW | 12.69 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | service inquiry and facility reservation - Zone 4 CLEC to CLEC Conversion Charge without outside dispatch | | 4 | | | 12.09 | | | 50.56 | 7.93 | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | | | | | |
| 4-WI | RE COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.30 | 144.68 | 94.22 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 18.84 | 144.68 | 94.22 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 | | | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 4 | | 4 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | | ļ | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.30 | 119.56 | 81.44 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.84 | 119.56 | 81.44 | 56.72 | 10.68 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | | | |
|--------------|--|-------------|------|---|-------|-------|--------|-----------|--------------|-------|-------|---|--|--|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | 04.00 | 440.50 | 04.44 | 50.70 | 40.00 | | | | | | |
| | and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry | | 3 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | | | | | ļ |
| | and facility reservation - Zone 4 | | 4 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | _ | 002 | OOLAN | 21.00 | 110.00 | 01.44 | 00.72 | 10.00 | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL, NTCD1, UEANL | OCOSL | | 18.19 | | | | | | | | | |
| LOOP MODIFIC | CATION | | | · | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 32.57 | 32.57 | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | 20.57 | 22.57 | | | | | | | | |
| | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA UAL, UHL, UCL, | ULM4L | | 32.57 | 32.57 | 1 | | | | | 1 | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 32.59 | 32.59 | | | | | | | | |
| SUB-LOOPS | an Distribution | | | | | | | | | | | | | | | ↓ |
| Sub-Lo | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | I | | UEANL, UEF | USBSA | | 259.69 | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | I | | UEANL, UEF | USBSB | | 22.77 | | | | | | | | | |
| | Facility Set-Up | - 1 | | UEANL | USBSC | | 178.47 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | Ι | | UEANL | USBSD | | 56.39 | | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 7.15 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 9.51 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 12.45 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEANL | USBN2 | 18.26 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 13.92 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | 1 | UEANL | USBR2 | 2.29 | 53.32 | 18.28 | 45.36 | 6.71 | | | | | | - |
| | . , | | | - | | | | | 15.50 | | 1 | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | ļ | | | | | ļ |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 4.40 | 59.60 | 24.55 | 51.27 | 9.35 | ļ | | | <u> </u> | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | 1 | | UEANL | USBMC | | 8.20 | 8.20 | 1 | | | 1 | | | | |
| J | | | | | | | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--|--|-------------|------|--|--------|----------|---------|-----------|--------------|-------|---|-----------|--|-------------------------------------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Incremental Charge - Manual Svo Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.97 | 19.97 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.06 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS2X | 7.09 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 8.16 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | UEF | UCS2X | 9.90 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.10 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | <u> </u> |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS4X | 9.11 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | |
| | | | | - | | | | | ¥ | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | 1 | 1 | |
| 1 | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- | | | | | | | | | | | | | | | 1 |
| | Designed and Distribution Subloops | L | | UEF, UEANL | URETL | <u> </u> | 8.92 | 0.88 | | | | | | <u> </u> | <u> </u> | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.36 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.97 | 19.97 | | | | | | | | |
| Unbu | ndled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 176.80 | 5.13 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 176.80 | 5.13 | | | | | | | | <u> </u> |
| | Unbundled Loop Modification, Removal of Bridge Tap, per | | | UEF | ULMBT | | 070.04 | 0.45 | | | | | | | | |
| Habar | unbundled loop ndled Network Terminating Wire (UNTW) | | | UEF | OTMR I | | 279.81 | 6.15 | | | | | | | - | |
| Unbu | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3366 | 30.55 | | | | | | | | | |
| Netwo | ork Interface Device (NID) | | | UEINTW | UENPP | 0.3300 | 30.33 | | | | | | | | | + |
| Netwo | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.84 | 28.90 | | | | | | | | - |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 65.30 | 50.36 | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.94 | 5.94 | | | | | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.94 | 5.94 | | | | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | t | t | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | 30001 | 0.00 | 0.00 | | | | | | | † | † | † |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOTE | : minimum billing period of three months for DS3/STS-1 Local | Loop | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 11.20 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 326.15 | 454.13 | 265.47 | 123.23 | 86.19 | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 11.20 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 338.55 | 454.13 | 265.47 | 123.23 | 86.19 | | | | | | |
| LOOP MAKE- | | | | | 132231 | 300.00 | 10-1.10 | 200.⊣7 | 120.20 | 55.19 | | | | I | I | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 24.12 | 24.12 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.58 | 25.58 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Fxh. A | | |
|----------------|--|-------------|-----------------|----------------|--------|--------|--------|-----------|--------------|------------|---------|------------------------|---|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.6652 | 0.6652 | | | | | | | | |
| LINE SPLITTIN | | | | | | | | | | | | | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | 10.00 | 10.00 | 10.01 | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | 1 | UEPSR UEPSB | UREBP | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | | | | | |
| LINDIII | Line Splitting - per line activation BST owned - virtual | | 1 | UEPSR UEPSB | UREBV | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | | | | | |
| | E ANALOG VOICE GRADE LOOP | | - | | | | | | | | | | | | | |
| Z-VVIKI | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | - | | | | | + |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | - '- | OLFSK OLFSB | ULALS | 12.03 | 31.32 | 17.55 | 23.40 | 5.25 | | | | | | - |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | OLI OK OLI OB | OLABO | 12.00 | 07.02 | 17.00 | 20.40 | 0.20 | | | | | | + |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | 02. 01. 02. 02 | 027.20 | 10.01 | 07.02 | | 20.10 | 0.20 | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 4 | | 4 | UEPSR UEPSB | UEALS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 4 | | 4 | UEPSR UEPSB | UEABS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| PHYSI | CAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | PE1LS | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| VIRTU | AL COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | UEPSR UEPSB | VE1LS | 0.0000 | 40.07 | 44.07 | 0.04 | 5 45 | | | | | | |
| IINDIINDI ED I | Splitting DEDICATED TRANSPORT | | - | UEPSK UEPSB | VEILS | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | 1 |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | - | | - | | | | | | | | | | | . |
| INTER | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | 1 | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OTTVX | TESTON | 0.0030 | | | | | | | | | | † |
| | Facility Termination | | | U1TVX | U1TV2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| <u> </u> | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | † | | 1 | | | | 20 | | | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| İ | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | ļ | | | | | | | | | | | | 1 | | |
| | Facility Termination | <u> </u> | <u> </u> | U1TVX | U1TR2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | <u></u> | <u> </u> | | | <u> </u> | <u></u> |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | - | | | |] | | |
| | - Facility Termination | <u> </u> | <u> </u> | U1TVX | U1TV4 | 19.79 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | 1 | | l <u></u> | 1 | | | | | | | | | 1 | | |
| | per month | ļ | ļ | U1TDX | 1L5XX | 0.0098 | | | | | | | | ļ | | ļ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | 1 | | LUTDY | | | | | .= | | | | | 1 | | |
| | Termination | | 1 | U1TDX | U1TD5 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | 1 | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | |
| + | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | 1 | υτιυλ | ILDAA | 0.0098 | | | | | | | | | | - |
| | Termination | | | U1TDX | U1TD6 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | 1 | 1 | אמווטא | 01100 | 13.00 | 40.70 | 21.51 | 17.20 | 7.11 | - | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.201 | | | | | | | | | | |
| - | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | 1 | 01101 | TEOAX | 0.201 | | | | | | | | | | † |
| | Termination | 1 | | U1TD1 | U1TF1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | | | 1 | | |
| <u> </u> | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | 1 | 550 | 220 | | | 50 | | | | 1 | | |
| | month | 1 | | U1TD3 | 1L5XX | 4.76 | | | | | | | | Ì | | |
| | | | • | | | | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Mississippi | | | | | | • | | • | | | | Attachment: | 2 Exh. A | | |
|--|--|----------|--|--------------------|----------------|-----------------|---------------------------------------|-----------------|-----------------|--------------|--------------|-----------|--|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | 1 | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORI | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KAIES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 4.76 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | ĺ |
| | Termination | | | U1TS1 | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| UNBU | NDLED DARK FIBER | | | | | | | | | | | | | | | 1 |
| | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction | | | | | | | | | | | | | | | |
| | Thereof - Interoffice Transport | | | UDF, UDFCX | 1L5DF | 28.27 | 642.79 | 138.67 | 326.97 | 203.85 | | | | | | |
| 911 PBX LOC | | | 1 | 051, 051 071 | 12021 | 20.27 | 0.2.70 | 100.01 | 020.07 | 200.00 | | | | | | |
| | BX LOCATE DATABASE CAPABILITY | | 1 | | + | | | | | | | | | | | |
| 3117 | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1.822.00 | | | | 1 | | 1 | | | |
| | Changes to TN Bangs or Customer Brofile | | 1 | 9PBDC 9PBDC | 9PBEU 9PBTN | | 1,822.00 | | | | | | - | | | |
| | Changes to TN Range or Customer Profile | | <u> </u> | | | 0.0- | 182.29 | | 1 | | 1 | | 1 | | | |
| L | Per Telephone Number (Monthly) | | 1 | 9PBDC | 9PBMM | 0.07 | | | | | 1 | | | | | . |
| | Change Company (Service Provider) ID | | ļ | 9PBDC | 9PBPC | | 535.11 | | | | ļ | | | | | |
| | PBX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR | 178.43 | | | | | | | | | | ļ |
| 1 | Service Order Charge | | | 9PBDC | 9PBSC | | 15.75 | | | | | | | | | |
| 911 P | BX LOCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | |
| See A | tt 3 | | | | | | | | | | | | | | | ĺ |
| ENHANCED E | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| NOTE | : The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Chard | e will not app | oly for UNE con | nbinations pro | visioned as ' C | Ordinarily Comb | ined' Networ | k Elements. | • | • | | | |
| | : The monthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | |
| | NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | | | | | | , , , , , , , , , , , , , , , , , , , | | | | 1 | | | | | 1 |
| LXIL | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 14.47 | 105.96 | 68.28 | 52.82 | 10.37 | 1 | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 19.32 | 105.96 | 68.28 | 52.82 | 10.37 | 1 | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 28.13 | 105.96 | | | 10.37 | | | | | | 1 |
| | | | | | | | | 68.28 | 52.82 | | 1 | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 46.30 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | 41 =>07 | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| | | | | | | | | | | | | | | | | ĺ |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.47 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | , | | | | | | | | | | 1 | | | | | 1 |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | l | 2 | UNCVX | UEAL2 | 19.32 | 105.96 | 68.28 | 52.82 | 10.37 | | | İ | | | |
| | Zamana zama za za za za za za za za za za za za za | | t - | | | 2 | .00.00 | 00.20 | 32.32 | | 1 | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | l | 3 | UNCVX | UEAL2 | 28.13 | 105.96 | 68.28 | 52.82 | 10.37 | | | İ | | | |
| | Zaci. / Jaci. Strike 10 Loop (OL 2) in Combination - Zone 3 | | ۲ | 5.1547 | 327122 | 20.10 | 100.00 | 00.20 | 02.02 | 10.07 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 46.30 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | | | 4 | | | | | | 52.82 | 10.37 | | | | | | |
| EV- | Voice Grade COCI - Per Month | | 1 1517- | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | 1 | | | | | 4 |
| EXTE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | ∟υ DS | INTE | KUFFICE TRANSPO | JK I | | | | | | ļ | | | | | |
| | | l | | | | | | | | | | | l | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 28.04 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | | | | | | | | | | | | | | | | |
| <u> </u> | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | <u> </u> | 2 | UNCVX | UEAL4 | 38.84 | 132.27 | 94.59 | 60.68 | 14.64 | <u> </u> | | <u> </u> | <u> </u> | | <u> </u> |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | l | 3 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | 1 | | | |
| | | | | | 1 | | | | | | | | İ | | | 1 |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | <u> </u> | | | 33.30 | .02.27 | 000 | 55.56 | | İ | | 1 | | | 1 |
| | Per Month | l | | UNC1X | 1L5XX | 0.1813 | | | | | | | l | | | |
| 1 | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | J. 10 1/ | I LOAN | 0.1013 | | | | | 1 | | 1 | | | |
| | Month | l | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | İ | | | |
| | | - | 1 | | MQ1 | 102.85 | 89.79 91.57 | 62.28 | | | | | | | | |
| - | 1/0 Channel System in combination Per Month | | 1 | UNC1X | | | | | 10.87 | 10.10 | | | | | | |
| | Voice Grade COCI in combination - per month | | 1 | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | 1 | | | | | ↓ |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | l | | | l | | | | | | | | İ | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 28.04 | 132.27 | 94.59 | 60.68 | 14.64 | 1 | | | | | |

| ONRONDE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | | | |
|------------------------|--|-------------|--------|------------------|---------|--------|--------|-----------|--------------|------------|---|---|---|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Charge - |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add' |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | 1.1.01 | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.84 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | 1 |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| EXTE | NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | ITEROFFICE TRANS | SPORT | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL56 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | <u> </u> | <u></u> | |
| | | | | | | | | | | - | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | l | 1 | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4 | | 4 | UNCDX | UDL56 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination per month (2.4- | | | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EXTE | NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | ITEROFFICE TRANS | SPORT | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | L | l | | | 1 | | | | | | | | | l | I | |
| igsquare | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | ļ | 3 | UNCDX | UDL64 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | ļ | 1 | |
| 1 | | l | 1 | | 1 | | | | | | | | | | 1 | 1 |
| $\vdash \vdash \vdash$ | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 | | 4 | UNCDX | UDL64 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | interoffice Transport - Dedicated - DS1 combination - Facility | | | | l | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | LINODY | LIBLOA | 00.05 | 100 50 | 00.05 | 00.00 | 4404 | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | - |
| 1 | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | l | 2 | LINCDY | LIDLGA | 25.72 | 100.50 | 00.05 | 00.00 | 44.04 | | | | l | I | I |
| \vdash | Interoffice Transport Combination - Zone 2 | - | 2 | UNCDX | UDL64 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | l | _ | LINCDY | LIDLGA | 44.00 | 100.50 | 00.05 | 00.00 | 44.04 | | | | l | I | 1 |
| \vdash | Interoffice Transport Combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | - | 1 | + |
|] | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | l | 4 | LINCDY | LIDI 64 | 20.42 | 100 50 | 00.0= | 22.22 | 4461 | | | | l | I | I |
| 1 1 | Interoffice Transport Combination - Zone 4 Additional OCU-DP COCI (data) - in combination - per month | 1 | 4 | UNCDX | UDL64 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | - | | | 1 | | + |
| | | | 1 | 1 | i | | | | 1 | | 1 | l | | | 1 | 1 |
| | | | | LINCDY | 4D4DD | 4 00 | 0.00 | 4 7 4 | 0.00 | 0.00 | | 1 | | | | |
| FVTF | (2.4-64kbs) NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED 201 | INTE | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 84 of 136

| ONRONDE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|---|-------------|---------|---------|----------|----------|--------|-----------|--------------|-------|----------|---|--|--|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Order vs. | Incrementa Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | E1 70 | 90.70 | 82.28 | 16.06 | 14.90 | | | | | | |
| EVTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED Des | INITED | | | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| EXIE | First DS1Loop in Combination - Zone 1 | ED D33 | | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | 1 | | | | | - |
| | First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | 1 | 1 | |
| | First DS1Loop in Combination - Zone 3 First DS1Loop in Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | 1 | - |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | 0.101/ | COLXX | 450.40 | 200.00 | 130.43 | 40.10 | 12.07 | | | | | 1 | - |
| | Per Month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | 2.100/1 | | 7.23 | | | | | <u> </u> | | | | 1 | |
| | month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | 1 |
| | Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | Ì |
| | Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additoinal DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EXTE | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | _ | | | | | | | | | | | | | |
| | 2-WireVG Loop in combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.47 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | 1 |
| | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.32 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.13 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-WireVG Loop in combination - Zone 4 | | 4 | UNCVX | UEAL2 | 46.30 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | 1110101 | 41.5307 | 0.00000 | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | 1110101 | 11477.60 | 00.00 | 40.77 | 07.57 | 47.00 | 7.44 | | | | | | |
| EVTE | Termination per month NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | CDAD | - INITE | UNCVX | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| EXIE | 4-WireVG Loop in combination - Zone 1 | GRAD | | UNCVX | UEAL4 | 28.04 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | 4-WireVG Loop in combination - Zone 2 | | | UNCVX | UEAL4 | 38.84 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | 4-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | 1 | | | | | - |
| | 4-WireVG Loop in combination - Zone 4 | | | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | 1 | | | | | - |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | 4 | UNCVA | UEAL4 | 50.60 | 132.21 | 94.59 | 00.00 | 14.04 | | | | | | + |
| | Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | ONOVA | 120701 | 0.00000 | | | | | | | | | | + |
| | Termination per month | | | UNCVX | U1TV4 | 17.86 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| EXTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | 01111 | 11.00 | | 27.07 | 20 | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 11.20 | | | † | | | | | İ | | |
| i | a sal sa sa sa per une per une per une | | | | 1 | 0 | | | † | | | | | İ | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 252.17 | 454.13 | 265.47 | 123.23 | 86.19 | | | | | | |
| İ | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| İ | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| 1 | Termination per month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | 1 | | |
| EXTE | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | | | <u> </u> | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 11.20 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNCSX | UDLS1 | 264.35 | 454.13 | 265.47 | 123.23 | 86.19 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 4.29 | | | l | | | | | 1 | | |

| ONBONDE | ED NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | _ | | Attachment: | | | |
|--|---|--|----------|----------------|----------------|----------------|------------------|----------------|----------------|----------------|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | Interest Transport De Frank L OTO 4 and hindred Facility | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| FYT | ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TPANS | SPORT | | UIIFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| LA1 | First 2-Wire ISDN Loop in Combination - Zone 1 | INAIN | 1 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | 1 |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | 1 | |
| | First 2-Wire ISDN Loop in Combination - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile | | | | | | | | | | | | | | | 1 |
| | per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| \vdash | 2-wire ISDN COCI (BRITE) - in combination - per month | <u> </u> | <u> </u> | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | ļ | - | 4 |
|]] | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 4 | LINICNIY | 1141.28 | 24.04 | 117.04 | 70.00 | E2 00 | 10.07 | | | | 1 | I | |
| | Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | | | - | | |
|]] | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | | | 1 | I | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | 014014/ | JILZA | 21.39 | 117.01 | 13.32 | 32.02 | 10.37 | | | | 1 | t | 1 |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | 0110101 | O I EEX | 01.01 | | 70.02 | 02.02 | 10.01 | | | | | | 1 |
| | Combination - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) - in combination- per | | | | | | | | | | | | | | | |
| | month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EXT | ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | -1 INT | ROFFICE TRANSP | ORT | | | | | | | | | | | |
| | First DS1 Loop Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | First DS1 Loop Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 4.29 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| | Termination per month 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | 1 |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | ONOTA | OCIDI | 2.02 | 0.02 | 7.77 | 0.00 | 0.00 | | | | | | |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | DS1 COCI in combination per month | | <u> </u> | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EXT | ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | BPS INT | | | | | 400 =0 | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 3 | UNCDX | UDL56 | 35.76 41.99 | 126.53 | 88.85 88.85 | 60.68 | 14.64 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 4-wire 56 kbps Local Loop in combination - Zone 4 | | 4 | UNCDX UNCDX | UDL56 UDL56 | 33.48 | 126.53 126.53 | 88.85 | 60.68 60.68 | 14.64 14.64 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | - | UNCDA | ODESO | 33.40 | 120.55 | 00.03 | 00.00 | 14.04 | | | | | | 1 |
|]] | Per Mile per month | | 1 | UNCDX | 1L5XX | 0.0088 | | | | | | | | 1 | I | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | 5.135X | .20/01 | 0.0000 | | | 1 | | | | | | 1 | 1 |
| | Facility Termination per month | | | UNCDX | U1TD5 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | 1 | |
| EXT | ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | BPS INT | EROFF | | 1 | | 0 | , | 5 | | | | | Ì | 1 | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | _ | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 4 | | 4 | UNCDX | UDL64 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 1 | | | | | | | | | | | | | |
| 1 1 | Per Mile per month | <u> </u> | <u></u> | UNCDX | 1L5XX | 0.0088 | | | <u> </u> | | | | | | | <u> </u> |

| UNBUNDI F | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--------------|---|--|----------|------------------|----------------|----------------|------------------|---------------------------------------|----------------|---------------------------------------|----------|---|-------------------------|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| EXTE | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | RANSP | | | | | | | | | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 14.47 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 19.32 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 3 First 2-wire VG Loop (SL2) in Combination - Zone 4 | | | UNCVX | UEAL2 UEAL2 | 28.13 46.30 | 105.96 105.96 | 68.28 68.28 | 52.82 52.82 | 10.37 10.37 | | | | | | |
| - | First Interoffice Transport - Dedicated - DS1 combination - Per | | 4 | UNCVA | UEALZ | 40.30 | 105.96 | 00.20 | 52.62 | 10.37 | - | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Per each DS1 Channelization System Per Month | 1 | 1 | UNC1X UNC1X | MQ1 | 102.85 | 91.57 | 62.28 | 10.87 | 10.10 | | | | | | |
| | Per each Voice Grade COCI - Per Month per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | 10.07 | 10.10 | | | | | | |
| | 3/1 Channel System in combination per month | † | | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | 1 | | |
| 1 | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | 7.00 | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.47 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.32 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.13 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 46.30 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | Each Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | <u> </u> | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Each Additional DS1 COCI combination per month | | <u> </u> | UNC1X UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EYTE | NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | EROFE | ICE TR | | | 2.02 | 0.02 | 4.74 | 0.00 | 0.00 | | | | | | |
| LATE | First 4-Wire Analog Voice Grade Local Loop in Combination - | LKOFF | ICE IK | ANSFORT W/ 3/1 N | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 28.04 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | <u> </u> | 0.10171 | 027121 | 20.01 | .02.2. | 0 1.00 | 00.00 | | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 38.84 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 4 | | 4 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | <u> </u> | UNC1X | 1L5XX | 0.1813 | | | | | | | | - | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | 1 | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | <u> </u> | UNC1X UNC1X | MQ1 | 102.85 | 91.57 | 62.28 | 10.86 | 10.10 | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | 10.67 | 10.10 | | | | | | |
| | 3/1 Channel System in combination per month | | 1 | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | 0.10.17 | 00.5. | 2.02 | 0.02 | | 0.00 | 0.00 | | | | | | |
| 1 | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 28.04 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | <u> </u> | 2 | UNCVX | UEAL4 | 38.84 | 132.27 | 94.59 | 60.68 | 14.64 | | | | <u></u> | <u> </u> | <u></u> |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | - | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| 1 - | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | l . ¯ | | I | | | | I | | | | | | |] |
| | Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.60 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | LINIOAN | 41.500/ | 0.40:0 | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1813 | | | | | - | | | | | |
| 1 | Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| + | Additional Voice Grade COCI - in combination - per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | 10.00 | 14.90 | | | | - | - | - |
| | Praditional voice Grade GOO! - III COMBINATION - Per MONTH | <u> </u> | 1 | 0140 4 V | טיוטו | 0.0131 | 0.02 | 4.14 | | | <u> </u> | | | l | l | l |

| HMRH | NDI EI | O NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachmanti | 2 Evb. A | 1 | |
|----------|--------|---|--|-----------------|------------------|--------------|----------------|----------------|---------------|---------------|---------------|-----------|-----------|----------------------------|--|-------------|-------------|
| UNDU | NULE | O NET WORK ELEMENTS - MISSISSIPPI | 1 | | | 1 | 1 | | | | | Svc Order | Cvo Ordor | Attachment: Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | | | | |
| CAILO | OICI | KATE ELEMENTO | m | 20116 | ВСО | 0000 | | | KATEO(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates(\$) | l . | l . |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | EXTEN | DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/1 | MUX | | | 7144 | | 7.44 | 0020 | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UNCDX | UDL56 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UNCDX | UDL56 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UNCDX | UDL56 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | | Zone 4 | | 4 | UNCDX | UDL56 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| 1 7 | | First Interoffice Transport - Dedicated - DS1 combination - Per | 1 | | | | [| | | |] | | 1 | | _ | | |
| \vdash | | Mile Per Month | ļ | | UNC1X | 1L5XX | 0.1813 | | | | ļ | | | | ļ | | |
| | | First Interoffice Transport - Dedicated - DS1 - combination | 1 | | | | [] | | | | | | 1 | | I | | |
| \vdash | | Facility Termination Per Month | ļ | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| \vdash | | Per each 1/0 Channel System in combination Per Month | <u> </u> | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | | 10.10 | | | ļ | - | ļ | ļ |
| \vdash | | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | | <u> </u> | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | 0.00 | | | 1 | ! | 1 | 1 |
| \vdash | | 3/1 Channel System in combination per month Per each DS1 COCI in combination per month | | - | UNC3X UNC1X | MQ3 UC1D1 | 170.63 2.62 | 179.17 6.62 | 94.52 4.74 | 34.30 0.00 | 32.82 0.00 | | | - | | - | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | UNCIX | OCIDI | 2.02 | 0.02 | 4.74 | 0.00 | 0.00 | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | UNCDA | ODLSO | 20.03 | 120.33 | 00.03 | 00.00 | 14.04 | | | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | ONODA | ODESO | 35.70 | 120.55 | 00.03 | 00.00 | 14.04 | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | Ŭ | 0.105/1 | 02200 | | .20.00 | 00.00 | 00.00 | | | | | | | |
| | | Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | OCU-DP COCI (data) COCI in combination per month (2.4- | | | | | | | | | | | | | | | |
| | | 64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | | Channel System per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| - | EVTEN | combination per month | INITED | FEIGE | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| - | EXIEN | DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | PFFICE | TRANSPORT W/ 3/1 | MUX | - | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | 1 | | |
| \vdash | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | 1 | | OINODA | UDLU4 | 20.00 | 120.55 | 00.00 | 00.00 | 14.04 | | | | | | |
| | | Transport Combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 1 | | I | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | 1 | ΙĪ | | 1 | 330 | .20.00 | 55.50 | 33.30 | 54 | | | | 1 | | |
| | | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | | | 1 | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | 1 | | | | | | | | 1 | | | | | | |
| | | Transport Combination - Zone 4 | 1 | 4 | UNCDX | UDL64 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | 1 | | I | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | | Mile Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| 1 7 | | First Interoffice Transport - Dedicated - DS1 combination - | 1 | | | | [| | | |] | | 1 | | _ | | |
| \vdash | | Facility Termination Per Month | ļ | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| \vdash | | Per each Channel System 1/0 in combination Per Month | ļ | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | | Per each OCU-DP COCI (data) in combination - per month (2.4-64kba) | | | LINCDY | 1D1DD | 4.00 | 0.00 | 474 | 0.00 | 0.00 | | | | 1 | | |
| \vdash | | 64kbs) | | - | UNCDX UNC3X | 1D1DD MQ3 | 1.22 170.63 | 6.62 179.17 | 4.74 94.52 | 0.00 34.30 | 32.82 | | | - | | - | |
| \vdash | - | 3/1 Channel System in combination per month Per each DS1 COCI in combination per month | | | UNC3X UNC1X | UC1D1 | 2.62 | 6.62 | 94.52 4.74 | | 0.00 | | | 1 | + | 1 | 1 |
| \vdash | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 1 | OINO IA | OCIDI | 2.02 | 0.02 | 4.74 | 0.00 | 0.00 | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | 1 | | |
| \vdash | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | - '- | UUD/ | 32207 | 20.00 | 120.00 | 00.00 | 00.00 | 14.04 | | | | - | | |
| | | Interoffice Transport Combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 1 | | I | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | T - | | | 55.10 | 00 | 22.00 | 22.00 | 1 | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | | 1 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 4 | <u> </u> | 4 | UNCDX | UDL64 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | <u> </u> | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 88 of 136

| UNBUNDLI | ED NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | 1_ | | Attachment: | | <u> </u> | ↓ |
|----------------|--|-------------|----------|----------------|----------|------------------|------------------|------------------|----------------|----------------|---|-----------|--|-----------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | | | 088 | Rates(\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | 11130 | Auu i | 11130 | Auu i | JONIEC | JONAN | JONAN | JONAN | JOHAN | JOHAN |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EYTE | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | T w/ 3/ | 1 MIIY | | UCIDI | 2.02 | 0.02 | 4.74 | 0.00 | 0.00 | | | | | | |
| LATE | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 W/ 3/ | I | | + | | | | | | | | | | | - |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | <u> </u> | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | <u></u> | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | 1 | | | | | | | | | | 1 | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | ١. | | | == 40 | | = | == == | 40.00 | | | | | | |
| | Transport - Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Mile per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | UNCIX | ILSAX | 0.1013 | | | | | | | | | 1 | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Per each Channel System 1/0 in combination - per month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | ļ |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | - | UNCINA | UTLZX | 21.01 | 117.01 | 19.92 | 32.02 | 10.37 | | | | | | 1 |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | 0.10.01 | U I LLIX | 27.00 | | 70.02 | 02.02 | 10.01 | | | | | İ | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | | | | | | | | | | | | | | |
| | system combination- per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | 1 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | UNCIX | ILSAX | 0.1013 | | | | | | | | | | 1 |
| | same 3/1 Channel System per month | | 1 | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | 22.70 | 12.20 | 12.00 | | | | | | | 1 |
| | combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| EXTE | NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | | | | | | | | | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | | | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | ļ |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4 | | 3 4 | UNC1X UNC1X | USLXX | 206.74 458.46 | 253.93 253.93 | 158.45 158.45 | 46.10 46.10 | 12.07 12.07 | | | | | | |
| + | First Interoffice Transport - Dedicated - DS1 combination - Per | 1 | 4 | UNUIA | USLAA | 430.40 | 200.93 | 100.45 | 46.10 | 12.07 | | | | | + | + |
| | Mile Per Month | 1 | 1 | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| 1 | First Interoffice Transport - Dedicated - DS1 combination - | 1 | | | | 3.10.0 | | | | | | | | 1 | 1 | 1 |
| | Facility Termination Per Month | <u> </u> | L | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | 1 | | L | I | | | | | | | | | | _ | |
| | Channel System per month | | <u> </u> | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| . 1 | Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month | l | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | 1 | |
| - | Each Additional DS1 COCI in the same 3/1 channel system | 1 | 1 | UNUIA | UIIFI | 31.72 | 09.79 | 02.28 | 10.86 | 14.90 | | | | | + | + |
| | combination per month | l | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | 0.00 | 0.00 | | | | | 1 | |

| IINDIINDI E | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Evb. A | | 1 |
|--------------|---|--------|--|--------------------|---------------|----------------|--------|-----------|--------------|-------------|-----------|-----------|-------------|-------------|-------------|--|
| UNBUNDLE | D NET WORK ELEWIEN 13 - WISSISSIPPI | | 1 | ı | | 1 | | | | | 0 | | | | 1 | |
| | | | | | | | | | | | | Svc Order | Incremental | Incremental | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | poi Loix | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | | | Nonre | | Nonrecurring | . Dianamant | ļ | l | 000 | Rates(\$) | | Ь |
| | | | 1 | | | Rec | | | | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Additional A Wise DC4 Digital Level Level in Combination 7 and | | 3 | UNCIA | USLAA | 200.74 | 255.95 | 130.43 | 40.10 | 12.07 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | ١. | | | 4=0.40 | | | | | | | | | | |
| | 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| EXTEN | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | FFICE | | | | | | | L | <u></u> | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| İ | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | 1 | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 4 | - | 4 | UNCDX | UDL56 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | 1 | l | | 1 | 1 | + |
| | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | + - | DINODA | ODLJO | 33.40 | 120.33 | 00.00 | 00.00 | 14.04 | | | | | | |
| | · | | 1 | | | | | | | 1 | 1 |] | | 1 | 1 | |
| | per month | | | UNCDX | 1L5XX | 0.0088 | | | | | 1 | | | | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD5 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| EXTEN | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | FFICE | TRANSPORT | | | | | | | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 28.65 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL64 | 35.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| — | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.99 | 126.53 | 88.85 | 60.68 | 14.64 | 1 | | | | | |
| | | | | | | | | | | | ļ | | | | | ├ |
| | First 4-wire 64 kbps Local Loop in combination - Zone 4 | | 4 | UNCDX | UDL64 | 33.48 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNCDX | 1L5XX | 0.0088 | | | | | | | | | | |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| ADDITIONAL N | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When | used as a part of a currently combined facility, the non-recurr | ng cha | raes do | not apply, but a S | witch As Is c | harge does app | lv. | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | | | l | 1 | | | | | I | 1 | 1 | | | | T T |
| | nal Features & Functions: | Charge | 1 | | | | | | | | <u> </u> | | | | | |
| Оршоп | lai reatures & runctions. | | 1 | U1TD1. | | | | | | | | | | | | |
| | 0. 0. 10 1 5. 1.15 0 501 | | | | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | ı | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | <u></u> | <u> </u> | | | | <u> </u> |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | Li | | UNC1X, USL | NRCCC | | 184.60 | 23.78 | 1.96 | 0.76 | 1 | l | | 1 | 1 | |
| † | , , · · · | | | U1TD3, ULDD3, | 1 | 1 | | | 50 | 1 | 1 | 1 | | 1 | 1 | 1 |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | 1 | UE3, UNC3X | NRCC3 | | 218.72 | 7.66 | 0.7201 | 0.00 | 1 |] | | 1 | 1 | |
| | Sale and Option Subsequent Activity - per Doo | | | UNCVX, UNCDX, | | 1 | 210.12 | 7.00 | 0.7201 | 0.00 | 1 | l | | 1 | 1 | + |
| 1 1 | | | 1 | | 1 | | | | | 1 | 1 |] | | 1 | 1 | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | | | | | |
| | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TD1, U1TD3, | | | | | | | 1 | l | | 1 | 1 | |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | 1 . | 1 | U1TS1, UDF, UE3 | URESL | | 40.22 | 13.50 | | 1 | 1 | l | | 1 | 1 | |
| | <u> </u> | | | | JILUL | 1 | 40.22 | 13.30 | | 1 | 1 | l | | 1 | 1 | + |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TVX, U1TDX, | | | | | | | 1 | l | | 1 | 1 | |
| | Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | | | | | | | 1 | l | | 1 | 1 | |
| | (Spreadsheet) | 1 | | U1TS1, UDF, UE3 | URESP | | 63.98 | 25.59 | | | 1 | l | | | | |
| MUI TI | IPLEXER Interfaces | | | . , , | | 1 | | | | 1 | 1 | 1 | | 1 | 1 | † |
| | DS1 to DS0 Channel System per month | | 1 | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | 1 | 1 | | | | † |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | - | | 5.1017 | | 102.00 | 31.37 | 02.04 | 10.07 | 10.10 | 1 | l | | 1 | 1 | + |
| | | | 1 | Libi | 4D4DD | 4.00 | 0.00 | 474 | | 1 | 1 |] | | 1 | 1 | |
| | month (2.4-64kbs) used for a Local Loop | | 1 | UDL | 1D1DD | 1.22 | 6.62 | 4.74 | | ļ | 1 | | | ļ | ļ | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | 1 | l | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | 1 | | 1 | | | | | 1 | 1 |] | | 1 | 1 | |
| | Local Channel in the same SWC as collocation | 1 | | U1TUD | 1D1DD | 1.22 | 6.62 | 4.74 | | <u> </u> | <u></u> | <u> </u> | | | | <u> </u> |
| | | | | | | | | | | | | | | | | 1 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop | | | UDN | UC1CA | 2.62 | 6.62 | 4.74 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|----------|---|-------|--------|--------|-----------|--------------|------------|-------|-------|-------------|-------------------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | , | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 2.62 | 6.62 | 4.74 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| — | DS3 to DS1 Channel System per month | | 1 | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | STS-1 to DS1 Channel System per month | | <u> </u> | UNCSX | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | DS1 COCI used with Loop per month | | 1 | USL | UC1D1 | 12.96 | 6.62 | 4.74 | 04.00 | 02.02 | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | |
| Acces | s to DCS - Customer Reconfiguration (FlexServ) | | | | | | | | | | | | | | | |
| | Customer Reconfiguration Establishment | | | | | | 1.49 | | 1.90 | | | | | | | |
| | DS1 DSC Termination with DS0 Switching | | | | | 20.81 | 25.69 | 19.77 | 17.15 | 13.79 | | | | | | |
| | DS1 DSC Termination with DS1 Switching | | | | | 10.73 | 18.57 | 12.65 | 12.60 | 9.24 | | | | | | |
| | DS3 DSC Termination with DS1 Switching | | | | | 145.05 | 25.69 | 19.77 | 17.15 | 13.79 | | | | | | |
| Servic | e Rearrangements | | | | | | | | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Service Rearrangement | I | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETD | | 269.66 | 47.05 | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) | I | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | | | | |
| | Commingling Authorization | | | UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Miscel | laneous | | 1 | | | 2.00 | 2.00 | 2.00 | 2.00 | 2.00 | | | | | 1 | |
| | NRC - Order Coordination Specific Time - Dedicated Transport | ı | 1 | UNC1X | OCOSR | | 18.87 | 18.87 | | | | | | | İ | |

| UNBU | JNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | | | |
|----------|----------|---|-----------------|----------|--------------------------------|----------------|-----------------|------------------|----------------|-----------------|-----------------|---------------|---------------|-----------------|------------------|----------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | l | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | | | | | Monro | curring | Monroourrin | g Disconnect | | | 000 | Rates(\$) | | |
| | | | | | | | Rec | First | Add'I | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | FIISL | Addi | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | The "Z | one" shown in the sections for stand-alone loops or loops as | nart of | a comb | nination refers to Ge | ographically | Deaveraged II | NF Zones To | view Geogran | hically Deaver | aged LINE Zone | Designation | ons by Cent | ral Office refe | er to internet \ | Nehsite: | |
| | | ww.interconnection.bellsouth.com/become a clec/html/inter | | | | ograpinoany | Deaveragea o | NE Edites. 10 | view Geograp | mouny Deaven | aged ONE LON | Designation | one by cent | rai Omoc, reio | or to internet t | vebolte. | |
| OPER | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | <u> </u> | | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | e "state | specif | ic" OSS charges as | ordered by t | he State Comm | issions. The | OSS charges c | urrently conta | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | the 9 states. | | • | . 3 , | | • | 3 | ., , . | | | | • | | | | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | ed acco | ording t | o the SOMEC rate lis | sted in this o | ategory. Pleas | se refer to Bell | South's Local | Ordering Hand | book (LOH) to | determine i | if a product | can be ordere | ed electronica | lly. For those | e elements |
| | that ca | nnot be ordered electronically at present per the LOH, the list | ed SOM | IEC rate | in this category ref | lects the cha | arge that would | l be billed to a | CLEC once el | ectronic orderi | ng capabilities | come on-li | ne for that e | element. Othe | erwise, the ma | nual ordering | g charge, |
| | SOMAI | I, will be applied to a CLECs bill when it submits an LSR to B | <u>ellSou</u> t | h. | | | | | | | | | | | | | |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | - | | | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | l | | | | | | | | | | | | | | |
| | <u> </u> | (LSR) - UNE Only | | | | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | 11.1. 50 | O N - 4 T - 20 O - 22 | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | itn's FC | UAL, UEANL, UCL, | n 5 as appil | cable. | | 1 | 1 | 1 | | | | 1 | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX. | | | | | | | | | | | | |
| | | | | | UE3. ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | 1 | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | 1 | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | 1 | | l | | U1TUB, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUA,NTCVG, | | | | | | | | | | | | |
| | | Day | l | | NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | | | |
| ORDE | R MODIF | ICÁTION CHARGE | | | | | | | | | | | | | | | |
| | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | ļ | ļ | | | | | | |
| <u> </u> | 2-WIRE | ANALOG VOICE GRADE LOOP | ļ | L | LIFANII | LIEALO | 10.0- | 20.5: | 10.5- | | | | | | ļ | | |
| - | - | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 10.82 | 36.54 | 16.87 | | | | | | | | |
| — | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | | UEANL UEANL | UEAL2 UEAL2 | 16.21 24.08 | 36.54 36.54 | 16.87 16.87 | | | | | | | | |
| - | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | - | 3 | UEANL UEANL | UEAL2 UEASL | 10.82 | 36.54 | 16.87 | | | | | | | | |
| \vdash | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 2 | UEANL | UEASL | 16.21 | 36.54 | 16.87 | 1 | 1 | | | | | | |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | | UEANL | UEASL | 24.08 | 36.54 | 16.87 | | | | | | | | |
| | | | | | | | 27.00 | 00.04 | 10.07 | · | | ı | 1 | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 92 of 136

| ONBONDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | | | |
|--|---|--|------|----------------|----------------|-------|----------------|---------------|-------|--------------|--|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEANL | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 33.17 19.28 | 0.00 19.28 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | - | UEAINL | UKETA | | 19.20 | 19.20 | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.74 | 8.92 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | OL/ II IL | OIKEWO | | 10.74 | 0.02 | | | | | | | | 1 |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.04 | 13.04 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 7.92 | 7.92 | | | | | | | 1 | |
| 2-WIF | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 10.93 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 12.75 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 13.92 | 35.27 | 15.60 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.93 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | | | | | | | | | | | | | |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.04 | 13.04 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 33.17 | 0.00 | | - | | | | | | |
| | Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.28 | 19.28 | | | | | | - | - | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | ULQ | UKLIA | | 19.20 | 19.20 | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.23 | 7.41 | | | | | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | OLQ. | OIKEWO | | 14.20 | 7.41 | | | | | | | | |
| | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 11.96 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 17.36 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 25.23 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 11.96 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | LIEA NITOVO | LIEADO | 47.00 | 100.10 | 05.70 | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 17.36 | 102.10 | 65.72 | | | | | | | - | - |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 25.23 | 102.10 | 65.72 | | | | | | | | |
| - | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | 3 | OLA, NICVO | ULANZ | 25.25 | 102.10 | 03.72 | | | | | | | | - |
| | DS0) | | | UEA, NTCVG | URESL | | 25.05 | 3.53 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | 0L/1, 111010 | OIKEGE | | 20.00 | 0.00 | | | | | | | | |
| | DS0) | | | UEA, NTCVG | URESP | | 26.55 | 5.03 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.49 | 36.26 | | | | | | | | |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA, NTCVG | URETL | | 11.20 | 1.10 | | | | | | | | |
| 4-WIF | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA, NTCVG | UEAL4 | 19.52 | 127.40 | 91.02 | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA, NTCVG | UEAL4 | 24.74 | 127.40 | 91.02 | | 1 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA, NTCVG | UEAL4 | 46.11 | 127.40 | 91.02 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | l | | LIEA NEO CO | LIDES: | | | | | | | | | 1 | 1 | |
| | DS0) | ! | | UEA, NTCVG | URESL | | 25.05 | 3.53 | | | | | | - | - | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | l | | LIEA NITOVO | LIBEOD | | 00.55 | F 00 | | | | | | 1 | 1 | |
| \vdash | DS0) CLEC to CLEC Conversion Charge without outside dispatch | | - | UEA, NTCVG | URESP UREWO | | 26.55 87.49 | 5.03 36.26 | | + | | | | | | |
| 3-/WIE | RE ISDN DIGITAL GRADE LOOP | <u> </u> | - | UEA, NTCVG | UKEWU | | 87.49 | 30.26 | | + | - | | | | - | |
| 2-4411 | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 1 | UDN | U1L2X | 19.78 | 113.34 | 76.96 | 1 | | } | | | | | |
| - | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 2 | UDN | U1L2X | 26.16 | 113.34 | 76.96 | | + | | | | | | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | 1 | 3 | UDN | U1L2X | 35.37 | 113.34 | 76.96 | | 1 | 1 | | | I | I | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UDN | UREWO | 55.57 | 91.39 | 44.04 | 1 | | | | | t | t | t |
| | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIDLE | 1.00 | | 1 | | 000 | | | 1 | | | | 1 | 1 | + |

| HNDI | NDI E | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Evb A | | |
|----------|--|--|--|----------|-------------|------------|--------|--------|-----------|--|-----------|-----------|-----------|-------------|--|-------------|-------------|
| UNDU | NULE | D NETWORK ELEMENTS - North Carolina | ı ——— | 1 | I | | | | | | | Cua Ordar | | Incremental | | Ingramantal | Incremental |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | • | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | _ | Nonrec | urrina | Nonrecurring Di | isconnect | | • | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | 7144 | | 71441 | | 00 | | 00 | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 10.14 | 117.08 | 68.36 | | | | | | | | |
| | | | | - | UAL | UALZA | 10.14 | 117.06 | 00.30 | _ | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.59 | 117.08 | 68.36 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 12.28 | 117.08 | 68.36 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 10.14 | 92.83 | 56.02 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.59 | 92.83 | 56.02 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | T - | | | 00 | 12.00 | 22.02 | | | | | | | | |
| | 1 | facility reservaton - Zone 3 | l | 3 | UAL | UAL2W | 12.28 | 92.83 | 56.02 |] | | | 1 | | | | |
| - | l | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UAL | UREWO | 12.20 | 78.06 | 32.38 | | | | | | 1 | | |
| | 2 14/15 | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIF | 1000 | UAL | OKEWO | | 10.00 | 32.38 | | | | | | - | | |
| | Z-WIKE | | IIBLE | LUUP | | | | | | | | | | | | | |
| 1 | l | 2 Wire Unbundled HDSL Loop including manual service inquiry | l | l . | l | 1 | _ | | | j | | |] | 1 | 1 | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.95 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.15 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 9.53 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.95 | 101.24 | 64.43 | | | | | | | | |
| - | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OTILZVV | 7.55 | 101.24 | 04.40 | + | | | | | - | | |
| | | | | _ | UHL | 11111 0147 | 0.45 | 404.04 | 64.43 | | | | | | | | |
| <u> </u> | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.15 | 101.24 | 64.43 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 9.53 | 101.24 | 64.43 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 78.00 | 32.38 | | | | | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 11.01 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 12.20 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | 0.12 | 011217 | 12.20 | 100.20 | 101.01 | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 13.49 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UTIL | UI IL4X | 13.45 | 133.20 | 104.34 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | <u> </u> | and facility reservation - Zone 1 | <u> </u> | 1 | UHL | UHL4W | 11.01 | 129.00 | 92.20 | | | | | | | | |
| | l | 4-Wire Unbundled HDSL Loop without manual service inquiry | İ | | l | 1 | | | |] | | | l | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 12.20 | 129.00 | 92.20 | | | | | | | | |
| | l | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | | | | | | |] | | | l | | | | |
| L | <u> </u> | and facility reservation - Zone 3 | <u> </u> | 3 | UHL | UHL4W | 13.49 | 129.00 | 92.20 | | | | <u> </u> | <u> </u> | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 78.00 | 32.38 | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL, NTCD1 | USLXX | 63.62 | 245.16 | 152.98 | <u> </u> | | | | i | 1 | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL, NTCD1 | USLXX | 104.40 | 245.16 | 152.98 | | | | 1 | | 1 | | |
| - | 1 | 4-Wire DS1 Digital Loop - Zone 3 | 1 | | USL, NTCD1 | USLXX | 210.22 | 245.16 | 152.98 | | | | | | | | |
| — | | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | - | OOL, NIODI | JULAA | 210.22 | 240.10 | 132.30 | + + | | | l | 1 | + | | |
| 1 | l | | l | | LICI NITODA | LIBECI | | 25.05 | 2.52 | j | | |] | 1 | 1 | | |
| <u> </u> | . | DS1) | | <u> </u> | USL, NTCD1 | URESL | | 25.05 | 3.53 | | | | ļ | 1 | - | | |
| 1 | l | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | l | | | | | | | j | | |] | 1 | 1 | | |
| | | DS1) | | | USL, NTCD1 | URESP | | 26.55 | 5.03 | | | | | | | | |
| | <u> </u> | CLEC to CLEC Conversion Charge without outside dispatch |] | | USL | UREWO | | 100.99 | 43.00 | | | | | | | | |
| | | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL, NTCUD | UDL19 | 21.98 | 121.86 | 85.48 | | | • | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 27.58 | 121.86 | 85.48 | | | | ĺ | | | | |
| | 1 | 4 Wire Unbundled Digital 19.2 Kbps | 1 | | UDL, NTCUD | UDL19 | 43.08 | 121.86 | 85.48 | | | | 1 | | 1 | | |
| - | 1 | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | 1 | | UDL, NTCUD | UDL56 | 21.98 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL, NTCUD | UDL56 | 27.58 | 121.86 | 85.48 | + + | | | l | 1 | + | | |
| \vdash | | | | | | | | | | | | | - | | | | - |
| | <u> </u> | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | <u> </u> | | UDL, NTCUD | UDL56 | 43.08 | 121.86 | 85.48 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 21.98 | 121.86 | 85.48 | | | | ļ | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL, NTCUD | UDL64 | 27.58 | 121.86 | 85.48 | | | | | L | | | |

| CATEGORY RATE ELEMENTS Infert Early | UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--|-------------|--|----------|--------------|----------------|------------|--|--------|-------|--|----------|-------------------|-----------------------|--|--|--|--|
| No. | | | | Zone | BCS | USOC | | | .,, | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| Afficient Number of Prince April Solution Solut | | | | | | | Rec | | | | | | | | | | |
| South-New Convention may be Unit Lange, Singers LSR, par (50) SS SS SS SS SS SS SS | | | | | | | | | | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SS0 U.S., NICLUD U.S. S. 25.55 3.53 | | | | 3 | UDL, NTCUD | UDL64 | 43.08 | 121.86 | 85.48 | | | | | | | | |
| South-As-De Commentarion and part UNE Long, Spreadshore, (part 1981 Long, Spreadshore, (part 1 | | | | | UDL. NTCUD | URESL | | 25.05 | 3.53 | | | | | | | | |
| CLEC to CLEC Conversor Charge without native expects SIDL, MTGUD SPENO 101-66 4962 | | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| 2 2 2 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | |
| SAVE Unburided Copper Lock Delayard including manual service includy \$ facility seasonable*. Zone 1 UCL | | | | | UDL, NTCUD | UREWO | | 101.86 | 49.62 | | | | | | | | |
| Bendos Inquiry & Early sevention - Zono 1 1 DCL UCLPB 10,14 116,16 67,46 | 2-WIR | | | | | | | | | | | | | | | | |
| 2-Wise Inhabitation Copper Loop-Designed including narroual service inquity & facility reservation - Zone 2 UCL UCLPB 11.59 116.18 67.46 | | | | | LICI | LICLED | 40.44 | 440.40 | 07.40 | | | | | | | | |
| Berlote Inquiry & Balloty (Cop-Price) 2 0 0 0 0 0 0 0 0 0 | | | | 1 | UCL | UCLPB | 10.14 | 116.18 | 67.46 | | | | | | | | |
| 2 Wire Unbundled Copper Loop Disligation and Service Incomparison and Service Incompared Copper Loop Configuration without manual service incompared Copper Loop Compared Window manual Service Incompared Copper Loop Compared Window manual Service Incompared Copper Loop Copper Service Window Mindo | | | | 2 | LICI | LICLER | 11 50 | 116 10 | 67.46 | | | | | | | | |
| Service requiry & facility reservation - Zone 3 | | | | | UCL | UCLPB | 11.59 | 110.10 | 67.46 | | 1 | | | | | | |
| 2-Wire Unburided Copper Loop-Designed without manual service inquiry and facility reservation. Zone 2 2 UCL UCLPW 10.14 91.92 55.12 | | | | 2 | LICI | LICI DB | 12.20 | 116 10 | 67.46 | | | | | | | | |
| Service Impairy and facility reservation - Zone 1 | | | | 3 | UCL | OCLEB | 12.20 | 110.10 | 07.40 | | 1 | | | | | | |
| 2-Wire Unburded Copper Loop Designed without manual service inquiry and facility (U.C.) PW 11.59 91.92 55.12 91.02 10.02 | | | | 1 | LICI | LICI PW | 10.14 | 01 02 | 55 12 | | | | | | | | |
| Service Inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.59 91.92 55.12 | | | | - | OOL | OCLI W | 10.14 | 31.32 | 33.12 | | | | | | | | |
| 2-Wire Unburnelled Copper Loop Designed without namual service inquiry and facility reservation - Zone 1 1 UCL UCL4S 13.10 139.69 90.96 | | | | 2 | UCI | UCI PW | 11 59 | 91 92 | 55 12 | | | | | | | | |
| Service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.28 91.92 55.12 | - | | | - | 002 | 002 | 11.00 | 01.02 | 00.12 | | | | | | | | |
| CLES to CLEC Conversion Charge without outside dispatch (U.CL UREWO 89.06 34.45 U.CL UREWO 89.06 34.45 U.CL UREWO 89.06 34.45 U.CL UCLAS 13.10 139.69 90.96 U.CL UCLAS 13.10 139.69 90.96 U.CL UCLAS 13.10 139.69 90.96 U.CL UCLAS 13.10 139.69 90.96 U.CL UCLAS 13.10 139.69 90.96 U.CL UCLAS 15.17 139.69 | | | | 3 | UCL | UCLPW | 12.28 | 91.92 | 55.12 | | | | | | | | |
| UCL | | | | | | | | | | | | | | | | | |
| 4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1 1 UCL UCL4S 13.10 138.69 90.66 | | | | | UCL | UREWO | | 89.06 | 34.45 | | | | | | | | |
| Persentation - Zone 1 | 4-WIRI | | | | | | | | | | | | | | | | |
| 4-Wire Copper Loop including manual service inquity and facility reservation - Zone 3 UCL UCL4S 15.17 138.69 90.96 | | 4-Wire Copper Loop including manual service inquiry and facility | | | | | | | | | | | | | | | |
| Preservation - Zone 2 | | reservation - Zone 1 | | 1 | UCL | UCL4S | 13.10 | 139.69 | 90.96 | | | | | | | | |
| 4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 4-Wire Copper Loop without manual service inquiry and facility research - Zone 3 5-Zone 3 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 5-Zone 4 | | 4-Wire Copper Loop including manual service inquiry and facility | | | | | | | | | | | | | | | |
| reservation - Zone 3 | | | | 2 | UCL | UCL4S | 15.17 | 139.69 | 90.96 | | | | | | | | |
| ### After Copper Loop without manual service inquiry and facility reservation - Zone 1 ### After Copper Loop without manual service inquiry and facility reservation - Zone 2 ### After Copper Loop without manual service inquiry and facility reservation - Zone 3 ### After Copper Loop without manual service inquiry and facility reservation - Zone 3 ### After Copper Loop without manual service inquiry and facility reservation - Zone 3 ### After Copper Loop without manual service inquiry and facility reservation - Zone 3 ### After Copper Loop without outside dispatch (UCL_Des) ### UCL_UCLAW 17.03 115.43 78.63 | | | | | | | | | | | | | | | | | |
| I UCL UCLAW 13.10 115.43 78.63 | | | | 3 | UCL | UCL4S | 17.03 | 139.69 | 90.96 | | | | | | | | |
| # A-Wire Copper Loop without manual service inquiry and facility reservation - Zono 2 # A-Wire Copper Loop without manual service inquiry and facility reservation - Zono 3 # CLEC to CLEC Conversion Charge without outside dispatch (UCL Des) ## UCL UREWO ## Order Coordination for Unbundled Copper Loops (per loop) ## UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL, NTCD1, UEANL ## Order Coordination for Specified Conversion Time (per LSR) ## Unbundled Loop Modification, Removal of Load Coils - 2 Wire greater than 18k ft ## Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft ## UCL, USL, UEA, UDL, USL, UEA, UDL, ULS, UEA ## UNLANGE ## U | | | | | | | | | | | | | | | | | |
| reservation - Zone 2 | | | | 1 | UCL | UCL4W | 13.10 | 115.43 | 78.63 | | | | | | | | |
| 4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3 CLEC to CLEC conversion Charge without outside dispatch (UCL-Des) Order Coordination for Unbundled Copper Loops (per loop) UCL UREWO 89.06 Order Coordination for Unbundled Copper Loops (per loop) UCL ULLMC 7.92 UREWO 99.06 UCL UREWO 99.06 UCL UREWO 99.06 UCL UREWO 99.06 UCL UREWO 99.06 UCL UREWO 99.06 UCL UREWO 99.06 UCL ULLMC 7.92 7.92 Order Coordination for Specified Conversion Time (per LSR) NTCDU, USA, NTCUD, USL, NTCUD, USL, NTCUD, USL, NTCUD, USL, NTCUD, USL, UEQ, ULS, UEA, UEANL, UEPSR, ULLMZL 99.06 Unbundled Loop Modification, Removal of Load Coils - 2 Wire garlet than 18k ft UCL, ULS, UEQ ULMZC 90.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UFFSB ULLMZL 90.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop ULL, ULL, ULL, ULL, ULL, ULL, ULL, ULL | | | | _ | | l <u>.</u> | | | | | | | | | | | |
| reservation - Zone 3 | | | | 2 | UCL | UCL4W | 15.17 | 115.43 | 78.63 | | | | | | | | |
| CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) Order Coordination for Unbundled Copper Loops (per loop) Order Coordination for Specified Conversion Time (per LSR) Order Coordination for Specified Conversion Time (per LSR) Order Coordination for Specified Conversion Time (per LSR) Order Coordination for Specified Conversion Time (per LSR) Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification, Removal of Load Coils - 2 Wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL, ULS, UEA ULMAL ULMAL O.00 O.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL, ULS, UEA ULMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 IUMAG O.00 O.00 O.00 O.00 IUMAG O.00 O.00 O.00 O.00 O.00 O.00 O.00 O.00 O.00 O.00 O.00 O.0 | | | | _ | | | 4= 00 | | = | | | | | | | | |
| UCL NEWO 89.06 34.45 | | | | 3 | UCL | UCL4W | 17.03 | 115.43 | 78.63 | | | | | | | | |
| Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7.92 7.92 7.92 UGL UCLMC 7.92 7.92 VIAU UGL UCL UCLMC VIEC UCL UCL UCL UCLMC UGL ULMC UGL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UCL ULMC UGL ULMG UG | | | | | LICI | LIDEWO | | 00.00 | 24.45 | | | | | | | | |
| UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL, NTCD1, UEANL OCOSL 17.56 LOOP MODIFICATION UAL, UHL, UDL, NTCVG, NTCD1, UEANL OCOSL 17.56 UDAL, UHL, UDL, ULL, ULL, ULS, UEA UEANL OCOSL 17.56 UDAL, UHL, UCL, UEA, UEA, UEANL UEPSR, UEPSB ULM2L 0.00 0.00 Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL, ULS, UEA ULM4L 0.00 0.00 Uhl, UCL, ULS, UEA ULM4L 0.00 0.00 UHL, UCL, ULS, UEA ULM4L 0.00 0.00 UHL, UCL, ULM4G 0.00 0.00 SUB-LOOPS UEPSB ULMBT 12.15 12.15 UCL ULMAG 12.15 12.15 | | | | | | | | | | | | | | | | | |
| UHL, UDL, NTCVG, NTCVD, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, NTCVI, USL, USL, USL, USL, USL, USL, USL, USL | | Order Coordination for Oribunated Copper Loops (per loop) | | | | UCLIVIC | | 7.92 | 1.92 | - | + | 1 | | | | | |
| Order Coordination for Specified Conversion Time (per LSR) LOOP MODIFICATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL, ULS, UEQ UHL, UCL, UEA UHL, UCL, UEA ULM4L 0.00 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 0.00 | | | l | 1 | | 1 |] | | | I | İ | | | | | | 1 |
| Order Coordination for Specified Conversion Time (per LSR) NTCD1, UEANL UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Ubersi Handled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULL, ULS, UEQ ULM2G 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0. | | | l | | | | | | | 1 | 1 | | | | | | |
| LOOP MODIFICATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Positive signature of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Ucl., ULS, UEQ ULM2G Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Ucl., ULS, UEQ ULM2G Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Ucl., ULS, UEQ ULM4L Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Ucl., ULM4G Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEPSB ULMBT 12.15 12.15 | | Order Coordination for Specified Conversion Time (per LSR) | l | 1 | | OCOSL |] | 17.56 | | I | İ | | | | | | 1 |
| Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM2G UHL, UCL, UEA ULM4L 0.00 0.00 0.00 USL ULM4L 0.00 0.00 0.00 USL ULM4L 0.00 0.00 UNBUNDL ULM4L 0.00 0.00 UNBUNDL ULM4L 0.00 0.00 UNBUNDL ULM4L 0.00 0.00 UNBUNDL ULM4L ULM4C 0.00 0.00 UNBUNDL ULM4C | LOOP MODIFI | CATION | | i – | , | | | | | 1 | 1 | | | l | İ | İ | İ |
| Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft UCL, ULS, UEQ ULM2G Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4L UNML Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, UEPSR, UEPSR ULMBT 12.15 UEANL, UEPSR ULMBT 12.15 12.15 | | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| pair less than or equal to 18k ft, per Unbundled Loop UEPSB ULM2L 0.00 0.00 0.00 Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft UCL, ULS, UEQ ULM2G 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G 0.00 0.00 UNAL, UHL, UCL, UEQ, ULS, UEA UNAL, UHL, UCL, UEQ, ULS, UEA, UEQ, ULS, UEA, UEPSR ULMBT 12.15 12.15 USUB-LOOPS UEPSB ULMBT 12.15 12.15 | | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft UCL, ULS, UEQ ULM2G 0.00 0.00 UNDundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G 0.00 0.00 UHL, UCL, UEA ULM4G 0.00 0.00 ULM4G 0.00 0.00 ULM4G 0.00 0.00 UNDundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UDAN, UEPSR, UEPSB ULMBT 12.15 12.15 | | | | | | | | | | | | | | | | | |
| greater than 18k ft UCL, ULS, UEQ ULM2G 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G 0.00 0.00 UNBUNDLE ULM4G 0.00 UNBUNDLE ULM4G 0.00 0.00 UNBUNDLE ULM4G 0.00 UNBUNDLE ULM4G 0.00 UNBUNDLE ULM4G 0.00 UNBUNDLE ULM4G 0.00 UNBUN | | | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | | | | |
| Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G UNAL, UHL, UCL, UEQ, ULS, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEANL, UEPSR, UEPSB ULMBT 12.15 12.15 UNBT UNBT 12.15 UNBT 12.15 UNBT UNBT UNBT UNBT UNBT 12.15 UNBT UNBT UNBT UNBT UNBT UNBT UNBT UNBT | | | | | | | | | | | | | | | | | |
| less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 0.00 0.00 0.00 Uhbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G 0.00 0.00 UNL, UHL, UCL, UEQ, ULS, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB ULMBT 12.15 12.15 | | | | | UCL, ULS, UEQ | ULM2G | | 0.00 | 0.00 | | | | | | | | |
| Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft UCL ULM4G UAL, UHL, UCL, UEQ, ULS, UEA, UFANL, UEPSR, UEPSB ULMBT 12.15 12.15 UNM4G 0.00 0.00 0.00 1.00 1.00 1.00 1.00 1.0 | | | l | | | | | | | 1 | 1 | | | | | | |
| pair greater than 18k ft | | | ļ | <u> </u> | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | | _ | ļ | | | | | |
| Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UBAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB ULMBT 12.15 12.15 UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEPSB ULMBT 12.15 12.15 | | | l | | | | | 0.00 | 0.00 | 1 | 1 | | | | | | |
| Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UEQ, ULS, UEA, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSB, ULMBT 12.15 12.15 | | pair greater than 18k ft | <u> </u> | <u> </u> | | ULM4G | | 0.00 | 0.00 | - | + | ļ | | ļ | ļ | | ļ |
| Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UEANL, UEPSR, UEPSR, ULMBT 12.15 12.15 SUB-LOOPS | | | l | | | | | | | 1 | 1 | | | | | | |
| per unbundled loop UEPSB ULMBT 12.15 12.15 </td <td></td> <td>Unbundled Loop Medification Remarks of Bridged Ten Bernard</td> <td>l</td> <td>1</td> <td></td> <td>1</td> <td>] </td> <td></td> <td></td> <td>I</td> <td>İ</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> | | Unbundled Loop Medification Remarks of Bridged Ten Bernard | l | 1 | | 1 |] | | | I | İ | | | | | | 1 |
| SUB-LOOPS | | | l | 1 | | LILMRT |] | 12 15 | 12 15 | I | İ | | | | | | 1 |
| | SUB-LOOPS | por ansariated toop | 1 | 1 | 021 00 | OFIND I | | 12.13 | 12.13 | | + | | 1 | | | | |
| Sub-Loop Distribution | | oon Distribution | 1 | 1 | | | | | | + | + | | 1 | 1 | - | 1 | |

| UNBUNDLE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | I | 1 |
|----------|---|-------------|------|----------------|----------------|-------|---------------|---------------|--------------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Disco | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First A | \dd'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | | | UEANL, UEF | USBSA | | 144.09 | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | UEANL, UEF | USBSB | | 10.99 | 10.99 | | | | | | | | |
| | Facility Set-Up | | | UEANL | USBSC | | 86.16 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | | | UEANL | USBSD | | 27.13 | 27.13 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 6.70 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 9.93 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 12.79 | 63.89 | 30.06 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 10.81 | 76.75 | 42.92 | | _ | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 14.16 | 76.75 | 42.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 24.67 | 76.75 | 42.92 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.34 | 51.48 | 17.65 | | | | | | | | <u> </u> |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR4 | 4.18 | 7.92 57.54 | 7.92 23.71 | | | | | | | | ļ |
| | • | | | | | 4.10 | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.43 | 63.89 | 30.06 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS2X | 8.04 | 63.89 | 30.06 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 9.79 | 63.89 | 30.06 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | 2.21 | 7.92 | 7.92 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | UEF | UCS4X | 6.34 | 76.75 | 42.92 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS4X | 9.62 | 76.75 | 42.92 | | | | | | | | - |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 3 | UEF UEF | UCS4X USBMC | 13.04 | 76.75 7.92 | 7.92 | | | | | | | | |
| | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops | | | UEF, UEANL | URETL | | 8.93 | 0.88 | | | | | | | | |
| 1 | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 33.17 | 0.00 | | | | | | | | † |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.28 | 19.28 | | | | | | | | 1 |
| Unbu | ndled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop | | | UEF | ULMBT | | 224.55 | 4.29 | | | | | | | | |
| Unbu | ndled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.51 | 14.72 | 14.72 | | | | | | | | 1 |
| Netwo | ork Interface Device (NID) | | | | linus:- | | | | | | | | | | | ↓ |
| | Network Interface Device (NID) - 1-2 lines | <u> </u> | | UENTW | UND12 | | 86.37 | 56.69 | | | | | ļ | | ļ | |
| | Network Interface Device (NID) - 1-6 lines | I | 1 | UENTW UENTW | UND16 | | 127.93 | 98.21 5.73 | 1 | | | | l | l | l | <u> </u> |

| UNBUND | DLED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-----------|---------|--|-------------|------|--|----------------|------------------|----------------|----------------|--------------|-------|-------|---|--|--|---|---|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.73 | 5.73 | | | | | | | | |
| UNE OTHE | ER, PR | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | Jnbundled Contact Name, Provisioning Only - no rate | | | UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Jnbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Jnbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | n | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | | JNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | / UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NO | | ninimum billing period of three months for DS3/STS-1 Local | Loop | | | | | | | | | | | | | | |
| | n | ligh Capacity Unbundled Local Loop - DS3 - Per Mile per nonth | | | UE3 | 1L5ND | 12.95 | | | | | | | | | | |
| | T | -ligh Capacity Unbundled Local Loop - DS3 - Facility Fermination per month | | | UE3 | UE3PX | 229.90 | 438.46 | 256.30 | | | | | | | | |
| | n | ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per nonth | | | UDLSX | 1L5ND | 12.95 | | | | | | | | | | |
| | Т | ligh Capacity Unbundled Local Loop - STS-1 - Facility Fermination per month | | | UDLSX | UDLS1 | 257.82 | 438.46 | 256.30 | | | | | | | | |
| LOOP MAI | | | | | | | | | | | | | | | | | |
| | s | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.29 | 23.29 | | | | | | | | |
| | c | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | |
| | s | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.19 | 0.19 | | | | | | | | |
| LINE SPLI | | | | | | | | | | | | | | | | | |
| EN | | ER ORDERING-CENTRAL OFFICE BASED | | | LIEBOD LIEBOD | | 2.21 | 15.50 | | | | | | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | 15.53 | 7.79 | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB UEPSR UEPSB | UREBP UREBV | 0.6409 0.6325 | 17.97 17.87 | 10.29 10.29 | | | | | | | | <u> </u> |
| LIN | IDI IND | Line Splitting - per line activation BST owned - virtual DLED EXCHANGE ACCESS LOOP | | | UEPSK UEPSB | UKEBV | 0.6325 | 17.87 | 10.29 | | | | | | | | <u> </u> |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 2-1 | 2 | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | 2 | Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEPSR UEPSB | UEALS | 10.82 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 | Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 1 | UEPSR UEPSB | UEABS | 10.82 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | | Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | UEPSR UEPSB | UEALS | 16.21 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | | Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEABS | 16.21 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | - |
| | Z | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSR UEPSB | UEALS | 24.08 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| PH | Z | Zone 3 AL COLLOCATION | | 3 | UEPSR UEPSB | UEABS | 24.08 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | F | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | PE1LS | 0.0309 | 19.77 | 14.95 | 0.00 | 0.00 | | | | | | |
| VIF | RTUAL | /irtual Collocation //irtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | 3.0009 | 10.11 | 14.80 | 5.50 | 0.00 | | | | | | |
| LINDUND | 5 | Splitting | | | UEPSR UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 0.00 | 0.00 | | | | | | |
| | | EDICATED TRANSPORT FFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | <u> </u> | | | + |
| | lı | nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0095 | | | | | | | | | | |

| ONBONDER | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-------------|---|-------------|--------|--------------------|----------------|-----------------|---------------|-----------------|--|----------------|------------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| 1 | | | | | | | Nonrec | urrina | Monrocurrin | g Disconnect | | | 066 | Rates(\$) | | <u></u> |
| | | | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | + | | FIISL | Auu i | FIISL | Auu | SOWIEC | JOWAN | JOWAN | SOWAN | SOWAN | JOWAN |
| | Facility Termination | | | U1TVX | U1TV2 | 12.12 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade | | | 01147 | 011172 | 12.12 | 00.00 | 20.02 | | - | | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0095 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | - | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 12.12 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0095 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 10.19 | 39.36 | 26.62 | | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | LIATOV | 41.5307 | 0.0005 | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0095 | | | | 1 | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 7.47 | 39.37 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | UTIDA | UTIDS | 1.41 | 39.37 | 20.02 | - | + | | | | - | - | |
| | per month | | | U1TDX | 1L5XX | 0.0095 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OTIDA | ILOXX | 0.0035 | | | | - | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 7.47 | 39.37 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | - | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.1938 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 31.19 | 86.69 | 79.44 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 4.44 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 329.91 | 270.69 | 158.05 | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | 41 =204 | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 4.44 | | | | 1 | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 339.20 | 270.69 | 150.05 | | | | | | | | |
| LIMBI | INDLED DARK FIBER | | | 01151 | UTIFS | 339.20 | 270.69 | 158.05 | - | + | | | | - | - | |
| ONBO | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction | | | | | | | | | + | | | | | | - |
| | Thereof - Interoffice Transport | | | UDF, UDFCX | 1L5DF | 24.77 | 620.60 | 133.88 | | | | | | | | |
| 911 PBX LOC | | | | 05., 05. 07. | .202. | 2 | 020.00 | 100.00 | | | | | | | | |
| | BX LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | |
| | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,823.00 | | | | | | | | | |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 182.45 | | | | | | | | | |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | - | • | | | | | | | | L |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 535.57 | | | 1 | | | | | | |
| | PBX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR | 165.63 | | | ļ | 1 | | | | ļ | ļ | |
| | Service Order Charge | | | 9PBDC | 9PBSC | | 15.20 | | | | 1 | | | | | |
| | BX LOCATE TRANSPORT COMPONENT | | | | 1 | | | | - | + | | | | - | - | ↓ |
| See A | tt 3 EXTENDED LINK (EELs) | | | | | | | | | + | 1 | | | | 1 | |
| | : The monthly recurring and non-recurring charges below will | anniv a | nd the | Switch-Ac-Ic Chara | e will not ann | ly for LINE oon | nhinations no | visioned as ' C | Indinarily Com | hined' Notwork | (Flemente | | | | | |
| | : The monthly recurring and non-recurring charges below will : The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | t | |
| | NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | | | | | combinati | CG PIOVISION | Ja ao Janeni | ., combined | LIGHT | | | | † | † | † |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 11.96 | 385.26 | 72.08 | 1 | 1 | | | | 1 | 1 | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.36 | 385.26 | 72.08 | 1 | 1 | | | | 1 | 1 | 1 |
| 1 | First 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 25.23 | 385.26 | 72.08 | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| I | per month . | | | UNC1X | 1L5XX | 0.1938 | | | <u> </u> | 1 | | | | <u> </u> | <u> </u> | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | - | | | | | | | | | | | | _ | | |
| | Termination per month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | 1 | | | | | | ļ |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | ļ | 1 | | | | 1 | 1 | ↓ |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.4329 | 54.14 | 17.51 | | _ | | | | | | ↓ |
| | | | | | | | | | | | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - North Carolina CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATE SUbmitted Electron Per LS RATE SUBMITTED CATEGORY RATE ELEMENTS USOC RATES(\$) RATES(\$) RATES(\$) Svc Orr. Submitted Electron Per LS RATES(\$) RATES(\$) RATES(\$) Nonrecurring Disconnect First Add'1 First Add'1 SOME Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 17.36 385.26 72.08 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 25.23 385.26 72.08 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 1 UNCVX UEAL2 25.23 385.26 72.08 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | ec Manually LSR per LSR | d Charge - Manual Svo Order vs. Electronic- 1st | I Incremental Charge - Manual Svc Order vs. | Charge - | Incremental Charge - Manual Svc |
|--|--------------------------------------|---|--|------------------------|---------------------------------------|
| CATEGORY RATE ELEMENTS | itted Submitted Manually LSR per LSR | d Charge - Manual Svo Order vs. Electronic- 1st | Charge - Manual Svc Order vs. | Charge - Manual Svc | Charge - |
| CATEGORY RATE ELEMENTS | Manually per LSR | Manual Svo Order vs. Electronic- 1st | Manual Svc Order vs. | Manual Svc | |
| CATEGORY RATE ELEMENTS | LSR per LSR | Order vs. Electronic- 1st | Order vs. | | Manual Svc |
| Rec Nonrecurring Nonrecurring Disconnect | | Electronic- 1st | | Order vs. | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 UNCVX UEAL2 17.36 385.26 72.08 | EC SOMAN | 1st | Electronic- | | Order vs. |
| Rec First Add'l First Add'l SOME | EC SOMAN | | | Electronic- | Electronic- |
| Rec First Add'l First Add'l SOME | EC SOMAN | | Add'l | Disc 1st | Disc Add'l |
| Rec First Add'l First Add'l SOME | EC SOMAN | | S Rates(\$) | | |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 17.36 385.26 72.08 | EC SOWAN | | SOMAN | SOMAN | SOMAN |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 25.23 385.26 72.08 Voice Grade COCI - Per Month UNCVX 1D1VG 0.4329 54.14 17.51 | | JOWAN | JOWAN | SOWAN | JOIVIAIN |
| Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 25.23 385.26 72.08 Voice Grade COCI - Per Month UNCVX 1D1VG 0.4329 54.14 17.51 | | | | | |
| Voice Grade COCI - Per Month UNCVX 1D1VG 0.4329 54.14 17.51 | | - | | - | |
| Voice Grade COCI - Per Month UNCVX 1D1VG 0.4329 54.14 17.51 | | | | | |
| | | - | | - | |
| | | - | | - | |
| EXTENSES THINE YOUR GRADE EXTENSES COOP WITH DESIGNATED BOTHMEROFFICE TRANSPORT | | | | | |
| First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 19.52 385.26 72.08 | | | | | |
| If its 4-vitre Arrangy voice Grade Edge in Combination - Zone 1 1 ONCVA DEAL4 19.32 363.20 72.00 | | | | | |
| First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 24.74 385.26 72.08 | | | | | |
| It its: 4-vvite Attainly voice Grade Edop in Combination - 20te 2 2 ONCVA OLAGE 24.74 363.20 72.06 | | | | | |
| First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 46.11 385.26 72.08 | 1 | | | I | 1 |
| Frist 4-vitre Vitalog Vitale Grade Lobb in Combination - 2chie 3 SincvA GEAL4 46.11 363.20 72.08 Interoffice Transport - Dedicated - DS1 combination - Per Mile | + | 1 | 1 | | |
| Per Month UNC1X 1L5XX 0.1938 | 1 | | | I | 1 |
| Fer width: | + | 1 | 1 | | |
| Month | | | | | |
| 1/10 Channel System in combination Per Month | | | | | |
| Voice Grade COCI in combination - per month | | | | | |
| Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | |
| Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 19.52 385.26 72.08 | | | | | |
| Additional 4-Wire Analog Voice Grade Loop in same DS1 | | + | | | |
| Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 24.74 385.26 72.08 | | | | | |
| Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | |
| Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 46.11 385.26 72.08 | | | | | |
| Additional Voice Grade COCI in combination - per month UNCVX 1DIVG 0.4329 54.14 17.51 | | + | | | |
| EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | |
| EXTENSE 4 TIME OF THE CONTROL COST TIME COST T | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 21.98 385.26 72.08 | | | | | |
| I not tring deliage signal disable stopp in deliastical stopp in deliast | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 27.58 385.26 72.08 | | | | | |
| The street was desired and a series and a se | | | | | |
| First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 43.08 385.26 72.08 | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | |
| Per Month UNC1X 1L5XX 0.1938 | | | | | |
| Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | |
| | | | | | |
| 1/0 Channel System in combination Per Month UNC1X MQ1 70.84 170.57 0.00 | 1 | Ī | 1 | t | |
| OCU-DP COCI (data) per month (2.4-64kbs) | | | | 1 | |
| Additional 4-Wire 56/Kbps Digital Grade Loop in same DS1 | 1 | | 1 | İ | |
| Interoffice Transport Combination - Zone 1 | 1 | | | I | 1 |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | 1 | 1 | 1 | İ | |
| Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 27.58 385.26 72.08 | | | | 1 | 1 |
| Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | 1 | 1 | 1 | İ | |
| Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 43.08 385.26 72.08 | 1 | | | I | 1 |
| Additional OCU-DP COCI (data) - in combination per month (2.4- | | | | | |
| G4kbs) UNCDX 1D1DD 0.9199 54.14 17.51 | | | | | |
| EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | |
| | | | | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL64 21.98 385.26 72.08 | 1 | | | I | 1 |
| | | | | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 27.58 385.26 72.08 | L_ | | <u> </u> | <u> </u> | 1 |
| | | | | | |
| First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 43.08 385.26 72.08 | | | <u> </u> | <u> </u> | <u>1</u> |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | |
| Per Month UNC1X 1L5XX 0.1938 | | | <u> </u> | <u> </u> | <u>1</u> |
| interoffice Transport - Dedicated - DS1 combination - Facility | | | | | |
| Termination Per Month UNC1X U1TF1 31.06 234.02 162.52 | | | | 1 | 1 |
| 1/0 Channel System in combination Per Month UNC1X MQ1 70.84 170.57 0.00 | | | | | |
| OCU-DP COCÍ (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 0.9199 54.14 17.51 | | | | | |

| JNBUNDLE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|--|----------------|----------|-----------------|--------|-----------|-------------|--------------|-------|---|-------------------------|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | _ | Nonred | urrina | Nonrecurrin | a Disconnect | | | oss | Rates(\$) | 1 | l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.98 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 27.58 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.08 | 385.26 | 72.08 | | | | | | | | |
| | Additional OCU-DP COCI (data) - in combination - per month | | | LINODY | 40400 | 0.0400 | 5444 | 17.51 | | | | | | | | |
| EVTE | (2.4-64kbs) NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION | -D DC4 | INTER | UNCDX | 1D1DD | 0.9199 | 54.14 | 17.51 | | | | | | | | |
| EXIE | | בט טאַז | | | | 62.62 | 412.03 | 139.55 | | | | | | - | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 1 2 | UNC1X UNC1X | USLXX | 63.62 104.40 | 412.03 | 139.55 | | | | | | + | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X UNC1X | USLXX | 210.22 | 412.03 | 139.55 | | 1 | | | | t | 1 | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | - | 011017 | COLAX | 210.22 | 712.03 | 133.33 | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | 1 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | OTTO 174 | 120701 | 0.1000 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | | | 0.100 | | | | | | | | | | |
| | First DS1Loop in Combination - Zone 1 | | | UNC1X | USLXX | 63.62 | 412.03 | 139.55 | | | | | | | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 104.40 | 412.03 | 139.55 | | | | | | | | |
| | First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 210.22 | 412.03 | 139.55 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 4.44 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 329.91 | 802.81 | 146.02 | | | | | | | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 63.62 | 412.03 | 139.55 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | LINGAY | 1101.207 | 404.40 | 440.00 | 100.55 | | | | | | | | |
| | Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 104.40 | 412.03 | 139.55 | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 210.22 | 412.03 | 139.55 | | | | | | | | |
| | Additoinal DS1 COCI in combination per month | | 3 | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| FXTE | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRADI | F INTE | | | 0.43 | 34.14 | 17.51 | | | | | | | | |
| - EXIL | 2-WireVG Loop in combination - Zone 1 | OITAD. | 1 | UNCVX | UEAL2 | 11.96 | 385.26 | 72.08 | | | | | | | | |
| | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.36 | 385.26 | 72.08 | | | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 25.23 | 385.26 | 72.08 | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | 1 | | | | | | | | | | | |
| | Month | | 1 | UNCVX | 1L5XX | 0.0095 | | | | | | | | I | 1 | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 12.12 | 131.81 | 78.34 | | | | | | | | |
| EXTE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRADI | E INTE | | | | | | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 1 | | 1 | UNCVX | UEAL4 | 19.52 | 385.26 | 72.08 | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 24.74 | 385.26 | 72.08 | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL4 | 46.11 | 385.26 | 72.08 | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | 1 | 1110101 | 41.5307 | 0.000= | | | | | | | | I | 1 | |
| | Month | | | UNCVX | 1L5XX | 0.0095 | | | | | | | | 1 | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month | | 1 | UNCVX | U1TV4 | 10.19 | 131.81 | 78.34 | | | | | | I | 1 | |
| EVTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | NTEDO | EEICE | | 01174 | 10.19 | 131.81 | 10.34 | | | | | | + | | |
| EVIE | DS3 Local Loop in combination - per mile per month | NIERU | / FICE | UNC3X | 1L5ND | 12.95 | | | | 1 | - | | | 1 | | 1 |
| | DOS LOCAL LOOP III COMBINATION - PEL MILE PEL MONTH | | | 014037 | ILJIND | 12.95 | | | | 1 | | | | t | 1 | |
| | DS3 Local Loop in combination - Facility Termination per month | | 1 | UNC3X | UE3PX | 229.90 | 802.81 | 146.02 | | | | | | I | 1 | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.44 | 302.01 | 140.02 | | 1 | | | | t | | |
| -+ | Interoffice Transport - Dedicated - DS3 combination - Facility | | | 5.150A | .20/01 | 7.77 | | | | | | | | - | | |
| | Termination per month | | | UNC3X | U1TF3 | 329.91 | 802.81 | 146.02 | | | | | | 1 | | |
| FXTF | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROF | | 1 0 | 320.01 | 302.01 | 1-10.02 | | | | | | t | | |
| | STS-1 Local Lolp in combination - per mile per month | | 1 | UNCSX | 1L5ND | 12.95 | | | | 1 | t | | | 1 | | |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Attachment: | 2 Exh. A | | 1 |
|--|--|-------------|----------|---------------|-------|--------|----------|-----------|------------------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Order vs. |
| | | | | | | Rec | Nonrec | urring | Nonrecurring Disconnec | | | oss | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | |
| | month | | | UNCSX | UDLS1 | 339.20 | 3,073.55 | 1,245.84 | | | | | | | |
| <u>. </u> | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 4.44 | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 339.20 | 802.81 | 146.02 | | | | | | | |
| EXTE | NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRAN | SPORT | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.78 | 385.26 | 72.08 | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 26.16 | 385.26 | 72.08 | | | | | | | |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 35.37 | 385.26 | 72.08 | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile per month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | |
| | Termination per month | <u> </u> | <u>L</u> | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | <u> </u> | | <u> </u> |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 1.53 | 54.14 | 17.51 | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.78 | 385.26 | 72.08 | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 26.16 | 385.26 | 72.08 | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | ONOIV | OTLEX | 20.10 | 000.20 | 72.00 | i i | | | | | | + |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 35.37 | 385.26 | 72.08 | | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) - in combination- per month | | | UNCNX | UC1CA | 1.53 | 54.14 | 17.51 | | | | | | | |
| EVE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED CTC | 4 INITI | | | 1.55 | 34.14 | 17.51 | | | | | | | |
| EXIE | | EDSIS | 1 1N11 | UNC1X | USLXX | 63.62 | 412.03 | 139.55 | | | | | | | |
| | First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2 | | | UNC1X | USLXX | 104.40 | 412.03 | 139.55 | | | | | | | |
| | | | 2 | | | | | | | | | | | | |
| | First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | 3 | UNC1X | USLXX | 210.22 | 412.03 | 139.55 | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 4.44 | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | ==0 | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 339.20 | 802.81 | 146.02 | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 63.62 | 412.03 | 139.55 | | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 104.40 | 412.03 | 139.55 | | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | |
| | Combination - Zone 3 | I | 3 | UNC1X | USLXX | 210.22 | 412.03 | 139.55 | 1 | 1 | | | | | I |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | |
| EXTE | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | 3PS INT | EROFF | ICE TRANSPORT | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.98 | 385.26 | 72.08 | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 27.58 | 385.26 | 72.08 | l i | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.08 | 385.26 | 72.08 | | | 1 | | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month | | | UNCDX | 1L5XX | 0.0095 | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | 1 | † | | | 3.0000 | | | | 1 | | 1 | | | <u> </u> |
| | Facility Termination per month | | | UNCDX | U1TD5 | 7.47 | 131.81 | 78.34 | | 1 | | | | | 1 |
| EXTF | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | SPS INT | EROFF | | | | | | | 1 | | t | | | |
| | 4-wire 64 kbps Local Loop in Combination - Zone 1 | T | | UNCDX | UDL64 | 21.98 | 385.26 | 72.08 | | 1 | | İ | | | † |
| | 4-wire 64 kbps Local Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 27.58 | 385.26 | 72.08 | 1 | | 1 | | | | 1 |
| | 4-wire 64 kbps Local Loop in Combination - Zone 3 | 1 | | UNCDX | UDL64 | 43.08 | 385.26 | 72.08 | | 1 | | İ | | | † |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | 1 | | | | | | 1 | | İ | | | † |
| | Per Mile per month | 1 | | UNCDX | 1L5XX | 0.0095 | | | | 1 | | I | | | I |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 1 | | | | | | 1 | | | | | | 1 |
| | | | | UNCDX | U1TD6 | 7 47 | 131 81 | 78 34 | | | | | | | |
| FYTE | Facility Termination per month ENDED 2-WIRE VG LOOP WITH DS1 INTEROFFICE TRANSPORT | w/ 3/1 | MUY | UNCDX | U1TD6 | 7.47 | 131.81 | 78.34 | | | | | | | <u> </u> |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | 1 | | | | | | | | _ | | Attachment: | | l | ļ |
|--|--|--|--------------|-------------------|--------------|-----------------|---------------|---------------|--|-------|---|-----------|---|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | ı |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 17.36 | 385.26 | 72.08 | | | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 25.23 | 385.26 | 72.08 | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | Per each DS1 Channelization System Per Month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | | | | | | | | |
| | Per each Voice Grade COCI - Per Month per month 3/1 Channel System in combination per month | | 1 | UNCVX UNC3X | 1D1VG MQ3 | 0.4329 84.32 | 54.14 0.00 | 17.51 0.00 | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | 1 | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | UNCIA | OCIDI | 0.43 | 54.14 | 17.51 | 1 | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 11.96 | 385.26 | 72.08 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | 5.15 */ | J L / 1L L | 11.50 | 000.20 | 72.00 | | | | | | | | - |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.36 | 385.26 | 72.08 | | | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | <u> </u> | - | | 1 | | 300.20 | . 2.30 | 1 | | | | | 1 | 1 | † |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 25.23 | 385.26 | 72.08 | | | | | | | | |
| | Each Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4329 | 54.14 | 17.51 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| EXTE | NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | RANSPORT w/ 3/1 N | IUX | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 19.52 | 385.26 | 72.08 | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | = | | | | | | | | |
| | Zone 2 | <u> </u> | 2 | UNCVX | UEAL4 | 24.74 | 385.26 | 72.08 | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | _ | LINOVA | 115 41 4 | 40.44 | 205.00 | 70.00 | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 46.11 | 385.26 | 72.08 | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | 1 | UNCIA | ILJAA | 0.1930 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | | | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4329 | 54.14 | 17.51 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 19.52 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 24.74 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 46.11 | 385.26 | 72.08 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| FVTE | Additional Voice Grade COCI - in combination - per month | INTERS | EEIOE | UNCVX | 1D1VG | 0.4329 | 54.14 | 17.51 | | | | | | | 1 | |
| EXIE | NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT W/ 3/ | 1 MUX | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | 1 | LINCDY | LIDLES | 21.00 | 205.26 | 72.08 | | | | | | 1 | | |
| | Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | UNCDX | UDL56 | 21.98 | 385.26 | 12.08 | 1 | | | | | | | |
| | Zone 2 | | 2 | UNCDX | UDL56 | 27.58 | 385.26 | 72.08 | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | OINODA | ODESO | 21.38 | 300.20 | 12.08 | 1 | | | | | 1 | | - |
| | Zone 3 | | 3 | UNCDX | UDL56 | 43.08 | 385.26 | 72.08 | | | | | | 1 | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | OINODA | ODESO | 43.08 | 300.20 | 12.08 | 1 | | | | | 1 | 1 | |
| | Mile Per Month | | 1 | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - combination | | | | 1 | | | | † | | | | | İ | | |
| | Facility Termination Per Month | 1 | 1 | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | Ì | | |

| ONRONDL | ED NETWORK ELEMENTS - North Carolina | | | • | <u> </u> | | | | | | | | Attachment: | | 1 | 1 |
|-------------------------------|---|--|--------|-----------------|----------|--------|-----------------|-----------------|--|-----------------------|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Name | | I Name and a second and | . Dianamant | | | | | | |
| | | | | | | Rec | Nonrec First | urring Add'l | First | g Disconnect Add'l | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | FIISL | Add I | SOMEC | SUMAN | SOWAN | SOWAN | SUMAN | SOWAN |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.9199 | 54.14 | 17.51 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| - | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.98 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 27.58 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.08 | 385.26 | 72.08 | | | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | l | |] | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 0.9199 | 54.14 | 17.51 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | 1 | | L | 1 7 | | | | |] | | | | 1 | _ | |
| | Channel System per month | ļ | | UNC1X | 1L5XX | 0.1938 | | | | ļ | | | | ļ | ļ | 1 |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | <u> </u> | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | — | | | | | ļ | - | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | LINIOAN | 110454 | 0.40 | 5444 | 47.54 | | | | | | | | |
| EVE | combination per month | INTERC | FFICE | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| EXIE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | PFFICE | TRANSPORT W/ 3/ | 1 MUX | | | | - | | | | | | - | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.98 | 385.26 | 72.08 | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | - ' | UNCDX | UDL64 | 21.98 | 385.26 | 72.08 | | | - | | | | - | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 27.58 | 385.26 | 72.08 | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | ONCDA | ODLO4 | 21.50 | 303.20 | 72.00 | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.08 | 385.26 | 72.08 | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | - 5 | ONCDA | ODLO4 | 45.00 | 303.20 | 72.00 | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | Per each Channel System 1/0 in combination Per Month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | | | | | | | | |
| | Per each OCU-DP COCI (data) in combination - per month (2.4- | | | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 0.9199 | 54.14 | 17.51 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.98 | 385.26 | 72.08 | | | | | | ļ | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | l | _ | l | 1 | | | | | | | | | | 1 | |
| | Interoffice Transport Combination - Zone 2 | ļ | 2 | UNCDX | UDL64 | 27.58 | 385.26 | 72.08 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | l | ^ | LINCDY | LIDI 64 | 40.00 | 005.00 | 70.00 | | | | | | | 1 | |
| \longrightarrow | Interoffice Transport Combination - Zone 3 | ! | 3 | UNCDX | UDL64 | 43.08 | 385.26 | 72.08 | | | | | | | | + |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | 1 | | LINCDY | 10100 | 0.0100 | E4 4 4 | 17.54 | | | | | | 1 | I | |
| $\longrightarrow \longmapsto$ | combination - per month (2.4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1 | <u> </u> | | UNCDX | 1D1DD | 0.9199 | 54.14 | 17.51 | <u> </u> | | | | | | - | - |
| | Channel System per month | l | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | 1 | |
| -+ | Each Additional DS1 Interoffice Channel Facility Termination in | | | OINO IX | ILOAA | 0.1800 | | | 1 | 1 | | | | 1 | t | 1 |
| | same 3/1 Channel System per month | 1 | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | 1 | I | |
| -+ | Each Additional DS1 COCI in the same 3/1 channel system | 1 | | 0.101/ | 01111 | 31.00 | 204.02 | 102.32 | | | <u> </u> | | | | I | 1 |
| | combination per month | 1 | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | 1 | I | |
| EXTE | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | RT w/ 3/ | 1 MUX | | | 35 | J T | 51 | | 1 | | | | 1 | 1 | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | <i>3</i> | | İ | | | | | 1 | 1 | | | | İ | 1 | Ì |
| | Transport - Zone 1 | l | 1 | UNCNX | U1L2X | 19.78 | 385.26 | 72.08 | | | | | | | 1 | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | l | 2 | UNCNX | U1L2X | 26.16 | 385.26 | 72.08 | | | | | | | 1 | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 35.37 | 385.26 | 72.08 | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | l | |] | | | | | | | | | | | | |
| | Mile per month | l | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |

| JNBUNDLEL | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-----------|---|-------------|---------|---------|--------|--------|--------|-----------|-----------|--------------|----------|------------------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nanzauwin | g Disconnect | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | + | Rec | First | Add'l | First | Add'I | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Per each Channel System 1/0 in combination - per month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | Per each Chairner System 1/0 in combination - per month | | | UNCIA | IVIQI | 70.04 | 170.57 | 0.00 | | | | | | | | - |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 1.53 | 54.14 | 17.51 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | + |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | ONOTA | COIDI | 0.40 | 04.14 | 17.01 | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.78 | 385.26 | 72.08 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 26.16 | 385.26 | 72.08 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | 1 |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 35.37 | 385.26 | 72.08 | | | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | | | | | | | | | | | | | | |
| | system combination- per month | | | UNCNX | UC1CA | 1.53 | 54.14 | 17.51 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| | DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | | | | | | | | | | | | | | . |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | | | UNC1X | USLXX | 63.62 | 412.03 | 139.55 | | | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 | | | UNC1X | USLXX | 104.40 | 412.03 | 139.55 | | | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNC1X | USLXX | 210.22 | 412.03 | 139.55 | | | | | | | | |
| | Mile Per Month | | | LINGAV | 1L5XX | 0.1938 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | 1 | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | - |
| | First Interoffice Transport - Dedicated - DST combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | - |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | + |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | ONOTA | COIDI | 0.40 | 04.14 | 17.01 | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.1938 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | OTTO IX | 120701 | 0.1000 | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 31.06 | 234.02 | 162.52 | | | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.43 | 54.14 | 17.51 | | | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 63.62 | 412.03 | 139.55 | | | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 104.40 | 412.03 | 139.55 | | | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | | | UNC1X | USLXX | 210.22 | 412.03 | 139.55 | | | | | | | | |
| | DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | | | | | | | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 21.98 | 385.26 | 72.08 | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 27.58 | 385.26 | 72.08 | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.08 | 385.26 | 72.08 | | | | | | | | ļ |
| | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | | LINCDY | 41.577 | 0.000= | l | | | | | | | | | |
| | per month | | ļ | UNCDX | 1L5XX | 0.0095 | | | | 1 | 1 | | | 1 | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | UNCDX | U1TD5 | 7 47 | 404.04 | 78.34 | | | | | | | | |
| | Termination per month DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 IF | NTERO | EEICE - | | פטווט | 7.47 | 131.81 | 18.34 | | 1 | - | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 | NIERU | | UNCDX | UDL64 | 21.98 | 385.26 | 72.08 | | 1 | | | | - | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL64 | 27.58 | 385.26 | 72.08 | | 1 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | - | | UNCDX | UDL64 | 43.08 | 385.26 | 72.08 | | | 1 | | | | | \vdash |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | 5.13DA | CDLOT | -10.00 | 300.20 | 72.00 | | 1 | † | | | | | |
| | per month | | | UNCDX | 1L5XX | 0.0095 | l | | | | | | | | | |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | 1 | 3.0000 | İ | | | Ì | | | | | | |
| | | | | | | | | | | | | | | | i i | 1 |
| | Termination per month | | | UNCDX | U1TD6 | 7.47 | 131.81 | 78.34 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|--|----------------------------------|----------------|--|----------------|----------------|--------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates(\$) | | |
| | | | <u> </u> | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | used as ordinarily combined network elements in All States, th | | | ng charges apply an | d the Switch | As Is Charge d | loes not. | | | | | | | | | ' |
| | curring Currently Combined Network Elements "Switch As Is" al Features & Functions: | Charge | <u> </u> | | | | | | | | | | | | | ├ |
| Optiona | ai Features & Functions: | | <u> </u> | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | ĺ |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | 1 |
| | Activity - per DS1 | - 1 | | UNC1X, USL | NRCCC | | 184.76 | 23.80 | 1.99 | 0.78 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 218.92 | 7.66 | 0.7576 | 0.00 | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 11.28 | 11.28 | | | | | | | | |
| | | | | U1TVX, U1TDX, | | | | | | | | | | | | ĺ |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TD1, U1TD3, U1TS1, UDF, UE3 | URESL | | 40.25 | 10.51 | | | | | | | | ĺ |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | - 1 | | , , | URESL | | 40.25 | 13.51 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TVX, U1TDX, | | | | | | | | | | | | ĺ |
| | Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet) | 1 | | U1TD1, U1TD3, U1TS1, UDF, UE3 | URESP | | 64.04 | 25.62 | | | | | | | | |
| | PLEXER Interfaces | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 70.84 | 170.57 | 0.00 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | ĺ |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 0.9199 | 6.39 | 4.58 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | ĺ |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 0.9199 | 6.39 | 4.58 | | | | | | | | ĺ |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | 01100 | 10100 | 0.0100 | 0.00 | 4.00 | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 1.53 | 6.39 | 4.58 | | | | | | | | ĺ |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | ĺ |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 1.53 | 6.39 | 4.58 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.4329 | 6.39 | 4.58 | | | | | | | | i |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | ULA | IDIVG | 0.4329 | 0.39 | 4.50 | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | ĺ |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.4329 | 6.39 | 4.58 | | | | | | | | 1 |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 84.32 | 0.00 | 0.00 | | | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.43 | 6.39 | 4.58 | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | LIATUA | LICADA | 0.40 | 0.00 | 4.50 | | | | | | | | ĺ |
| | Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month | | - | U1TUA U1TD1 | UC1D1 UC1D1 | 8.43 8.43 | 6.39 6.39 | 4.58 4.58 | - | | - | | | - | - | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | 1 | וטווטו | וטוטט | 0.43 | 0.39 | 4.00 | | | | | | 1 | 1 | |
| | month | | <u></u> | ULDD1 | UC1D1 | 8.43 | 6.39 | 4.58 | | | | | | | <u> </u> | <u>i</u> |
| | to DCS - Customer Reconfiguration (FlexServ) | | | | | | | • | | | | | | | | |
| | Customer Reconfiguration Establishment | | | | | ļ | 1.43 | 1.43 | | | | | | ļ | ļ | |
| | DS1 DSC Termination with DS0 Switching | | ļ | | | 21.64 | 24.81 | 19.09 | ļ | | <u> </u> | | | | ļ | |
| | DS1 DSC Termination with DS1 Switching DS3 DSC Termination with DS1 Switching | | | | | 7.34 136.07 | 17.93 24.81 | 12.22 19.09 | - | | | | | | | |
| | e Rearrangements | | - | | | 130.07 | 24.01 | 19.09 | + | | 1 | | | 1 | 1 | |
| Service | - ivearrangements | | | U1TVX, U1TDX, | | | | | 1 | | 1 | | | 1 | | |
| | | | | UEA, UDL, U1TUC, | | | | | | | | | | | | İ |
| ' | | | | U1TUD, U1TUB, | | | | | | | | | | | | 1 |
| | NRC - Change in Facility Assignment per circuit Service | | | ULDVX, ULDDX, | | | | | | | | | | | 1 | 1 |
| | Rearrangement | - 1 | | UNCVX, UNCDX | URETD | | 269.90 | 47.10 | | | | | |] |] | 1 |

| UNR | UNDI FI | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachment: | 2 Fyh Δ | | |
|------|---------|--|--------------|------|------------------|---------|------|--------|-----------|------------------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| OIVE | ONDEL | NETWORK ELEMENTO NOTH Outoina | | | | | | | | | | Cua Ordar | | | | Incremental | Incremental |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | l_ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Manne | | Name and a second in a | Discounces | | | 220 | Dotoo(f) | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | | | | UEA, UDL, U1TUC, | | | | | | | | | | | | |
| | | | | | U1TUD, U1TUB, | | | | | | | | | | | | |
| | | NRC - Change in Facility Assignment per circuit Project | | | ULDVX, ULDDX, | | | | | | | | | | | | |
| | | Management (added to CFA per circuit if project managed) | - 1 | | UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | | | | |
| | | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCSX, U1TD1, | | | | | | | | | | | | |
| | | | | | U1TD3, U1TS1, | | | | | | | | | | | | |
| | | | | | UE3, UDLSX, | | | | | | | | | | | | |
| | | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | Commingling Authorization | | | | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Miscell | | - | 1 | 01100 | CIVICAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | NRC - Order Coordination Specific Time - Dedicated Transport | | 1 | UNC1X | OCOSR | | 18.89 | 18.89 | | | | | | | | |
| | | INING - Order Coordination Specific Time - Dedicated Transport | | | UNCIA | OCCOR | | 10.09 | 10.09 | | | | | | | | |

| | | | | | | | | | | | | | | | | 1 | 1 |
|------|----------|--|----------|----------|--------------------------------|---------------|-----------------|------------------|----------------|-----------------|-----------------|---------------|---------------|------------------|----------------|----------------|---------------|
| UNE | UNDLE | D NETWORK ELEMENTS - South Carolina | | | | 1 | ı | | | | | 1 - | 1 - | Attachment: | | | |
| | | | | | | | | | | | | | | Incremental | | | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | GORY | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | DATEC(¢) | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | GURT | RATE ELEMENTS | m | Zone | всэ | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | 1 | oss | Rates(\$) | l . | l . |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | The "Zo | one" shown in the sections for stand-alone loops or loops as | part of | a comi | ination refers to Ge | ographically | Deaveraged U | NE Zones. To | view Geograp | hically Deavers | aged UNE Zone | Designation | ons by Cent | ral Office, refe | er to internet | Website: | |
| | http://w | www.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | | | | | | | | | | | |
| OPE | RATIONS | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | NOTE: | (1) CLEC should contact its contract negotiator if it prefers th | e "state | specif | ic" OSS charges as | ordered by t | he State Comm | issions. The | OSS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | elect ei | ther the state specific Commission ordered rates for the servi | ce orde | ring ch | arges, or CLEC may | elect the re | gional service | ordering charg | e, however, Cl | LEC can not of | otain a mixture | of the two | regardless i | f CLEC has a | interconnecti | on contract e | stablished in |
| | | f the 9 states. | | | | | | | | | | | | | | | |
| | | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | nnot be ordered electronically at present per the LOH, the list | | | in this category ref | lects the cha | arge that would | l be billed to a | CLEC once el | ectronic orderi | ng capabilities | come on-li | ne for that e | element. Oth | erwise, the ma | anual ordering | g charge, |
| | SOMAN | N, will be applied to a CLECs bill when it submits an LSR to B | ellSout | h. | | | | | | | | | | | | | |
| 1 | | OSS - Electronic Service Order Charge, Per Local Service | | | | L | | _ | _ |] _ |] _ | | | | I | | |
| | | Request (LSR) - UNE Only | | <u> </u> | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | 4= 00 | | | | | | | | | |
| | 0557405 | (LSR) - UNE Only | | | | SOMAN | | 15.69 | 0.00 | 1.97 | 0.00 | | | | | | |
| UNE | | DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with | PallCau | th's EC | C No 1 Toriff Contin | n E oo onnii | and a | | | | | | | | | | l |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | UAL, UEANL, UCL, | n 5 as appii | cable. | | | ı | ı | 1 | 1 | 1 | | ı | ı |
| | | | | | UEF. UDF. UEQ. | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3. ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | UNE E Pro Ol Ol | | | U1TUB, | | | | | | | | | | | | |
| 1 | | UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav | | | U1TUA,NTCVG, NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | | | | | I | | |
| OBD | E MODIE | FICATION CHARGE | | | NICOD, NICOI | ODAGE | | 200.00 | 200.00 | | | | | | | - | |
| OND | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | - | | |
| | 1 | Order Modification Additional Dispatch Charge (OMCAD) | | | | | İ | 150.00 | 0.00 | 0.00 | 0.00 | | | | 1 | | |
| UNB | JNDLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | - | ļ | |
| Ь | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | l | 3 | UEANL | UEASL | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | <u> </u> | <u> </u> | | l | L | l |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 107 of 136

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | | | ļ |
|-------------|---|-------------|---------|----------------|----------------|-------|----------------|---------------|--------------|-------|--|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEANL | URETL | | 8.95 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 34.23 19.90 | 0.00 19.90 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | - | UEAINL | UKETA | | 19.90 | 19.90 | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.81 | 8.96 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | OLANE | OKEWO | | 13.01 | 0.30 | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.47 | 13.47 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.17 | 8.17 | | | | | | | 1 | |
| 2-WIF | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 12.94 | 36.40 | 16.10 | 22.66 | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 14.51 | 36.40 | 16.10 | 22.66 | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.95 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | | | | | | | | | | | | | |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.47 | 13.47 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.23 | 0.00 | - | | | | | | | |
| - | Loop Testing - Basic 1st Half Hour | | | UEQ | URETA | | 19.90 | 19.90 | - | | | | | - | - | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | UKETA | | 19.90 | 19.90 | | | | | | | | 1 |
| | (UCL-ND) | | | UEQ | UREWO | | 14.30 | 7.45 | | | | | | | | |
| UNBUNDI FD | EXCHANGE ACCESS LOOP | | | OLQ. | OILLWO | | 14.00 | 7.40 | | | | | | | | 1 |
| | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 2 | UEA, NTCVG | UEAR2 | 22.42 | 405.00 | CO 42 | 52.05 | 40.04 | | | | | | |
| | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA, NTCVG | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | - | OLA, INTOVO | OLARZ | 20.40 | 105.50 | 00.43 | 55.05 | 10.01 | | | | | | |
| | DS0) | l | | UEA, NTCVG | URESL | | 24.88 | 3.51 | | | | | | 1 | 1 | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | , | | | | | İ | | | | | | | |
| [| DS0) | <u> </u> | <u></u> | UEA, NTCVG | URESP | | 26.37 | 4.99 | | | <u></u> | | | <u> </u> | <u> </u> | <u></u> |
| Ì | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.90 | 36.44 | İ | | | | | | | |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA, NTCVG | URETL | | 11.24 | 1.10 | | - | | | | | | |
| 4-WIF | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA, NTCVG | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | ļ | ļ | <u> </u> |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | ļ | 2 | UEA, NTCVG | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | - | - | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA, NTCVG | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | 1 | 1 | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | 1 | | UEA, NTCVG | URESL | | 24.88 | 3.51 | | | | | | 1 | I | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | - | | OEA, NICVG | UKESL | | ∠4.88 | 3.51 | - | | | | | | | |
| I | DS0) | 1 | | UEA, NTCVG | URESP | | 26.37 | 4.99 | | | | | | 1 | I | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 87.90 | 36.44 | | | | | | t | t | + |
| 2-WIF | RE ISDN DIGITAL GRADE LOOP | 1 | | 52.4,141040 | JILLIVO | | 57.30 | 00.44 | 1 | | | | | - | - | † |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 1 | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | 1 | 1 | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | 1 | 1 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.82 | 44.25 | | | | | | | | |
| 2 14/15 | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOF | , | | | | | | | ı —— | | | | | |

| ONBONDE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | | L | ļ |
|----------|--|-------------|----------|---|----------------|----------------|------------------|----------------|----------------|----------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | - | | Nonrec | curring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | THOL | Auu i | THOU | Auu i | JOINEC | JONAN | JONAN | JONAN | JOHAN | JONAN |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.19 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | Ė | 0,12 | O/ LEZ/ | 12.10 | .20.01 | 7 0.00 | 00.01 | 7.00 | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.14 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | |
| 0.14/15 | CLEC to CLEC Conversion Charge without outside dispatch | TIDI E | 000 | UAL | UREWO | | 86.38 | 40.48 | | | | | | | | |
| 2-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHLZA | 10.92 | 129.52 | 19.24 | 30.37 | 7.93 | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.40 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ J | OFIL | UTILZX | 11.40 | 125.52 | 15.24 | 30.37 | 1.53 | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | <u> </u> | OTIL | OTILETY | 0.00 | 104.40 | 00.00 | 00.07 | 7.00 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.32 | 40.48 | | | | | | | | |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.84 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | | 44.00 | 100.11 | 05.40 | 55.12 | 40.00 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.84 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UHL | UREWO | 10.04 | 86.32 | 40.48 | 55.12 | 10.36 | 1 | | | | | |
| 4-WIE | RE DS1 DIGITAL LOOP | | 1 | OFIL | UKLWO | | 00.32 | 40.40 | | | | | | | | |
| 7-7711 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL, NTCD1 | USLXX | 79.51 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL, NTCD1 | USLXX | 136.00 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | | USL, NTCD1 | USLXX | 229.15 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | Ť | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | | | | |
| | DS1) | | | USL, NTCD1 | URESL | | 24.88 | 3.51 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | |
| LI | DS1) | <u> </u> | L | USL, NTCD1 | URESP | | 26.37 | 4.99 | | | <u></u> | | | <u> </u> | <u> </u> | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.30 | 43.13 | | | | | | | | |
| 4-WIF | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | ļ |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | ļ | ļ | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL, NTCUD | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL, NTCUD | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | ļ | - | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL, NTCUD | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | ļ | - | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | l | | UDL, NTCUD | UDL64 UDL64 | 29.93 33.99 | 126.66 126.66 | 89.12 89.12 | 59.35 59.35 | 14.61 14.61 | <u> </u> | | | | | ļ |

| CATEGORY | A Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) | Interi m | Zone | BCS | USOC | | | | | | Svc Order Submitted | Svc Order Submitted | Attachment: Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
|----------------|--|-------------|------|---|---------|-------|--------|-----------|--------------|-------|------------------------|------------------------|---|---|--|--|
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | | | | | RATES(\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- Disc Add'l |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) | | _ | LIDI NITOLID | LIBLAA | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS0) | | 3 | UDL, NTCUD | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Switch-As-Is Conversion rate per UNF Loop, Spreadsheet, (per | | | UDL, NTCUD | URESL | | 24.88 | 3.51 | | | | | | | | |
| | DS0) | | | UDL, NTCUD | URESP | | 26.37 | 4.99 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL, NTCUD | UREWO | | 102.34 | 49.85 | | | | | | | | |
| | Unbundled COPPER LOOP | | | , | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | OOL | OOLI D | 10.71 | 110.01 | 00.02 | 00.01 | 7.00 | | | | | | |
| | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | <u> </u> |
| | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UCL | UCLPVV | 14.14 | 94.07 | 56.69 | 50.57 | 7.93 | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | |
| 4-WIRE | COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | _ |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | Oraci Coorai alian ili Origania da Coppor Ecopo (poi 160p) | | | UEA, UDN, UAL, UHL, UDL, NTCVG, | 002.110 | | 0 | 0 | | | | | | | | |
| | | | | NTCUD, USL, | | | | | | | | | | | | 1 |
| 1 000 1105:5:4 | Order Coordination for Specified Conversion Time (per LSR) | | ļ | NTCD1, UEANL | OCOSL | | 18.13 | | | | | | | | | <u> </u> |
| LOOP MODIFIC | ATION | | - | UAL, UHL, UCL, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire | | - | UEPSB | ULM2L | | 32.46 | 32.46 | | | | | | | | |
| | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 32.46 | 32.46 | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | Linburglind Loop Modification Remarks of Pridged Ton Description | | | UEQ, ULS, UEA, UEANL. UEPSR. | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UEANL, UEPSR, UEPSB | ULMBT | | 32.48 | 32.48 | | | | | | | | 1 |
| SUB-LOOPS | por unbundiou loop | | 1 | OL: 0D | CLIVID | | 52.40 | 52.40 | | | | | | | | |
| | op Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | UEANL, UEF | USBSA | | 241.42 | 241.42 | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL, UEF | USBSB | | 22.69 | 22.69 | | | | | | | | |

| NDUNDLE | D NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | 1 - | | Attachment: | | | <u> </u> |
|----------|--|-------------|----------|----------------|----------------|--------|---------------|---------------|--------------|------------|-------|-----------|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incrementa Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic |
| | | | | | | | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l . | · |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | 71441 | | 7.44 | 0020 | 00 | | | | |
| | Facility Set-Up | | | UEANL | USBSC | | 177.84 | 177.84 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | | | | | | | | |
| | Set-Up | | | UEANL | USBSD | | 55.58 | 55.58 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | UEAINL | USBINZ | 12.30 | 65.94 | 31.03 | 45.35 | 0.71 | | | | | - | |
| | Zone 3 | | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | 2010 0 | | | OL/ WL | OODIVE | 14.70 | 00.04 | 01.00 | 40.00 | 0.7 1 | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | 1 | UEANL UEANL | USBMC USBR2 | 2.41 | 8.17 | 8.17 18.21 | 45.35 | 6.71 | | | | | - | <u> </u> |
| | Sub-Loop 2-vvire intrabuliding Network Cable (INC) | | <u> </u> | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | | | | | |
| | Cas 200p : Triio initiasalianig Hotrion Casto (into) | | | 02/11/2 | oob.t. | 0.00 | 00.00 | 2 | 10.02 | 0.00 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.23 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | | | | uee | 1100140 | | 0.47 | 0.47 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF UEF | USBMC UCS4X | 7.85 | 8.17 79.21 | 8.17 44.29 | 49.82 | 9.09 | | | | | - | <u> </u> |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | UEF | UCS4X | 14.17 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | - | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 3 | UEF | UCS4X | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | 1 |
| | 4 Wife Copper Cribunaled Cub-Loop Distribution - Zone 3 | | | OLI | 00047 | 12.04 | 75.21 | 44.23 | 43.02 | 3.03 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- | | | | | | | _ | | | | | | | | |
| | Designed and Distribution Subloops | | | UEF, UEANL | URETL | | 8.95 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.23 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.90 | 19.90 | | | | | | | | |
| Unbun | dled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 176.17 | 5.11 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 176.17 | 5.11 | | | | | | | | |
| | Unbundled Loop Modification, Removal of Bridge Tap, per | | | UEF | ULIVI4X | | 176.17 | 5.11 | | | | | | | - | |
| | unbundled loop | | 1 | UEF | ULMBT | | 278.82 | 6.13 | | | | | | | | |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | 1.0.02 | 5.70 | | | | | | 1 | 1 | |
| 3 | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | | | | İ | 1 | 1 |
| Netwo | rk Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.68 | 28.79 | | | | | | | | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 64.42 | 49.53 | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.92 | 5.92 | | | | | | | | |
| | Network Interface Device Cross Connect - 4W | | <u> </u> | UENTW | UNDC4 | | 5.92 | 5.92 | | | l | | | | | <u> </u> |
| IE OTHER | PROVISIONING ONLY - NO RATE | | | | 5.1507 | | 0.02 | 0.02 | | | | | | | | |

| UNBUND | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|------------|--|--|------|--|-------|--------|--------|-----------|--------------|------------|--------|---|-------------------------|--|---|--|
| CATEGOR | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | I | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UAL, UCL, UDC, | | | 11131 | Addi | 11130 | Addi | COMILO | OOMAN | COMPAR | COMPAR | COMPAR | COMPAR |
| | | | | UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD. | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | NTCD1, USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| HICH CAR | UNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | TE: minimum billing period of three months for DS3/STS-1 Local | Loon | | | | | | | | | - | | | | | |
| NU | High Capacity Unbundled Local Loop - DS3 - Per Mile per | Loop | | | | | | | | | 1 | | | | | |
| | month | | | UE3 | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 12.26 | | | | | | | | | | <u> </u> |
| | Termination per month | | | UDLSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| LOOP MAK | | | | ODLOX | ODLOT | 010.40 | 402.02 | 204.00 | 110.70 | 00.77 | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 24.04 | 24.04 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| LINE SPLIT | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.34 | 0.34 | | | | | | | | |
| | D USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| ENI | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | - | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBV | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | | | | | |
| UNI | BUNDLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | IRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | OLI OK OLI OD | OLABO | 21.00 | 51.32 | 17.02 | 25.50 | 0.02 | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| PH | SICAL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | 55416 | | 40.00 | | | | | | | | | |
| \/IB | Splitting TUAL COLLOCATION | | | UEPSR UEPSB | PE1LS | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | - | | | | | |
| VIR | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | | | | | | | | 1 | | | | | |
| | Splitting | l | | UEPSR UEPSB | VE1LS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| UNBUNDLE | ED DEDICATED TRANSPORT | 1 | | | 9 | 5.55.7 | .2.02 | 50 | 3.34 | 0.10 | | | | | | |
| | EROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | _ | | | | | | | | | _ |
| | Facility Termination | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | L |

| UNBUNDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-------------|---|-------------|--------|--------------------|----------------|-----------------|---------------|-----------------|-----------------|---------------|---|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | 1 | | | | | | | | | | İ | |
| | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3415 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 8.02 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | - | | | | | | | | | | | | |
| | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | U1TS1 | 1L5XX | 8.02 | | | | | | | | | | |
| UNRU | Termination NDLED DARK FIBER | | | U1TS1 | U1TFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| 0.120 | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction | | | | | | | | | | | | | | | |
| | Thereof - Interoffice Transport | | | UDF, UDFCX | 1L5DF | 36.41 | 640.51 | 138.17 | 317.76 | 198.11 | | | | | | |
| 911 PBX LOC | ATE | | | | | | | | | | | | | | | |
| 911 PE | BX LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | |
| | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,813.00 | | | | | | | | | |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 181.40 | | | | | | | | | |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | 101.0- | 532.48 | | | | | | | | | <u> </u> |
| | PBX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR 9PBSC | 181.29 | 45.00 | | | | | | | | ! | \vdash |
| 044.55 | Service Order Charge BX LOCATE TRANSPORT COMPONENT | | | 9PBDC | arboc. | | 15.69 | | | | | | | | | |
| See At | | | | | + | | | | | | | | | - | - | |
| | XTENDED LINK (EELs) | | | | | | | | | | | | | | | - |
| | : The monthly recurring and non-recurring charges below will a | apply a | nd the | Switch-As-Is Charn | e will not ann | oly for UNF con | binations pro | visioned as ' C | Ordinarily Comb | ined' Network | Elements | <u> </u> | | <u> </u> | 1 | <u> </u> |
| | : The monthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | |
| | NTED 2-WIRÉ VOICE GRADE EXTENDED LOOP WITH DEDICAT | | | | | | • | | ĺ | | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | | | 1 |
|--------------|---|----------|---------|---------------------------------------|---------|--------|--------|-----------|--|------------|--|-----------|-------------|-------------|--|--|
| | | | | 1 | | | | | | | | | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | P | p | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | ist | Add I | DISC 1St | DISC Add I |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates(\$) | · | ·· |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | 1 | | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Voice Grade COCI - Per Month | | Ŭ | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EVT | ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA | TED DO | 1 INITE | | | 0.50 | 0.55 | 4.73 | 0.00 | 0.00 | | | | | | - |
| LAI | ENDED 4-WIRE VOICE GRADE EXTENDED LOOF WITH DEDICA | I LD D3 | IIIVIE | TOFFICE TRANSFO | /K1 | | | | - | | | | | | - | - |
| | First 4 Wire Angles Voice Crade Lean in Combination - Zone 1 | | 4 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | | | _ | | | 40.00 | 400.00 | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| 1 | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | 1 | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | | 1 | | 0.00 | 0.03 | 4.73 | 0.00 | 0.00 | | | | | † | - |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | - | UNCVA | ULAL4 | 32.39 | 132.30 | 34.03 | 39.33 | 14.01 | | | | | | |
| | | | _ | 111000 | | 40.00 | 400.00 | 04.00 | 50.05 | 44.04 | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXT | ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | TEROFFICE TRANS | SPORT | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | · | | | | | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ť | CHOBA | 02200 | 0 | 120.00 | 00.12 | 00.00 | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| - | Interoffice Transport - Dedicated - DS1 - combination Facility | <u> </u> | | ONOTA | TESTA | 0.21 | | | | | | | | | | - |
| | Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | 1 | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | ļ | | | | | |
| 1 | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | l | 1 | | | | | | I | | | | I | 1 |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | <u> </u> | | | | | |
| 1 - | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | <u> </u> | | | | | [| | i | | | | _ | _ |
| | Interoffice Transport Combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | <u></u> | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| 1 | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | I | | | | I | 1 |
| | Additional OCU-DP COCI (data) - in combination per month (2.4 | - | 1 | | | | | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | 1 | | | | | |
| FYT | ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | | | 0 | 2.00 | | 2.00 | 2.00 | 1 | | | | 1 | 1 |
| | | 1 | | I I I I I I I I I I I I I I I I I I I | J. J.(1 | | | | | | | | | | | |
| 1 | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | I | | | | I | 1 |
| | i iiot - vviie o-ittopo Digital Olade Loop III Combiliation - Zolle 1 | 1 | | 0.40DA | ODLU4 | 23.33 | 120.00 | 03.12 | 39.33 | 14.01 | | - | | | | |
| l | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | I | | | | I | 1 |
| | ir irst 4-vviile 64NDps Digital Grade Loop in Combination - Zone 2 | 1 | | OINCDV | UDL04 | 33.99 | 1∠0.0b | 89.12 | 59.35 | 14.01 | | | | | | |
| l | First A Wiss Odd as Pickel On 1 1 2 2 2 2 2 2 | | _ | LINODY | LIDLC: | | , | | == == | | I | | | | I | 1 |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | ļ | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | l | | | | | 1 | | 1 | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| I | Termination Per Month | <u> </u> | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | <u> </u> | | | | <u> </u> | <u> </u> |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| JNBUNDLI | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|----------|-----------------|--------|----------------|--------|-----------|--------------|-------|-------|---|---|---|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Increment Charge Manual S Order vs Electronic |
| • | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | A 1 12' 1 4 14' 0414' B' - 2 - 1 O 1 - 1 2 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | UNCDX | UDL64 | 33.99 | 120.00 | 89.12 | 59.35 | 14.61 | | | | | | - |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination - per month | | | ONODA | ODLO4 | 34.74 | 120.00 | 03.12 | 39.33 | 14.01 | | | | | | |
| | (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXTE | ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | INTER | | | 1.10 | 0.00 | 4.70 | 0.00 | 0.00 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | 1 | UNC1X | 1L5XX | 0.27 | | | | | | | | 1 | I | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | <u></u> | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | <u> </u> | <u></u> | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | OFFICE TRANSPOR | | | | | | | | | | | | |
| | First DS1Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | DS1 COCI in combination per month | | <u> </u> | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 90.87 | 050.00 | 457.00 | 44.80 | 11.73 | | | | | | |
| | Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNCIX | USLAA | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNCIA | USLAA | 155.45 | 255.05 | 137.69 | 44.00 | 11.73 | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional DS1 COCI in combination per month | | 3 | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| FXTE | ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2-WIRE VOICE | GRAD | E INTE | | | 0.04 | 0.55 | 4.73 | 0.00 | 0.00 | | | | | | |
| LAIL | 2-WireVG Loop in combination - Zone 1 | CITAL | 1 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | Ť | | | | | 22.70 | | | | | | | 1 | 1 |
| | Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | 1 | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | <u> </u> | <u> </u> |
| EXTE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | E INTE | ROFFICE TRANSPO | DRT | | | | | | | | | | | |
| | 4-WireVG Loop in combination - Zone 1 | | | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | _ | | | |
| | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | 4-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | · | | · | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | 1 | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| -v | Termination per month | L INTER | L | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| EXTE | ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | PFICE | | 41 END | 10.00 | | | ļ | | | | | ļ | - | |
| - | DS3 Local Loop in combination - per mile per month | | - | UNC3X | 1L5ND | 12.26 | | | | | | | | | | 1 |
| | DS3 Local Loop in combination - Facility Termination per month | | 1 | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | | | 1 | I | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | - | UNC3X UNC3X | 1L5XX | 306.36 6.42 | 45∠.52 | ∠04.53 | 119.75 | 83.77 | | | | - | - | - |
| - | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | - | 1 | 014037 | ILUAA | 0.42 | | | + | | | | | 1 | | 1 |
| | Termination per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | 1 | |
| FYTE | ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | FROF | | 01113 | 704.32 | 213.31 | 103.12 | 00.33 | 50.55 | | | | | | |
| EATE | STS-1 Local Lolp in combination - per mile per month | <u></u> | LIVOPT | UNCSX | 1L5ND | 12.26 | | | | | | | | | t | |
| | STS-1 Local Loop in combination - Facility Termination per | | | 0.100/ | 120140 | 12.20 | | | | | | | | | I | t |
| 1 | month | | 1 | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | | | 1 | 1 | |

| ONBONDE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | I | | Attachment: | | | + |
|--|---|--|---------------------------------------|---------|---------|--------|--------|----------------|--------------|-------|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | LINGOV | 114750 | 704.44 | 070.07 | 100.10 | 00.00 | 50.50 | | | | | | |
| EVE | Termination per month | TDANK | ODODI | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| EXIE | NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1 | IKAN | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | - | + |
| | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | + |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - per mile | | Ŭ | 0110101 | O I LEX | 01.10 | | 00.00 | 00.00 | | | | | | | + |
| | per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | i – | | 1 | 4 | | | 1 | | | | | | 1 | 1 |
| | Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | 1 | |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| T | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | 1 | | | | | | | | | | | | | | |
| | Combination - Zone 1 | <u> </u> | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | ļ | | ↓ |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | 1 | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) - in combination- per | | | LINONIY | 110404 | 0.50 | 0.50 | 4.70 | 0.00 | 0.00 | | | | | | |
| EVTE | month NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED CTC | A INIT | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXIE | First DS1 Loop Combination - Zone 1 | EDSIS | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | + |
| | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | + |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | - 3 | ONOTA | OOLAX | 201.03 | 255.05 | 107.03 | 44.00 | 11.75 | | | | | | + |
| | Per Month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | 1 | | | | | | | | | | 1 | 1 |
| | Termination per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | <u> </u> | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | ļ | | ↓ |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | 1 | | | 1 | | | | | | | | | 1 | I | 1 |
| | Combination - Zone 3 | <u> </u> | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | - | |
| EVE | DS1 COCI in combination per month NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | DC INT | EDOC | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | 1 | + |
| EXIE | 4-wire 56 kbps Local Loop in combination - Zone 1 | PLO INI | | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | - | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 89.12 | 59.35 | 14.61 | | | | 1 | | + |
| + | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | 1 | | + |
| + | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | - | O. TODA | JDL30 | 54.74 | 120.00 | 03.12 | 33.33 | 14.01 | | | | | | + |
| | Per Mile per month | 1 | 1 | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 1 | | 1.2.3. | 3.0.04 | | | 1 | | | | | İ | 1 | 1 |
| | Facility Termination per month | 1 | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | 1 | I | 1 |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | BPS INT | EROFF | | | | | | | | | | | <u> </u> | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | _ | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | | 1 7 | | | | 1 | | | | | 1 | _ | 1 |
| | Per Mile per month | | <u> </u> | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | | 1 | | | | | _ | | | | 1 | I | 1 |
| | Facility Termination per month | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | ↓ |
| EXTE | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T First 2-wire VG Loop (SL2) in Combination - Zone 1 | KANSP | | | LIENO | 40.00 | 105.00 | 00.10 | 50.55 | 10.01 | | | | ļ | - | + |
| | IFIRE 2-WIRD VI = LOOD (SL2) in Combination - Zong 1 | 1 | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 1 | | | | ↓ |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | 1 | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | | | L |
|----------------|--|--|------------|-----------------|--------------|-----------------|---------------|---------------|---------------|---------------|----------|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | =. | | | | 40.00 | | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 61.71 107.57 | 89.47 | 81.99 | 16.39 | 14.48 9.81 | | | | | | |
| | Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month | | | UNC1X UNCVX | MQ1 1D1VG | 0.56 | 91.24 6.59 | 62.71 4.73 | 10.56 0.00 | 0.00 | | | | | | - |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | - | | | | | + |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | 0.00 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | ONOTA | OCIDI | 0.04 | 0.55 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | † <u> </u> | | | | | 55.40 | 55.00 | .0.01 | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | - | - | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | <u> </u> | <u> </u> | |
| | Each Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | L |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| EVTEN | Each Additional DS1 COCI combination per month | INITED | FEIGE | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXIEN | DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire Analog Voice Grade Local Loop in Combination - | INTERC | PFFICE | TRANSPORT W/ 3/ | 1 MUX | | | | | | | | | | | |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | UNCVA | ULAL4 | 32.39 | 132.30 | 34.03 | 39.33 | 14.01 | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | ONOVA | OLAL | 40.00 | 132.30 | 34.03 | 39.33 | 14.01 | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | 0.00 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | LINICVA | LIEALA | 20.50 | 400.00 | 04.00 | 50.05 | 44.04 | | 1 | | | | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | 1 | | | | | ļ |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 1 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | | 0.10 1/ | JEALM | 40.08 | 102.00 | 34.03 | 39.33 | 14.01 | - | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 1 | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | ۲ | | 5 | 70.00 | 102.00 | 54.55 | 55.55 | 14.01 | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | <u> </u> | | | | | | 1 | | | | | | | |
| | same 3/1 Channel System per month | <u></u> | L | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | <u> </u> | <u> </u> | | <u></u> | <u></u> | |
| | Additional Voice Grade COCI - in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXTEN | DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/ | 1 MUX | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | I | | | - | | | | 1 | | | | |
| | Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | ļ |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | _ | LINORY | LIDLES | | | | | | | | | | | |
| - | Zone 2 | 1 | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | | | ļ |
| 1 | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 106.60 | 89.12 | 59.35 | 14.61 | | 1 | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCDA | UDLOO | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | - | - | |
| 1 | Mile Per Month | | 1 | UNC1X | 1L5XX | 0.27 | | | | | | 1 | | | | |
| 1 | First Interoffice Transport - Dedicated - DS1 - combination | | ! | ONOIA | ILUAA | 0.27 | | | | | | | | 1 | 1 | |
| | Facility Termination Per Month | | 1 | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 1 | | | | |
| - | Per each 1/0 Channel System in combination Per Month | 1 | † | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | 1 | † |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | | t | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | 0.00 | 1 | | | | | † |

| UNDUNDL | ED NETWORK ELEMENTS - South Carolina | 1 | ı | 1 | 1 | | | | | | 0 | 06 | Attachment: | | | |
|-------------|---|--|--|------------------|-------|--------|--------|-----------|--|------------|-----------|-----------|-------------|--------------|-------------|--|
| | | 1 | 1 | 1 | | | | | | | | Svc Order | | | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc 1st | Disc Add I |
| | | | | | | Pag | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | ĺ |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | ĺ |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | | | | | | | | | | | | | | ĺ |
| | 64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| <u> </u> | Channel System per month | <u> </u> | L | UNC1X | 1L5XX | 0.27 | | | <u> </u> | <u></u> | <u></u> | | | <u> </u> | | <u></u> |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | İ | | | | | | | |
| <u> </u> | same 3/1 Channel System per month | <u> </u> | L | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | <u> </u> | | | <u> </u> | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXTE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/1 | MUX | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | 1 |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | 1-0-1 | | | | | | | | | | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Per each Channel System 1/0 in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | Per each OCU-DP COCI (data) in combination - per month (2.4- | | | | | | ¥ | | | | | | | | | |
| | 64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 1 | | | | | | 0.00 | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | <u> </u> | 0.102/1 | 02201 | 20.00 | 120.00 | 00.12 | 00.00 | | | | | | | 1 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | ONODA | ODLOT | 00.00 | 120.00 | 00.12 | 00.00 | 14.01 | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | CHODA | ODLOT | 04.74 | 120.00 | 00.12 | 00.00 | 14.01 | | | | | | + |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | ONCDA | 10100 | 1.13 | 0.55 | 4.73 | 0.00 | 0.00 | | | | | | + |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | 1 | ONCIX | TESAX | 0.21 | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | ONCIX | 01111 | 01.71 | 03.47 | 01.33 | 10.55 | 14.40 | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | ONCIA | OCIDI | 0.04 | 0.55 | 4.73 | 0.00 | 0.00 | | | | | | - |
| | Transport - Zone 1 | 1 | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | l | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | +- | 0140147 | JILEA | 20.21 | 117.50 | 00.03 | 55.05 | 10.01 | 1 | | | 1 | 1 | |
| | Transport - Zone 2 | 1 | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | l | | |
| — | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | | OINOINA | UILZA | 32.70 | 117.30 | 00.03 | 55.05 | 10.01 | | | | | 1 | |
| | Transport - Zone 3 | 1 | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | OIACIAV | UILZA | 31.10 | 117.08 | 00.03 | 55.05 | 10.01 | | | | - | 1 | |
| | Mile per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | 014017 | 1LJ// | 0.27 | | | | | | | | - | 1 | |
| | | 1 | 1 | LINCAY | U1TF1 | 04.74 | 89.47 | 04.00 | 40.00 | 44.40 | | | | l | | |
| | Facility Termination per month | 1 | | UNC1X | | 61.71 | | 81.99 | 16.39 | 14.48 | | | | | - | |
| | Per each Channel System 1/0 in combination - per month | 1 | <u> </u> | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | 1 | 1 | |
| 1 I | 1 | 1 | 1 | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | I | 1 | 1 |

| UNBUNDI E | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | 2 Fyh Δ | | |
|--------------|---|----------|----------|-------------|----------|--------|--------|-----------|--------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| ONDONDEL | | | | l | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATECORY | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | RATES(\$) | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATEGORY | RATE ELEMENTS | m | Zone | BUS | USUC | | | KAIES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | T 81 | B' | | | | D-1(A) | | |
| - | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| - | 0/10/10/10/10/10/10/10/10/10/10/10/10/10 | | | L IN LOON / | | 444.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINIONIN | 1141.07/ | 05.04 | 447.50 | 00.00 | 50.05 | 40.04 | | | | | | |
| - | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 2 | LINIONIV | LIALOV | 20.70 | 447.50 | 00.00 | 52.05 | 40.04 | | | | | | |
| | Combination - Zone 2 | | | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | LINICNIV | 1141.00 | 27.70 | 117 50 | 90.03 | E2 0E | 10.61 | | | | | | |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| - | system combination- per month Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | UNCINA | UCTCA | 2.30 | 0.59 | 4.73 | 0.00 | 0.00 | | | | | - | - |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| - | Each Additional DS1 Interoffice Channel Facility Termination in | | | UNCIX | ILSAX | 0.27 | | | | | | | | | - | ļ |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| - | Each Additional DS1 COCI in the same 3/1 channel system | | | UNCIX | 01111 | 01.71 | 09.47 | 01.33 | 10.39 | 14.40 | | | | | - | ļ |
| | combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EVTEN | IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TDANG | SDODT | | OCIDI | 0.04 | 0.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| EXIL | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | INAIN | | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | 1 | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 | | | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 | | | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| + | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCIX | USLAA | 201.09 | 255.05 | 137.09 | 44.00 | 11.73 | 1 | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | ONOTA | TESAX | 0.27 | | | | | | | | | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| + | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | ONOTA | 00101 | 0.04 | 0.00 | 4.70 | 0.00 | 0.00 | | | | | | + |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| + | Each Additional DS1 Interoffice Channel Facility Termination in | | | 0.10.1% | 120701 | 0.2. | | | | | | | | | | + |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | 0.10.17 | 0 | 0 | 00.11 | 01.00 | 10.00 | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| + | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | 0.10.1% | 00.5. | 0.01 | 0.00 | 0 | 0.00 | 0.00 | | | | | | † |
| | 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| EXTEN | DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | | | | | | | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | İ | İ | İ | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | | İ | | | | | | | | | İ | İ | İ | |
| | per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | l | I | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | i i | | | | | | | |
| | Termination per month | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | 1 | |
| EXTEN | DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTERO | FFICE | | | | | | ĺ | • | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | | | | | | | | | |
| | per month | <u> </u> | <u></u> | UNCDX | 1L5XX | 0.0134 | | | <u> </u> | | <u></u> | <u> </u> | | <u> </u> | <u> </u> | |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | <u>L</u> | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | <u> </u> | | <u></u> | | <u></u> | |
| ADDITIONAL N | IETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| When | used as ordinarily combined network elements in All States, t | he non- | recurri | | | | | - | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | Charge | | | | | | | | | | | | | | |
| Option | al Features & Functions: | | | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | , | | • | | | | | | | Attachment: | | 1 | |
|----------|--|--------|--|-----------------------------------|------------|------------------|------------------|----------------|--|----------------|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - | Incrementa Charge - Manual Sv Order vs. |
| | | m | | | | | | | | | po. ze | po. 2011 | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic |
| | | | | | | _ 1 | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l. | l . |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | U1TD1, | | | | | | | | | | | | |
| | | I | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | 01 | | | U1TD1, | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1,UNC1X ULDD1, U1TD1, | CCOSF | - | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Activity - per DS1 | 1 | | UNC1X, USL | NRCCC | | 185.26 | 23.86 | 1.99 | 0.78 | | | | | | |
| | 1 | | | U1TD3, ULDD3, | | | | | | 9.1.9 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.58 | 7.69 | 0.737 | 0.00 | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNC1X, UNC3X, UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | wholesale to UNE, Switch-As-is Conversion Charge | | | | UNCCC | | 10.0 | 10.0 | 7.00 | 7.00 | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | | | U1TVX, U1TDX, U1TD1, U1TD3, | | | | | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit (LSR) | 1 | | U1TS1, UDF, UE3 | URESL | | 40.27 | 13.52 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network | · | | U1TVX, U1TDX, | OTTEGE | | 10.27 | 10.02 | | | | | | | | |
| | Element - Switch As Is Non-recurring Charge, per circuit | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | (Spreadsheet) | 1 | | U1TS1, UDF, UE3 | URESP | | 64.07 | 25.63 | | | | | | | | |
| MUL | FIPLEXER Interfaces | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | 110404 | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UTTUB | UC1CA | 2.36 | 6.59 | 4.73 | | | | | | | - | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | 3.55 | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.56 | 6.59 | 4.73 | 00.00 | 04.00 | | | | | | |
| | DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | UNC3X UNCSX | MQ3 MQ3 | 144.02 144.02 | 178.54 178.54 | 94.18 94.18 | 33.33 33.33 | 31.90 31.90 | | | | | 1 | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | 33.33 | 31.90 | | | | | 1 | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | 1 | | | 0.04 | 0.00 | 4.10 | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | 1 | LII DD4 | LICADA | | 0.50 | 4.70 | | | | | | | | |
| Acco | month ss to DCS - Customer Reconfiguration (FlexServ) | | <u> </u> | ULDD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | - | | | | | |
| Acce | Customer Reconfiguration Establishment | | | | | | 1.48 | | 1.85 | | | | | | | |
| | DS1 DSC Termination with DS0 Switching | | 1 | 1 | | 27.96 | 25.60 | 19.70 | 16.67 | 13.41 | | | | | | |
| | DS1 DSC Termination with DS1 Switching | | | | | 12.67 | 18.51 | 12.61 | 12.24 | 8.98 | | | | | | |
| | DS3 DSC Termination with DS1 Switching | | | | | 176.51 | 25.60 | 19.70 | 16.67 | 13.41 | | | | | | |
| Servi | ce Rearrangements | | | LIATOV LIATOV | | | | | | | | | | | | |
| | | | | U1TVX, U1TDX, UEA, UDL, U1TUC, | | 1 | | | [| | | | | | | |
| | | | | U1TUD, U1TUB, | | 1 | | | [| | | | | | | |
| | NRC - Change in Facility Assignment per circuit Service | | 1 | ULDVX, ULDDX, | | 1 | | | | | | | | | | |
| | Rearrangement | - 1 | | UNCVX, UNCDX | URETD | | 269.90 | 47.10 | | | | | | | | |
| | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | | | | UEA, UDL, U1TUC, | | | | | | | | | | | | |
| | NRC - Change in Facility Assignment per circuit Project | | 1 | U1TUD, U1TUB, ULDVX, ULDDX, | | 1 | | | [| | | | | | | |
| | Management (added to CFA per circuit if project managed) | | | UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | | | 1 | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|--------|------|---------------|-------|------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I | ı |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | UNCSX, U1TD1, | | | | | | | | | | | | |
| | | | | U1TD3, U1TS1, | | | | | | | | | | | | |
| | | | | UE3, UDLSX, | | | | | | | | | | | | |
| | | | | U1TVX, U1TDX, | | | | | | | | | | | | |
| | Commingling Authorization | | | U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Misc | ellaneous | | | | | | | | | | | | | | | |
| | NRC - Order Coordination Specific Time - Dedicated Transport | | | UNC1X | OCOSR | | 18.90 | 18.90 | | • | | | | | | |

| UNBU | JNDLEI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|----------|--|----------|----------|--------------------------------|---------------|--|------------------|----------------|----------------|-----------------|---------------|----------------|------------------|------------------|----------------|---------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | SORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrecurring | | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| | 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | 1 | | 7144 | 1 01 | 7.44 | 0020 | | | 00 | 00/ | |
| | The "Zo | one" shown in the sections for stand-alone loops or loops as | part of | a comb | ination refers to Ge | ographically | Deaveraged U | NE Zones. To | view Geograp | hically Deaver | aged UNE Zon | e Designation | ons by Centi | ral Office, refe | er to internet \ | Website: | |
| | http://w | ww.interconnection.bellsouth.com/become_a_clec/html/inter | rconnec | tion.hti | m | • • • | | | ٠. | • | • | · | • | | | | |
| OPER/ | | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers th | | | | | | | | | | | | | | | |
| | elect ei | ther the state specific Commission ordered rates for the servi | ice orde | ring ch | arges, or CLEC may | elect the re | gional service of | ordering charg | e, however, Cl | EC can not ol | otain a mixture | of the two | regardless i | f CLEC has a | interconnecti | on contract e | stablished in |
| | | the 9 states. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | nnot be ordered electronically at present per the LOH, the list | | | in this category ref | lects the ch | arge that would | l be billed to a | CLEC once ele | ectronic order | ng capabilities | s come on-li | ine for that e | element. Othe | erwise, the ma | ınual orderinç | g charge, |
| | | I, will be applied to a CLECs bill when it submits an LSR to B | | | P | | | | | | | | | | | | |
| <u> </u> | NOTE: | (3) OSS - Manual Service Order Charge, Per Element - UNE Or | nıy **Pl | ease se | e applicable rate ele | ment for SC | MAN charge** | | | T | 1 | 1 | 1 | T | 1 | | |
| | 1 | OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only | 1 | | | SOMEC | [| 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| LINE | EDVICE | DATE ADVANCEMENT CHARGE | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OINE 3 | | The Expedite charge will be maintained commensurate with | ReliSou | ith's FC | C No 1 Tariff Section | n 5 as annli | cable | | | | | | | | | | |
| | INO I E. | The Expedite charge will be maintained commencatate with | Denoce | 1 | UAL, UEANL, UCL, | ii o as appii | Labic. | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | 1 | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | 1 | | | | | | |
| | 1 | | 1 | | UNCVX, UNLD1, | | [| | | | 1 | | | | | | |
| | 1 | | 1 | | UNLD3, UXTD1, | | [| | | | 1 | | | | | | |
| 1 | 1 | | 1 | | UXTD3, UXTS1, | | [| | | | 1 | | | | | | l |
| | 1 | | 1 | | U1TUC, U1TUD, | |] | | | | 1 | | | | | | |
| | 1 | | 1 | | U1TUB, | |] | | | | 1 | | | | | | |
| | 1 | UNE Expedite Charge per Circuit or Line Assignable USOC, per | 1 | | U1TUA,NTCVG, | 00400 | | 000.55 | 200 22 | | I | | | | | | |
| OPDE | MODIE | Day ICATION CHARGE | <u> </u> | 1 | NTCUD, NTCD1 | SDASP | | 200.00 | 200.00 | | - | 1 | 1 | | | | |
| ONDE | I | Order Modification Charge (OMC) | 1 | 1 | | | | 26.21 | 0.00 | 0.00 | 0.00 | 1 | 1 | | | | |
| | 1 | Order Modification Additional Dispatch Charge (OMCAD) | † | 1 1 | | | | 150.00 | 0.00 | 0.00 | 0.00 | 1 | | | | | |
| UNBU | NDLED E | XCHANGE ACCESS LOOP | | | | | 1 | .55.50 | 3.50 | 3.30 | 3.50 | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | ! | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | ļ | 1 | UEANL | UEASL | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | ļ | 20.35 | 10.54 | 13.32 | 13.32 |
| <u> </u> | ! | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | ļ | 2 | UEANL | UEASL | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | ļ | 20.35 | 10.54 | 13.32 | 13.32 |
| <u> </u> | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | ļ | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | 1 | | UEANL | URETL |] | 8.95 | 0.88 | | 1 | | | | | | |
| | 1 | L IGIIII9G | | 1 | ULAINL | UKEIL | 1 | 8.95 | 0.88 | l | 1 | <u> </u> | 1 | l | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 122 of 136

| UNBUND | LED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--------------|--|--------------|----------|-------------|----------|-------|----------------|---------------|--|---------------------------------------|--|---|-------------------------|--|---|--|
| CATEGOR | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .01 | 2.007.00. |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | Land Tooling Book Additional | | | LIFANI | UDETA | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 57.67 37.44 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 37.44 | 37.44 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.80 | 8.95 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | OLANL | UKLWO | | 13.00 | 0.93 | | | | | 20.33 | 10.34 | 13.32 | 13.32 |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 25.33 | 25.33 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 36.52 | 36.52 | | | | | | | | + |
| 2-W | /IRE Unbundled COPPER LOOP | | | 02/11/2 | 02, 11.0 | | 00.02 | 00.02 | | | | | | | | + |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | UEQ | UEQ2X | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | Ī | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.95 | 0.88 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | | | | | | | | | |] |] | <u> </u> | |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 36.52 | 36.52 | | | | | | | | ↓ |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 25.33 | 25.33 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 57.67 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 37.44 | 37.44 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.29 | 7.44 | | | | | 20.25 | 10.54 | 13.32 | 13.32 |
| LIMBUMDUE | I(UCL-ND) ED EXCHANGE ACCESS LOOP | | <u> </u> | UEQ | UREWO | | 14.29 | 7.44 | | | | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | /IRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | + |
| 2-41 | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | + |
| | Ground Start Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAL2 | 14.74 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | <u> </u> | 027, 111010 | OLALL | 14.74 | 70.00 | 40.20 | 20.70 | 17.04 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | Ground Start Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAL2 | 22.08 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | 1 |
| | Ground Start Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAL2 | 36.87 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA, NTCVG | UEAR2 | 14.74 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA, NTCVG | UEAR2 | 22.08 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA, NTCVG | UEAR2 | 36.87 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | | | | | | | | | | | | | |
| | DS0) | | | UEA, NTCVG | URESL | | 23.42 | 3.30 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) | | | UEA, NTCVG | URESP | | 24.82 | 4.70 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UEA, NTCVG | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Tagging - Service Level 2 (SL2) | | - | UEA, NTCVG | URETL | | 75.06 11.23 | 36.41 1.10 | | | | - | 20.35 | 10.54 | 13.32 | 13.32 |
| 4.14 | /IRE ANALOG VOICE GRADE LOOP | | | OLA, NICVG | UKEIL | | 11.23 | 1.10 | | | 1 | | | | - | + |
| 4-4/ | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA, NTCVG | UEAL4 | 21.98 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA, NTCVG | UEAL4 | 32.93 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | | UEA, NTCVG | UEAL4 | 54.99 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | Ť | | | 555 | | 00.01 | . 5.50 | 55.10 | | | 20.00 | | .0.02 | |
| | DS0) | | | UEA, NTCVG | URESL | | 23.42 | 3.30 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | | | | | | | | | | | | | 1 |
| | DS0) | | | UEA, NTCVG | URESP | | 24.82 | 4.70 | | | | | | | | <u> </u> |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA, NTCVG | UREWO | | 75.06 | 36.41 | | · · · · · · · · · · · · · · · · · · · | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-W | /IRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.77 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 29.63 | 142.76 | 88.88 | 76.35 | 39.16 | ļ | | 20.35 | 10.54 | 13.32 | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 49.47 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | |
| | CLEC to CLEC Conversion Charge without outside dispatch //RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | L ATID: - | 1.00- | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | ALIKIF | : LUUP | • | 1 | | | | 1 | | 1 | 1 | 1 | | 1 | 1 |
| 2-W | 2 Wire Unbundled ADSL Loop including manual service inquiry | AIIDEL | | | | | ì | | | | | | | | | |

| UNBUNDLEI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | 1 | |
|-----------|---|-------------|------|--------------------------|----------------|----------------|------------------|------------------|----------------|----------------|--|-----------|-------------------------|--|----------------|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - | | Charge - | Charge |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.43 | 156.95 | 64.54 | 89.64 | 16.93 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 30.77 | 156.95 | 64.54 | 89.64 | 16.93 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 3 | UAL | UALZA | 30.77 | 156.95 | 64.54 | 09.04 | 16.93 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.30 | 89.40 | 35.91 | 72.02 | 11.48 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | · | 0712 | 071211 | 12.00 | 00.10 | 00.01 | 72.02 | | | | 20.00 | 10.01 | 10.02 | 10.0 |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 18.43 | 89.40 | 35.91 | 72.02 | 11.48 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | T |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 30.77 | 89.40 | 35.91 | 72.02 | 11.48 | | | 20.35 | 10.54 | 13.32 | |
| 0.14//DE | CLEC to CLEC Conversion Charge without outside dispatch | TIDI E I | | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LOOP | | + | | | | | | | 1 | | | | + |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.64 | 158.94 | 65.20 | 89.64 | 16.93 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | OTILEX | 3.04 | 100.54 | 00.20 | 00.04 | 10.00 | | | 20.00 | 10.04 | 10.02 | 10.0 |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 14.44 | 158.94 | 65.20 | 89.64 | 16.93 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 24.12 | 158.94 | 65.20 | 89.64 | 16.93 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.64 | 89.40 | 35.91 | 72.02 | 11.48 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | 44.44 | 00.40 | 05.04 | 70.00 | 44.40 | | | 00.05 | 40.54 | 40.00 | 40.0 |
| | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL2W | 14.44 | 89.40 | 35.91 | 72.02 | 11.48 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 24.12 | 89.40 | 35.91 | 72.02 | 11.48 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UHL | UREWO | 24.12 | 31.99 | 20.02 | 12.02 | 11.40 | | | 20.35 | 10.54 | 13.32 | |
| 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | 01.12 | 0.1.2.170 | | 01.00 | 20.02 | | | | | 20.00 | 10.01 | 10.02 | 10.0 |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 12.40 | 169.62 | 75.89 | 39.73 | 19.53 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.58 | 169.62 | 75.89 | 39.73 | 19.53 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 31.03 | 169.62 | 75.89 | 39.73 | 19.53 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 31.03 | 169.62 | 75.89 | 39.73 | 19.53 | | | 20.35 | 10.54 | 13.32 | 13. |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 12.40 | 100.09 | 46.60 | 75.75 | 13.97 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | † · | 0.12 | 0112111 | 12.10 | 100.00 | 10.00 | 70.70 | 10.07 | | | 20.00 | 10.01 | 10.02 | 10.0 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 18.58 | 100.09 | 46.60 | 75.75 | 13.97 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 31.03 | 100.09 | 46.60 | 75.75 | 13.97 | ļ | | 20.35 | 10.54 | 13.32 | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 31.99 | 20.02 | | | | 1 | 20.35 | 10.54 | 13.32 | 13. |
| 4-WIRE | DS1 DIGITAL LOOP | | 1 | USL. NTCD1 | USLXX | 51.38 | 313.08 | 219.72 | 96.86 | 40.45 | <u> </u> | ļ | 18.98 | 8.43 | 11.95 | 11.9 |
| | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 1 2 | USL, NTCD1 USL, NTCD1 | USLXX | 51.38 76.98 | 313.08 313.08 | 219.72 | 96.86 | 40.45 40.45 | _ | - | 18.98 | 8.43 8.43 | 11.95 11.95 | |
| | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | | | USL, NTCD1 | USLXX | 128.54 | 313.08 | 219.72 | 96.86 | 40.45 | <u> </u> | 1 | 18.98 | 8.43 | 11.95 | |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | Ü | OOL, IVIOD I | OOLAN | 120.04 | 010.00 | 210.72 | 30.00 | 40.40 | | | 10.00 | 0.40 | 11.55 | 11 |
| | DS1) | | | USL, NTCD1 | URESL | | 23.42 | 3.30 | | | | | | | | |
| | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | · | | | | | | | | | | | | 1 |
| | DS1) | | | USL, NTCD1 | URESP | | 24.82 | 4.70 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 | 13. |
| 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | LIDI NITOLID | LIDI 40 | 07.00 | 007.01 | 444.00 | 00 =0 | 44.0 | <u> </u> | | 00.00 | 10 = - | 46.00 | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD UDL, NTCUD | UDL19 UDL19 | 27.68 41.47 | 207.01 207.01 | 141.38 141.38 | 90.70 90.70 | 44.18 44.18 | | 1 | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL, NTCUD | UDL19 UDL19 | 69.24 | 207.01 | 141.38 | 90.70 | 44.18 44.18 | | 1 | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL, NTCUD | UDL56 | 27.68 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL, NTCUD | UDL56 | 41.47 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL, NTCUD | UDL56 | 69.24 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | | 13 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL, NTCUD | UDL64 | 27.68 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL, NTCUD | UDL64 | 41.47 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL, NTCUD | UDL64 | 69.24 | 207.01 | 141.38 | 90.70 | 44.18 | 1 | | 20.35 | 10.54 | 13.32 | 1 |

| UNBUNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|--------------|--|-------------|------|------------------------------------|---------|-------|--------------|-----------|--|-------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per | | | UDL. NTCUD | URESL | | 23.42 | 3.30 | | | | | 20.25 | 10.51 | 13.32 | 13.32 |
| | DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per | | | UDL, NTCUD | UKESL | | 23.42 | 3.30 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | DS0) | | | UDL, NTCUD | URESP | | 24.82 | 4.70 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL, NTCUD | UREWO | | 102.28 | 49.82 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | l | | | | | 40.00 | 40.00 |
| - | service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual | | 1 | UCL | UCLPB | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | 002 | 002. 5 | 17.00 | 01.00 | 20.02 | 10.00 | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | UCL | UCLPW | | 24.22 | 00.00 | 10.0= | | | | 00.05 | 10.51 | 10.00 | 10.00 |
| - | service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual | | 1 | UCL | UCLPW | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | 002 | 002. 11 | 17.00 | 01.00 | 20.02 | 10.00 | | | | 20.00 | | 10.02 | 10.02 |
| | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | 40.00 | 40.00 |
| 4-WIDE | (UCL-Des) COPPER LOOP | | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIKE | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 21.98 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 32.93 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 54.99 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | 3 | OOL | 00140 | 34.33 | 122.70 | 00.01 | 70.55 | 39.10 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 21.98 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 32.93 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 54.99 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | Ü | 002 | COLTIV | 04.00 | 122.70 | 00.07 | 70.00 | 00.10 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | (UCL-Des) | | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | | | | UEA, UDN, UAL, UHL, UDL, NTCVG, | | | | | | | | | | | | |
| | | | | NTCUD, USL, | | | | | 1 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | NTCD1, UEANL | OCOSL | | 34.29 | | <u> </u> | | | | <u> </u> | <u> </u> | <u> </u> | |
| LOOP MODIFIC | ATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | 1 | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | |
| Service | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 65.40 | 65.40 | 1 | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | 33.10 | 22.10 | | | | | | | | |
| Service | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 65.40 | 65.40 | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | 1 | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | 1 | | | | | | | |
| Service | per unbundled loop | | | UEPSB | ULMBT | | 65.44 | 65.44 | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Lo | op Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | UEANL, UEF | USBSA | | 517.25 | 517.25 | 1 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | υρ | | | OLAINL, UEF | USDSA | | 517.25 | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL, UEF | USBSB | | 42.68 | 42.68 | 1 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | | | UEANL | USBSC | | 313.01 | 313.01 | l | | | | 20.35 | 10.54 | 13.32 | 13.32 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Fxh. A | | |
|--|--|-------------|------|------------------------------|----------------|---------------|----------------|----------------|--------------|--------------|-------|---|---|---|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | Cub Lana Das Building Fruitament Barre Das 25 Bair Barrel | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | 02,412 | | | 100.00 | 100.00 | | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | Statewide | | | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 6.54 | 106.85 | 51.20 | 74.08 | 11.55 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | • | 02,412 | 002.11 | 0.01 | 100.00 | 01.20 | 7 1.00 | 11.00 | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.80 | 106.85 | 51.20 | 74.08 | 11.55 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | 400.05 | = | = | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 16.36 | 106.85 | 51.20 | 74.08 | 11.55 | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | , , , , , , , , , , , , , , , , , , , | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | 0.00 | 34.29 | 34.29 | | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 2.26 | 116.14 | 37.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 57.67 | 0.00 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 37.44 | 37.44 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 4.67 | 81.40 | 25.75 | 70.82 | 9.55 | | | 20.35 | 10.54 | 13.32 | |
| - | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF UEF | UCS2X UCS2X | 6.99 11.67 | 81.40 81.40 | 25.75 25.75 | 70.82 | 9.55 9.55 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| 1 | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UC52X | 11.67 | 81.40 | 25.75 | 70.82 | 9.55 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.85 | 81.74 | 26.08 | 74.08 | 11.55 | | | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS4X | 8.76 | 81.74 | 26.08 | 74.08 | 11.55 | | | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 14.63 | 81.74 | 26.08 | 74.08 | 11.55 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Loop Tagging Service Level 1, Unbundled Copper Loop, Non- | | | OLI | OODIVIC | | 54.23 | 34.23 | | | | | | | | |
| | Designed and Distribution Subloops | | | UEF, UEANL | URETL | | 8.95 | 0.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 57.67 | 0.00 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 37.44 | 37.44 | | | | | | | | ↓ |
| Unbun | dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 335.36 | 7.82 | | | | | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | | | | | | | | | | | | | |
| | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 335.36 | 7.82 | | | | | | | | <u> </u> |
| | Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop | | | UEF | ULMBT | | F00 40 | 9.74 | | | | | | | | |
| Unhun | dled Network Terminating Wire (UNTW) | | | UEF | OLIVIB I | | 528.48 | 9.74 | | | | | | | | |
| - Cilbuii | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | 0.5814 | 0.5814 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Netwo | rk Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 63.46 | 31.06 | 0.6391 | 0.6391 | | | 20.35 | 10.54 | 13.32 | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 63.46 | 31.06 8.75 | 0.6522 | 0.6522 | | | 20.35 | 10.54 | 13.32 13.32 | |
| | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW UENTW | UNDC2 UNDC4 | | 8.75 8.75 | 8.75 8.75 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 | |
| UNE OTHER. F | PROVISIONING ONLY - NO RATE | | | OLIVIVV | ONDO4 | | 0.75 | 0.75 | | | | | 20.33 | 10.54 | 13.32 | 13.32 |
| 1 | | | | UAL, UCL, UDC, | | | | | | | | | | | | 1 |
| | | | | UDL, UDN, UEA, | | | | | | | | | | | | |
| | | | | UHL, UEANL, UEF, | | | | | | | | | | | | |
| | | | | UEQ, UENTW, NTCVG, NTCUD, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | NTCVG, NTCUD, NTCD1. USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | 1 | 1 | | | | † |

| UNBUNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|---------------|--|-------------|------|-------------|----------|--------|--------------|-----------|--------------|--------------|--|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| LUCUL CARACIT | UNTW Circuit Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | Y UNBUNDLED LOCAL LOOP minimum billing period of three months for DS3/STS-1 Local | Loon | | | + | | | | | | - | | | | | - |
| NOTE | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | Соор | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 374.24 | 595.37 | 304.50 | 234.83 | 170.16 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.19 | | | | | | <u> </u> | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 389.35 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| LOOP MAKE-U | | | | 05207 | 05201 | 000.00 | 000.01 | 001.00 | 2.0.02 | .00 | | | 00.01 | 00.01 | | 10.01 |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 0.76 | 0.76 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | 0.0 | 0 | | 00 | 0.70 | | | 1 | | 20.00 | 10.01 | .0.02 | 10.02 |
| | queried (Manual). | | | UMK | UMKLP | | 0.76 | 0.76 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.76 | 0.76 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| LINE SPLITTIN | | | | OWIN | UNIKIVIQ | | 0.70 | 0.70 | | | 1 | | 20.33 | 10.54 | 13.32 | 13.32 |
| | SER ORDERING-CENTRAL OFFICE BASED | | | | + | | | | | | + | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | DLED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 11.74 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.59 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 29.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| PHYSIC | AL COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | L | | | | | | | | | | | |
| l lane | Splitting | | | UEPSR UEPSB | PE1LS | 0.0475 | 11.62 | 9.90 | 10.38 | 8.66 | 1 | | 0.00 | 0.00 | 0.00 | 0.00 |
| VIRTU | AL COLLOCATION | | | | + | | | | | - | | | - | - | | |
| 1 1 | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| UNBUNDI ED I | DEDICATED TRANSPORT | | | OLFON DEFOD | VL ILO | 0.57 | 11.02 | 9.90 | 10.38 | 0.00 | + | - | 2.07 | 2.01 | 0.07 | 1.41 |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | - | | | + | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | 1 | | | | | | 1 | | | | | |
| | Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | U1TVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Facility Termination . | | | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | LIATA | 41.572 | 0.0471 | | | | | | | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | U1TVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | - | 20.35 | 21.09 | 9.80 | 10.54 |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0174 | | | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | · | | | | | | Attachment: | 2 Exh. A | | |
|-------------|---|-------------|-----------------|--------------------|----------------|-----------------|----------------|----------------|----------------|-----------------|------------|---|--|--|--|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | _ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | 4= 00 | 4= 00 | | |
| | - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | 9.80 | 10.5 |
| | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OTIDA | TESAX | 0.0174 | | | | | | | | | | + |
| | Termination | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | 0.0. | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | 41 = 204 | | | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| - | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | וטווטו | UTIFT | 11.00 | 112.40 | 10.21 | 19.55 | 14.99 | | | 20.33 | 21.09 | 9.00 | 10.5 |
| | month | | | U1TD3 | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | 01100 | 120701 | 2.04 | | | | | | | | | | + |
| | Termination per month | | | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| UNBU | NDLED DARK FIBER | | | | | | | | | | | | | | | |
| | Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction | | | LIDE LIDECY | 1L5DF | 20.74 | 4 404 00 | 452.40 | | | | | | | | |
| 11 PBX LOCA | Thereof - Interoffice Transport | | | UDF, UDFCX | ILSUF | 28.74 | 1,121.00 | 153.19 | | | | | | | - | + |
| | BX LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | + |
| 011112 | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,706.00 | | | | | | | | | + |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 170.69 | | | | | | | | | † |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | 1 |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 501.06 | | | | | | | | | |
| | PBX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR | 191.92 | | | | | | | | | | |
| | Service Order Charge | | | 9PBDC | 9PBSC | | 23.20 | | | | | | | | | |
| | BX LOCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | |
| See At | | | | | | | | | | | | | | | | - |
| | XTENDED LINK (EELs) The monthly recurring and non-recurring charges below will a | onnbro | nd the | Cwitch Ac Ic Chara | o will not onn | ly for LINE con | hinationa nras | isianad as ' O | rdinarily Camb | sinad' Naturari | r Elemente | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | |
| | NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | | | | | JIL COMBINAL | ons provisione | u as Current | ly Combined 1 | tetwork Lienie | 1 | 1 | l | l | | т — |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 14.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | † |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.08 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.87 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | ↓ |
| 1 | Interoffice Transport - Dedicated - DS1 combination - Facility | l | | l . | 1 | | | | | | | | | | I _ | |
| | Termination per month | <u> </u> | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month | | | UNC1X | MQ1 1D1VG | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | ļ | | | | | + |
| | VOICE GIAUR COOI - FRI IVIOIIIII | | - | UNCVX | טועו | 0.91 | 5.70 | 4.42 | | | - | | 1 | - | | + |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | I | |
| | Zadir radiilorial Z 11110 10 Loop (OL Z) iii Odinbilialion - Zone 1 | | - '- | 55 VA | J L / 1 L L | 13.74 | 100.70 | 55.47 | 12.54 | 10.00 | | | 51.20 | 10.42 | 1 | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.08 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | I | |
| | , (= , | | | | 1 | | | | | | | | | | | 1 |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | <u> </u> | 3 | UNCVX | UEAL2 | 36.87 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | <u> </u> | <u> </u> |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 8.80 | 11.49 | 1.1 |
| EXTEN | IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | TED DS | 1 INTE | ROFFICE TRANSPO | RT | | | | | | <u> </u> | | | | | |
| | | l | 1 | l . | 1 | | | | | | | | l . | l | I | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | ı | 1 | UNCVX | UEAL4 | 21.98 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | 1 | 31.26 | 10.42 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|--|-------------|--------|-------------------------|----------------|---------------|--------------|---------------|--------------|-------|-------|---|---|--|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.93 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL4 | 54.99 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | | 2.74 | | | 20.35 | 9.80 | 11.49 | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 21.98 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.93 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 54.99 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| EXIEN | DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | AIED | DS1 IN | TEROFFICE TRANS | SPORT | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | 2 | UNCDX | UDL56 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | <u> </u> |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs) | | | LINODY | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 00.05 | 9.90 | 11.49 | 4.40 |
| FXTEN | DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | :ΔTFD | DS1 IN | UNCDX TEROFFICE TRAN | | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.90 | 11.49 | 1.18 |
| LATEN | DED 4-WIRE 04 RBI O EXTENDED DIGITAL EGGI WITH DEDIC | AILD | 001111 | ILICOTTIOL TIVAL | J. O.K.I | | 1 | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | interoffice Transport - Dedicated - DS1 combination - Facility | | | LINGAV | LIATE 4 | 77.00 | 171 01 | 440.40 | 70.00 | 20.00 | | | 00.6= | 04.00 | 0.00 | 10- |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 11.49 | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | | 2.74 | 1 | | 20.35 | 9.80 | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 1 | UNCDX | 1D1DD UDL64 | 0.91 27.66 | 5.70 | 4.42 35.47 | 72.94 | 10.86 | | | 20.35 | 9.80 | 11.49 | |
| | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 1 | UNCDX | UDL04 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | 1 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |

| ONRONDF | ED NETWORK ELEMENTS - Tennessee | | | | | ı | | | | | | _ | Attachment: | | | l |
|----------------|--|-------------|--------|------------------|--------|--------|--------------|-----------|--------------|------------|---|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | 1 | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | l | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | INTER | ROFFICE TRANSPOR | RT | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNCIX | ILJAA | 0.3302 | 1 | | 1 | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| FXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | | | 77.00 | 171.24 | 110.12 | 70.07 | 30.30 | | | 20.55 | 21.03 | 3.00 | 10.5 |
| LAIL | First DS1Loop in Combination - Zone 1 | LD D03 | | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| - | First DS1Loop in Combination - Zone 1 | 1 | 2 | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| - | First DS1Loop in Combination - Zone 3 | 1 | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | - |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | 1 | J | OINO IA | USLAA | 120.54 | 220.40 | 101.74 | 13.01 | 24.00 | 1 | | 10.90 | 0.43 | 11.95 | 1 |
| | Per Month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| 1 | Interoffice Transport - Dedicated - DS3 - Facility Termination per | l | | | 1 | | | | l | | | | | | l | l . |
| | month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.92 | 8.43 | 11.95 | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.92 | 8.43 | 11.95 | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.92 | 8.43 | 11.95 | |
| | Additional DS1 COCI in combination per month | | Ŭ | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 70.07 | 21.00 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| FXTE | NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | FINTE | | | 17.00 | 0.10 | 7.72 | | | | | 20.00 | 0.00 | 11.40 | 1.10 |
| LATE | 2-WireVG Loop in combination - Zone 1 | I | 1 1 | UNCVX | UEAL2 | 14.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | - |
| | 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.08 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | 1 |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.87 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | ONOVA | TESTA | 0.0174 | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 18.58 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| FXTE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | FINTE | | | 10.50 | 73.03 | 44.00 | 03.32 | 31.00 | | | 20.55 | 21.03 | 3.00 | 10.5 |
| EXIL | 4-WireVG Loop in combination - Zone 1 | I | 1 1 | UNCVX | UEAL4 | 21.98 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.93 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | - |
| | 4-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL4 | 54.99 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | 100.70 | 00.11 | 72.01 | 10.00 | | | 01120 | 10.12 | | |
| | Month Interoffice Transport - 4-wire VG - Dedicated - Facility | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| EVE | Termination per month | INTER C | FFIOR | UNCVX | U1TV4 | 24.09 | 79.83 | 44.08 | 69.32 | 31.00 | | | 15.08 | 15.08 | 8.66 | 8.6 |
| EXIE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | PFFICE | | 4L END | 0.40 | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 9.19 | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 374.24 | 240.23 | 180.87 | 106.78 | 45.24 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.34 | | | | - | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| EXTE | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROF | FICE TRANSPORT | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 9.19 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 389.35 | 240.23 | 180.87 | 106.78 | 45.24 | | | 36.84 | 36.84 | 19.01 | 19.0° |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | 1L5XX | | | | | | | | | 22.31 | | 13.0 |
| + | per month Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSX | | 2.34 | | | | | | | | | | |
| FYTE | Termination per month NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRANG | SPORT | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| LAIL | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 1 | UNCNX | U1L2X | 19.77 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | 31.26 | 10.42 | | |
| | | | | I C I Y C I Y A | | | | 33.47 | 14.34 | | | | | | | i |

| ONBONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | | | |
|----------|--|-------------|----------|----------------|--------------|----------------|------------------|-----------------|---------------|---------------|--------------|---|---|---|---------------|--------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svo Order vs. Electronic- Add'l | Charge - | Charge Manual S Order vs |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 49.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINGAY | | 77.00 | 474.04 | 440.40 | 70.07 | 00.00 | | | 00.05 | 04.00 | 0.00 | 40.5 |
| | Termination per month | | | UNC1X UNC1X | U1TF1 MQ1 | 77.86 80.77 | 171.24 105.76 | 113.12 14.48 | 70.07 3.04 | 30.90 2.74 | | | 20.35 20.35 | 21.09 9.80 | 9.80 11.49 | |
| | 1/0 Channel System in combination - per month 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.10 | 5.70 | 4.42 | | 2.74 | | | 20.35 | 9.80 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCINA | UCTCA | 3.10 | 5.70 | 4.42 | | | 1 | | 20.33 | 9.00 | 11.49 | 1.1 |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.77 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 49.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 31.26 | 10.42 | | |
| | Additional 2-wire ISDN COCI (BRITE) - in combination- per month | | | UNCNX | UC1CA | 3.10 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.1 |
| EXTEN | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI | ED STS | | | | | ļļ | | | | | | ļ | 1 | 1 | |
| | First DS1 Loop Combination - Zone 1 | | | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | | 24.88 | ļ | | 18.98 | 8.43 | 11.95 | |
| | First DS1 Loop Combination - Zone 2 | | | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | | 24.88 | | | 18.98 | | | |
| | First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | 19.01 | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | | 6.77 | | | 20.35 | 9.80 | | |
| | DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | 0.1.00 | | | 20.35 | 9.80 | | |
| | Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport | | 1 | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | | 24.88 | | | 18.98 | | 11.95 | |
| | Combination - Zone 2 Additional DS1Loop in the same STS-1 Interoffice Transport | | | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | | 24.88 | | | 18.98 | | 11.95 | |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | | 24.88 | | | 18.98 | 8.43 | 11.95 | . |
| EVEEN | DS1 COCI in combination per month | DO INT | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.1 |
| EXIEN | IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB | PS INT | | | UDL56 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | 20.35 | 10.54 | 13.32 | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX UNCDX | UDL56 | 41.47 | 108.76 | 35.47 | | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 69.24 | 108.76 | 35.47 | | 10.86 | 1 | | 20.35 | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month | | <u> </u> | UNCDX | 1L5XX | 0.0174 | 100.70 | 33.47 | 72.34 | 10.00 | | | 20.33 | 10.54 | 13.32 | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month | | | UNCDX | U1TD5 | 17.98 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| FXTFN | IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB | PS INT | EROFF | | 51155 | 17.30 | 13.03 | 44.00 | 03.32 | 31.00 | | 1 | 20.33 | 21.09 | 3.80 | 10.0 |
| 2,1,2,1 | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 69.24 | 108.76 | 35.47 | | 10.86 | | | 20.35 | 10.54 | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month | | | UNCDX | U1TD6 | 17.98 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| EXTEN | DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | RANSP | ORT w/ | | | 50 | . 5.55 | 50 | 55.52 | 300 | | | 20.00 | 1 255 | 5.50 | .5.0 |
| | First 2-wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 14.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 22.08 | 108.76 | 35.47 | | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCVX | UEAL2 | 36.87 | 108.76 | 35.47 | 72.94 | 10.86 | | _ | 20.35 | 21.09 | | |
| | Mile First Interoffice Transport - Dedicated - DS1 combination - | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Facility Termination per month Per each DS1 Channelization System Per Month | | | UNC1X UNC1X | U1TF1 MQ1 | 77.86 80.77 | 171.24 105.76 | 113.12 14.48 | 70.07 3.04 | 30.90 2.74 | | | 20.35 20.35 | 21.09 9.80 | 9.80 11.49 | |
| | Per each Voice Grade COCI - Per Month per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | 2.74 | | | 20.35 | 9.80 | 11.49 | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | | 6.77 | | | 20.35 | 9.80 | | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|---|-------------|--|------------------|--------------|----------------|--|---------------|--------------|-------|--|---|--|--|----------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | = | 40.00 | | | | | | ĺ |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | 111000 | | 00.00 | 100.70 | 05.47 | 70.04 | 40.00 | | | 00.05 | 04.00 | | ĺ |
| | Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 2 | UNCVX | UEAL2 | 22.08 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.87 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | ı |
| | Each Additional Voice Grade COCI in combination - per month | | 3 | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | 10.00 | 1 | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | ONOVA | 15170 | 0.01 | 0.70 | 7.72 | | | | | 20.00 | 5.00 | 11.40 | 1.10 |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | ĺ |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | 1 | 1.1302 | † † | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| EXTEN | DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT w/ 3/1 M | UX | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | ĺ |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 21.98 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | _ | | | | | | | | | | | | | i |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 32.93 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | _ | | | = | | | =0.04 | | | | | | | ı |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 54.99 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | + |
| | First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | LINCAV | 1L5XX | 0.3562 | | | | | | | | | | ĺ |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | <u> </u> | UNC1X | ILDAX | 0.3362 | | | | | | | | | | ⊢ |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | | 2.74 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | 2.74 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | | 6.77 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | - | | | 20.35 | 9.80 | | 1.18 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 21.98 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | 1 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | ĺ |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.93 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | L |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | ĺ |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 54.99 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | 41 =>04 | | | | | | | | | | | i |
| | Channel System per month | 1 | | UNC1X | 1L5XX | 0.3562 | | | 1 | | | | | | 1 | |
| | Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Additional Voice Grade COCI - in combination - per month | 1 | - | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | 30.90 | 1 | 1 | 20.35 | 9.80 | 11.49 | 1.18 |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | ONOVA | 15170 | 0.01 | 0.70 | 7.72 | | | | | 20.00 | 5.00 | 11.40 | 1.10 |
| | Zone 1 | | 1 | UNCDX | UDL56 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | i . |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | 1 | | | | | | | |
| | Zone 2 | | 2 | UNCDX | UDL56 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | ĺ |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCDX | UDL56 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | 1 |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | L |
| | First Interoffice Transport - Dedicated - DS1 - combination | 1 | | l <u>-</u> | I T | | I ⊤ | | | | | | | l | I | 1 |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | | 30.90 | ļ | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Per each 1/0 Channel System in combination Per Month | | <u> </u> | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | | 2.74 | <u> </u> | | 20.35 | 9.80 | | 1.18 |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) 3/1 Channel System in combination per month | | - | UNCDX UNC3X | 1D1DD MQ3 | 0.91 222.98 | 5.70 156.02 | 4.42 49.41 | | 6.77 | | | 20.35 20.35 | 9.80 9.80 | 11.49 11.49 | 1.18 1.18 |
| | Per each DS1 COCI in combination per month | - | | UNC1X | UC1D1 | 17.58 | 156.02 5.70 | 49.41 | | 0.77 | 1 | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | - | | 014017 | וטוטט | 17.38 | 5.70 | 4.42 | 1 | | | | 20.35 | 9.00 | 11.49 | 1.18 |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | i |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | 1 | | 5.10DX | 35230 | 21.00 | 100.70 | 35.47 | 12.34 | 10.00 | | | 20.33 | 10.34 | 13.32 | |
| 1 | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | 1 |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | † † | | | | | | | | | | 1 | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | l | 20.35 | 10.54 | 13.32 | 1 |

| LINBLINDI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Evh A | | |
|--|---|----------|-------|----------------|--------------|----------------|------------------|-----------------|---------------|---------------|-----------|-----------|----------------|---------------|---------------|---------------|
| ONBONDE | LD NETWORK ELEMENTS - Telliessee | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | *** | | | per Loix | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | Disc Add I |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | | | | | | | | | | | | | | | |
| ļ | 64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in | | 1 | UNCIX | ILDAA | 0.3562 | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | UNCIX | 01111 | 77.00 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.33 | 21.09 | 9.00 | 10.54 |
| | combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| EXT | ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | 11.00 | 0.70 | | | | | | 20.00 | 0.00 | | 0 |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| Ì | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL64 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | - | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | LINIOAV | | 77.00 | 474.04 | 440.40 | 70.07 | 00.00 | | | 00.05 | 04.00 | 0.00 | 10.54 |
| | Facility Termination Per Month Per each Channel System 1/0 in combination Per Month | | | UNC1X UNC1X | U1TF1 MQ1 | 77.86 80.77 | 171.24 105.76 | 113.12 14.48 | 70.07 3.04 | 30.90 2.74 | | | 20.35 20.35 | 21.09 9.80 | 9.80 11.49 | 10.54 1.18 |
| - | Per each OCU-DP COCI (data) in combination - per month (2.4- | | | UNCIX | IVIQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 2 | 0 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | 1 | | | | | | | | | | | |
| ļ | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month | | | LINICAV | 1L5XX | 0.3562 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | 1 | UNC1X | ILDAA | 0.3562 | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Each Additional DS1 COCI in the same 3/1 channel system | 1 | | ONOTA | 01111 | 77.00 | 171.24 | 110.12 | 70.07 | 30.90 | | | 20.55 | 9.00 | 11.43 | 1.10 |
| | combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| EXT | ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | RT w/ 3/ | 1 MUX | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 1 | <u></u> | 1 | UNCNX | U1L2X | 19.77 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | - | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 29.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | 1 | | | 1 | | | | | | | | l | | | |
| \vdash | Transport - Zone 3 | <u> </u> | 3 | UNCNX | U1L2X | 49.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | 1 | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| \vdash | First Interoffice Transport - Dedicated - DS1 combination - | 1 | | OINO IA | ILOAA | 0.3362 | | | | | | | + | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Per each Channel System 1/0 in combination - per month | 1 | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | 1 | | - | 1 | | | 10 | 5.5. | | | | | 2.20 | | 0 |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | 1 | | UNCNX | UC1CA | 3.10 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| 1 1 - | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | 1 | | | | | | | | | | | _ | | | |
| \vdash | Combination - Zone 1 | ļ | 1 | UNCNX | U1L2X | 19.77 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | 1 | _ | LINCNIV | 1141.07 | 20.00 | 400.70 | 25.47 | 70.04 | 40.00 | | | 20.05 | 04.00 | | |
| <u> </u> | Combination - Zone 2 | l | 2 | UNCNX | U1L2X | 29.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |

| LINBUN | IDI FI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Evh Δ | 1 | |
|----------|--------|--|---------|----------|--------------------|---------------|--------------|--------------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|--|
| ONDON | IDELL | J NET WORK ELLINENTO - Termessee | l | | | 1 | l | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATEGO | DV. | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | , | | | | |
| CATEGO | /K I | RATE ELEMENTS | m | Zone | 603 | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | - | | Nonrecurring | | Nonrecurring | Disconnect | | I | OSS | Rates(\$) | | <u> </u> |
| | | | | | | - | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | - | | 11130 | Auu i | 11130 | Auui | JOHILO | JONAN | JONAN | JONIAN | JONIAN | JOHIAN |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 49.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | | OHOHA | OTLEX | 40.47 | 100.70 | 00.47 | 72.04 | 10.00 | | | 20.00 | 21.00 | | |
| | | system combination- per month | | | UNCNX | UC1CA | 3.10 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | 0.10.0.0 | 00.07 | 0.10 | 00 | | | | | | 20.00 | 0.00 | | |
| | | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | OHO IX | 120701 | 0.0002 | | | | | | | | | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | | combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| E | XTEN | DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | SPORT | | 00.5. | 17.00 | 0.70 | | | | | | 20.00 | 0.00 | | |
| | | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | | | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | 1 |
| | | First 4-wire DS1 Digital Local Loop in Combination - Zone 2 | l | 2 | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | | First 4-wire DS1 Digital Local Loop in Combination - Zone 3 | l | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | | First Interoffice Transport - Dedicated - DS1 combination - Per | 1 | t | - | 1 | | | | | 50 | | | 12.30 | 1 | 150 | |
| | | Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - | | | | | 0.000 | | | | | | | | | | |
| | | Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | 11.49 | |
| | | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | |
| | | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | OHO IX | 00.5. | 17.00 | 0.70 | | | | | | 20.00 | 0.00 | | |
| | | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | | combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | | 1 | | 1 | UNC1X | USLXX | 51.38 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | | 2 | | 2 | UNC1X | USLXX | 76.98 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| | | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | | 3 | | 3 | UNC1X | USLXX | 128.54 | 228.40 | 161.74 | 79.87 | 24.88 | | | 18.98 | 8.43 | 11.95 | |
| E | XTEN | DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTERO | FFICE | TRANSPORT | | | | | | | | | | | | |
| | | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | 1 |
| | | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | | | | | | | | | |
| | | per month | l | 1 | UNCDX | 1L5XX | 0.0174 |] | | | | | 1 | I | | I | |
| | | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | <u></u> | <u> </u> | UNCDX | U1TD5 | 17.98 | 79.83 | 44.08 | 69.32 | 31.00 | <u> </u> | <u></u> | 20.35 | 21.09 | 9.80 | 10.54 |
| E | XTEN | DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTERO | | | | | | | | | | | | | | |
| | | First 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.66 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.47 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 69.24 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 10.54 | 13.32 | |
| | | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | <u> </u> | | | | | | | | |
| | | per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | <u> </u> |
| | | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCDX | U1TD6 | 17.98 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | | ised as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | ised as ordinarily combined network elements in All States, the | | | ng charges apply a | nd the Switch | As Is Charge | does not. | | 1 | 1 | 1 | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" | Charge | <u> </u> | | 1 | | | | | | <u> </u> | | ļ | | ļ | |
| | Option | al Features & Functions: | ļ | | | ļ | | ļl | | | ļ | | | ļ | ļ | ļ | |
| | | | l | | U1TD1, | | | | | | | | | 1 | | 1 | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | l | <u> </u> | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | <u> </u> | | ļ | | ļ | |
| | | | l | | U1TD1, | | | | | | | | | 1 | | 1 | |
| \vdash | | Clear Channel Capability Super FrameOption - per DS1 | i | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | ļ | ļ | ļ | ↓ |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | l . | 1 | ULDD1, U1TD1, | lunas - | | | | | | | 1 | | | | |
| | | Activity - per DS1 | l I | | UNC1X, USL | NRCCC | | 185.16 | 23.86 | 2.03 | 0.79 | | | 45.68 | 1.76 | 21.75 | 1.76 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|----------|---|-------------|------|---|---------|-----------------|----------------|----------------|----------------|----------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | | |
| | | | | U1TD3, ULDD3, | | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.46S | 7.68S | .7637S | 0.00S | | | 45.68 | 1.76 | 21.75 | 1.76 |
| | C bit I ditty Option Cubboquent / tellwity per 200 | | | UNCVX, UNCDX, | 1411000 | | 210.400 | 7.000 | .70070 | 0.000 | | | 40.00 | 1.70 | 21.70 | 1.70 |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Wholesale to UNE, Switch-As-Is Conversion Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) | ı | | U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3 | URESL | | 40.35 | 13.54 | | | | | | | | |
| | Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet) | ı | | U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3 | URESP | | 64.20 | 25.68 | | | | | | | | |
| MULT | IPLEXER Interfaces | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UDL | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | UEA | IDIVG | 0.91 | 6.07 | 4.00 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| Acces | s to DCS - Customer Reconfiguration (FlexServ) | | | | | 17.50 | 0.07 | 4.50 | Ì | | | | 20.00 | 3.30 | 1113 | 1.10 |
| | Customer Reconfiguration Establishment | | | | | | 2.78 | | 3.32 | | | | 20.35 | 10.54 | | |
| | DS1 DSC Termination with DS0 Switching | | | | | 23.35 | 41.14 | 34.25 | 29.94 | 24.08 | | | 45.68 | 1.76 | | |
| | DS1 DSC Termination with DS1 Switching DS3 DSC Termination with DS1 Switching | | | | | 13.45 150.88 | 27.79 41.14 | 20.90 34.25 | 21.99 29.94 | 16.12 24.08 | | | 45.68 45.68 | 1.76 1.76 | | 1 |
| Servic | e Rearrangements | | | | | 130.66 | 41.14 | 34.23 | 29.94 | 24.06 | | | 45.00 | 1.76 | | |
| COLVIN | NRC - Change in Facility Assignment per circuit Service Rearrangement | ı | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETD | | 270.55 | 47.21 | | | | | 45.68 | 1.76 | | |
| | NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) | ı | | U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX | URETB | | 1.28 | 1.28 | | | | | 45.68 | 1.76 | | |
| | Commingling Authorization | | | UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB | CMGAU | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)
Page 135 of 136

| UNBU | NDLED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachment: | 2 Exh. A | | |
|-------|----------|--|--------|------|-------|-------|-----|--------------|-----------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | RATES(\$) | | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | ı | oss | Rates(\$) | | |
| | | | | | | | Rec | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | | |
| | Miscella | aneous | | | | | | | • | | | | | | | | |
| | | NRC - Order Coordination Specific Time - Dedicated Transport | ı | | UNC1X | OCOSR | | 18.93 | 18.93 | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Alabama | | | • | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|-------------|--|-------------|----------|----------------|------------------|---------------|--------------|---------------|--------------|--------------|----------|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | + | Rec | First | curring | | g Disconnect | COMEC | COMAN | | Rates (\$) | COMAN | COMAN |
| | | | | | + | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INBUNDI ED | EXCHANGE ACCESS LOOP | | | | + | | | | | | | | | | | + |
| | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | † |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.05 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.70 | | | | | | | | | | + |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 13.16 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | OTIL | OFILZA | 13.10 | | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.05 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.70 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| 4 14/15/ | and facility reservation - Zone 3 | TIDI E | 3 | UHL | UHL2W | 13.16 | | | | | | | | | | + |
| 4-WIRI | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LOOP | | _ | - | | | | | - | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.04 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | OTIL | OFFE | 10.04 | | | | | | | | | | + |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.89 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.54 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.04 | | | | | | | | | | + |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.89 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UNL | UHL4VV | 17.09 | | | | | | | | | | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.54 | | | | | | | | | | |
| 4-WIRI | E DS1 DIGITAL LOOP | | | _ | | _ | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 94.93 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 177.31 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 361.70 | | | | | | | | | | |
| IGH CAPACI | TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | - | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 9.64 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | 1 | 020 | ILOND | 5.04 | | | | | | | | | | + |
| | Termination per month | | | UE3 | UE3PX | 355.33 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | 1 |
| | month | | | UDLSX | 1L5ND | 9.64 | | | | | | | | | | 1 |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| INDUNDUED I | Termination per month DEDICATED TRANSPORT | | | UDLSX | UDLS1 | 367.80 | | | | | | | | | | |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | + | + | | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | 1 | | | | | | | | | | | | | 1 |
| | month | | | U1TD1 | 1L5XX | 0.21 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 69.18 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | LUTDO | 41.5307 | 4.70 | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | 1L5XX | 4.70 | | | 1 | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 809.05 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | <u> </u> | 000 | 01110 | 555.05 | | | | | | | | | | |
| | month | | 1 | U1TS1 | 1L5XX | 4.70 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | <u> </u> | U1TS1 | U1TFS | 806.58 | | | | | | | | | | |
| | XTENDED LINK (EELs) | L | <u> </u> | 0 | | | | | 1 | 1 | <u> </u> | | | | | |
| INOTE: | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | l | | ↓ |
| | The monthly recurring and the Switch-As-Is Charge and not t | ha na- | | na sharasa ba' | will apply for ! | INE combineti | no proviois- | ad an ! Curan | thy Combined | Notwork Elam | nto | | | | | |

| UNBUN | IDLF | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---------|--|-------------|--------|-----------------------------|---------------|-----------------|-----------|------------|--------------|--------|-------|---|--|--|---|--|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 94.93 | | | | | | | | | | <u> </u> |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 177.31 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 361.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINIOAV | 41.5307 | 0.04 | | | | | | | | | | |
| | | per month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | + |
| | | Termination per month | | | UNC1X | U1TF1 | 69.18 | | | | | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 14.60 | | | | | | | | | | + |
| E | XTEN | IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | NTERO | FFICE | | COIDI | 14.00 | | | | | | | | | | + |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 11.08 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | 1 |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 408.63 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 809.05 | | | | | | | | | | |
| E | XTEN | IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | ICE TRANSPORT | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 11.08 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 422.98 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| <u> </u> | | per month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | LINIOOV | | 000.50 | | | | | | | | | | |
| ADDITIO | NIAI N | Termination per month | | | UNCSX | U1TFS | 806.58 | | | | | | | | | | - |
| | | | | | | Suitab Aalaal | | | | | | | | | | | + |
| | | used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | + |
| | | curring Currently Combined Network Elements in All States, to | | | | | As is charge of | ioes not. | | | | | | | | | + |
| | | al Features & Functions: | Citarge | (One a | pplies to each con | ibiliation) | | | | | | | | | | | + |
| \vdash | ption | ai i eatures a i unctions. | | | U1TD1. | + | | | | | | | | | | | + |
| | | Clear Channel Capability Extended Frame Option - per DS1 | I | | ULDD1,UNC1X U1TD1, | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | <u> </u> |
| | | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | ı | | UNC1X, USL | NRCCC | | 184.85 | 23.81 | 1.99 | 0.7741 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | : | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.13 | 7.67 | 0.7355 | 0.00 | | | | | | |
| | /III TI | PLEXERS | | - | UE3, UNU3X | NRCC3 | | 219.13 | 7.67 | 0.7355 | 0.00 | | | | | | + |
| | IULII | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 116.22 | | | | | | | | | | + |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | ONOTA | IVIQ I | 110.22 | | | | | | | | | | + |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.29 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | 1 |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.29 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 2.77 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 2.77 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.61 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month lused for connection to a channelized DS1 Local Channel in the | | | | 1 | 0.01 | | | | | | | | | | |
| | | same SWC as collocation | | | U1TUC | 1D1VG | 0.61 | | | | | | | | | | |
| \vdash | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 191.05 | | | | | | | | 1 | 1 | \leftarrow |
| \vdash | | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 191.05 | | | | | | | | | | + |
| \vdash | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 14.60 | | | | | | | | | | + |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | 1-1- | | 50 | | | | | | | | İ | İ | |
| | | | | 1 | U1TUA | UC1D1 | 14.60 | | | | | | | | I | I | 1 |
| | | Channel in the same SWC as collocation) per month | | | UTTUA | UCIDI | 14.00 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|-------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | | | |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | • | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 14.60 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. B | I | |
|------------|---|-------------|--------|-------------------|----------------|-----------------|---------------|----------------|---------------|---------------|----------|---|--|-------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Name | RATES (\$) | Monroquein | q Disconnect | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | Filat | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | SOWAN |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | 1 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.30 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.80 | | | | 1 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 20.94 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UNL | UHLZA | 20.94 | | - | + | + | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.30 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | i i | 0.1.2 | 0 | 0.00 | | | | 1 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.80 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 20.94 | | | | | | | | | | |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | ١. | | | 40.40 | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 12.49 | | | | 1 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.76 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OFIL | UTIL4X | 17.70 | | | | + | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 31.50 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | Ť | 0.12 | 0.12.50 | 01.00 | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 12.49 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.76 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | _ | | I | | | | | | | | | | | |
| 4 14/15 | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 31.50 | | | | | | | | | | |
| 4-WIR | E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1 | | 4 | USL | USLXX | 81.35 | | | | + | | | | | | <u> </u> |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 115.62 | | | | 1 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 205.15 | | | 1 | - | | | | | | † |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | Ť | 002 | 002,01 | 200.10 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 12.56 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 444.91 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | LIDI CV | 41 END | 10.50 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 12.56 | | | - | - | | | | | | - |
| | Termination per month | | | UDLSX | UDLS1 | 490.59 | | | | | | | | | | |
| UNBUNDLED | DEDICATED TRANSPORT | | | ODLOX | ODLOT | 490.33 | | | 1 | + | | | | | | † |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.21 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 101.71 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | LIATEDO | 41.500/ | 4.45 | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | 1L5XX | 4.45 | | - | - | 1 | | | | | | |
| | Termination per month | | 1 | U1TD3 | U1TF3 | 1231.65 | | I | | 1 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | 1 | 01100 | 01113 | 1231.03 | | | + | + | | | | | | |
| | month | | 1 | U1TS1 | 1L5XX | 4.45 | | I | | 1 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | 1 | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 1214.40 | | | | <u> </u> | | | | | | <u> </u> |
| | XTENDED LINK (EELs) | | | | | | | | | 1 | | | | | | |
| | : The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | <u> </u> |
| NOTE | : The monthly recurring and the Switch-As-Is Charge and not t | ne non- | recurr | ing charges below | will apply for | UNE combination | ons provision | ed as ' Curren | tly Combined' | Network Eleme | nts. | | | | | |
| EXIE | NDED 4-WIRÉ DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ⊏บ บร1 | INIE | CUFFICE TRANSPO | KI | | | 1 | 1 | | <u> </u> | | | | | L |

| UNBUN | IDLF | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|---------------|---------|---|-------------|---------|---|---------------------------------------|--|-----------------|-----------------|--------------|-------|---|---------|-----------|-------------|---|--|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | N 1 | | | B' | | | | | DISC 1St | DISC Add I |
| - | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring | | 001150 | 0011411 | SOMAN | Rates (\$) | 001441 | 001441 |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 81.35 | FIRST | Addi | First | Add'l | SOWIEC | SOMAN | SUMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 115.62 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 205.15 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | _ | ONOTA | COLIV | 200.10 | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | 1 | , , , , , , , , , , , , , , , , , , , | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 101.71 | | | | | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 15.82 | | | | | | | | | | |
| E | XTEN | DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTER | OFFICE | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.44 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 511.65 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | <u> </u> | | UNC3X | 1L5XX | 4.45 | | | | | | | | | | ļ |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 1231.65 | | | | | | | | | | |
| E | XIEN | DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 IN I | EROF | | 41 ENID | 44.44 | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per | | 1 | UNCSX | 1L5ND | 14.44 | | | | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 564.18 | | | | | | | | | | |
| - | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | - | UNCOX | UDLST | 304.10 | | | | | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 4.45 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | UNCOX | ILJAA | 4.40 | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1214.40 | | | | | | | | | | |
| ADDITIO | NAI N | IETWORK ELEMENTS | | 1 | O NOON | 01110 | 1211110 | | | | | | | | | | |
| | | used as a part of a currently combined facility, the non-recurr | rng cha | raes de | not apply, but a S | Switch As Is c | harge does ann | lv. | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, t | | | | | | | | | | | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | |
| 0 | Option | al Features & Functions: | | ĺ | | | | | | | | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| L | | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 184.92 | 23.82 | 2.07 | 0.80 | | | | | | |
| | | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| _ | | C-bit Parity Option - Subsequent Activity - per DS3 | I | | UE3, UNC3X | NRCC3 | | 219.09 | 7.67 | 0.773 | 0.00 | | | | | | |
| I M | /IUL II | PLEXERS | | | LINIOAY | 1101 | 400.70 | | | | | | | | | | |
| | | DS1 to DS0 Channel System per month | | 1 | UNC1X | MQ1 | 168.79 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | 1 | 1 | | | | | | | | | | | | | |
| | | month (2.4.64kbs) used for a Local Local | | | | | | | | | | | | | 1 | ı | |
| \vdash | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.42 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UDL | 1D1DD | 2.42 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD 1D1DD | 2.42 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | U1TUD | 1D1DD | 2.42 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | | | | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | U1TUD | 1D1DD | 2.42 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | U1TUD | 1D1DD | 2.42 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | U1TUD UDN U1TUB | 1D1DD UC1CA UC1CA | 2.42 4.21 4.21 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | U1TUD UDN | 1D1DD UC1CA | 2.42 4.21 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | | | U1TUD UDN U1TUB | 1D1DD UC1CA UC1CA | 2.42 4.21 4.21 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | U1TUD U1TUB UEA | 1D1DD UC1CA UC1CA 1D1VG | 2.42 4.21 4.21 1.59 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | U1TUD UDN U1TUB UEA | 1D1DD UC1CA UC1CA 1D1VG | 2.42 4.21 4.21 1.59 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month | | | U1TUB UEA U1TUC UNC3X | 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 | 2.42 4.21 4.21 1.59 1.59 242.87 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX | 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 MQ3 | 2.42 4.21 4.21 1.59 1.59 242.87 242.87 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 Channel System per month DS1 Channel System per month | | | U1TUB UEA U1TUC UNC3X | 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 | 2.42 4.21 4.21 1.59 1.59 242.87 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX | 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 MQ3 | 2.42 4.21 4.21 1.59 1.59 242.87 242.87 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|-------|-------|------------|--------------|------------|-----------|-----------|-------------|-------------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | | | |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | • | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 15.82 | | | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|-------------|---|-------------|----------|--------------------|----------------|----------------|---------------|------------------|----------------------|--|-------------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | + | Rec | First | curring Add'l | Nonrecurrin First | g Disconnect Add'l | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | | _ | | FIRSt | Addi | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INBUNDI ED | EXCHANGE ACCESS LOOP | | 1 | | + | | | | | | | | | | | + |
| | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | + |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | - 1 | 1 | UHL | UHL2X | 9.06 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | l . | _ | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL2X | 10.45 | | | | | | | | | | |
| | & facility reservation - Zone 3 | ١., | 3 | UHL | UHL2X | 16.65 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | <u> </u> | 3 | OTIL | OTILEX | 10.03 | | | | | | | | | | + |
| | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL2W | 9.06 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL2W | 10.45 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| 4 14/15/ | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 16.65 | | | | | | | | | | |
| 4-WIRI | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LOOP | | _ | | | | | | - | | | | | |
| | and facility reservation - Zone 1 | l , | 1 | UHL | UHL4X | 11.95 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | · · | <u> </u> | OFFE | OFFE | 11.50 | | | | | | | | | | |
| | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL4X | 13.80 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | - 1 | 3 | UHL | UHL4X | 21.93 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 11.95 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | Ι. | 2 | UHL | UHL4W | 13.80 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | <u>'</u> | | UNL | UHL4VV | 13.60 | | | | | | | | | | + |
| | and facility reservation - Zone 3 | l , | 3 | UHL | UHL4W | 21.93 | | | | | | | | | | |
| 4-WIRI | E DS1 DIGITAL LOOP | | Ť | 01.12 | 0112111 | 21100 | | | | | | | | | | + |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 47.17 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 53.37 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 71.33 | | | | | | | | | | |
| IIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 12.62 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | UES | ILSIND | 12.02 | | | | 1 | | | | | | + |
| | Termination per month | | | UE3 | UE3PX | 291.39 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | - | | | | | İ | | | | | | 1 |
| | month | | | UDLSX | 1L5ND | 12.62 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 351.23 | | | | | | | | | | |
| | DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | | | | | | | |
| INTER | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | + | | | | | | - | | | | | + |
| | month | | | U1TD1 | 1L5XX | 0.13 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | 0 | 120701 | 0.10 | | | | | | | | | | † |
| | Termination | | | U1TD1 | U1TF1 | 39.32 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 2.91 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | LIATES | LIATEO | 202.00 | | 1 | | I | | | | | | |
| | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | <u> </u> | 1 | U1TD3 | U1TF3 | 393.32 | | - | + | | + | | | | | + |
| | Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth | | | U1TS1 | 1L5XX | 2.92 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | <u> </u> | | .20/01 | 2.32 | | | | 1 | | | | | | † |
| | Termination | | | U1TS1 | U1TFS | 412.47 | | 1 | | 1 | | | | | | |
| | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| NOTE: | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charg | e will not app | ly for UNE com | binations pro | visioned as ' | Ordinarily Com | bined' Networ | k Elements. | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |

| UNBUND | LED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--------------|--|-------------|---------|-----------------|-----------------|-----------------|-----------|------------|--------------|-------|--------|-----------|--|--|---|--|
| CATEGORY | | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | Rates (\$) | 001141 | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 47.17 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 53.37 | | | | | | | | | | |
| - | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 71.33 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | ONCIA | OOLAA | 71.55 | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.13 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | 0.1017 | 120701 | 0.10 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 39.32 | | | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.45 | | | | | | | | | | |
| EX1 | TENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | NTERO | FFICE | TRANSPORT | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.51 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 335.10 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.91 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 393.32 | | | | | | | | | | |
| EXT | TENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.51 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | 400.00 | | | | | | | | | | |
| | month | | | UNCSX | UDLS1 | 403.92 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | LINIOOV | 1L5XX | 0.04 | | | | | | | | | | |
| | per month Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSX | 1L5XX | 2.91 | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 412.47 | | | | | | | | | | |
| ADDITIONA | AL NETWORK ELEMENTS | | | UNCOA | 01113 | 412.47 | | | | | | | | | | |
| | en used as a part of a currently combined facility, the non-recurr | na cha | rass de | not apply but a | Switch As Is of | harge does ann | dv | | | | | | | | | + |
| | en used as a part of a currently combined facility, the horsecuri | | | | | | | | | | | | | | | + |
| | nrecurring Currently Combined Network Elements "Switch As Is" | | | | | As is Gridige c | ioco not. | | | | | | | | | 1 |
| | tional Features & Functions: | Ja. 90 | 1 | | | | | | | | | | | | | 1 |
| | | | | U1TD1. | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | 1 |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | - 1 | | UNC1X, USL | NRCCC | | 184.62 | 23.78 | 2.03 | 0.79 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.74 | 7.66 | 0.7591 | 0.00 | | | | | | |
| MU | LTIPLEXERS | | | | | | | | | | | | | | | |
| - | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 80.21 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | LIBI | 40400 | 4.45 | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.15 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.15 | | | | | | | | | | |
| \vdash | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UTTUD | טטוטו | 1.15 | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 1.91 | | | | | | | | | | |
| - | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | ODIV | OCTOA | 1.31 | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 1.91 | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.54 | | | | | 1 | | | 1 | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | 1 |
| | used for connection to a channelized DS1 Local Channel in the | | | 1 | | | | | | | 1 | | | 1 | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.54 | | | | | 1 | | | 1 | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 140.18 | | | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 140.18 | | | | | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.45 | | | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month | | | U1TUA U1TD1 | UC1D1 UC1D1 | 8.45 8.45 | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | " | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 8.45 | | | | | | | | | | |

| CATEGORY | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | 0 | | Attachmen | | | |
|--------------|---|-------------|----------|--------------------|-----------------|----------------|---------------|---------------|----------------|---------------|------------------------------|---|---|---|---|--|
| | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | <u></u> | RATES (\$) | | | Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | _ | Rec | First | curring | | g Disconnect | | COMAN | | Rates (\$) | COMAN | COMAN |
| | | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INBUNDI ED E | XCHANGE ACCESS LOOP | | | | + | | | | - | | 1 | | | | | † |
| | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.06 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | 40.00 | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.99 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.20 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | OTIL | UTILZA | 12.20 | | | + | | 1 | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.06 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.99 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.20 | | | | | | | | | | |
| | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | + | | - | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.04 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | OTIL | OTILAX | 10.04 | | | + | | - | | | | | + |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4X | 18.03 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.53 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.04 | | | 1 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | l | | 40.00 | | | | | | | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 18.03 | | | + | | - | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.53 | | | | | | | | | | |
| | DS1 DIGITAL LOOP | | | OTIL | OTILATIV | 10.00 | | | + | | 1 | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 99.44 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 131.22 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 342.42 | | | | | | | | | | |
| IGH CAPACIT | Y UNBUNDLED LOCAL LOOP | | | | | | | | 1 | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | 41.5115 | 10.64 | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | 1L5ND | 10.64 | | | + | | - | | | | | |
| | Termination per month | | | UE3 | UE3PX | 354.56 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | 020 | OLOI X | 004.00 | | | + | | 1 | | | | | |
| | month | | | UDLSX | 1L5ND | 10.64 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 368.59 | | | | | | | | | | |
| | EDICATED TRANSPORT | | | | | | | | 1 | | | | | | | |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.26 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | וטווטו | ILSAA | 0.26 | | | + | | 1 | | | | | |
| | Termination | | 1 | U1TD1 | U1TF1 | 110.45 | | | 1 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | 1 | | † | | | | | |
| | month | | | U1TD3 | 1L5XX | 5.72 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | ļ | U1TD3 | U1TF3 | 1351.42 | | | - | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | 1 | 114704 | 1L5XX | F 70 | | | 1 | | | | | | | |
| | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | ! | U1TS1 | ILDAX | 5.72 | | | 1 | 1 | 1 | | | | | |
| | Termination | | 1 | U1TS1 | U1TFS | 1321.94 | | | 1 | | | | | | | |
| | TENDED LINK (EELs) | | † | 0.101 | 5111.5 | 1021.34 | | | 1 | | | | | | | |
| | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Chard | ge will not app | ly for UNE com | binations pro | visioned as ' | Ordinarily Com | bined' Networ | k Elements. | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |

| UNBUN | NDLF | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|---|--------|--|-------------|---------|-----------------------------|---------------------|--------------------------|--------|------------|--------------|---|-------|---|-----------|-------------|---|--|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | + | I | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l | 1 |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 99,44 | | 7.44 | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 0020 | 00 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 131.22 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 342.42 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.22 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 90.87 | | | | | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.57 | | | | | | | | | | |
| E | EXTEN | IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTER | OFFICE | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 12.23 | | | | | | | | | | |
| | | DOOL and I am in combination Facility Transferring | | | LINICOV | LIEODY | 407 - 1 | | | | | | | | | | |
| $\vdash \!$ | | DS3 Local Loop in combination - Facility Termination per month | | - | UNC3X UNC3X | UE3PX | 407.74 | | | | | | | | 1 | 1 | |
| - | | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | 1 | UNUJA | 1L5XX | 4.70 | | | | | | | | - | - | |
| | | Termination per month | | | UNC3X | U1TF3 | 1111.92 | | | | | | | | | | |
| | EYTEN | ITEMINATION PER MONTH IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EBUE | | UIIF3 | 1111.92 | | | | | | | | 1 | 1 | |
| | LAILN | STS-1 Local Lolp in combination - per mile per month | 3-1 1141 | LKOFI | UNCSX | 1L5ND | 12.23 | | | | | | | | | | |
| - | | STS-1 Local Loop in combination - Facility Termination per | | | ONCOX | TESIND | 12.20 | | | | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 423.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | 0110071 | 05201 | 120.01 | | | | | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1087.66 | | | | | | | | | | |
| ADDITIO | DNAL N | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| ١ | When | used as a part of a currently combined facility, the non-recurr | ng cha | rges de | o not apply, but a s | Switch As Is c | harge does app | ly. | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | Charge | (One | applies to each con | nbination) | | | | | | | | | | | |
| | Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | - 1 | | UNC1X, USL | NRCCC | | 184.91 | 23.82 | 1.99 | 0.78 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 205.70 | 7.20 | 0.6924 | 0.00 | | | | | | |
| P | MULTI | PLEXERS | | | 1 11 10 4 14 | | 400.00 | | | | | | | | | | |
| | | DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | 1 | UNC1X | MQ1 | 130.33 | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.52 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | 1 | UDL | טטוטו | 1.52 | | | | | | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.52 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | 01100 | 10100 | 1.02 | | | | | | | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 3.27 | | | | | | | | | | |
| - | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | | in the same SWC as collocation | | | U1TUB | UC1CA | 3.27 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | 1D1VG | 0.72 | | | | | | | | | | |
| | | used for a Local Loop | | | UEA | IDIVG | | | | | | | | | | 1 | I |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | IDIVG | | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.72 | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month | | | U1TUC UNC3X | 1D1VG MQ3 | 0.72 181.93 | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | U1TUC UNC3X UNCSX | 1D1VG MQ3 MQ3 | 0.72 181.93 181.93 | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month | | | U1TUC UNC3X | 1D1VG MQ3 | 0.72 181.93 | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | U1TUC UNC3X UNCSX | 1D1VG MQ3 MQ3 | 0.72 181.93 181.93 | | | | | | | | | | |

| UNBUNDL | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|-------|-------|------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | urring | Nonrecurring | g Disconnect | | | OSS | Rates (\$) | l | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 13.57 | | | | | | | | | | |

| ATTEMPT OF THE PROPERTY OF THE | INBUNDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--|-------------|--|--|--|---------------------|------------------|-----------------|---------------|----------------|---------------|---------------|-------------------|-----------------------|--|--|--------------|---|
| MINISTED EXCHANGE ACCESS LOOP | | | | Zone | BCS | USOC | , | None | | Nonrecurrin | a Disconnect | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| INNIUNCILED EXCLANGE ACCESS LOOP INNIUNCILED EXCLANGE ACCESS LOOP INNIUNCILED EXCLANGE ACCESS LOOP INNIUNCILED EXCLANGE ACCESS LOOP including manual service incury I Exist presentation 7.cms I U. M. U | + | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| 2 View Unbounded HSSL Loop including manual service inquiry 1 | - | | | | | + | | FIISL | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | SOWAN |
| A SWEET HATE FORTY AS SUSCIENCE LINE (INSECTION LINE (LOOP) 1 Per 1.0 | NBUNDI ED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| S Verice Network NSS. Loop including manual service inquity S locity recension. Zone 2 S Verice Network 12 Cons 1 S locity recension. Zone 3 S locity recens | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | | | | | | |
| S. Basily reservation: Zone 1 1 UHL | | 2 Wire Unbundled HDSL Loop including manual service inquiry | 1 | 1 | | | | | | | | | | | | | |
| Stadily reservation - Zone 2 2 UHL | | | | 1 | UHL | UHL2X | 11.26 | | | | | | | | | | |
| 2 Wite Enburded FISS. Logs pullous manual service inquiry 3 Jul. | | | | | | | | | | | | | | | | | |
| Statility reservation - Zone 3 3 UPL UPLZX 14.65 | | | | 2 | UHL | UHL2X | 13.25 | | | | | | | | | | |
| 2 West Unbounded HOSL Loop without manual service inquiry 2 UHL, UHL, 2W 11,26 | | | | | | | | | | | | | | | | | |
| Second S | | | | 3 | UHL | UHL2X | 14.65 | | | | | | | | | | |
| 2 Vite Unbundled HDSL Loop without manual service inquiry 2 | | | | ١. | | | | | | | | | | | | | |
| Medically reservation - Zona 2 | | | | 1 | UHL | UHL2W | 11.26 | | | - | | | | | | | |
| 2 Wife Unburided HDSL Loop without manual service inquiry and facility representation. Zone 3 Unit. Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) ALL SUBSCRIBER LI | | | | 2 | ПЫ | LIHI 2/M | 13 25 | | | | | | | | | | |
| Advite Information Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Comparison Total State Total | | | | | OFIL | OTILZVV | 13.23 | | | | | | | | | | |
| AWRE HORH BIT RATE COGTAL SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP AWRE HORN END HORN HORN AND SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP AWRE HORN HORN HORN AND SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP AWRE HORN HORN HORN AND SUBSCRIPE AND SUBS | | | | 3 | UHI | UHI 2W | 14 65 | | | | | | | | | | |
| A Vive Lubrounded PIGSL Loop including manual service inquiry and facility reservation. 2 part 1 UHL | | | TIBLE I | LOOP | 0.12 | O. ILLIV | 1 1.00 | | | | | | | | | | |
| Advite Unburded HDSL Loop including manual service inquiry and facility reservation. Zone 2 UHL UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.15 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X 19.16 UHL4X UHL4W UHL4X | | | | | | | | | | | | | | | | | |
| and facility reservation - Zone 2 2 UHL | | | | 1 | UHL | UHL4X | 18.68 | | | | | | | | | | |
| ### Affine Chapter of Logical Logo including manual service inquiry and facility reservation. Zone 1 ### Affine Chapter of Logical Logo State of Logical Logical Logo State of Logical L | | | | | | | | | | | | | | | | | |
| Advice the other defined the SL Loop without manual service inquiry and facility reservation - Zone 1 | | | | 2 | UHL | UHL4X | 19.15 | | | | | | | | | | |
| 4-Wire Unbundled HOSL Loop without manual service inquiry and facility reservation. Zone 1 1 UHL UHL4W 18.68 | | | | | | | | | | | | | | | | | |
| and facility reservation - Zone 1 1 UHL UHLAW 18.6.8 | | | | 3 | UHL | UHL4X | 19.94 | | | | | | | | | | |
| A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 4-Wire Inbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 4-Wire SS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 8 4-Wire DS1 Digital Loop - Zone 8 4-Wire DS1 Digital Loop - Zone 8 4-Wire DS1 Digital Loop | | | | | l | | 40.00 | | | | | | | | | | |
| And facility reservation - Zone 2 | | | | 1 | UHL | UHL4VV | 18.68 | | | | | | | | | | |
| A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL | | | | _ | ш | LILLI AVA | 10.15 | | | | | | | | | | |
| Advike DSI Digital Loop | | | | | UNL | UHL4VV | 19.15 | | | | | | | | | | |
| 4-WiRE DSI Digital Loop - Zone 1 | | | | 3 | UHI | UHI 4W | 19 94 | | | | | | | | | | |
| 4-Wire DST Digital Loop - Zone 1 | | | | Ť | 0.12 | 0.12.11 | 10.01 | | | | | | | | | | |
| 4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 565.73 | | | | 1 | USL | USLXX | 98.56 | | | | | | | | | | |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month UE3 1L5ND 11.55 UE3 416.69 UE3 UE3PX 416.69 UB3X 416.69 UB3X UB3PX 416.69 UB3X UB3X UB3PX 416.69 UB3X UB3PX 416.69 UB3X UB3PX 416.69 UB3X UB3PX 416.69 UB3X UB3PX UB | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 224.20 | | | | | | | | | | |
| High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLSX UDLSX UDLS1 430.74 UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 U1TF3 U1TF3 978.02 INTEROFFICE CHANNEL - Dedicated Transport - STS-1 - Facility U1TS1 U1TFS 964.72 ENHANCED EXTENDED LINK (EELS) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | 3 | USL | USLXX | 565.73 | | | | | | | | | | |
| month | IGH CAPACIT | | | | | | | | | | | | | | | | |
| High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLSX UDLS1 UTTD1 UTTD1 UTTD3 UTTD3 UTTD3 UTTD3 UTTD3 UTTD3 UTTTTD3 UTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTD3 UTTTTTD3 UTTTTTD3 UTTTTTD3 UTTTTTD3 UTTTTTTTTTT | | | | | | | | | | | | | | | | | |
| Termination per month | | | | | UE3 | 1L5ND | 11.55 | | | | | | | | | | |
| High Capacity Unbundled Local Loop - STS-1 - Per Mile per month UDLSX 1L5ND 11.55 High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 430.74 UNBUNDLED DEIOCATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 1L5XX 0.30 Interoffice Channel - Dedicated Transport - DS1 - Facility Termination U1TD1 U1TD1 1L5XX 6.95 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Facility U1TD1 U1TD1 U1TF1 9954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | | LIEO | LIEODY | 440.00 | | | | | | | | | | |
| Migh Capacity Unbundled Local Loop - STS-1 - Facility UDLSX 1L5ND 11.55 | | | | <u> </u> | UE3 | UE3PX | 416.69 | | | - | | | | | | | |
| High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UNDLSD DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 1L5XX 6.95 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD1 U1TS1 U1TFS 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | | LIDI SY | 11 5ND | 11 55 | | | | | | | | | | |
| Termination per month | | | | | ODLOX | TEGINE | 11.00 | | | | | | | | | | |
| UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Tranport - DS3 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 IL5XX 6.95 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 IL5XX 6.95 U1TS1 U1TS1 U1TS1 U1TS1 U1TFS 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | | UDLSX | UDLS1 | 430.74 | | | | | | | | | | |
| Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility U1TD3 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 | | | | | | | | | | | | | | | | | |
| month U1TD1 1L5XX 0.30 | INTERC | FFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - DS1 - Facility Termination U1TD1 U1TF1 81.04 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 U | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| Termination U1TD1 U1TF1 81.04 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U | | | | | U1TD1 | 1L5XX | 0.30 | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile | | | | | 1 | | | | | | | | | | | | |
| month | | | ļ | <u> </u> | U1TD1 | U1TF1 | 81.04 | | | <u> </u> | | | | | | | |
| Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02 U1TF3 1L5XX 6.95 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TS1 U1TFS 954.72 U1TS1 U1TFS 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. | | | | | LIATES | 41.577 | 0.05 | | | | | | | | | | |
| Termination per month U1TD3 U1TF3 978.02 U1TF3 978.02 U1TS1 | | | <u> </u> | | UTID3 | ILDXX | 6.95 | | | + | - | | | | | - | |
| Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 6.95 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. | | | | | LI1TD3 | 111TE2 | 079.03 | | | | | | | | | | |
| month | | | | | סווט | 01113 | 910.02 | | | + | † | | | | | | |
| Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TFS 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | 1 | U1TS1 | 1L5XX | 6 95 | | | | | | | | | 1 | |
| Termination | | | | | | . 20, 51 | 5.50 | | | | | | | | | | |
| ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. | | | | 1 | U1TS1 | U1TFS | 954.72 | | | | | | | | | 1 | |
| | NHANCED EX | TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. | NOTE: 1 | The monthly recurring and the Switch-As-Is Charge and not t | he non- | recurr | ing charges below v | will apply for I | UNE combination | ons provision | ed as ' Curren | tly Combined' | Network Eleme | nts. | | | | | |
| EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | EXTEN | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | INTER | OFFICE TRANSPO | RT | | | | | | | | | | | <u> </u> |

| | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--------------------------------|--|-------------------|--|--|---|--|------------------------|---------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | | Charge - | Charge - |
| | | | | | | | | | | | | | | Charge - | | |
| ATE 0 0 DV | DATE EL EMENTO | Interi | - | 500 | | | | DATEO (6) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | Disc Add I |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 4 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 98.56 | | 7.44. | | 7144. | 0020 | | | | | 00 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 224.20 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 565.73 | | | | | | | | | | |
| | | | 3 | UNCIA | USLAA | 303.73 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | 41 =>04 | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.30 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 81.04 | | | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.55 | | | | | | | | | | |
| EXTEND | DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | TRANSPORT | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 13.28 | | | | | | | | | | |
| - - | per mappe manual | | | | | | | | | | | | | | | |
| - | DS3 Local Loop in combination - Facility Termination per month | l | | UNC3X | UE3PX | 479.19 | | | l | | I | | | 1 | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | - | | UNC3X | 1L5XX | 6.95 | | | | | | | | - | | |
| | | | | UNCSA | ILSAA | 0.93 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | l | | | | | | | | | | | | | | |
| | Termination per month | <u> </u> | | UNC3X | U1TF3 | 978.02 | | | | | | | | | | |
| | DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | | | | | | | | | | | | | |
| 5 | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 13.28 | | | | | | | | | | |
| 5 | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| l n | month | | | UNCSX | UDLS1 | 495.36 | | | | | | | | | | |
| i i | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 6.95 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCOX | ILJAA | 0.53 | | | | | | | | | | |
| | | | | LINIOOY | | 054.70 | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 954.72 | | | | | | | | | | |
| | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| \A/I | | | | | | | | | | | | | | | | |
| | sed as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| When us | sed as ordinarily combined network elements in All States, the | he non- | recurri | ng charges apply a | and the Switch | | | | | | | | | | | |
| When us | | he non- | recurri | ng charges apply a | and the Switch | | | | | | | | | | | |
| When us | sed as ordinarily combined network elements in All States, the | he non- | recurri | ng charges apply a | and the Switch | | | | | | | | | | | |
| When us Nonrecu | sed as ordinarily combined network elements in All States, the urring Currently Combined Network Elements "Switch As Is" | he non- | recurri | ng charges apply a | and the Switch | | | | | | | | | | | |
| When us Nonrecu | sed as ordinarily combined network elements in All States, the | he non- | recurri | ng charges apply a applies to each con | and the Switch | | | | | | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the string Currently Combined Network Elements "Switch As Is" I Features & Functions: | he non- | recurri | ng charges apply a applies to each con U1TD1, | and the Switch mbination) | | loes not. | | | | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the urring Currently Combined Network Elements "Switch As Is" | he non- | recurri | ng charges apply a applies to each con | and the Switch | | | 0.00 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the string Currently Combined Network Elements "Switch As Is" I Features & Functions: | he non- | recurri | ng charges apply a applies to each con U1TD1, | and the Switch mbination) | | loes not. | 0.00 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the string Currently Combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 | he non- | recurri | ng charges apply a applies to each cor U1TD1, ULDD1,UNC1X U1TD1, | and the Switch mbination) | | loes not. | | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the states, the states of t | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X | and the Switch mbination) | | 0.00 | 0.00 | | | | | | | | |
| Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent | he non- Charge | recurri | ng charges apply a applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X | ccosf | | 0.00 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Optional | sed as ordinarily combined network elements in All States, the states, the states of t | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL | and the Switch mbination) | | 0.00 | | | | | | | | | |
| Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, | ccoef ccosf NRCCC | | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL | ccosf | | 0.00 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, | ccoef ccosf NRCCC | | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LEXERS | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | ccoef ccosf NRCCC | As Is Charge C | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Crief Parity Option - Subsequent Activity - per DS3 LEXERS DS1 to DS0 Channel System per month | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, | ccoef ccosf NRCCC | | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNC1X | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 | As Is Charge of | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | ccoef ccosf NRCCC | As Is Charge C | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNC1X | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 | As Is Charge of | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 120.85 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNC1X | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 | As Is Charge of | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNT1X, ULDD1, UNT1X, UND1, UND1X, UND1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 120.85 1.59 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 120.85 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNT1X, ULDD1, UNT1X, UND1, UND1X, UND1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 120.85 1.59 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNT1X, ULDD1, UNT1X, UND1, UND1X, UND1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 120.85 1.59 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNT1X, ULDD1, UNT1X, UND1, UND1X, UND1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 120.85 1.59 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 120.85 1.59 3.40 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDO3, UNC1X UDL U1TUD UDL UDL U1TUD UDL UDL UDL UDL UDL UDL UDN UDN U1TUB UDN U1TUB UDN | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 120.85 1.59 3.40 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state of the state of the same SWC as collection of a channel System - per month for a Local Loop - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for a Local Loop 2-wire ISDN cOCI (BRITE) - DS1 to DS0 Channel System - per month used for a Local Loop 2-wire ISDN cOCI (BRITE) - DS1 to DS0 Channel System - per month and a Local Loop 2-wire ISDN cocie Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | he non- Charge | recurri | ng charges apply applies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 120.85 1.59 3.40 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the state o | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, ULDO3, UNC1X UDL U1TUD UDL UDL U1TUD UDL UDL UDL UDL UDL UDL UDN UDN U1TUB UDN U1TUB UDN | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 120.85 1.59 3.40 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Cbit Parity Option - Subsequent Activity - per DS3 LEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UC3, UNC3X UNC1X UDL U1TUD UDD1 | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 120.85 1.59 1.59 3.40 0.75 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the states of the states of the states of the same SWC as collocation Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Cobit Parity Option - Subsequent Activity - per DS3 LEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | he non- Charge | recurri | ng charges apply a pplies to each cor unit of the policy o | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG | 120.85 1.59 1.59 3.40 0.75 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the state of the combined Network Elements "Switch As Is" I Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Cbit Parity Option - Subsequent Activity - per DS3 LEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | he non- Charge | recurri | ng charges apply a pplies to each cor U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UC3, UNC3X UNC1X UDL U1TUD UDD1 | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 120.85 1.59 1.59 3.40 0.75 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |
| When us Nonrecu Optional | sed as ordinarily combined network elements in All States, the states of the states of the states of the same SWC as collocation Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Cobit Parity Option - Subsequent Activity - per DS3 LEXERS DS1 to DS0 Channel System per month CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop CCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | he non- Charge | recurri | ng charges apply a pplies to each cor unit of the policy o | and the Switch mbination) CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA 1D1VG | 120.85 1.59 1.59 3.40 0.75 | 0.00 0.00 184.65 | 0.00 23.79 | 0.00 | 0.00 | | | | | | |

| UNB | JNDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|------|-------|---|--------|------|-------|-------|-------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | _ | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | I | I |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 13.55 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.55 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | | month | | | ULDD1 | UC1D1 | 13.55 | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--|--|--|------|--------|----------|--------|--------|------------|-------------|---------------|--|---|---|-------------|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | | Charge - | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurrir | ng Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | <u> </u> |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | <u> </u> |
| 2-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | | | | | | <u> </u> |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.06 | | | | | | | | | | ļ |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | LILLIOV | 40.00 | | | | | | | | | | |
| | & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL2X | 10.60 | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.35 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 3 | UNL | UNLZA | 11.33 | | | | - | 1 | | | | | |
| | & facility reservation - Zone 4 | | 4 | UHL | UHL2X | 12.03 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 7 | OTIL | OTILEX | 12.00 | | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.06 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | · · | 0.12 | 0 | 10.00 | | | | | | | | | | † |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.60 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.35 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL2W | 12.03 | | | | | | | | | | |
| 4-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 15.85 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.93 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL4X | 16.63 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 15.85 | | | | | | | | | | ļ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | _ | UHL | 4547 | 45.44 | | | | | | | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 15.44 | | | + | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.93 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UNL | UHL4VV | 17.93 | | | - | | | | | | | - |
| | and facility reservation - Zone 4 | | 4 | UHL | UHL4W | 16.63 | | | | | | | | | | |
| 4-WIR | RE DS1 DIGITAL LOOP | | 4 | OFIL | OI IL4VV | 10.03 | | | | | | | | | | |
| 7-8810 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 118.62 | | | + | + | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | 1 | | USL | USLXX | 148.79 | | | 1 | 1 | | | | 1 | 1 | † |
| İ | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 237.75 | | | 1 | İ | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 4 | | | USL | USLXX | 527.23 | | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | <u></u> | | UE3 | 1L5ND | 12.88 | | | | <u> </u> | <u> </u> | | | <u> </u> | <u> </u> | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 375.07 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 12.88 | | | | | ļ | | | | | <u> </u> |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | | | | T | | | | | | | | | | |
| | Termination per month | ļ | | UDLSX | UDLS1 | 389.33 | | | ļ | 1 | ļ | | | | | <u> </u> |
| | DEDICATED TRANSPORT | ļ | | | | | | | | ļ | ļ | | | | | |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | ļ | | | | | | | | ļ | ļ | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | l | | LUTDA | 41.5307 | 0.00 | | | 1 | | | | | | | |
| | month | ! | | U1TD1 | 1L5XX | 0.23 | | | 1 | - | ļ | | | ļ | ļ | ↓ |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | 1 | | LIATEA | LIATE 4 | 05.00 | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | - | U1TD1 | U1TF1 | 65.93 | | | + | + | | | | - | - | |
| 1 | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | l | l | U1TD3 | 1L5XX | 5.47 | | | 1 | 1 | | | | 1 | 1 | |

| UNBUND | DLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|---------|---------|---|-------------|----------|---------------------|-----------|--|----------------|----------------|---------------|---------------|-------|---|-----------|-------------|---|--|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | I | |
| | | | | | | | Rec | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | U1TD3 | U1TF3 | 738.18 | | | | | | | | | | <u> </u> |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 5.47 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01131 | ILSAA | 5.47 | | | | | | | | | | |
| | | Termination | | | U1TS1 | U1TFS | 740.84 | | | | | | | | | | |
| ENHANCE | | TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | | | | | UNE combination | ons provisione | d as ' Current | y Combined' N | letwork Eleme | nts. | | | | | |
| EX | | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X UNC1X | USLXX | 90.94 148.79 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X UNC1X | USLXX | 237.75 | + | | | | | | | - | - | |
| | | 4-wire DS1 Digital Loop in Combination - Zone 4 | | 4 | UNC1X | USLXX | 527.23 | - | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | † | | | 5220 | t | | | | | | | | | |
| | | per month | L | L | UNC1X | 1L5XX | 0.21 | | | | | | | | <u> </u> | <u> </u> | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 59.48 | | | | | | | | | | |
| | | DS1 COCI in combination per month | | <u> </u> | UNC1X | UC1D1 | 3.01 | | | | | | | | | | |
| EX | | DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | 1L5ND | 44.04 | | | | | | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | <u> </u> | UNC3X | 1L5ND | 14.81 | | | | | | | | | | - |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 431.33 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 5.47 | | | | | | | | | | † |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 738.18 | | | | | | | | | | |
| EX | | DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.81 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | LINIOOV | 1101.04 | 447.70 | | | | | | | | | | |
| | | month Interoffice Transport - Dedicated - STS-1 combination - per mile | | | UNCSX | UDLS1 | 447.73 | - | | | | | | | | | . |
| | | per month | | | UNCSX | 1L5XX | 5.47 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | ONOOX | 120/01 | 0.47 | | | | | | | | | | † |
| | | Termination per month | | | UNCSX | U1TFS | 740.84 | | | | | | | | | | |
| | | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | | ised as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | ised as ordinarily combined network elements in All States, the | | | | | As Is Charge d | loes not. | | | | | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" al Features & Functions: | Cnarge | (One a | applies to each com | bination) | | | | | | | | | | | |
| Ор | , ciona | ar i catares a i alletions. | | 1 | U1TD1, | + | | t | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | 1 | 1 | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | I | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | ı | | UNC1X, USL | NRCCC | | 184.60 | 23.78 | 1.96 | 0.76 | | | | | | |
| | | C hit Davits Oation Cohannes t Anticity and DC2 | | | U1TD3, ULDD3, | NDCCO | | 040.70 | 7.00 | 0.7004 | 0.00 | | | | | | |
| MI | | C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS | - | | UE3, UNC3X | NRCC3 | | 218.72 | 7.66 | 0.7201 | 0.00 | | | | - | - | |
| IVIC | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 118.28 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | 1 | | t | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.40 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | - | | | | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | l <u>-</u> | 1 | | l | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | ļ | U1TUD | 1D1DD | 1.40 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | 1 | UDN | UC1CA | 3.01 | l | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | ODIN | UCTOA | 3.01 | ł | | | | | | | | | |
| . | | month used for connection to a channelized DS1 Local Channel | | 1 | 1 | | | l | | | | | | | | | |
| 1 | | in the same SWC as collocation | l | 1 | U1TUB | UC1CA | 3.01 | | | | | 1 | | | l | l | 1 |

| UNBUN | NDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--------|---|-------------|------|----------------|----------------|----------------|-------|------------|--------------|------------|-------|-----------------------|-------------------------|-------------------------------------|-------------------------------------|---|
| CATEGO | DRY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Voice Grade COCI - DS1 to DS0 Channel System - per used for a Local Loop | month | | UEA | 1D1VG | 0.66 | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Chann same SWC as collocation | | | U1TUC | 1D1VG | 0.66 | | | | | | | | | | |
| - | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 196.22 | | | | | 1 | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 196.22 | | | | | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 14.90 | | | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 L | _ocal | | 1147114 | 110404 | 44.00 | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month | | | U1TUA U1TD1 | UC1D1 UC1D1 | 14.90 14.90 | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel month | el per | | ULDD1 | UC1D1 | 14.90 | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--|---|-------------|--|-------------------|-----------------|-------------|---------------|------------------|----------------|---------------------------------------|------------|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | First | curring Add'l | First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Auu i | Filst | Auu i | SOMEC | JOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | ĺ |
| | & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL2X | 9.14 | | | | - | | | | | | |
| i l | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.52 | | | | | | | | | | ĺ |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | OTILEZX | 10.02 | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 10.96 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.14 | | | | | | | | | | ├ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.52 | | | | | | | | | | ĺ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OTILZVV | 10.52 | | | | | | | | | | — |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 10.96 | | | | | | | | | | ĺ |
| 4-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | l | | | | | | | | | | | | ĺ |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 12.66 | | | | - | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.03 | | | | | | | | | | ĺ |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | OFFE | 14.00 | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.51 | | | | | | | | | | ĺ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 12.66 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 14.03 | | | | | | | | | | ĺ |
| - | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4VV | 14.03 | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.51 | | | | | | | | | | ĺ |
| 4-WIR | RE DS1 DIGITAL LOOP | | _ | | 1 | | | | | İ | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 73.16 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 120.06 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 241.75 | | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 14.89 | | | | | | | | | | ĺ |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | OLO | ILOIND | 14.00 | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 264.38 | | | | | | | | | | ĺ |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 14.89 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 296.49 | | | | | | | | | | ĺ |
| UNBUNDI ED | DEDICATED TRANSPORT | | | UDLSX | UDLST | 296.49 | | | | 1 | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | — |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | İ | 1 | | | İ | 1 | 1 | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.2229 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | ĺ |
| | Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | U1TD1 | U1TF1 | 35.87 | | | | | | | | | | ! |
| | month | | | U1TD3 | 1L5XX | 5.11 | | | | | | | | | | ĺ |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | 0.100 | 120/// | 5.11 | | | † | - | 1 | | | | | |
| | Termination per month | | 1 | U1TD3 | U1TF3 | 379.40 | | | | 1 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 5.11 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | 1 | l | | | | | | 1 | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 390.08 | | | | - | | | | | | |
| | EXTENDED LINK (EELs) The monthly recurring and non-recurring charges below will | annly a | nd the | Switch As Is Char | uo will not and | ly for LINE | hinations === | visioned as ! (| Ordinarily Cam | hinad' Naturari | (Elements | | | | | |
| | :: The monthly recurring and non-recurring charges below will :: The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | 1 | 1 | |
| | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | | | | | | p. 54101011 | uo ounen | ., | l l l l l l l l l l l l l l l l l l l | 1 | | | | | — |
| | DEDICAL | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--------------|---|-------------|---------|---|---|--|-----------|------------|--------------|------------|-------|-----------|-----------|-------------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.16 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 120.06 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 241.75 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.2229 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 35.72 | | | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 9.69 | | | | | | | | | | |
| EXTE | NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTER | OFFICE | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.89 | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 264.38 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 5.11 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 379.40 | | | | | | | | | | |
| EXTE | NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.89 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 390.08 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 5.11 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 390.08 | | | | | | | | | | |
| ADDITIONAL I | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When | used as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a S | witch As Is cl | harge does app | oly. | | | | | | | | | |
| When | used as ordinarily combined network elements in All States, tl | ne non | recurri | ng charges apply a | nd the Switch | As Is Charge of | loes not. | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | bination) | | | | | | | | | | | |
| Option | nal Features & Functions: | | | | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | I | | UNC1X, USL U1TD3, ULDD3, | NRCCC | | 184.76 | 23.80 | 1.99 | 0.78 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | l i | | UE3, UNC3X | NRCC3 | | 218.92 | 7.66 | 0.7576 | 0.00 | | | | | | |
| | | | | | | | | | | | | | | | | |
| MULT | IPLEXERS | | | | | | | | | | | | | | | |
| MULT | IPLEXERS DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 81.47 | | | | | | | | | | |
| MULT | DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| MULT | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UNC1X UDL | MQ1 1D1DD | 81.47 1.06 | | | | | | | | | | |
| MULT | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | UDL | 1D1DD | 1.06 | | | | | | | | | | |
| MULT | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month [2.4-64kbs] used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| MULT | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDL | 1D1DD | 1.06 | | | | | | | | | | |
| MULTI | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | UDL U1TUD | 1D1DD | 1.06 | | | | | | | | | | |
| MULTI | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | U1TUD UDN | 1D1DD 1D1DD UC1CA | 1.06 1.06 1.76 | | | | | | | | | | |
| MULTI | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | UDL U1TUD UDN U1TUB UEA | 1D1DD 1D1DD UC1CA UC1CA | 1.06 1.06 1.76 1.76 0.4978 | | | | | | | | | | |
| MULTI | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel will used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | UDL U1TUD UDN U1TUB UEA U1TUC | 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.06 1.06 1.76 1.76 0.4978 | | | | | | | | | | |
| MULTI | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month | | | UDL U1TUD UDN U1TUB UEA U1TUC UNC3X | 1D1DD 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 | 1.06 1.06 1.76 1.76 0.4978 0.4978 | | | | | | | | | | |
| MULTI | IPLEXERS IDS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Vice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX | 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 | 1.06 1.76 1.76 0.4978 0.4978 96.97 96.97 | | | | | | | | | | |
| MULTI | IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month DS3 to DS1 Channel System per month DS1 COCI used with Loop per month | | | UDL U1TUD UDN U1TUB UEA U1TUC UNC3X | 1D1DD 1D1DD UC1CA UC1CA 1D1VG 1D1VG MQ3 | 1.06 1.06 1.76 1.76 0.4978 0.4978 | | | | | | | | | | |
| MULTI | IPLEXERS IDS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Vice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | | | UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX | 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 | 1.06 1.76 1.76 0.4978 0.4978 96.97 96.97 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|---------------------------|------------|--------|--------------|------------|-----------|-----------|-------------|-------------|-------------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | RATES (\$) | | | | | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Boo | Nonred | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | , |
| | | | | | | Rec First Add'l First Add | | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 9.69 | | | | | | | | | | |

| UNBUNDI | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--|--|--|--|--------------------|-----------------|-----------------|---------------|----------------|-----------------|--|--|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | | curring | | g Disconnect | 001150 | 001441 | | Rates (\$) | 001141 | 001411 |
| | | - | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNBUNDI FE | D EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | ATIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 11.02 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 12.56 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 3 | | LILII OV | 40.44 | | | | | | | | | | İ |
| | & facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL2X | 13.11 | | | | | | | | | | <u> </u> |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 11.02 | | | | | | | | | | ĺ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - '- | OFIL | OTILZVV | 11.02 | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 12.56 | | | | | | | | | | ĺ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 13.11 | | | | | | | | | | |
| 4-WII | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | ATIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 18.42 | | | | | | | | | | İ |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | - | 1 | UHL | UHL4X | 18.42 | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.48 | | | | | | | | | | İ |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | OTIL | OFFE | 10.40 | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.37 | | | | | | | | | | İ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 18.42 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | İ |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 16.48 | | | | | | | | | | - |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.37 | | | | | | | | | | İ |
| 4-WII | RE DS1 DIGITAL LOOP | | 3 | OFIL | OI IL4VV | 19.57 | | | | | | | | | | |
| T 11 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 91.44 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 156.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 263.52 | | | | | | | | | | |
| HIGH CAPAC | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | ĺ |
| | month | - | | UE3 | 1L5ND | 14.10 | | | | | | | | | | — |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 352.31 | | | | | | | | | | İ |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | 1 | | OLS | ULSFA | 332.31 | | | | 1 | | | | | | |
| | month | | | UDLSX | 1L5ND | 14.10 | | | | 1 | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | | | | | | | | | | | | | | |
| | Termination per month | 1 | | UDLSX | UDLS1 | 360.51 | | | | | | | | | | |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | - | | 1 | | | | 1 | | 1 | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.39 | | | | 1 | | | | | | 1 |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | + | | וטווטו | ILOAA | 0.39 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 88.71 | | | | 1 | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | - | - | 1 | | | İ | 1 | | | | | | |
| | month | | | U1TD3 | 1L5XX | 9.22 | | | | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | 1 | 1 | | · | | | | | | | | | 1 |
| | Termination per month | | 1 | U1TD3 | U1TF3 | 1012.75 | | | 1 | - | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 9.22 | | | | I | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | 1 | 01101 | ILDAX | 9.22 | | | 1 | + | } | | | | | |
| | Termination | | | U1TS1 | U1TFS | 1012.63 | | | | 1 | | | | | | 1 |
| ENHANCED | EXTENDED LINK (EELs) | 1 | | 1 | 1 | 70.2.30 | | | 1 | 1 | | | | | | |
| NOTE | E: The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charg | je will not app | oly for UNE com | binations pro | visioned as ' | Ordinarily Com | bined' Networl | c Elements. | | | | | |
| NOTE | E: The monthly recurring and the Switch-As-Is Charge and not t | the non- | -recurr | ing charges below | will apply for | UNE combination | ons provision | ed as ' Curren | tly Combined' I | Network Eleme | ents. | | | | | 1 |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | INTER | ROFFICE TRANSPO | RT | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|-----------------|--|-------------|----------|---------------------|----------------|-----------------|-----------|------------|--------------|----------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 104.50 | | | | | | | | | | ļ |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 178.74 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 301.17 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.31 | | | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 70.97 | | | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 9.94 | | | | | | | | | | |
| | DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTER | FFICE | TRANSPORT | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.10 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 352.31 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 7.38 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 810.20 | | | | | | | | | | |
| EXTEN | DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 INT | EROFF | ICE TRANSPORT | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.10 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNCSX | UDLS1 | 360.51 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 7.38 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 810.11 | | | | | | | | | | |
| DDITIONAL N | IETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When t | used as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a S | witch As Is cl | harge does app | oly. | | | | | | | | | |
| When t | used as ordinarily combined network elements in All States, the | he non- | recurri | ng charges apply ar | d the Switch | As Is Charge of | does not. | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | oination) | | | | | | | | | | | |
| Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | ı | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | ı | | UNC1X, USL | NRCCC | | 185.26 | 23.86 | 1.99 | 0.78 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.58 | 7.69 | 0.737 | 0.00 | | | | | | |
| MULTI | PLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 123.71 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | <u> </u> | UDL | 1D1DD | 1.37 | | | | | | | | | | <u> </u> |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | 1 |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.37 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.94 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 2.94 | | | | | | | | | | <u> </u> |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 1154 | 40446 | | | | | | | | | | | |
| | used for a Local Loop | | <u> </u> | UEA | 1D1VG | 0.64 | | | | | | | | | | ├ |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | LIATUO | 4041/0 | | | | | | | | | | | |
| | same SWC as collocation | | <u> </u> | U1TUC | 1D1VG | 0.64 | | | | | | | | | | ├ |
| | DS3 to DS1 Channel System per month | | <u> </u> | UNC3X | MQ3 | 165.62 | | | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | <u> </u> | UNCSX | MQ3 | 165.62 | | | | | | | | | | — |
| | DS1 COCI used with Loop per month | | <u> </u> | USL | UC1D1 | 9.94 | | | | | | | | | | ├ |
| | DS1 COCI (used for connection to a channelized DS1 Local | | 1 | LIATUA | LIC4D4 | 0.04 | | | | | | | | | | 1 |
| | Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month | | <u> </u> | U1TUA | UC1D1 | 9.94 9.94 | | | | | | | | | | ├ |
| | | 1 | 1 | U1TD1 | UC1D1 | 9.94 | | i | Ī | I | 1 | 1 | | 1 | | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | • | | • | | | | | | |
| | month | | | ULDD1 | UC1D1 | 9.94 | | | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--------------|--|-------------|---------|--------|-----------|---------|-----------------------|------------|--------------|--------------|--|---|--|--|----------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring First | A -1 -111 | | g Disconnect | COMEC | COMAN | | Rates (\$) | COMAN | COMAN |
| | | | | | + | | FIRSt | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INBUNDI ED I | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | † |
| | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 11.09 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | LILII OV | 40.04 | | | | | | | | | | |
| | & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL2X | 16.61 | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 27.74 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | 0.12 | OT ILLY | 2 | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 11.09 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 16.61 | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | | 27.74 | | | | | | | | | | |
| 4-WIRE | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRI F | | UNL | UHL2W | 21.14 | | | | | 1 | | | | | |
| 4 11111 | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 14.26 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 21.37 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | | 11111 437 | 05.00 | | | | | | | | | | |
| | and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 35.68 | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 14.26 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | Ė | 0.12 | OT IZ TO | 20 | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 21.37 | | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 35.68 | | | | | | | | | | |
| 4-WIRE | E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 59.09 | | | | | | | | | | |
| - | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 88.53 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 147.82 | | | | | | | | | | |
| IGH CAPACI | TY UNBUNDLED LOCAL LOOP | | Ĭ | 002 | COLUT | 111.02 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 10.57 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | LIEODY. | 400.00 | | | | | | | | | | |
| | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 430.38 | | | | | | | | | | |
| | Imonth | | | UDLSX | 1L5ND | 10.57 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | 05207 | 120.12 | 10.07 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 447.75 | | | | | | | | | | |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.40963 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTIDI | ILJAX | 0.40903 | | | | | 1 | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 89.54 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 2.69 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | 1 | LIATES | LIATES | 070.01 | | | | 1 | | | | | | |
| | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | U1TD3 | U1TF3 | 976.34 | | | | - | | | | | | |
| | Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth | | 1 | U1TS1 | 1L5XX | 2.69 | | | | 1 | | | | | | |
| - | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | .20/01 | 2.03 | | | | | | | | | | |
| | Termination | L | L | U1TS1 | U1TFS | 976.70 | | | | | <u> </u> | | | <u></u> | <u></u> | |
| | XTENDED LINK (EELs) AND THEIR COMPONETS | | | | | | | | | | | | | | | |
| NOTE: | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |

| ATTEMPORY BATE REMENTS AND 2014 BBCS USOC BATE RATE (S) BECOMEN CONTROL (Mary Control | JNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|--|----------|--|----------|----------|---------------------|-----------|----------------|--------------|------------|--------------|------------|-------------------|-----------------------|--|--|-------------------------------------|--|
| A Vivia 105 Tiggar Log of Combination - Front A DECK Sec. NO. 65 For A April Free April Green | | | | Zone | BCS | USOC | | | RATES (\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Incrementa Charge - Manual Sv Order vs. Electronic |
| No. | | | | | | | | | | | | | | | Add'l | Disc 1st | Disc Add'l |
| March Marc | | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | · | |
| With Cold Togets up in Construction 2 are 3 2 UNCTX USCX 180.3 | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| With Cold Togets up in Construction 2 are 3 2 UNCTX USCX 180.3 | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 59.09 | | | | | | | | | | |
| Wilter DST Digital Logor in Commission - Per Mile | | | | 2 | | USLXX | | | | | | | | | | | |
| Interesting Transport - Delication 1-Dist control to 1-Dist cont | | | | 3 | | | | | | | | | | | | | |
| Decree D | | | | | | | | | | | | | | | | | |
| Termination part more | | | | | UNC1X | 1L5XX | 0.40963 | | | | | | | | | | |
| Termination pat month MACIXX UTIF1 89.64 | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| DST COOR in combination per moral EXTENDED DST GOTTAL EXTENDED LOOP WITH DEDICATED DSI INTEROPYCE TRANSPORT | | | | | UNC1X | U1TF1 | 89.54 | | | | | | | | | | |
| STS-14 COST Commission Co | | | | | | UC1D1 | | | | | | | | | | | |
| SSS Local Loop in combination - gent mile per month | EXTEN | | NTERC | FFICE | | | | | | | | | | | | | |
| Description Control | | | | 1 | | 1L5ND | 10.57 | | | | | | | | | | |
| Intendifice Transport - Declaration - Sport Declaration - Facility | | Dec 2000 2000 III combination por mile per month | | 1 | 01100/1 | 120.12 | 10.01 | | | | | | | | | | |
| Intentifics Transport - Declarated - 1933 - The Mile per month Intentific Transport - Declarated - 1933 - The Mile per month Intentific Transport - Declarated - 1933 - The Mile per month Intentific Transport - Declarated - 1934 - The Mile Per month Intentific Transport - Declarated - 1934 - The Mile Per month Intentification - 1934 - Intentification - 1934 | | DS3 Local Loop in combination - Facility Termination per month | | | LINC3X | LIE3PX | 430 38 | | | | | | | | | | |
| Interoffice Transport - Decicated - 1533 combination - Facility UNCX UNTT3 983.22 | | | | | | | | | | | | | | | | | |
| Termination per month | | | | | ONOOK | TESTON | 2.03 | | | | | | | | | | |
| EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTENDFICE TRANSPORT | | | | | LINCSY | LIATES | 002 22 | | | | | | | | | | |
| STS-1 Local Login proceduration - per mile per month UNCSX 1,580 10.07 | EVTEN | | C 4 INIT | EBOE | | 01113 | 903.22 | | | | | | | | | | 1 |
| STS-1 Local Loop in combination - Pacifity Termination per mile process of the pr | LAILI | | 3-1 1141 | LKOFF | | 11 END | 10.57 | | | | | | | | | | 1 |
| Month UNCSX UDLS1 447.75 | | | | <u> </u> | UNCOX | ILSIND | 10.57 | | | | | | | | | | |
| Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX 1,500 2,66 | | | | | LINCOV | LIDL C4 | 447.75 | | | | | | | | | | |
| Der month Intereffice Transport - Dedicated - STS-1 combination - Facility UNCSX | | | | - | UNCSX | UDLST | 447.75 | | | | | | | | | | |
| Interoffice Transport - Dedicated STS-1 combination - Facility UNCSX | | | | | LINIOOV | 41.500/ | 0.00 | | | | | | | | | | |
| Description | | | | - | UNCSX | 1L5XX | 2.69 | | | | | | | | | | |
| ADDITIONAL NETWORK ELEKENTS | | | | | | == | | | | | | | | | | | |
| When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarity combined network felements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Optional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 | | | | | UNCSX | U11F5 | 976.70 | | | | | | | | | | |
| When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. | | | | <u> </u> | L | 1 | | _ | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | | | | | | | | | | | | | | | | |
| Optional Features & Functions: | | | | | | | As Is Charge o | loes not. | | | | | | | | | |
| Clear Channel Capability Extended Frame Option - per DS1 | | | Cnarge | (One a | applies to each com | bination) | | | | | | | | | | | |
| Clear Channel Capability Extended Frame Option - per DS1 | Option | al Features & Functions: | | | | | | | | | | | | | | | |
| Clear Channel Capability Super FrameOption - per DS1 | | | | | | | | | | | | | | | | | |
| Clear Channel Capability (SP/ESF) Option - per DS1 | | Clear Channel Capability Extended Frame Option - per DS1 | ı | | | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Clear Channel Capability (SF/ESF) Option - Subsequent UUDD1, UTID1, Activity - per DS1 UUDD1, UTID1, IUDD3, UTID1, IUDD3, UTID3, ULDD3, UE3, UD34, D34, UD34, | | | | | | | | | | | | | | | | | |
| Activity- per DS1 | | | i | | | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| C-bit Parity Option - Subsequent Activity - per DS3 | | | | | | | | | | | | | | | | | |
| C-bit Parity Option - Subsequent Activity - per DS3 | | Activity - per DS1 | I | | | NRCCC | | 185.16 | 23.85 | 2.03 | 0.79 | | | | | | |
| MULTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64k/s) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64k/s) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 1 UTUD 1 D1DD 2.09 UDL 1 D1DD 2.09 UDL 1 D1DD 2.09 UDL 1 D1DD 2.09 UDN UC1CA 3.57 UDN UC1CA 3.57 UDN UC1CA 3.57 UDN UC1CA 3.57 UDN UC1CA 3.57 UTUD UT | | | | | | | | | | | | | | | | | |
| DS1 to DS0 Channel System per month | | | i | | UE3, UNC3X | NRCC3 | | 219.46S | 7.68S | .7637S | 0.00\$ | | | | | | |
| OCU-DP COCI (data) - DS1 to DS0 Channel System - per DCU-DP COCI (data) - DS1 to DS0 Channel System - per DCU-DP COCI (data) - DS1 to DS0 Channel System - per DCU-DP COCI (data) - DS1 to DS0 Channel System - per DCCI (| MULTI | | | | | | | | | | | | | | | | |
| month (2.4-64kbs) used for a Local Loop | | | | | UNC1X | MQ1 | 92.89 | | | | | | | | | | |
| CCU-DP CCCI (data) - DS1 to DS0 Channel System - per month (2.464kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1DD 2.09 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop UDN UC1CA 3.57 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.57 U1TUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop USC Channel System - per month used for a Local Loop USC Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UNC3X MQ3 256.43 DS1 COCI used with Loop per month UNCSX MQ3 256.43 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) U1TUA UC1D1 20.22 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UNCIDATION UC1D1 20.22 | | | | | | | | | | | | | | | | | |
| month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.57 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.57 U01TUB UC1CA 3.57 U1TUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 1.05 DS3 to DS1 Channel System per month UNC3X MQ3 256.43 DS1 COCI used with Loop per month UNCSX MQ3 256.43 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UNCSX MQ3 256.43 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 20.22 | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.09 | | | | | | | | | | |
| Local Channel in the same SWC as collocation LUTUD LUTUC LUTUA | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 1.05 DS3 to DS1 Channel System per month UNC3X MQ3 256.43 DS1 COCI used with Loop per month USL UC1D1 20.22 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 20.22 | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UITUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UITUC 1D1VG 1.05 UITUC 1D1VG 1.05 DS3 to DS1 Channel System per month UNC3X MQ3 256.43 STS-1 to DS1 Channel System per month UNCSX MQ3 256.43 DS1 COCI used with Loop per month USL UC1D1 20.22 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UTUA UC1D1 20.22 | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.09 | | | | | | | | | | |
| month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UITUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UITUC 1D1VG 1.05 UITUC 1D1VG 1.05 DS3 to DS1 Channel System per month UNC3X MQ3 256.43 STS-1 to DS1 Channel System per month UNCSX MQ3 256.43 DS1 COCI used with Loop per month USL UC1D1 20.22 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UTUA UC1D1 20.22 | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month UNC3X MQ3 STS-1 to DS1 Channel System per month UNCSX MQ3 DS1 COCI used with Loop per month USL UC1D1 USL UC1D1 20.22 Channel in the same SWC as collocation) per month UTTUA UTTUA UC1D1 20.22 | | month for a Local Loop | | | UDN | UC1CA | 3.57 | | | | | | | | | | |
| month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.57 Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month UNC3X MQ3 STS-1 to DS1 Channel System per month UNCSX MQ3 DS1 COCI used with Loop per month USL UC1D1 USL UC1D1 20.22 Channel in the same SWC as collocation) per month UTTUA UTTUA UC1D1 20.22 | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month UEA | | | | | | | | | | | | | | | | | |
| USA 1D1VG 1.05 UEA 1D1VG 1.05 UEA ID1VG 1.05 UEA ID1VG I | | in the same SWC as collocation | | | U1TUB | UC1CA | 3.57 | | | | | | | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month UNC3X MQ3 256.43 STS-1 to DS1 Channel System per month UNCSX MQ3 256.43 DS1 COCI used with Loop per month USL UC1D1 20.22 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UTUA UC1D1 20.22 | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| Used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | used for a Local Loop | | 1 | UEA | 1D1VG | 1.05 | | | | | I | | | Ì | I | |
| Used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| Same SWC as collocation | | | | 1 | ĺ | | | | | | | | | | | 1 | |
| DS3 to DS1 Channel System per month | 1 | | | 1 | U1TUC | 1D1VG | 1.05 | | | | | | | | l | I | |
| STS-1 to DS1 Channel System per month | 1 | | | | | | | | | | | | | | İ | İ | İ |
| DS1 COCI used with Loop per month USL UC1D1 20.22 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 20.22 | | | | | | | | | | | | İ | | | İ | 1 | İ |
| DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 20.22 | | | | | | | | | | | | | | | 1 | t | İ |
| Channel in the same SWC as collocation) per month U1TUA UC1D1 20.22 | | | | | · · · - | 1 | 20.22 | | | | | | | | 1 | t | Ì |
| | 1 | | | 1 | U1TUA | UC1D1 | 20.22 | | | | | | | | l | I | |
| I IDST COCI USED WITH INTEROPPICE CHARDNET DEF MONTH I I IDTTDT I IDCTDT I 20 221 I I I I I I I I I I I I I I | | DS1 COCI used with Interoffice Channel per month | | 1 | U1TD1 | UC1D1 | 20.22 | | | | | - | | | | — | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. B | | |
|----------|---|--------|------|-------|-------|-------|--------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | • | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 20.22 | | | | | | | | | | |

Attachment 3

Network Interconnection

Version: 2Q05 Standard ICA

TABLE OF CONTENTS

| 1 | General | 3 |
|-----|---|-----------|
| 2 | Definitions: (For the purpose of this Attachment) | |
| | | |
| 3 | Network Interconnection | |
| 4 | Interconnection Trunk Group Architectures | |
| 5 | Network Design And Management For Interconnection | 14 |
| 6 | Forecasting for Trunk Provisioning | 14 |
| 7 | Local Dialing Parity | 17 |
| 8 | Interconnection Compensation | 17 |
| 9 | Ordering Charges | 22 |
| 10 | Basic 911 and E911 Interconnection | 22 |
| 11 | SS7 Network Interconnection | 23 |
| Rat | tes | Exhibit A |
| Bas | sic Architecture | Exhibit B |
| | e Way Architecture | Exhibit C |
| | o Way Architecture | Exhibit D |
| Sup | pergroup Architecture | Exhibit E |

Version: 2Q05 Standard ICA

NETWORK INTERCONNECTION

| 1 | General |
|-----|--|
| 1.1 | The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms: |
| 2 | Definitions: (For the purpose of this Attachment) |
| | For purposes of this attachment only, the following terms shall have the definitions set forth below: |
| 2.1 | Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement. |
| 2.2 | Automatic Number Identification (ANI) corresponds to the seven-digit telephone number assigned by the serving local exchange carrier. |
| 2.3 | BellSouth Trunk Group is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Alternative. |
| 2.4 | 911 Service is as described in this Attachment. |
| 2.5 | Call Termination has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d). |
| 2.6 | Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c). |
| 2.7 | Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching. |
| 2.8 | Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the The Telcordia® LERG TM Routing Guide (LERG). |
| 2.9 | Dedicated Interoffice Facility is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network. |

Version: 2Q05 Standard ICA 09/02/05

2.10

path between the trunk side and line side of the End Office switch.

End Office Switching is defined as the function that establishes a communications

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the last choice trunk group between two (2) switches for which there is no alternate route. 2.13 **Integrated Services Digital Network User Part (ISUP)** is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Alternative. 2.15 **IntraLATA Toll Traffic** is as defined in this Attachment. **ISP-Bound Traffic** is as defined in this Attachment. 2.16 2.17 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in this Attachment. 2.19 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.20 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 **Serving Wire Center (SWC)** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on Alternative's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by

Version: 2Q05 Standard ICA

09/02/05

BellSouth and delivered to Alternative's network.

3 Network Interconnection

- 3.1 This Attachment pertains only to the provision of network interconnection where Alternative owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds 8.9 million minutes per month for three (3) consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

Version: 2005 Standard ICA

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- Fiber Meet. Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if Alternative elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Alternative and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Alternative's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Alternative Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.3 Upon verbal request by Alternative, BellSouth shall allow Alternative access to the fusion splice point for the Fiber Meet point for maintenance purposes on Alternative's side of the Fiber Meet point.

Version: 2Q05 Standard ICA

3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

4 Interconnection Trunk Group Architectures

- 4.1 BellSouth and Alternative shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- Alternative shall establish an interconnection trunk group(s) to at least one (1)
 BellSouth access tandem within the LATA for the delivery of Alternative's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Alternative desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Alternative has established interconnection trunk groups, Alternative shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, Alternative shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Alternative has homed (i.e., assigned) its NPA/NXXs. Alternative shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Alternative shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from IXCs based on Alternative's NXX access tandem homing arrangement as specified by Alternative in the LERG.
- Any Alternative interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Alternative from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require

Version: 2005 Standard ICA

Alternative to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.

- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Alternative are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Alternative shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- In cases where Alternative is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Alternative's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 <u>Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic</u>
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. Alternative shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does

Version: 2005 Standard ICA

not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.

- 4.10.2 <u>BellSouth Access Tandem Interconnection.</u> BellSouth Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:
- 4.10.2.1 Basic Architecture. In the basic architecture, Alternative's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Alternative and BellSouth Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Alternative and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing (MPB) arrangement with BellSouth, and other network providers with which Alternative desires to exchange traffic. This trunk group also carries Alternative originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Alternative. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for Alternative-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for Alternative End Users. A twoway trunk group provides Intratandem Access for Alternative's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Alternative and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which Alternative exchanges traffic. This trunk group also carries Alternative originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Alternative. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

Version: 2Q05 Standard ICA

- 4.10.2.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between Alternative and BellSouth. In addition, a separate two-way transit trunk group must be established for Alternative's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Alternative and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which Alternative exchanges traffic. This trunk group also carries Alternative originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Alternative. However, where Alternative is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.
- 4.10.2.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and Alternative's Transit Traffic are exchanged on a single two-way trunk group between Alternative and BellSouth to provide Intratandem Access to Alternative. This trunk group carries Transit Traffic between Alternative and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which Alternative desires to exchange traffic. This trunk group also carries Alternative originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Alternative. However, where Alternative is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.2.5 Multiple Tandem Access (MTA) Interconnection

4.10.2.5.1 Where Alternative does not choose access tandem interconnection at every BellSouth Access Tandem within a LATA, Alternative must utilize BellSouth's MTA interconnection. To utilize MTA Alternative must establish an interconnection trunk group(s) at a minimum of one (1) BellSouth Access Tandem within each LATA as required. BellSouth will route Alternative's originated Local

Version: 2005 Standard ICA

Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Alternative must also establish an interconnection trunk group(s) at all BellSouth Access Tandems where Alternative NXXs are homed as described in Section 4.2.1 above. If Alternative does not have NXXs homed at any particular BellSouth Access Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth Access Tandem, Alternative can order MTA in each BellSouth Access Tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Alternative's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to End Users served through those BellSouth Access Tandems where Alternative does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.2.5.2 Alternative may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to Alternative will be delivered to and from IXCs based on Alternative's NXX access tandem homing arrangement as specified by Alternative in the LERG.
- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.2.5.4 To the extent Alternative does not purchase MTA in a LATA served by multiple Access Tandems, Alternative must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent Alternative routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Alternative shall pay BellSouth the associated MTA charges.

4.10.3 Local Tandem Interconnection

- 4.10.3.1 Local Tandem Interconnection arrangement allows Alternative to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Alternative-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth End Offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.3.2 When a specified local calling area is served by more than one (1) BellSouth local tandem, Alternative must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Alternative may choose to establish an interconnection trunk group(s) at the

Version: 2005 Standard ICA

BellSouth local tandems where it has no codes homing but is not required to do so. Alternative may deliver Local Traffic and ISP-Bound Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Alternative does not choose to establish an interconnection trunk group(s). It is Alternative's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Alternative's codes. Likewise, Alternative shall obtain its routing information from the LERG.

- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Alternative must also establish an interconnection trunk group(s) to BellSouth Access Tandems within the LATA on which Alternative has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of BellSouth's GSST).
- 4.10.3.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Alternative has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.4 Direct End Office-to-End Office Interconnection
- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:
- 4.10.4.2.1 <u>Tandem Exhaust.</u> If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Alternative and BellSouth.
- 4.10.4.2.2 <u>Traffic Volume.</u> To the extent either Party has the capability to measure the amount of traffic between Alternative's switch and a BellSouth End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per

Version: 2005 Standard ICA

month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

- 4.10.4.2.3 <u>Mutual Agreement</u>. The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.5 <u>Transit Traffic Trunk Group</u>
- 4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by Alternative to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. Alternative shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.
- 4.10.5.2 <u>Toll Free Traffic</u>
- 4.10.5.2.1 If Alternative chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Alternative originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.5.2.2 Alternative may choose to perform its own Toll Free database queries from its switch. In such cases, Alternative will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Alternative will route the post-query local or IntraLATA converted ten (10)-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Alternative will route the post-query local or intraLATA converted ten (10)-digit local number to BellSouth over the Transit Traffic Trunk Group and Alternative shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Alternative will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Alternative's network but that are connected to BellSouth's Access Tandem.
- 4.10.5.2.3 All post-query Toll Free calls for which Alternative performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined

Version: 2Q05 Standard ICA

to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth Access Tandem within the LATA.

5 Network Design And Management For Interconnection

- 5.1 <u>Network Management and Changes.</u> The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where Alternative chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the Alternative switch and the BellSouth STP. BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- 5.3 <u>Network Management Controls.</u> Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

6 Forecasting for Trunk Provisioning

- 6.1 Within six (6) months after execution of this Agreement, Alternative shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Alternative's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, Alternative-to-BellSouth one-way trunks (Alternative Trunks), BellSouth-to-Alternative one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.

Version: 2005 Standard ICA

- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Alternative location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, Alternative shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. Alternative shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.
- The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

6.4 Trunk Utilization

- For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and Alternative shall monitor traffic on each BellSouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, BellSouth may disconnect any under-utilized BellSouth Final Trunk Groups and Alternative shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 6.4.2 BellSouth's CISC will notify Alternative of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Alternative interface. Alternative will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting

Version: 2005 Standard ICA

information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Alternative expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with Alternative to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Alternative. The due date of these orders will be four (4) weeks after Alternative was first notified in writing of the underutilization of the trunk groups.

- 6.4.3 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.4 For the two-way trunk groups, BellSouth and Alternative shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within ninety (90) days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. BellSouth will request the disconnection of any under-utilized two-way trunk(s) and Alternative shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's CISC will notify Alternative of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Alternative interface. Alternative will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Alternative expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with Alternative to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Alternative will issue disconnect orders to BellSouth. The due date of these orders will be four (4) weeks after Alternative was first notified in writing of the under-utilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk

Version: 2005 Standard ICA

groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

7 Local Dialing Parity

7.1 BellSouth and Alternative shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

8 Interconnection Compensation

- 8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call.

Version: 2005 Standard ICA

- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's End User's presubscribed interexchange carrier or if one (1) Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.
- 8.1.7 If Alternative assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Alternative End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Alternative customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Alternative agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Alternative at BellSouth's FCC No. 1 Tariff rates.
- 8.2 If Alternative does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole Alternative NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. BellSouth shall make appropriate billing adjustments if Alternative can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.

8.3 <u>Jurisdictional Reporting</u>

8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

Version: 2005 Standard ICA

- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.3 Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's intrastate Access Services Tariff will apply to Alternative. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.4 Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where BellSouth has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at BellSouth's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, PIU, and/or PLF), in lieu of those provided by Alternative. In the event that BellSouth opts to utilize its own data to determine jurisdictional reporting factors, BellSouth shall notify Alternative at least fifteen (15) days prior to the beginning of the calendar quarter in which BellSouth will begin to utilize its own data.
- 8.3.5 Audits. On thirty (30) days written notice, Alternative must provide BellSouth the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. Alternative shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by Alternative. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by BellSouth. Alternative's PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the

Version: 2Q05 Standard ICA

quarter prior to the completion of the audit, and for the two (2) quarters following the completion of the audit. If, as a result of an audit, Alternative is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, Alternative shall reimburse BellSouth for the cost of the audit.

- 8.4 <u>Compensation for IntraLATA 8XX Traffic.</u> BellSouth will charge the appropriate switched access charges as set forth in the BellSouth intrastate Access Services Tariff to the IXC that is responsible for terminating the 8XX to the appropriate Wide Area Telecommunications Service (WATS) or Plain Old Telephone Service (POTS) number. Alternative will pay BellSouth the database query charge as set forth in the BellSouth Intrastate Access Services Tariff. Alternative will be responsible for any applicable Common Channel Signaling (SS7).
- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.
- 8.4.2 <u>8XX Access Screening.</u> BellSouth's provision of 8XX TFD to Alternative requires interconnection from Alternative to BellSouth's 8XX Signal Channel Point. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Alternative shall establish SS7 interconnection at the BellSouth LSTPs serving the BellSouth 8XX Signal Channel Points that Alternative desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's intrastate Access Services Tariff.
- 8.5 Mutual Provision of Switched Access Service
- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.

Version: 2005 Standard ICA

- 8.5.2 If a BellSouth End User chooses Alternative as their presubscribed interexchange carrier, or if a BellSouth End User uses Alternative as an interexchange carrier on a 101XXXX basis, BellSouth will charge Alternative the appropriate BellSouth tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- When Alternative's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Alternative as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish MPB for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 8.5.4.1 When Alternative's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Alternative, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 Alternative agrees not to deliver switched access traffic to BellSouth for termination except over Alternative ordered switched access trunks and facilities.

8.6 <u>Transit Traffic</u>

8.6.1 BellSouth shall provide tandem switching and transport services for Alternative's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated

Version: 2005 Standard ICA

with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Alternative and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Alternative and Wireless Type 2A shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly MPB in accordance with MECAB guidelines.

- 8.6.2 The delivery of traffic that transits the BellSouth network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Alternative is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Alternative. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Alternative shall reimburse BellSouth for such charges or costs.
- 8.7 For purposes of intercarrier compensation, BellSouth will not be responsible for any compensation associated with the exchange of traffic between Alternative and a CLEC utilizing BellSouth switching. Where technically feasible, BellSouth will use commercially reasonable efforts to provide records to Alternative to identify those CLECs utilizing BellSouth switching with whom Alternative has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between Alternative and the CLEC utilizing BellSouth switching.

9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

10 Basic 911 and E911 Interconnection

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 10.2 <u>Basic 911 Interconnection.</u> BellSouth will provide to Alternative a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Alternative will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to

Version: 2005 Standard ICA

the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. Alternative will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Alternative will be required to begin using E911 procedures.

- 10.3 E911 Interconnection. Alternative shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544) Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Alternative shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Alternative will be required to provide BellSouth daily updates to the E911 database. Alternative will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Alternative will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Alternative shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.
- Trunks and facilities for 911 Interconnection may be ordered by Alternative from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 <u>SS7 Signaling.</u> Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to ANI, originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7 based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order

Version: 2005 Standard ICA

to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to Alternative's or any other third party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.

- Signaling Call Information. BellSouth and Alternative will send and receive ten (10) digits for Local Traffic. Additionally, BellSouth and Alternative will exchange the proper call information, (i.e., originated call company number and destination call company number, CIC, and OZZ) including all proper translations for routing between networks and any information necessary for billing.
- 11.3 SS7 Network Interconnection is the interconnection of Alternative LSTP switches or Alternative local or tandem switching systems with BellSouth STP switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Alternative local or tandem switching systems, and other third party switching systems directly connected to the BellSouth SS7 network.
- 11.3.1 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Alternative or other third party switching systems with A-link access to the BellSouth SS7 network.
- 11.3.2 If traffic is routed based on dialed or translated digits between a Alternative local switching system and a BellSouth or other third party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (i.e., Automatic Callback, Automatic Recall, and Screening List Editing) between the Alternative LSTP switches and BellSouth or other third party local switch.
- 11.3.3 SS7 Network Interconnection shall provide:
- 11.3.3.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.3.3.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.3.3.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.3.4 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Alternative local or tandem switching

Version: 2005 Standard ICA

system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Alternative LSTPs and shall not include SCCP Subsystem Management of the destination.

- 11.3.5 SS7 Network Interconnection shall provide all functions of the ISUP as specified in ANSI T1.113.
- 11.3.6 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.3.7 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect Alternative or Alternative-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.4.1 A-link interface from Alternative local or tandem switching systems; and
- 11.4.2 B-link interface from Alternative STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the signaling points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.4.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- BellSouth shall set message screening parameters to accept messages from Alternative local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Alternative switching system has a valid signaling relationship.
- 11.5 Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges as set forth in Exhibit A for CCS7signaling messages associated with Local Traffic. The


Version: 2Q05 Standard ICA

portion of CCS7 signaling messages utilized for Local Traffic, which are subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. The remaining portion of the CCS7 signaling messages, signaling ports, and signaling links, i.e., the portion associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.

Version: 2Q05 Standard ICA 09/02/05

Basic Architecture


Exhibit B



Version: 2Q0 09/02/05

One-Way Architecture


Exhibit C



Version: 2Q0 09/02/05

Two-Way Architecture


Exhibit D



Version: 2Q0 09/02/05

Supergroup Architecture

Exhibit E



Version: 2Q05 Stanuaru ICA

09/02/05

| OCAL I | INTERCONNECTION - Alabama | | | · · | | | | | | | | | Attachment: 3 | Exh A | | | 1 |
|-------------|---|------------|--------------|-----------------------|----------------|-----------------|-----------------|-----------|--|-------|---|-------|---|---|---|---|---|
| TEGOR | | Interim | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | : |
| | | | | | | Rec | Nonrec | | Nonrecurring I | | | | | Rates(\$) | | | I |
| | | - | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| CAL INT | I ITERCONNECTION (CALL TRANSPORT AND TERMINATION) | - | | | | | | | 1 | | | | | | | | + |
| | OTE: "bk" beside a rate indicates that the Parties have agreed to bil | and kee | n for th | at element pursuant t | to the terms a | nd conditions i | n Attachment 3. | | | | l | | | | | | + |
| | ANDEM SWITCHING | | 1 | | | | | | | | | | | | | | T |
| | Tandem Switching Function Per MOU | | | | | 0.0004980bk | | | | | | | | | | | I |
| | Multiple Tandem Switching, per MOU (applies to intial tandem only) | | | | | 0.000498 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | ┺ |
| | This charge is applicable only to transit traffic and is applied in addit | ion to app | olicable | switching and/or inte | erconnection | charges. | 1 | | | | | | | 1 | 1 | 1 | + |
| IR | RUNK CHARGE | | 1 | OHD | TPP6X | | 21.56 | 8.12 | - | | | | | | | | + |
| | Installation Trunk Side Service - per DS0 Installation Trunk Side Service - per DS0 | + | 1 | OHD | TPP6X | t | 21.56 | 8.12 | | | | | | | | | + |
| | Dedicated End Office Trunk Port Service-per DS0** | + | 1 | OHD | TDEOP | 0.00 | 21.00 | 0.12 | | | | | | | | | t |
| - | Dedicated End Office Trunk Port Service-per DS1** | 1 | † | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | | T |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | | T |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | | |
| | This rate element is recovered on a per MOU basis and is included | in the En | d Office | Switching and Tand | dem Switchin | g, per MOU rate | elements | | | | | | | | | | Ţ |
| co | OMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | 4 |
| | Common Transport - Per Mile, Per MOU | | 1 | | | 0.0000023bk | | | | | | | | | | | + |
| O 4 1 IN IT | Common Transport - Facilities Termination Per MOU | - | 1 | | | 0.0003224bk | | | | | | | | | | | + |
| | ITERCONNECTION (DEDICATED TRANSPORT) ITEROFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | | | | | | | | | | | | | + |
| IIV I | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | 1 | | + | | | | + + | | | | | | | | + |
| | Per Mile per month | | | ОНМ | 1L5NF | 0.008838 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Facility Termination per month | | | ОНМ | 1L5NF | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | | | | | | | | | | | Т |
| | month | | | OHM | 1L5NK | 0.008838 | | | | | | | | | | | 4 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | 1 | OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | ОНМ | 1L5NK | 0.008838 | | | | | | | | | | | |
| _ | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | 1 | ОПМ | ILSINK | 0.00656 | | | + + | | | | | | | | + |
| | Termination per month | | | ОНМ | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | T |
| | month | | | OH1, OH1MS | 1L5NL | 0.18 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | Т |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | 1 . | | | 1 | | | | | | | | 1 |
| _ | month | | - | OH3, OH3MS | 1L5NM | 4.09 | | | | | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | 1 | | | | | | |
| 10 | OCAL CHANNEL - DEDICATED TRANSPORT | + | | Oi 10, Oi 10IVIO | ILOINIVI | 103.32 | 210.15 | 102.70 | 00.20 | 30.40 | | | | | | | + |
| 120 | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | ОНМ | TEFV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | | | | | | t |
| - | Local Channel - Dedicated - 4-Wire Voice Grade per month | 1 | † | OHM | TEFV4 | 14.93 | 193.53 | 33.60 | 37.11 | 3.67 | | | | | | | t |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | | | | | | I |
| | | | | | | | | | | | | | | | | | Т |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | | | | | | | Ŧ |
| LO | OCAL INTERCONNECTION MID-SPAN MEET | | | 0111110 | TEE: - | | | | ļ | | | | | | | | 4 |
| | Local Channel - Dedicated - DS1 per month | | - | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | + |
| NA: 1 | Local Channel - Dedicated - DS3 per month ULTIPLEXERS | +- | 1 | OH3MS | TEFHJ | 0.00 | 0.00 | | | | - | | | | | | + |
| IVIU | Channelization - DS1 to DS0 Channel System | + | 1 | OH1, OH1MS | SATN1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | | + |
| | DS3 to DS1 Channel System per month | 1 | 1 | OH3, OH3MS | SATNS | 166.13 | 178.14 | 93.97 | 33.26 | 31.63 | | | | | | | t |
| \neg | DS3 Interface Unit (DS1 COCI) per month | + | 1 | OH1, OH1MS | SATCO | 12.70 | 6.58 | 4.72 | 55.20 | 51.00 | | | | | | | t |
| NALING | IG (CCS7) | | | | 1 | 1 | 2.20 | | † † | | | | | | | | Ť |
| NO | OTE: "bk" beside a rate indicates that the Parties have agreed to bil | and kee | p for th | | | | n Attachment 3. | | | | | | | | | | Ι |
| | CCS7 Signaling Termination, Per STP Port | | $oxed{\Box}$ | UDB | PT8SX | 130.83 | | | | | | | | | | | Ţ |
| | CCS7 Signaling Connection, Per DS1 level link (A link) | | | UDB | TPP6A | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | | Ţ |
| | CCS7 Signaling Connection, Per DS3 level link (A link) | _ | | UDB | TPP9A | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | | + |
| | CCS7 Signaling Connection, Switched access service, interface | 1 | 1 | I | 1 | 1 | | | | | l | l | | | l | | 1 |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | 1 | | | | | | | | |

| OCAL INT | ERCONNECTION - Alabama | | | | | | | | | | | | Attachment: 3 | 3 Exh A | | | |
|----------|---|---------|------|-----|--------|-------------|--------|-----------|----------------|------------|-------|---|---------------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring I | Disconnect | | | | Rates(\$) | | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Per DS1 level link (B link) (also known | | | | | | | | | | | | | | | | |
| | as D link) | | | UDB | TPP6B | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | | |
| | CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link) | | | UDB | TPP9B | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | | ı |
| | CCS7 Signaling Connection, Switched access service, interface | | | 000 | 111105 | 10.10 | 00.00 | 00.00 | 10.11 | 10.11 | | | | | | | _ |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP9X | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 650.33 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.01 | 29.01 | 35.57 | 35.57 | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000569bk | | | | | | | | | | | |
| | CCC/ Cigitaling Csage, i ci i C/ti Wcssage | | | | | | | | | | | | | | | | |

| OCAL IN | TERCONNECTION - Florida | | | | | | | | · | | | | Attachment: 3 | Exh A | | | |
|----------|--|--------------|--|--------------------------|----------------|------------------|-----------------|----------------|--------------|----------|---|---|--|--|---|---|----------|
| TEGORY | | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | | |
| | | | | | | , nee | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | 丄 |
| | | | | | | | | | | | | | | | | | ₩ |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | <u> </u> | <u> </u> | | | | | | | | | | | | ₩ |
| | E: "bk" beside a rate indicates that the Parties have agreed to bil DEM SWITCHING | l and keep | for the | at element pursuant t | to the terms a | nd conditions ii | n Attachment 3. | <u> </u> | 1 | 1 | 1 | | 1 | | 1 | | ₩ |
| IAN | Tandem Switching Function Per MOU | | | | + | 0.0006019bk | | | | | | | | | | | ₩ |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | - | 0.0000013DK | | | | | | | | | | | + |
| | only) | | | | | 0.0006019 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | t |
| * Thi | s charge is applicable only to transit traffic and is applied in addit | ion to app | licable | switching and/or inte | erconnection | charges. | • | | • | • | • | | | | | | T |
| TRU | NK CHARGE | | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.73 | 8.19 | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.73 | 8.19 | | | | | | | | | 厂 |
| | Dedicated End Office Trunk Port Service-per DS0** | _ | | OHD | TDEOP | 0.00 | ļ | | | | | | | | | | 4 |
| | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | 1 | | | | | | | | | + |
| _ | Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1** | + | | OHD OH1 OH1MS | TDWOP TDW1P | 0.00 | - | - | | | - | | | | | | \vdash |
| ** Th | nis rate element is recovered on a per MOU basis and is included | in the Eng | | | | | elements | l | 1 | 1 | I | 1 | | 1 | | 1 | + |
| | IMON TRANSPORT (Shared) | III the Life | Onice | Switching and Fanc | - Switching | g, per MOO rate | l | I | | | | | | | | | ╁ |
| 001 | Common Transport - Per Mile, Per MOU | 1 | - | | 1 | 0.0000035bk | 1 | 1 | | | | | | | | | + |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004372bk | | | | | | | | | | | H |
| CAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | T |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | T |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Per Mile per month | | | OHM | 1L5NF | 0.0091 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | • | | | | | | | | | | | | | | | |
| | month | | | OHM | 1L5NK | 0.0091 | | | | | | | | | | | 4 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | ОНМ | 1L5NK | 40.44 | 47.35 | 31.78 | 40.04 | 7.03 | | | | | | | |
| _ | Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | ОНМ | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | | ₩ |
| | month | | | ОНМ | 1L5NK | 0.0091 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OTTIVI | ILOIVIC | 0.0001 | | | | | | | | | | | + |
| | Termination per month | | | ОНМ | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 3.87 | | | | | | | | | | | ╄ |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | 1 | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | | |
| 100 | AL CHANNEL - DEDICATED TRANSPORT | + | | UN3, UN3NIS | IVINICAL | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | - | | | | | | + |
| LUC | Local Channel - Dedicated - 2-Wire Voice Grade per month | - | | OHM | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | 1 | | | | | | + |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | - | 1 | OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | 1 | | | | | | \vdash |
| | Local Channel - Dedicated - 4-Wife Voice Grade per month | | <u> </u> | OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | | | | | | | \vdash |
| | | | | - | 1 | | | | | . 3.00 | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | | OH3 | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | | | | | | |
| LOC | AL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | _ | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | | ┖ |
| MUL | TIPLEXERS | _ | | | | . | | | | | | | | | | | 1 |
| _ | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | | | | | | + |
| _ | DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month | - | | OH3, OH3MS OH1, OH1MS | SATNS SATCO | 211.19 13.76 | 199.28 10.07 | 118.64 7.08 | 40.34 | 39.07 | | | | | | | ₩ |
| NALING (| | - | - | OH I, UH IIVIS | SATCO | 13.76 | 10.07 | 7.08 | | - | 1 | | | | | | + |
| NOT | E: "bk" beside a rate indicates that the Parties have agreed to bil | l and keen | for the | t element nurcusnt t | to the terms o | nd conditions is | L Δttachment ? | l . | 1 | 1 | 1 | 1 | | | | | + |
| 1401 | CCS7 Signaling Termination, Per STP Port | i unu keep | , 101 111 | UDB | PT8SX | 135.05 | Addinient 3. | l | 1 | 1 | | | | | | | + |
| - | CCS7 Signaling Connection, Per DS1 level link (A link) | 1 | - | UDB | TPP6A | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | | + |
| | CCS7 Signaling Connection, Per DS3 level link (A link) | 1 | | UDB | TPP9A | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | | T |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | 1 | 1 | | 13.31 | 12.01 | | | | | | | T |
| | groups, transmissiom paths 6 DS1 level path with bit stream | 1 | | | 1 | | | | | | | | | | | | |
| | signaling | 1 | ı | UDB | TPP6X | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | 1 | 1 | | | | | 1 |

| LOCAL INT | ERCONNECTION - Florida | | | | | | | | | | | | Attachment: 3 | 3 Exh A | | | |
|-----------|---|-----------|---------|-----------------------|-----------------|----------------------------|------------------|-------------|----------------|------------|-------|---|--|--|----------|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring D | Disconnect | | • | oss | Rates(\$) | | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link) | | | UDB | TPP6B | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | | |
| | CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link) | | | UDB | TPP9B | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 694.32 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000607bk 0.0000152bk | | | | | | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and cond | itions fo | r the s | ecific service or fun | ction will be a | | plicable BellSou | ıth tariff. | l- | | | | | | | | |

| OCAL IN | TERCONNECTION - Georgia | | | | | | - | | | | | | Attachment: 3 | Exh A | | | |
|------------|---|--|----------|-----------------------|----------------|--|-------------------|------------------|------------------|------------------|---|---|--|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | RATES(\$) | Nonrec | nuring. | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | + | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ⊢ |
| | | | | | | | 11131 | Auu | 11131 | Auu | JOINEC | JONAN | JOWAN | JOINAIN | JOINAIN | JONAN | ┢ |
| CAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bill | and keep | for tha | at element pursuant t | o the terms a | nd conditions in | Attachment 3. | | | | | | | | | | |
| | DEM SWITCHING | | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0004086bk | | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | | |
| | only) | | | | | 0.0004086 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | |
| | s charge is applicable only to transit traffic and is applied in addition | on to app | licable | switching and/or inte | erconnection | charges. | | | | 1 | | | 1 | 1 | | | <u> </u> |
| IRU | NK CHARGE Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.53 | 8.11 | | | | | | | | | ₩ |
| | Installation Trunk Side Service - per DS0 Installation Trunk Side Service - per DS0 | + | | OHD | TPP6X | | 21.53 | 8.11 8.11 | - | | | | | | | | ├ |
| _ | Dedicated End Office Trunk Port Service-per DS0** | + | | OHD | TDEOP | 0.00 | 21.53 | 0.11 | | | | | | | | | \vdash |
| | Dedicated End Office Trunk Port Service-per DS0 Dedicated End Office Trunk Port Service-per DS1** | 1 | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | | † |
| 1 | Dedicated Tandem Trunk Port Service-per DS0** | 1 | | OHD | TDWOP | 0.00 | | | 1 | 1 | | | | | | | \vdash |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | | |
| ** Th | is rate element is recovered on a per MOU basis and is included in | n the End | | | | | elements | | | • | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000027bk | | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0001914bk | | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | İ |
| | Per Mile per month | | | OHM | 1L5NF | 0.0057 | | | | | | | | | | | — |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | İ |
| | Facility Termination per month | | | OHM | 1L5NF | 12.87 | 48.455 | 19.48 | 16.575 | 4.995 | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | ОНМ | 1L5NK | 0.0057 | | | | | | | | | | | İ |
| | month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OHM | TL5NK | 0.0057 | | | | | - | | | | | | ⊢ |
| | Termination per month | | | ОНМ | 1L5NK | 7.83 | 48.455 | 19.48 | 16.575 | 4.995 | | | | | | | İ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | OF TIVE | ILSINIX | 7.00 | 40.433 | 13.40 | 10.575 | 4.333 | | | | | | | ┢ |
| | month | | | ОНМ | 1L5NK | 0.0057 | | | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | 01 | - LOI W | 0.0007 | | | | | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 7.83 | 48.455 | 19.48 | 16.575 | 4.995 | | | | | | | İ |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.1154 | | | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 34.19 | 111.025 | 80.28 | 31.355 | 21.73 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 2.53 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | | İ |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 342.02 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | | <u> </u> |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | 1 | | OUM | TEE\/o | | 404.00= | E0 005 | 40.005 | 10.00= | | | | | | | ₩ |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month | + | | OHM OHM | TEFV2 TEFV4 | 7.74 8.72 | 121.065 125.62 | 53.295 54.43 | 46.395 46.395 | 13.365 13.365 | | | | | | | ₩ |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month | + | | OHM OH1 | TEFV4 TEFHG | 8.72 18.47 | 125.62 149.46 | 54.43 111.195 | 46.395 40.355 | 13.365 26.115 | | | | | | | ₩ |
| - | Local Charmer - Dedicated - DST per month | 1 | | ОПІ | IEFRG | 10.47 | 149.46 | 111.195 | 40.355 | ∠0.115 | | | | | | | ₩ |
| | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | l | ОНЗ | TEFHJ | 147.01 | 445.01 | 145.18 | 112.905 | 75.88 | | | | | | | 1 |
| Inc | AL INTERCONNECTION MID-SPAN MEET | | - | 0110 | ILIII | 147.01 | 445.01 | 140.10 | 112.805 | 10.00 | | | | | | | \vdash |
| | Local Channel - Dedicated - DS1 per month | 1 | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | \vdash |
| | Local Channel - Dedicated - DS3 per month | 1 | | OH3MS | TEFHJ | 0.00 | 0.00 | | | 1 | | | | | | | \vdash |
| MUL | TIPLEXERS | 1 | | | | 1 | 2.30 | | İ | İ | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 69.75 | 105.675 | 41.585 | 23.75 | 4.19 | | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 121.90 | 224.475 | 71.83 | 40.005 | 31.065 | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 7.35 | 15.805 | 11.385 | 6.605 | 6.605 | | | | - | | | |
| SNALING (| | 1 | | | | l . | | | | j | | | | | | | — |
| TE: "bk" I | peside a rate indicates that the Parties have agreed to bill and kee | p for that | | | | | | | | , | | | | | | | <u> </u> |
| | CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 | | | UDB | TPP6A | 17.05 | 131.96 | 131.96 | 16.91 | 16.91 | | | | | | | ₩ |
| | CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 | | | UDB | TPP9A | 17.05 | 131.96 | 131.96 | 16.91 | 16.91 | | | | | | | ₩ |
| | CCS7 Signaling Connection, Switched access service, interface | 1 | | | | I | | | | Ì | | | | | | | 1 |
| | groups, transmissiom paths 6 DS1 level path with bit stream | 1 | l | İ | TDD01/ | 47.05 | l | 24.77 | 16.91 | 16.91 | | | | | | | 1 |
| | cianolina | | | | | | | | | | | | | | | | |
| | signaling CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 | 1 | | UDB UDB | TPP6X TPP6B | 17.05 17.05 | 34.77 131.96 | 34.77 131.96 | 16.91 | 16.91 | | | | | | | |

| LOCAL INT | ERCONNECTION - Georgia | | | | | | | | | | | | Attachment: 3 | 3 Exh A | | | |
|-----------|---|------------|----------|------------------------|-----------------|--------------------|------------------|-------------|----------------|------------|-------|---|---------------|--|----------|----------|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | RATES(\$) | | | | | | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring I | Disconnect | | | | Rates(\$) | • | • | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 17.05 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 133.99 | | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link | | | UDB | STU56 | 340.67 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | 33.32 | 33.32 | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000527bk | | | | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message (same as E.3.3) | | | | | 0.0000132bk | | | | | | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and cond | litions fo | r the sp | ecific service or fund | ction will be a | as set forth in ap | plicable BellSou | uth tariff. | | | | | | | | | |

| OCAL IN | ITERCONNECTION - Kentucky | | | | | | | | | | | | Attachment: 3 | B Exh A | | | |
|----------|--|--------------|---------|--------------------------|-----------------|-------------------|-----------------|----------------|--------------|--|---|---|--|--|---|---|---------------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | | ⊢— |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| CAL INTE | ERCONNECTION (CALL TRANSPORT AND TERMINATION) | _ | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bill | and keen | for the | et alamant nurcuant t | o the terms a | nd conditions is | Attachment 3 | | | | | | | | | | _ |
| | IDEM SWITCHING | anu keep | ioi uia | it element pursuant t | l life terris a | lia conditions ii | Attachinient 3. | | | | | | | | | | $\overline{}$ |
| 1731 | Tandem Switching Function Per MOU | | | | | 0.0006772bk | | | | | | | | | | | $\overline{}$ |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | | П |
| | only) | | | | | 0.0006772 | | | | | | | | | | | ı |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | i |
| | is charge is applicable only to transit traffic and is applied in additi | on to app | licable | switching and/or inte | rconnection | charges. | | | | | | | | | | | ı |
| TRU | JNK CHARGE | | | | | | | | | | | | | | | | ь |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.58 | 8.13 | | | | | | | | | Н— |
| | Installation Trunk Side Service - per DS0 Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TPP9X TDEOP | 0.00 | 21.58 | 8.13 | 1 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0^^ Dedicated End Office Trunk Port Service-per DS1** | + | | OHD OH1 OH1MS | TDE0P | 0.00 | | | - | - | | | | | | | _ |
| -+ | Dedicated End Office Trunk Port Service-per DS1*** Dedicated Tandem Trunk Port Service-per DS0** | + | | OHIOHIMS | TDWOP | 0.00 | | | 1 | | 1 | | | | | | _ |
| | Dedicated Tandem Trunk Port Service-per DS0* | 1 | | OH1 OH1MS | TDW0F | 0.00 | | | 1 | <u> </u> | | | | | | | $\overline{}$ |
| ** TI | his rate element is recovered on a per MOU basis and is included | n the End | | | | | elements | | • | | | | | 1 | | | $\overline{}$ |
| | MMON TRANSPORT (Shared) | | | | | 1 | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000030bk | | | | | | | | | | | П |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0007466bk | | | | | | | | | | | ī |
| | ERCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | i |
| INTE | EROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | i |
| | Per Mile per month | | | ОНМ | 1L5NF | 0.01 | | | | | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | i |
| | Facility Termination per month | | | ОНМ | 1L5NF | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | | - |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | ОНМ | 1L5NK | 0.0115 | | | | | | | | | | | i |
| _ | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OHM | TL5NK | 0.0115 | | | | | | | | | | | _ |
| | Termination per month | | | ОНМ | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | | i |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | OTTIVI | TESIVIN | 20.01 | 47.00 | 01.70 | 22.11 | 0.70 | | | | | | | |
| | month | | | ОНМ | 1L5NK | 0.0115 | | | | | | | | | | | i |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | $\overline{}$ |
| | Termination per month | | | OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | | i |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | ī |
| | month | | | OH1, OH1MS | 1L5NL | 0.23 | | | | | | | | | | | i |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | ı |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | i |
| | month | | | OH3, OH3MS | 1L5NM | 4.97 | | | | | | | | | | | _ |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3. OH3MS | 1L5NM | 1,175.15 | 335,40 | 219.24 | 89.57 | 87.75 | | | | | | | ı |
| 100 | CAL CHANNEL - DEDICATED TRANSPORT | + | | Una, Unaivia | IVIVICAT | 1,175.75 | 335.40 | 219.24 | 69.57 | 01.75 | | | | | | | $\overline{}$ |
| LUC | Local Channel - Dedicated - 2-Wire Voice Grade per month | + | | OHM | TEFV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | | | | | | $\overline{}$ |
| - | Local Channel - Dedicated - 2-Wire Voice Grade per month | + | | OHM | TEFV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | | | | | | $\overline{}$ |
| | Local Channel - Dedicated - DS1 per month | 1 | | OH1 | TEFHG | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | | | | | $\overline{}$ |
| - | The state of the s | 1 | | | | .5.40 | 200.00 | | 33.21 | 257 | | | | | | | $\overline{}$ |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | | | | | | i |
| LOC | CAL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | 匸 |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | 二 |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | | |
| MUL | TIPLEXERS | 1 | | | | | | | ļ | . | | | | | | | <u> </u> |
| | Channelization - DS1 to DS0 Channel System | + | | OH1, OH1MS | SATN1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | | | | | | | _ |
| | DS3 to DS1 Channel System per month | + | | OH3, OH3MS OH1, OH1MS | SATNS SATCO | 158.20 | 199.23 10.07 | 118.62 7.08 | 50.16 | 48.59 | | | | | | | _ |
| NALING | DS3 Interface Unit (DS1 COCI) per month | + | | OHI, OHIMS | SAICU | 11.80 | 10.07 | 7.08 | - | | | | | | | | _ |
| | (CCS7) FE: "bk" beside a rate indicates that the Parties have agreed to bill | and keen | for the | t element nursuant t | o the terms s | nd conditions is | Attachment 2 | | l | I | <u> </u> | L | | | | | _ |
| NOI | CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 | anu keep | | UDB | TPP6A | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | | $\overline{}$ |
| | CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 | + | | UDB | TPP9A | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | | $\overline{}$ |
| 1 | CCS7 Signaling Connection, 1 et 30kbps 1 actity A-Ellik B33 | 1 | | | | 20.71 | 45.50 | 70.00 | 22.40 | 22.40 | | | | | | | $\overline{}$ |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | 1 | | | | | | | i |
| | signaling | | | UDB | TPP6X | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | | i |
| | CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 | | | UDB | TPP6B | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | | П |
| | CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 | | | UDB | TPP9B | 20,71 | 43.56 | 43.56 | 22,45 | 22,45 | | | | | | | $\overline{}$ |

| LOCAL INT | ERCONNECTION - Kentucky | | | | | | | | | | | | Attachment: | 3 Exh A | | | |
|-----------|---|---------|------|-----|-------|-------------|--------|-----------|----------------|------------|-------|---|-------------|--|----------|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring D | Disconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 151.39 | | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 751.08 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.02 | 46.02 | 56.43 | 56.43 | | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 46.02 | 46.02 | 56.43 | 56.43 | | | | | | | |
| | 0007 0: II D TOAD M | | | | | 0.0000656bk | | | | • | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000164bk | | | | | | | | | | | |

| OCAL INT | ERCONNECTION - Louisiana | | | | | | | | | | | | Attachment: 3 | B Exh A | | - | |
|-----------|---|----------|---------|----------------------------|----------------|------------------|--|-----------------|--------------|--------------|---|-----------|--|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interim | Zone | всѕ | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | | | | | | | | | | | ₩ |
| | CONNECTION (CALL TRANSPORT AND TERMINATION) : "bk" beside a rate indicates that the Parties have agreed to bill | | far the | | - the terms | nd sandkisna i | | | | | 1 | | | | | | ₩ |
| | : "bk" beside a rate indicates that the Parties have agreed to biii : EM SWITCHING | and keep | for tha | at element pursuant t I | o tne terms a | na conditions i | n Attachment 3. | | I | 1 | 1 | 1 | | | | | ₩ |
| IAND | Tandem Switching Function Per MOU | | | | | 0.0005507bk | | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | | |
| | only) | | | | | 0.0005507 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | <u> </u> |
| | charge is applicable only to transit traffic and is applied in addition | n to app | licable | switching and/or inte | rconnection | charges. | 1 | | 1 | 1 | | | | 1 | 1 | | ₩ |
| IRUN | K CHARGE Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.64 | 8.15 | | | - | | | | | | ₩ |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.64 | 8.15 | | | + | | | | | | + |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | 21.04 | 0.10 | | 1 | | | | | | | H |
| | Dedicated End Office Trunk Port Service-per DS1** | 1 | | OH1 OH1MS | TDE1P | 0.00 | İ | | | İ | | İ | | | | | Т |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | 1 | | OH1 OH1MS | TDW1P | 0.00 | ــــــــــــــــــــــــــــــــــــــ | | | l | | | | | | | \perp |
| | s rate element is recovered on a per MOU basis and is included in | the End | Office | Switching and Tand | em Switching | g, per MOU rate | elements | 1 | 1 | 1 | 1 | | | | | | ₩ |
| COMM | ION TRANSPORT (Shared) Common Transport - Per Mile, Per MOU | 1 | | | | 0.0000032bk | - | | 1 | 1 | + | | | | | | \vdash |
| | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | 1 | | | 1 | 0.00032bk | | | | | 1 | | | | | | ╁ |
| CAL INTER | CONNECTION (DEDICATED TRANSPORT) | | | | | 0.0003740DK | | | | | - | | | | | | ╁ |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | \vdash |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Per Mile per month | | | ОНМ | 1L5NF | 0.013 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 22.60 | 39.36 | 26.62 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | 0.040 | | | | | | | | | | | |
| | month | | | ОНМ | 1L5NK | 0.013 | | | | | - | | | | | | ₩ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | ОНМ | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | OTTIVI | ILOIVIC | 10.01 | 00.07 | 20.02 | | | | | | | | | |
| | month | | | ОНМ | 1L5NK | 0.013 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.2652 | | | | | | | | | | | ₩ |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 70.47 | 86.69 | 79.44 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OHT, OHTIMS | ILSINL | 70.47 | 80.09 | 79.44 | | | + | | | | | | ╁ |
| | month | | | OH3, OH3MS | 1L5NM | 6.04 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 850.45 | 270.69 | 158.05 | |] | | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | ļ | ļ | | | ļ | | | | | | | \perp |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | 1 | | OHM | TEFV2 | 18.32 | 187.51 | 32.21 | 1 | 1 | - | | | | | | ₩ |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month | 1 | | OHM OH1 | TEFV4 TEFHG | 19.41 39.18 | 187.94 172.34 | 32.63 149.27 | 1 | 1 | + | | | | | | \vdash |
| - | Local Chailler - Dedicated - DOT per month | 1 | | OIII | IEFHG | 39.18 | 172.34 | 149.27 | 1 | 1 | 1 | | | | | | \vdash |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | l | OH3 | TEFHJ | 469.44 | 438.46 | 256.30 | | | | | | | | | 1 |
| LOCA | L INTERCONNECTION MID-SPAN MEET | | | | | .55.44 | | 200.00 | | i e | | | | | | | T |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | | |
| MULT | IPLEXERS | | | | | | | | | | | | | | | | <u> </u> |
| | Channelization - DS1 to DS0 Channel System | 1 | | OH1, OH1MS | SATN1 | 105.09 | 88.41 | 60.76 | ļ | | 1 | | | | | | ₩ |
| - | DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month | 1 | | OH3, OH3MS OH1, OH1MS | SATNS SATCO | 201.48 11.78 | 172.99 6.39 | 91.25 4.58 | 1 | | 1 | | | | | | \vdash |
| NALING (C | | 1 | | OHI, UNIMS | SAICU | 11.78 | 6.39 | 4.58 | | 1 | - | | | | | | \vdash |
| NOTE | : "bk" beside a rate indicates that the Parties have agreed to bill | and keen | for the | i at element nursuant t | o the terms a | nd conditions is | n Attachment 3 | | 1 | 1 | 1 | 1 | | | | | ┢ |
| .,,,,,, | CCS7 Signaling Termination, Per STP Port | a noop | | UDB | PT8SX | 147.60 | | | | 1 | | | | | | | т |
| | CCS7 Signaling Connection, Per DS1 level link (A link) | | | UDB | TPP6A | 15.77 | 34.50 | 34.50 | | <u> </u> | | | | | | | L |
| | CCS7 Signaling Connection, Per DS3 level link (A link) | | | UDB | TPP9A | 15.77 | 34.50 | 34.50 | | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | |] |] | | | | | | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | | l |
| 1 | signaling | | | UDB | TPP6X | 15.77 | 34.50 | 34.50 | | | 1 | | | | | | 丄 |

| LOCAL INT | ERCONNECTION - Louisiana | | | | | | | | | | | | Attachment: 3 | 3 Exh A | | | |
|-----------|---|-----------|----------|------------------------|----------------|--------------------|------------------|-------------|--------------|------------|---|-------|---------------|--|----------|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link) | | | UDB | TPP6B | 15.77 | 34.50 | 34.50 | | | | | | | | | |
| | CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link) | | | UDB | TPP9B | 15.77 | 34.50 | 34.50 | | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 15.77 | 34.50 | 34.50 | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 732.10 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 28.17 | 28.17 | | | | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 28.17 | 28.17 | | | | | | | | | |
| - | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.000064bk | | | | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.000016bk | | | | | | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and cond | itions fo | r the sp | ecific service or fund | tion will be a | s set forth in app | olicable BellSou | ıth tariff. | | | | | | | | | |

| CAL III | ERCONNECTION - Mississippi | | | | | | | | | | | | Attachment: 3 | Exh A | | | |
|-----------|---|--|----------|-----------------------|----------------|----------------------------|-----------------|----------------|----------------|----------------|----------|---|--|--|---|---|----|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | L |
| | | | | | | | | | | | | | | | | | ㅗ |
| | CONNECTION (CALL TRANSPORT AND TERMINATION) | <u> </u> | | | L | L | L | | | | | | | | | | ┿ |
| | "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | for tha | t element pursuant t | o the terms a | nd conditions i | n Attachment 3. | | | | | | | | | | ₩ |
| TAND | EM SWITCHING Tandem Switching Function Per MOU | | | | | 0.0005379bk | | | | | | | | | | | +- |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | U.UUU5379DK | | | | | | | | | | | + |
| | only) | | | | | 0.0005379 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | + |
| * This | charge is applicable only to transit traffic and is applied in addition | n to app | licable | switching and/or inte | erconnection | | | | | | | | l l | | l l | | + |
| | K CHARGE | 1 | | · · | | Ĭ | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.58 | 8.13 | | | | | | | | | L |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.58 | 8.13 | | | | | | | | • | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | | | | | | | | | | | ┸ |
| | Dedicated End Office Trunk Port Service-per DS1** | <u> </u> | | OH1 OH1MS | TDE1P | 0.00 | ļ | | ļ | ļ | | | | | | | 1 |
| | Dedicated Tandem Trunk Port Service-per DS0** | <u> </u> | | OHD | TDWOP | 0.00 | | | - | - | | | | | | | + |
| ** ** * | Dedicated Tandem Trunk Port Service-per DS1** | the E | | OH1 OH1MS | TDW1P | 0.00 | -1 | | 1 | 1 | <u> </u> | | | | | | + |
| | rate element is recovered on a per MOU basis and is included in | tne End | Office | Switching and Tand | iem Switching | g, per MOU rate | elements | | | 1 | | | | 1 | | | + |
| COMIN | ON TRANSPORT (Shared) Common Transport - Per Mile, Per MOU | | | | | 0.0000026bk | - | | - | - | | | | | | | + |
| | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | - | | | | 0.0000026bk 0.0004541bk | | | | | | | | | | | + |
| CAL INTER | CONNECTION (DEDICATED TRANSPORT) | | | | | 0.000454 IDK | | | - | - | - | | | | | | + |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | - | | | - | - | - | | | | | | + |
| INTER | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | + |
| | Per Mile per month | | | ОНМ | 1L5NF | 0.0098 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OT IIVI | ILOIVI | 0.0030 | | | | | | | | | | | + |
| | Facility Termination per month | | | ОНМ | 1L5NF | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | OTTIVI | ILOIVI | 22.02 | 40.77 | 27.07 | 17.20 | 7 | | | | | | | + |
| | month | | | ОНМ | 1L5NK | 0.0098 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 0 | TEOTHY | 0.0000 | | | | | | | | | | | 1 |
| | Termination per month | | | OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | | | | | | | | | | | | | | T |
| | month | | | OHM | 1L5NK | 0.0098 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.201 | | | | | | | | | | | ┷ |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | |
| _ | Termination per month | <u> </u> | | OH1, OH1MS | 1L5NL | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | 0110 0110140 | 41.55154 | 4.70 |] | | I | I | | | | | | | 1 |
| _ | month | | | OH3, OH3MS | 1L5NM | 4.76 | | | - | - | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | |
| I OCA | CHANNEL - DEDICATED TRANSPORT | 1 | | OI IO, OFIGINIO | ILDINIVI | 041.90 | 200.37 | 103.70 | 02.08 | 00.29 | | | | | | | + |
| LUCA | Local Channel - Dedicated - 2-Wire Voice Grade per month | | — | OHM | TEFV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | | | | | | + |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | | | | | | + |
| | Local Channel - Dedicated - TVIIIe Voice Grade per Hishiri Local Channel - Dedicated - DS1 per month | 1 | | OH1 | TEFHG | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | | | | | | + |
| _ | - por month | † | | | | 55.55 | | .001 | 22.33 | .5.74 | | | | | | | T |
| | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | | ОНЗ | TEFHJ | 413.87 | 454.13 | 264.47 | 123.23 | 86.19 | | | | | | | 1 |
| LOCA | INTERCONNECTION MID-SPAN MEET | | | | 1 | | | | | 1 | | | | | | | T |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | Ι |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | | I |
| MULT | PLEXERS | | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | | |
| | DS3 to DS1 Channel System per month | <u> </u> | | OH3, OH3MS | SATNS | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | | 1 |
| | DS3 Interface Unit (DS1 COCI) per month | ļ | | OH1, OH1MS | SATCO | 12.96 | 6.62 | 4.74 | | | | | | | | | + |
| NALING (C | CS7) | L., | Ļ | | L | L | L | | L | L | | | | | | | + |
| NOTE | "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | tor tha | | | | n Attachment 3. | 1 | | | | 1 | 1 | | 1 | | + |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.21 | 25.74 | 25.74 | 16.50 | 16.50 | | | | | | | + |
| | CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link) | | | UDB | TPP6A TPP9A | 16.55 16.55 | 35.74 35.74 | 35.74 35.74 | 16.53 16.53 | 16.53 16.53 | | | | | | | + |
| | 10037 Signaling Connection, Per D53 level link (A link) | 1 | | UDB | IPP9A | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | ļ | | | | | + |
| | CCS7 Signaling Connection Switched access conting interfere | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | | |

| OCAL INT | ERCONNECTION - Mississippi | | | | | | | | | | | | Attachment: | 3 Exh A | | | |
|----------|--|---------|------|-----|-------|-------------|--------|-----------|----------------|------------|-------|---|-------------|--|----------|---|----|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring I | Disconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Per DS1 level link (B link) (also known | | | | | | | | | | | | | | | | |
| | as D link) | | | UDB | TPP6B | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | | | | | | |
| | CCS7 Signaling Connection, Per DS3 level link (B link) (also known | ı | | | | | | | | | | | | | | | |
| | as D link) | | | UDB | TPP9B | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | | | | | | Ш. |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP9X | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 683.55 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.18 | 29.18 | 35.78 | 35.78 | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000597bk | | | | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000149bk | | | | | | | | | | | 1 |

| CAL IN | TERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: 3 | B Exh A | | | L |
|----------|--|----------|---------|-----------------------|----------------|---------------------|-----------------|-----------|--------------|--|--|-----------|---|---|---|---|----------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | Ì |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | 1 | | Rates(\$) | | | |
| | | | | | | IXCC . | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | <u> </u> |
| CAL INTE | L RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | ⊢ |
| | E: "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | for tha | it element pursuant i | o the terms a | nd conditions is | n Attachment 3. | | 1 | 1 | <u> </u> | | | | | | |
| | DEM SWITCHING | | | • | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0004788bk | | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | 0.0004700 | | | | | | | | | | | İ |
| | only) Tandem Intermediary Charge, per MOU* | | | | | 0.0004788 0.0025 | | | | | | | | | | | ├ |
| * This | s charge is applicable only to transit traffic and is applied in addition | n to ann | licable | switching and/or into | erconnection | | | | | | | | | | | | ┢ |
| | NK CHARGE | то црр | | ov koming anaro: int | | l goo. | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.55 | 8.12 | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.55 | 8.12 | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | | | | <u> </u> | | | | | | | _ |
| | Dedicated End Office Trunk Port Service-per DS1** Dedicated Tandem Trunk Port Service-per DS0** | | | OH1 OH1MS OHD | TDE1P TDWOP | 0.00 | | | 1 | 1 | 1 | | | | | | ₩ |
| | Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1** | | | OHD OH1 OH1MS | TDW0P | 0.00 | | | | | | | | | | | - |
| ** Th | is rate element is recovered on a per MOU basis and is included in | the End | | | | | elements | | 1 | 1 | 1 | | | | | | \vdash |
| | MON TRANSPORT (Shared) | | | • | | 1 | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000023bk | | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0001676bk | | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | ـــــ |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | 1 | | | | | | | ₩ |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | ОНМ | 1L5NF | 0.0095 | | | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OT IIVI | ILSIVI | 0.0033 | | | | | | | | | | | ┢ |
| | Facility Termination per month | | | ОНМ | 1L5NF | 12.12 | 39.36 | 26.62 | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | | OHM | 1L5NK | 0.0095 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | | İ |
| | Termination per month | | | OHM | 1L5NK | 7.47 | 39.37 | 26.62 | | 1 | | | | | | | ┢ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | ОНМ | 1L5NK | 0.0095 | | | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OF IIVI | ILSIVIX | 0.0033 | | | | | | | | | | | <u> </u> |
| | Termination per month | | | ОНМ | 1L5NK | 7.47 | 39.37 | 26.62 | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.1938 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | İ |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 31.19 | 86.69 | 79.44 | | | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 4.44 | | | | | | | | | | | İ |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | OHS, OHSIVIS | ILSINIVI | 4.44 | | | | | | | | | | | ┢ |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 329.91 | 270.69 | 158.05 | | | | | | | | | 1 |
| LOC/ | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 6.29 | 187.51 | 32.21 | | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 7.08 | 187.94 | 32.63 | ļ | <u> </u> | 1 | | | | | | — |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 22.13 | 172.34 | 149.27 | ļ | _ | <u> </u> | | | | | | ₩ |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 82.89 | 438.46 | 256.30 | 1 | 1 | | | | | | | 1 |
| LOCA | AL INTERCONNECTION MID-SPAN MEET | | | 0110 | IEFFIJ | 02.69 | 430.46 | 250.30 | | 1 | 1 | | | | | | \vdash |
| 2007 | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | 1 | 1 | | | | | | | \vdash |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | İ | 1 | | | | | | | Г |
| MULT | TIPLEXERS | | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.69 | 197.78 | 140.06 | | | | | | | | | <u> </u> |
| _ | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 233.10 | 403.97 | 234.40 | | 1 | | | | | | | ₩ |
| NALING (| DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 16.07 | 13.09 | 9.38 | - | | | | | | | | - |
| | CCS7) E: "bk" beside a rate indicates that the Parties have agreed to bill a | and keen | for the | t element nursuant t | n the terms a | nd conditions is | Attachment 3 | | | 1 | 1 | | | | | | ┢ |
| 14011 | CCS7 Signaling Connection, Per DS1 level link (A link) | a neep | | UDB | TPP6A | 8.13 | 34.50 | 34.50 | 1 | 1 | | | | | | | † |
| 1 | CCS7 Signaling Connection, Per DS3 level link (A link) | | | UDB | TPP9A | 8.13 | 34.50 | 34.50 | İ | 1 | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | 1 | | | 1 | 1 | | | | | | | 1 |
| | signaling | | | UDB | TPP6X | 8.13 | 278.02 | 278.02 | | | ļ | | | | | | ₽ |
| 1 | CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link) | 1 | | UDB | TPP6B | 8.13 | 34.50 | 34.50 | l | 1 | 1 | | | | | | 1 |

| LOCAL INT | ERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: 3 | 3 Exh A | | | |
|-----------|---|-----------|---------|------------------------|-----------------|-------------------|------------------|-------------|-----------------|-----------|--|-------|---------------|-----------|----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Svc Order Submitted Submitted Charge - Manually per LSR Per LSR Determined Proceedings of the Svc Order vs. Electronic-1st Incremental Charge - Charge - Manual Svc Order vs. Electronic-1st Add'l | | | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring Di | isconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link) | | | UDB | TPP9B | 8.13 | 34.50 | 34.50 | | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 8.13 | 278.02 | 278.02 | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 108.19 | | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 644.04 | | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 55.77 | 55.77 | | | | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | | | | | |
| ' | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.00004bk | | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.00009bk | | | | | | | | | | | |
| Notes | : If no rate is identified in the contract, the rates, terms, and cond | itions fo | r the s | pecific service or fun | ction will be a | s set forth in ap | plicable BellSou | ıth tariff. | | | | | | | | | <u> </u> |

| | ERCONNECTION - South Carolina | | | | | • | | | | | | | Attachment: 3 | | | | ₩. |
|-----------------------|--|--|----------|-----------------------|----------------|-----------------|--|----------------|----------------|----------------|---|---|--|--|---|---|--------------------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ᆫ |
| | | | | | | | | | | | | | | | | | ₩ |
| | CONNECTION (CALL TRANSPORT AND TERMINATION) | L | Ļ., | | L | L | | | | | | | | | | | ₩ |
| | : "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | for tha | it element pursuant t | o the terms a | nd conditions i | n Attachment 3. | | | | | | - | | | | + |
| I AND | EM SWITCHING Tandem Switching Function Per MOU | | | | - | 0.0007360bk | - | | - | - | - | | | | | | + |
| -+- | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | 0.0007300DK | | | | | | | | | | | ╁ |
| | only) | | | | | 0.000736 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | | T |
| * This | charge is applicable only to transit traffic and is applied in addition | n to app | licable | switching and/or inte | erconnection | charges. | • | | • | • | • | | | | | | |
| | K CHARGE | | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.65 | 8.16 | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | <u> </u> | | OHD | TPP9X | | 21.65 | 8.16 | ļ | ļ | | | ` | | | | $oxedsymbol{oxed}$ |
| | Dedicated End Office Trunk Port Service-per DS0** | ! | | OHD | TDEOP | 0.00 | | | | | | | | | | | ₩ |
| | Dedicated End Office Trunk Port Service-per DS1** | 1 | | OH1 OH1MS | TDE1P | 0.00 | | | 1 | 1 | | | | | | | ₩ |
| $-\!\!\!\!+\!\!\!\!-$ | Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1** | | | OHD OH1 OH1MS | TDWOP TDW1P | 0.00 | | | | | | | | | | | ⊬ |
| ** Thi | s rate element is recovered on a per MOU basis and is included in | the End | | | | | | l | | | l . | l | | | | | ┢ |
| | ION TRANSPORT (Shared) | I the Life | Office | Switching and Fand | - Switching | y, per woo rate | elements | I | | | 1 | ı | | | | | ┢ |
| 00 | Common Transport - Per Mile, Per MOU | | | | 1 | 0.0000045bk | | | | | | | | | | | H |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004095bk | | | | | | | | | | | \vdash |
| AL INTER | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | T |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | T |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Per Mile per month | | | OHM | 1L5NF | 0.0167 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | | OHM | 1L5NK | 0.0167 | | | | | | | | | | | ₽ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 0.114 | 41.55.114 | 40.70 | 40.00 | | 40.77 | | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | ₩ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | ОНМ | 1L5NK | 0.0167 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | Onivi | ILDINK | 0.0167 | | | | | | | | | | | H |
| | Termination per month | | | ОНМ | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| _ | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OTTIVI | ILOIVIC | 10.70 | 40.00 | 21.41 | 10.77 | 0.01 | | | | | | | ╁ |
| | month | | | OH1, OH1MS | 1L5NL | 0.3415 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | , | | | | | | | | | | | | | 1 |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 8.02 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | | <u>Ļ</u> |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | ↓_ |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | | | | | | <u> </u> |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM OH1 | TEFV4 | 16.54 | 193.97 177.87 | 33.68 | 37.19 | 3.68 | | | | | | | ⊢ |
| +- | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 42.62 | 1//.8/ | 154.06 | 22.24 | 15.30 | | | | | | | \vdash |
| | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | | ОНЗ | TEFHJ | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | , | ĺ |
| I OCA | L INTERCONNECTION MID-SPAN MEET | | — | 0110 | LLIIIJ | 440.00 | 402.02 | 204.03 | 119.75 | 03.77 | | | | | | | \vdash |
| LOCA | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | H |
| 1 | Local Channel - Dedicated - DS3 per month | 1 | | OH3MS | TEFHJ | 0.00 | 0.00 | | t | t | | | | | | | t |
| MULT | IPLEXERS | | | - | | | | | | | | | | | | | T |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 8.64 | 6.59 | 4.73 | | | | | | - | | | 匚 |
| NALING (C | | 1 | | | | İ | l | | I | I | | | Ť | | | | ▙ |
| NOTE | : "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | | | | | | | | | | | | | | | <u> </u> |
| | CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 | ! | | UDB | TPP6A | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | | <u> </u> |
| | CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 | | | UDB | TPP9A | 16.93 | 35.61 | 35.61 35.61 | 16.48 16.48 | 16.48 16.48 | | | | | | | + |
| | 0007 0: E 0 B- E017 E III B 1 1 1 E I | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 | | | UDB | TPP6B | 16.93 | 35.61 | | | | | | | | | ——— | + |
| | CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 | | | UDB UDB | TPP6B TPP9B | 16.93 | 35.61 35.61 | 35.61 | 16.48 | 16.48 | | | | | | | E |
| | | | | | | | | | | | | | | | | | |

| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | | | | Submitted | Submitted | Charge - | Incremental Charge - | Charge - | Incremental Charge - | |
|------------|--|---------|------|-----|-------|-------------|--------|--------|----------------|-----------|-----------------|---------------------|---|---|--|--|--|
| | | 1 | | | | 5.770(1) | | | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'I | Manual Svc Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- Disc Add'l | |
| 0007.0 | | | | | | Rec | Nonrec | urring | Nonrecurring D | isconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | gnaling Connection, Switched access service, interface ansmissiom paths 9 DS3 level path with bit stream | | | UDB | TPP9X | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | | |
| CCS7 Signs | gnaling Termination, Per STP Port | | | UDB | PT8SX | 163.49 | | | | | | | | | | | |
| | gnaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 791.37 | | | | | | | | | | | |
| | gnaling Point Code, per Originating Point Code ment or Change, per STP affected | | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | | | | | | |
| | gnaling Point Code, per Destination Point Code ment or Change, Per Stp Affected | | | UDB | CCAPD | | 29.08 | 29.08 | 35.65 | 35.65 | | | · | | | | |
| | gnaling Usage, Per TCAP Message | | | | | 0.0000692bk | | | | • | | | · | | | | |
| CCS7 Signa | gnaling Usage, Per ISUP Message | | | | | 0.0000173bk | | | | • | | | | | | | |

| CAL IN | TERCONNECTION - Tennessee | | | | | | | | | | | | Attachment: 3 | | | | L |
|----------|---|-----------|---------|--|---------------|-----------------|-----------------|-----------|--------------|--|-------|---|--|--|---|---|--|
| rEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| 1 | + | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | | \vdash |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | for tha | at element pursuant t | o the terms a | nd conditions i | n Attachment 3. | | | | | | | | | | 丄 |
| TANE | DEM SWITCHING | | | | | | | | | | | | | | | | ㅗ |
| | Tandem Switching Function Per MOU | | | | | 0.0009778bk | | | | | | | | | | | ₩ |
| | Multiple Tandem Switching, per MOU (applies to intial tandem only) | | | | | 0.0009778 | | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | - | 0.0009778 | - | | | - | | | | | | | + |
| * This | s charge is applicable only to transit traffic and is applied in addition | n to ann | licable | ewitching and/or into | rconnection | | | | l . | | | l . | | | | | + |
| | NK CHARGE | ii to app | icabic | Switching and/or line | Connection | Criaryes. | | | I | | | ı | | | | | + |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.59 | 8.09 | | | | | | | | | + |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | 1 | 21.59 | 8.09 | | t | | | | | | | \mathbf{t} |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | | 2.30 | İ | İ | | | | | | | \Box |
| | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | | T |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | | I |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | | |
| | is rate element is recovered on a per MOU basis and is included in | the End | Office | Switching and Tand | em Switching | g, per MOU rate | elements | | | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000064bk | | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0003871bk | | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | \bot |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHM | 1L5NF | 0.0174 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | | OHM | 1L5NK | 0.0174 | | | | | | | | | | | 4 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 0.114 | 41.55.07 | 47.00 | == 00 | 47.07 | | 0.54 | | | | | | | |
| - | Termination per month | | | ОНМ | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | OUM | 41.5507 | 0.0474 | | | | | | | | | | | |
| | month | | | ОНМ | 1L5NK | 0.0174 | | | | | | | | | | | +- |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OUM | 41 ENIZ | 17.00 | FF 20 | 47.07 | 27.00 | 2.54 | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | | +- |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.3562 | | | | | | | | | | | |
| _ | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OHT, OHTIVIS | ILSINL | 0.3302 | • | | | | | | | | | | + |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OHT, OHTIMS | ILSINL | 77.00 | 112.40 | 10.21 | 19.55 | 14.99 | | | | | | | + |
| | month | | | OH3, OH3MS | 1L5NM | 2.34 | | | | I | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | 5. 10, OI IOIVIO | LOTAIN | 2.34 | t 1 | | | † | | | | | | | + |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | T |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 15.29 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | | 1 |
| 1 | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 16.18 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | | П |
| 1 | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 32.25 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | | П |
| | | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | | | | <u></u> | 1 |
| LOCA | AL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | | |
| MULT | TIPLEXERS | | | | | | | | | | | | | | | | L |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 80.77 | 141.87 | 77.11 | 14.51 | 13.46 | | | | | | | \perp |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | | | | | ╄ |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 17.58 | 6.07 | 4.66 | | | | | | | | | 4 |
| NALING (| | L., | | <u>. </u> | L | L <u></u> | | | l | L | | | | | | | +- |
| NOT | E: "bk" beside a rate indicates that the Parties have agreed to bill a | and keep | | | | | n Attachment 3. | | 1 | | | | 1 | | 1 | 1 | +- |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 138.41 | 100 - | 100 - : | | | | | 00 | | | | + |
| | CCS7 Signaling Connection, Per DS1 level link (A link) | | | UDB | TPP6A | 17.84 | 130.84 | 130.84 | 1 | 1 | | | 20.35 | 0.00 | 0.00 | 0.00 | |
| - | CCS7 Signaling Connection, Per DS3 level link (A link) | | | UDB | TPP9A | 17.84 | 130.84 | 130.84 | 1 | 1 | | | 20.35 | 0.00 | 0.00 | 0.00 | + |
| | CCS7 Signaling Connection, Per DS1 level link (B link) (also known | 1 | | LIDD | TDDCD | 47.01 | 400.01 | 400.01 | | I | | | 00.05 | 0.00 | 0.00 | 0.00 | 1 |
| | as D link) | - | | UDB | TPP6B | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 0.00 | 0.00 | 0.00 | + |
| | CCS7 Signaling Connection, Per DS3 level link (B link) (also known | 1 | 1 | i | 1 | 1 | 1 | | 1 | l . | ı | i | | | | | 1 |

| OCAL INT | ERCONNECTION - Tennessee | | | | | | | | | | | | Attachment: 3 | 3 Exh A | | | <u> </u> |
|----------|---|---------|------|-----|-------|-------------|--------------|-----------|----------------|------------|--|-------|---------------|-----------|-------|---|----------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec Manually Per LSR Per LSR Per LSR Electronic- Electr | | | | | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring I | Disconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | İ | UDB | STU56 | 352.30 | | | | | | | | | | | |
| | Signaling Point Code, per Originating Point Code Establishment or Change, per STP | | | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 0.00 | 0.00 | 0.00 | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000916bk | | | | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | 1 | | | 0.0000373bk | | | | | 1 | 1 | ĺ | | | | |

Attachment 4

Central Office Physical Collocation

Version: 2Q05 Standard ICA

Table of Contents

| 1. | Scope of Attachment | 3 |
|-----|---|-----------|
| 2 | Optional Space Availability Report | 5 |
| 3 | Collocation Options | 6 |
| 4 | Occupancy | 12 |
| 5 | Use of Collocation Space | 14 |
| 6 | Ordering and Preparation of Collocation Space | 21 |
| 7 | Construction and Provisioning | 25 |
| 8 | Rates and Charges | 32 |
| 9 | Insurance | 39 |
| 10 | Mechanics Lien | 41 |
| 11 | Inspections | 41 |
| 12 | Security and Safety Requirements | 41 |
| 13 | Destruction of Collocation Space | 44 |
| 14 | Eminent Domain | 45 |
| 15 | Nonexclusivity | 45 |
| Env | vironmental & Safety Principles | Exhibit A |
| Rat | tes | Exhibit B |
| Ten | nnessee Regulatory Authority (TRA) Offered Language and Rates | Exhibit C |

Version: 2Q05 Standard ICA

BELLSOUTH CENTRAL OFFICE PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 BellSouth Premises. The rates, terms and conditions contained within this Attachment shall only apply when Alternative is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment includes BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. If the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and/or intervals may apply in addition to the terms and conditions contained in this Attachment.

1.2 Right to Occupy

- 1.2.1 BellSouth shall offer to Alternative collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Alternative to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Alternative and agreed to by BellSouth (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.2.1 In all states other than Florida, the size specified by Alternative may contemplate a request for space sufficient to accommodate Alternative's growth within a twenty-four (24) month period.
- 1.2.2.2 In the state of Florida, the size specified by Alternative may contemplate a request for space sufficient to accommodate Alternative's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall assign Alternative Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate Alternative's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth

Version: 2Q05 Standard ICA

shall not materially increase Alternative's cost or materially delay Alternative's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Alternative wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Transfer of Collocation Space.</u> Alternative shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the central office is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) Alternative has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with Alternative's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.1 The responsibilities of Alternative shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and Alternative.
- 1.4.2 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.

1.5 Space Reclamation

- 1.5.1 In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. Alternative will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.2 BellSouth may reclaim unused Collocation Space when a BellSouth central office is at, or near, space exhaustion and Alternative cannot demonstrate that Alternative will utilize the Collocation Space within a reasonable time. In the event of space exhaust or near exhaust within a BellSouth Premises, BellSouth

Version: 2Q05 Standard ICA

will provide written notice to Alternative requesting that Alternative release nonutilized Collocation Space to BellSouth, when one hundred percent (100%) of the Collocation Space in Alternative's collocation arrangement is not being utilized.

- 1.5.3 Within twenty (20) days of receipt of written notification from BellSouth, Alternative shall either: (1) return the non-utilized Collocation Space to BellSouth in which case Alternative shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to BellSouth; or (2) for all states, with the exception of Florida, provide BellSouth with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date Alternative accepted the Collocation Space (Acceptance Date) from BellSouth. For Florida, Alternative shall provide information to BellSouth demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning BellSouth's claim of central office space exhaust, or near exhaust, or Alternative's refusal to return requested Collocation Space should be resolved by BellSouth and Alternative pursuant to the dispute resolution language contained in Section 8 of General Terms and Conditions.
- 1.6 <u>Use of Space.</u> Alternative shall use the Collocation Space for the purpose of installing, maintaining and operating Alternative's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to Alternative may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and Charges.</u> Alternative agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.
- 2 Optional Space Availability Report

Version: 2Q05 Standard ICA

- Upon request from Alternative and at Alternative's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by Alternative.
- 2.1.1 The request from Alternative for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the LERG, and the CLLI code for the BellSouth Premises requested. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request.
- 2.1.3 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth Region, shall be negotiated between the Parties.

3 Collocation Options

3.1 Cageless Collocation. BellSouth shall allow Alternative to collocate Alternative's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Alternative to have direct access to Alternative's equipment and facilities in accordance with Section 5.1.2 below. BellSouth shall make cageless collocation available in single bay increments. Except where Alternative's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Alternative must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

3.2 Caged Collocation

3.2.1 BellSouth will make caged Collocation Space available in fifty (50) square foot increments. At Alternative's option and expense, Alternative will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's

Version: 2Q05 Standard ICA

wire mesh enclosure specifications, Alternative and Alternative's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Alternative's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at Alternative's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for Alternative's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. Alternative's BellSouth Certified Supplier shall bill Alternative directly for all work performed for Alternative. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Alternative's BellSouth Certified Supplier. Alternative must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Alternative's locked enclosure prior to notifying Alternative at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to Alternative's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Alternative.

3.2.2 In the event Alternative's BellSouth Certified Supplier will construct the collocation arrangement enclosure, BellSouth may elect to review Alternative's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify Alternative of its desire to conduct this review in BellSouth's Application Response, as defined herein, to Alternative's Initial Application. If Alternative's Initial Application does not indicate its desire to construct its own enclosure and Alternative subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then Alternative will resubmit its Initial Application, indicating its desire to construct its own enclosure. If Alternative subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, Alternative will submit a Subsequent Application, as defined in Section 6.2 below. If BellSouth elects to review Alternative's plans and specifications, then BellSouth will provide notification to Alternative within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of Alternative's plans and specifications. Regardless of whether or not BellSouth elects to review Alternative's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Alternative's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of Alternative's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of Alternative's caged Collocation Space, BellSouth

Version: 2Q05 Standard ICA

shall require Alternative, at Alternative's expense, to remove or correct any structure that does not meet Alternative's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

3.3 <u>Shared Caged Collocation</u>

- 3.3.1 Alternative may allow other telecommunications carriers to share Alternative's caged Collocation Space, pursuant to the terms and conditions agreed to by Alternative (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Alternative. BellSouth shall be notified in writing by Alternative upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Alternative that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Alternative. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and Alternative.
- 3.3.2 Alternative, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Alternative with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Alternative shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's Access Customer Name and Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 Alternative shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Alternative's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

Version: 2Q05 Standard ICA

3.4 Adjacent Collocation

- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by Alternative or Alternative's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, Alternative shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.2 If Alternative requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above, Alternative must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, Alternative and Alternative's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. Alternative's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Alternative's BellSouth Certified Supplier shall bill Alternative directly for all work performed for Alternative to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay such charges imposed by Alternative's BellSouth Certified Supplier. Alternative must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Alternative's locked enclosure prior to notifying Alternative at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.3 Alternative must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Alternative's plans and specifications prior to the construction of an Adjacent Arrangement to ensure Alternative's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from Alternative for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Alternative's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of Alternative's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after BellSouth has completed its inspection of Alternative's Adjacent Arrangement, BellSouth shall require Alternative, at Alternative's expense, to remove or correct any structure that does

Version: 2Q05 Standard ICA

not meet its submitted plans and specifications or BellSouth's specifications, as applicable.

3.4.4 Alternative shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Alternative's option and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at Alternative's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. Alternative will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Alternative's BellSouth Certified Supplier shall be responsible, at Alternative's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

3.5 Direct Connect

3.5.1 BellSouth will permit Alternative to directly interconnect between its own physical/virtual Collocation Spaces within the same BellSouth central office (Direct Connect). Alternative shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Alternative. A Direct Connect shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by Alternative to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where Alternative's physical/virtual Collocation Spaces are contiguous in the central office, Alternative will have the option of using Alternative's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Alternative will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. Alternative may not self-provision a Direct Connect on any BellSouth distribution frame, Point of Termination (POT) Bay,

Version: 2Q05 Standard ICA

Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. Alternative is solely responsible for ensuring the integrity of the signal.

3.5.2 To place an order for a Direct Connect, Alternative must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to Alternative.

3.6 Co-Carrier Cross Connect (CCXC)

- 3.6.1 A CCXC is a cross connection between Alternative and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit Alternative to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to Alternative upon Alternative's request for the CCXC. Alternative is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.2 Alternative must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Alternative. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Alternative shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be crossconnecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by Alternative to provision the CCXC to the other collocated telecommunications carrier. In those instances where Alternative's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, Alternative may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Alternative shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Alternative shall not provision CCXC on any

Version: 2Q05 Standard ICA

BellSouth distribution frame, POT Bay, DSX panel or LGX panel. Alternative is solely responsible for ensuring the integrity of the signal.

3.6.3 To place an order for a CCXC, Alternative must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to Alternative.

4 Occupancy

- 4.1 <u>Space Ready Notification.</u> BellSouth will notify Alternative in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. Alternative will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from Alternative's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If Alternative completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of Alternative's acceptance of the Collocation Space (Space Acceptance Date). In the event Alternative fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by Alternative on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If Alternative decides to occupy the Collocation Space prior to the Space Ready Date, the date Alternative occupies the space is deemed the Space Acceptance Date and billing will begin from that date.
- Alternative shall notify BellSouth in writing that its collocation equipment installation is complete. Alternative's collocation equipment installation is complete when Alternative's equipment is connected to BellSouth's network for the purpose of provisioning Telecommunication Services to Alternative's End Users. BellSouth may refuse to accept any orders for cross-connects until it has received such notice from Alternative.
- 4.5 Termination of Occupancy.
- 4.5.1 In addition to any other provisions addressing termination of occupancy in this Agreement, Alternative may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of

Version: 2Q05 Standard ICA

occupancy for such Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Alternative and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Alternative signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and Alternative jointly conduct an inspection, confirming that Alternative has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B. BellSouth may terminate Alternative's right to occupy Collocation Space in the event Alternative fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B, for such Collocation Space.

- 4.5.2 Upon termination of occupancy, Alternative, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by Alternative from the Collocation Space. Alternative shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Alternative's Guest(s), unless Alternative's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to Alternative's Termination Date.
- 4.5.3 Alternative shall continue the payment of all monthly recurring charges to BellSouth until the date Alternative, and if applicable Alternative's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If Alternative or Alternative's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of Alternative or Alternative's Guest(s), in any manner that BellSouth deems fit, at Alternative's expense and with no liability whatsoever for Alternative's property or Alternative's Guest(s) property.
- 4.5.4 Upon termination of Alternative's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. Alternative shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Alternative, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Alternative's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and

Version: 2Q05 Standard ICA

ERMA Records. Alternative shall be responsible for the cost of removing any Alternative constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5 Use of Collocation Space

5.1 <u>Equipment Type</u>

- 5.1.1 BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on Alternative's failure to comply with this Section.
- 5.2 <u>Terminations.</u> Alternative shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by Alternative,

Version: 2Q05 Standard ICA

additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event Alternative submits an application for terminations that will exceed the total capacity of the collocated equipment, Alternative will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

- Security Interest in Equipment. Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, Alternative will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 <u>No Marketing.</u> Alternative shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- 5.5 <u>Equipment Identification.</u> Alternative shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Alternative's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Alternative's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities. Alternative may elect to place Alternative-owned or Alternative leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Alternative will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. Alternative will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to Alternative's equipment in Alternative's Collocation Space. In the event Alternative utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Alternative must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. Alternative is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of Alternative's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.

Version: 2Q05 Standard ICA

- 5.6.1 <u>Microwave Transmission Facilities.</u> At Alternative's request, BellSouth will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.2 <u>Copper and Coaxial Cable Entrance Facilities.</u> In Florida and Georgia, BellSouth shall permit Alternative to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where Alternative demonstrates a necessity and entrance capacity is not at or near exhaust in a particular BellSouth Premises in which Alternative's Collocation Space is located. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two (2) interconnection points at each BellSouth Premises where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by Alternative for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Alternative with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to Alternative's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to Alternative in the Application Response.

5.8 <u>Shared Use</u>

- 5.8.1 Alternative may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Alternative's Collocation Space within the same BellSouth Premises.
- BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. Alternative must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the Alternative-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If Alternative desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Alternative authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on Alternative's entrance facility.

5.9 Demarcation Point

Version: 2Q05 Standard ICA

- 5.9.1 In Tennessee, if Alternative elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- BellSouth will designate the point(s) of demarcation between Alternative's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. Alternative shall be responsible for providing the necessary cabling and Alternative's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. Alternative or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- Equipment and Facilities. Alternative, or if required by this Attachment, Alternative's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by Alternative, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. Alternative and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.
- 5.11 <u>BellSouth's Access to Collocation Space</u>
- 5.11.1 From time to time, BellSouth may require access to Alternative's Collocation Space. BellSouth retains the right to access Alternative's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to Alternative at least forty-eight (48) hours before access to Alternative's Collocation Space is required. Alternative may elect to be present whenever BellSouth performs work in the Alternative's Collocation Space. The Parties agree that Alternative will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, BellSouth will provide oral notice of entry as soon as reasonably practicable after such entry.
- Alternative must provide the local BellSouth Central Office Building Contact with two (2) Access Devices that will allow BellSouth entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.
- 5.12 <u>Alternative's Access</u>

Version: 2Q05 Standard ICA

- 5.12.1 Pursuant to Section 12 below, Alternative shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Alternative agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier or agent of Alternative or Alternative's Guest(s) with Alternative's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Alternative and returned to BellSouth Access Management within fifteen (15) days of Alternative's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. Alternative agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Alternative's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with Alternative ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. Alternative shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.12.2 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one (1) hour, to Alternative's designated Collocation Space, after receipt of the BFFO, without charge to Alternative. Alternative must submit to BellSouth the completed Access Control Request Form for all employees. suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date Alternative desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Alternative may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Alternative desires access to its designated Collocation Space after the first accompanied free visit and Alternative's access request form(s) has not been approved by BellSouth or Alternative has not yet submitted an access request form to BellSouth, Alternative shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at Alternative's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Alternative must request that escorted access be provided by BellSouth to Alternative's designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever Alternative or it's approved agent or supplier requires access to the entrance manhole.

Version: 2Q05 Standard ICA

5.13 <u>Lost or Stolen Access Devices.</u> Alternative shall immediately notify BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of Alternative's employees, suppliers, agents or Guest(s) to return an Access Device(s), Alternative shall pay for the costs of re-keying the building or deactivating the Access Device(s).

5.14 Interference or Impairment

- 5.14.1 Notwithstanding any other provisions of this Attachment, Alternative shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; (3) compromises the privacy of any communications routed through the BellSouth Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Alternative violates the provisions of this paragraph, BellSouth shall provide written notice to Alternative, which shall direct Alternative to cure the violation within fortyeight (48) hours of Alternative's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.14.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Alternative fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Alternative's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Alternative prior to the taking of such action and BellSouth shall have no liability to Alternative for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and

Version: 2Q05 Standard ICA

Alternative fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Alternative or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Alternative is significantly degrading the performance of other advanced services or traditional voice band services, Alternative shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.

- Personalty and Its Removal. Facilities and equipment placed by Alternative in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Alternative at any time. Any damage caused to the Collocation Space by Alternative's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Alternative at its sole expense. If Alternative decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and Alternative's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill Alternative the Administrative Only Application Fee associated with the type of removal activity performed by Alternative, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response to Alternative.
- Alterations. Under no condition shall Alternative or any person acting on behalf of Alternative make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Alternative. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by BellSouth on the date that BellSouth provides Alternative with an Application Response.

Version: 2Q05 Standard ICA

5.17 <u>Janitorial Service.</u> Alternative shall be responsible for the general upkeep of its Collocation Space. Alternative shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premisesspecific basis.

6 Ordering and Preparation of Collocation Space

- 6.1 <u>Initial Application.</u> For Alternative's or Alternative's Guest's(s') initial equipment placement, Alternative shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by Alternative and will be billed by BellSouth on the date BellSouth provides Alternative with an Application Response.
- desires to modify its use of the Collocation Space after a BFFO, Alternative shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by Alternative in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Subsequent Application Fees. The application fee paid by Alternative for an Alteration shall be dependent upon the level of assessment needed to complete the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth), an Alteration made to a Bona Fide application by Alternative prior to BellSouth's receipt of the BFFO, and a virtual-to-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when Alternative submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Premises or between its

Version: 2Q05 Standard ICA

physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Premises. The Power Reconfiguration Only Application Fee will apply when Alternative submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to Alternative's physical Collocation Space. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides Alternative with an Application Response.

6.3 Space Preferences. If Alternative has previously requested and received a Space Availability Report for the BellSouth Premises, Alternative may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate Alternative's space preference(s), Alternative may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Alternative with an Application Response.

6.4 Space Availability Notification

- 6.4.1 For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when Alternative's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.
- 6.4.2 If the amount of space requested is not available, BellSouth will notify Alternative of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Alternative or space that is configured differently, no application fee will apply. If Alternative decides to accept the available space, Alternative must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Alternative resubmits its application to accept the available space, BellSouth will bill Alternative the appropriate application fee.
- 6.5 <u>Denial of Application.</u> If BellSouth notifies Alternative that no space is available (Denial of Application), BellSouth will not assess an application fee to Alternative. After notifying Alternative that BellSouth has no available space in

Version: 2Q05 Standard ICA

the requested BellSouth Premises, BellSouth will allow Alternative, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.

Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. §251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Alternative to inspect any floor plans or diagrams that BellSouth provides to the Commission.

6.7 Waiting List

- On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- 6.7.3 When physical Collocation Space becomes available, Alternative must submit an updated, complete and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If Alternative has originally requested caged Collocation Space and cageless Collocation Space becomes available, Alternative may refuse such space and notify BellSouth in

Version: 2Q05 Standard ICA

writing, within the thirty (30) day timeframe referenced above, that Alternative wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.

- Alternative may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Alternative does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove Alternative from the waiting list. Upon request, BellSouth will advise Alternative as to its position on the waiting list for a particular BellSouth Premises.
- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Web site, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Web site that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.

6.9 <u>Application Response</u>

- In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes sufficient information to enable Alternative to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.
- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Alternative to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When Alternative submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.
- 6.10 <u>Application Modifications.</u> If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing

Version: 2Q05 Standard ICA

Contact Information, whether at the request of Alternative or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Alternative the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2 above.

6.11 BFFO

- Alternative shall indicate its intent to proceed with a Collocation Space request in a BellSouth Premises by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to Alternative's Bona Fide application or Alternative's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of Alternative's BFFO. BellSouth will acknowledge the receipt of Alternative's BFFO within seven (7) days of receipt, so that Alternative will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7 Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals</u>
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Alternative. If additional space has been requested by Alternative, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Alternative cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the

Version: 2Q05 Standard ICA

Parties. BellSouth will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.

7.2 <u>Records Only Change</u>

- 7.2.1 When Alternative adds equipment, that was originally included on Alternative's Initial Application or a Subsequent Application, and the addition of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.
- 7.2.2 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Alternative, when Alternative requests an Alteration specifically identified in Sections 7.2.2.1 through 7.2.2.9 below as an "Augment". Except as otherwise set forth in Section 7.2.2.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by Alternative. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to Alternative.
- 7.2.2.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing BellSouth Battery Distribution Fuse Bay (BDFB)
- 7.2.2.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
 - 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

Version: 2Q05 Standard ICA

- 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.2.2.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)

Version: 2Q05 Standard ICA 07/06/05

- 7.2.2.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. This category includes all requests for additional Physical Collocation Space (caged or cageless).
- 7.2.2.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.2.2.6 If Alternative submits an Augment that includes two (2) Augment items from the same category in either Sections 7.2.2.1, 7.2.2.2 or 7.2.2.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.2.2.7 If Alternative submits an Augment that includes three (3) Augment items from the same category in either Sections 7.2.2.1, 7.2.2.2, or 7.2.2.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.2.2.8 If Alternative submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.2.2.1, 7.2.2.2 and 7.2.2.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.2.2.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by Alternative and BellSouth. If Alternative and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.2.2.4 and Section 7.2.2.5 above, would apply based on whether the Augment is for Alternative's physical or virtual Collocation Space.
- 7.2.2.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If Alternative requests multiple items from different Augment categories, BellSouth will bill Alternative the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to Alternative at the time BellSouth provides Alternative with the Application Response.

 Alternative will be assessed a Subsequent Application Fee for all Major

Version: 2Q05 Standard ICA

Augments (Major Augments are defined above in Sections 7.2.2.4 and 7.2.2.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.

- 7.3 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and Alternative will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.4 <u>Permits.</u> Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.5 <u>Circuit Facility Assignments</u>
- 7.5.1 Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to Alternative prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which Alternative has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to Alternative prior to the Provisioning Interval for those BellSouth Premises in which Alternative has physical Collocation Space with a POT bay provided by Alternative or virtual Collocation Space, until Alternative has provided BellSouth with the following information:
- 7.5.1.1 For physical Collocation Space with a Alternative-provided POT bay, Alternative shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.5.1.2 For virtual Collocation Space, Alternative shall provide BellSouth with a complete layout of Alternative's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Alternative's BellSouth Certified Supplier.
- 7.5.2 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from Alternative. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.
- 7.5.3 BellSouth will bill Alternative a nonrecurring charge, as set forth in Exhibit B, each time Alternative requests a resend of its original CFA information for any reason other than a BellSouth error in the CFAs initially provided to Alternative.
- 7.6 <u>Use of BellSouth Certified Supplier.</u> Alternative shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and

Version: 2Q05 Standard ICA

installation work. Alternative, if a BellSouth Certified Supplier or Alternative's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, Alternative must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Alternative with a list of BellSouth Certified Suppliers, upon request. Alternative, if a BellSouth Certified Supplier, or Alternative's BellSouth Certified Supplier(s) shall be responsible for installing Alternative's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Alternative upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by Alternative, the BellSouth Certified Supplier shall bill Alternative directly for all work performed for Alternative pursuant to this Attachment. BellSouth shall have no liability for nor responsibility to pay, such charges imposed by Alternative's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Alternative or any supplier proposed by Alternative and will not unreasonably withhold certification. All work performed by or for Alternative shall conform to generally accepted industry standards.

- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. Alternative shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Alternative's Collocation Space. Upon request, BellSouth will provide Alternative with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by Alternative. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at a BellSouth Premises due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Alternative may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Premises requested by Alternative, such information will be provided to Alternative in BellSouth's written denial of physical Collocation Space.

 Alternative must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving

Version: 2Q05 Standard ICA

the services from the virtual Collocation Space to the new physical Collocation Space.

- 7.8.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.9 Virtual to Physical Conversion (In-Place)
- 7.9.1 Virtual collocation arrangements may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill Alternative an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Alternative.
- 7.9.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.9.1 above.
- 7.10 Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Alternative cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Alternative cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, Alternative will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of Alternative up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if Alternative cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Alternative for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.11 <u>Licenses.</u> Alternative, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.

Version: 2Q05 Standard ICA

7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8 Rates and Charges

- 8.1 <u>Rates.</u> Alternative agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if Alternative elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should Alternative elect to transition to the TRA Option after the execution of this Agreement, Alternative shall notify BellSouth in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> BellSouth shall assess any nonrecurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to Alternative or on Alternative's next scheduled monthly billing statement.
- 8.3 Recurring Charges. If Alternative has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Alternative fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Alternative occupies the space prior to the Space Ready Date, the date Alternative occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Alternative's next billing cycle and will include any prorated charges for the period from Alternative's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3.1 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by Alternative on Alternative's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.2 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any Alternative collocation arrangement, to verify that the total number of fused amps of power capacity installed by Alternative's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by Alternative on Alternative's Initial Application and all Subsequent Applications. If BellSouth determines that Alternative's BellSouth Certified

Version: 2Q05 Standard ICA

Supplier has installed more DC capacity than Alternative requested on its Initial Application and all Subsequent Applications, BellSouth shall notify Alternative in writing of such discrepancy and shall assess Alternative for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth shall also revise Alternative's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.

- Nonrecurring Charges. Unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to Alternative or on Alternative's next scheduled monthly billing statement, if Alternative's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's confirmation of Alternative's BFFO or on Alternative's next scheduled monthly billing statement.
- 8.5 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, Alternative shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of Alternative's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.
- Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to Alternative's Collocation Space for the operation of Alternative's equipment. For caged physical Collocation Space, Alternative shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, Alternative shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) +

Version: 2Q05 Standard ICA

(0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event Alternative's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, Alternative shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

8.7 <u>Power</u>

- 8.7.1 BellSouth shall make available -48 Volt (-48V) Direct Current (DC) power for Alternative's Collocation Space at a BellSouth BDFB. When obtaining DC power from a BellSouth BDFB, Alternative's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by Alternative's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power requested by Alternative on Alternative's Initial Application and any Subsequent Applications. Alternative is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in Alternative's Collocation Space. The BellSouth Certified Supplier contracted by Alternative must provide BellSouth with a copy of the engineering power specifications prior to the day on which Alternative's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and Alternative's Collocation Space. Alternative shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable Alternative's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within Alternative's Collocation Space, power cable feeds and terminations of the power cabling. Alternative and Alternative's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.
- 8.7.2 In Florida only, pursuant to technical feasibility, commercial availability and safety limitations, BellSouth will permit Alternative to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, Alternative may request that BellSouth provision DC power of seventy (70) amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a two hundred twenty-five (225) amp circuit breaker.
- 8.7.3 BellSouth will revise Alternative's recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when Alternative submits a Subsequent Application requesting an increase in the number of fused amps it is

Version: 2Q05 Standard ICA

currently receiving from BellSouth for its Collocation Space. If Alternative's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, Alternative's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.7 and 8.7.1 above. Alternative's BellSouth Certified Supplier shall provide notification to BellSouth when these activities have been completed.

- 8.7.4 BellSouth will revise Alternative's recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Alternative, certifying the completion of the power reduction work, including the removal of any associated power cabling by Alternative's BellSouth Certified Supplier. Notwithstanding the foregoing, if Alternative's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at BellSouth's discretion, cut by Alternative's BellSouth Certified Supplier and Alternative shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.
- 8.7.5 If Alternative requests an increase or a reduction in the amount of power that BellSouth is currently providing, Alternative must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Alternative's Subsequent Application.
- 8.7.6 If Alternative has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Alternative must submit a Subsequent Application. BellSouth will respond to such application within seven (7) days and a Subsequent Application fee will apply for this reconfiguration to a BellSouth BDFB.
- 8.7.7 If Alternative elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Alternative's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Alternative's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for

Version: 2Q05 Standard ICA

Adjacent Collocation. Alternative's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Alternative's option, Alternative may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.

- 8.7.8 Alternative shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within Alternative's arrangement and terminations of cable within the Collocation Space.
- 8.7.9 <u>Fused Amp Billing.</u> In all states, except as noted in Section 8.7.1 above for Florida, BellSouth shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following formula:

<u>For power provisioned from a BDFB.</u> The number of fused amps requested by Alternative on its application should reflect a multiplier of one point five (1.5) to convert its requested amps to fused amps, with a minimum of ten (10) fused amps required. The number of fused amps requested by Alternative on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B. In Florida, the number of fused amps requested by Alternative on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

8.7.10 Florida Power Usage Option

8.7.10.1 In Florida only, Alternative may request that -48 DC power provisioned by BellSouth to Alternative's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If Alternative desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Alternative to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power Alternative requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on Alternative's Initial Application or Subsequent Application. BellSouth shall allow Alternative at Alternative's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by Alternative. BellSouth

Version: 2Q05 Standard ICA

is not required to build its central office power infrastructure to meet Alternative's forecasted DC power demand. Alternative must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement Alternative converts to the FL Option or for any new collocation arrangements Alternative establishes under the FL Option.

- 8.7.10.2 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of Alternative's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by Alternative's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by Alternative for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust Alternative's billing to reflect BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.
- 8.7.10.3 BellSouth shall assess Alternative a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. Alternative shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by Alternative. The requested change in DC power usage will be reflected in Alternative's next scheduled monthly billing cycle.
- 8.7.11 In Alabama and Louisiana, Alternative has the option to purchase power directly from an electric utility company. Under such option, Alternative is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Alternative. Alternative's BellSouth Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If Alternative currently has power supplied by BellSouth, Alternative may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by Alternative in provisioning said power will be billed by BellSouth on an ICB basis.
- 8.7.12 In South Carolina, Alternative has the option to purchase power directly from an electric utility company where technically feasible and where space is available in

Version: 2Q05 Standard ICA

a requested BellSouth Premises. Under such option, Alternative is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Alternative. Alternative's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as BellSouth is required to comply with these codes. Alternative must submit an application to BellSouth for the appropriate amount of Collocation Space that Alternative requires in order to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of Alternative's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Alternative shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these requirements from the Commission for the BellSouth Premises requested. Alternative would have the option to order its power needs directly from BellSouth.

- 8.7.13 In Alabama and Louisiana, if Alternative has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, Alternative must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such application within seven (7) days and no application fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, Alternative will submit a Subsequent Application and the appropriate application fee will apply.
- 8.8 <u>Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of Alternative's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be billed at the rates set forth in Exhibit B.

Version: 2Q05 Standard ICA

- 8.9 <u>Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to Alternative in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of Alternative's BFFO, in all BellSouth states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of Alternative's BFFO.
- 8.10 Security Escort. After Alternative has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to Alternative's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when Alternative's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and Alternative shall pay for such half-hour charges in the event Alternative's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.11 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9 Insurance

- 9.1 Alternative shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Alternative shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Alternative's real and personal property situated on or within a BellSouth Premises.

Version: 2Q05 Standard ICA

- 9.2.4 Alternative may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to Alternative, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Alternative shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of Alternative's property has been removed from BellSouth's Premises, whichever period is longer. If Alternative fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Alternative.
- 9.5 Alternative shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Alternative shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from Alternative's insurance company. Alternative shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office – Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, GA 30375

- 9.6 Alternative must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self Insurance.</u> If Alternative's net worth exceeds five hundred million dollars (\$500,000,000), Alternative may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Alternative shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Alternative in the event that self-insurance status is not granted to Alternative. If BellSouth approves Alternative for self-insurance, Alternative shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Alternative's corporate officers. The ability to self-insure shall continue so long as Alternative meets all of the requirements of this Section. If Alternative

Version: 2Q05 Standard ICA

- subsequently no longer satisfies the requirements of this Section, Alternative is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to Alternative to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or Alternative), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11 Inspections

11.1 BellSouth may conduct an inspection of Alternative's equipment and facilities in Alternative's Collocation Space(s) prior to the activation of facilities and/or services between Alternative's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Alternative adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Alternative with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12 Security and Safety Requirements

Unless otherwise specified, Alternative will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Alternative employee hired in the past five (5) years being considered for work on a BellSouth Premises, for the states/counties where the Alternative employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Alternative shall not be required to perform this investigation if an affiliated company of Alternative has performed an investigation of the Alternative employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Alternative has performed a pre-

Version: 2Q05 Standard ICA

employment statewide investigation of criminal history records of the Alternative employee for the states/counties where the Alternative employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Alternative will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site, www.interconnection.bellsouth.com/guides.
- Alternative shall provide its employees and agents with picture identification, which must be worn and visible at all times while in Alternative's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Alternative's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of Alternative not possessing identification issued by Alternative or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Alternative shall hold BellSouth harmless for any damages resulting from such removal of Alternative's personnel from a BellSouth Premises. Alternative shall be solely responsible for ensuring that any Guest(s) of Alternative is in compliance with all subsections of this Section.
- Alternative shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Alternative shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of Alternative's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Alternative chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Alternative may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Alternative shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Alternative shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each Alternative employee or agent hired by Alternative within the last five (5) years, who requires access to a BellSouth Premises to perform work in Alternative Collocation Space(s), Alternative shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an

Version: 2Q05 Standard ICA

employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Alternative will disclose the nature of the convictions to BellSouth at that time. In the alternative, Alternative may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.

- 12.5.1 For all other Alternative employees requiring access to a BellSouth Premises pursuant to this Attachment, Alternative shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Alternative shall promptly remove from the BellSouth Premises any employee of Alternative that BellSouth does not wish to grant access to a BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of Alternative is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Alternative's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Alternative's Security representative of such interview. Alternative and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Alternative's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill Alternative for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that Alternative's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill Alternative for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of Alternative's employees, agents, suppliers, or Guests and where Alternative agrees, in good faith, with the results of such investigation. Alternative shall notify BellSouth in writing immediately in the event that Alternative discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Alternative shall hold BellSouth harmless for

Version: 2Q05 Standard ICA

- any damages resulting from such removal of Alternative's personnel from a BellSouth Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13 Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for Alternative's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Alternative's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Alternative, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Alternative may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Alternative's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Alternative's expense. Where allowed and where practical, Alternative may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Alternative shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Alternative's permitted use, until such Collocation Space is fully repaired and restored and Alternative's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where

Version: 2Q05 Standard ICA

Alternative has placed an Adjacent Arrangement pursuant to Section 3.4 above, Alternative shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Alternative shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15 Nonexclusivity

Alternative understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q05 Standard ICA

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. General Principles

- 1.1 Compliance with Applicable Law. BellSouth and Alternative agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Alternative shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Alternative should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Alternative to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Alternative will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 below lists the Environmental categories where BellSouth practices should be followed by Alternative when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect the Alternative space with proper notification. BellSouth reserves the right to stop any Alternative work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at a BellSouth Premises by Alternative are owned by and considered the property of Alternative. Alternative will indemnify BellSouth

Version: 2Q05 Standard ICA

for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Alternative or different hazardous materials used by Alternative at a BellSouth Premises. Alternative must demonstrate adequate emergency response capabilities for the materials used by Alternative or remaining at a BellSouth Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Alternative to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits.</u> BellSouth and Alternative will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Alternative will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Alternative must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Alternative shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

2. Categories for Consideration of Environmental Issues

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Alternative agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Alternative further agrees to cooperate with BellSouth to ensure that Alternative's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps, which apply to the specific Environmental function being performed by Alternative, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from Alternative's BellSouth Regional Contract Manager (RCM).

Version: 2Q05 Standard ICA

| Environmental Categories | Environmental Issues | Addressed By The Following Documentation |
|---|--|--|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & | Compliance with all applicable local, state & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| cleaning materials) | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed | Compliance with all applicable local, state and federal laws and regulations | Std T&C 450 |
| on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Performance of services in accordance with BST's environmental M&Ps | Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) |
| | Insurance | Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| | Pollution liability insurance EVET approval of supplier | Std T&C 660-3 |
| | | Approved Environmental Vendor List (Contact RCM Representative) |
| Maintenance/operations work which may produce a waste | Compliance with all applicable local, state & federal laws and regulations | Std T&C 450 |
| Other maintenance work | Protection of BST employees and equipment | 29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O (OSHA Standard) |

Version: 2Q05 Standard ICA 07/06/05

| Janitorial service | All waste removal and | Procurement Manager (CRES |
|-----------------------------|-------------------------------|------------------------------|
| Janitoriai service | disposal must conform to all | Related Matters)-BST Supply |
| | applicable federal, state and | Chain Services |
| | local regulations | Chain Services |
| | local regulations | |
| | All Hazardous Material and | Fact Sheet Series 17000 |
| | Waste | 1 400 20000 20000 1,000 |
| | | |
| | Asbestos notification and | GU-BTEN-001BT, Chapter 3 |
| | protection of employees and | BSP 010-170-001BS |
| | equipment | (Hazcom) |
| Manhole cleaning | Compliance with all | Std T&C 450 |
| | applicable local, state & | Fact Sheet 14050 |
| | federal laws and regulations | BSP 620-145-011PR |
| | | Issue A, August 1996 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental |
| | | Vendor List (Contact RCM |
| | | Representative) |
| Removing or disturbing | Asbestos work practices | GU-BTEN-001BT, Chapter 3 |
| building materials that may | | for questions regarding |
| contain asbestos | | removing or disturbing |
| | | materials that contain |
| | | asbestos, call the BellSouth |
| | | Building Service Center: AL, |
| | | MS, TN, KY & LA (local area |
| | | code) 557-6194 |
| | | FL, GA, NC & SC (local area |
| | | code) 780-2740 |

3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste.</u> As defined in Section 1004 of RCRA.

Version: 2Q05 Standard ICA

Imminent Danger. Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET – Environmental Vendor Evaluation Team

GU-BTEN-001BT – BellSouth Environmental Methods and Procedures

NESC – National Electrical Safety Codes

<u>P&SM</u> – Property & Services Management

Std T&C – Standard Terms & Conditions

Version: 2Q05 Standard ICA 07/06/05

Attachment 4

Remote Site Collocation

Version: 2Q05 Standard ICA

REMOTE SITE COLLOCATION TABLE OF CONTENTS

| 1. | Scope of Attachment | 3 |
|-------|--|-----------|
| 2. | Space Availability Optional Report | 4 |
| 3. | Collocation Options | 6 |
| 4. | Occupancy | 11 |
| 5. | Use of Remote Collocation Space | 13 |
| 6. | Ordering and Preparation of Remote Collocation Space | 18 |
| 7. | Construction and Provisioning | 22 |
| 8. | Rates and Charges | 26 |
| 9. | Insurance | 27 |
| 10. | Mechanics Liens | 30 |
| 11. | Inspections | 30 |
| 12. | Security and Safety Requirements | 31 |
| 13. | Destruction of Remote Collocation Space | 33 |
| 14. | Eminent Domain | 34 |
| 15. | Nonexclusivity | 35 |
| Env | vironmental and Safety Principles | Exhibit A |
| Rates | | Exhibit B |

Version: 2Q05 Standard ICA

REMOTE SITE COLLOCATION

1. Scope of Attachment

- 1.1 Scope. The rates, terms, and conditions contained within this Attachment shall only apply when Alternative is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location (Remote Collocation Space) pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter BellSouth Premises). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. However, if the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Alternative Remote Collocation Space on rates, terms, and conditions that are just, reasonable, nondiscriminatory, and consistent with the rules of the FCC. Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Alternative to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Alternative and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation

- 1.3.1 In all states other than Florida, the number of bays specified by Alternative may contemplate a request for space sufficient to accommodate Alternative's growth within a two (2) year period.
- 1.3.2 In the state of Florida, the number of bays specified by Alternative may contemplate a request for space sufficient to accommodate Alternative's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and

Version: 2Q05 Standard ICA

conditions of this Attachment. Additionally, where BellSouth notifies Alternative that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Alternative's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Alternative. Alternative agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Alternative. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Alternative as above, Alternative shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Alternative in obtaining such permission.

- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Alternative will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Alternative shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Alternative's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth UNEs in accordance with the Act, FCC and Commission rules. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.
- 1.8 <u>Compliance.</u> Subject to Section 24 of General Terms and Conditions, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Optional Report

- 2.1 Space Availability Optional Report
- 2.1.1 Upon request from Alternative, BellSouth will provide a written report (Space Availability Report), describing in detail the space that is available for collocation

Version: 2Q05 Standard ICA

and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.2 The request from Alternative for a Space Availability Report must be written and must include the CLLI code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the NECA Tariff FCC No. 4. If Alternative is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Alternative may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Alternative should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Alternative should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.3 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) days of receipt of such request.
- 2.1.4 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth region, shall be negotiated between the Parties.

2.2 Remote Terminal Information

- Upon request, BellSouth will provide Alternative with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.2 BellSouth will provide this information on a first come, first served basis within thirty (30) days of a Alternative request subject to the following conditions: (i) the information will only be provided on a compact disc in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Alternative, up to a maximum of thirty (30) wire centers per Alternative request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Alternative agrees to pay the costs incurred by BellSouth in providing the

Version: 2Q05 Standard ICA

information. Multiple Wire Center CLLI code requests may be place on one compact disc.

3. Collocation Options

3.1 <u>Cageless Collocation.</u> BellSouth shall allow Alternative to collocate Alternative's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Alternative to have direct access to Alternative's equipment and facilities in accordance with Section 5.8 below. BellSouth shall make cageless collocation available in single bay increments. Except where Alternative's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Alternative must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.4 below.

3.2 Caged Collocation

Version: 2Q05 Standard ICA

- 3.2.1 At Alternative's option and expense, Alternative may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, Alternative and Alternative's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Alternative's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at Alternative's expense, documentation, which may include existing building architectural drawings, enclosure drawings, and specifications etc., necessary for Alternative's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Alternative's BellSouth Certified Supplier shall bill Alternative directly for all work performed for Alternative pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Alternative's BellSouth Certified Supplier. Alternative must provide the local BellSouth Remote Site Location contact with two (2) Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Alternative's locked enclosure prior to notifying Alternative at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to Alternative's Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Alternative.
- 3.2.2 BellSouth may elect to review Alternative's plans and specifications, if Alternative has indicated its desire to have Alternative's BellSouth Certified Supplier construct the collocation arrangement enclosure, prior to allowing the construction to start, to ensure Alternative's compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify Alternative of its desire to execute this review in BellSouth's Application Response to Alternative's application. The Application Response is defined for purposes of this Attachment as BellSouth's written response that includes sufficient information for Alternative to place a firm order for the Remote Collocation Space it is requesting. If Alternative's application does not indicate their desire to construct their own enclosure and Alternative subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then Alternative will resubmit its application, indicating its desire to construct its own enclosure. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of Alternative's plans and specifications. Regardless of whether or not BellSouth elects to review Alternative's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Remote Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of Alternative's written notification that the enclosure has been completed. BellSouth

Version: 2Q05 Standard ICA

shall require Alternative, at Alternative's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of Alternative's caged Remote Collocation Space, any structure that does not meet Alternative's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

3.3 <u>Shared Caged Collocation</u>

- 3.3.1 Alternative may allow other telecommunications carriers to sublease Alternative's Remote Collocation Space pursuant to terms and conditions agreed to by Alternative (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Alternative shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest prior to any application. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Alternative that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Alternative.
- 3.3.2 Alternative, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Alternative with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each. BellSouth will not allocate less than one (1) bay per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Alternative shall be the responsible Party to BellSouth for the purpose of submitting applications for bay placement for the Guest. In Florida the Guest may submit its own initial bay placement applications using the Host's ACNA. A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written Application Response to the Guest(s) bona fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services, and/or access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable BellSouth tariff or the Guest's Interconnection Agreement with BellSouth.

Version: 2Q05 Standard ICA

3.3.4 Alternative shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Alternative's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

3.4 Adjacent Collocation

- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent Remote Site collocation arrangement (Adjacent Arrangement) on the property on which BellSouth's Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Adjacent Arrangement shall be constructed or procured by Alternative and in conformance with BellSouth's design and construction specifications. Further, Alternative shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Adjacent Arrangement.
- 3.4.2 Should Alternative elect Adjacent Collocation, Alternative must arrange with a BellSouth Certified Supplier to construct or procure an Adjacent Arrangement structure in accordance with BellSouth's specifications. Where local building codes require specifications more stringent than BellSouth's own specifications, Alternative and Alternative's BellSouth Certified Supplier must comply with local building code requirements. Alternative's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Alternative's BellSouth Certified Supplier shall bill Alternative directly for all work performed for Alternative pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Alternative's BellSouth Certified Supplier. Alternative must provide the local BellSouth Remote Site Location contact with two (2) cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Alternative's locked enclosure prior to notifying Alternative at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.3 Alternative must submit its plans and specifications to BellSouth with its firm order. BellSouth shall review Alternative's plans and specifications prior to construction of an Adjacent Arrangement to ensure compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of Alternative's written notification that the Adjacent Arrangement has been completed. BellSouth shall require Alternative, at

Version: 2Q05 Standard ICA

Alternative's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of Alternative's Adjacent Arrangement, any structure that does not meet its submitted plans and specifications or, BellSouth's specifications, as applicable.

3.4.4 Alternative shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all facilities that connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Alternative's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, at Alternative's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law, BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the NEC, any and all safety and local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and intervals. Alternative will pay for any and all (one hundred percent (100%)) DC power construction and provisioning costs to an Adjacent Arrangement through ICB pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins, and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Alternative's BellSouth Certified Supplier shall be responsible, at Alternative's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared caged Host/Guest collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

3.5 <u>CCXCs</u>

3.5.1 A CCXC is a cross-connection between Alternative and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Remote Site Location. Where technically feasible, BellSouth will permit Alternative to interconnect between its Remote Collocation Space(s) and Remote Collocation Space(s) of another (or other) collocated telecommunications carrier(s) within the same BellSouth Remote Site Location via a CCXC, pursuant to FCC Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to the collocated telecommunications carrier that requests the CCXC. Alternative is prohibited from using the Remote Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.

Version: 2Q05 Standard ICA

- 3.5.2 Alternative must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Alternative. Such crossconnections to other collocated telecommunications carriers may be made using either optical or electrical facilities. Alternative shall be responsible for providing a LOA, with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by Alternative to provision the CCXC to the other collocated telecommunications carrier. In those instances where Alternative's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Remote Collocation Spaces, Alternative may use its own technicians to install the CCXCs using either electrical or optical facilities between the sets of equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Alternative shall deploy such optical or electrical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Alternative shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. Alternative is solely responsible for ensuring the integrity of the signal.
- 3.5.3 To place an order for a CCXC, Alternative must submit an application to BellSouth. If no modification to the Remote Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross-connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, the Application Fee will apply. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to Alternative.

4. Occupancy

- 4.1 <u>Space Ready Date.</u> BellSouth will notify Alternative in writing that the Remote Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 <u>Acceptance Walkthrough.</u> Alternative will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) days after BellSouth notifies Alternative that Remote Collocation Space is ready for occupancy (Space Ready Date). BellSouth will correct any deviations to Alternative's original or jointly amended requirements within seven (7) days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Alternative completes its

Version: 2Q05 Standard ICA

acceptance walkthrough within the fifteen (15) day interval(s) associated with the applicable Space Ready Date, billing will begin upon the date of Alternative's acceptance of the Remote Collocation Space (Space Acceptance Date). In the event that Alternative fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by Alternative on the Space Ready Date and billing will commence from that date.

- 4.3 <u>Early Space Acceptance.</u> If Alternative decides to occupy the Remote Collocation Space prior to the Space Ready Date, the date Alternative occupies the space is deemed the Space Acceptance Date and billing will begin from that date. Alternative must notify BellSouth in writing that its collocation equipment installation is complete. Alternative's collocation equipment installation is complete, which is when Alternative's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to Alternative's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from Alternative.
- 4.4 Alternative must notify BellSouth in writing that its collocation equipment installation is complete. Alternative's collocation equipment installation is complete, when Alternative's equipment has been cross-connected to BellSouth's network for the purpose of provisioning Telecommunication Services to Alternative's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from Alternative.

4.5 <u>Termination of Occupancy</u>

- 4.5.1 In addition to any other provisions addressing termination of occupancy in this Attachment, Alternative may terminate occupancy in a particular Remote Collocation Space by submitting an application requesting termination of occupancy for such Remote Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Alternative and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Alternative signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and Alternative jointly conduct an inspection, which confirms that Alternative has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Alternative's right to occupy the Remote Collocation Space in the event Alternative fails to comply with any provision of this Agreement, for such Remote Collocation Space.
- 4.5.2 Upon termination of occupancy, Alternative, at its sole expense, shall remove its equipment and other property from the Remote Collocation Space. Alternative shall have thirty (30) days from the BFFO date (Termination Date) to complete

Version: 2Q05 Standard ICA

such removal, including the removal of all equipment and facilities of Alternative's Guest(s), unless Alternative's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Remote Collocation Space to the Guest(s) prior to Alternative's Termination Date.

- 4.5.3 Alternative shall continue payment of all monthly recurring charges to BellSouth until the date Alternative, and if applicable Alternative's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. If Alternative or Alternative's Guest(s) fails to vacate the Remote Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of Alternative or Alternative's Guest(s), in any manner that BellSouth deems fit, at Alternative's expense and with no liability whatsoever for Alternative's property or Alternative's Guest(s)'s property.
- 4.5.4 Upon termination of Alternative's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Alternative shall surrender such Remote Collocation Space to BellSouth in the same condition as when it was first occupied by Alternative, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. For CEVs and huts, Alternative's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, Record Drawings and ERMA Records. Alternative shall be responsible for the cost of removing any Alternative constructed enclosure, as well as any support structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

5.1 Equipment Type

- BellSouth permits the collocation and use of any type of equipment that is necessary and will be used primarily for interconnection to BellSouth's network or for access to UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information

Version: 2Q05 Standard ICA

services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia NEBS General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on Alternative's failure to comply with this Section.
- 5.1.3.1 All Alternative equipment installation shall comply with TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- Alternative shall identify to BellSouth whenever Alternative submits a MOP adding equipment to Alternative's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Alternative's Remote Collocation Space. Alternative shall submit a copy of the list of any lien holders or other entities that have a financial interest to Alternative's ATCC Representative.
- No Marketing. Alternative shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- Equipment Identification. Alternative shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Alternative's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Alternative's equipment in the case of an emergency. For caged Remote Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.4 <u>Entrance Facilities.</u> Alternative may elect to place Alternative-owned or Alternative-leased fiber entrance facilities into the Remote Collocation Space.

Version: 2Q05 Standard ICA

BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Alternative will provide and place copper cable through conduit from the Remote Collocation Space to the feeder distribution interface to the splice location of sufficient length for splicing by BellSouth. Alternative must contact BellSouth for authorization and instruction prior to placing any entrance facility cable. Alternative is responsible for maintenance of the entrance facilities that terminate into Alternative's Remote Collocation Space. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of Alternative's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.

- 5.5 <u>Shared Use.</u> Alternative may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Alternative's Remote Collocation Space within the same BellSouth Remote Site Location.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Alternative's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Alternative or its agent must perform all required maintenance to Alternative equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, below.
- Equipment and Facilities. Alternative, or if required by this Attachment, Alternative's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and network facilities used by Alternative which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include but are not limited to cable(s), equipment, and point of termination connections. Alternative and its selected BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouthTechnical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 <u>BellSouth Access.</u> From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Alternative at least forty-eight (48) hours before access to the Remote Collocation Space is required. Alternative may elect to be present whenever BellSouth performs work in the Remote Collocation Space. The Parties agree that Alternative will not bear any of the expense associated with this work. In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.

Version: 2Q05 Standard ICA

5.9 Customer Access. Pursuant to Section 12 below, Alternative shall have access to its Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Alternative agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Alternative or Alternative's Guest(s) with Alternative's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the Collocation Acknowledgement Sheet for access cards and the Key Acknowledgement Form for keys) must be signed by Alternative and returned to BellSouth Access Management within fifteen (15) days of Alternative's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. Alternative agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Alternative's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with Alternative ends, upon the termination of this Agreement, or upon the termination of occupancy of Remote Collocation Space in a specific BellSouth Premises. Alternative_shall pay all applicable charges associated with lost or stolen Access Devices.

5.9.1 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one (1) hour, to Alternative's designated Remote Collocation Space, after receipt of the BFFO, without charge to Alternative. Alternative must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date Alternative desires to gain access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Alternative may submit a request for its one (1) free accompanied site visit to its designated Remote Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Alternative desires access to its designated Remote Collocation Space after the first accompanied free visit and Alternative's access request form(s) has not been approved by BellSouth or Alternative has not yet submitted an access request form to BellSouth, Alternative shall be permitted to access the Remote Collocation Space accompanied by a BellSouth security escort, at Alternative's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Alternative must request that escorted access be provided by BellSouth to Alternative's designated Remote Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever Alternative or its approved agent or supplier requires access to the entrance manhole.

Version: 2Q05 Standard ICA

5.10 <u>Lost or Stolen Access Keys.</u> Alternative shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Alternative shall pay for all reasonable costs associated with the re-keying or deactivating the device(s).

5.11 <u>Interference or Impairment</u>

- 5.11.1 Notwithstanding any other provisions of this Attachment, Alternative shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that: (1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; (2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; (3) compromises the privacy of any communications routed through the Remote Site; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Alternative violates the provisions of this Section, BellSouth shall provide written notice to Alternative, which shall direct Alternative to cure the violation within forty-eight (48) hours of Alternative's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct the inspection of the Remote Collocation Space.
- 5.11.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Alternative fails to take cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character which poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Alternative's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Alternative prior to the taking of such action and BellSouth shall have no liability to Alternative for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and

Version: 2Q05 Standard ICA

Alternative fails to take curative action within forty-eight (48) hours, or such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Alternative or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. Where BellSouth demonstrates that a certain technology deployed by Alternative is significantly degrading the performance of other advanced services or traditional voice band services, Alternative shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.12 Personalty and Its Removal. Facilities and equipment placed by Alternative in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personal property and may be removed by Alternative at any time. Any damage caused to the Remote Collocation Space by Alternative's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Alternative at its sole expense.
- Alterations. Under no condition shall Alternative or any person acting on behalf of Alternative make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Alternative. An Alteration shall require the submission of an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides Alternative with an Application Response.
- 5.14 <u>Upkeep of Remote Collocation Space.</u> Alternative shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Alternative shall be responsible for removing any of Alternative's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

6.1 <u>Procedures and Intervals.</u> Should any state or federal regulatory agency impose procedures or intervals applicable to Alternative and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that

Version: 2Q05 Standard ICA

become effective after execution of this Attachment, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof.

- Remote Site Application. When Alternative or Alternative's Guest(s) desires to install a bay in a Remote Site Location, Alternative shall input a BellSouth Physical Expanded Interconnection Application Document (Application) directly into BellSouth's electronic application (e.App) system for processing. The Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Application are completed with the appropriate type of information. An Application Fee, as set forth in Exhibit B, will apply to each Application submitted by Alternative and will be billed on the date BellSouth provides Alternative with an Application Response. The placement of an additional bay at a later date will be treated in the same fashion and an Application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.7 above, within an existing bay, does not require an Application.
- Availability of Space. Upon submission of an Application, BellSouth will permit Alternative to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 below shall apply, or BellSouth may elect to deny space in accordance with this Section, in which case, virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Alternative of the amount that is available.
- 6.4 Space Availability Notification. For all states except Florida and Tennessee, BellSouth will respond to an Application within ten (10) days as to whether space is available or not available within a BellSouth Remote Site Location. In Florida and Tennessee, BellSouth will respond to an Application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when Alternative's Application is Bona Fide. If the Application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Alternative of the amount of space that is available and no Application fee will apply. When BellSouth's response includes an amount of space less than that requested by Alternative or space that is configured differently, no Application Fee shall apply. If Alternative decides to accept the available space, Alternative must resubmit its Application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Alternative resubmits its Application to accept the available space, BellSouth will bill Alternative the appropriate Application Fee.

Version: 2Q05 Standard ICA

- 6.5 <u>Denial of Application.</u> If BellSouth notifies Alternative that no space is available (Denial of Application), BellSouth will not assess an Application Fee to Alternative. After notifying Alternative that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Alternative, upon request, to tour the Remote Site Location within ten (10) days of such Denial of Application. In order to schedule this tour within ten (10) days, BellSouth must receive the request for the tour of the Remote Site Location within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Alternative to inspect any plans or diagrams that BellSouth provides to the Commission.

6.7 Waiting List

- 6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers who have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. Sixty (60) days prior to Remote Collocation Space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when Remote Collocation Space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available.
- 6.7.3 When Remote Collocation Space becomes available, Alternative must submit an updated, complete, and accurate Application to BellSouth within thirty (30) days of such notification that Remote Collocation Space will be available in the

Version: 2Q05 Standard ICA

requested Remote Site Location previously out of space. If Alternative has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Alternative may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that Alternative wishes to maintain its place on the waiting list for caged Remote Collocation Space, without accepting the available cageless Remote Collocation Space. Alternative may accept an amount of space less than what it originally requested by submitting an Application as set forth above, and, upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Alternative does not submit an Application or notify BellSouth in writing within the thirty (30) day timeframe as described above, BellSouth will offer the available Remote Collocation Space to the next telecommunications carrier on the waiting list and remove Alternative from the waiting list. Upon request, BellSouth will advise Alternative as to its position on the waiting list for a particular Remote Site Location.

- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services Web site, a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services Web site that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- Application Response. In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide Application, when Remote Collocation Space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the Remote Collocation Space available, BellSouth will provide an Application Response including sufficient information to enable Alternative to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below. When Alternative submits ten (10) or more Applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when Remote Collocation Space has been determined to be available, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide Application. The Application Response will be a written response that includes sufficient information to enable Alternative to place a firm order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.

Version: 2Q05 Standard ICA

6.10 <u>Application Modifications.</u> If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Alternative or as necessitated by technical considerations, the Application shall be considered a new Application and handled as a new Application with respect to the response and provisioning intervals. BellSouth will charge Alternative the Application Fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

6.11 BFFO

- Alternative shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to Alternative's Bona Fide Application or Alternative's Application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of Alternative's BFFO. BellSouth will acknowledge the receipt of Alternative's BFFO within seven (7) days of receipt, so that Alternative will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals

7.1.1 In Florida and Tennessee, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Remote Collocation Space after the initial space has been completed, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Alternative. If additional space has been requested by Alternative, BellSouth will complete construction for the requested Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Remote Collocation Space and forty-five (45) days from receipt of a BFFO for virtual Remote Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Alternative cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

Version: 2Q05 Standard ICA

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for Remote Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions, include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Remote Collocation Space requested or BellSouth may seek a waiver from the interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 If BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect, but not be limited, to make additional space available by rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Alternative with the estimated completion date in its Application Response.
- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and Alternative will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Remote Collocation Space and the equipment configuration requirements, as reflected in the Application and affirmed in the BFFO.
- 7.3 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of finalized construction designs and specifications.
- 7.4 <u>Use of BellSouth Certified Supplier.</u> Alternative shall select a supplier, which has been approved as a BellSouth Certified Supplier to perform all construction, engineering (as specified in TR 73503), installation, and removal work. Alternative, if a BellSouth Certified Supplier, or Alternative's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, Alternative must use a different BellSouth

Version: 2Q05 Standard ICA

Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Alternative with a list of BellSouth Certified Suppliers, upon request. Alternative, if a BellSouth Certified Supplier, or Alternative's BellSouth Certified Supplier(s) shall be responsible for installing Alternative's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Alternative upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by Alternative, the BellSouth Certified Supplier shall bill Alternative directly for all work performed for Alternative pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Alternative's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Alternative or any supplier proposed by Alternative and will not unreasonably withhold certification. All work performed by or for Alternative shall conform to generally accepted industry standards.

Alarms and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Alternative shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Alternative's Remote Collocation Space. Upon request, BellSouth will provide Alternative with applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by Alternative. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.

7.6 <u>Virtual to Physical Remote Collocation Space Relocation</u>

7.6.1 In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations and physical Remote Collocation Space has subsequently become available, Alternative may relocate its existing virtual Remote Collocation Space(s) to physical Remote Collocation Space and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Remote Collocation Space. If BellSouth knows when additional physical Remote Collocation Space may become available at the Remote Site Location requested by Alternative, such information will be provided to Alternative in BellSouth's written denial of physical Remote Collocation Space. To the extent that: (i) physical Remote Collocation Space becomes available to Alternative within one hundred eighty (180) days of BellSouth's written denial of Alternative's request for physical Remote Collocation Space; (ii) BellSouth had knowledge that the Remote Collocation Space was going to become available; and (iii) Alternative was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) day period, then Alternative may relocate its virtual Remote Collocation Space to a physical Remote Collocation Space and will receive a credit for any nonrecurring charges

Version: 2Q05 Standard ICA

previously paid for such virtual Remote Collocation Space. Alternative must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Remote Collocation Space to a physical Remote Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Remote Collocation Space to the new physical Remote Collocation Space.

- 7.6.2 In Alabama, BellSouth will complete a relocation of a virtual Remote Collocation Space to a cageless physical Remote Collocation Space within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual Remote Collocation Space to a caged physical Remote Collocation Space within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.7 <u>Virtual to Physical Conversion (In-Place)</u>
- 7.7.1 Virtual Remote Collocation Space may be converted to "in-place" physical caged Remote Collocation Space if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Remote Collocation Space; (2) the conversion of the virtual Remote Collocation Space will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the existing Remote Collocation Space can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Remote Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill Alternative an Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Alternative.
- 7.7.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in-place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.7 above.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Alternative cancels its order for Remote Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Alternative cancels its order for Remote Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, Alternative will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of Alternative up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if Alternative cancels its order for Remote Collocation Space at any time prior to Space Acceptance, BellSouth will bill Alternative for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not

Version: 2Q05 Standard ICA

to exceed the total amount that would have been due had the firm order not been cancelled.

- 7.9 <u>Licenses.</u> Alternative, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Remote Collocation Space.
- 7.10 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 Rates. Alternative agrees to pay the rates and charges identified in Exhibit B.
- 8.2 Recurring Charges. If Alternative has met the applicable fifteen (15) day acceptance walkthrough interval specified in Section 4 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Alternative fails to complete an acceptance walkthrough within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Alternative occupies the space prior to the Space Ready Date, the date Alternative occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Alternative 's next billing cycle and will include any prorated charges for the period from Alternative's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3 <u>Application Fee.</u> BellSouth shall assess a nonrecurring Application Fee, via a service order, on the date that BellSouth provides an Application Response. BellSouth will bill the appropriate nonrecurring Application Fee on the date that BellSouth provides an Application Response to Alternative.
- 8.4 <u>Bay Space.</u> The bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power Alternative's equipment. Alternative shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Collocation Space in conventional remote site bay lineups where feasible.
- 8.5 <u>Power.</u> BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Alternative's Remote Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB) within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced above in Section 8.4 above. If the power requirements for Alternative's equipment

Version: 2Q05 Standard ICA

exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis. BellSouth will revise Alternative's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Alternative's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Alternative certifying the completion of the power reduction, including the removal of the power cabling by Alternative's BellSouth Certified Supplier.

- 8.6 Adjacent Collocation Power. Charges for AC power will be assessed on a per breaker ampere, per month basis. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Alternative's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install the protection devices and power cables for Adjacent Collocation. Alternative's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Alternative's option, Alternative may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.7 Security Escort. After Alternative has used its one accompanied site visit, pursuant to Section 5.9.1 above, and prior to Alternative's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when Alternative's employees, approved agent, supplier, or Guest(s) desire access to the Remote Site Location. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one half (1/2) hour after the scheduled escort time to provide such requested escort service and Alternative shall pay for such half hour charges in the event Alternative's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.8 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9. Insurance

9.1 Alternative shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.

Version: 2Q05 Standard ICA

- 9.2 Alternative shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Alternative's real and personal property situated on or within a BellSouth Premises and BellSouth's Remote Site Locations.
- 9.2.4 Alternative may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to Alternative to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Alternative shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to a BellSouth Remote Site Location and shall remain in effect for the term of this Agreement or until all of Alternative's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Alternative fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Alternative.
- 9.5 Alternative shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays.

 Alternative shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from Alternative's insurance company. Alternative shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.

Attn.: Risk Management Office - Finance

17F54 BellSouth Center

Version: 2Q05 Standard ICA

675 W. Peachtree Street Atlanta, Georgia 30375

Version: 2Q05 Standard ICA

- 9.6 Alternative must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to such recommendations.
- 9.7 Self-Insurance. If Alternative's net worth exceeds five hundred million dollars (\$500,000,000), Alternative may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Alternative shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Alternative in the event that self-insurance status is not granted to Alternative. If BellSouth approves Alternative for self-insurance, Alternative shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Alternative's corporate officers. The ability to self-insure shall continue so long as Alternative meets all of the requirements of this Section. If Alternative subsequently no longer satisfies the requirements of this Section, Alternative is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to Alternative to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or Alternative), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct an inspection of Alternative's equipment and facilities in Alternative's Remote Collocation Space(s) prior to the activation of facilities

Version: 2Q05 Standard ICA

and/or services between Alternative's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Alternative adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Alternative with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, Alternative will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Alternative employee hired in the past five (5) years being considered for work on a BellSouth Remote Site Location, for the states/counties where the Alternative employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Alternative shall not be required to perform this investigation if an affiliated company of Alternative has performed an investigation of the Alternative employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Alternative has performed a pre-employment statewide investigation of criminal history records of the Alternative employee for the states/counties where the Alternative employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Alternative will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/guides.
- Alternative shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in Alternative's Remote Collocation Space or other areas in or around the Remote Site Location. The photo identification card shall bear, at a minimum, the employee's name and photo, and Alternative's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Alternative not possessing identification issued by Alternative or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Alternative shall hold BellSouth harmless for any damages resulting from such removal of Alternative's personnel from BellSouth Remote Site Location. Alternative shall be solely responsible for ensuring that any Guest(s) of Alternative is in compliance with all subsections of this Section.
- 12.4 Alternative shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Alternative shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth

Version: 2Q05 Standard ICA

of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any of Alternative's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Alternative chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Alternative may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 Alternative shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Alternative shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each Alternative employee or agent hired by Alternative within five (5) years prior to being considered for work on the BellSouth Premises or BellSouth's Remote Site Locations, who requires access to a BellSouth Remote Site Location to perform work in Alternative's Remote Collocation Space(s), Alternative shall furnish BellSouth, a certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certifying that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Alternative will disclose the nature of the convictions to BellSouth at that time. In the alternative, Alternative may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other Alternative employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Alternative shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Alternative shall promptly remove from the BellSouth Remote Site Location any employee of Alternative that BellSouth does not wish to grant access to a Remote Site Location: (1) pursuant to any investigation conducted by BellSouth, or (2) prior to the initiation of an investigation if an employee of Alternative is found interfering with the property or personnel of

Version: 2Q05 Standard ICA

BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.

- 12.7 Security Violations. BellSouth reserves the right to interview Alternative's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or Remote Site Location or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Alternative's Security representative of such interview. Alternative and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Alternative's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill Alternative for all reasonable costs associated with investigations involving its employees, agents, or suppliers, or Guests if it is established and mutually agreed in good faith that Alternative's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill Alternative for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of Alternative's employees, agents, suppliers, or Guests and where Alternative agrees, in good faith, with the results of such investigation. Alternative shall notify BellSouth in writing immediately in the event that Alternative discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from a BellSouth Premises or Remote Site Location, any employee found to have violated the security and safety requirements of this Section. Alternative shall hold BellSouth harmless for any damages resulting from such removal of Alternative's personnel from a BellSouth Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g., plug-in cards) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13. Destruction of Remote Collocation Space

Version: 2Q05 Standard ICA

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar Acts of God or force majeure circumstances beyond a Party's reasonable control to such an extent as to be rendered wholly unsuitable for Alternative's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Alternative's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Alternative, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Alternative may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. A BellSouth Certified Vendor must perform a rebuild of equipment. If Alternative's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Alternative's expense. Where allowed and where practical, Alternative may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Alternative shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Alternative's permitted use, until such Remote Collocation Space is fully repaired and restored and Alternative's equipment installed therein (but in no event later than thirty (30) days after the Remote Collocation Space is fully repaired and restored). Where Alternative has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4 above, Alternative shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the

Version: 2Q05 Standard ICA

Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Alternative shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15. <u>Nonexclusivity</u>

Alternative understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Remote Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q05 Standard ICA

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Alternative agree to comply with applicable federal, state, and local environmental and safety laws and regulations including USEPA regulations issued under the CAA, CWA, RCRA, CERCLA, SARA, the TSCA, OSHA regulations, NFPA, NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Alternative shall provide notice to the other, including any MSDSs, of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Alternative should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Alternative to follow when working at a BellSouth Remote Site Location (see Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Alternative will require its suppliers, agents, Guests and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 below lists the Environmental categories where BST practices should be followed by Alternative when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect Alternative's Remote Collocation Space with proper notification. BellSouth reserves the right to stop any Alternative work operation that imposes Imminent Danger to the environment, employees or other persons in or around a Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned a BellSouth Remote Site Location by Alternative are owned by and considered the property of Alternative. Alternative will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these

Version: 2Q05 Standard ICA

materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Alternative or different hazardous materials used by Alternative at the BellSouth Remote Site Location. Alternative must demonstrate adequate emergency response capabilities for the materials used by Alternative or remaining at a BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Alternative to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits.</u> BellSouth and Alternative will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, SPCC plans and community reporting. If fees are associated with filing, BellSouth and Alternative will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Alternative must comply with all of BellSouth's permit conditions and environmental processes, including environmental "BMP" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Alternative shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Alternative agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety M&Ps, incorporated herein by this reference. Alternative further agrees to cooperate with BellSouth to ensure that Alternative's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Alternative, its employees, agents, suppliers and/or Guests.
- 2.1.1 The most current version of reference documentation must be requested from Alternative's BellSouth Regional Contract Manager (RCM).

Version: 2Q05 Standard ICA

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---|---|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450Fact Sheet Series 17000 |
| materials) | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location) |
| Contract labor/outsourcing for services with environmental implications to be performed | Compliance with all applicable local, state, & federal laws and regulations | • Std T&C 450 |
| on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Performance of services in accordance with BST's environmental M&Ps InsuranceAlternative | Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450Fact Sheet Series 17000 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all applicable local, state, & federal laws and regulations | • Std T&C 450 |
| Other manuenance work | Protection of BST employees and equipment | 29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O |

Version: 2Q05 Standard ICA

07/06/05

| | | (OSHA Standard) |
|---|--|--|
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | -Procurement Manager (CRES Related Matters)-BST Supply Chain Services |
| | All Hazardous Material and Waste Asbestos notification and | • Fact Sheet Series 17000 |
| | protection of employees and equipment | GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the OSHA hazard communication standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste.</u> As defined in section 1004 of RCRA.

Version: 2Q05 Standard ICA

07/06/05

Imminent Danger. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 2Q05 Standard ICA

07/06/05

| COLLOCAT | FION - Alabama | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|------------|--|-------------|------|------------------|--------|--------|----------|-----------|--------------|------------|----------|---|---|-----------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | l. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | 7144 | | 7.44. | 0020 | | 00 | | | |
| HASICAL CO | DLLOCATION | | | | | | | | | | | | | | | |
| | cation | | | | | | | | | | | | | | | |
| Appli | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,879.48 | | 0.51 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,566.60 | | 0.51 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct | | | CLO | PETCA | | 1,300.00 | | 0.51 | | | | | | - | |
| | | | | CI O | PE1DT | | 504.00 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | | | 584.22 | | | | | | | | | 4 |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.15 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 594.41 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 833.47 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,058.00 | | 1.21 | | Į | | | | | <u> </u> |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,410.00 | | 1.21 | | <u> </u> | | | | | <u> </u> |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 3.22 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | 140.99 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | 156.33 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | OLO | LIBW | 100.00 | | | | | <u> </u> | | | | | + |
| | additional 50 square feet | | | CLO | PE1CW | 15.34 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | CLO | FLICVV | 13.34 | | | | | 1 | | | | | + |
| | | | | CLO | DE4CK | 4.00 | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 1.96 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | 0.0 | 55101 | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.62 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 88.86 | | | | | | | | | | 1 |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 600.71 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 1,075.17 | | | | | | | | | |
| Powe | r | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 7.83 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | 1 |
| | per Breaker Amp | | | CLO | PE1FB | 4.91 | | | | | | | | | | |
| - | Physical Collocation - Power, 240V AC Power, Single Phase, | | | CLO | ILIID | 4.51 | | | | | <u> </u> | | | | | - |
| | per Breaker Amp | | | CLO | PE1FD | 9.84 | | | | | | | | | | |
| | | | | CLO | PEIFU | 9.04 | | | | | ļ | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | 01.0 | DE4EE | 4474 | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FE | 14.74 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 34.06 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ, | | | | | | | | | | | | |
| | | | | UNCNX, UEA, UCL, | | | | | | | | | | | | |
| | | | | UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | | | UEA, UHL, UNCVX, | | | | | | | | | | | | 1 |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | I | | | Ì | I | |
| | | | | WDS1L, WDS1S, | | | | | | | | | | | | 1 |
| | | | | UXTD1, ULDD1, | | | | | | | | | | | | |
| | | | | USLEL, UNLD1, | | | | | I | | | | | l | I | |
| | | | | | | | | | I | | I | | | Ì | I | |
| | | | | U1TD1, UNC1X, | | | | | 1 | | 1 | | | | | |
| | | | | UEPSR, UEPSB, | | | | | I | | I | | | Ì | I | |
| | | | | UEPSE, UEPSP, | | | | | I | | I |] | | Ì | I | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | USL, UEPEX, | | | | | 1 | | 1 | | | | | |
| | Collocation, provisioning | I | 1 | UEPDX | PE1P1 | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | 1 | 1 | | 1 | 1 | 1 |

| COLLOCAT | ION - Alabama | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|----------|---|-------------|------------|---|----------------|------------------|------------------|-----------|--------------|------------|-------|---|--|---------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonre | RATES(\$) | Nonrecurring | Diogennest | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP | PE1P3 | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | 9320 | 00 | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.81 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per Cable. | | | CLO | PE1ES | 0.0011 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO UEPSR, UEPSP, | PE1DS | 0.0016 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| Securi | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| Securi | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLO | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office Physical Collocation -Security Access System - New Card | | | CLO | PE1AX | 45.70 | | | | | | | | | | |
| | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.05 | 27.79 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.79 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.78 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AK PE1AL | | 13.10 13.10 | | | | | | | | | |
| CFA | Physical Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| 0.511 | premises, per arrangement, per request | 11 | ller ber 1 | CLO | PE1C9 | | 77.56 | | | | | | | | | |
| Cable | Records - Note: The rates in the First & Additional columns wi Physical Collocation - Cable Records, per request | ıı actua | ny be b | oilled as "Initial I" ai CLO | PE1CR | ent 5" respectiv | rely I 759.29 | S 488.11 | 133.00 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 326.92 | | 189.12 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.81 | | 5.90 | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO CLO | PE1C1 PE1C3 | | 2.25 7.88 | | 2.76 9.66 | | | | | | - | |
| | I, I Solicodition, Cabic Nestrido, Dec, por 10 Tile | l | | 1 | . = . 50 | 1 | 7.00 | | 5.50 | | l | | | l | 1 | 1 |

| COLLOCAT | ON - Alabama | | | | | | | | | | | | Attachment: | 4 Evh B | | Ī |
|------------|--|--------|------|--|--------|-------|----------|-----------|-------------|--------------|---------|------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|
| | | Interi | | | | | | | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incrementa Charge - Manual Sv |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.49 | | 77.13 | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.25 | | 2.76 | | | | | | | + |
| Virtual | to Physical | | | OLO | 1 2100 | | 2.20 | | 2.70 | | | | | | | + |
| Viituai | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1B3 | | 52.00 | | | | | 1 | | | | |
| | Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | ce Cable | | | | | | | | | | | | | | | 1 |
| | Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable | | | CLO | PE1BD | | 859.71 | | 22.49 | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.11 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| IRTUAL COL | LOCATION | | | | | | | | | | | | | | | |
| Applic | ation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,205.26 | | 0.51 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.22 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 742.15 | | | | | | | | | - |
| Snace | Preparation | | | AWIII O | VE 174 | | 7-72.10 | | | | | | | | | - |
| Ориос | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.22 | | | | | | | | | | + |
| Power | | | | AWITI O | LOI VX | 0.22 | | | - | | 1 | | | | | † |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | 1 |
| | | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX, | UEAC2 | 0.03 | 12.30 | 11.80 | | 5.44 | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX ULR, UXTD1, | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | - | 1 | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, | | | | | | | | | | | | |
| | DS3 | | | UNLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |

| COLLOCAT | ION - Alabama | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|------------|--|-------------|----------|--|---------------------|-------------------|-------------------|-----------|------------------|----------|--------|---|--|---------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | Discount | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | SOWIEC | SUMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0011 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS UEPSX, UEPSB, | VE1CD | 0.0016 | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| CFA | Virtual Collocation 4-Wire Cross Connect, Port Virtual Collocation - CFA Information Resend Request, per | | | UEPDD, UEPEX | VE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| Cable | Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi | II actua | lly be l | AMTFS pilled as "Initial I" & | VE1QR "Subsequen | nt S" respectivel | 77.56 y | | | | | | | | | |
| | Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS AMTFS | VE1BA VE1BB | | 759.29 326.92 | 488.11 | 133.00 189.12 | | | | | | | |
| | Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.81 | | 5.90 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.25 | | 2.76 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS AMTFS | VE1BE VE1BF | | 7.88 84.49 | | 9.66 77.13 | | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.25 | | 2.76 | | | | | | | |
| Secur | | | | | | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of | | | AMTFS | SPTBX | | 16.93 | 10.73 | | | | | | | | |
| | normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a | | | AMTFS | SPTOX | | 22.05 | 13.86 | | | | | | | | |
| | scheduled work day | | | AMTFS | SPTPX | | 27.17 | 16.98 | | | | | | | | |
| Mainte | enance Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.93 | 10.73 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.47 | 13.86 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.02 | 16.98 | | | | | | | | |
| Entrar | nce Cable | | | ANTEO | FORCY | | | | | | | | | | | |
| COLLOCATIO | Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable N IN THE REMOTE SITE | | | AMTFS AMTFS | ESPCX ESPSX | 14.97 | 859.71 | | 22.49 | | | | | | | |
| | cal Remote Site Collocation | | | | 1 | | | | | | | | | | | |
| 1yu | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 307.70 | | 168.22 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 201.42 | - | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1RD PE1SR | | 13.10 115.87 | | | | | | | | | |

| COLLOCATI | ON - Alabama | | | | | | | | | | | | Attachment: | 4 Exh B | 1 | |
|------------|--|----------|---------|-------------------|----------|--|------------------|-------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual S |
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order v |
| | | m | | | | | | - (., | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electron |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Ad |
| | | | | | | | Nonreci | urring | Nonrecurring | n Disconnect | | 1 | OSS | Rates(\$) | 1 | l |
| - | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMA |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | riist | Auu i | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | SOWAN | SOWAN | SOWIA |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.56 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.38 | | | | | | | | | |
| | Power, DC Power Provisioning (Alabama Only ICB Rate) | | | CLURS | PEIRK | | 233.38 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | 0.000 | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | l |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| Adjace | nt Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | · | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE: | If Security Escort and/or Add'l Engineering Fees become nec | essary f | or adia | | | | notiate annroni | riate rates | | | | | | | | |
| | Remote Site Collocation | | o. aajo | | l | 1 | gotilato appropi | Tato Tatooi | | | | | | | | |
| Viituui | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 307.70 | 307.70 | 168.22 | 168.22 | | | | | | |
| | Virtual Collocation in the Remote Site - Application ree | | | VLIKO | VLIND | | 307.70 | 307.70 | 100.22 | 100.22 | | | | | | |
| | Virtual Callegation in the Remote Site. Bor Boy/Book of Space | | | VE1RS | VE1RC | 201.42 | | | | | | | | | | |
| - | Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report | | | VEIRO | VEIRC | 201.42 | - | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 115.87 | 115.87 | | | | | | | | |
| | | | | VEIRS | VEIRK | | 115.87 | 115.87 | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | l | | | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.56 | 37.56 | | | | | | | | |
| DJACENT CO | | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.14 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.41 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.04 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 13.95 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.36 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.52 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| + | Adjacent Collocation - Application Fee | | 1 | CLOAC | PE1JB | 7.52 | 1,576.69 | 19.00 | 0.51 | 0.23 | | 1 | | 1 | 1 | |
| - | Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate | | - | OLOAO | 1 2 100 | | 1,570.08 | | 0.51 | | | | | 1 | 1 | |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 4.91 | | | | | | | | | | l |
| | | | | CLUAC | PEIJL | 4.91 | | | | | | - | | ļ | - | - |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | CLOAC | DE4 IM | 0.04 | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JM | 9.84 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | 1 | 01.040 | DE4 II. | | | | | | | | | Ì | l | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 14.74 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | l |
| | per AC Breaker Amp | | | CLOAC | PE1JO | 34.06 | | | | | | | | | | |
| | Adjacent Collocation - DC power provisioning (Alabama Only | | | | | | | | | | | | | | | |
| | Mandate ICB) | | <u></u> | <u> </u> | <u> </u> | <u> </u> | | | <u> </u> | | | | | <u> </u> | <u> </u> | <u> </u> |
| | Note: ICB means Individual Case Basis | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Page 5 of 46

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|--|--------|----------|-------------------|------------------------|--------|----------|-----------|-------------|--------------|-----------|-----------|-------------|-------------|--------------|--|
| CLLOOKI | 101144 | | 1 | 1 | 1 | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | Zana | BCS | USOC | | | RATES(\$) | | | Elec | Manually | Manual Svc | Manual Svc | | |
| SATEGORI | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| 1 | | | | | - | | Nonrec | urring | Monrocurrin | g Disconnect | | | 066 | Rates(\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | 1 | | FIISL | Auu i | FIISL | Add I | SOMEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| PHYSICAL CO | OLL OCATION | | | | + | - | + | | + | | | | | | | |
| Applic | | | <u> </u> | | | | | | | | | | | | | |
| Applic | Physical Collocation - Initial Application Fee | | <u> </u> | CLO | PE1BA | | 2,785.00 | | 1.20 | | | | | | | |
| | | | <u> </u> | CLO | | | | | 1.20 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct | | <u> </u> | CLO | PE1CA | | 2,236.00 | | 1.20 | | | | | | | |
| | | | | CLO | PE1DT | | 564.81 | | | | | | | | | |
| | Connect, Application Fee, per application | | - | CLO | PETUI | | 564.81 | | | | | | | | | |
| | Physical Collocation - Power Reconfiguration Only, Application Fee | | | CLO | PE1PR | | 409.50 | | | | | | | | | |
| | | | - | | | | | | 4.00 | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 760.91 | | 1.20 | | | | | | | |
| Space | Preparation | | | 01.0 | DE 4D I | F 00 | | | 1 | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.28 | | | | | | | | | | ļ |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | 01.0 | DEADY | 474 .0 | l | | | | İ | | | | | |
| | square feet | | | CLO | PE1BX | 171.12 | | | | | | | | | | ļ |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | 0.0 | DE 4514 | = | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | 189.73 | | | | | | | | | | ļ |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 18.61 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.38 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.50 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 84.93 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 287.36 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 572.66 | | | | | | | | | |
| Powe | | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 7.80 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.26 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FD | 10.53 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | | | | | | | | | | | | 1 |
| | Breaker Amp | | | CLO | PE1FE | 15.80 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 36.47 | | | | | | | | | | |
| | Physical Collocation - Power - DC power, per Used Amp | | | CLO | PE1FN | 10.69 | İ | | İ | İ | | | | | İ | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | 1 | | 1 | 1 | İ | | İ | İ | | | | İ | İ | |
| 5.555 | The second secon | , | † | UEANL,UEQ,UNCN | 1 | | İ | | 1 | 1 | | | | | 1 | |
| | | | | X, UEA, UCL, UAL, | 1 | | l | | | | İ | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | 1 | UHL, UDN, UNCVX | PE1P2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | 1 | | | | Ì | |
| - | , | | 1 | UEA, UHL, UNCVX, | † - · · · - | 5.0200 | | 0.01 | 50 | | | | | 1 | 1 | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | - Hydrocal Concountry - Wile Group contribut, 1999, provisioning | | | WDS1L, WDS1S, | | 0.0-10 | 5.50 | 0.73 | 5.00 | 2.03 | 1 | | | | | † |
| | | | | UXTD1, ULDD1, | 1 | | | | | | İ | | | | | |
| | | | | USLEL, UNLD1, | | | | | | | | | | | | |
| 1 | | | | U1TD1, UNC1X, | 1 | | | | | | İ | | | | | |
| | | | 1 | UEPSR, UEPSB, | I | | l | | 1 | Ì | 1 |] | | | l | 1 |
| | | | 1 | | 1 | | l | | | | 1 | | | | Ì | |
| .] | Physical Collection, DS1 Cross Connect for Physical | | 1 | UEPSE, UEPSP, | 1 | | l | | | | 1 | | | | Ì | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | 1 | USL, UEPEX, | DE4D4 | 0.0700 | 7.00 | 0.05 | 4.05 | 0.0000 | 1 |] | | | l | 1 |
| | Collocation, provisioning | | | UEPDX | PE1P1 | 0.3786 | 7.88 | 6.25 | 1.35 | 0.9899 | 1 | | | | | <u> </u> |

| COLLOCA | TION - Florida | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|----------|--|--|----------|---------------|-------------------------|-------------------|--------------|-----------|---------------|---------------|--|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | 1 | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | l | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | , | | | | |
| CATEGORI | KATE ELEMENTO | m | 20116 | B00 | 0000 | | | IXATEO(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | - | | | | Managa | | Nonrecurring | . Diazzanasat | | | 222 | Rates(\$) | | |
| | | | | | | Rec | Nonrec | | | | | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UE3, U1TD3, | | | | | | | | | | | | |
| | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | ULDD3, U1TS1, | | | | | | | | | | | | |
| | | | | ULDS1, UNLD3, | | | | | | | | | | | | |
| | | | | UEPEX, UEPDX, | | | | | | | | | | | | |
| | | | | UEPSR, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UEPSE, UEPSP | PE1P3 | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 1.71 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| \vdash | Friysical Collocation - 2-Fiber Closs-Connect | - | - | ULDO3, ULD12, | FEIFZ | 1.71 | 20.20 | 20.85 | 13.78 | 11.01 | | | | | | |
| 1 1 | | l | 1 | | | | | | | | | 1 | | | | |
| | | İ | | ULD48, U1TO3, | | | | | | | | l | | | | |
| 1 1 | | l | 1 | U1T12, U1T48, | | | | | | | | 1 | | | | |
| | | | | UDLO3, UDL12, | | | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | UDF, UDFCX | PE1F4 | 3.34 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | | | | | | | | | | | | | |
| | Connect - Fiber Cable Support Structure, per linear foot, per | | | | | | | | | | | | | | | |
| | cable. | | | CLO | PE1ES | 0.0008 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per | | | | | | | | | | | | | | | |
| | cable. | | | CLO | PE1DS | 0.0012 | | | | | | | | | | |
| | | | | UEPSR, UEPSP. | | 0.00. | | | | | | | | | | |
| | | | | UEPSE, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEP2C | PE1R2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0208 | 8.00 | 5.75 | 5.00 | 2.69 | - | | | | | |
| Secu | | | | UEPEA, UEPDD | PE IR4 | 0.0416 | 6.00 | 5.75 | 5.00 | 2.09 | | | | | | |
| Secu | | | - | | | | | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | 0.0 | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLO | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLO | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLO | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System | | | | | | | - | | | | | | | | |
| 1 1 | per Central Office, per Sq. Ft. | l | 1 | CLO | PE1AY | 0.0101 | | | | | | 1 | | | | |
| | Physical Collocation -Security Access System - New Card | | | | | | | | | | | l | | | | |
| | Activation, per Card Activation (First), per State | İ | | CLO | PE1A1 | | 38.95 | | | | | l | | | | |
| | , , , , , , , , , , , , , , , , , , , | | | | | | 22.00 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative | İ | | | | | | | | | | l | | | | |
| | Change, existing Access Card, per Request, per State, per Card | İ | | CLO | PE1AA | | 8.84 | | | | | l | | | | |
| \vdash | Physical Collocation - Security Access System - Replace Lost or | 1 | 1 | 020 | 1 L 17/4 | | 0.04 | | | | | 1 | | | - | - |
| 1 1 | | l | 1 | CLO | DE1AD | | 00.70 | | | | | 1 | | | | |
| \vdash | Stolen Card, per Card | - | - | CLO | PE1AR | | 28.78 | | | | | | | | | |
| \vdash | Physical Collocation - Security Access - Initial Key, per Key | | 1 | ULU | PE1AK | | 23.28 | | | | 1 | | | | | - |
| 1 1 | Physical Collocation - Security Access - Key, Replace Lost or | l | 1 | CI O | DE44 | | 00.00 | | | | | 1 | | | | |
| | Stolen Key, per Key | <u> </u> | <u> </u> | CLO | PE1AL | | 23.28 | | | | . | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Physical Collocation - CFA Information Resend Request, per | İ | | | | | | | | | | l | | | | |
| | premises, per arrangement, per request | <u> </u> | <u> </u> | CLO | PE1C9 | | 79.52 | | | | ļ | | | | | |
| Cable | e Records - Note: The rates in the First & Additional columns wi | II actua | lly be b | | | ent S" respective | | | | | | | | | | |
| | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | I 1515 | S 973.64 | 256.35 | | | | | | | |
| | District College Colle | | | | | | | - | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | | | | | | 000 44 | | 1 | ı | 1 | 1 | • | l |
| | record (maximum 3600 records) | | | CLO | PE1CD | | 646.84 | | 362.41 | | | | | | | |
| | | | | CLO | PE1CD | | 646.84 | | 362.41 | | | | | | | |
| | record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | record (maximum 3600 records) | | | CLO CLO | PE1CD PE1CO PE1C1 | | 9.11 4.52 | | 10.80 5.35 | | | | | | | |

| record (r Physical Physical per Voice Physical per Soice Physical per DS1 Physical per DS1 Physical per DS3 Physical per DS3 Physical per DS3 Physical Per Voice Physical DSO Cir Physical Physical Per Soice Physical Per DS3 Entrance Cable Physical Entrance Physical per DS3 Entrance Cable Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C | RATE ELEMENTS cal Collocation - Cable Records, Fiber Cable, per cable d (maximum 99 records) cal Collocation, Cable Records, CAT5/RJ45 ysical cal Collocation - Virtual to Physical Collocation Relocation, sice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation - Virtual to Physical Collocation In-Place, Pei Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Fiber Cable Support Structure, per nece Cable cal Collocation - Fiber Entrance Cable per Cable (CO | Interi | | BCS CLO CLO CLO CLO CLO CLO | PE1CB PE1C5 PE1BV PE1B0 PE1B1 PE1B3 | Rec | Nonrec First 169.96 4.52 33.00 | RATES(\$) curring Add'l | Nonrecurring First 149.97 5.35 | Disconnect Add'I | 1 | Svc Order Submitted Manually per LSR SOMAN | Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
|--|--|--------|-----|---|-------------------------------------|--------|---|-------------------------------|---|---------------------|-------|--|---|--|---|--|
| record (r Physical Virtual to Physical per Voic Physical per Voic Physical per DSC Physical per DSC Physical per DS3 Physical per DS3 Physical Per Voic Physical DSO Cir Physical Per Voic Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Physical Entrance Cable Physical Entrance Cable Physical Country Physical Entrance Physical Entrance Physical Entrance Physical Country Physical Entrance Physical E | d (maximum 99 records) cal Collocation, Cable Records, CAT5/RJ45 ysical cal Collocation - Virtual to Physical Collocation Relocation, pice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, pice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, Cal Collocation - Virtual to Physical Collocation In-Place, Cal Collocation - Fiber Cable Support Structure, per nec Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO CLO CLO | PE1C5 PE1BV PE1BO PE1B1 | Rec | 169.96 4.52 33.00 | | First 149.97 | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| record (r Physical Virtual to Physical per Voic Physical per Voic Physical per DSC Physical per DSC Physical per DS3 Physical per DS3 Physical Per Voic Physical DSO Cir Physical Per Voic Physical DSO Cir Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Physical Entrance Cable Physical Entrance Cable Physical Complete | d (maximum 99 records) cal Collocation, Cable Records, CAT5/RJ45 ysical cal Collocation - Virtual to Physical Collocation Relocation, pice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, pice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, Cal Collocation - Virtual to Physical Collocation In-Place, Cal Collocation - Fiber Cable Support Structure, per nec Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO CLO CLO | PE1C5 PE1BV PE1BO PE1B1 | Rec | 169.96 4.52 33.00 | | First 149.97 | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| record (r Physical Virtual to Physical per Voice Physical per Voice Physical per DS1 Physical per DS3 Physical per DS3 Physical per DS3 Physical per DS3 Physical Per Voic Physical DSO Cir Physical Per Voic Physical Per DS1 Physical Per DS3 Entrance Cable Physical Entrance Physical Entrance Physical Entrance Physical Entrance Physical Cable Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C | d (maximum 99 records) cal Collocation, Cable Records, CAT5/RJ45 ysical cal Collocation - Virtual to Physical Collocation Relocation, pice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, pice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, Cal Collocation - Virtual to Physical Collocation In-Place, Cal Collocation - Fiber Cable Support Structure, per nec Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO CLO CLO | PE1C5 PE1BV PE1BO PE1B1 | | 169.96 4.52 33.00 | | 149.97 | | | | | | | |
| Physical Virtual to Physi Physical Physical per Voic Physical per DSC Physical per DSC Physical per DSS Physical per DSS Physical Per Voic Physical DSO Cir Physical DSO Cir Physical Per DS1 Physical Per DS1 Physical per DS3 Entrance Cable Physical Entrance Physical Entrance Physical Fiber Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | cal Collocation, Cable Records, CAT5/RJ45 /sical cal Collocation - Virtual to Physical Collocation Relocation, pice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, so Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, pice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Per Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit s3 Circuit cal Collocation - Fiber Cable Support Structure, per noce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO CLO CLO | PE1C5 PE1BV PE1BO PE1B1 | | 4.52 33.00 | | | | | | | | | |
| Virtual to Physical per Voice Physical per DSC Physical per DSC Physical per DSC Physical per DSC Physical per DSC Physical Per Voice Physical Per Voice Physical Per Voice Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Ph | ysical cal Collocation - Virtual to Physical Collocation Relocation, oice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, circuit cal Collocation Virtual to Physical Collocation In-Place, Per Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit oil cal Collocation - Fiber Cable Support Structure, per noce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO CLO CLO | PE1BV PE1BO PE1B1 | | 33.00 | | 5.35 | | | | | | | , |
| Physical per Voice Physical per DSC Physical per DSC Physical per DSC Physical per DSC Physical per DSC Physical Per Voice Physical DSC Cir Physical Per Voice Physical Per DSC Physical Per DSC Physical Per DSC Physical Per DSC Physical Entrance Cable Physical Entrance Physical Entrance Physical Phys | cal Collocation - Virtual to Physical Collocation Relocation, pice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, pice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Pei Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Fiber Cable Support Structure, per nec Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CTO CTO | PE1BO PE1B1 | | | | | | | | | | | |
| per Voice Physical per DSC Physical per DSC Physical per DSC Physical per DS3 Physical per DS3 Physical DSO Cir Physical DSO Cir Physical Per DS1 Physical per DS3 Entrance Cable Physical Entrance Physical Entrance Physical Entrance Physical Fiber Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C | pice Grade Circuit cal Collocation - Virtual to Physical Collocation Relocation, SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Pet Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit ole cal Collocation - Fiber Cable Support Structure, per noce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CTO CTO | PE1BO PE1B1 | | | | | | | | | | | |
| per DSC Physical per DS1 Physical per DS3 Physical Per Voil Physical Per Voil Physical Physical Physical Physical Physical Problem Physical Per DS1 Physical Per DS1 Physical Per DS3 Entrance Cable Physical Entrance Physical Fiber Viritual C Application Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | SO Circuit cal Collocation - Virtual to Physical Collocation Relocation, \$1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, \$3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Pel Circuit cal Collocation - Virtual to Physical Collocation In-Place, Pel Circuit cal Collocation - Virtual to Physical Collocation In-Place, \$1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, \$3 Circuit old cal Collocation - Fiber Cable Support Structure, per nec Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | PE1B1 | | 33.00 | | | | | | | | | |
| Physical per DS1 Physical per DS1 Physical per DS3 Physical Per Voic Physical DSO Cir Physical Per DS1 Physical Per DS1 Physical per DS3 Entrance Cable Physical Entrance Physical Entrance Physical Entrance Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C | cal Collocation - Virtual to Physical Collocation Relocation, S1 Circuit cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Pel Circuit cal Collocation - Virtual to Physical Collocation In-Place, Pel Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Fiber Cable Support Structure, per noce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | PE1B1 | | | | | | | | | | | 1 |
| Physical per DS3 Physical Provided Prov | cal Collocation - Virtual to Physical Collocation Relocation, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Per Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Fiber Cable Support Structure, per nece Cable cal Collocation - Fiber Entrance Cable per Cable (CO | - | | CLO | | | | | | | | | | | | |
| per DS3 Physical Per Voic Physical DSO Cir Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Per DS1 Physical Physical Physical Entrance Cable Physical Entrance Physical Manhole Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Pel Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit Del Cal Collocation - Fiber Cable Support Structure, per nec Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | | PE1B3 | | 52.00 | | | | | | | | | |
| Per Voic Physical DSO Cir Physical Per DS1 Physical Per DS1 Physical Per DS3 Entrance Cable Physical Entrance Physical Manhole Physical Manhole Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | oice Grade Circuit cal Collocation Virtual to Physical Collocation In-Place, Per Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit ole cal Collocation - Fiber Cable Support Structure, per noce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | | | 52.00 | | | | | | | | | 1 |
| DSO Cir Physical Per DS1 Physical Per DS1 Physical Per DS3 Entrance Cable Physical Entrance Physical Entrance Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | Circuit cal Collocation - Virtual to Physical Collocation In-Place, S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit ole cal Collocation - Fiber Cable Support Structure, per nce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | | PE1BR | | 23.00 | | | | | | | | | ļ |
| Per DS1 Physical per DS3 Entrance Cable Physical Entrance Physical Entrance Physical Manhole Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Application Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | S1 Circuit cal Collocation - Virtual to Physical Collocation In-Place, S3 Circuit ble cal Collocation - Fiber Cable Support Structure, per nace Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | PE1BP | | 23.00 | | | | | | | | | İ |
| Per DS3 Entrance Cable Physical Entrance Physical Physical Manhole Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | S3 Circuit le cal Collocation - Fiber Cable Support Structure, per nce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| Physical Entrance Physical manhole Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | cal Collocation - Fiber Cable Support Structure, per nce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | PE1BE | | 37.00 | | | | | | | | | l |
| Entrance Physical manhole Physical Fiber VIRTUAL COLLOCATIC Application Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | nce Cable cal Collocation - Fiber Entrance Cable per Cable (CO | | | | | | | | | | | | | | | |
| manhole Physical Fiber VIRTUAL COLLOCATIO Application Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | | | | CLO | PE1PM | 5.19 | | | | | | | | | | l |
| Fiber VIRTUAL COLLOCATIC Application Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | ole to vault splice) | | | CLO | PE1EC | | 994.12 | | 43.84 | | | | | | | |
| VIRTUAL COLLOCATIO Application Virtual C Applicati Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C Virtual C | cal Collocation - Fiber Entrance Cable Installation, per | | | CLO | PE1ED | | 7.43 | | | | | | | | | |
| Virtual C Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C | TION | | | | | | | | | | | | | | | I |
| Virtual C Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C Virtual C | | | | | | | | | | | | | | | | |
| Applicati Virtual C Space Preparati Virtual C Power Virtual C Virtual C | l Collocation - Application Fee | | | AMTFS | EAF | | 1,241.00 | | 1.20 | | | | | | | |
| Virtual C Space Preparati Virtual C Power Virtual C Virtual C | l Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | | | | | | | | | | i |
| Space Preparati Virtual C Power Virtual C Virtual C Virtual C | cation Fee, per application | | | AMTES | VE1CA | | 564.81 | | 4.00 | | | | | | | |
| Power Virtual C Virtual C Virtual C | Collocation Administrative Only - Application Fee | 1 | 1 | AMTFS | VE1AF | | 760.91 | | 1.20 | | | | | | | |
| Power Virtual C | I Collocation - Floor Space, per sq. ft. | 1 | 1 1 | AMTFS | ESPVX | 5.28 | | | | | | | | | | |
| Virtual C Virtual C | i Conocation - Floor Opace, per sq. n. | 1 | 1 | AWITTO | LOI VX | 5.20 | | | | | | | | | | |
| Virtual C | l Collocation - Power, per fused amp | | 1 | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| Cross Connects | l Collocation - Power, DC power, per Used Amp | | | AMTFS | VE1PF | 10.69 | | | | | | | | | | |
| | cts (Cross Connects, Co-Carrier Cross Connects, and | Ports) | | | | | | | | | | | | | | |
| | | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | | | | | | | | | | | | |
| Virtual C | l Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX UEA, UHL, UCL, | UEAC2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| Virtual C | Collocation - 4-wire cross-connect, loop, provisioning | | | UDL, UNCVX, UNCDX | UEAC4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| Virtual c | I collocation - Special Access & UNE, cross-connect per | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.3786 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| Virtual c | | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.16 | 32.40 | 31.03 | 11.15 | | | | | | | |

| COLLOCA. | TION - Florida | | | | | | | | | | | | Attachment: | 4 Fxh B | | |
|-------------|--|----------|---------------|-------------------|--------------|--|----------|-----------|--------------|---------|-----------|-----------|-------------|-------------|-------------|--|
| JULLUUA | 11011 11011du | 1 | Ι | | 1 | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | poi Loix | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | _ | | N | | N | . B' | | l . | | D - ((ft) | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDI | F CNC2F | 1.75 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDI | F CNC4F | 3.50 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| i | | | | | | | i | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | l | l | | 1 | | | | | | 1 | l | | 1 | 1 | |
| | | l | | AMTEC | VE4CD | 0.0000 | | | | | ĺ | l | | l | 1 | |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0008 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| I | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | l | l | | 1 | | | | | | 1 | l | | 1 | 1 | 1 |
| I | Copper/Coax Cable Support Structure, per linear foot, per cable | l | l | AMTFS | VE1CD | 0.0012 | | | | | 1 | l | | 1 | 1 | 1 |
| | eoppen/edax dable dapport directure, per linear reat, per cable | | | UEPSX, UEPSB, | VETOD | 0.0012 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| CFA | | | | , | | | | | | | | | | | | |
| U. A. | Virtual Collocation - CFA Information Resend Request, per | | | | + | | | | | | | | | | | |
| | | | | | | | ===== | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 79.52 | | | | | | | | | |
| Cable | e Records - Note: The rates in the First & Additional columns wi | II actua | lly be b | | "Subsequen | t S" respectivel | | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,515.00 | 973.64 | 256.35 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | _ | | | , | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 646.84 | | 362.41 | | | | | | | |
| | | | | AIVIIFO | VEIDD | | 040.04 | | 302.41 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 9.11 | | 10.80 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.35 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 18.73 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | 7 WITT O | VEIDE | | 10.01 | | 10.70 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 169.96 | | 149.97 | | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.52 | | 5.35 | | | | | | | |
| Secu | rity | | | | _ | | | | | | | | | | | |
| 1.70 | Virtual collocation - Security escort, basic time, normally | | | | İ | 1 | | | | | | | | | Ì | |
| I | scheduled work hours | l | | AMTFS | SPTBX | | 33.65 | 22.05 | | | ĺ | l | | l | 1 | |
| | | | <u> </u> | AIVIIFO | SEIBY | | 33.00 | 22.05 | | | . | | | ļ | | |
| I | Virtual collocation - Security escort, overtime, outside of | l | l | | 1 | | | | | | 1 | l | | 1 | 1 | 1 |
| I | normally scheduled work hours on a normal working day | <u> </u> | <u> </u> | AMTFS | SPTOX | <u> </u> | 44.63 | 28.89 | | <u></u> | <u> </u> | L | L | L | <u> </u> | <u> </u> |
| ì | Virtual collocation - Security escort, premium time, outside of a | | | | | | | | | | | | | | | |
| I | scheduled work day | l | ĺ | AMTFS | SPTPX | | 55.62 | 35.73 | | | | l | | | 1 | |
| Main | tenance | l — | l | , uvii 1 O | OI 11 A | | 33.02 | 55.75 | | | . | | | | 1 | |
| iviaini | | | — | | 0.751.1/ | | | | | | | ļ | | ļ | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 54.05 | 22.05 | | | | | | | | |
| | | l | l | | | | | | | | | | | 1 | | |
| I | Virtual collocation - Maintenance in CO - Overtime, per half hour | l | l | AMTFS | SPTOM | | 72.18 | 28.89 | | | 1 | l | | 1 | 1 | 1 |
| - t | The state of the s | | | | 1 | | . 2.10 | 20.00 | | | 1 | l | | l | 1 | t |
| | Vistoral collegation Maintenance in CO. Describer and J. 18 by an | l | | AMTEC | SPTPM | | 00.04 | 25.70 | | | ĺ | l | | l | 1 | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPIPM | | 90.31 | 35.73 | | | | | | | | |
| Entra | ance Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,473.00 | | 43.84 | | | | | | | |
| İ | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 4.54 | | | | | İ | İ | | İ | İ | |
| COLL OCATIO | ON IN THE REMOTE SITE | - | | 0 | 1 20. 3/ | 7.04 | | | | | l . | | | | | 1 |
| | | ! | <u> </u> | | | | | | | | | | | | | - |
| Phys | ical Remote Site Collocation | | | | 1 | | | | | | 1 | | | | | |
| I | Physical Collocation in the Remote Site - Application Fee | | L | CLORS | PE1RA | | 612.23 | | 270.35 | | | | | L | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 154.59 | ì | | | | | | | | | |
| - | | 1 | | - | 1 | 1 | i | | | | 1 | | | | 1 | |
| I | Physical Collocation in the Person Site. Security Assess 1/2: | l | l | CLORS | PE1RD | | 23.28 | | | | 1 | l | | 1 | 1 | |
| | Physical Collocation in the Remote Site - Security Access - Key | | <u> </u> | CLUKS | PEIKD | | 23.28 | | | | . | | | ļ | ļ | |
| I | Physical Collocation in the Remote Site - Space Availability | l | | | 1 | | | | | | ĺ | l | | l | 1 | |
| | Report per Premises Requested | Ī | ı | CLORS | PE1SR | | 223.91 | | | | 1 | ı | | l | 1 | 1 |

| COLLOCATION | ON - Florida | | | | | | | | | | | | Attachment: | 4 Fxh B | | |
|-------------|--|--|----------|--------------------------------------|-----------------|-------------------|----------------|--------------|--------------|------------|-------|---|--|--|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - | Charge - |
| | | "" | | | | | | | | | | · | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | 1 | Dee | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 73.39 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 208.02 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | 0.000 | | | | | | | | | | | | |
| | scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of | | | CLORS | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | 1 | | CLORS | PE1PT | | 55.62 | 35.73 | | | | 1 | | 1 | 1 | |
| Adjacer | nt Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Descrite Cite Adianast Collegetics AC Descrite and baseline and | | | CI ODC | DE4DC | 6.27 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add'I Engineering Fees become nec | 0000011 | for adia | CLORS | PE1RS | | acticte engren | rioto rotoo | | | | | | | | - |
| | Remote Site Collocation | essary | ror adja | cent remote site co | bilocation, the | e Parties Will ne | gotiate approp | riate rates. | | | | | | | | - |
| Viituai | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 612.23 | | 270.35 | | | | | | | |
| | Threat Concountry in the Normale City / prication / Co | | | 120 | | | 0.2.20 | | 2, 0.00 | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 154.59 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 223.91 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | | | | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 73.39 | | | | | | | | | |
| ADJACENT CO | | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1666 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.62 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | | 0.0194 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects | | l - | UEA.UHL.UDL.UCL | | 0.0194 | 7.32 8.00 | 5.75 | 5.00 | 2.71 | | | 1 | 1 | 1 | |
| | Adjacent Collocation - 4-Ville Cross-Connects | | 1 | USL | PE1JG | 0.3708 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | 1 | UE3 | PE1JH | 4.14 | 32.40 | 31.03 | 11.15 | 10.98 | 1 | | | | | - |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | i – | CLOAC | PE1JJ | 1.70 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | 1 | CLOAC | PE1JK | 3.33 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,763.00 | | 1.02 | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.26 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.53 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.80 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | 0.0.0 | 55410 | | | | | | | | | | | |
| | per AC Breaker Amp | | ļ | CLOAC | PE1JO | 36.47 | | | | | | | | | | |
| | Adjacent Collocation - Cable Support Structure per Entrance Cable | <u> </u> | | CLOAC | PE1JP | 5.19 | | | | | | | | | | |
| Note: R | Rates displaying an "I" in Interim column are interim as a resu | ılt of a (| Commis | ssion order. | | | | | | | | | | | | <u> </u> |

Page 10 of 46

| COLLOCAT | ION - Georgia | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|--|-------------|----------|--|---------|--------|----------|-----------|--------------|-------|----------|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | - LN | D'ana | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | N L OCATION | | | | + | | | | | | + | | | - | | - |
| Applic | | | | | | | | | | | | | | | | |
| дрыс | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | 0.59 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | 0.59 | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | | | | 1,000 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 583.18 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 740.83 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 594.05 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 832.95 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,057.00 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,408.00 | · | 1.21 | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| \vdash | Physical Collocation - Floor Space, per sq feet | | <u> </u> | CLO | PE1PJ | 4.52 | | | | | ļ | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | CI O | DEARY | 444.71 | | | | | | | | 1 | | |
| | square feet Physical Collocation - Space enclosure, welded wire, first 100 | | | CLO | PE1BX | 144.71 | | | | | - | | | | | |
| | square feet | | | CLO | PE1BW | 160.45 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | CLO | FLIDW | 100.43 | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 15.74 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | OLO | 1 21011 | 10.74 | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.01 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.23 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 75.61 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 141.10 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | 01.0 | DE 40D | | 040.75 | | | | | | | | | |
| Power | Office Requested | | | CLO | PE1SR | | 248.75 | | | | - | | | | | |
| Fower | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 4.78 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | OLO | | 4.70 | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.14 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | 1 | | | | | | | | | | | | | |
| | per Breaker Amp | | L | CLO | PE1FD | 10.30 | | | | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | <u> </u> | CLO | PE1FE | 15.44 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | 0.0 | | | | | | | | | | 1 | | |
| | Breaker Amp | la mt c \ | <u> </u> | CLO | PE1FG | 35.65 | | | - | | 1 | | | 1 | 1 | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | ! | UEANL.UEQ. | 1 | | | | | | 1 | | | 1 | | 1 |
| | | | | UNCNX, UEA, UCL, | | | | | | | | | | 1 | | |
| | | | | UAL, UHL, UDN, | | | | | | | | | | 1 | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | 1 | UNCVX | PE1P2 | 0.0197 | | | | | | | | I | 1 | |
| | , | | | UEA, UHL, UNCVX, | T | 5.5.57 | | | | | 1 | | | 1 | Ì | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0393 | | | | | | | | 1 | | |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | USL, UEPEX, | | | | | | | | | | 1 | | |
| | Collocation, provisioning | | | UEPDX | PE1P1 | 0.3726 | | | | | | | | | | |

| COLLOCA | TION - Georgia | | | | | | | | | | | | Attachment: | | | |
|-----------------|--|-------------|----------|---|-----------------------|------------------|------------------|------------------|--|------------|--|------------------------|--|-----------|---|---|
| CATEGORY | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Monro | | Monroourring | Disconnect | | | 000 | Rates(\$) | | |
| \vdash | | | | 1 | + | Rec | First | curring Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | UE3, U1TD3, | | | FIISL | Add I | FIISL | Add I | SOMEC | SOWAN | SUMAN | SOWAN | SOWAN | SOWAN |
| | | | | UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UEPSE, UEPSP | PE1P3 | 4.06 | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, | PE1F2 | 1.72 | | | | | | | | | | |
| | District College for A Files Course Course | | | UDLO3, UDL12, | DE4E4 | 0.00 | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct | | | UDF, UDFCX | PE1F4 | 3.30 | | | | | | | | | | |
| | Connect - Fiber Cable Support Structure, per linear foot, per | | | | | | | | | | | | | | | |
| | cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | | | 0.00 | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per | | | | | | | | | | | | | | | |
| | cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | | | UEPSR, UEPSP, UEPSE, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEP2C | PE1R2 | 0.0197 | | | | | | | | | | |
| Secu | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0393 | | | | | | | | | | |
| Jecc | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLO | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | OLO | I E I D I | | 10.32 | 10.03 | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.31 | 17.55 | | | ļ | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0106 | | | | | | | | | | |
| \vdash | Physical Collocation -Security Access System - New Card | | | OLO | FEIAT | 0.0106 | | | | | 1 | | | | | |
| | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 22.00 | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access | | | | | | 22.00 | | | | | | | | | |
| | Card Deactivation, per Card | | | CLO | PE1A4 | | 8.72 | 8.72 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative | | | 0.0 | | | | | | | | | | | | |
| - | Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 5.38 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 17.01 | | [| | | | | | | |
| \vdash | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.20 | | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | .3.20 | | | | | | | | | |
| | Stolen Key, per Key | | | CLO | PE1AL | | 13.20 | | | | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Physical Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| L | premises, per arrangement, per request | | | CLO | PE1C9 | | 77.42 | | | | | | | | | |
| Cabl | e Records - Note: The rates in the First & Additional columns wi | ıı actua | iiy be l | | nd "Subseque PE1CR | ent 5" respectiv | vely I 743.65 | S 478.06 | 125.75 | | | | | | | |
| \vdash | Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | CLO | PETCR | | 1 /43.65 | 5 4/8.06 | 125./5 | | | | | | | |
| | record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | CLO | PE1CD | | 317.60 | | 177.77 | | | | | | | |
| | 100 pair | | | CLO | PE1CO | | 4.48 | | 5.30 | | | | | | | |

| COLLOCAT | ION - Georgia | | | | | | | | | | | | Attachment: | 4 Fyh B | | |
|--|--|-------------|----------------|------------------------------------|--------|--------|--------|-----------|--|------------|---------|------------------------|---------------------------------------|-----------------------------------|---------------------------------------|---------------------------------------|
| COLLOCAT | ON - Georgia | | | | | | | | | | | Svc Order Submitted | Incremental Charge - Manual Svc | Incremental Charge - | Incremental Charge - Manual Svc | Incrementa Charge - Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic Disc Add'l |
| | | | | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.22 | | 2.63 | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.76 | | 9.19 | | | | | | | |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 99 records) | | | CLO | PE1CB | | 83.45 | | 73.57 | | | | | | | |
| | Physical Collocation, Cable Records, CAT5/RJ45 | | | CLO | PE1C5 | | 2.22 | | 2.63 | | | | | | | |
| Virtual | to Physical | | | | 1 | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | 01.0 | DE4B: | | | | | | | | | | | |
| | per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1B1 | | 52.00 | | | | | | | - | | |
| | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | CLO | DE4DD | | 22.00 | | | | | | | | | |
| | DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | ce Cable | | | OLO | I LIBE | | 07.00 | | | | | | | | | |
| | Physical Collocation - Fiber Cable Installation, Pricing, non- | | | | | | | | | | | | | | | |
| | recurring charge, per Entrance Cable | | | CLO | PE1BD | | 736.93 | | 21.51 | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 7.21 | | | | | | | | | | |
| | Physical Collocation, Entrance Cable Support Structure, | | | | | | | | | | | | | | | |
| | Copper, per each 100 pairs or fraction thereof (CO Manhole to | | | | | | | | | | | | | | | |
| | Collocation Space) | | | CLO | PE1EE | 0.2629 | | | | | | | | | | |
| | Physical Collocation, Entrance Cable Installation, Copper, per | | | | | | | | | | | | | | | |
| | Cable (CO Manhole to Collocation Space) | | | CLO | PE1EF | | 755.15 | | 21.51 | | | | | | | |
| | Physical Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation | | | | | | | | | | | | | | | |
| | Space) | | | CLO | PE1EG | | 9.12 | | | | | | | | | |
| + | Physical Collocation - Fiber Entrance Cable Installation, per | | | CLO | PETEG | | 9.12 | | 1 | | | | | | | |
| | Fiber | | | CLO | PE1ED | | 3.90 | | | | | | | | | |
| VIRTUAL COL | | | | | | | | | İ | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 609.52 | | 0.59 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | | | | | | | | | | |
| | Application Fee, per application | | | AMTFS | VE1CA | | 583.18 | | ļ | | | | | ļ | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 609.52 | | | | | | | | | |
| Space | Preparation | | \vdash | AMTEC | ECD\24 | 4.50 | | | 1 | - | | | | | | |
| Power | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.52 | | | - | | | | | | | |
| Fower | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 4.78 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | AWITTO | LOI AX | 4.70 | | | | | | | | | | |
| 0.033 | Zermente, de danner en en en en en en en en en en en en en | , | | UEANL, UEA, UDN, UAL, UHL, UCL, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0188 | | | | | | | | | | |
| | , | | | UEA, UHL, UCL, UDL, UNCVX, | | | | | | | | | | | | |
| 1 1 | Virtual Collocation - 4-wire cross-connect, loop, provisioning | l | | UNCDX | UEAC4 | 0.0375 | | | 1 | l | 1 | 1 | | | | 1 |

| DLLOCAT | ION - Georgia | | | | | | | | | | | | Attachment: | 4 Fxh B | | |
|---------|---|----------|----------|---------------------|--------------|--|--------|-----------|--------------|------------|--|-----------|-------------|--|-------------|-----------|
| LLUCAI | Total - Georgia | | | | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremen |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge |
| | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual |
| TEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order v |
| | | m | | | | | | | | | poi Loit | per Lore | Electronic- | Electronic- | Electronic- | Electroni |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | 1 | Nonrec | urring | Nonrecurring | Disconnect | + | | 088 | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | ULR, UXTD1, | | | FIISL | Auu i | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | SOWAN | JOWAN | SOWA |
| | | | | | | | | | | | | | | | | |
| | | | | UNC1X, ULDD1, | | | | | | | | | | | | |
| | | | | U1TD1, USLEL, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | UNLD1, USL, | | | | | | | | | | | | |
| | DS1 | | | UEPEX, UEPDX | CNC1X | 0.3726 | | | | | | | | | | |
| | | | | USL, UE3, U1TD3, | | | | | | | | | | | | |
| | | | | UXTS1, UXTD3, | | | | | | | | | | | | |
| | | | | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | ULDD3, U1TS1, | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | ULDS1, UDLSX, | | | | | | | | | | | | |
| | DS3 | | | UNLD3 | CND3X | 4.06 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC2F | 1.73 | | | | | | | | | | |
| | VIII CONCOCCION 2 1 IDEI CIGGO COMITOGO | | | OLD 12, OLD 10, ODI | ONOZI | 1.70 | | | | | + | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48. U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC4F | 3.45 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear root, per cable | | | UEPSX, UEPSB, | VETOD | 0.0013 | | | | | - | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0188 | | | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0375 | | | | | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.42 | | | | | | | | | |
| Cable | Records - Note: The rates in the First & Additional columns wi | II actua | lly be b | | "Subsequent | t S" respectivel | | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 743.65 | 478.06 | 125.75 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record | l | 1 | AMTFS | VE1BB | | 317.60 | | 177.77 | | 1 |] | | Ì | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | İ | 1 | | | | | | | | İ | | |
| | 100 pair | l | 1 | AMTFS | VE1BC | | 4.48 | | 5.30 | | 1 |] | | Ì | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | i i | 2.22 | | 2.63 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | i i | 7.76 | | 9.19 | | 1 | i | | İ | İ | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | 1 | = | | † | 0 | | 00 | | t | 1 | | † | | |
| | records | l | 1 | AMTFS | VE1BF | | 83.45 | | 73.57 | | 1 |] | | Ì | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | - | | AMTFS | VE1B5 | | 2.22 | | 2.63 | | + | | | | | |
| Securi | | | 1 | 7 1197111 0 | 4 E 1 D O | | ۷.۷۷ | | 2.03 | | 1 | | | 1 | 1 | |
| Jecuii | Virtual collocation - Security escort, basic time, normally | | 1 | | 1 | | | | | | 1 | | | 1 | 1 | |
| | scheduled work hours | | | AMTFS | SPTBX | | 16.52 | 10.83 | | | 1 | | | | | |
| | | | - | AIVITO | SPIDA | | 10.52 | 10.83 | | | + | | | | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | | | | | | | 1 | | | 1 | | |
| | normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.92 | 14.19 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a | | | | <u> </u> | 1 | | | | | | | | 1 |] | |
| | scheduled work day | l | 1 | AMTFS | SPTPX | | 27.31 | 17.55 | | | 1 |] | | Ì | | |
| Mainte | nance | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 26.54 | 10.83 | | | | | | | | |
| | | | | | | i i | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.44 | 14.19 | | | 1 | | | | | |
| | , | | | - | 1 | i l | | 0 | | | | | | İ | İ | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | l | 1 | AMTFS | SPTPM | | 44.34 | 17.55 | | | 1 |] | | 1 | 1 | |
| 1 | ce Cable | | - | , 0 | O. 11 IVI | - | 77.07 | 17.00 | | | | | | | | - |

Page 14 of 46

| | | | | | | | | | | | | | Attachment: | 1 Evh D | | |
|--|---|-------------|---------|---------------------|------------------|-----------------|----------------|--------------|--------------|------------|--|---|---|---|---|--|
| CATEGORY | ON - Georgia RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | L | ı |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 736.93 | | 21.51 | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 7.57 | | | | | | | | | | |
| | Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EE | 0.23 | | | | | | | | | | |
| | Virtual Collocation, Entrance Cable Installation, Copper, per | | | AMTEC | \/E4EE | | 755.45 | | 04.54 | | | | | | | |
| | Cable (CO Manhole to Frame) Virtual Collocation, Entrance Cable Installation, Copper, per | | | AMTFS | VE1EF | | 755.15 | | 21.51 | | - | | | | | |
| | each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EG | | 9.12 | | | | | | | | | |
| COLLOCATION | N IN THE REMOTE SITE | | | AWITTO | VLILG | | 9.12 | | | | 1 | | | | | |
| | al Remote Site Collocation | | | | | | | | | | - | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 300.61 | | 132.62 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 143.23 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.20 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 109.94 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.04 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 116.64 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| | nt Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | If Security Escort and/or Add'l Engineering Fees become nec | essary | or adja | cent remote site of | collocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| Virtual | Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 300.61 | | 132.62 | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 143.23 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Fer Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report | | | VEIRO | VEIRC | 143.23 | | | | | + | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 109.94 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | VEIRO | VETICIO | | 103.54 | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 36.04 | | | | | | | | | |
| ADJACENT CO | | | | - | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.164 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.01 | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA | | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UD | N PE1JE | 0.0172 | | | | | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UC | | 0.0344 | | | ļ | | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 0.3608 | | | ļ | ļ | | | | ļ | ļ | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 4.73 | | | ļ | 1 | 1 | | | 1 | 1 | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ PE1JK | 1.66 | | | ļ | 1 | 1 | | | 1 | 1 | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK PE1JB | 3.24 | 1,382.19 | | 0.50 | | 1 | | | | | |
| | Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | 54 . | 1,382.19 | | 0.50 | | | | | | | |
| | per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC CLOAC | PE1JL PE1JM | 5.14 10.30 | | | | | | | | | | |

| COLL | OCATIO | ON - Georgia | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------|---------|---|-----------|--------|--------------|-------|-------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | | | Charge - |
| | | | Interi | l_ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | | | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dan | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I | I |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1JN | 15.44 | | | | | | | | | | |
| | | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1JO | 35.65 | | | | | | | | | | |
| | | Adjacent Collocation - 240V, Three Phase Standby Power Rate | | | | | | _ | | | | | | | | | |
| | | per AC Breaker Amp | | | CLOAC | PE1JD | 35.65 | | | | | | | | | | |
| | Note: F | Rates displaying an "I" in Interim column are interim as a resu | It of a C | Commis | ssion order. | | | · | | | | | | | | | |

Version: 2Q05 Standard ICA

08/09/05

| COLLOCAT | ION - Kentucky | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|---|-------------|----------|--|---------|--------|----------|-----------|--------------|-------|-------|------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | I I OCATION | | | | 1 | | | | | | 1 | | | | | |
| Applic | | | | | | | | | | | + | | | | | |
| 7.45 | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 3,773.54 | | 1.01 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 3,145.35 | | 1.01 | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | | | | 5,1.0.00 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 584.20 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.12 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 594.98 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 834.26 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,059.00 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,412.00 | | 1.21 | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 7.99 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | 166.83 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | 184.97 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 18.14 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.32 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 3.26 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.57 | | | | | | | | | | |
| - | Physical Collocation - Space Preparation - Firm Order | | | CLO | FLISIVI | 110.57 | | | | | 1 | | | | | |
| | Processing | | | CLO | PE1SJ | | 1,206.07 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | OLO | 1 2100 | | 1,200.07 | | | | + | | | | | |
| | Office Requested | | | CLO | PE1SR | | 2,158.67 | | | | | | | | | |
| Power | | | | 020 | LION | | 2,100.07 | | | | 1 | | | | | |
| 1000 | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 8.06 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.44 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | 1 | | 1 | 0.11 | | | 1 | | | | | | | |
| | per Breaker Amp | | 1 | CLO | PE1FD | 10.88 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | i – | | | | | | 1 | | 1 | | | İ | İ | |
| | Breaker Amp | | | CLO | PE1FE | 16.32 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | <u> </u> | CLO | PE1FG | 37.68 | | | <u> </u> | | 1 | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ, | | | | | | | | | | | | |
| | | | 1 | UNCNX, UEA, UCL, | 1 | | | | | | | | | | | |
| | | | 1 | UAL, UHL, UDN, | 1 | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | <u> </u> | UNCVX | PE1P2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | L | | | UEA, UHL, UNCVX, | 1 | | | | | | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | 1 | | | | | |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | USL. UEPEX. | | | | | | | 1 | | | | | |
| | i frysloai Concoation -DOT Closs-Confidention i frysloai | 1 | 1 | OOL, OLI LA, | | | | | 1 | | 1 | | | 1 | ı | 1 |

| COLLO | CATI | ON - Kentucky | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|---------|--------|--|-------------|----------|---|----------------|------------------|---------------|-----------|---------------|------------|-------|------------------------|--|---------|--------------|--|
| CATEGOI | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | Picconnect | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | - | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP | PE1P3 | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | SOMEC | SUMAN | JONAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.75 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.65 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0012 | | | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | CLO | PETES | 0.0012 | | | | | | | | | | |
| | | Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0018 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| Se | ecurit | y Physical Collocation - Security Escort for Basic Time - normally | | | | | 1 | | | | | | | | | | |
| | | scheduled work, per half hour | | | CLO | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | | per half hour Physical Collocation - Security Escort for Premium Time - | | | CLO | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | | outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | | Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation -Security Access System - New Card | | | CLO | PE1AX | 76.10 | | | | | | | | | | |
| | | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.058 | 55.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.64 | | | | | | | | | |
| | | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.74 | | | | | | | | | |
| | | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 26.29 | | | | | | | | | |
| | | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.29 | | | | | | | | | |
| C | FA | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.55 | | | | | | | | | |
| C | able F | Records - Note: The rates in the First & Additional columns wi | II actua | lly be l | billed as "Initial I" ar | nd "Subsequ | ent S" respectiv | /ely | | | | | | | | | |
| | | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | l 1524.45 | S 980.01 | 267.02 | | | | · · · · · · | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 656.37 | | 379.70 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 9.65 | | 11.84 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C1 PE1C3 | | 4.52 15.81 | | 5.54 19.39 | | | | | | | 1 |

| COLLOCATI | ION - Kentucky | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|--|-------------|----------|---|-------|--------|----------|-----------|--------------|----------|-------|------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 99 records) | | | CLO | PE1CB | | 169.63 | | 154.85 | | | | | | | |
| | Physical Collocation, Cable Records, CAT5/RJ45 | | | CLO | PE1C5 | | 4.52 | | 5.54 | | | | | | | |
| Virtual | to Physical | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | | | | | | | | | | |
| | DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BP | | 23.00 | | | | | | | | | <u> </u> |
| | Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | per DS3 Circuit | | <u>L</u> | CLO | PE1BE | | 37.00 | | <u> </u> | <u> </u> | | | | | <u> </u> | |
| Entran | ce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable | | | CLO | PE1BD | | 1,729.11 | | 45.16 | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 19.86 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.75 | | | | | | | | | |
| VIRTUAL COL | | | | | 1 | | | | İ | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 2,419.86 | | 1.01 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.20 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 742.12 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 7.99 | | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| 0 | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| Closs | Connects (Cross Connects, Co-Carrier Cross Connects, and P Virtual Collocation - 2-wire cross-connect, loop, provisioning | Orts) | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | Virtual Conocation - 2-wire cross-connect, roop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, | ULACZ | 0.0309 | 24.00 | 23.00 | 12.14 | 10.95 | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | <u></u> | UNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | <u> </u> |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |

| COLLOCAT | TON - Kentucky | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|----------|---|-------------|------------|--|----------------|---------------------|-----------------|-----------------|-----------------|----------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | No. | RATES(\$) | Name | Diagona | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | Add'I 11.84 | SOMEC | SOMAN | SUMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0012 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS UEPSX, UEPSB, | VE1CD | 0.0018 | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| CFA | Virtual Collocation 4-Wire Cross Connect, Port Virtual Collocation - CFA Information Resend Request, per | | | UEPDD, UEPEX | VE1R4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| Cabla | Premises, per Arrangement, per request | II | ller bar l | AMTFS | VE1QR | t Cli manus actival | 77.55 | | | | | | | | | |
| Cable | Records - Note: The rates in the First & Additional columns wi Virtual Collocation Cable Records - per request | II actua | ily be i | AMTFS | VE1BA | t 5 respective | 1,524.45 | 980.01 | 267.02 | | | | | | | 1 |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 656.37 | 300.01 | 379.70 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records -DS1, per T1TIE | | | AMTFS AMTFS | VE1BC VE1BD | | 9.65 4.52 | | 11.84 5.54 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS AMTFS | VE1BE VE1BF | | 15.81 169.63 | | 19.39 154.85 | | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.52 | | 5.54 | | | | | | | |
| Secur | | | | | | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | |
| | normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a scheduled work day | | | AMTFS AMTFS | SPTOX SPTPX | | 44.26 54.54 | 27.81 34.09 | | | | | | | | |
| Maint | enance | | | AWIFS | SPIPA | | 54.54 | 34.09 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTEC | SPTOM SPTPM | | 73.23 | 27.81 | | | | | | | | |
| Entrai | Virtual collocation - Maintenance in CO - Premium per half hour nee Cable | | | AMTFS | SPIPIVI | 1 | 90.39 | 34.09 | | | | | | | | + |
| Litta | Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable | | | AMTFS AMTFS | ESPCX ESPSX | 17.38 | 1,729.11 | | 45.16 | | | | | | | |
| | N IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| Physi | cal Remote Site Collocation | | | 01.000 | DEADA | | 047.70 | | 000.00 | | | | | | | <u> </u> |
| | Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS CLORS | PE1RA PE1RB | 219.67 | 617.78 | | 338.89 | | | | | | | - |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | 219.07 | 26.29 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 232.64 | | | | | | | | | |

| OLLOCAT | ION - Kentucky | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|------------|---|----------|--|---------------------|----------------|-----------------|----------------|--------------|--------------|--|---------|-----------------------|--|----------------------|-------------------------|---------------------|
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | | Charge - | Charge |
| | | m | | | | | | | | | per LSK | per LSK | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electron Disc Ad |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.40 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.42 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| Adjace | ent Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE: | If Security Escort and/or Add'l Engineering Fees become nec | essary 1 | for adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| Virtual | Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 615.60 | | 337.70 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 224.41 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | Ì | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 231.82 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | | | Ì | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.13 | | | | | | | | | |
| DJACENT CO | DLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0173 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.35 | | | | | | | | | | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | ı | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | | 0.0258 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0515 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.37 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 18.61 | 41.93 | 30.51 | 14.75 | | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.15 | 41.93 | 30.51 | 14.76 | | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.02 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | 0.02 | 3,165.50 | 00.07 | 10.41 | 10.40 | | | | | | |
| | Adjacent Collocation - Application 1 ee Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | OLOAO | I LIJD | | 3,103.30 | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 5.44 | | | | 1 | İ | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | OLONO | LIVE | 3.44 | | | | t | | | | | 1 | |
| 1 | per AC Breaker Amp | | 1 | CLOAC | PE1JM | 10.88 | | | | 1 | 1 |] | | | İ | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | 1 | CLOAC | FEIJIVI | 10.88 | - | | | | | H | | - | - | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 16.32 | | | | 1 | İ | | | | | |
| | | | ├ | OLUAU | LE INN | 16.32 | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 37.68 | | | | | | | | | | |

Page 21 of 46

| COLLOCAT | ION - Louisiana | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|--|--|-------------|----------|---|---------|--------|----------|-----------|--------------|-------|-------|------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | LLOCATION | | <u> </u> | | | | | | | | - | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| Applic | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,837.24 | | | | 1 | | | | | |
| + | Physical Collocation - Subsequent Application Fee | | 1 | CLO | PE1CA | | 1,533.41 | | | | 1 | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | CLO | TETOA | | 1,000.41 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 583.30 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 741.97 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 596.35 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 836.18 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,061.00 | | 1.22 | | 1 | | | | | |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,418.00 | | 1.22 | | 1 | | | | | |
| Space | Preparation | | | | | | , | | | | 1 | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.30 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | 166.40 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | 184.50 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 18.10 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.31 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.70 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 91.60 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 583.33 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 1,044.07 | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 8.32 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.45 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | l | 1 | | | | | | | | 1 | | | | | |
| \vdash | per Breaker Amp | | | CLO | PE1FD | 10.92 | | | | | 1 | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | 1 | | 01.0 | DE4EE | | | | | | | | | | | |
| | Breaker Amp | ļ | ļ | CLO | PE1FE | 16.37 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | l | 1 | 0.0 | DE4EO | 07.00 | | | | | 1 | | | | | |
| | Breaker Amp | | <u> </u> | CLO | PE1FG | 37.80 | | | 1 | | 1 | | | 1 | 1 | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | <u> </u> | HEANILLIEO | | | | | | | 1 | | | | | |
| | | 1 | | UEANL,UEQ, UNCNX, UEA, UCL, | | | | | | | | | | | | |
| | | 1 | | | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | 1 | | UAL, UHL, UDN, UNCVX | PE1P2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | r nysicar comocation - z-wire cross-connect, loop, provisioning | 1 | | UEA, UHL, UNCVX, | FEIFZ | 0.0318 | 11.94 | 11.46 | 1 | | 1 | | | 1 | 1 | |
| | Physical Collocation - 4-wire cross connect loop provinceing | 1 | | UNCDX, UCL, UDL | PE1P4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | 1 | | WDS1L, WDS1S, | 1 L 1F4 | 0.0030 | 12.04 | 11.33 | 1 | | 1 | | | 1 | 1 | 1 |
| | | | | UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| 1 1 | Physical Collocation -DS1 Cross-Connect for Physical | l | 1 | USL. UEPEX. | | | | | | | 1 | | | | | |
| | i nysical concoation -bot oloss-confidential nysical | 1 | 1 | JUL, ULI LA, | 1 | · · | | | 1 | | 1 | | | 1 | ı | 1 |

| COLLOCAT | ON - Louisiana | | | | | | | | | | | | Attachment: | 4 Fxh B | | |
|----------|--|-------------|------|---|----------------|--------------|--------|-----------|-------------|---------------|-------|------------------------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | Nonrec | RATES(\$) | Nonrocurrin | ng Disconnect | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 13.21 | 20.28 | 14.76 | 7.15 | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.62 | 20.28 | 14.76 | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.65 | 24.81 | 19.29 | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| <u> </u> | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| Securi | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLO | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. Physical Collocation -Security Access System - New Card | | | CLO | PE1AY | 0.0224 | | | | | | | | | | |
| | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0579 | 27.50 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.74 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.64 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AK PE1AL | | 13.01 | | | | | | | | | |
| CFA | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.43 | | | | | | | | | |
| Cable | Records Recurring Collocation Cable Records - per request | | | CLO | PE1CU | 10.97 | | | | | | | | | | |
| | Recurring Collocation Cable Records - VG/DS0 Cable, per cable record Recurring Collocation Cable Records - VG/DS0 Cable, per each | | | CLO | PE1CE | 5.29 | | | | | | | | | | |
| | Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair Recurring Collocation Cable Records - DS1, per T1TIE | | | CLO CLO | PE1CT PE1C2 | 0.08 0.04 | | | | | | | | | | |
| | Recurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C4 | 0.13 | | | | | | | | | | |

| COLLOCAT | ION - Louisiana | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|---|-------------|------|---|-------|--------|----------|-----------|-------|--------------|-------|------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Recurring Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | CLO CLO | PE1CG | 1.37 | | | | | | | | | | |
| \/:ntal | Physical Collocation, Cable Records,CAT5/RJ45 to Physical | | | CLO | PE1C6 | 0.04 | | | | | | | | | | |
| Virtual | | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| F | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | ce Cable | | | | | | | | | - | | | | | | |
| | Physical Collocation - Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 841.54 | | | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 18.31 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.88 | | | | | | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,770.40 | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.30 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 741.97 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | L., | | AMTFS | ESPAX | 8.32 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX, | UEAC2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.04 | 21.39 | 15.47 | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 13.21 | 20.28 | 14.76 | | | | | | | | |

| COLL OCA | ATION - Louisiana | | | | | | | | | | | | Attachment: | 4 Fxh B | | |
|-----------|---|--------|--|-------------------|-----------|----------|--------|-----------|---------|--------------|-----------|---------------|-------------|-------------|-------------|--|
| JULLUUP | TION Edulation | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | poi Loit | poi Loix | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | | | N | | NI | B' | | l . | | D - ((ft) | | |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDI | F CNC2F | 2.65 | 20.29 | 14.76 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDI | CNC4F | 5.31 | 24.81 | 19.29 | | | | | | | | |
| i | | | | | 1 | | i i | | | | | İ | 1 | l | İ | |
| l | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | 1 | l | | | 1 | |
| | | | 1 | AMTEC | VE4CD | 0.004 | | | | | | l | l | l | 1 | |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | ļ | 1 | | | | | |
| | | l | 1 | | 1 | | | | | | 1 | l | 1 | 1 | 1 | 1 |
| l | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | l | 1 | | 1 | | | | | | 1 | l | 1 | 1 | 1 | 1 |
| l | Copper/Coax Cable Support Structure, per linear foot, per cable | l | 1 | AMTFS | VE1CD | 0.0015 | | | | | 1 | l | 1 | 1 | 1 | 1 |
| | Copporation Capport Caracters, per milear reet, per capie | | | UEPSX, UEPSB, | 12.05 | 0.0010 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| J. A | Virtual Collocation - CFA Information Resend Request, per | | - | | | <u> </u> | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.43 | | | | | | | | | |
| Cab | le Records | | | | | | | | | | | | | | | |
| | Virtual Collocation Cable Records - per request(LA only) | | | AMTFS | VE1BG | 10.97 | | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record(LA only) | | | AMTFS | VE1BH | 5.29 | | | | | | | | | | |
| | | | | AIVITO | VEIDH | 5.29 | | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair(LA only) | | | AMTFS | VE1BJ | 0.08 | | | | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE(LA only) | | | AMTFS | VE1BK | 0.04 | | | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE(LA only) | | | AMTFS | VE1BL | 0.13 | | | | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | - | 744111 0 | VEIDE | 0.10 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | records(LA only) | | | AMTFS | VE1BM | 1.37 | | | | | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 (LA only) | | | AMTFS | VE1B6 | 0.04 | | | | | | | | | | |
| Secu | urity | | | | | | | | | | | | | | | |
| 1 | Virtual collocation - Security escort, basic time, normally | | 1 | | İ | | | | | İ | İ | | | | Ì | |
| | scheduled work hours | l | 1 | AMTFS | SPTBX | | 16.44 | 10.42 | | | 1 | l | 1 | 1 | 1 | 1 |
| | | | ├ | AIVIIFO | SPIBA | | 10.44 | 10.42 | | 1 | | | ļ | ļ | | |
| l | Virtual collocation - Security escort, overtime, outside of | | | | l | | | | | | 1 | l | | | 1 | |
| | normally scheduled work hours on a normal working day | | <u></u> | AMTFS | SPTOX | <u> </u> | 21.41 | 13.45 | <u></u> | 1 | 1 | | L | <u> </u> | <u> </u> | |
| | Virtual collocation - Security escort, premium time, outside of a | | | | | | | | | | | | | | | |
| l | scheduled work day | l | 1 | AMTFS | SPTPX | | 26.38 | 16.49 | | | 1 | l | 1 | 1 | 1 | 1 |
| Mair | ntenance | | t | | J /\ | | 20.00 | 10.40 | | + | t | | | | | - |
| IVIAII | | | | AMTEC | CTDLV | - | 07.40 | 40.40 | | + | + | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | ļ | AMTFS | CTRLX | | 27.12 | 10.42 | | ļ | - | | | | | |
| | | l | 1 | | 1 | | | | | | 1 | l | 1 | 1 | 1 | 1 |
| l | Virtual collocation - Maintenance in CO - Overtime, per half hour | l | 1 | AMTFS | SPTOM | | 35.42 | 13.45 | | | 1 | l | 1 | 1 | 1 | 1 |
| ì | | | | | | | i | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | 1 | AMTFS | SPTPM | | 43.72 | 16.49 | | | | l | l | l | 1 | |
| E++- | ance Cable | | 1 | , | J. 11 IVI | | 70.12 | 10.73 | | + | + | | 1 | 1 | 1 | |
| Entr | | | ├ | AMTEG | FORCY | | 6= | | | 1 | | | ļ | ļ | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 841.54 | | | | 1 | l | | | | |
| | Virtual Collocation - Cable Support Structure, per cable | | <u> </u> | AMTFS | ESPSX | 16.02 | | | | 1 | 1 | L | L | L | <u> </u> | |
| COLLOCATI | ION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | sical Remote Site Collocation | | | | 1 | | t t | | | 1 | 1 | | | | | |
| 1.1193 | | | 1 | CLORS | PE1RA | | 298.80 | | | + | + | | 1 | 1 | 1 | |
| | Physical Collocation in the Remote Site - Application Fee | | <u> </u> | | | 00= 0- | 298.80 | | | 1 | - | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 225.39 | | | | | | | | | | |
| | | | 1 | | 1 | | | | | | | | 1 | 1 | | |
| l | Physical Collocation in the Remote Site - Security Access - Key | l | 1 | CLORS | PE1RD | | 13.01 | | | | 1 | l | 1 | 1 | 1 | 1 |
| | Physical Collocation in the Remote Site - Space Availability | | 1 | - | İ | | | | | İ | İ | | | | Ì | |
| | | | 1 | CLODC | DE4CD | | 440.50 | | | | | l | l | l | ĺ | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 112.52 | | | <u> </u> | 1 | L | <u> </u> | l | | |

| OLLOCAT | ION - Louisiana | | | | | | • | • | | • | | | Attachment: | 4 Exh B | | |
|-----------|--|-------------|--|---------------------|----------------|-----------------|----------------|--------------|--------------|--------------|-----------|-----------------------|---|---|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremer |
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge |
| | | | | | | B | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.47 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.21 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| Adjac | ent Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | , | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE | : If Security Escort and/or Add'l Engineering Fees become nec | essarv | for adia | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| | I Remote Site Collocation | | 1 | | 1 | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 614.73 | | 336.08 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 257.01 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | 721110 | 120 | 201.01 | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 231.49 | | | | | | | | | |
| - | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | 721110 | | | 201110 | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.02 | | | | | | | | | |
| DJACENT C | OLLOCATION | | | VETICO | VETILE | | 70.02 | | | | | | | | | |
| I I | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0552 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.61 | | | | | | | | | | |
| | rajacent conceation Electrical radiity charge per Elifear ra. | | | OLONO | 1 1 100 | 0.01 | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | DE1 IE | 0.0245 | 11.94 | 11.46 | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0491 | 12.04 | 11.53 | | | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 0.9605 | 21.39 | 15.47 | | | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 13.01 | 20.28 | 14.76 | | | | | | | | |
| _ | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.20 | 20.28 | 14.76 | | | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.21 | 24.81 | 19.29 | | | | | | | | |
| | Adjacent Collocation - 4-1 iber Cross-Connect Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | 4.21 | 1,543.20 | 19.29 | | | | | | | | |
| | Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate | | 1 | OLOAG | FEIJD | 1 | 1,043.20 | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 5.45 | l | | | | İ | | | | | |
| | | | 1 | OLOAG | FEIJL | 5.45 | | | | | | | | | | - |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.92 | l | | | | İ | | | | | |
| | per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | GLUAG | PEIJIVI | 10.92 | | | | | | | | | | <u> </u> |
| | regradent Conocation - 1707 Intel Phase Standby Power Rate | 1 | | | | 40.07 | | | | | İ | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 16.37 | l | | | | | | | | | |
| | | | | CLOAC | PE1JN PE1JO | 37.80 | | | | | | | | | | |

Page 26 of 46

| COLLOCAL | ION - Mississippi | | | | | | | | | · | | | Attachment: | 4 Exh B | | |
|--|--|-------------|----------|--|----------|--------|---|-----------|--------------|-------|---|------------------------|--|--|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | LLOCATION | | <u> </u> | | | | | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| Applica | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,890.38 | | | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | 1 | CLO | PE1CA | | 1,575.69 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | OLO | ILIOA | | 1,575.05 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 583.13 | | | | | | | | | |
| \vdash | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 740.76 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 597.34 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 837.57 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | 1 | CLO | PE1K1 | | 1,063.00 | | 1.22 | | | | | 1 | | |
| | Physical Collocation - Application Cost - Major Augment | | 1 | CLO | PE1KJ | | 2,422.00 | | 1.22 | | | | | 1 | | |
| Space | Preparation | | | 020 | | | 2, .22.00 | | | | | | | | | |
| - Cpuse | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.74 | | | | | | | | | 1 | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | |
| 1 | square feet | | | CLO | PE1BX | 165.23 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| 1 | square feet | | | CLO | PE1BW | 183.20 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| 1 | additional 50 square feet | | | CLO | PE1CW | 17.97 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| 1 | square ft. | | | CLO | PE1SK | 2.30 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.52 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| 1 | Modifications-Caged, per cage | | | CLO | PE1SM | 85.67 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| 1 | Processing | | | CLO | PE1SJ | | 604.19 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 1,081.40 | | | | | | | | | |
| Power | | | | | | | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 7.33 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.29 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | 1 | - | <u> </u> | | | | 1 | | | | | İ | İ | |
| | per Breaker Amp | | | CLO | PE1FD | 10.58 | | | | | | | | | 1 | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | 1 | | | | 1 | | | | | İ | | |
| 1 1 | Breaker Amp | | | CLO | PE1FE | 15.87 | | | | | | | | | 1 | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 36.65 | | | | | | | | | 1 | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | , | | | UEANL,UEQ, | | | | | | | | | | | | |
| | | | 1 | UNCNX, UEA, UCL, | | | | | | | | | | | | |
| | | | 1 | UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | <u></u> | UNCVX | PE1P2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | | | UEA, UHL, UNCVX, | | | | - | | | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | <u></u> | UNCDX, UCL, UDL | PE1P4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| ļ l | | | 1 | , , | 1 | | | | 1 | 1 | 1 | | | I | | 1 |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | USL. UEPEX. | | | 1 | | 1 | | | | | | | |

| CATEGORY RATE ELEMENTS Intel Page BCS USOC RATES45) Sec Colar Sec Colar Security Charges Cha | CATION | I - Mississippi | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|--|------------|---|----------|----------|--|-------|------------------|-------|-----------|------------|-----------|-------------------|-----------------------|--|--|----------|--|
| USU VITES USU | | | | Zone | BCS | USOC | | Name | ., | Management | Discounce | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| USA UTITAL USA | | | | | | - | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| LD12_ULD48_ UT03_UT172_ UD01_ULD48_ UT03_UT172_ UD01_ULD48_ UT03_UT172_ UD01_ULD48_ UT03_UT172_ UD01_ULD48_ UT03_UT172_ UD01_UD01_ULD48_ UT03_UT172_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_ULD7_ UD01_UT03_UL03_UL03_UL03_UL03_UL03_UL03_UL03_UL | Phy | ysical Collocation - DS3 Cross-Connect, provisioning | | | UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP | PE1P3 | 14.49 | | | | | SOMES | SOMAN | COMAN | COMPAN | SOMAN | SOMAN |
| U.D.O.3 U.D.D.C.2 U.D.P.B. U.D.C.3 U.D.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 U.D.P.B. U.D.C.3 U.D.C.2 | Phy | vsical Collocation - 2-Fiber Cross-Connect | | | ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PF1F2 | 2.87 | 21 01 | 15 29 | 7.61 | 6.10 | | | | | | |
| Connect - Fiber Cable Support Structure, per linear foot, per cable. Physical Collocation - Co-Carrier Cross Connect/Direct Connect Copper/Coax Cable Support Structure, per linear foot, per cable. Physical Collocation - 2-Wire Cross Connect, Port UFPSR, UFPSR | Phy | ysical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, | | | | | | | | | | | | |
| Physical Collocation - Co-Carrier Cross Connect/Drect Connect | Cor | nnect - Fiber Cable Support Structure, per linear foot, per | | | CLO | DE1E9 | 0.001 | | | | | | | | | | |
| UEPSK, UEPSK | Phy Cop | ysical Collocation - Co-Carrier Cross Connect/Direct Connect - pper/Coax Cable Support Structure, per linear foot, per | | | | | | | | | | | | | | | |
| Security Security Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Scort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Certail Office Physical Collocation - Security Access System, Security System, per Certail Office Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation (First), per State Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation (First), per State CLO PE1A1 O.0576 PE1AA 7.84 Physical Collocation - Security Access System - Replace Lost or Stolen Rey, per Card Physical Collocation - Security Access - Network Previous Collocati | | | | | UEPSR, UEPSP, UEPSE, UEPSB, | | | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| Physical Collocation - Security Escont for Desiri Time - normally scheduled work per half hour Physical Collocation - Security Escont for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escont for Premium Time - outside of scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office CLO PE1PT 27.32 17.08 Physical Collocation - Security Access System, Security System, per Central Office CLO PE1AX 75.23 Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation, Per Card Activation, Per Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AX 73.17 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.17 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.17 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AK 13.17 CFA Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.17 CLO PE1AK 13.17 CLO PE1AK 13.17 CLO PE1AK 13.17 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.17 Cable Records - Note: The Tates in the First & Additional collumns will actually be billed as "initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, per request CLO PE1CO 328.81 Physical Collocation - Cable Records, per cable record (maximum) 8000 records (SCO) PE1CO 328.81 Physical Collocation - Cable Records, per cable record (maximum) 8000 records (SCO) PE1CO 328.81 Physical Collocation - Cable Records, per cable record (maximum) 8000 records (SCO) PE1CO 328.81 Physical Collocation - Cable Record | | ysical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State CLO PE1AX 75.23 Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State CLO PE1AA 7.84 Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Gard Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Gard Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Cable Records, per request Physical Collocation - Cable Records, per request Physical Collocation - Cable Records, per request Physical Collocation - Cable Records, per cable Physical Collocation - Cable Records, per cable Physical Collocation - Cable Records, per cable Physical Collocation - Cable Records - Cable Rec | | | | | | | | | | | | | | | | | |
| normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - Outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per State CLO PE1A1 0.0576 27.95 Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AA 7.84 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 22.91 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CFA Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.17 CFA Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1A 13.17 Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, per request CLO PE1CR I 763.69 S 490.94 133.77 Physical Collocation Cable Records, Store request CLO PE1CD 328.81 190.22 | sch | neduled work, per half hour | | | CLO | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation, Escurity Access System - New Card Activation, per Card Activation, First, per State CLO PE1AX 75.23 Physical Collocation - Security Access System - Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AA 7.84 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.17 CFA Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.17 CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Physical Collocation - Cable Records, Per Request CLO PE1CS 77.41 Physical Collocation - Cable Records, Per Request CLO PE1CR 1763.69 8 490.94 133.77 Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 360) records) CLO PE1CD 328.81 190.22 | nor | rmally scheduled working hours on a scheduled work day, | | | CLO | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State CLO PE1A1 O.0576 27.95 Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card CLO PE1AA Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 22.91 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.17 CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1CS T7.41 Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) CLO PE1CD 328.81 190.22 | out | tside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| Activation, per Card Activation (First), per State | per | r Central Office | | | CLO | PE1AX | 75.23 | | | | | | | | | | |
| Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 22.91 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.17 CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1C9 77.41 Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) CLO PE1CD 328.81 190.22 | | | | | CLO | PE1A1 | 0.0576 | 27.95 | | | | | | | | | |
| Stolen Card, per Card PF1AR Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.17 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.17 CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1CB Physical Collocation - Cable Records, per request CLO PE1CB Physical Collocation - Cable Records, per request CLO PE1CB Physical Collocation - Cable Records, per request CLO PE1CB PF1CB Physical Collocation - Cable Records, per request CLO PE1CB PE1CB PHysical Collocation - Cable Records, per request CLO PE1CB PE1CB PHysical Collocation - Cable Records, per request Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) PE1CD S2.81 190.22 | Cha | ange, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.84 | | | | | | | | | |
| Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1C9 T7.41 Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) CLO PE1CB 13.17 13.17 13.17 13.17 13.17 13.17 13.17 13.17 13.17 13.17 14.18 15.17 15.18 1 | Sto | olen Card, per Card | | | | | | | | | | | | | | | |
| CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, per request CLO PETCR I 763.69 S 490.94 133.77 Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) CLO PETCD 328.81 190.22 | Phy | ysical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, per request CLO PE1CR I 763.69 S 490.94 133.77 Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) CLO PE1CD 328.81 190.22 | FA | • • | | | | | | | | | | | | | | | |
| Physical Collocation - Cable Records, per request CLO PE1CR I 763.69 S 490.94 133.77 Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) CLO PE1CD 328.81 190.22 | pre | emises, per arrangement, per request | | | | | | | | ļ | | | | | | | |
| Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) CLO PE1CD 328.81 190.22 | | | II actua | ily be b | | | ent S" respectiv | | \$ 490.94 | 133 77 | | | | | | | |
| | Phy | ysical Collocation, Cable Records, VG/DS0 Cable, per cable | | | | | | | O 790.94 | | | | | | | | |
| 100 pair CLO PE1CO 4.84 5.93 | Phy | ysical Collocation, Cable Records, VG/DS0 Cable, per each | | | | PE1CO | | | | | | | | | | | |
| Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 2.27 2.78 9.792 9.72 | | | | | CLO | | | | | | | | | | | | |

| COLLOCAT | ION - Mississippi | | | | | | | <u> </u> | | | | - | Attachment: | 4 Exh B | | |
|-------------|--|-------------|----------|---|----------------|--------|----------|-----------|--------------|-------|-------|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | Blacket College Colleg | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.98 | | 77.58 | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1CB PE1C5 | - | 2.27 | | 2.78 | | | | | | | |
| Virtua | to Physical | | | CLO | PEICS | | 2.21 | | 2.10 | | | | | | | 1 |
| Viitua | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entrar | ce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 926.27 | | 22.62 | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.42 | | | | | | | | | | |
| VIRTUAL COL | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.89 | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| Applic | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,212.25 | | 0.51 | | 1 | | | | | + |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | | | 0.51 | | | | | | | |
| | Application Fee, per application | | | AMTES | VE1CA | | 583.13 | | | | | | | | | ļ |
| Cuasa | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 740.76 | | | | | | | | | |
| Space | Preparation Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | | | | | | | | | | |
| Power | | | | AIVIIFS | ESPVA | 5.74 | | | | | | | | | | 1 |
| 1 Ower | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 7.33 | | | | | | | | | | † |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | | | UEA, UHL, UCL, UDL, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | <u> </u> | UNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | ļ | | | | | ļ |
| | Virtual Collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |

| COLLOCAT | TION - Mississippi | | | | | | | | | | | | Attachment: | 4 Fxh B | | |
|------------|--|-----------|--|---|------------|--|--------|-----------|--------------|---------|-----------|-----------|-------------|-------------|-------------|-------------|
| COLLOCA | iioii iiiooloolyyi | | ı | | ı | 1 | | | | | Suc Order | Svc Order | Incremental | Incremental | Increment- | Increment |
| | | | 1 | | | I | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | .,, | | | per Lor | per Lor | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | L | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDI | F CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDI | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | | | | , | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | l | | 1 | | | | | | 1 | l | | 1 | 1 | 1 |
| | | | l | | VE465 | | | | | | 1 | l | | 1 | 1 | 1 |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | 1 | | | <u> </u> | | |
| | | | | | | | | | | | | 1 | | 1 | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | Copper/Coax Gable Support Structure, per linear root, per cable | | | | VLICD | 0.0013 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| CFA | Tilliadi Generalish Tillia Grade Genindel, Felt | | | 02. 00, 02. 2. | | 0.0000 | | | 0.00 | 0.01 | | | | | | |
| 0.7 | Virtual Callagation CEA Information Decorat Decorat | | | | + | + | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.41 | | | | | | | | | |
| Cable | Records - Note: The rates in the First & Additional columns wi | II actual | lly be b | oilled as "Initial I" & | "Subsequen | t S" respectivel | y | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 763.69 | 490.94 | 133.77 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | | | | AMTFS | VE1BB | | 220.04 | | 400.00 | | | | | | | |
| | record | | | AIVITES | VETBB | | 328.81 | | 190.22 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 4.84 | | 5.93 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.27 | | 2.78 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 7.92 | | 9.72 | | | | | | | |
| | | | | AWITTO | VETBL | + | 1.02 | | 3.12 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | _ | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 84.98 | | 77.58 | | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.27 | | 2.78 | | | | | | | |
| Secur | ritv | | | | | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally | | | 1 | 1 | | t | | | | 1 | 1 | | 1 | † | 1 |
| | | | l | AMTEC | CDTDV | | 47.00 | 40.70 | | | 1 | l | | 1 | 1 | 1 |
| | scheduled work hours | | — | AMTFS | SPTBX | | 17.02 | 10.79 | | | | ļ | | ļ | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | 1 | 1 | | | | | ĺ | l | | l | 1 | ĺ |
| [| normally scheduled work hours on a normal working day | | <u> </u> | AMTFS | SPTOX | <u> </u> | 22.17 | 13.94 | | <u></u> | <u> </u> | L | L | L | <u> </u> | <u> </u> |
| l | Virtual collocation - Security escort, premium time, outside of a | | | | | | | | | | | | | | | |
| | scheduled work day | | ĺ | AMTFS | SPTPX | | 27.32 | 17.08 | | | | l | | | 1 | 1 |
| Meint | tenance | | l | , uvi i i O | 51 11 A | | 21.32 | 17.00 | | | - | | | | 1 | 1 |
| waint | | | <u> </u> | AMTEO | OTDLY | | | | | | . | | | ļ | | ļ |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | 1 | | | <u> </u> | | |
| | | | 1 | | 1 | 1 | | | | | 1 | l | | 1 | 1 | Ī |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | l | AMTFS | SPTOM | | 36.69 | 13.94 | | | 1 | l | | 1 | 1 | 1 |
| | and the second of the second o | | | | 1 | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | l | AMTFS | SPTPM | | 45.28 | 17.08 | | | 1 | l | | 1 | 1 | 1 |
| | | | <u> </u> | AIVIIFO | SFIPN | | 45.∠8 | 17.08 | | | . | | | ļ | | ļ |
| Entra | nce Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 926.27 | | 22.62 | | | 1 | | 1 | | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 15.24 | i | | | | | | | | | |
| COLLOCATIO | ON IN THE REMOTE SITE | | | T | 1 | | t | | | | 1 | 1 | | 1 | † | 1 |
| | | | | 1 | 1 | + | + | | | | 1 | | | 1 | 1 | 1 |
| Physi | ical Remote Site Collocation | | | | | | | | | | | ļ | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | <u> </u> | CLORS | PE1RA | <u> </u> | 309.48 | | 168.63 | | | <u> </u> | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 210.05 | | | | | | | | | | |
| | <u>' '</u> | | | | i i | 1 | | | | | İ | İ | | İ | İ | İ |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.17 | | | | ĺ | l | | l | 1 | ĺ |
| | | | | OLUNG | FLIKD | | 13.17 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | l | | L | | | | | | I | l | | 1 | 1 | 1 |
| | Report per Premises Requested | | I | CLORS | PE1SR | | 116.54 | | | | | l | l | l | | |

| OLLOCAT | ION - Mississippi | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-----------|--|--------|--|---------------------|----------------|-----------------|----------------|--------------|-------------|--------------|----------|-----------------------|--|----------------------|-------------------------|--|
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | | Charge - | Charge |
| | | m | | | | | | ., | | | per Lore | poi zoix | Electronic- 1st | Electronic- Add'I | Electronic- Disc 1st | Electron Disc Ad |
| | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.77 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.14 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| Adjace | ent Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE: | If Security Escort and/or Add'l Engineering Fees become nec | essary | for adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| | Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 309.48 | | 168.63 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 210.05 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 116.54 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | | | | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.77 | | | | | | | | | |
| DJACENT C | OLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0678 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.68 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | ı | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | | 0.0223 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0446 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.05 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 14.27 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.42 | 21.01 | 15.29 | 7.61 | 6.10 | 1 | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.62 | 25.70 | 19.97 | 10.01 | 8.50 | 1 | | | | | |
| | Adjacent Collocation - 4-1 iber Cross-Connect Adjacent Collocation - Application Fee | | 1 | CLOAC | PE1JB | 7.02 | 1,585.83 | 10.01 | 10.01 | 5.50 | <u> </u> | | | | | † |
| -+ | Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | 020,10 | | 1 | 1,000.00 | | | t | | | | 1 | 1 | |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 5.29 | | | | 1 | | | | | | |
| - | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | 1 | OLONO | LIVE | 5.29 | | | | t | | | | | 1 | |
| | per AC Breaker Amp | | | CLOAC | PE1JM | 10.58 | | | | 1 | |] | | | Ì | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | 1 | CLOAC | FEIJIVI | 10.58 | | | | | | | | - | - | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 15.87 | | | | 1 | | | | | | |
| | | 1 | 1 | ULUAU | I C E I JIN | 15.87 | | | | | 1 | | | <u> </u> | | <u> </u> |
| | | | | | | 1 1 | 1 | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amo | | | CLOAC | PE1JO | 36.65 | | | | | | | | | | |

| COLLOCAT | ION - North Carolina | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|--|-------------|------|--|-------|--------|-----------|-----------|--------------|-------|----------|------------------------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | N L OCATION | | | | | | | | | | + | | | | | |
| Applic | | | | | | | | | | | 1 | | | | | |
| Аррііс | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 2,322.00 | | | | 1 | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 2,311.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | OLO | TETOA | | 2,311.00 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 317.20 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 741.44 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 269.83 | | 1.15 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 493.40 | | 1.15 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,012.00 | | 1.15 | | 1 | | | 1 | 1 | |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,343.00 | | 1.15 | | 1 | | | İ | İ | |
| Space | Preparation | | | | 1 | | ,,,,,,,,, | | | | 1 | | | 1 | 1 | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 2.69 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | | 534.44 | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | | 559.81 | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | | 25.37 | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.42 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.88 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 97.98 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 1,196.00 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 2,140.00 | | | | | | | | | |
| Power | • | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 7.65 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.50 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | <u></u> | L | CLO | PE1FD | 11.01 | | | <u> </u> | | 1 | | | <u> </u> | <u> </u> | <u> </u> |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FE | 16.51 | | | | | <u> </u> | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 38.12 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ, | | | | | | | | | | | | |
| | | | 1 | UNCNX, UEA, UCL, | | | | | | | | | | 1 | 1 | |
| | | | | UAL, UHL, UDN, | | | | | | | 1 | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.0309 | 19.77 | 14.95 | | | 1 | | | | | |
| | | | | UEA, UHL, UNCVX, | L | | | | | | 1 | | | | | |
| ļ | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0618 | 19.95 | 15.05 | | | 1 | | | | | |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | 1 | USL, UEPEX, | | | | | | | | | | 1 | 1 | |
| | Collocation, provisioning | 1 | 1 | UEPDX | PE1P1 | 1.38 | 39.15 | 23.20 | 1 | | 1 | | | | | 1 |

| COLLO | CATIO | ON - North Carolina | | | | | | | | | | | | Attachment: | 4 Evb D | | |
|-----------------|---------|--|-------------|----------|---|----------------|------------------|--------------|--------------|---------------|---------------|-----------|----------------------------------|---|---|--|--|
| COLLO | CATIC | ON - NOITH Carolina | | | | | | | | | | Svc Order | | Incremental | Incremental | Incremental | Incremental |
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 17.62 | 38.25 | 21.94 | | | | | | | | |
| | | Dhusiasi Callacation 2 Fiber Cross Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PE1F2 | 2.50 | 29.25 | 24.04 | | | | | | | | |
| $\vdash \vdash$ | | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF ULDO3, ULD12, | PE IF2 | 3.50 | 38.25 | 21.94 | | | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.20 | 43.96 | 26.17 | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connects/Direct | | | | | V | | | | | | | | | | |
| | | Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0028 | | | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per | | | | | | | | | | | | | | | |
| | | cable. | | | CLO UEPSR, UEPSP, | PE1DS | 0.0041 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0309 | 19.77 | 14.95 | | | | | 26.94 | 12.76 | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0618 | 19.95 | 15.05 | | | | | 26.94 | 12.76 | | |
| Se | ecurity | | | | | | | | | | | | | | | | |
| | | Physical Collocation - Security Escort for Basic Time - normally | | | CLO | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| \vdash | | scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of | | | CLO | PEIBI | | 33.08 | 21.34 | | | | | | | | |
| | | per half hour | | | CLO | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | | outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System | | | CLO | PE1PT | 2 2 4 2 5 | 54.06 | 33.80 | | | | | | | | |
| \vdash | | per Central Office, per Sq. Ft. Physical Collocation -Security Access System - New Card | | | CLO | PE1AY | 0.0135 | | | | | | | | | | |
| | | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0622 | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.51 | | | | | | | | | |
| | | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 15.00 | | | | | | | | | |
| igsquare | | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 15.00 | | | | | | | | | |
| | | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 15.00 | | | | | | | | | |
| CI | | Physical Collocation - CFA Information Resend Request, per | | | CLO | PE1C9 | | 77.48 | | | | | | | | | |
| | able R | premises, per arrangement, per request ecords - Note: The rates in the First & Additional columns wi | II actua | lly he h | | | ent S" respectiv | | | | | | | | | | |
| | | Physical Collocation - Cable Records, per request | | , | CLO | PE1CR | | I 1458 | S 937.29 | 245.00 | 245.00 | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| L I | | Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | | 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO CLO | PE1CO PE1C1 | | 8.77 4.35 | 8.77 4.35 | 10.32 5.11 | 10.32 5.11 | | | | | | |

| COLLOCAT | CATION - North Carolina | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|---|-------------|----------|---|--------|--------|----------|-----------|--------|--------------|-------|------------------------|---|-------------------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 99 records) | | | CLO | PE1CB | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| | Physical Collocation, Cable Records, CAT5/RJ45 | | | CLO | PE1C5 | | 2.27 | | 2.78 | | | | | | | |
| Virtual | to Physical | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | ce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 1,233.00 | | | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 20.57 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.79 | | | | | | | | | |
| /IRTUAL COL | | | | | | | | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,195.00 | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 317.20 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 741.44 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 2.69 | | | | | | | | | | |
| Power | | | | | 50541/ | | | | | | | | | | | |
| C | Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and P | \t -\ | | AMTFS | ESPAX | 7.65 | | | | | | | | | | |
| Closs | | orts) | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | UEAC2 | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX, | UEACZ | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | <u> </u> | UNCDX | UEAC4 | 0.0449 | 19.95 | 15.05 | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.4195 | 39.15 | 23.20 | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.41 | 38.25 | 21.94 | | | | | | | | |

| COLLOCAT | FION - North Carolina | | | | | | | | | | | | Attachment: | 4 Fyh B | | |
|------------|--|-----------|----------|-------------------------|------------|--|----------|-----------|--------------|---------|-----------|-----------|-------------|-------------|-------------|-------------|
| JULLUCA | HON - NOTHI Galolilla | | | | 1 | 1 | | | | | Suc Order | Svc Order | Incremental | Incremental | Increment- | Increment |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (- / | | | per LSK | per Lor | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDI | F CNC2F | 1.96 | 38.25 | 21.94 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDI | F CNC4F | 3.93 | 43.96 | 26.17 | | | | | | | | |
| | Tilliadi Geliocation Tilliadi Grood Geliniote | | | 025 12, 025 10, 051 | 0.10 | 0.00 | 10.00 | 20 | | | | | | | | |
| 1 | Virtual Collegation Co Corrier Comments/Disease Comments | | | | 1 | | | | | | | l | | | 1 | 1 |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | l | l | | | | | ĺ | l | | l | 1 | ĺ |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | 1 | 1 | | | | | ĺ | l | | l | 1 | 1 |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0041 | | | | | ĺ | l | | l | 1 | 1 |
| | Copper/Coax Cable Support Structure, per linear root, per cable | | | | VLICD | 0.0041 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0449 | 19.95 | 15.05 | | | | | | | | |
| CFA | Tintual Conduction 1 Time Group Connect; 1 Ort | | | 02, 00, 02, 2, | 12 | 0.0110 | 10.00 | 10.00 | | | | | | | | |
| GFA | Virtual Callegation CEA Information Beauty Beauty | | | | + | | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.48 | | | | | | | | | |
| Cable | Records - Note: The rates in the First & Additional columns wi | II actual | lly be b | oilled as "Initial I" & | "Subsequen | t S" respectivel | у | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,458.00 | 937.29 | 245.00 | 245.00 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | 1,100.00 | | | | | | | | | |
| | | | | AMTFS | VE1BB | | 622.69 | 622.69 | 240.25 | 240.25 | | | | | | |
| | record | | | AMITES | VETBB | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 8.77 | 8.77 | 10.32 | 10.32 | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |
| - | Virtual Collocation Cable Records - Edo, per 13112 Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | AWITTO | VETDE | | 10.22 | 10.22 | 17.30 | 17.30 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| Secur | rity | | | | _ | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally | | | | İ | i i | | | | | | | | | Ì | Ì |
| | scheduled work hours | | | AMTFS | SPTBX | | 33.68 | 21.34 | | | ĺ | l | | l | 1 | 1 |
| | | | | AIVIIFO | SEIBY | | 33.08 | 21.34 | | | . | | | ļ | ļ | ļ |
| | Virtual collocation - Security escort, overtime, outside of | | l | | 1 |] | | | | | 1 | l | | 1 | 1 | 1 |
| | normally scheduled work hours on a normal working day | | <u> </u> | AMTFS | SPTOX | <u> </u> | 43.87 | 27.57 | | <u></u> | <u> </u> | L | L | L | <u> </u> | <u> </u> |
| | Virtual collocation - Security escort, premium time, outside of a | | | | | | İ | | | | | | | | | |
| | scheduled work day | | | AMTFS | SPTPX | | 54.06 | 33.80 | | | | l | | | 1 | 1 |
| Meint | tenance | | - | , 1141111 0 | 31 11·A | | 34.00 | 33.00 | | | 1 | 1 | | 1 | 1 | 1 |
| waint | | | | ALATEO | OTDLY | | =0.00 | 21.2- | | | . | | | ļ | ļ | ļ |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 52.03 | 21.22 | | | 1 | | | <u> </u> | | |
| | | | l | | 1 | 1 | | | | | 1 | 1 | | 1 | 1 | 1 |
| 1 | Virtual collocation - Maintenance in CO - Overtime, per half hour | | l | AMTFS | SPTOM |] | 69.48 | 27.81 | | | 1 | l | | 1 | 1 | 1 |
| | and the second of the second o | | | | 1 | | | | | | | | | | | |
| 1 | Virtual collocation - Maintenance in CO - Premium per half hour | | l | AMTFS | SPTPM |] | 86.94 | 34.40 | | | 1 | l | | 1 | 1 | 1 |
| | | | | AIVITO | SETEIN | | 86.94 | 34.40 | | | . | | | ļ | ļ | ļ |
| Entra | nce Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,233.00 | | | | | 1 | | 1 | | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 13.28 | İ | | | | | | | | | |
| COLLOCATIO | ON IN THE REMOTE SITE | | | | 1 | | t t | | | | | | | | | |
| | ical Remote Site Collocation | | | | 1 | 1 | | | | | | l | | l | | |
| Pnysi | | | | 01.000 | DEADA | | 500.60 | | 050.00 | | . | | | ļ | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 589.38 | | 258.38 | | 1 | | | <u> </u> | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 218.07 | | | | | L | L | | L | L | <u> </u> |
| i | | | | | | | İ | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | 1 | 15.00 | | | | ĺ | l | | l | 1 | 1 |
| | Physical Collocation in the Remote Site - Security Access - Rey | | | OLONO | LIND | 1 | 15.00 | | | | - | | | | 1 | 1 |
| 1 | | | l | 0.000 | l==== |] | l | | | | I | l | | 1 | 1 | 1 |
| 1 | Report per Premises Requested | | 1 | CLORS | PE1SR | | 215.55 | | | | | l | | l | | |

| OLLOCAT | ION - North Carolina | | | | | | | - | | • | | | Attachment: | 4 Exh B | | |
|------------|---|--------|----------|---------------------|----------------|-----------------|----------------|--------------|--------------|------------|---------|------------------------------------|---------------------------------------|-----------------------------------|--------------------------------------|--|
| | | Interi | | | | | | | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc | | Charge - | Charge |
| TEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order v Electron Disc Ad |
| | | | | | | n | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.65 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 232.94 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| Adjace | ent Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | , , , , , | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | , | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE | If Security Escort and/or Add'l Engineering Fees become nec | essarv | for adia | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| | Remote Site Collocation | | | | 1 | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 589.38 | | 258.38 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 218.07 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | 721110 | 720 | 210.07 | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 215.55 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | 721110 | 72 | | 2.0.00 | | | | | 1 | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.65 | | | | | | | | | |
| LIACENT C | DLLOCATION | | | VETICO | VETILE | | 70.00 | | | | | 1 | | | | |
| DOMOLINI O | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1555 | 1 | | | | | 1 | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.78 | | | | | | | | | | |
| _ | rajuscrit consocitori Electricari adinty charge per Eliteari t. | | | OLONO | 1 2 100 | 0.70 | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | 1 | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | | 0.0239 | 19.77 | 14.95 | | | | | | | | |
| _ | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0477 | 19.95 | 15.05 | | | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | USL | PE1JG | 1.28 | 39.15 | 23.20 | | | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 17.35 | 38.25 | 21.94 | | | | - | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.94 | 38.25 | 21.94 | | | | - | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JK | 5.62 | 43.96 | 26.17 | | | | - | | | | |
| | | | <u> </u> | CLOAC | PE1JR PE1JB | 5.62 | 2,266.00 | 26.17 | 0.5842 | | | | | | | |
| | Adjacent Collocation - Application Fee | | - | CLUAC | PETJB | | 2,266.00 | | 0.5842 | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.50 | l | | | | | | | | | |
| | | | <u> </u> | CLOAC | PEIJL | 5.50 | | | 1 | | | 1 | | 1 | 1 | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | 01.040 | DE4 114 | 44.00 | l | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JM | 11.01 | | | | | | ļ | | | | |
| | | 1 | İ | Ī | 1 | 1 | | |] | | | | | | Ì | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | 01 0 4 0 | DE4 IN | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 16.51 | | | | | | ļ | | | | |
| | | | | CLOAC | PE1JN PE1JO | 16.51 38.12 | | | | | | | | | | |

Page 36 of 46

| COLLOCAT | ION - South Carolina | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|--|--|--|--|--|----------------|--|--------------------|-----------|--------------|------------|--|---|--|--------------|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | Discounces | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | 11131 | Addi | 11130 | Addi | COME | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| PHYSICAL CO | LLOCATION | | | | | | | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,883.67 | | 0.51 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,570.10 | | 0.51 | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | | | | | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 584.42 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO CLO | PE1BL PE1KS | | 743.66 594.27 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS PE1KM | | | | | | - | | | | | |
| | Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment | 1 | | CLO | PE1KM PE1K1 | H | 833.26 1,058.00 | | 1.21 1.21 | | 1 | | | 1 | + | 1 |
| | Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KI PE1KJ | | 2,409.00 | | 1.21 | | 1 | | | 1 | | + |
| Snace | Preparation | | | 020 | 1 - 110 | | 2,403.00 | | 1.21 | | | | | | | |
| opuss | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 3.95 | | | | | 1 | | | | | • |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | 1 | | | | 1 | |
| | square feet | | | CLO | PE1BX | 197.69 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | 219.19 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 21.50 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.75 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | 01.0 | DE 401 | 0.04 | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 3.24 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.16 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | CLO | PETSIVI | 110.16 | | | | | 1 | | | | | |
| | Processing | | | CLO | PE1SJ | | 602.05 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | CLO | 1 2 100 | | 002.00 | | | | | | | | | + |
| | Office Requested | | | CLO | PE1SR | | 1,077.57 | | | | | | | | | |
| Power | | | | | | | 1,011101 | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 9.19 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.67 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FD | 11.36 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | 1 | CLO | PE1FE | 47.00 | | | | | | | | | | |
| - | Breaker Amp | | | CLO | PETFE | 17.03 | | | | | 1 | | | | - | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 39.33 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | CLO | FLIIG | 39.33 | | | | | + | | | | | |
| 01033 | Connects (01033 connects, 00-carrier 01033 connects, and 1 | l | | UEANL.UEQ. | | | | | | | + | | | | | |
| | | l | | UNCNX, UEA, UCL, | | | | | | | | | | | 1 | |
| | | | 1 | UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | <u> </u> | <u>L</u> | UNCVX | PE1P2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | <u> </u> | | | <u> </u> | <u></u> | |
| | | | | UEA, UHL, UNCVX, | | | | | | | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | <u> </u> |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| 1 | Physical Collocation -DS1 Cross-Connect for Physical | l | | USL, UEPEX, | | | | | | | | | | | 1 | |
| | Collocation, provisioning | | | UEPDX | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |

| | | | | | 1 | 1 | | | | | 1 | | | | | |
|----------|--|-------------|----------|---|----------------------|-------------------|------------------|-----------------|-----------------------|-------|-------|---|--|--|----------|--|
| COLLOCAT | TION - South Carolina | | | | | | | | | | | | Attachment: | | | Ļ |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| - | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP | PE1P3 | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | SOMEC | SOMAN | JOHAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.82 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, | | | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct | | | UDF, UDFCX | PE1F4 | 5.01 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO UEPSR, UEPSP, | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| Secur | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | 15.69 | | | | |
| 00000 | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLO | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | CLO | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| | outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office | | | CLO | PE1AX | 74.72 | 21.23 | 17.02 | | | | | | | | |
| | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0601 | 27.85 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative | | | | | 0.0601 | | | | | | | | | | |
| | Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AA PE1AR | | 7.81 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.13 | | | | | | | | | |
| CFA | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.13 | | | | | | | | | |
| | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.71 | | | | | | | | | |
| Cable | Records - Note: The rates in the First & Additional columns wi Physical Collocation - Cable Records, per request | II actua | lly be b | oilled as "Initial I" a | nd "Subsequ PE1CR | ent S" respective | vely I 760.98 | S 489.2 | 133.29 | | | | | | | |
| | Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 327.65 | J 409.Z | 189.54 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO CLO | PE1CO | | 4.82 | | 5.91 | | | | | | | |
| — | Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C1 PE1C3 | - | 2.26 7.90 | | 2.77 9.68 | | | | | | | |

| COLLOCAT | ION - South Carolina | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|---|-------------|----------|---|--------|--------|-----------------|-----------------|-----------------------|-------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Macro | RATES(\$) | I Manager | , Dissessed | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred First | arring Add'l | Nonrecurring First | Add'l | SOMEC | COMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | | | FIRST | Addi | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | record (maximum 99 records) | | | CLO | PE1CB | | 84.68 | | 77.30 | | | | | | | |
| | Physical Collocation, Cable Records, CAT5/RJ45 | | | CLO | PE1C5 | | 2.26 | | 2.77 | | | | | | | |
| Virtual | to Physical | | | 020 | . 2.00 | | 2.20 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | ice Cable | | | 020 | | İ | 07.00 | | | | | | | 1 | | |
| | Physical Collocation - Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 794.22 | | 22.54 | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 21.33 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| Applic | | | | | | | | | 0.54 | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | - | 1,207.95 | | 0.51 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.42 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 743.66 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.95 | | | | | | | | | | |
| Power | | | <u> </u> | ANATEC | ECDAY. | 0.40 | | | 1 | | 1 | | | 1 | - | |
| Cross | Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | AMTFS | ESPAX | 9.19 | | | - | | | | | | | |
| Ciuss | Virtual Collocation - 2-wire cross-connect, loop, provisioning | orts) | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | | | UEA, UHL, UCL, UDL, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | ļ | <u> </u> | UNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | 1 | | |
| | Virtual collocation - Special Access & UNE,cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |

| COLLOCA | TION - South Carolina | | | | | | | 1 | | | | | Attachment: | 4 Evh P | | |
|--|--|----------|--|-------------------------|--------------|--|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|--|--|
| COLLUCA | HON - SOUTH CATONIIA | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| 04750000 | DATE EL EMENTO | Interi | - | 500 | 11000 | | | DATEO(6) | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | Managa | | Na | . Diazzanast | | | 000 | Rates(\$) | | |
| - | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | | 0011411 | 000000 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | LIDI 40 LIDI O0 | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | 1 | | | | | | İ | | | | 1 | |
| | Fiber Cable Support Structure, per linear foot, per cable | <u> </u> | | AMTFS | VE1CB | 0.001 | | | | | | | | | <u></u> | <u> </u> |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| CFA | | | | , | | | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.71 | | | | | | | | | |
| Cable | e Records - Note: The rates in the First & Additional columns wi | II actua | lly be b | oilled as "Initial I" & | "Subsequen | t S" respectivel | V | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | ĺ | AMTFS | VE1BA | | 760.98 | 489.20 | 133.29 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 327.65 | | 189.54 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 4.82 | | 5.91 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.26 | | 2.77 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 7.90 | | 9.68 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | _ | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 84.68 | | 77.30 | | | | | | | |
| | Virtual Collocation Cable Records - CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.26 | | 2.77 | | | | | | | |
| Secu | | | | | | | - | | | | | | | | | |
| 1 1 | Virtual collocation - Security escort, basic time, normally | | | | İ | | | | | | | i | | | 1 | |
| | scheduled work hours | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | İ | | | | 1 | |
| | Virtual collocation - Security escort, overtime, outside of | | | | 1 | | | | | | | | | | t | 1 |
| | normally scheduled work hours on a normal working day | 1 | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | I | |
| | Virtual collocation - Security escort, premium time, outside of a | | | | 1 | | | | | | | | | | t | 1 |
| | scheduled work day | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | İ | | | | 1 | |
| Main | tenance | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | t | † |
| | | | 1 | | | | 00 | 0 | | | | | | | 1 | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | 1 | | AMTFS | SPTOM | | 36.56 | 13.89 | | | 1 | | | | I | 1 |
| | The state of the s | | | | | | 55.56 | . 5.55 | | | | | | | t | <u> </u> |
| | Virtual collocation - Maintenance in CO - Premium per half hour | l | 1 | AMTFS | SPTPM | | 45.12 | 17.02 | | | 1 |] | | | I | |
| Entra | ance Cable | | | | T | | 2 | 2 | | | | | | | t | † |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 794.22 | | 22.54 | | | | | | t | † |
| | Virtual Collocation - Cable Support Structure, per cable | | 1 | AMTFS | ESPSX | 18.66 | | | 22.54 | | 1 | 1 | | | † | † |
| COLLOCATI | ON IN THE REMOTE SITE | | | 5 | | 10.00 | | | | | | | | | t | † |
| | ical Remote Site Collocation | | † | | | | | | | | 1 | | | | — | † |
| ys | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 308.38 | | 168.60 | | | | | | | † |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 246.44 | 000.00 | | 100.00 | | | | | | | |
| | Cabinet Opaco in the Nomote Site per Day/ Nack | - | | 020110 | | 270.74 | | | | | | | | | | + |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.13 | | | | İ | | | | 1 | |
| | Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability | | | OLUNG | LLIND | + | 13.13 | | | | 1 | | | | | + |
| | Report per Premises Requested | l | 1 | CLORS | PE1SR | | 116.13 | | | | 1 | | | | I | |
| 1 1 | Inaport per Fremises Requested | | | OLOKO | FEISK | | 110.13 | | | | | | | | 1 | 1 |

| OLLOCAT | ION - South Carolina | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|-------------|---|-------------|--|---------------------|----------------|-----------------|----------------|--------------|-------------|--|-----------|--|---|---|--|--|
| | | | | | | <u> </u> | | | | | Svc Order | Svc Order | Incremental | | Incremental | Increment |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | l l | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge |
| | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | • | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.64 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.50 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| Adjace | nt Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | L | <u> </u> | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | If Security Escort and/or Add'l Engineering Fees become nec | essary 1 | or adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| virtuai | Remote Site Collocation | | | VE4D0 | \/E4DD | | 040.70 | | 007.40 | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 616.76 | | 337.19 | | | | | | | |
| | Marcal Calles of the December City Bank Control | | | \/E4D0 | \/E4D0 | 040.44 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | - | | VE1RS | VE1RC | 246.44 | | | | | 1 | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 232.25 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | VEIKS | VEIRK | | 232.25 | | | | ļ | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.27 | | | | | | | | | |
| D IACENT CO | DLLOCATION | | - | VEIRS | VEIRL | | 15.21 | | | | - | | | | | |
| DJACENT CO | Adjacent Collocation - Space Charge per Sq. Ft. | | - | CLOAC | PE1JA | 0.0939 | | | | | - | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JA PE1JC | 6.40 | | | | | ļ | | | | | |
| _ | Adjacent Conocation - Electrical Facility Charge per Linear Ft. | | - | CLOAC | PEIJC | 6.40 | | | | | - | | | | | |
| | | l | | UEANL,UEQ,UEA,U | 1 | | | | | | | | | | 1 | |
| | Adjacent Collocation - 2-Wire Cross-Connects | l | | CL, UAL, UHL, UDN | DE1 IE | 0.0264 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | 1 | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0527 | 12.42 | 11.83 | 6.40 | | 1 | | | | | |
| | Adjacent Collocation - 4-Wire Closs-Connects | | | USL | PE1JG | 1.03 | 22.08 | 15.96 | 6.40 | | 1 | | | | | |
| _ | Adjacent Collocation - DS1 Cross-Connects | | | UE3 | PE1JH | 14.00 | 20.94 | 15.96 | 7.39 | | - | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.37 | 20.94 | 15.23 | 7.40 | | 1 | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | - | | CLOAC | PE1JK | 4.53 | 25.61 | 19.90 | 9.73 | | | - | | | - | |
| | Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | 4.55 | 1,580.20 | 19.90 | 9.73 | 0.20 | 1 | | | | | |
| | Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate | 1 | 1 | OLOAO | 1 5 100 | | 1,000.20 | | | + | | | | | | 1 |
| | per AC Breaker Amp | l | | CLOAC | PE1JL | 5.67 | | | | | | | | | 1 | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | - | 020/10 | . 2102 | 5.07 | | | | | | 1 | | | | |
| | per AC Breaker Amp | l | | CLOAC | PE1JM | 11.36 | | | | | | | | | 1 | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | - | 1 | OLOAO | 1 L 101VI | 11.30 | | | | 1 | | | | | - | 1 |
| | per AC Breaker Amp | l | | CLOAC | PE1JN | 17.03 | | | | | | | | | 1 | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | 1 | | 020/10 | . = 1014 | 17.03 | | | | | 1 | - | | | | |
| | per AC Breaker Amp | l | | CLOAC | PE1JO | 39.33 | | | | | | | | | 1 | |
| | | | 1 | OLOAU | 1 - 100 | 00.00 | | | | 1 | 1 | 1 | | | 1 | 1 |

Page 41 of 46

| COLLOCA | FION - Tennessee | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|----------|--|-------------|------|---|----------|--------|--------------|-----------|-------------|--------------|-------|-----------------------|---|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| <u> </u> | | | | | | | Nonrecurring | | Nonrocurrin | g Disconnect | | | 1st | Add'l Rates(\$) | Disc 1st | Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | DLLOCATION cation | | | | + | | | | - | | - | | | | | |
| Appii | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | + | | + | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | 020 | 1 2 10/1 | | 1,000.10 | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 585.09 | | | | | | | | | |
| | Physical Collocation - Power Reconfiguration Only, Application | | | | | | | | | | | | | | | |
| | Fee | | | CLO | PE1PR | | 400.10 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 743.25 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.94 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | 197.09 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 218.53 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 21.44 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per square ft. | | | CLO | PE1SK | 2.74 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.95 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 100.14 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing Physical Collocation - Space Availability Report, per Central | | | CLO | PE1SJ | | 1,204.00 | | | | | | | | | |
| | Office Requested | - | | CLO | PE1SR | | 2,027.00 | | | | | | | | | |
| Powe | | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp Requested | | | CLO | PE1PL | 8.87 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | 020 | | 0.01 | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.60 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | 0.0 | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FD | 11.22 | | | + | | - | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.82 | | | | | | | | | | Ì |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 38.84 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orte) | | CLO | FLIIG | 30.04 | | | 1 | | 1 | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | UEANL.UEQ. | | | + | | | | 1 | | | | | |
| | | | | UNCNX, UEA, UCL, UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.066 | 33.94 | 31.95 | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, | | | | | | | | | | | | |
| | Collocation, provisioning | | | UEPDX | PE1P1 | 1.51 | 53.27 | 40.16 | | | | | | | | <u> </u> |

| COLLOCAT | ION - Tennessee | | | | | | | | | | | | Attachment: | 4 Fxh R | | |
|----------|---|-------------|------|---|----------------|----------------|----------------|----------------|--------------|----------|---|------------------------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrecurring | RATES(\$) | Nonrecurring | Discount | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| - | | | | | - | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 19.26 | 52.37 | 38.89 | Filst | Auu | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 15.64 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 28.11 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0013 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO UEPSR, UEPSP, | PE1DS | 0.0019 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port | | | UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD | PE1R2 PE1R4 | 0.033 0.066 | 33.82 33.94 | 31.92 31.95 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.40 1.40 |
| Secur | | | | OLI LX, OLI DD | I LIK4 | 0.000 | 33.34 | 31.93 | | | | | 20.55 | 10.54 | 10.02 | 1.40 |
| | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLO | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office Physical Collocation -Security Access System - New Card | | | CLO | PE1AX | 55.99 | | | | | | | | | | |
| | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.059 | 55.67 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or | | | CLO | PE1AA | | 15.61 | | | | | | | | | |
| | Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key | | | CLO CLO | PE1AR PE1AK | | 45.64 26.24 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Rey, per Rey Stolen Key, per Key | | | CLO | PE1AL | | 26.24 | | | | | | | | | |
| CFA | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.67 | | | | | | | | | |
| Cable | Records Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | CLO | PE1CR | | 1,711.00 | | | | | | | | | |
| | record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | CLO | PE1CD | | 925.06 | | | | | | | | | |
| | 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | L | CLO CLO | PE1CO PE1C1 | | 18.05 8.45 | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 29.57 | | | | | | | | | |

| COLLOCATI | ION - Tennessee | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|------------|---|-------------|--|---|-------|-------|--------------|-----------|-------|--|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 279.42 | | | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 8.45 | | | | | | | | | + |
| | to Physical | | | CLO | FLICS | | 0.45 | | | | 1 | | | | | |
| VIItual | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | 1 | 37.00 | | | 1 | | | | | | |
| Entran | ce Cable | | 1 | - | 1 | | 200 | | 1 | | | | | | | |
| | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 19.80 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 1,071.00 | | 43.10 | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.29 | | | | | | | | | |
| IRTUAL COL | | | | | | | | | | | | | | | | |
| Applica | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 2,633.00 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual Collocation - Application - Very Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 585.09 | | | | | | 2.01 | 2.01 | 0.07 | 1.4 |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 743.25 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | |
| Power | Virtual Collocation - Power, per fused amp | | } | AMTFS | ESPAX | 6.79 | | | | | 1 | | | 1 | | ļ |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | Orte) | | AIVIIFO | ESPAX | 6.79 | - | | | - | | | | - | - | - |
| 0.000 | Virtual Collocation - 2-wire cross-connect, loop, provisioning | , | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | | | | UEA, UHL, UCL, UDL, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | <u> </u> | UNCDX | UEAC4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Special Acess & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.4 |

| COLLOCAT | TION - Tennessee | | | | | | | | | | | | Attachment: | 4 Exh B | | |
|----------|--|-------------|------|--|----------------|--|--------------------|-----------------------|----------------|----------------|--------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 001150 | 001441 | | Rates(\$) | 001141 | 001111 |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.03 | First 41.56 | Add'I 29.82 | 12.96 | Add'I 10.34 | SOMEC | SOMAN | SOMAN 2.69 | 2.69 | SOMAN 1.56 | SOMAN |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0013 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS UEPSX, UEPSB, | VE1CD | 0.0019 | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port | | | UEPSK, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C UEPDD, UEPEX | VE1R2 VE1R4 | 0.57 0.57 | 11.62 11.81 | 9.90 10.04 | 10.38 10.44 | 8.66 8.67 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| CFA | Virtual Collocation - CFA Information Resend Request, per | | | OEPDD, OEPEX | | 0.57 | 11.61 | 10.04 | 10.44 | 0.07 | | | 20.33 | 10.54 | 13.32 | 1.40 |
| Cable | Premises, per Arrangement, per request | | | AMTES | VE1QR | | 77.67 | | | | | | | | | |
| | Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS AMTFS | VE1BA VE1BB | | 1,711.00 925.06 | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS AMTFS | VE1BC VE1BD | | 18.05 8.45 | | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS AMTFS | VE1BE VE1BF | | 29.57 | | | | | | | | | |
| Secur | | | | AMTFS | VE1B5 | | 8.45 | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a scheduled work day | | | AMTFS AMTFS | SPTOX SPTPX | | 41.50 49.86 | 25.61 30.79 | | | | | 2.07 | 2.81 | 0.67 | |
| Maint | tenance | | | AWITTS | SFIFA | | 49.00 | 30.79 | | | | | 2.07 | 2.01 | 0.07 | 1.41 |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | | | | | | 2.07 | 2.81 | 0.67 | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS AMTFS | SPTOM SPTPM | | 35.77 40.90 | | | | | | 2.07 | 2.81 | 0.67 | |
| Entra | nce Cable | | | AIVIII O | OF IF IVI | | 40.90 | | | | | | 2.07 | 2.01 | 0.67 | 1.41 |
| | Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable | | | AMTFS AMTFS | ESPCX ESPSX | 17.87 | 1,749.00 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | ON IN THE REMOTE SITE | | | | | <u> </u> | | | | | | | | | | |
| Physi | Physical Collocation | | | CLORS | PE1RA | | 580.20 | | 312.76 | | | | | | | + |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 220.41 | 300.20 | | 312.70 | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1RD PE1SR | | 24.69 218.49 | | | | | | | | | |

| COLLOCATI | ON - Tennessee | | | | | | | | | | | | Attachment: | 4 Exh B | 1 | 1 |
|------------|---|-------------|---------|---------------------|----------------|-----------------|--|--------------|--------|-------|--------|------------------------------------|---|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | e BCS | usoc | RATES(\$) | | | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | ₩ | | | | Nonrecurring Nonrecurring Disconnect | | | | | | | | | Disc Add |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | 11130 | Addi | 11130 | Auui | JOHILO | JOINAIN | JOINAIN | JOWAN | JOHAN | JONAN |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.81 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.15 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | 020110 | | | 200 | | | | | 1 | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | OLONO | 1 2 1 2 1 | | 00.01 | 21.40 | | | | 1 | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | 020110 | | | | 20 | | | | 1 | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| Adiace | nt Remote Site Collocation | | | OLONO | | | 04.42 | 04.02 | | | | 1 | | | | |
| Аајаос | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Tremote dite rajacent conceation repriestion rec | | | CLOILO | LINO | | 700.02 | 700.02 | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | If Security Escort and/or Add'I Engineering Fees become nec | essary f | or adja | cent remote site co | llocation, the | Parties will no | egotiate approp | riate rates. | | | | | | | | |
| Virtual | Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 580.20 | | 312.76 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 220.41 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 218.49 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | | | | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.81 | | | | | | | | | |
| DJACENT CO | LLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0656 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.53 | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | | 0.34 | 11.12 | 10.18 | 11.33 | | | | 1.77 | 1.77 | 1.12 | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.33 | 11.30 | 10.31 | 11.62 | | | | 1.77 | 1.77 | 1.12 | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.70 | 28.39 | 16.88 | 11.65 | | | | 1.77 | 1.77 | 1.12 | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 19.03 | 26.23 | 15.51 | 13.40 | | | | 1.77 | 1.77 | 1.12 | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.49 | 26.23 | 15.51 | 13.41 | 10.78 | | | 1.77 | 1.77 | 1.12 | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.50 | 29.75 | 19.02 | 17.60 | | | | 1.77 | 1.77 | 1.12 | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,973.00 | | 0.95 | | | | 0.00 | 0.00 | 0.00 | (|
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.81 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | 0.0.0 | DE 4 114 | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JM | 11.64 | ├ | | | ļ | | | | | | ļ |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.45 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | 1 | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JO | 40.30 | l l | | | | | | | | | |

Page 46 of 46

Attachment 5

Access to Numbers and Number Portability

Version: 2Q05 Standard ICA

TABLE OF CONTENTS

| 1. | Non-Discriminatory Access to Telephone Numbers | 3 |
|----|--|---|
| 2. | Local Number Portability | 4 |
| 3. | Service Order Charges | 5 |
| 4. | LNP In Conjunction with Local Switching | 5 |

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where Alternative is utilizing its own switch, Alternative shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- Where BellSouth provides local switching or resold services to Alternative, BellSouth will provide Alternative with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Alternative acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Alternative may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to Alternative) telephone numbers per rate center if the following conditions are met:
- 1.2.1 Alternative must: (1) indicate that all of the intermediate numbers currently held by Alternative in each rate center where Alternative will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where Alternative will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by Alternative in the rate center where Alternative is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by Alternative by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where Alternative will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by Alternative to End Users by the total number of intermediate numbers held by Alternative in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling Alternative's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the required numbering request to the national numbering administrator to satisfy Alternative's request for intermediate numbers. BellSouth will also pursue all appropriate steps

Version: 2Q05 Standard ICA

(including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy Alternative's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by Alternative for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 Alternative agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3 above.
- 1.3 Alternative acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that Alternative cancel all or a portion of its unassigned intermediate numbers. Alternative's consent to BellSouth's request shall not be unreasonably withheld.

2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 <u>N-1 Query.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. End Users of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, End Users of each Party may port reserved numbers that the End User has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's End User may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.
- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and

Version: 2Q05 Standard ICA

MultiServ groups) to be split in connection with an LNP request. BellSouth and Alternative shall permit End Users who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.

- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.11 BellSouth and Alternative will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- Where Alternative utilizes BellSouth's LNP Query Service, BellSouth shall bill and Alternative shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, Alternative shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on BellSouth's Interconnection Web site under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

4. LNP In Conjunction with Local Switching

- 4.1 Where Alternative purchases local switching from BellSouth, the Parties shall adhere to the following processes:
- 4.1.1 When Alternative submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. Alternative shall be responsible for reimbursing BellSouth for any costs or charges imposed on BellSouth by the switch owner resulting from the submission of the LNP LSR. In addition, Alternative shall pay to BellSouth the manual service order charges or

Version: 2Q05 Standard ICA

electronic service order charges as specified in Exhibit A of Attachment 2 for BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.

4.1.2 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

Version: 2Q05 Standard ICA

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 2Q05 Standard ICA

TABLE OF CONTENTS

| 1. | Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair | .3 |
|----|---|----|
| 2. | Access to Operations Support Systems | .3 |
| 3. | Miscellaneous | .7 |

Version: 2Q05 Standard ICA

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide to Alternative nondiscriminatory access to its OSS and the necessary information contained therein in order that Alternative can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Alternative with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of Alternative and other CLECs in the aggregate.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Alternative nondiscriminatory access to its OSS and the necessary information contained therein in order that Alternative can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Alternative to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Alternative's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site.
- 2.1.1 Alternative agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site.

2.2 Pre-Ordering

2.2.1 BellSouth will provide electronic access to its OSS and the information contained therein in order that Alternative can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and Alternative will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. Alternative shall provide to BellSouth access to customer record information,

Version: 2005 Standard ICA

including circuit numbers associated with each telephone number where applicable. Alternative shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Alternative shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

2.2.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Alternative will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Alternative's access to customer record information. If a BellSouth audit of Alternative's access to customer record information reveals that Alternative is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Alternative may take corrective action, including but not limited to suspending or terminating Alternative's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by Section 7, Proprietary and Confidential Information in General Terms and Conditions.

2.3 Ordering

- 2.3.1 BellSouth will make available to Alternative electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and Alternative will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.3.2 Alternative shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill Alternative an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill Alternative a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.
- 2.3.2.1 Alternative may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, Alternative may submit

Version: 2005 Standard ICA

a list of such End Users if Alternative provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.

- 2.3.2.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

2.4 Provisioning

- 2.4.1 BellSouth shall provision services during its regular working hours. To the extent Alternative requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Alternative, BellSouth will not assess Alternative additional charges beyond the rates and charges specified in this Agreement.
- 2.4.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Alternative (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Alternative for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 <u>Cancellation Charges.</u> If Alternative cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess cancellation charges if Alternative fails to respond within nine (9) business days to a Missed Appointment order notification.
- 2.4.3.1 Notwithstanding the foregoing, if Alternative places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission

Version: 2005 Standard ICA

characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Alternative places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Alternative may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Alternative elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 2.4.4 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by Alternative, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If Alternative modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by Alternative in accordance with Exhibit A of Attachment 2.
- 2.5 <u>Maintenance and Repair</u>
- 2.5.1 BellSouth will make available to Alternative electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and Alternative will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Alternative agree to adhere to BellSouth's Operational Understanding. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.
- 2.5.2 If Alternative reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Alternative a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. BellSouth, will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.3 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Alternative (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill

Version: 2005 Standard ICA

Alternative for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

- 2.6 <u>Billing.</u> BellSouth will provide Alternative nondiscriminatory access to billing information as specified in Attachment 7.
- 2.7 Change Management. BellSouth and Alternative agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Alternative agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Alternative at BellSouth's Interconnection Web site.
- 2.8 <u>Rates.</u> Unless otherwise specified herein, charges for the use of BellSouth's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

3. MISCELLANEOUS

- Pending Orders. To the extent that Alternative submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to Alternative for clarification. Alternative shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If Alternative does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and Alternative shall be required to submit a new LSR, with a new PON.
- 3.2 <u>Single Point of Contact.</u> Alternative will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Alternative to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of

Version: 2Q05 Standard ICA

the affected End User. Alternative and BellSouth shall each execute a blanket LOA with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Alternative to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Alternative that such a request has been processed but will not be required to notify Alternative in advance of such processing.

- 3.2.1 Neither BellSouth nor Alternative shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 The Parties shall return a FOC and LSR rejection/clarification in accordance with the intervals specified in Attachment 9.
- 3.2.3 <u>Use of Facilities.</u> When an End User of Alternative elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Alternative by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify Alternative that such a request has been processed after the disconnect order has been completed.
- 3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week. BellSouth will close trouble tickets after making a reasonable effort to contact Alternative for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact Alternative to request additional information or to request authorization for additional work deemed necessary by BellSouth.
- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.

Version: 2005 Standard ICA

3.4.1 When Alternative's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Alternative, which has the billing relationship with that End User, and Alternative may pass such charge to the End User.

Attachment 7

Billing

TABLE OF CONTENTS

| 1. | Payment and Billing Arrangements | . 3 |
|----|----------------------------------|-----|
| 2. | Billing Disputes | 9 |
| 3. | RAO Hosting | 10 |
| Ra | tesExhibit | A |

BILLING

1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to Alternative under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from Alternative, Alternative shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Alternative's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill Alternative in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Alternative, and Alternative will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Alternative as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, Alternative will provide the appropriate BellSouth Local Contract

Version: 2Q05 Standard ICA

Manager responsible for new CLEC activation, the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, BellSouth's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Alternative may not order services under a new account established in accordance with this Section until thirty (30) days after all information specified in this Section is received from Alternative.

- 1.2.1 <u>ACNAs.</u> Alternative shall provide BellSouth with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by Alternative to order services pursuant to this Agreement and will not be shared by Alternative with another entity.
- 1.2.2 Company Identifiers. If Alternative needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when Alternative has already been conducting business utilizing those Company Identifiers, Alternative shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of Alternative's End User records and any other changes to BellSouth systems or Alternative records, and will be handled in a separately negotiated agreement or as otherwise required by BellSouth.
- 1.2.3 Tax Exemption. It is the responsibility of Alternative to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual Alternative entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to Alternative will not include those taxes or fees from which Alternative is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and Alternative shall pay all applicable taxes and fees. In the event that Alternative believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to Alternative its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from Alternative and at Alternative's sole expense, pursue such refund claim on behalf of Alternative, provided that Alternative promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall have the right to deduct any such outstanding costs and

Version: 2Q05 Standard ICA

expenses from the amount of any refund obtained prior to remitting such refund to Alternative. Alternative shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by Alternative to its End Users.

- 1.3 <u>Deposit Policy.</u> Prior to the inauguration of service or, thereafter, upon BellSouth's request, Alternative shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding Alternative's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding Alternative's credit and financial condition, BellSouth reserves the right to require Alternative to provide BellSouth with a suitable form of security deposit for Alternative's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or Alternative's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in Alternative's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Alternative. Any such security deposit shall in no way release Alternative from its obligation to make complete and timely payments of its bill(s). If BellSouth requires Alternative to provide a security deposit, Alternative shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to Alternative via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if Alternative has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either Alternative or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, Alternative and BellSouth shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event Alternative fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to Alternative may be Suspended, Discontinued or Terminated in accordance with the terms of

Version: 2Q05 Standard ICA

Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to Alternative's final bill for its account(s).

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by Alternative as security under this Agreement, Alternative shall renew such letter of credit or provide BellSouth with evidence that Alternative has obtained a suitable replacement for the letter of credit. If Alternative fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for Alternative accounts(s). If Alternative provides a security deposit or additional security deposit in the form of a surety bond as required herein, Alternative shall renew the surety bond or provide BellSouth with evidence that Alternative has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If Alternative fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Alternative's account(s). If the credit rating of any bonding company that has provided Alternative with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to Alternative that Alternative must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If Alternative fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Alternative's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by Alternative as security hereunder if Alternative defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.
- 1.4 <u>Payment Responsibility.</u> Payment of all charges will be the responsibility of Alternative. Alternative shall pay invoices by utilizing wire transfer services or automatic clearing house services. Alternative shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between Alternative and Alternative's End User.
- 1.4.1 Payment Due. Payment for services provided by BellSouth, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to Alternative's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If

Version: 2Q05 Standard ICA

BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by BellSouth on or before the payment due date as set forth above, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of BellSouth's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the BellSouth intrastate Access Services Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, Alternative may be charged a fee for all returned checks at the rate set forth in Section A2 of BellSouth's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to Alternative.</u> The procedures for discontinuing service to Alternative are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service,

Version: 2Q05 Standard ICA

abuse of BellSouth facilities, or any other violation or noncompliance by Alternative of the rules and regulations of BellSouth's tariffs.

- 1.5.3 <u>Suspension.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to Alternative that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to Alternative if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5 below.
- 1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) Alternative has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:

Version: 2Q05 Standard ICA

- (1) BellSouth has sent the subject bill(s) to Alternative within seven (7) business days of the bill date(s), verifiable by records maintained by BellSouth:
 - i. in paper or CDROM form via the United States Postal Service (USPS), or
 - ii. in magnetic tape form via overnight delivery, or
 - iii. via electronic transmission; or
- (2) BellSouth has sent the subject bill(s) to Alternative, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.6 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.7 Alternative is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after Alternative's services have been Discontinued, Alternative pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of BellSouth's GSST, then BellSouth will reestablish service for Alternative.
- 1.5.7.1 <u>Termination.</u> If within seven (7) days after Alternative's service has been Discontinued and Alternative has failed to pay all past due charges as described above, then Alternative's service will be Terminated.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from Alternative, shall be forwarded to the individual and/or address provided by Alternative in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Alternative as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Alternative to BellSouth's billing organization, the notice of discontinuance of services purchased by Alternative under this Agreement provided for in Section 1.5.4 above shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions.

2. Billing Disputes

2.1 Alternative shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing

Version: 2Q05 Standard ICA

dispute, if Alternative is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by Alternative by such sixtieth (60th) day, Alternative must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.

2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by BellSouth. The billing dispute must be clearly explained by Alternative and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by Alternative for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of Alternative, any credits and interest due to Alternative as a result therof shall be applied to Alternative's account by BellSouth upon resolution of the billing dispute.

3. RAO Hosting

- 3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies (Telcordia) used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.
- 3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).
- 3.3 RAO Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.

Version: 2Q05 Standard ICA

- The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e., billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company
- 3.5 The NICS is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- 3.6 RAO Hosting, CATS and NICS services provided to Alternative by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.7 Alternative shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.8 Charges or credits, as applicable, will be applied by BellSouth to Alternative on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.
- Alternative must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Alternative must request that BellSouth establish a unique hosted RAO code for Alternative. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.10 BellSouth will receive messages from Alternative that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a LEC outside the BellSouth region. Alternative shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.11 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Alternative.

- 3.12 All data received from Alternative that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.13 All data received from Alternative that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by Alternative and will forward them to Alternative on a daily basis for processing.
- 3.15 Transmission of message data between BellSouth and Alternative will be distributed via FTP mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move Alternative to CONNECT:Direct file delivery.
- 3.15.1 If Alternative is moved to CONNECT:Direct, data circuits (private line or dial-up) may be required between BellSouth and Alternative for the purpose of data transmission. Where a dedicated line is required, Alternative will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Alternative will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Alternative. Additionally, all message toll charges associated with the use of the dial circuit by Alternative will be the responsibility of Alternative. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Alternative end for the purpose of data transmission will be the responsibility of Alternative.
- 3.15.2 If Alternative utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Alternative.
- 3.16 All messages and related data exchanged between BellSouth and Alternative will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.17 Alternative will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.

- 3.18 Should it become necessary for Alternative to send data to BellSouth more than sixty (60) days past the message date(s), Alternative will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Alternative, where necessary, to notify all affected LECs.
- 3.19 In the event that data to be exchanged between the two (2) Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.
- 3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from Alternative, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Alternative of the error. Alternative will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Alternative will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.21 In association with message distribution service, BellSouth will provide Alternative with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.23 <u>Intercompany Settlements Messages</u>
- 3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Alternative as a facilities based provider of local exchange telecommunications services.
- 3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of Alternative and will distribute copies of these reports to Alternative on a monthly basis.
- Through CATS, BellSouth will collect the revenue earned by Alternative from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of Alternative. BellSouth will remit the revenue billed by Alternative to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of Alternative. These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to Alternative via a CABS miscellaneous bill on a monthly basis in arrears.

- 3.23.4 Through NICS, BellSouth will collect the revenue earned by Alternative within the BellSouth territory from another LEC also within the BellSouth territory where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Alternative. BellSouth will remit the revenue billed by Alternative within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to Alternative via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.5 BellSouth and Alternative agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.
- 3.24 <u>Rates.</u> Rates for CMDS are as set forth in Exhibit A. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

Version: 2Q05 Standard ICA 09/16/05

| CM | OS - Alal | pama | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|---|-----------|---|--------|-------|-----|------|-----------------------------|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Boo | Nonred | curring | Nonrecurring | g Disconnect | | 1 | oss | Rates(\$) | | |
| | | | | | | | Rec First Add'l First Add'l | | | | | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMI | | | | | | | | | | | | | | | | | |
| CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | 0.004 | | | | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CM | S - Flor | ida | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|-----|----------|---|--------|-------|-----|------|-------|-------|-----------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | | | | | 1 | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMI | | | | | | | | | | | | | | | | | |
| | CENTR | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | 0.004 | | | | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CM | OS - Geo | rgia | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|---|----------|---|--------|-------|-----|------|-----------------------------|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Boo | Nonred | curring | Nonrecurring | g Disconnect | | 1 | oss | Rates(\$) | | |
| | | | | | | | Rec First Add'l First Add'l | | | | | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMI | | | | | | | | | | | | | | | | | |
| CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | · | 0.004 | • | | | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CIV | DS - Ke | entucky | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|-----|---------|---|--------|------|-----|------|-------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CA. | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CM | | | | | | | | | | | | | | | | | |
| | CEN | FRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CM | OS - Lou | isiana | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|---|----------|---|--------|-------|-----|------|-----------------------------|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Boo | Nonred | curring | Nonrecurring | g Disconnect | | 1 | oss | Rates(\$) | | |
| | | | | | | | Rec First Add'l First Add'l | | | | | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CME | | | | | | | | | | | | | | | | | |
| CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | 0.004 | | | | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CM | OS - Mis | sissippi | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|---|----------|---|--------|-------|-----|------|-----------------------------|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Boo | Nonred | curring | Nonrecurring | g Disconnect | | 1 | oss | Rates(\$) | | |
| | | | | | | | Rec First Add'l First Add'l | | | | | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMI | | | | | | | | | | | | | | | | | |
| CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | 0.004 | | | | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CN | IDS - N | North Carolina | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|----|---------|-------------------------------------|----------------------|-------|-----|------|-------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Inte | eri | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CA | TEGORY | Y RATE ELEMENT | 5 m | LZone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dee | Nonrec | curring | Nonrecurring | Disconnect | | l l | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CM | DS | | | | | | | | | | | | | | | | |
| | CEN | NTRALIZED MESSAGE DISTRIBUTION SER | VICE (CMDS) | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per messa | ge | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT: | DIRECT), per message | | | | 0.001 | | | | | | | | | | |

| CN | IDS - S | Sout | th Carolina | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|----|---------|------|---|--------|------|-----|------|-------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CA | TEGOR' | Y | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Doo | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | | |
| CM | DS | | | | | | | | | | | | | | | | | |
| | CE | NTR | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CM | OS - Ten | nessee | | | | | | | | | | | | Attachment: | 7 Exh A | | |
|-----|--|---|--------|-------|-----|------|-------|--|-----------|--|--|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | Poc Nonrecurring Nonrecurring Disconnective Control of the Control | | | | | | | | | | | | 1 | oss | Rates(\$) | | |
| | | | | | | | | | | | | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CM | CMDS | | | | | | | | | | | | | | | | |
| | CENTR | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | 0.004 | | | | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Version: 2Q05 Standard ICA

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 2Q05 Standard ICA

Attachment 9

Performance Measurements

Version: 2Q05 Standard ICA

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

Version: 2Q05 Standard ICA

Attachment 10

BellSouth Disaster Recovery Plan

| CON | TENTS | <u>S</u> | | PAGE |
|-----|--------|--------------|---|------|
| | | | | |
| 1.0 | Purpo | se | | 2 |
| 2.0 | Single | Point of C | Contact | 2 |
| 3.0 | _ | fying the F | | 2 |
| | 3.1 | Site Cor | ntrol | 3 |
| | 3.2 | Environ | mental Concerns | 4 |
| 4.0 | The E | mergency | Control Center (ECC) | 4 |
| 5.0 | Recov | ery Proced | dures | 5 |
| | 5.1 | CLEC O | utage | 5 |
| | 5.2 | BellSout | h Outage | 5 |
| | | 5.2.1 | Loss of Central Office | 6 |
| | | 5.2.2 | Loss of a Central Office with Serving Wire Center Functions | 6 |
| | | 5.2.3 | Loss of a Central Office with Tandem Functions | 6 |
| | | 5.2.4 | Loss of a Facility Hub | 7 |
| | 5.3 | Combine | ed Outage (CLEC and BellSouth Equipment) | 7 |
| 6.0 | T1 Ide | entification | n Procedures | 7 |
| 7.0 | Acron | yms | | 8 |

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a CLEC, general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following BellSouth Interconnection Services Web site: http://interconnection.bellsouth.com/products/vertical/tsp.html. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 2Q05 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 2Q05 Standard ICA

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 2Q05 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 2Q05 Standard ICA

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a CO

When BellSouth loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

5.2.3 Loss of a CO with Tandem Functions

When BellSouth loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally

Version: 2Q05 Standard ICA

found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 2Q05 Standard ICA

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 2Q05 Standard ICA

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/index.html. Information concerning Mechanized Disaster Reports can also be found at this Web site by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 2Q05 Standard ICA

Attachment 11

Bona Fide Request and New Business Request Process

Version: 2Q05 Standard ICA 07/06/05

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1. **BONA FIDE REQUEST**

- 1.1 The Parties agree that Alternative is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A BFR is to be used when Alternative makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- 1.2 A BFR shall be submitted in writing by Alternative and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Alternative's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to Alternative's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Alternative at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to Alternative by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to,

Version: 2Q05 Standard ICA

request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet Alternative's requested date.

- 1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify Alternative within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If Alternative accepts the complex request evaluation fee proposed by BellSouth, Alternative shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Alternative by providing a preliminary analysis, consistent with Section 1.4 above.
- 1.7 Alternative may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If Alternative cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6

Version: 2Q05 Standard ICA

above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

- Alternative will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If Alternative fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Alternative's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of Alternative's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of Alternative's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 Alternative shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless Alternative agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If Alternative believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.
- Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

2 New Business Request

Version: 2Q05 Standard ICA

- Alternative also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by Alternative to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by Alternative and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Alternative's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Alternative at any time during the processing of the NBR.
- 2.4 If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to Alternative by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet Alternative's requested date.
- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify

Alternative within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If Alternative accepts the complex request evaluation fee amount proposed by BellSouth, Alternative shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.

- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Alternative by providing a preliminary analysis of such Requested NBR Services.
- Alternative may cancel an NBR at any time. If Alternative cancels the request more than ten (10) business days after submitting it, Alternative shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 Alternative will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If Alternative fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- BellSouth shall propose a firm price quote including the firm
 Development Rate, the firm nonrecurring rate, and the firm recurring rate,
 and a detailed implementation plan within ten (10) business days of
 receipt of Alternative's accurate NBR application for a Requested NBR
 Service that is operational at the time of the request and within sixty (60)
 business days of receipt of Alternative's accurate NBR application for the
 Requested NBR Services not operational at the time of the request. The
 firm nonrecurring rate will not include any of the Development Rate or the
 complex request evaluation fee, if required, in the calculation of this rate.
 Such firm price quote shall not exceed the estimate provided with the
 preliminary analysis by more than twenty-five percent (25%).
- Alternative shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit Alternative's account for the difference.

Version: 2Q05 Standard ICA

2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.

Version: 2Q05 Standard ICA