Amendment to the Agreement Between Competitive Communications, Inc. and BellSouth Telecommunications, Inc. Dated February 13, 2003

Pursuant to this Amendment, (the "Amendment"), Competitive Communications, Inc. (Competitive Communications), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated February 13, 2003 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Competitive Communications entered into the Agreement on February 13, 2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated February 13, 2003, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Competitive Communications, Inc.		
By: Juf Thm	By: Smith		
Name: Krister E. Rowe	Name: LARRY HALSTEAD		
Title: Orrector	Title: CFO		
Date: 1/2///	Date: 1-16-2004		

TRO BST Amendment Version 1

[CCCS Amendment 2 of 422]

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	6
3	LINE SHARING	. 28
4	LOCAL SWITCHING	. 35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 43
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	. 47
7	DATABASES	. 51
8 SEF	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING TOLL FREE DIALING TOLL TOLL FREE DIALIN	
9	LINE INFORMATION DATABASE (LIDB)	. 52
10	SIGNALING	. 55
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	. 62
12	CALLING NAME (CNAM) DATABASE SERVICE	. 62
13 AD	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	. 64
Ra	ates Exhibit	t A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Competitive Communications in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Competitive Communications (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Competitive Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Competitive Communications used in the provision of a qualifying service, as defined by the FCC. Competitive Communications may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Competitive Communications, and to the extent technically feasible, provide to Competitive Communications access to its Network Elements for the provision of Competitive Communications's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Competitive Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Competitive Communications under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for

conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Competitive Communications and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Competitive Communications will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Competitive Communications will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Competitive Communications may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Competitive Communications may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Competitive Communications, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

AMENDMENT EXHIBIT 1

Attachment 2

Page 5

- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Competitive Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Competitive Communications reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Competitive Communications for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Competitive Communications shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Competitive Communications purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Competitive Communications modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Competitive Communications in accordance with FCC No. 1 Tariff, Section 5.

1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Competitive Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Competitive Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Competitive Communications. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Competitive Communications seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Competitive Communications with nondiscriminatory access to the time division multiplexing

features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 Competitive Communications may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Competitive Communications's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Competitive Communications in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Competitive Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Competitive Communications may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Competitive Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Competitive Communications for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 **Loop Testing/Trouble Reporting**

- 2.1.6.1 Competitive Communications will be responsible for testing and isolating troubles on the Loops. Competitive Communications must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Competitive Communications will be required to provide the results of the Competitive Communications test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once Competitive Communications has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Competitive Communications reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Competitive Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Competitive Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Competitive Communications for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Competitive Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Competitive Communications's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Competitive Communications to order a specific time for OC to take place. BellSouth will make every effort to accommodate Competitive Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with Competitive Communications a conversion time based on load and appointment

AMENDMENT EXHIBIT 1

Attachment 2

Page 9

control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Competitive Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Competitive Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Competitive Communications when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Competitive Communications's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Competitive Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Competitive Communications must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Competitive Communications requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Competitive Communications must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

AMENDMENT EXHIBIT 1

Attachment 2

Page 11

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Competitive Communications should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:

 http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Competitive Communications will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

AMENDMENT EXHIBIT 1

Attachment 2

Page 12

been requested by Competitive Communications. Competitive Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Competitive Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Competitive Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Competitive Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Competitive Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Competitive Communications or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Competitive Communications may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Competitive Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Competitive Communications, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Competitive Communications may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not

intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Competitive Communications.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Competitive Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Competitive Communications or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000

feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Competitive Communications can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Competitive Communications may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Competitive Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Competitive Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.

- 2.5.3 For any copper loop being ordered by Competitive Communications which has over 6,000 feet of combined bridged tap will be modified, upon request from Competitive Communications, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Competitive Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 Competitive Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Competitive Communications requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Competitive Communications will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Competitive Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Competitive Communications desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Competitive Communications, Competitive Communications will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Competitive Communications is available at the location for which the ULM was requested, Competitive Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Competitive Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

2.6.1 Where Competitive Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and

BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Competitive Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Competitive Communications (e.g. hairpinning):

- 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Competitive Communications, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Competitive Communications will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Competitive Communications to connect Competitive Communications's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 Competitive Communications may access the End User's customer premises wiring by any of the following means and Competitive Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

- 2.7.3.1.1 BellSouth shall allow Competitive Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Competitive Communications may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Competitive Communications's responsibility to ensure there is no safety hazard, and Competitive Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Competitive Communications shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Competitive Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Competitive Communications to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Competitive Communications's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Competitive Communications may request BellSouth to do additional work to the NID on a time and material basis. When Competitive Communications deploys its own local Loops in a multiple-line termination device, Competitive Communications shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Competitive Communications requests a UCSL and it is not available, Competitive Communications may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive

bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Competitive Communications, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Competitive Communications's use on this cross-connect panel. Competitive Communications will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Competitive Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Competitive Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Competitive Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Competitive Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Competitive Communications can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Competitive Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Competitive Communications will request subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Competitive Communications requests reuse of an existing facility, and the Order Coordination

charge shall be billed in addition to the USL pair rate. For expedite requests by Competitive Communications for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.

2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Competitive Communications will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Competitive Communications for each pair activated commensurate to the price specified in Competitive Communications's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its

AMENDMENT EXHIBIT 1

Attachment 2

Page 23

central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.

Page 24

2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Competitive Communications will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Competitive Communications has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Competitive Communications any applicable disconnect charges.

2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Competitive Communications, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Competitive Communications to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Competitive Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be

handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Competitive Communications, BellSouth shall perform the routine network modifications.

2.8.6.3 <u>Requirements</u>

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Competitive Communications is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Competitive Communications information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Competitive Communications.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Competitive Communications within twenty (20) business days after Competitive Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Competitive Communications to connect Competitive Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Competitive Communications LMU information so that Competitive Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Competitive Communications intends to install and the services Competitive Communications wishes to provide. This section addresses LMU as a preordering transaction, distinct from Competitive Communications ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU

Page 26

queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide Competitive Communications LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Competitive Communications as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Competitive Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Competitive Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Competitive Communications's ability to provide advanced data services over the ordered Loop type. Further, if Competitive Communications orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Competitive Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 Competitive Communications may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop

information from the mechanized LMU process, if Competitive Communications needs further Loop information in order to determine Loop service capability, Competitive Communications may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Competitive Communications may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Competitive Communications may reserve up to three (3) Loop facilities.
- 2.9.3.2 Competitive Communications may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Competitive Communications. During and prior to Competitive Communications placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Competitive Communications does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Competitive Communications will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Competitive Communications does not reserve facilities upon an initial LMUSI, Competitive Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Competitive Communications has reserved multiple Loop facilities on a single reservation, Competitive Communications may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Competitive Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Competitive Communications.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Competitive Communications provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Competitive Communications using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Competitive Communications. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Competitive Communications may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Competitive Communications may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Competitive Communications, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Competitive Communications the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Competitive Communications shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters,

range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.1.8 BellSouth will provide Loop Modification to Competitive Communications on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Competitive Communications requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Competitive Communications shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Competitive Communications desires to continue providing xDSL service on such Loop, Competitive Communications shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Competitive Communications notice in a reasonable time prior to disconnect, which notice shall give Competitive Communications an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Competitive Communications purchases the full standalone Loop, Competitive Communications may elect the type of Loop it will purchase. Competitive Communications will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Competitive Communications purchases a voice grade Loop, Competitive Communications acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Competitive Communications reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Competitive Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 Provisioning of Line Sharing and Splitter Space

3.2.1 BellSouth will provide Competitive Communications with access to the High Frequency Spectrum as follows:

- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Competitive Communications must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Competitive Communications may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Competitive Communications's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Competitive Communications in a central office in which Competitive Communications is located, Competitive Communications shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Competitive Communications shall pay the electronic or manual ordering charges as applicable when Competitive Communications orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Competitive Communications's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Competitive Communications access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Competitive Communications's xDSL equipment in Competitive Communications's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Competitive Communications with a carrier notification letter, informing Competitive Communications of change. Competitive Communications shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Competitive Communications shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Competitive Communications's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Competitive Communications's DS0 termination point as possible. Competitive Communications shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Competitive Communications on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data

ports to a specified Competitive Communications DS0 at such time that a Competitive Communications End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Competitive Communications may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Competitive Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Competitive Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Competitive Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Competitive Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Competitive Communications the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Competitive Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Competitive Communications shall pay the rates for such services, as described in Exhibit A.

3.6 **Maintenance and Repair – Line Sharing**

3.6.1 Competitive Communications shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Competitive Communications is using a BellSouth owned splitter, Competitive Communications may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Competitive Communications provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point.

 Competitive Communications will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Competitive Communications shall inform its End Users to direct data problems to Competitive Communications, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Competitive Communications, BellSouth will notify Competitive Communications. Competitive Communications will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Competitive Communications will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Competitive Communications's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Competitive Communications provides its own switching or obtains switching from a third party, Competitive Communications may engage in line splitting arrangements with another CLEC using a splitter, provided by Competitive Communications, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Competitive Communications is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Competitive Communications shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line

Splitting services, if Competitive Communications will not provide voice and data services.

- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Competitive Communications or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Competitive Communications for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Competitive Communications or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Competitive Communications or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Competitive Communications or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Competitive Communications or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.

3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 Competitive Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Competitive Communications the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Competitive Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Competitive Communications shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Competitive Communications on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point.

 Competitive Communications will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Competitive Communications shall inform its End Users to direct all problems to Competitive Communications or its authorized agent.
- 3.10.3 If Competitive Communications is not the data provider, Competitive Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Competitive Communications for the provision of a telecommunications service.

4.2 <u>Local Circuit Switching Capability</u>, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Competitive Communications when Competitive Communications: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Competitive Communications is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Competitive Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.

- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Competitive Communications's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Competitive Communications purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Competitive Communications local End User, or originated by a BellSouth local End User and terminated to a Competitive Communications local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Competitive Communications the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Competitive Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- Where Competitive Communications purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Competitive Communications End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Competitive Communications the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Competitive Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Competitive Communications the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Competitive Communications selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Competitive Communications will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 Remote Call Forwarding

- 4.2.11.1 As an option, BellSouth shall make available to Competitive Communications an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Competitive Communications will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Competitive Communications the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

Attachment 2

Page 38

4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references. 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Competitive Communications all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering. 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Competitive Communications. 4.2.13 **Local Switching Interfaces.** 4.2.13.1 Competitive Communications shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces: 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp); 4.2.13.1.2 Coin phone signaling; 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements; 4.2.13.1.4 Two-wire analog interface to PBX; 4.2.13.1.5 Four-wire analog interface to PBX;

4.2.13.1.9

4.2.13.1.6

4.2.13.1.7

4.2.13.1.8

and voice response systems);

1 to 24); and

appropriate Telcordia Technical Requirements;

Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and

Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers

Switched Fractional DS1 with capabilities to configure Nx64 channels (where N =

- 4.2.14 All End Users of Competitive Communications who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Competitive Communications shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Competitive Communications shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Competitive Communications will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Competitive Communications utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 Technical Requirements

Attachment 2

Page	40
usc	

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Competitive Communications and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Competitive Communications.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Competitive Communications's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Competitive Communications's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Competitive Communications's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to Competitive Communications, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Competitive Communications. AIN SCR will provide Competitive Communications with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Competitive Communications shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Competitive Communications, the routing of Competitive Communications's End User calls shall be pursuant to information provided by Competitive Communications and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Competitive Communications shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Competitive Communications End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Competitive Communications shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Competitive Communications's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Competitive Communications, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Competitive Communications following BellSouth's normal monthly billing cycle for this type of order.

- Page 42
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Competitive Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Competitive Communications following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where Competitive Communications purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Competitive Communications's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Competitive Communications to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Competitive Communications specific and unique LCCs are programmed in each BellSouth end office switch where Competitive Communications intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Competitive Communications's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Competitive Communications intends to provide Competitive Communications -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Competitive Communications to order dedicated trunking from each BellSouth end office identified by Competitive Communications, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Competitive Communications Operator Service Provider for Self Branding. Separate trunk

groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.

- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Competitive Communications to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Competitive Communications are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Competitive Communications are not already combined by BellSouth in the location requested by Competitive Communications but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Competitive Communications are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Competitive Communications with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Competitive Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Competitive Communications's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Competitive Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Competitive Communications, BellSouth shall perform the routine network modifications.
- 5.2.5 Service Eligibility Criteria
- 5.2.5.1 Competitive Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Competitive Communications has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);

- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Competitive Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Competitive Communications will have at least one (1) active DS1 local service interconnection trunk over which Competitive Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- BellSouth may, on an annual basis, audit Competitive Communications's records 5.2.6 in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Competitive Communications failed to comply with the service eligibility criteria, Competitive Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, Competitive Communications did not comply in any material respect with the service eligibility criteria, Competitive Communications shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Competitive Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Competitive Communications for its reasonable and demonstrable costs associated with the audit. Competitive Communications will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Competitive Communications converts special access services to UNEs, Competitive Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Competitive Communications if Competitive Communications's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Competitive Communications is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Competitive Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Competitive Communications's UNE port/Loop combinations. BellSouth will not bill Competitive Communications for 911 surcharges. Competitive Communications is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.

5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Competitive Communications in addition to those specifically referenced in this Section 5 above, where available. To the extent Competitive Communications requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Competitive Communications for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Competitive Communications uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Competitive Communications.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Competitive Communications exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

Attachment 2

Page 48

- Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Competitive Communications to connect such interoffice facilities to equipment designated by Competitive Communications, including but not limited to, Competitive Communications's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Competitive Communications to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Competitive Communications.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Competitive Communications may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

Attachment 2

Page 49

- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Competitive Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Competitive Communications, BellSouth shall perform the routine network modifications.

6.2.6 <u>Technical Requirements</u>

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Competitive Communications designated traffic.
- For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Competitive Communications shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Competitive Communications may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 Technical Requirements

- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Competitive Communications's channelization equipment must adhere strictly to form and protocol standards. Competitive Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Competitive Communications to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Competitive Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Competitive Communications, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Competitive Communications is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Competitive Communications information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Competitive Communications. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Competitive Communications within twenty (20) business days after Competitive Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Competitive Communications to connect Competitive Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Competitive Communications.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> <u>Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Competitive Communications's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Competitive Communications.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Competitive Communications must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of

Attachment 2

Page 53

LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 <u>Technical Requirements</u>

- 9.2.1 BellSouth will offer to Competitive Communications any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Competitive Communications's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Competitive Communications what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Competitive Communications, BellSouth shall provide Competitive Communications with a list of the customer data items, which Competitive Communications would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Competitive Communications data to the LIDB shall be solely at the direction of Competitive Communications. Such direction from Competitive Communications will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Competitive Communications data upon Competitive Communications's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Competitive Communications customer records will be missing from LIDB, as

measured by Competitive Communications audits. BellSouth will audit Competitive Communications records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Competitive Communications contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Competitive Communications within one (1) business day of audit. Once reconciled records are received back from Competitive Communications, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Competitive Communications to negotiate a time frame for the updates, not to exceed three business days.

- 9.2.10 BellSouth shall perform backup and recovery of all of Competitive Communications's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Competitive Communications with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Competitive Communications and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Competitive Communications data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Competitive Communications in writing.
- 9.2.13 BellSouth shall provide Competitive Communications performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Competitive Communications at least at parity with BellSouth Customer Data. BellSouth shall obtain from Competitive Communications the screening information associated with LIDB Data Screening of Competitive Communications data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Competitive Communications under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Competitive Communications customer records and shall return responses in accordance with industry standards.

- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Competitive Communications shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Competitive Communications shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 <u>Signaling</u>

BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 **Signaling Link Transport**

10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Competitive Communications designated Signaling Points of Interconnection that provide appropriate physical diversity.

10.2.2	Technical Requirements
10.2.3	Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
10.2.3.1	As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
10.2.3.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
10.2.4	Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
10.2.4.1	An A-link layer shall consist of two (2) links.
10.2.4.2	A B-link layer shall consist of four (4) links.
10.2.4.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
10.2.4.4	No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
10.2.4.5	No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
10.2.5	Interface Requirements
10.2.5.1	There shall be a DS1 (1.544 Mbps) interface at Competitive Communications's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
10.3	Signaling Transfer Points
10.3.1	A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
10.3.2	Technical Requirements
10.3.2.1	STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7

network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.

- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Competitive Communications local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Competitive Communications local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Competitive Communications or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Competitive Communications database, then Competitive Communications agrees to provide BellSouth with the Destination Point Code for Competitive Communications database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Competitive Communications or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be

superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7</u>

- 10.4.1 When technically feasible and upon request by Competitive Communications, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Competitive Communications's SS7 network to exchange TCAP queries and responses with a Competitive Communications SCP.
- 10.4.2 SS7 AIN Access shall provide Competitive Communications SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Competitive Communications SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Competitive Communications SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 Interface Requirements

- 10.4.3.1 BellSouth shall provide the following STP options to connect Competitive Communications or Competitive Communications-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Competitive Communications local switching systems; and,
- 10.4.3.1.2 A B-link interface from Competitive Communications local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 Message Screening

Attachment 2

Page 59

- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Competitive Communications local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Competitive Communications switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Competitive Communications local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Competitive Communications switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Competitive Communications from any signaling point or network interconnected through BellSouth's SS7 network where the Competitive Communications SCP has a valid signaling relationship.

10.5 Service Control Points (SCP)/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

10.5.3 Technical Requirements for SCPs/Databases

- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

Attachment 2

Page 60

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Competitive Communications local signaling transfer point switches or Competitive Communications local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Competitive Communications local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Competitive Communications or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Competitive Communications local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Competitive Communications local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination.

Attachment 2

Page 61

Where the destination signaling point is a Competitive Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Competitive Communications local STPs and shall not include SCCP Subsystem Management of the destination.

- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Competitive Communications or Competitive Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Competitive Communications local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Competitive Communications STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Competitive Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Competitive Communications switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Competitive Communications will be required to provide BellSouth daily updates to E911 database. Competitive Communications shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 <u>Technical Requirements</u>

- BellSouth shall provide Competitive Communications the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Competitive Communications after Competitive Communications provides End User information for input into the ALI/DMS database.
- 11.2.2 Competitive Communications shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Competitive Communications the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 Competitive Communications shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Competitive Communications's access to BellSouth's CNAM Database Services and shall be addressed to Competitive Communications's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to Competitive Communications requires interconnection from Competitive Communications to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Competitive Communications shall provide its own CNAM SSP. Competitive

Page 63

Communications's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

- 12.5 If Competitive Communications elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Competitive Communications desires to query.
- 12.6 If Competitive Communications queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Competitive Communications for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Competitive Communications in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Competitive Communications to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Competitive Communications CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> Advanced Intelligent Network Access
- 13.1 BellSouth's SCE/SMS AIN Access shall provide Competitive Communications the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Competitive Communications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Competitive Communications service logic and data from unauthorized access.
- When Competitive Communications selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Competitive Communications to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Competitive Communications access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Competitive Communications to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Competitive Communications may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

14.3 Denial/Restoral OSS Charge

- In the event Competitive Communications provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 Cancellation OSS Charge
- 14.4.1 Competitive Communications will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Attachment 2

Page 65

- 14.6 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per element manual additive 14.6.1 nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

														ı			
UNB	UNDLE	D NETWORK ELEMENTS - Alabama			1		1					1-	1_		ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OA!L	00	NATE ELEMENTO	m	20110	500	0300			τοτι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec		curring		Disconnect	001150	SOMAN		Rates (\$)	SOMAN	001111
-								First	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SOMAN	SOWAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	ged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m		_			-							
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"			"- " 000 - h		01-1- 0		000 -1								01.50
		(1) CLEC should contact its contract negotiator if it prefers the ither the state specific Commission ordered rates for the servi															
		f the 9 states.	ice orde	illig Ci	larges, or CLEC may	elect the re	gioriai service c	ordering charg	e, nowever, Cr	LC Can not of	italii a illixture	of the two	regardiess i	I CLEC IIas a	interconnecti	on contract e	stabilshed in
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	lly. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.								1					
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	+	OSS - Manual Service Order Charge, Per Local Service Request				SOIVIEC		3.50	0.00	3.50	0.00				<u> </u>		
		(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX, UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
IINIDII	NDI ED I	Day EXCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00							 		
DIABO		E ANALOG VOICE GRADE LOOP													+		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30	-					
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	12.58 21.05	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30				-		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	1	Premise			UEANL	URETL		8.33	0.83								
<u> </u>	+	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1 URETA		34.16 19.85	34.16			ļ			 		
		Loop Testing - Basic Additional Half Hour			UEANL	UKETA		19.85	19.85			L	l .	1	L		1

UNBU	NDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
1			1									1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
071120	•		m			0000			== (+)			per LSR	per LSK	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch				1											
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.09									
	2-WIRE	Unbundled COPPER LOOP								ĺ							
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83								
	_	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_		l											
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-							4= =0								
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	UEABS	04.04	07.04	47.50	00.40	5.00						
LIMBUM	DIEDE	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
		EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	1	-		+								-			
<u> </u>	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			+						 			+		
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44				1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	+ '-	OL/ C	ULALE	17.30	00.00	33.00	71.24	7.44				 		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44				1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-	02	J L / 1 L L	22.00	33.00	33.00	77.24	7.44				<u> </u>		†
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44				I		
		Order Coordination for Specified Conversion Time (per LSR)	t	Ť	UEA	OCOSL		18.09	22.00						1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse													t		
		Battery Signaling - Zone 1	1	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44				I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l														
		Battery Signaling - Zone 2	1	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44				I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44	<u></u>		<u> </u>	<u> </u>		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						ļ
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50				ļ		ļ
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		18.09									ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36			l			l		

UNBL	JNDLFI	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
OND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO / MADAINA										Svc Order	Svc Order	Incremental	Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		L
	+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP				_		11131	Addi	11130	Addi	OOMEO	JOINAIN	JONIAN	JOWAN	JONAN	JOINAIN
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	1												
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
-	+	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZX	11.01	110.00	68.00	47.24	7.44						
		& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						1
	1	2 Wire Unbundled ADSL Loop including manual service inquiry	†		J, 1L	U/ 11.2/	12.73	7 10.00	00.00	71.24	7.44	†					\vdash
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						1 1
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	1	facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	14.30	18.09	57.00	47.24	7.44						\vdash
	1	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	-	86.20	40.40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	0,12	0112110		00.20	10.10								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
	ļ	& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	44.44	440.00	CO 00	47.04	7.44						1
-	+	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.44	110.00 18.09	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UCUSL		16.09									\vdash
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						1
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09	10.10								└
-	4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOP	UHL	UREWO	-	86.14	40.40			-	-				\vdash
-	4-VVIKE	4 Wire Unbundled HDSL Loop including manual service inquiry	IIIDLE	JOOP		+	-										\vdash
		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		1				1
		4-Wire Unbundled HDSL Loop including manual service inquiry				911211											
		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	ļ	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry			.		42.05	04.00	F7 00	F4 70	0.70		1				1
-	1	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	1	- 1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	-					\vdash
		and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		1				1
	1	4-Wire Unbundled HDSL Loop without manual service inquiry	†		J. IL	OT IL-TVV	10.00	34.00	37.00	51.70	5.73	†					
		and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						1 1
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	4-WIRE	DS1 DIGITAL LOOP															$ldsymbol{ldsymbol{\square}}$
	1	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82.55	252.47	157.54	44.70	11.71						↓
	1	4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	154.18	252.47	157.54	44.70	11.71						\vdash
-	1	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	USLXX	314.52	252.47 18.09	157.54	44.70	11.71	-					\vdash
L	1	Order Coordination for Specified Conversion Time (per LSR)	L		UUL	OCOSL	J.	10.09				1	l				

UNBUNDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
320						1					Svc Order	Svc Order	Incremental		Incremental	Incremental
		1		1							Submitted	Submitted		Charge -	Charge -	Charge -
1		Inter'		1							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								
4-W	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	3	UDL	UDL64 UDL64	35.95	126.27	88.80	59.14	14.50	1		 	 	 	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	OCOSL	37.88	126.27 18.09	88.80	59.14	14.50				 		
 	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-	-	UDL UDL	UREWO		18.09	49.75			1		 	 	 	
2.14				UDL	UREWU		102.13	49.75				-				
Z-VV	IRE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual	-	-	 	+				1		-		-		-	
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
 	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>	UCL	OCLEB	11.01	112.40	05.50	47.24	7.44			1		1	
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
 	2 Wire Unbundled Copper Loop-Designed including manual			OOL	OCEI D	12.75	112.40	05.50	77.27	7.44			1		1	
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	14.00	8.15	8.15	77.27	7.44	1			1		
	2-Wire Unbundled Copper Loop-Designed without manual			002	0020		0.10	0.10								
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-W	IRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry				l											
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry		2	UCL												
	and facility reservation - Zone 2	-	2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry		3	UCL	1101.40	20.24	405.04	00.05	54.70	9.73						
\vdash	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4S UCLMC	28.21	135.21 8.15	88.05 8.15	51.70	9.73				 		
\vdash	4-Wire Copper Loop-Designed without manual service inquiry	 	 	UUL	JULIVIU		0.15	0.15	1			-	 	 	 	
	and facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73				I		
	4-Wire Copper Loop-Designed without manual service inquiry	+-		JUL	JOLTV	17.30	114.41	07.05	31.70	9.73	-		 	t	 	
	and facility reservation - Zone 2	l ,	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73				I		
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	Ė		1	200		330	50	00			1	<u> </u>	1	
	and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73				1		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								
LOOP MODI	IFICATION															
				UAL, UHL, UCL,												
		1		UEQ, ULS, UEA,										I		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,										I		
	pair less than or equal to 18k ft. per Unbundled Loop	I		UEPSB	ULM2L		0.00	0.00					ļ	L	ļ	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1 .		l	l		_							I		
\vdash	less than or equal to 18K ft, per Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0.00	0.00					ļ	1	ļ	
1 1		1		UAL, UHL, UCL,										I		
	Habitan diad Lana Madification Device of ADD Land Tool St.	1		UEQ,ULS,UEA,										I		'
	Unbundled Loop Modification Removal of Bridged Tap Removal,	Ι.,		UEANL, UEPSR, UEPSB	ULMBT		32.41	20.44				1		I		
SUB-LOOPS	per unbundled loop	-	-	UEPOB	OLIVIR I		32.41	32.41			1		 	 	 	
JUB-LUUPS	, i			1	1	l			1		1	1	1	1	l	

LINBI	INDI F	D NETWORK ELEMENTS - Alabama													ment: 2	Exhibit: A		
CIADO	MULL	DINETWORK ELLINENTS - Alabama		Ι	I		1					Svc Order	Svc Order	Incremental	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -	
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.	Order vs.	Order vs.	Order vs.	
071120		10112 ======	m		200	0000			= (4)			per LSR	per LSR					
														Electronic-	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l	
							_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-	
	i						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Sub-Lo	oop Distribution				Î	ĺ								Î			
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				Î	ĺ											
		Up	- 1		UEANL	USBSA		244.42									1	
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22.64										
		Sub-Loop - Per Building Equipment Room - CLEC Feeder																
		Facility Set-Up	- 1		UEANL	USBSC		177.45										
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															1	
		Set-Up	ı		UEANL	USBSD		55.15										
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1	
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1	
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1	
		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70							
																	1	
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		8.15	8.15									
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1100114	0.40	70.00	44.40	40.74	0.07						1	
-		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	LIFANII	USBN4	40.07	70.00	44.40	40.74	0.07						1	
-	-	Zone 2			UEANL	USBIN4	16.67	79.03	44.19	49.71	9.07							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						1	
-	-	20116 3		3	UEAINL	USBIN4	32.37	79.03	44.19	49.71	9.07						-	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1	
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70				1		\vdash	
	1	dub-Loop 2-vviile intrabuliding Network Cable (INO)		-	OLANE	OODINZ	2.21	33.01	10.17	43.23	0.70							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1	
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07							
		January Control of the Control of th																
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1	
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16									
	i	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85									
	i	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70							
	i	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70							
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15									
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44.19	49.71	9.07							
	ļ	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						\Box	
	ļ	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07							
1	1			1	l												1	
<u> </u>	ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	ļ	8.15	8.15						ļ		└──	
	ļ	Loop Testing - Basic 1st Half Hour			UEF	URET1	ļ	34.16	34.16								igwdown	
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85									
<u> </u>	Unbun	dled Network Terminating Wire (UNTW)			LIENITAL	LIENDO	0.12	00.01						-	ļ		\vdash	
-	Martin	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0.40	30.01				-	-		-		\vdash	
——	netwoi	rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	 	43.23	28.38			-	-	-	 		\vdash	
<u> </u>	 								28.38 49.11								\vdash	
—	 	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		 	UENTW UENTW	UND16 UNDC2		63.97 5.87	49.11 5.87			-				-	\vdash	
	 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W		 	UENTW	UNDC2 UNDC4	 	5.87	5.87			-	-	 	 		\vdash	
LINE O	THER F	PROVISIONING ONLY - NO RATE		-	OLIVIV	UNDC4		5.87	5.87			-	-				\vdash	
JIVE U	T TEN, F	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00				-	-				\vdash	
	 	UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00						l	 		\vdash	
\vdash	 	OTT TO STOUR IN LOCALISM THORIGING CITY - NO RALE		 	UEANL,UEF,UEQ,U	OLINOL	0.00	0.00						 	 		\vdash	
1	1	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00									1	
UNE O	THER. F	PROVISIONING ONLY - NO RATE					5.50	5.00							i		\vdash	
	, •				1	1	1		1			1	1		1			

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	oit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODN,OEA,OHL,OLC	UNECIN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no						0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
HIGH	VDVCI	no rate TY UNBUNDLED LOCAL LOOP	-	-	USL	CCOEF	0.00	0.00				-	-				
nion C	AFAUI	High Capacity Unbundled Local Loop - DS3 - Per Mile per		 			1										
		month			UE3	1L5ND	8.38										
		High Capacity Unbundled Local Loop - DS3 - Facility										Ì					
		Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIBLOY												
-		month High Capacity Unbundled Local Loop - STS-1 - Facility		-	UDLSX	1L5ND	8.38										
		Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
LOOP	//AKE-L			1	ODLOX	ODLOT	319.03	401.0Z	203.34	113.43	05.50						
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or			UMK	UMKMQ		0.59	0.59								
LINES	HARING	spare facility queried (Mechanized) AND LINE SPLITTING			UIVIK	UIVIKIVIQ		0.59	0.59								
LINE O		1: The Line Sharing monthly recurring rates for all installation	is comi	oleted f	rom October 02, 200	3 through m	nidniaht Octobe	r 01. 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
-		1: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULS	200	1111 60	C amplian ambuta si			b-f	0-4-14 20	22							
		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	ULSC	c applies only to cil	cuits instail	ed and inservic	e on or perore	October 1, 20	03							
		TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00				İ		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-				LII CDC		00.47	0.00	40.04	0.00						
-	END II	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		 	ULS	ULSDG	+ -	86.47	0.00	49.84	0.00	-	-				
—	-140 0	Line Sharing - per Line Activation (BST Owned splitter) -		†		 	†					-	 				
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter -			-		2.00			12701	02						
1		Central Office Located (75% of UCLND) - please see NOTE 1											1				
		(E:10/2/2005)		ļ	ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
		Line Sharing - per Subsequent Activity per Line			111.6	III CDC		40.00	0.40								
 	-	Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line	-	-	ULS	ULSDS	+	16.39	8.19			-	-				
1		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19								
		Line Sharing - per Line Activation (DLEC owned Splitter) -					1		2.70								
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
					-												

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	ibit: A
ONDO	MULL	Alabama				1						Svc Order	Svc Order	Incremental	Incremental		
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						+	1	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates (\$)		
-	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				+		11131	Addi	11130	Auu i	JOINEC	JOINAIN	JONIAN	JOWAN	JONIAN	JONAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
	1	Line Share Service, TRO per line activation, CLEC owned										1					
		splitter - Central Office Located (50% of UCLND) - please see															
ļ		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
	I INE C	PLITTING	-	-	ULS	ULSCI	0.40	47.44	19.51	20.02	9.03	1	-				
-	END II	SER ORDERING-CENTRAL OFFICE BASED	 			+	+						-				
	1 0	Line Splitting - per line activation DLEC owned splitter	l –		UEPSR UEPSB	UREOS	0.61					1	1				
	1	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83			1			
	1	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	MAINT	ENANCE							•		-						
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								L
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
LIMBUR	UDI ED I	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUR		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT				+											
-	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										1	1				1
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011177	120701	0.000000					1					
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		l												
-		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	1		U1TVX	1L5XX	0.008838										
-		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.000000										
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
-	 	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	סווטט	15.12	40.54	21.41	10.74	0.90	 	 				
		month			U1TD1	1L5XX	0.18										
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1								1			
L	1	Termination	<u> </u>		U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44	<u></u>	<u> </u>				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
L	L	month	ļ		U1TD3	1L5XX	4.09										ļ
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATEO	700 50	070 75	100 =0	20.00	00 :0						
-	1	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 		U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46	<u> </u>					-
		month	1		U1TS1	1L5XX	4.09										
	1	Interoffice Channel - Dedicated Transport - STS-1 - Facility	t		0.101	TEO//	7.03					1	t	1			†
		Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	L	Thereof per month - Interoffice Channel	ļ		UDF, UDFCX	1L5DF	23.29										ļ
	1	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66	<u> </u>	1	ļ			
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		UDF, UDFCX	1L5DL	60.32										'
 	1	Thereof per month - Local Loop NRC Dark Fiber - Local Loop	1		UDF, UDFCX	UDFL4	00.32	639.09	137.87	317.06	197.66	-	-	1			
		Timo Dark Floor - Local Loop			ODI, ODIOA	ODI LA		003.03	131.01	317.00	131.00	1	1	l		l	

UNRI	INDI =	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
SIADO	,.4DLL	NETWORK ELLINER TO - Alabama					I					Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
			m						= υ (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs. Electronic-
1													1	Electronic-	Electronic-	Electronic-	
1													1	1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	l.	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.58	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.94	0.81	4.57	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service															
	ļ	Per 8XX Number			OHD	N8FCX		2.58	1.29								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15				. ==								
-	-	Routing Per CXR Requested Per 8XX No.	-		OHD	N8FMX		3.02	1.73								
-	+	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	-		OHD	N8FAX		3.02	0.44	 	-	1			 	-	\vdash
		Features			OHD	N8FDX		2.58									
-	1	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD	NOFDA	0.000565	2.30		-		1			-		\vdash
-	 	8XX Access Ten Digit Screening, w/ BT L No. Delivery			OHD	+	0.000565			 							
LINE	NEORM	ATION DATA BASE ACCESS (LIDB)			OTID		0.000303										
	1	LIDB Common Transport Per Query			OQT		0.00002										
		LIDB Validation Per Query			OQU	+	0.012002					1					
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.012002	34.32		42.08							
SIGNA	LING (C																
	1	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
		CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Usage, Per ISUP Message			UDB	071150	0.0000142										
-	-	CCS7 Signaling Usage Surrogate, per link per LATA	-		UDB	STU56	650.33										
		CCS7 Signaling Point Code, per Originating Point Code			UDB	CCARO		20.04	20.04	25 57	25.57						
E011 C	ERVICE	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						\vdash
ESILS	LKVICE	Local Channel - Dedicated - 2-wr Voice Grade				+	13.97	193.10	33.17	36.64	3.20	-					
-	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				+	0.008838	193.10	33.17	30.04	3.20	1			-		\vdash
\vdash	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		\vdash		+	0.000036			 	 				 		
		Termination					21.13	40.54	27.41	16.74	6.90				1		1
 	t	Local Channel - Dedicated - DS1 - Zone 1	 			1	35.76	177.47	153.72	22.19	15.26	 	 		I		
		Local Channel - Dedicated - DS1 - Zone 2				1	49.98	177.47	153.72	22.19	15.26				1	İ	
	1	Local Channel - Dedicated - DS1 - Zone 3				İ	107.63	177.47	153.72	22.19	15.26				1	l	
	1	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.18										
		·															
L	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination	<u> </u>	L		<u> </u>	60.16	89.27	81.81	16.35	14.44	<u></u>	<u></u>		L	<u></u>	<u> </u>
CALLI	NG NAM	IE (CNAM) SERVICE															
		CNAM For DB Owners - Service Establishment			OQV			22.95		21.11							
	1	CNAM For Non DB Owners - Service Establishment			OQV			22.95		21.11							$ldsymbol{ldsymbol{\sqcup}}$
1		CNAM For DB Owners - Service Provisioning With Point Code								I			1		I		1 !
L	1	Establishment			OQV	ļ		990.88	732.84	268.93	197.74				1		
1		CNAM For Non DB Owners - Service Provisioning With Point			001								1		I		1
<u> </u>	1	Code Establishment			OQV	1	0.00000-	342.33	245.14	275.25	197.74	-			-	 	
<u> </u>	1	CNAM for DB Owners, Per Query		<u> </u>	OQV	1	0.000902			 	 		ļ		 	 	
CEL EC	TIVE D	CNAM for Non DB Owners, Per Query DUTING		<u> </u>	OQV	1	0.000902			 	 		ļ		 	 	
SELEC	I	Selective Routing Per Unique Line Class Code Per Request Per	-	-		+				 		-	-	-	 		
1		Switch						84.70	84.70	14.11	14.11		1		I		1
VIRTII	AL COL	LOCATION		-		+		04.70	04.70	14.11	14.11		 		 		
711(10	T JOE	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				1				 					-		
1		Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		1		I		1 !
	1	I = L 2				1.2.20	0.00	12.00	11.50	0.00	0.44	<u> </u>			1	·	

UNBUNDLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order Submitted	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															\vdash
	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						i l
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91	100.00	8,590.70	4.70						
	End Office Establishment Query NRC, per query			SRC SRC	SRCEO	0.002749	169.88	169.88	1.70	1.70						
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE			O.CO		0.002140										
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						i
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						ı l
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7111	O/ WII CO	0.002188	41.00	41.00	11.71	11.71						
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per															i
AIN - RELISOI	Minute JTH AIN TOOLKIT SERVICE					0.73										
All - BLLLOOK	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						i
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 11		7.00	7.00	0.00	0.00						
	DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM		7.00	7.00	0.00	0.00						ı l
	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.83	7.83	9.09	9.09						
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						ı l
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.47	34.47	14.36	14.36						
	DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36						ı l
	AIN Toolkit Service - Query Charge, Per Query					0.05										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															1
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00582										
	Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66								ı l
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			O7 11V1	D/ II LO	2.01	0.00	0.00								
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEC	0.40	0.00	0.00								ı l
ENHANCED F	Service Subscription (TENDED LINK (EELs)			CAM	BAPES	0.10	8.66	8.66								
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE con	nbinations pro	visioned as ' C	Ordinarily Comb	oined' Network	Elements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS				44.00	00.00	FF 00	47.04	7.11						
 	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2		1 2	UNCVX UNCVX	UEAL2 UEAL2	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month	l		UNC1X	1L5XX	0.18										

UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhil	bit: A
CHESHOLL											Svc Order	Svc Order	Incremental		Incremental	Incremental
1		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
ĺ		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
ĺ																
İ													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
1																
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
1	Fort A 1 17 1 - 1 0 M 1 - 1 (0 1 0) 1 0 - 1 1 1 - 1 1 - 1 1 1 1 1 1 1 1 1 1			111000	115410	00.05	00.00	55.00	47.04							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	111000	UEAL2	36.14	88.00	55.00	47.24	7.44						
\vdash	Voice Grade COCI - Per Month		3	UNCVX UNCVX	1D1VG	0.53	6.58	55.00 4.72	47.24	7.44						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.55	0.36	4.72								1
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER				0.00	0.00	0.00	0.00						
		1			T											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
					1											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	1															
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
\sqsubseteq	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
1	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1		2						==							
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	-					
1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.53	6.58	4.72	35.14	14.50						1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.55	0.50	7.72								1
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				0.00	0.00	0.00	0.00						
		i	1		T					İ				İ		İ
1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		1				
					1									1		1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						<u> </u>
													_			
\Box	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
1 1 -	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
\vdash	Per Month			UNC1X	1L5XX	0.18								ļ		ļ
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility	1			1							1				
	Termination Per Month	!	\vdash	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
\vdash	1/0 Channel System in combination Per Month	ļ		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				ļ		ļ
\vdash	OCU-DP COCI (data) per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.12	6.58	4.72								
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		LINCDY	LIDI FC	20.00	400.07	00.00	50.11	44.50						
 	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	!	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	-			-	
1 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		1				
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-		OINCDA	UDLOO	ან.95	120.27	00.80	39.14	14.50	-					
1 1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination per month (2.4-	 		5.10DX	35200	37.00	120.21	00.00	33.14	17.50		-		 		
1	64kbs)	1		UNCDX	1D1DD	1.12	6.58	4.72				1				
	Nonrecurring Currently Combined Network Elements Switch -As-	l -				1.12	0.00	7.12						1		1
																1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	ibit: A
ONDONDE	Adduna										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		_		Nonrec	urrina	Nonrecurring	Disconnect			220	Rates (\$)		
 			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1		_		11130	Auu	11130	Auu i	JONILO	JOHAN	JONIAN	JONIAN	JONIAN	JOWIAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	3															
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			11041/	41.500/	0.40										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	-		UNC1X	1L5XX	0.18										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						-
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	10.04	0.70						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			LINODY	40400	4.40	0.50	4.70								
-	(2.4-64Kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.12	6.58	4.72								<u> </u>
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				0.00	0.00	0.50	0.00						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	İ					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.				40.00							
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						-
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.33	3.33	0.30	0.90						
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	İ					
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per					======				=0.40						
	month	-		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
 	3/1 Channel System in combination per month DS1 COCI in combination per month	-	 	UNC3X UNC1X	MQ3 UC1D1	166.13 12.70	178.14 6.58	93.97 4.72	33.26	31.83	1		-	-	-	+
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	 	ONOIA	ועוטט	12.70	86.0	4.12			+		 	 	 	
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			-		22.20					1		İ	İ		
I	Zone 2	<u></u>	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	<u> </u>		ļ	ļ	ļ	ļ
ļļ	Additoinal DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72			ļ					_
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	LINICOO		F F0	<i></i>	0.00	0.00						
EVTE	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	 	UNC3X	UNCCC		5.59	5.59	6.98	6.98	1	-			-	
EXIE	2-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	+		 	 	-	
 	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	1					
	2-WireVG Loop in combination - Zone 3	l		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44			1	1		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1									İ		1	1		
	Month		<u> </u>	UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility														l	
	Termination per month		<u> </u>	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		J				<u> </u>

UNBLINDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	ibit: A
ONBONDE	TO THE PROPERTY OF THE PARTY OF				1						Svc Order	Svc Order	Incremental			
I												Submitted	Charge -	Charge -	Charge -	Charge -
ł		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
í													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\longrightarrow						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı l	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EXT	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						ļ
$\vdash \vdash$	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
\vdash	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						ļ
ı l	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			11000	41.5007	0.000000										
	Month	-	-	UNCVX	1L5XX	0.008838										-
(l	Interoffice Transport - 4-wire VG - Dedicated - Facility		1	LINCVY	U1TV4	40.70	40.54	07.44	40.74	0.00		1		I		
	Termination per month	-	-	UNCVX	U11V4	18.73	40.54	27.41	16.74	6.90				 		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		5.59	5.59	6.98	6.98				1		
EVT	IIS Charge ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERO	FEICE		UNCCC		5.59	5.59	6.98	0.98	-	 	 	 	 	
EAII	DS3 Local Loop in combination - per mile per month	INTERC		UNC3X	1L5ND	8.38										+
$\overline{}$	233 Local Loop III combination - per mile per month	1	-	UNCOX	ILSIND	0.30								-		-
ı I	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	431.32	203.54	115.45	03.30						-
\leftarrow	Interoffice Transport - Dedicated - DS3 combination - Facility		-	ONCOX	TLOAK	4.03										
ı l	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.100/	01110	7 00.02	2.00	102.10	00.20	00.10		 				
ı I	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0.1000		0.00	0.00	0.00	0.00						
	STS-1 Local Lolp in combination - per mile per month	1		UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination - Facility Termination per															
ı I	month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
ı I	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
ı l	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS														
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						ļ
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						ļ
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
1	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0.18										.
. [Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	LIATEA	00.40	00.07	04.04	40.05	44.44				1		
+-	Termination per month	1	<u> </u>	UNC1X	U1TF1 MQ1	60.16	89.27 91.04	81.81	16.35	14.44			-	 	-	
	1/0 Channel System in combination - per month	1		UNC1X		101.06	91.04 6.58	62.57 4.72	10.54	9.79				 		
	2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	-	UNCNX	UC1CA	2.41	0.58	4.72					-		-	
. [Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54				1		
\leftarrow	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	-	ONOINA	UILZA	21.08	111.24	19.11	52.08	10.54	-	 	 	 	 	
(l	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		1		I		
\leftarrow	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		014014/	JILZA	32.03	111.24	13.11	32.00	10.34		-		 		
(l	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1		I		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	†		0.1011/	JILLA	40.00	111.24	13.11	52.00	10.54	-	 		I		†
	month		1	UNCNX	UC1CA	2.41	6.58	4.72				1		I		
	Nonrecurring Currently Combined Network Elements Switch -As-				1		0.00	2						<u> </u>		
	Is Charge		1	UNC1X	UNCCC		5.59	5.59	6.98	6.98		1		I		
EXT!	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.09										
, l =	Interoffice Transport - Dedicated - STS-1 combination - Facility			l					[_		
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						

UNBUI	NDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
2231			1									Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec			Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
\sqcup		DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1	ļ	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
\vdash		Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport		3	UNC1X	USLXX	314.52	252.47	457.54	44.70	44.74						
\vdash		Combination - Zone 3 DS1 COCI in combination per month	<u> </u>	3	UNC1X UNC1X	UC1D1	12.70	6.58	157.54 4.72	44.70	11.71						
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCIA	OCIDI	12.70	0.30	4.72			-					
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
 	EYTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	RDS INT	FROFE		UNCCC		5.59	5.59	0.90	0.90	1			1		
		4-wire 56 kbps Local Loop in combination - Zone 1	I O IIVI		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-			 		+
\vdash		4-wire 56 kbps Local Loop in combination - Zone 2	 		UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	-			 		
\vdash		4-wire 56 kbps Local Loop in combination - Zone 3	t		UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	 			I		1
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		Ť	C. TODA	02200	07.00	120.21	00.00	00	1 1.00						İ
		Per Mile per month			UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-			1											
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF	ICE TRANSPORT												
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month	ļ		UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					4= 40										
\vdash		Facility Termination per month	1		UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINODY	1111000		5 50	5.50	0.00	0.00						
\vdash	EVTEN	Is Charge DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	ODT	UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	EXIEN	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	-					
\vdash		First 2-wire VG Loop (SL2) in Combination - Zone 2	-		UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	-					
-		First 2-wire VG Loop (SL2) in Combination - Zone 3	 		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	1			-		
\vdash		First Interoffice Transport - Dedicated - DS1 combination - Per	1		ONOVA	OLALZ	30.14	00.00	33.00	77.27	7.44						
		Mile			UNC1X	1L5XX	0.18										
		First Interoffice Transport - Dedicated - DS1 combination -			0.1017	120701	0.10										
		Facility Termination per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				I		
		Per each DS1 Channelization System Per Month	1		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79			l	1		
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.53	6.58	4.72								
		3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
igsquare		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1													1		
$\vdash \vdash$		Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44				ļ		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	LINICVO	LIEALO	20.44	00.00	EE 00	47.01	-				I		
$\vdash \vdash$		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44			 	 		1
		Foob Additional Voice Crade CCCL in combination	.1	1	LINICVY	1011/0	0.50	0.50	4.70						I		
\vdash		Each Additional Voice Grade COCI - in combination - per month	+	+	UNCVX	1D1VG	0.53	6.58	4.72	1		-		-	 	-	1
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18								1		
\vdash		Each Additional DS1 Interoffice Channel Facility Termination in	1	-	UNCIA	ILOAA	0.18								 		-
		same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				1		
\vdash		Each Additional DS1 COCI combination per month	 	1	UNC1X UNC1X	UC1D1	12.70	6.58	4.72	10.35	14.44			-	 		1
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	1		DINGIA	00101	12.70	0.30	4.12						 		+
1 1		Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98				1		
1 1								0.00	0.00	0.00	0.00	1			1		1

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
\Box	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
\vdash	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
<u> </u>	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per			11041/	41.500/	0.40										
\longrightarrow	Mile Per Month		-	UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility			11041/	U1TF1	00.40	00.07	04.04	40.05							
\vdash	Termination Per Month	1	1	UNC1X UNC1X	MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79		-				
<u> </u>	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.53	6.58	4.72	10.54	9.79	-					
	3/1 Channel System in combination per month	1	 	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1					
\vdash	Per each DS1 COCI in combination per month	1	+	UNC1X	UC1D1	12.70	6.58	4.72	33.26	31.03		-	 	 		
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	 	UNCIX	OCIDI	12.70	0.30	4.72	-		1					
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	†	+ '-	0.10 1 /	JLAL4	25.54	101.87	34.31	35.14	14.30	-		 	 		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	-	OHOVA	OL/1L-I	00.00	101.07	04.01	00.14	14.00	-					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť	0.10171	027121	00.02	101.07	0 1.0 1	00.11	1 1.00						
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in				1.20.00	01.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month	i	1	UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-											ĺ			
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
\vdash	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						400.00									
\longrightarrow	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
\vdash		1	3	UNCDX	UDL56	37.88	120.27	88.80	59.14	14.50		-				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18			1							
-	First Interoffice Transport - Dedicated - DS1 - combination	 	 	ONOIA	ILUAA	0.10			 				 	 		
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month	1	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	 	-				1
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	t	1	UNCDX	1D1DD	1.12	6.58	4.72	1				İ	İ		İ
	3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83		İ	İ	İ		l
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72					1	1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
I	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	<u></u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															l
$\sqcup \sqcup$	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
_	OCU-DP COCI (data) COCI in combination per month (2.4-	1														
\vdash	64kbs)	ļ	1	UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	LINIOAY	41.500				I							
$\vdash \vdash$	Channel System per month	!	1	UNC1X	1L5XX	0.18			 	-			 	 		
1 1	Each Additional DS1 Interoffice Channel Facility Termination in			LINGAY	LIATEA	00.40	00.07	04.04	40.05							
\vdash	same 3/1 Channel System per month	 	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1		 	 		-
1 1	Each Additional DS1 COCI in the same 3/1 channel system combination per month	1		UNC1X	UC1D1	12.70	6.58	4.72	I							
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	+	ONCIA	OCIDI	12.70	86.0	4.72	 		 	-	 	 		
	presidenting outletting combined Network Lietherite SWIGH -AS-	1	1	1	1	i l			1	I	1	1	l .	1		1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUN	DLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
		The state of the s										Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
L		Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
		Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_				400.00		==							
-		Transport Combination - Zone 3	-	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
\vdash		First Interoffice Transport - Dedicated - DS1 combination -			UNCIA	ILSAA	0.10										+
		Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
		Per each Channel System 1/0 in combination Per Month		-	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
\vdash		Per each OCU-DP COCI (data) in combination - per month (2.4-			2.10.71		101.00	01.04	02.01	10.04	5.79				1		
		64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72				1				
		3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				İ	İ	
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		İ											1		
<u></u>		Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		L			<u> </u>	
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.18										
		Each Additional DS1 Interoffice Channel Facility Termination in					00.40			40.05							
\vdash		same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	-					
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	12.70	0.30	4.72								+
		Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
F	XTFN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	2T w/ 3/	1 MIIX		UNCCC		5.55	5.55	0.90	0.90						
	X 1 L 1 4	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	11 11/ 0/	I													<u> </u>
		Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
oxdot		Mile per month			UNC1X	1L5XX	0.18										
		First Interoffice Transport - Dedicated - DS1 combination -														I	
$\sqcup \bot$		Facility Termination per month		<u> </u>	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				ļ		<u> </u>
$\sqcup \!\!\! \perp$		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				ļ		<u> </u>
		D		1									1				
\vdash		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72	00.00	04.00						
\vdash		3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				-		-
\vdash		Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	12.70	6.58	4.72				-	-			
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
$\vdash \vdash$		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	<u> </u>	ONONA	UILZA	∠1.08	111.24	19.77	3∠.08	10.54	-	 		 	 	
		Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		1				
\vdash		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		0.1011/	O ILEA	52.05	111.24	13.11	52.00	10.54	-	 				†
		Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1				
\vdash		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		Ť			.0.00			52.50	.0.04				1		
		system combination- per month		1	UNCNX	UC1CA	2.41	6.58	4.72				1				
		Each Additional DS1 Interoffice Channel per mile in same 3/1		Ì	-			2.20				1			İ	l	
		Channel System per month		1	UNC1X	1L5XX	0.18						1				
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month	<u> </u>	L	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	<u></u>	<u></u>		<u> </u>	<u></u>	

UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ONDONDEE	Adduna	I			1	I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
																_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-			1	Nonred	urrina	Nonrecurring	Disconnect			220	Rates (\$)		
-		-	-			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system	-	-				FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
				LINICAY	UC1D1	12.70	0.50	4.70								1
\vdash	combination per month			UNC1X	OCIDI	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		5 50	5.50	0.00	0.00						ł
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN	_		1101101	00.55			44.70							
———	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
———	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															ł
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -	1	1	l .	1						I]		l		1
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								i .
	Each Additional DS1 Interoffice Channel per mile in same 3/1															ł
	Channel System per month			UNC1X	1L5XX	0.18										l
	Each Additional DS1 Interoffice Channel Facility Termination in															ĺ
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ł
	Each Additional DS1 COCI in the same 3/1 channel system															1
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								í
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						í
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i T
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						ł
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						ł
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						ł
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						·
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						·
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť													
	per month			UNCDX	1L5XX	0.008838										ł
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						i
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120	10.12	10.01		10.7 1	0.00						
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98	1					1
FXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5555		0.00	0.00	0.00	0.30	-					(
EXTE	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	-					(
 	First 4-wire 64 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	 			 		
	First 4-wire 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	-					(
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	 	-	5.10DA	00004	37.00	120.21	00.00	33.14	17.50	-					(
	per month			UNCDX	1L5XX	0.008838										1
 	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	 	 	O110DX	1LU///	0.000030					 			 		
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						1
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-	 	 	OHODA	סטווט	13.12	40.54	21.41	10.74	0.90	 	-		 		
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98	1					1
ADDITIONAL	NETWORK ELEMENTS	-		ONODA	UNCCC		5.59	5.59	0.98	0.98				-		
	used as a part of a currently combined facility, the non-recurr	rna sh-	race al-	not apply but - f	Switch Ac Is -	harao daga sii ii	N.							-		
	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, the													-		
	used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					AS IS CHARGE O	ioes not.									
Nonre	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	cnarge	(One a	ipplies to each con	ibination)											
		1		LINCV	UNCCC		5.59	5.59	0.00	6.98	1					1
	Is Charge - 2 wire/4-Wire VG	!		UNCVX	UNCCC		5.59	5.59	6.98	6.98	-			 		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOO				0.00	0.00	1					1
\vdash	Is Charge - 56/64 kbps	-	-	UNCDX	UNCCC		5.59	5.59	6.98	6.98	 			 		
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINICOO				0.00	0.00						, ,
\Box	Is Charge - DS1	L	<u> </u>	UNC1X	UNCCC		5.59	5.59	6.98	6.98	l			l		1

UNBUN	IDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
0.1.201		7.2.2	I	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							D	Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						ł
		Nonrecurring Currently Combined Network Elements Switch -As-															i T
		Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						ł
	ption	al Features & Functions:															i T
					U1TD1,												i T
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	OI	OI						í
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	01	OI						ł
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						ł
					U1TD3, ULDD3,												i T
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S	1	1				1
1	/ULTII	PLEXERS															1
		DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						i .
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						i I
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i T
		month (2.4-64kbs) used for connection to a channelized DS1															ł
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						ł
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1													
		month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															1
		in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						i I
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1													
		used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															1
		same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						1
		DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						i
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						i T
		DS1 COCI (used for connection to a channelized DS1 Local															i T
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						ı
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						ĺ
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															ı
		month	<u> </u>	L	ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00			<u> </u>			<u> </u>
		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s								
2	-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						
T									l					I			
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						
1 T	_	Exchange Ports - 2-Wire VG unbundled AL extended local	1		<u> </u>	1								<u> </u>			ı ¬
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						<u> </u>
1 T		Exchange Ports - 2-Wire VG unbundled res, low usage line port											1				·
		with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33						
T		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan							l					l			ı ———
		without Caller Id	<u> </u>	<u></u>	UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33			<u></u>	L		<u> </u>
		2-Wire voice unbundled Low Usage Line Port without Caller ID															ı
		Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
F	EATU																
		All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
	-WIRE	VOICE GRADE LINE PORT RATES (BUS)															

UNBI	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
0.12		7.2.2		1		T						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intent									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
-	1	Bus But O Will NO other Health's Both it			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
-	+	unbundied port with Caller+E464 ID - Bus.		-	UEPSB	UEPBC	1.30	2.30	2.21	1.42	1.33	-					
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
-	1	Exchange Ports - 2-Wire VG unbundled AL extended local		<u> </u>	OLI OD	OLI DO	1.50	2.50	2.21	1.42	1.55	-					
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	1	Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
		without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
	EXCHA	NGE PORT RATES (DID & PBX)				ļ											
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
-	1	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
-	1	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<u> </u>	UEPSP UEPSP	UEPPO UEPP1	1.38 1.38	31.27 31.27	14.85 14.85		0.90 0.90		-				
-	+	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP	UEPLD	1.38	31.27	14.85		0.90	-					
-	+	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		<u> </u>	UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90	-					
	+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85		0.90						
	1	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	4.00	04.07	44.05	40.04	0.00						
-	+	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXO UEPXS	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90	-					
-	1	Subsequent Activity		 	UEPSP	USASC	0.00	0.00	0.00	13.94	0.90		-				
-	FEATU		-	1	021 01	COAGO	0.00	0.00	0.00	 				 	 		
—		All Available Vertical Features		<u> </u>	UEPSP UEPSE	UEPVF	1.98	0.00	0.00	1			 				
		NGE PORT RATES (COIN)		t –	0. 02. 02	1	50	0.00	0.00	İ				İ	İ		
	1	Exchange Ports - Coin Port		1		1	1.38	2.38	2.27	1.42	1.33		İ	İ	İ	l	
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-Ch	nannels assoc	ated with 2	wire ISDN r	oorts.	1		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU	NDLED L	OCAL EXCHANGE SWITCHING(PORTS)			-				•								
		INGE PORT RATES												<u> </u>			
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.	ļ	
<u> </u>	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	arter the	effecti								scretion.					
<u> </u>	 	Exchange Ports - 2-Wire DID Port		!	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76			 	 	 	
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46						
-	1	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		 	UEPDD UEPTX, UEPSX	U1PMA	9.79	72.77	95.69 52.99	72.59 47.79	10.74		-				
\vdash	+	All Features Offered		<u> </u>	UEPTX, UEPSX	UEPVF	1.98	0.00	0.00		10.74			 	 		
\vdash	+	Exchange Ports - 2-Wire ISDN Port Channel Profiles	-	t	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			-		 	 		
	NOTF:	Transmission/usage charges associated with POTS circuit st	vitched	usage							nannels assoc	iated with 2	wire ISDN r	oorts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	i
		NGE PORT RATES (continued)		T										1	1		
		, ,															

	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
		Г		I							Svc Order	Svc Order	Incremental		Incremental	
											I .	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
		m						101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$		1	1		+ + +		Nonre	curring	Nonrecurring	Disconnect	1	1	OSS	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-+-	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1	1		+ + +		11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
-+-	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	1	UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06	1					
	Physical Collocation - DS1 Cross-Connects	1	1	UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79		1				
	Virtual collocation - Special Access & UNE, cross-connect per	1	1	OLI LX OLI DX	1 = 11 1	1.11	22.03	10.00	0.40	5.73		1				
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Dotai	led E911 with Locator Capability (required with UEPEX port)	1	1	OLFLX OLFDX	CINCIA	1.11	22.03	13.93	0.40	5.19		1				
Detail	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1		+							1				
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			HEDEV	UEP1A	0.00	4 004 00		450.00							
+-		1	-	UEPEX	UEPTA	0.00	1,804.00		156.08		-					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,			HEDEV	LIEDAD	0.00	475.44									
	Deletions			UEPEX	UEP1B	0.00	175.14									
New o	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53									
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53			Î			Î			
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53									
CALI	TYPES															
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00			Ì		İ			İ
UNBI	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	Y														
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1		1						İ					İ
	Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33	1		ĺ		1	ĺ
	j	1	1								İ					İ
	Unbundled Remote Call Forwarding Service, Local Calling - Res	;		UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33	I		l	I	1	l
	Unbundled Remote Call Forwarding Service, InterLATA - Res	1	1	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33	İ					İ
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		1	UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33	İ		İ	1	İ	İ
Non-	Recurring	t	i -		1				†	1	İ		İ	1		İ
	Unbundled Remote Call Forwarding Service - Conversion -		1	1	1 1				i e	İ	İ		İ	1	İ	İ
	Switch-as-is			UEPVR	USAC2		0.10	0.10	I					I		l
-	Unbundled Remote Call Forwarding Service - Conversion with		t	1	1		30	5.10	†	i			i	1	i	i
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10	1		1			1		1
UNRI	JNDLED REMOTE CALL FORWARDING - Bus	1	t		120.00		30	5.10	t	i	1		i	t	 	
- 101120	The state of the s	1	t	<u> </u>	+ +				t	i	1		i	t	 	t e
1	1	1	1		LIEDAC	4.00	0.00	2.27	4 40	4 22	1	1	l	1	I	I
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			IUEPVB	IUERAG	1.38 I	2.38		1.47	1.5.5						
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	-		UEPVB	UERAC	1.38	2.38	2.21	1.42	1.33						

	DLE	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						1	1	Nonrec		Nonrecurring	Disconnect			220	Rates (\$)		
\vdash							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
-		Unbundled Remote Call Forwarding Service, InterLATA - Bus	-	-	UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33	-					
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERTR	1.38	2.38	2.21	1.42	1.33	-					
		Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
		ecurring		-	UEFVB	UERVJ	1.30	2.30	2.21	1.42	1.33	-					
IN.		Unbundled Remote Call Forwarding Service - Conversion -	-	-		-	-			-		-					
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
\vdash		Unbundled Remote Call Forwarding Service - Conversion with		-	UEFVB	USACZ		0.10	0.10								
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
LINIBLINIB			-	-	UEPVB	USACC		0.10	0.10	-							
		OCAL SWITCHING, PORT USAGE fice Switching (Port Usage)	 	-	_	+				 		-					-
┝		End Office Switching Function, Per MOU	-	+	-	+	0.0007025			 		 					-
\vdash			 	-	_	+	0.0007025			 		-					-
 		End Office Trunk Port - Shared, Per MOU	-	-	 	1	0.0001638			 		1					
	ander	n Switching (Port Usage) (Local or Access Tandem)	 	1	 	1	0.00000=			 		 					
\vdash		Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU	 	1	 	1	0.000095 0.0002015			 		 					
-			-	-		1				-							
-		Tandem Switching Function Per MOU (Melded)	-	-		1	0.000040993			-							
		Tandem Trunk Port - Shared, Per MOU (Melded)		-		ļ	0.000086947										
		Melded Factor: 43.15% of the Tandem Rate		-		ļ											
		on Transport	-	-		1	0.0000000			-							
\vdash		Common Transport - Per Mile, Per MOU	-	-		1	0.0000023			-							
LINIBLINIB		Common Transport - Facilities Termination Per MOU	-	-		1	0.0003224			-							
		PORT/LOOP COMBINATIONS - COST BASED RATES	. 1/ 0/					.1	l. B. etc.								
	OST B	ased Rates are applied where BellSouth is required by FCC ar	ia/or St	ate Co		oviae unbur	iaiea Locai Swii										
			4 D	D - 1	C In the comme					. I Deat continu	- (() !- D-(- E						
		es shall apply to the Unbundled Port/Loop Combination - Cos						to the Stand-A	one Unbundle				D 1/1	0			
E	nd Of	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	he Port section of th	is rate exhib	it shall apply to	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
E	nd Of he firs	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr	sage rat	es in th	he Port section of th	is rate exhib	it shall apply to	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
T 2	nd Of he firs WIRE	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	sage rat	es in th	he Port section of th	is rate exhib	it shall apply to	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
T 2	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	sage rat	es in th ombine	he Port section of th	is rate exhib	it shall apply to ined Combos th	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
T 2	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	sage rat	es in thombine	he Port section of th	is rate exhib	it shall apply to ined Combos th 12.70	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
T 2	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	sage rat	es in thombine	he Port section of th	is rate exhib	it shall apply to ined Combos th 12.70 21.19	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
E	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3	sage rat	es in thombine	he Port section of th	is rate exhib	it shall apply to ined Combos th 12.70	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
E T 2 U U U U U U U U U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates	sage rat	es in the	ne Port section of the d Combos. For Cur	nis rate exhib rently Comb	it shall apply to ined Combos th 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
E T 2 U U U U U U U U U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	sage rat	es in the ombine 1 2 3 1	ne Port section of the Combos. For Cur	vis rate exhib rently Comb	it shall apply to ined Combos th 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
1 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 oop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	ne Port section of the d Combos. For Cur	UEPLX UEPLX	12.70 21.19 34.80 11.55 20.04	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	sage rat	es in the ombine 1 2 3 1	ne Port section of the Combos. For Cur	vis rate exhib rently Comb	it shall apply to ined Combos th 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network elen	nents except	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	DEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A	ione Unbundle ons of loop/po g charges sha	ort network elen	nents except	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	it shall apply to ined Combos the Combos to 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination in nonrecurring	lone Unbundle ons of loop/pc g charges sha	ort network elen II be those ider	nents except titified in the N	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination the nonrecurring 40.19 40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	ort network elen ii be those ider	nents except titified in the N	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	it shall apply to ined Combos the Combos to 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination in nonrecurring	lone Unbundle ons of loop/pc g charges sha	ort network elen II be those ider	nents except titified in the N	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	do the Stand-A all combination in nonrecurring 40.19 40.19 40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	24.91 24.91	ents except titified in the N	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination the nonrecurring 40.19 40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	ort network elen ii be those ider	nents except titified in the N	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19	19.83	24.91 24.91	6.63 6.63	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	do the Stand-A all combination in nonrecurring 40.19 40.19 40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	24.91 24.91	ents except titified in the N	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port dutgoing only - res 2-Wire voice Grade Loop (SL1) - Zone S 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19	19.83	24.91 24.91	6.63 6.63	for UNE Coi					
E T T 2 2 U	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Toop Combination Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
	nd Of he firs WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
	nd Of he first WIRE NE Po	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
	nd Of he first WIRE NE PC	fice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nd Of he first WIRE NE Po NE Lo Wire	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Roup (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered .NUMBER PORTABILITY Local Number Portability (1 per port)	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nd Of he first WIRE NE Po NE Lo Wire	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
22	nd Of he first WIRE NE Po	fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Port with Caller ID res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED [2-Wire voice Grade Loop / Line Port Combination - Conversion -	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nd Of he first Wire NE Po	fice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID (Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nd Of he first WIRE NE Po	fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPKT UEPKT	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
2 2 U U U U U U U U U U U U U U U U U U	nd Of he first WIRE NE Po NE Lo Wire	fice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID (Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	sage rat	es in the ombine 1 2 3 1 1 2 2 2 3 1 2 2 2 2 2 2 2 2 2 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
	Activity			UEPRX	USAS2	0.00	0.00	0.00								\vdash
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPRX	URETL		8.33	0.83								i l
OFF/O	Premise N PREMISES EXTENSION CHANNELS			UEPRX	UKETL		8.33	0.83	-							
UFF/C	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30	1					$\overline{}$
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30	1					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30	†					
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44	İ					
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEDDV												i l
2 14/15	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	U1TVM	0.008838	0.00	0.00	1		1					
	Port/Loop Combination Rates		1		+				-		-					
UNEF	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.70			-		-					
-	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.19					+					
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80					i e					
UNE L	oop Rates		Ť			0 1.00			t		†					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63	ļ					—
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						i
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63	1					
	2-Wire Voice Unburidled Alabama Business Dialing Plan without			OLI DX	OLIDI	1.13	40.13	13.03	24.51	0.03	1					
	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						i
	2-Wire voice unbundled Incoming Only Port without Caller ID										İ					i
	Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						i
LOCA	L NUMBER PORTABILITY															i
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										_
FEATU					1				ļ							
No.	All Features Offered		<u> </u>	UEPBX	UEPVF	1.98	0.00	0.00	-							
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	-		+				-		1	-				
	Switch-as-is			UEPBX	USAC2		0.10	0.10	1							1
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI DA	USAGZ		0.10	0.10	 		<u> </u>			 		
	Switch with change			UEPBX	USACC		0.10	0.10	1							1
ADDIT	TONAL NRCs						50	5.10	1					İ		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										İ			1		1
	Activity	<u></u>		UEPBX	USAS2		0.00	0.00	<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS												_		_	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30				ļ		
—	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30	ļ					
 	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX UEPBX	UEAED	14.38	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44	ļ			 		
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPBX	UEAED	22.85 36.14	88.00	55.00	47.24	7.44 7.44	 					
INTER	OFFICE TRANSPORT	H	٥	OLFBA	ULAED	30.14	00.00	55.00	41.24	1.44	1			 		$\overline{}$
IIIII	aa	1			1				ı	1	1	1	1	1	1	

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>		-	-				Nonrec		Nonrecurring	Disconnect			220	Rates (\$)		
\vdash		+	1		+	Rec	First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+	1				FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
	Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TVM		0.00	0.00	10.7.1	0.00						
2 WID	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	+	 	UEPBX	UTTVIVI	0.008838	0.00	0.00			-					
	Port/Loop Combination Rates	+	1								1					
OI4L I	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	12.70										
	2-Wire VG Loop/Port Combo - Zone 2	1	2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3	1	3			34.80										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)							· · · · ·								
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
LOCA	L NUMBER PORTABILITY	ļ	ļ													
L	Local Number Portability (1 per port)		ļ	UEPRG	LNPCP	3.15	0.00	0.00								
FEAT		1														
NONE	All Features Offered	+	 	UEPRG	UEPVF	1.98	0.00	0.00			-					
NONK	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	1		+						-					
	Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	 	OLI NO	UUAUZ		7.51	1.30							1	1
	Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
ADDIT	FIONAL NRCs			02.110	00/100		7.01									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS		<u> </u>													
	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
\vdash	Local Channel Voice grade, per termination	1	3	UEPRG UEPRG	P2JHX P2JHX	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44		-				
\vdash	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade	+	1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40	-					
-	Non-Wire Direct Serve Channel Voice Grade	+	2	UEPRG	SDD2X SDD2X	23.88	131.60	61.92	90.50	13.40	H			l	 	
$\overline{}$	Non-Wire Direct Serve Channel Voice Grade	+	3	UEPRG	SDD2X SDD2X	33.72	131.60	61.92	90.50	13.40	-				 	
INTEF	ROFFICE TRANSPORT	†	Ť			552		31.32	33.30	.5.10					1	1
1331211	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1									İ		İ		
	Termination		1	UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.008838	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												-			
UNE F	Port/Loop Combination Rates	_													ļ	ļ
\vdash	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	12.70				-	-			 	ļ	ļ
\vdash	2-Wire VG Loop/Port Combo - Zone 2	 	2	-	+	21.19 34.80				-				 	.	.
1000	2-Wire VG Loop/Port Combo - Zone 3	+	3		+	34.80				-	1			-	 	
UNE L	_oop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEPPX	UEPLX	11.55						-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	2	UEPPX	UEPLX	20.04					-				 	
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	33.65					 	-				
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	1	Ť		32. 2.	55.50										
		1	1									İ		İ		
L	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<u></u>	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	1.15 1.15	69.08	32.41	37.43	6.20						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX			69.08	32.41	37.43	6.20						

UNR	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
CIAD	ONDEL	NETWORK ELEMENTO Alabama										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_							N.		I 81	D'				D-1 (A)		
	-		-				Rec	Nonrec First		Nonrecurring	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	+	2-Wire Voice Unbundled 2-Way Combination PBX Alabama				+		FIRST	Add'l	First	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
		Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						'
	+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20						
	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															'
		Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						 '
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															'
-	+	Administrative Calling Port		-	UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20						1 '
	+	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 		OLFFA	OLF AIVI	1.10	09.08	32.41	31.43	0.20	1	-	 	 	 	
		Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						1 '
	+	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
	LOCAL	NUMBER PORTABILITY								00							
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		7.04	4.00								ĺ
-	+	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-	UEPPX	USAC2		7.91	1.90								
		Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								'
	ADDIT	ONAL NRCs			OLFFX	USACC		7.51	1.50								
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								ĺ
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															l
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS		1	LIEDDY	DO ILIV	44.00	00.00	55.00	47.04	7.11						
	+	Local Channel Voice grade, per termination			UEPPX UEPPX	P2JHX P2JHX	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						
	+	Local Channel Voice grade, per termination Local Channel Voice grade, per termination			UEPPX	P2JHX P2JHX	36.14	88.00	55.00	47.24	7.44						
	+	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
	1	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														l	1
		Termination			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	LIATO #A	0.00000	0.00	0.00								1
	2 MUDE	or Fraction Mile	<u> </u>	-	UEPPX	U1TVM	0.008838	0.00	0.00			-	-	 	 	-	
-		EVOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates	X I			_								-	-	-	
-	OIAE L	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
	1	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19							1	1		
	1	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80							İ	İ		
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55		_		•						
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	20.04										
L	0.10"	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
<u> </u>	2-Wire	Voice Grade Line Ports (COIN)	-									-	-	-	-		
1		2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63						1
	+	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63			 	 	-	
-	1	2-Wire Coin 2-Way with Operator Screening (AL, RT) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			02.1 00	JLI ILL	1.13	40.19	13.03	24.51	0.03						
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63						1
	•				•								•	•	•	•	

UNB	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-	T		1	†		+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															1
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
<u> </u>	 	2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Smartline with 900/976 (all states except I A)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						ı
—	ADDIT	ILA) IONAL UNE COIN PORT/LOOP (RC)	1	 	ULPCU	UEFCK	1.15	40.19	19.83	24.91	0.03	-	-				
—	ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	 	1	UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY		1	OLI CO	UKLOO	1.50	0.00	0.00	0.00	0.00						
		Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Switch-as-is			UEPCO	USAC2		0.10	0.10								i
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	ł														ı
		Switch with change		1	UEPCO	USACC		0.10	0.10								
	ADDIT	IONAL NRCs		-													
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			LIEDCO	USAS2		0.00	0.00								ı
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	1	UEPCO	USASZ		0.00	0.00	-		-					
		Premise			UEPCO	URETL		8.33	0.83								ı l
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELINE	PORT (I		0.1.2.1.2		0.00	0.00	t							
		ort/Loop Combination Rates		T ,	,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										i
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
	UNE L	oop Rates			LIEDED	LIEGEO	44.00										
-	<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR UEPFR	UECF2	14.38 22.85			-							
-	1	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
-	2-Wire	Voice Grade Line Port Rates (Res)		-	OLITIK	OLOI Z	30.14					†					
		2-Wire voice unbundled port - residence		1	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						i
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice Grade unbundled Alabama extended local dialing															
<u> </u>	!	parity port with Caller ID - res		1	UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	4.00	00.00	57.C=	40.00							1
<u> </u>	1	(LUM)	₩	₩	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77	1	-				
	1	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	1		UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		1				ı
	INTER	OFFICE TRANSPORT		1	OLI I IX	JLI WA	1.30	30.30	51.21	70.00	0.77						$\overline{}$
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1				1							
		Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															(
	<u> </u>	or Fraction Mile	ļ		UEPFR	1L5XX	0.008838			ļ			ļ				ı———
	FEATU		<u> </u>		LIEDED	LUED! (E						1					
<u> </u>	1.004	All Features Offered	 	1	UEPFR	UEPVF	1.98	0.00	0.00	 			 				
<u> </u>	LUCAL	NUMBER PORTABILITY	 	1	LIEDED	LNPCX	0.35			-		1					
-	NONP	Local Number Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	UEPFR	LINFUX	0.35			 		 					
—	. TOTAL	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		+											$\overline{}$
		Combination - Conversion - Switch-as-is			UEPFR	USAC2	J	8.48	1.87	1							₁ 1
					L	,		20								L	

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR			0.40	4.07								
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87			-					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10								
2.14	VIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELIMEI	ODT /		UKETIN		11.21	1.10			 	-				+
	E Port/Loop Combination Rates	L LIIVE I	INO	1							<u> </u>	1			1	-
0.14	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-	15.76					†	-				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23					1	1	1			†
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52					1	1	1			†
UN	E Loop Rates		Ť								İ			1		
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38					İ					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	36.14										
2-V	Vire Voice Grade Line Port (Bus)	i –									İ				1	
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77					ĺ	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						ļ
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LO	CAL NUMBER PORTABILITY				LLIBOY	0.05										
15.17	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					ļ					
INI	TEROFFICE TRANSPORT										-					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	UTIVZ	21.13	40.54	27.41	16.74	6.90	1		1	1		1
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FF	ATURES			OLITB	TESAX	0.000030					+		-			
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00			1	1	1			†
NO	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED										İ					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.21	1.10		<u> </u>			<u> </u>			<u> </u>
	VIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (PBX)												
UN	E Port/Loop Combination Rates	ļ											1		ļ	ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			15.76					ļ		ļ			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2			24.23						-	-	ļ	ļ	
 	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			37.52						-	-	ļ	ļ	
UN	E Loop Rates	 	-	LIEDED	UECEC	4400					ļ		 	1	 	
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 1	-		UEPFP	UECF2	14.38					 	1	 	1	 	1
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2	+		UEPFP UEPFP	UECF2 UECF2	22.85 36.14					 	-	 	1		
2 14	2-Wire Voice Grade Loop (SL2) - Zone 3 Vire Voice Grade Line Port Rates (BUS - PBX)	 	3	OLFFF	UEUFZ	30.14					}	 	 		 	
Z-V	THE FOICE STAVE LINE FULL NAISS (DUS - FDA)	 	-		+						}	 	 		 	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34			1			
 	Line Side Unbundled Outward PBX Trunk Port - Bus	†		UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34	1	 	I	1		†
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34			<u> </u>		1	
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	l –						55.56	30	3.54			1		İ	
	Calling Port	1		UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34			I			
	2-Wire Voice Unbundled PBX LD Terminal Ports	i –		UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34	İ				1	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34						

UNDUNDLED NETWORK ELEMENTS - Alabama	ntal Incremental Charge - Svc Manual Svc Order vs. iic- Disc 1st	Charge - Manual Svo Order vs.
CATEGORY RATE ELEMENTS Interigue RATE (S) Submitted Electropic Submitted Electro	Charge - Svc Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interim m	Svc Manual Svc ors. Order vs. lic- lic- Disc 1st	Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS	ors. Order vs. Electronic-Disc 1st	Order vs. Electronic- Disc Add'l
Rec	Electronic- Disc 1st	Electronic- Disc Add'l
1st Add Add Add First Add First Add First Add First Add First Add SOME SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN Soman	Disc 1st	Disc Add'l
Rec Honrecurring Nonrecurring Disconnect OSS Rates (8 First Add1 Fi		
Continued Cont	N SOMAN	SOMAN
Committee Comm	N SOMAN	SOMAN
2-Wire Voice Unbundled PSK ID Terminal Switchboard IDD UEPFP UEPXE 1.38 119.27 69.85 61.18 8.34	N SOMAN	SOMAN
Capable Port Capa		
Ca-Wire Votice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPXL 1.38 119.27 69.85 61.18 8.34		
Administrative Calling Port		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXM 1.38 119.27 69.85 61.18 8.34		
Room Calling Port		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXO 1.38 119.27 69.85 61.18 8.34		
Discount Room Calling Port UEPF UEPX 1.38 119.27 69.85 61.18 8.34		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPF UEPXS 1.38 119.27 69.85 61.18 8.34		
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABLE NUMBER PORTAB		
Local Number Portability (1 per port)		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFP U1TV2 21.13 40.54 27.41 16.74 6.90		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		1
Termination		
Interdice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	- 1	
DEFP 1L5XX 0.008838 DEFP 1L5XX 0.008838 DEFP 1.5XX 0.008838 DEFP DEFP DEFE DEFE DEFE DEFE DEFP		
FEATURES		
All Features Offered		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.48 1.87		
Combination - Conversion - Switch-as-is		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.48 1.87		
Combination - Conversion - Switch with change		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.21 1.10		
End User Premise		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 UEPPX UECD1 14.38 UNE Port Analog Voice Grade Loop - (SL2) - UNE Zone 2 UEPPX UECD1 22.85 UNE Port Rate UNE Zone 3 UEPPX UECD1 36.14 UNE Port Rate UNE Zone 3 UEPPX UECD1 36.14 UNE Port Rate UNE Zone 3 UEPPX UECD1 36.14 UNE Port Rate UNE Zone 3 UEPPX UECD1 36.14 UNE Port Rate UNE Zone 3 UEPPX UECD1 36.14 UNE Port Rate UNE Zone 3 UEPPX UECD1 36.14 UNE Port Rate UNE Zone 3 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UEPPX UECD1 UNE Zone 2 UE		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 22.40 2 30.88 2 2 30.88 2 2 30.88 2 2 30.88 2 2 30.88 30		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 30.88 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 44.17		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 44.17		
UNE Loop Rates		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		
UNE Port Rate		
Exchange Ports - 2-Wire DID Port UEPPX UEPD1 8.02 207.31 73.74 107.14 11.20		
NONRECURRING CHARGES - CURRENTLY COMBINED		ļ
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		
Switch-as-is		1
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		
with BellSouth Allowable Changes UEPPX USA1C 7.31 1.87		1
ADDITIONAL NRCs		
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk UEPPX USAS1 26.78 26.78		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at		
End User Premise		ļ
Telephone Number/Trunk Group Establisment Charges		1
DID Trunk Termination (One Per Port) UEPPX NDT 0.00 0.00 0.00		
Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 0.00		
DID Numbers, Non- consecutive DID Numbers , Per Number UEPPX ND5 0.00 0.00 0.00		
LOCAL NUMBER PORTABILITY		
Local Number Portability (1 per port) UEPPX		
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT		
UNE Port/Loop Combination Rates		
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		
UNE Zone 1 1 UEPPB UEPPR 27.28 27.28		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7		cs	USOC			DATES (6)			Elec	Manually				
CATEG	ORY	RATE ELEMENTS	m	Zone	L .	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
									Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
-	UNE LO	pop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03					-			-		-
		2-Wile ISDN Digital Grade Loop - ONE Zone 1		'	UEPPB	UEPPR	USLZA	19.03					1			1		1
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
	UNE P	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED								_		_						
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02					ļ		L	ļ
	ADDITI	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDDD	HEDDD	LIDETN		44.04	4.40								
-		End User Premise		<u> </u>	UEPPB	UEPPR	URETN		11.21	1.10			-			-		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
-	LOCAL	NUMBER PORTABILITY		1	UEPPB	UEPPR	UKETL		0.33	0.63			-			-		
	LOCAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:			OLITE	OLITIK	LIVI OX	0.00	0.00	0.00								
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
-	HOED :	CSD FEBRUARY PROFILE			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
-	USER	TERMINAL PROFILE User Terminal Profile (EWSD only)		<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			-			-		-
	VEDTIC	CAL FEATURES			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00			1			1		1
	VERTIC	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE			02.10	OLITIC	02		0.00	0.00								
		Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00								
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
1		IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire I	SDN DS1	Digital Tru	nk Port in th	is rate exhibit a	pply to the em	bedded base	in place as of 1	0/2/03 until 4/	1/04. After 4	1/1/04 these	rates shall re	vert to tariff ra	ates or a sepa	rate
	agreem		········ •										0		1			т
<u> </u>		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	r the effe	tive date o	this amend	ment shall be p	rovided pursu	iant to a sepai	rate agreement	or tariff at Bel	South's di	scretion.	-	 	.	├
-	UNE PO	ort/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-			1				1					 		
		Zone 1		1	UEPPP			166.87								1		
-		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+	OLFFF		 	100.07								 	 	
	1	Zone 2		2	UEPPP			238.50								I		
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		T -			İ									1	İ	
	1	Zone 3		3	UEPPP			398.85								I		
	UNE Lo	pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										L
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	314.52								1	ļ	
	UNE P	ort Rate			LIEBES		LIEDES	2.25	4=0.0-		100 5-	2				-		
	NONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		-	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77				 	-	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		-			 	 					-			 	-	-
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.07	78.56						1		
\vdash	ADDIT	ONAL NRCs	H	†	ULPPP		USACE	0.00	119.07	70.00	1		H		l	t	 	
	וווטטאן	OTAL HINGS	1		1		1	1			1		1	1	·			

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
O.T.D.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec		curring	Nonrecurring					Rates (\$)		
-		AME DOAL AND AMEDINATE DATE OF A SECOND						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD	DDZTE		0.40									1
-	1	Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR7TF		0.49									
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									1
-	1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP	PR/IO		11.51				-					
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									1
	LOCAL	NUMBER PORTABILITY		1	OLITI	11(121		25.02				-					
	LOOAL	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					1					
	INTER	FACE (Provsioning Only)															
	1	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
	CALL	TYPES															
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	ļ	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage			UEPPP	41.514.5	00.04	00.07	04.04	40.05	44.44						
	-	Fixed Each Including First Mile Each Airline-Fractional Additional Mile	-		UEPPP	1LN1A 1LN1B	60.34 0.18	89.27	81.81	16.35	14.44						──
	4 WIDE	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	ILINIB	0.18										
-		IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	n with 4	-Wiro F	DITS Trunk Bort i	n this rate ovhi	ibit apply to the	o omboddod b	eo in place as	of 10/2/02 unti	1 4/1/04 After	4/1/04 those	ratoe chall	rovert to tarif	f rates or a se	narato agrooi	mont
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										4/1/04 (1165)	rates silali	levert to tarn	l rates or a se	parate agreei	nent.
		ort/Loop Combination Rates	1	late of		lan be provide	l pursuant to t	a separate agr		at Benedatin s	alsoretion.	1					
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		142.64										
	1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		214.26										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61										
	UNE L	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	154.18										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52										
L	UNE P	ort Rate	ļ										ļ		ļ		
<u> </u>		4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ļ	<u> </u>	UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
<u> </u>	NONRE	CURRING CHARGES - CURRENTLY COMBINED	-	ļ								-		 	ļ	 	\vdash
1		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		LIEBDO	USAC4		400.40	07.00				1				[
	1	- Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	-	UEPDC	USAC4		129.49	67.02								\vdash
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.49	67.02								[]
\vdash	 	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	†	OLFDO	USAVVA		129.49	07.02			H		l	 	l	\vdash
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		129.49	67.02								[]
 	ADDIT	ONAL NRCs	†	†		00		120.40	07.02			 	 				
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1												1		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.48	14.48								[]
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	i –												1		
L	<u> </u>	Channel Activation/Chan - 1-Way Outward Trunk	<u></u>	L	UEPDC	UDTTB	<u> </u>	14.48	14.48			<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48		<u></u>						
1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan												l		I	1
	1	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48						ļ		igspace
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1											[]
<u> </u>		Activation / Chan - 2-Way DID w User Trans	ļ	<u> </u>	UEPDC	UDTTE		14.48	14.48								
<u> </u>	BIPOL	AR 8 ZERO SUBSTITUTION	-	ļ	LIEBBO	00000		0.00:	000 00			-		 	ļ	 	\vdash
	1	B8ZS -Superframe Format	-	-	UEPDC UEPDC	CCOSF		0.00i	600.00s						-		\vdash
<u> </u>	Altorno	B8ZS - Extended Superframe Format	+	+	UEPDC	CCOEF		0.00i	600.00s			-	-			-	
<u> </u>	Aiterna	ate Mark Inversion AMI -Superframe Format	 	-	UEPDC	MCOSF		0.00	0.00				 				\vdash
		Awii -Oupemanie i Oimai	ь	L	OLITOO	IVICOSI		0.00	0.00			I	L	l	I	l	

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		
1												Submitted		Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1											· .		Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
			-		1	1	Monro	curring	Monroourring	Disconnect			220	Botoo (\$)		
\vdash			<u> </u>		-	Rec	First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO	1	0.00	0.00	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
Teler	phone Number/Trunk Group Establisment Charges			OLFDC	IVICOFO		0.00	0.00			†					
Telep	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					i e					
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					i e					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS T	runk Port											
ı I	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			LIEDDO	41.004	00.40	00.0=		10.0=							
	Termination)		₩	UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44	-					
1 1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00	1							
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	-	 	OLFDO	ILINOA	0.18	0.00	0.00	 		}		 			-
ı I	Termination)			UEPDC	1LNO2	0.00	0.00	0.00	1							
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TLINOZ	0.00	0.00	0.00			1					
1	miles			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities										İ					
1	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			 	+	1		1	1		1					-
Each	System can have up to 24 combinations of rates depending on UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C	type al	na num	per of ports used	o ovbibit on	lute the embe	ddad basa in s	loop on of 10/	2/02	After 4/1/04	those retec	aball rayart	to toriff rotos	or a concrete	agraamant	
	uests for 4-Wire DS1 Loop with Channelization with Port after the											Titali revert	lo tariii rates	oi a separate	agreement.	
	DS1 Loop		l dat	c or triis unicilamen	I Shan be pre	I aca parsaan	lt to a separate	dgreement or	I Denoe	din 5 disorcin	1					
10.12	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00	t		†					
(i	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
\vdash	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
\vdash	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	405.60	0.00	0.00	ļ		ļ					
\vdash	144 DS0 Channel Capacity - 1 per 6 DS1s		_	UEPMG	VUM14	608.40	0.00	0.00				1	ļ			
	192 DS0 Channel Capacity -1 per 8 DS1s		₩	UEPMG UEPMG	VUM19 VUM2O	811.20	0.00	0.00	 		-	-				
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s		-	UEPMG UEPMG	VUM20 VUM28	1,014.00 1,216.80	0.00	0.00	 	-	1	-	-			
	384 DS0 Channel Capacity - 1 per 12 DS1s		!	UEPMG	VUM38	1,216.80	0.00	0.00	t	 	1	H	l			
+-	480 DS0 Channel Capacity - 1 per 10 DS1s		†	UEPMG	VUM4O	2,028.00	0.00	0.00	I		1	 				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00	<u> </u>							
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00	1	İ			İ			
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chani														
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channel	l Bank,	and Up	To 24 DSO Ports w	ith Feature	Activations.										
Multi	iples of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system con	figuration is	counted.										
_	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes		L	UEPMG	USAC4	0.00	150.48	8.36			ļ					
Svete	em Additions at End User Locations Where 4-Wire DS1 Loop wit				ination Curre	ently Exists and	1	.	 							
			X MSA	'S	1						-	-				
	(Not Currently Combined) in all states, except in Density Zone 1	от гор	1	l												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	от гор			VLIMD4	0.00	716 11	460 C4	1/10 75	17 65						
New (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	оттор		UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
New (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution	от гор			VUMD4	0.00	716.11	468.04	148.75	17.65						
New (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	от гор			VUMD4	0.00		468.04 600.00s	148.75	17.65						
New (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) Iara 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent	от гор		UEPMG					148.75	17.65						

UNBU	NDLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
CITEC	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO TRABalla	1		1	1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												l .	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format	L	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
_	Exchar	ge Ports				+	-										
		Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID															
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	 		J2. 1 //	JEI DIVI	5.05	0.00	3.00	5.00	3.00						
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
		2-Wire Channelized PBX Area Calling Service Combination Port															
		(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
		2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
	Foatur	Activations - Unbundled Loop Concentration			UEPPA	UEPAS	1.15	0.00	0.00			 	-				
	reature	Feature (Service) Activation for each Line Port Terminated in D4				1	1					ł	1				
		Bank			UEPPX	1PQWM	0.56	54.55									
		Feature (Service) Activation for each Trunk Port Terminated in			02.17.		0.00	0 1.00				İ					
		D4 Bank			UEPPX	1PQWU	0.56	77.03									
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional		-		1						1					
\vdash	Local S	All Features Available	 	-	UEPPX	UEPVF	1.98	0.00	0.00			-	-				-
LINDIIN	DI ED (All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	-	ULFFA	UEFVF	1.98	0.00	0.00								
SINDUN		Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	nrovide Unb	undled Local S	witching or Su	itch Ports	1		1	H	l			
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.	 				
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		1
		irst and additional Port nonrecurring charges apply to Not Co														Additional NF	Cs may
		Iso and are categorized accordingly.	,			,			0								•
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notice	е.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)					ļ										ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDO4	1	10.70										
<u> </u>		Non-Design	 	1	UEP91	+	12.70			-		ļ		 			.
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDO1	1	04.40										
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		UEP91	+	21.19										
		Non-Design	1	3	UEP91	1	34.80										
\vdash	UNF P	ort/Loop Combination Rates (Design)	 	J	OE1 31	+	34.00			1		1	H	l			
	J (2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	 	†	+						1	 				
		Design	1	1	UEP91	1	15.53										
				· · ·	1	-	, .0.00										

UNBUNDLED NETWORK ELEMENTS - Alabama CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Elec Manually per LSR RATE S(\$) RATE	Incremental Charge -	Charge -	Incremental Charge -	Incremental Charge -
CATEGORY RATE ELEMENTS Zone BCS USOC RATES (\$) per LSR per LSR	Order vs. Electronic-		Manual Svc	I T -
	1st	Electronic-	Order vs. Electronic-	Manual Svc Order vs. Electronic-
		Add'l	Disc 1st	Disc Add'l
First Add'I First Add'I SOMEC SOMAN I		S Rates (\$)	1	
	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2 UEP91 24.00				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				
Design 3 UEP91 37.29				
UNE Loop Rate				
2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP91 UECS1 11.55				
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP91 UECS1 20.04		+	1	
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP91 UECS1 33.65		+	1	
2-Wire Voice Grade Loop (SL 2) - Zone 1	+	+	+	
2-Wire Voice Grade Loop (SL 2) - Zone 2	+	+	+	
12-vviile voice Grade Loop (SL 2) - 20ile 3 3 0EF91 0EG52 36.14	†	+	1	
All States (Except North Carolina and Sout Carolina)		1	1	
	1	1	1	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				
Area UEP91 UEPYB 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area UEP91 UEP9H 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				
Note 2, 3 Basic Local Area UEP91 UEPYM 1.15 90.38 57.27 48.66 8.77				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				
2-Wire Voice Grade Port terminated in on Megalink or equivalent				
- Basic Local Area UEP91 UEPY9 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port Terminated on 800 Service Term -				
AL, KY, LA, MS, & TN Only				
2-Wire Voice Grade Port (Centrex) UEP91 UEPQA 1.15 40.19 19.83 24.91 6.63			Ī	
2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEPQB 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP91 UEPQH 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port (Centrex from diff Serving Wire				
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				
Service Term				
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port Terminated on 800 Service Term UEP91 UEPQ2 1.15 40.19 19.83 24.91 6.63 Local Switching	-	-		
Centrex Intercom Funtionality, per port UEP91 URECS 0.5488		+	1	
Local Number Portability		1	1	
Local Number Portability (1 per port) UEP91 LNPCC 0.35		1	1	
Features				
All Standard Features Offered, per port UEP91 UEPVF 1.98				
All Select Features Offered, per port UEP91 UEPVS 0.00 405.52				
All Centrex Control Features Offered, per port UEP91 UEPVC 1.98				
NARS	_		_	
Unbundled Network Access Register - Combination UEP91 UARCX	+	+	 	
Unbundled Network Access Register - Indial UEP91 UAR1X 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 Unbundled Network Access Register - Outdial UEP91 UAROX 0.00 0.0	+	+	+	
Miscellaneous Terminations	+	+	+	
miscentinuous refininatoris 2-Wire Trunk Side	†	+	1	
	1	1	1	1
Interoffice Channel Mileage - 2-Wire	1	1	1	
Interoffice Channel Facilities Termination - Voice Grade UEP91 M1GBC 21.13 40.54 27.41 16.74 6.90	1	1	1	İ
Interoffice Channel mileage, per mile or fraction of mile UEP91 M1GBM 0.008838				
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service				
D4 Channel Bank Feature Activations		1	<u> </u>	ļ
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWS 0.56	L			

CATEGORY RATE ELEMENTS SOLO BCS USOC RATES (\$) PER LSR PER LSR	Charge - Charge - Manual Svc Order vs. Electronic- Electronic-	mental Incremental rge - Charge -	Incremental Charge - Manual Svc Order vs.
CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR	Charge - Charge - Manual Svc Order vs. Clectronic-1st Charge - Cha	rge - Charge - lal Svc Manual Svc er vs. Order vs. ronic- Electronic-	Charge - Manual Svc
CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) RATE SCHOOL RATES (\$) RATE SCHOOL RATES (\$) REC Nonrecurring Disconnect Rec First Add'l First Add'l SOMEC SOMAN Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56	Manual Svc Order vs. Electronic- 1st Manual Ord Elec A	al Svc Manual Svc er vs. Order vs. ronic- Electronic-	Manual Svc
CATEGORY RATE ELEMENTS BCS USOC RATES (\$) per LSR per LSR Rec Nonrecurring Nonrecurring Disconnect Rec First Add'l First Add'l SOMEC SOMAN Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56	Order vs. Electronic- 1st A	er vs. Order vs. Flectronic-	
Rec Nonrecurring Nonrecurring Disconnect	Electronic- Elec 1st A	ronic- Electronic-	
Nonrecurring Disconnect Rec Nonrecurring Disconnect First Add'l First Add'l SOMEC SOMAN	1st A		Electronic-
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW6 0.56 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56	OSS Patos		Disc Add'l
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW6 0.56 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56		(¢)	
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP91 1PQW6 0.56 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56		(\$) MAN SOMAN	SOMAN
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56	JOINAIN JO	VIAN SOWAN	JOWAN
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.56			
Feature Activation on D-4 Channel Bank Centrex Loop Slot -			
Different Wire Center UEP91 1PQWP 0.56			
			. !
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56 Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			
Feature Adivation on B-4 Grantier Bank Tipe Line Hunk Loop UEP91 1PQWQ 0.56			
Side Side			
Non-Recurring Charges (NRC) Associated with UNE-P Centrex			
Conversion - Currently Combined Switch-As-Is with allowed			
changes, per port UEP91 USAC2 0.10 0.10			
Conversion of Existing Centrex Common Block UEP91 USACN 37.75 16.58			
New Centrex Standard Common Block UEP91 M1ACS 0.00 667.21			
New Centrex Customized Common Block UEP91 M1ACC 0.00 667.21			
Secondary Block, per Block			
NAR Establishment Charge, Per Occasion UEP91 URECA 0.00 72.73			
Additional Non-Recurring Charges (NRC)			
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP91 URETL 8.33 0.83			
Unbundled Miscellaneous Rate Element, Tag Design Loop at			
Ind Use Premise UEP91 URETN 11.21 1.10			
UNE-P CENTREX - 5ESS (Valid in All States)			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo			
UNE Port/Loop Combination Rates (Non-Design)			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			
Non-Design 1 UEP95 12.70			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			
Non-Design 2 UEP95 21.19			
2-virie vol Loop/2-virie voice Grade Port (Centrex)Port Combo -			
UNE Port/Loop Combination Rates (Design)			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			
Design 1 UEP95 15.53			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			
Design 2 UEP95 24.00			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			
Design 3 UEP95 37.29			
UNE Loop Rate	-		
2-Wire Voice Grade Loop (SL 1) - Zone 1	+		
Z-Wirle Voice Grade Loop (St. 1) - Zone 2 Z UEF95 UECS1 Z0.04	+	+	
2-Virie Voice Grade Loop (St. 2) - Zone 1 1 UEP95 UECS2 14.38	+		
2-Wire Voice Grade Loop (St. 2) - Zone 2 2 UEP95 UECS2 22.85			
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 36.14			
UNE Port Rate			
All States			
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP95 UEPYA 1.15 40.19 19.83 24.91 6.63			
2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPYB 1.15 40.19 19.83 24.91 6.63			
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			
Area			
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	+		
2-Wire Voice Grade Port terminated in on Megalink or equivalent			
- Basic Local Area UEP95 UEPY9 1.15 40.19 19.83 24.91 6.63			

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									P =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
	Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		l			1				1							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side				1											
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)															
ļļ	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Intero	ffice Channel Mileage - 2-Wire															
ļļ	Interoffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations				1001110	0.50										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	1PQWS	0.56					1					
	Fortuna Authoritana B. A. Olasson I. Baral, E.V. Prancial and Olas			LIEDOE	4001410	0.50										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-	-	UEP95	1PQW6	0.56					-					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOE	40014/7	0.50										
	Slot			UEP95	1PQW7	0.56			-		 					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56										
	Different wire Center			UEP95	TPQWP	0.56			-		 					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Trivate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		-	UEP95	IPQWV	0.56					-	-				
	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	-	UEP95	1PQWQ	0.56					ł	-				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	-	 	OLF 30	IF QVVA	0.00			 		1	-		-		
INOII-N	NRC Conversion Currently Combined Switch-As-Is with allowed	1	 		+				+		1	 		 		
	changes, per port	l		UEP95	USAC2		0.10	0.10	1							
 	Conversion of Existing Centrex Common Block, each	-	 	UEP95	USACN		37.75	16.58	 		+					
 	New Centrex Standard Common Block	-	 	UEP95	M1ACS	0.00	667.21	10.56	 		+					
\vdash	New Centrex Standard Common Block	1	 	UEP95	M1ACC	0.00	667.21		+		1	 		 		
 	NAR Establishment Charge, Per Occasion	-	 	UEP95	URECA	0.00	72.73		 		+					
V qqiti	ional Non-Recurring Charges (NRC)	-	 	OL1 30	UNLUA	0.00	12.13		 		+					
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	 	 		+				 		 	 		 		
	Premise	1	1	UEP95	URETL		8.33	0.83	I		1					,
	1. 10111100	·		02.00	IONETE		0.00	0.00	1							

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	LIDETN		44.04	4.40								
IINE-D	End Use Premise CENTREX - DMS100 (Valid in All States)	-		UEP95	URETN		11.21	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1		+	-										
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		24.40										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	2	UEP9D	+	21.19										
	Non-Design		3	UEP9D		34.80										
UNE P	ort/Loop Combination Rates (Design)		_													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		24.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	+	24.00										
	Design		3	UEP9D		37.29										
UNE L	oop Rate		Ť	02.00		01.120										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
ALL S	ort Rate	-	<u> </u>		+											
ALL 3	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.10	40.10	10.00	24.01	0.00						
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						40.40	10.00								
	Area	-	-	UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1	 	OLI 3D	OLFIL	1.15	40.19	15.03	24.91	0.03						
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIEDYT		40.40	10.00	24.21	0.00						,
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			02.00	02110	1.13	40.10	10.00	2-7.51	0.00						
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						.
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDY":											,
\vdash	Area 2 Wire Voice Grade Port (Centrey/Celler ID/Meg Wtg Lamp	 	-	UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			021 00	JE: 1 VV	1.13	70.19	13.03	24.31	0.03						
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area	<u> </u>	<u> </u>	UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						, [
	Basic Local Area			OLF3D	OLF 10	1.13	90.38	51.21	40.00	0.77	<u> </u>		1	l		

ATECOPY RATE ELEMENTS Manual Core BCS USOC RATES (I) RATES (I) RATES (I) RATES (II) RATES (III) RATES (III)	UNBUNDU	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
ATECORY BATE LIMENTS BIND BOS BOS BOS BOS BATE (LIMENTS) BIND BOS BOS BOS BOS BOS BOS BOS BO	CHECHEL	Alabama	1	1		I						Svc Order	Svc Order				
## PATE CLEMENTS Manual Property Manual Prop												1					
CATEGORY RATE ELEMENTS III 2009 ROSS R												1					
Pace Pace	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part			m						- (1)			per Lor	per LSK				
Part Part																	
Mode Pirst														151	Add I	DISC ISI	DISC Add I
200 200							Dee	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Base Load Area LiPPO LiP							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SAME SAME		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
Basic Local Area Local Print Local Pri		Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						<u> </u>
SWING Code Part Contractable SWING CESS 461 122.3.4 Bent Code Annual State Code		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
Basic Local Area					UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						L
2-Vitre Varoe Grane Part Generocatifier SWC (FBS N6039) 2.4		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															l .
Basic Local Area Local Part					UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
EPSD UEPV6 1.15 90.36 57.77 44.66 8.77		, , , ,															l .
Seec Local Axes					UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
2-Wire Vooc Grade Prof. (Centravolitier SWIC / ESS-MSC0092, 3 UEPPD UEPY6 1.15 90.36 57.27 48.66 8.77																	l .
Basic Local Area 2-Wire Voice Grade Per (Centrevillifer SWC-/EBS-M55162.34 UEPD UEPY6 1.15 90.38 57.27 46.66 8.77					UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
2-Wire Voor Grade Port Contracelified SWC (EBS-MSC19(2.3.4) UEPSO UEPYS 1.15 90.38 57.27 48.66 8.77		` '			LIEBAB					40.00							l .
Basic Local Area					UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
2-Wire Votas Grade Port Contrace/differ SWO (ESS-MSS102.3.4 UEPPD UEPV 1.15 90.36 57.27 48.66 8.77					LIEDOD	LIEDVO	4.45	00.00	F7.07	40.00	0.77						l .
Sasic Local Area					UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						+
2-Wire Voca Grade Port, Diff Serving Wire Center - 600 Service UEP90 UEPV2 1.15 90.38 57.27 48.66 8.77					LIEDOD	LIEDV7	4.45	00.00	F7.07	40.00	0.77						1
Term 2,3	—				UEP9D	UEPY/	1.15	90.38	57.27	48.66	8.77						
2-Wire Votes Grade Port terminated on Mogalink or equivalent Basic Local Aires UEP9D UEP9D UEP0D UEP					LIEDOD	LIEDVZ	1 15	00.30	57.07	40.66	0.77						l .
Basic Local Area					UEF9D	UEFTZ	1.10	90.36	31.21	40.00	0.11	-					
2-Wire Votos Grade Port Terminated on 800 Service Term Basic Local Area UEP90 UEPV2 1.15 40.19 19.83 24.91 6.63					LIEDOD	LIEDVO	1 15	40.10	10.00	24.04	6.63						1
Local Area					UEP9D	UEP19	1.15	40.19	19.03	24.91	0.03	1					—
AL, KY, LA, MS, SC, & TN Only UEPBD UEPDA 1.15 40.19 19.83 24.91 6.63					HEDAD	HEDV2	1 15	40.10	10.83	2/ 01	6 63						l .
2-Wire Votors Grade Port (Centrex) UEPOD UEPOB UEPOB 1.15 40.19 19.83 24.91 6.63	AI K				OLI 3D	OLI 12	1.10	40.13	13.03	24.51	0.03	-					—
2-Wire Voice Grade Part (Centrex 800 termination)	/AL, IX				UFP9D	UEPOA	1 15	40 19	19.83	24 91	6.63	-					—
2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPOC 1.15 40.19 19.83 24.91 6.63												-					—
2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPQD 1.15 40.19 19.83 24.91 6.63												-					—
2-Wire Voice Grade Port (Centrex / EBS-M5012)4																	
2-Wife Voice Grade Port (Center / EBS-M512)4 UEP90																	
2-Wire Voice Grade Port (Centrex / EBS-M50312)4 UEPBD UEPGG 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M508)4 UEPBD UEPGG 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M508)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M526)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M526)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.3																	
2-Wire Voice Grade Port (Centrex /EBS-M5009)4 UEP9D UEPQU 1.15 40.19 19.83 24.91 6.63		` ,															
2-Wire Voice Grade Port (Centrex (EBS-M5209)4 UEP9D UEPQU 1.15 40.19 19.83 24.91 6.63																	
2-Wire Voice Grade Port (Centrex/, EBS-M5216)4 UEPBD UEPDV 1.15 40.19 19.83 24.91 6.63																	
2-Wire Voice Grade Port (Centrex with Caller ID)							1.15	40.19				İ					
2-Wire Voice Grade Port (Centrex with Caller ID)		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Port (Centrex/Galler ID/Msg Wtg Lamp Indication)4					UEP9D	UEPQH	1.15	40.19		24.91		İ					
2-Wire Voice Grade Port (Centrex/Mgg Wig Lamp Indication)4				i i													
2-Wire Voice Grade Port (Centrex/frim diff Serving Wire Center) 2,3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77		Indication)4			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						i .
2,3		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPQP 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQP 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M509)2,3,4 UEP9D UEPQQ 1.15 90.38 57.27 48.66 8.77		2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M509)2,3,4 UEP9D UEPQQ 1.15 90.38 57.27 48.66 8.77																	i .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77				ļ		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77			1		l <u>_</u>	l							1				1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77																	l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77	L	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		0 M/2 - 1/2 - 0 - 1 - D - 1 / 0 - 1/2 - 1/2 / 1/2 - 0 M/2 / EDO M/2 / 1/2 0 / 4			LIEDOD	LIEBOD	4.45	00.00	F7.07	40.00	0.77						l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77	L	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		O Miss Vaiss Conds Bost (Control/differ CMIC /EDG MEGAC)	1		LIEDOD	LIEBOO	4.45	00.00	F7 07	40.00	0.77						1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-vvire voice Grade Port (Centrex/differ SVVC /EBS-M5312)2,3,4	-	1	UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2 Wire Voice Orado Bort (Contraviditta- CWO /EBO MESSONO A	1		LIEDOD	LIEDO 4	4 4-	00.00	F7 07	40.00	0						1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77	\vdash	2-vviile voice Grade Fort (Gentiex/differ SVVC /EBS-IVI5008)2,3,4	-	—	OLFAD	UEFQ4	1.15	90.38	51.21	48.00	8.77	-	-	-	-		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrey/differ SWC /EBS M5209)2.2.4	1		LIEPAD	LIEPO5	1 15	00.30	57 27	18 66	9 77						1
	\vdash	2-vviile voice Glade Foit (Centiexidillei SVVC/EDS-IVIS208)2,3,4	 	1	OLFBD	ULF Q5	1.15	90.38	51.21	40.00	0.77	 	 	 	1		
		2-Wire Voice Grade Port (Centrey/differ SWC /ERS-M5246\2.2.4	1		LIEP9D	LIEPO6	1 15	OU 30	57 27	18 66	Ω 77		1				1
2-Wire Voice Grade Port (Centrex/differ SWC /ERS-M5316)2.3.4 UEP9D UEP07 1.15 90.38 57.27 48.66 8.77		2 11110 10100 Grade Fort (Gentlewaller GVVO / LBG-WGZ 10)2,3,4	 		OL1 3D	OLI QU	1.13	30.30	51.21	70.00	0.77		 				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		1				1

CUNDUNDL	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
ONDONDE											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
İ											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per Lak	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1							
1	Term 2.3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
																1
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						1
Loca	al Switching			02. 03	02. 02	0	10.10	10.00	2	0.00						1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										1
Loca	Number Portability															1
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										1
Feat	ures															1
1 541	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										1
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98	100.02									1
NAR		†			1								 	t	i	
1.541	Unbundled Network Access Register - Combination	†		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			 	t	i	
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						1
Misc	rellaneous Terminations			02. 02	07 11 (07)	0.00	0.00	0.00	0.00	0.00						1
	re Trunk Side										†					+
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76	†					+
4-Wi	re Digital (1.544 Megabits)			OLI OD	OLIVDO	0.00	110.01	10.74	00.00	0.70	†					+
 1	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46	†					+
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48	50.00	72.00	2.40	†					+
Inter	office Channel Mileage - 2-Wire			OLI OD	IMITIBO	0.00	14.40									+
IIICI	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						+
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838	40.54	21.41	10.74	0.30						+
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLI OD	WITODWI	0.000000					†					+
	Channel Bank Feature Activations	1			+ -											+
1570	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										+
	Todate / total of b + of affice bank ochitex 200p old			OLI OD	11 0000	0.00										+
i l	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
\vdash	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00110	0.00					†					+
i l	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 0,117	0.00										+
	Different Wire Center			UEP9D	1PQWP	0.56										
	Different Wife Genter			OLI 3D	III QVVI	0.50										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLI OD	11 0000	0.00					†					+
i l	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56					†					+
Non	Recurring Charges (NRC) Associated with UNE-P Centrex			02. 00	3,177.	0.00								<u> </u>		
1.1311	NRC Conversion Currently Combined Switch-As-Is with allowed	†		1	+ +								 	t	i	
i I	changes, per port	1		UEP9D	USAC2		0.10	0.10						I		1
\vdash	Conversion of existing Centrex Common Block, each	 		UEP9D	USACN		37.75	16.58			<u> </u>		 	t		+
\vdash	New Centrex Standard Common Block	 		UEP9D	M1ACS	0.00	667.21	10.00			<u> </u>		 	t		+
	New Centrex Standard Common Block	†		UEP9D	M1ACC	0.00	667.21						 	t	i	
 	NAR Establishment Charge, Per Occasion	t		UEP9D	URECA	0.00	72.73							1	i	
hbA	itional Non-Recurring Charges (NRC)				220,	0.00	. 2 0						i	1	i	
7.54	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	†		1	1 1								 	t	i	
	Premise	1		UEP9D	URETL		8.33	0.83						I		1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<u> </u>	t		3.12.2		5.50	0.00			1			1	1	
	End Use Premise	1		UEP9D	URETN		11.21	1.10						I		1
UNF	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	†			J. 1. 114		11.21	1.70					 	t	i	
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+ +									<u> </u>		
	Port/Loop Combination Rates (Non-Design)	t			1									1	i	1
10.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1								i	1	i	1
	Non-Design	1	1	UEP9E		12.70								1		
	Inon-Design															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
			lmtan:									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC ISL	DISC Add I
							Poo	Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		34.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
		Design		1	UEP9E		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP9E		37.29										
	UNE L	pop Rate		_	LIEDOE	LIEGO4	44.55					1					
	+	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP9E UEP9E	UECS1	11.55			 		 	1	 	 	-	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3	UEP9E UEP9E	UECS1	20.04 33.65					-			 		
	+	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 		UEP9E UEP9E	UECS1 UECS2	33.65 14.38			 		 	1	 	 	-	
	1											-		-			
	 	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9E UEP9E	UECS2 UECS2	22.85 36.14						-	-		-	-
	LINE D	prt Rate	-	3	UEP9E	UECSZ	30.14					1	1		-		-
		, KY, LA, MS, & TN only		-		+						<u> </u>	1	1			
	AL, IL	2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63	<u> </u>	1	1			
	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02. 02	02	0	10.10	10.00	2	0.00	1	1				
		Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 02	02	0	10.10	10.00	2	0.00	İ					
		Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire										İ					
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
	A1 100	Basic Local Area		-	UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63	1					
	AL, KY	, LA, MS, & TN Only			LIEDOE	LIEDOA	4.45	40.40	40.00	04.04	0.00	-		-			
	1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E UEP9E	UEPQA UEPQB	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-		-			
-	1	2-Wire Voice Grade Port (Centrex vith Caller ID)1		-	UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63	 	1				
-	 	2-Wire Voice Grade Port (Centrex with Carlet 19)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	ULF9L	ULFQII	1.13	40.19	15.03	24.51	0.03	<u> </u>	1	1			
		Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02. 02	02. 0	0	00.00	01.21	10.00	0	İ					
1		Service Term	1		UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77				I		I
	1							_				İ		1			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	L		UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63				<u> </u>		<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
	Local I	Number Portability	ļ			1									.		ļ
	F	Local Number Portability (1 per port)	ļ		UEP9E	LNPCC	0.35						-	ļ	-	 	-
	Feature	All Standard Features Offered, per port	 	-	UEP9E	UEPVF	1.98			 		 	1	 	 	-	
-	1	All Select Features Offered, per port	!	-	UEP9E UEP9E	UEPVF	0.00	405.52				 	-		 	-	
\vdash	 	All Centrex Control Features Offered, per port	 		UEP9E	UEPVC	1.98	+03.32		 		1	—	 	t	l	t
	NARS	rai control catales offered, per port	 		OLI OL	JLI VO	1.90								-		
		Unbundled Network Access Register - Combination	 		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00			1	<u> </u>		<u> </u>
		Unbundled Network Access Register - Indial	i e		UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00			İ	1	İ	1
	1	Unbundled Network Access Register - Outdial	1		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00			İ	1	l	1
	Miscel	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each	l		UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46				1		1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
															D130 131	Disc Add I
		ļ			1	Rec	Nonrec First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	DS0 Channel Activated Per Channel	1	1	UEP9E	M1HDO	0.00	14.48	Addi	FIRST	Addi	SOMEC	SUWAN	SUMAN	SUMAN	SUMAN	SUMAN
Interof	fice Channel Mileage - 2-Wire			OLI OL	WITIEG	0.00	14.40									
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLF 9L	IFQWO	0.50										
	Slot	1		UEP9E	1PQW7	0.56										.
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	i i			1.50										
	Different Wire Center	<u> </u>		UEP9E	1PQWP	0.56										<u>. </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				400140											
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	1	1	UEP9E UEP9E	1PQWQ 1PQWA	0.56 0.56										
Non-Pa	ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>		UEP9E	IPQWA	0.56										
NOII-K	NRC Conversion Currently Combined Switch-As-Is with allowed	1				<u> </u>										
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									1
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Additio	onal Non-Recurring Charges (NRC)	ļ														
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	<u> </u>	UEP9E	UKEIL		0.33	0.63								
	End Use Premise			UEP9E	URETN		11.21	1.10								
UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1	1	02. 02	U.V.E.I.V	1										
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design	ļ	1	UEP93		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	LIEDOS		04.40										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEP93	1	21.19										
	Non-Design		3	UEP93		34.80										1
UNE P	ort/Loop Combination Rates (Design)	1	Ť		†											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	Ì													
	Design		1	UEP93		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
ļ	Design		2	UEP93		24.00										,
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOS		27.00										
LINE	Design Dop Rate	1	3	UEP93	+	37.29			1		1			 		
OIAE E	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	†	2	UEP93	UECS1	20.04			İ							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP93	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>	3	UEP93	UECS2	36.14										
	ort Rate	!	├		1									-		
AL, KY	7, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area	1	 	UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63				-		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	 	JE1 33	JEI IA	1.13	70.19	13.03	27.31	0.03						
	Area	1		UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63						,
·	•	•			•											

UNBL	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
0.115	ONDEL	The two titles The same										Svc Order	Svc Order	Incremental			Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									P =	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.44
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOO	LIEDVII.	4.45	10.10	40.00	04.04	0.00						ĺ
-	-	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63	 	-				
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
-	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	-	-	UEF93	UEPTIVI	1.15	90.36	31.21	40.00	0.11						
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						l
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OL1 50	OLI 12	1.10	30.00	01.21	40.00	0.77						
		- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						l
		2-Wire Voice Grade Port Terminated on 800 Service Term -								-							
		Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						İ
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63						1
1	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		l		.				_						1
	1	Center)2,3	<u> </u>		UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800	1		LIEDOS	LIEDOZ		20.00	57.5-	40.00							1
	-	Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77	 	-				—
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						İ
-	+	2-Wire Voice Grade Port Terminated in on Niegalink of equivalent	1	-	UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63	1					
	Local 9	Switching			OLF 93	ULFQZ	1.13	40.19	19.00	24.51	0.03						<u> </u>
	Looui	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488					1					
	Local I	Number Portability			02.00	0.1200	0.0.00					İ					
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
	Featur																
		All Standard Features Offered, per port			UEP93	UEPVF	1.98										
		All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
-	Miccol	Unbundled Network Access Register - Outdial laneous Terminations	-	-	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side										ł					
-	2-11116	Trunk Side Terminations, each		-	UEP93	CEND6	8.05	119.31	18.74	59.90	3.76	<u> </u>				1	
	4-Wire	Digital (1.544 Megabits)			02. 00	02.120	0.00	110.01		00.00	00	1					
	1	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46	İ					
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
	1	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838									ļ	
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
—	D4 Cha	Innel Bank Feature Activations	-		LIEDOS	100000	0.56					-		-	-	-	
<u> </u>	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP93	1PQWS	0.56					1	-			-	
1	1	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	1		UEP93	1PQW6	0.56										1
-	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 		OE1 30	11 6440	0.56					 		 	 	 	
	1	Slot	1		UEP93	1PQW7	0.56										1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	İ														
		Different Wire Center	<u> </u>		UEP93	1PQWP	0.56					<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP93	1PQWV	0.56										
1	1	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	1														1
	4	Slot			UEP93	1PQWQ	0.56									ļ	
	N	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP93	1PQWA	0.56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	₩	-		+						ļ	-	 	 	 	
		NRC Conversion Currently Combined Switch-As-Is with allowed			UEP93	USAC2		0.10	0.10								1
-	+	changes, per port Conversion of Existing Centrex Common Block, each	 		UEP93	USACN		37.75	16.58			1		 	 	 	
-	+	New Centrex Standard Common Block	 		UEP93	M1ACS	0.00	667.21	10.36			1		 	 	 	
Ь	1	1.1011 CO.L.TOX Citalidata Common Block			021 00	W17.00	0.00	301.21					1	·	1	1	

UNE	BUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	ı	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Addi	ional Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
		1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note	2 - Requres Interoffice Channel Mileage															
		3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
	Note	4 - Requires Specific Customer Premises Equipment															
	Note	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	ns and Condition	ons.									

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						ļ		Name		Name and a committee	. Diacommont			220	Datas (ft)		
-	-		-	1	-	.	Rec	Nonre			Disconnect	COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
-	1					 	1	First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	The "7	I one" shown in the sections for stand-alone loops or loops as	nart of	a com	hination refers to Ge	ographicall	v Deaveraged II	NF Zones To	view Geogran	hically Deaver	aged LINE Zone	Designation	one by Cent	ral Office refe	er to internet	Nobeito:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inte				ograpinoun	y Deaveragea o	NE Ediles. 10	rich Geograp	induity Deaver	aged ONE LOIN	Designation	one by cont	rai Omioc, rei	or to internet	vebolte.	
OPER		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
		(1) CLEC should contact its contract negotiator if it prefers the	ne "state	speci	fic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.		9			g		,-,,								
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	lly. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rat	e in this category ref	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	nual ordering	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E					3				3				,		3 3 - ,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	on 5 as appl	icable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		LINE For adita Channe and Circuit and in a Assistant LICOC and			UXTD3, UXTS1, U1TUC, U1TUD,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUB, U1TUA	SDASP		200.00									
LINRI	NDI ED	EXCHANGE ACCESS LOOP	 	1	OTTOB, UTTOA	SUASP	+	200.00						 	1		
SINDU		E ANALOG VOICE GRADE LOOP	 	\vdash	 		+							 			
	~ ****	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	†	1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	 	 		1		
 	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	†		UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57	 	 		1		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57			1			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	l –	1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57			İ			İ
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57			İ			l
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	İ														
L_	1	Premise	<u></u>	L	UEANL	URETL		8.33	0.83			<u></u>	<u></u>	<u> </u>			
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95						1		

UNRI	INDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
OND	JIVEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-			-	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		ь н
	1					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch				1		11131	Addi	11130	Addi	JOINLO	JOINAIN	JONIAN	JONIAN	JONIAN	JOINAIN
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								1
	İ	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST					İ										
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															1
-	0.14/10/	(per LSR)			UEANL	OCOSL		23.02									\vdash
-	2-WIRE	E Unbundled COPPER LOOP		1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09	-					
-	1	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+		UEQ	UEQ2X	10.92	44.98	20.90	19.65	5.09	-					\vdash
	+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	19.38	44.98	20.90	19.65	5.09						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>		OL Q	OLGEN	10.00	44.50	20.00	10.00	0.00						
		Premise			UEQ	URETL		8.33	0.83								1
	1	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		9.00									
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
	<u> </u>	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	URETA		23.95	23.95								
		(UCL-ND)			UEQ	UREWO		14.27	7.43								1
UNBU	NDLED I	EXCHANGE ACCESS LOOP			OLQ	OKEWO		14.21	7.43								
0.120		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						1
-	+	Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSK UEPSB	UEALS	15.20	49.57	22.83	25.62	0.57						
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						1
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	02. 0 02. 03	027.20	10.20	10.07	22.00	20.02	0.01						
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
UNBU		EXCHANGE ACCESS LOOP															
-	2-WIRE	E ANALOG VOICE GRADE LOOP				1											
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		1				1
 	+	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	OLA	UEALZ	12.24	135.75	82.47	53.53	12.01	-	-	1	-	-	\vdash
1	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		1				1
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	027	UL/ ILL		100.70	02.11	00.00	12.01						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1	ļ	1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	2	LIFA	LIEADO	47.40	405.75	00.47	00.50	40.04		1				1
-	+	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	- 2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	-			-		\vdash
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						1
 	†	Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	30.07	23.02	02.41	03.33	12.01	-	 				\vdash
	 	CLEC to CLEC Conversion Charge without outside dispatch	l –		UEA	UREWO		87.71	36.35			1			1		\vdash
	1	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10					1	ĺ	1	
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
<u> </u>	ļ	4-Wire Analog Voice Grade Loop - Zone 2	ļ		UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						igsquare
<u> </u>	 	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56	1		ļ		ļ	
	1	Order Coordination for Specified Conversion Time (per LSR)	-	-	UEA UEA	OCOSL UREWO		23.02 87.71	36.35			-			-		\vdash
Щ	1	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		IOL:A	IOKEWO		87.13	30.35			1	L	L	L	L	

UNBL	JNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
ONDO	NULL	THE TWORK ELEMENTO TIONAL										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-			_	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		l
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP						11131	Addi	11130	Addi	OOMILO	JOINAIN	JONIAN	JOWAN	JONAN	JOWAN
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
	1	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry				1141.07	0.00	440.50	100.05	75.05	45.00						
-	<u> </u>	& facility reservation - Zone 1	-	1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	11.00	149.55	103.65	75.05	15.63						
		& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL	20.04	23.02	.00.00	. 5.50	.0.00						
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
-		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02	40.00								
-	2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	000	UAL	UREWO		86.19	40.39								
-	Z-VVIKE	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE L	JUUP		_											
		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	1	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	1.22	133.03	110.41	73.03	13.03						
		& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	1	2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
-	1	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry	-		UHL	UHLZVV	10.26	134.40	80.69	60.64	9.12						
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.21	23.02	00.03	00.04	3.12						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I									İ			1		
		4 Wire Unbundled HDSL Loop including manual service inquiry						İ									
	1	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry				[l											
	1	and facility reservation - Zone 2	ļ	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
-	1	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	-	UHL	OCOSL	27.39	23.02	138.98	77.15	12.01						
-	 	4-Wire Unbundled HDSL Loop without manual service inquiry	 		OI IL	JUUSL		23.02					 				
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		1				
		4-Wire Unbundled HDSL Loop without manual service inquiry	1														
	<u> </u>	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	<u> </u>	<u></u>		<u> </u>		<u> </u>
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	1	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		23.02	10.0-								
<u> </u>	4 16775	CLEC to CLEC Conversion Charge without outside dispatch	!		UHL	UREWO		86.12	40.39				 		 		
-	4-WIKE	DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1	1	-1	USL	USLXX	70.74	313.75	181.48	61.22	13.53	-			-		
—	 	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	t	4-Wire DS1 Digital Loop - Zone 3	†	3		USLXX	178.39	313.75	181.48	61.22	13.53	-	 				
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	0.00	23.02	.00	ŬZZ	.0.00						
						1	L	20.02				L	·		·		

UNBUND	DLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
ONDONE	DEED NETWORK ELEMENTS - Florida	1		I	1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Monroe	rina	Nonrecurring	Disconnect			220	Rates (\$)		<u> </u>
		1				Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
4-V	VIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	CITETYO		101.07	40.04								
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps	1	2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
-	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL UDL	OCOSL UDL64	22.20	23.02 161.56	108.85	67.08	15.56						
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 		UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
—	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ŭ	UDL	OCOSL	00.00	23.02		07.00	10.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-V	VIRE Unbundled COPPER LOOP	1							i							
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual		_							4= 00						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						1
\vdash	service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	 	3	UCL	UCLPB	20.94	9.00	9.00	75.05	15.63						
—	2-Wire Unbundled Copper Loop-Designed without manual			UCL	OCLIVIC		9.00	9.00								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						1
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			1101	LIDEWO		07.04	40.47								1
4-1/	(UCL -Des) WIRE COPPER LOOP	 	-	UCL	UREWO		97.21	42.47								
4-4	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						1
	4-Wire Copper Loop-Designed including manual service inquiry	1			1											
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						1
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry	1		LICI	LICLAW	44.00	450.40	400.00	00.74	44.00						1
\vdash	and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry	+	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		-	-			
	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						1
 	4-Wire Copper Loop-Designed without manual service inquiry	1			JULTVV	10.01	100.10	100.03	02.74	11.22		 				
	and facility reservation - Zone 3	1	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MOI	DIFICATION															
				UAL, UHL, UCL,												[]
	Unbundled Loop Medification, Personal of Lond Calls, CAMP	1		UEQ, ULS, UEA,												1 1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	1		UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								1 1
\vdash	Unbundled Loop Modification Removal of Load Coils - 4 Wire	+	1	ULFOD	ULIVIZL		0.00	0.00	 							
	less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00				1				1
		1		UAL, UHL, UCL,			2.50	2.00						İ		
		1		UEQ, ULS, UEA,								1				1 1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	,		UEANL, UEPSR,								1				1 1
	per unbundled loop	1		UEPSB	ULMBT		10.52	10.52								
SUB-LOOF	PS	1]	<u> </u>		l	<u> </u>	

UNBU	JNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							В	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	LICDCA		407.00									
	+ -	Up	-		UEAINL	USBSA		487.23									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder						0.20									
		Facility Set-Up	- 1		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
-	-	Set-Up	- 1		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>	OL7 II VL	COBINE	0.40	00.10	21.70	47.00	0.20						
		Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
-		Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANE	OODIVIC		3.00	3.00								
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
		Zone 3		3	ULANL	USBIN4	10.30	00.03	30.42	45.71	0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
_		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL UEANL	USBMC USBR4	9.37	9.00 55.91	9.00 17.51	49.71	6.60						
		Sub-Loop 4-Wire intrabuliding Network Cable (INC)	- '		ULANL	USBIN4	9.37	33.51	17.51	49.71	0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	2	UEF UEF	UCS2X UCS2X	7.31 12.98	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26						
		2 vviile Copper Oributiuled Sub-Loop Distribution - 2018 3	-	3	OLI	0002A	12.98	60.19	21./8	47.30	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
-		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour		†	UEF	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
	Unbund	lled Network Terminating Wire (UNTW)															
	Nerton	Unbundled Network Terminating Wire (UNTW) per Pair		_	UENTW	UENPP	0.4572	18.02									
-	Networ	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12		71.49	48.87								
-		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW	UND12 UND16	 	113.89	89.07								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63						1		
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE C	THER, P	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
-	+	UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE C	THER, P	ROVISIONING ONLY - NO RATE					0.00	0.00									
					•	•						•	•		•	•	

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: A
														Incremental	Incremental		Incremental
												Submitted Elec		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	Ι							Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OIIL,OLO	OINLOIN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				HODED	0.00	0.00									
		rate Unbundled DS1 Loop - Superframe Format Option - no rate		<u> </u>	UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -			001	00001	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP		ļ													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility			020	TEOTAD	10.02										
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLOY	41 END	40.00										
		month High Capacity Unbundled Local Loop - STS-1 - Facility		1	UDLSX	1L5ND	10.92										
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP I	MAKE-L																
		Loop Makeup - Preordering Without Reservation, per working or			LINA	1 18 4121 147		50.47	50.47								
		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility		<u> </u>	UMK	UMKLW	+	52.17	52.17								
		queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or															
	LABINA	spare facility queried (Mechanized)		ļ	UMK	UMKMQ		0.6784	0.6784								
LINE 5		S AND LINE SPLITTING 1: The Line Sharing monthly recurring rates for all installation	l S comi	nleted f	rom October 02 200	3 through m	idnight Octobe	r 01 2004 shal	I he hilled as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co						,									
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT		<u> </u>													
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	d ULSC	C applies only to cit	rcuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING	T	1	- прринести				,,								
	SPLIT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	119.72 29.93	379.13 379.13	0.00	347.90 347.90	0.00						
		Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		 	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		i –													
	END /	deactivation (per LSOD)		ļ	ULS	ULSDG	ļ	173.66	0.00	97.42	0.00						
-	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) -	-	<u> </u>		-	-										
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
-	-	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	-	<u> </u>	ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)		ļ	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -					1 7										, 7
		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
—		Line Sharing - per Subsequent Activity per Line Rearrangement		t		32331	5.51	23.00	21.20	13.37	3.01						
		- (BST Owned Splitter)		ļ	ULS	ULSDS		21.68	16.44								
		Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter)			ULS	ULSCS		21.68	40.44								
—	 	- (DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -	 	 	ULO	ULSUS	 	21.68	16.44								
1		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						.
		·			1	•					•	•	•	•	•		

UNBUI	NDI FI	D NETWORK ELEMENTS - Florida												Δttach	ment: 2	Evhi	ibit: A
O.I.BO.	1000											Svc Order	Svc Order	Incremental		1	Incremental
												I .	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
$\sqcup \sqcup$							Rec	Nonred			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
$\vdash \vdash$		NOTE 1 (E:10/2/2003)		<u> </u>	ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
\vdash		Line Share Service, TRO per line activation, CLEC owned		1	ULS	ULSCI	3.98	47.44	19.31	20.67	12.74	-			-	-	1
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
 	INFS	PLITTING			OLO	02001	5.51	77.77	13.51	20.07	12.14	<u> </u>	1	1			
		SER ORDERING-CENTRAL OFFICE BASED	†	 		+				1		1	 		I	I	1
l i		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			1				i	1	1	
		Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61			İ	1	1	İ
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28		9.61				1	1	İ
	MAINT	ENANCE						_				İ		1			1
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT															
<u> </u>	NTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
$\sqcup \sqcup$		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
\vdash		Rev Bat Per Mile per month	-	-	U1TVX	1L5XX	0.0091					1					
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
\vdash		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVX	UTIKZ	25.32	47.35	31.78	18.31	7.03	-		-			
		Per Mile per month	1		U1TVX	1L5XX	0.0091										
-		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	-	1	UTIVA	ILSAA	0.0091			1		1	1		-	-	
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
\vdash		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	OTTVX	01114	22.50	47.55	31.70	10.51	7.03	†	-				
		per month			U1TDX	1L5XX	0.0091										
\vdash		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0115/1	120701	0.0001					1	1		1	1	
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile										İ					
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility										İ		1			1
		Termination		<u></u>	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03					<u> </u>	<u> </u>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
igsquare		month			U1TD1	1L5XX	0.1856										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility														_	
igsquare		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05			ļ	L		ļ
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			l	1	_								1	1	
\vdash		month			U1TD3	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	LIATEO	4 074 00	005.40	040.00	70.00	70.50						
\vdash		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	-	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56	1					
		·			U1TS1	41.577	2.07										
\vdash		month Interoffice Channel - Dedicated Transport - STS-1 - Facility	-	+	01191	1L5XX	3.87			1		 	-		 	 	1
		Termination		1	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56				I	I	
DARK F	IBFR	Tommandi	-		01101	01113	1,000.00	333.40	213.20	12.03	70.36	 	-	 	t	t	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		†		+				1					-	†	1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85								1	1	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20.00	751.34	193.88	356.21	230.11			İ	1	1	İ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		1									İ	1	1	İ
1 1		Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	55.04								I	I	
1 1		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11	1	1	1			1

UNRI	INDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
ONDO	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Names		l Names a coming	Dianamant			220	Detec (f)		
-	ļ		-	-			Rec	Nonrec First		Nonrecurring		SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
SYY A	CESS	I TEN DIGIT SCREENING						FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
OAA A	T	8XX Access Ten Digit Screening, Per Call			OHD	_	0.0006252					1					
-		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID	1	0.0000202					i e					
		Number Reserved			OHD	N8R1X		4.15	0.70								1
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			8.78	1.18	5.77	0.70						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															1
		POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
		8XX Access Ten Digit Screening, Customized Area of Service			OUD	NOTOV		4.45	0.07								1
-	1	Per 8XX Number	-	<u> </u>	OHD	N8FCX	-	4.15	2.07			.					
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								1
	1	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70			1					
	t	8XX Access Ten Digit Screening, Call Handling and Destination	l –			1			50							1	\vdash
		Features			OHD	N8FDX		4.15	4.15								1
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										\Box
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															1
		query			OHD		0.0006252					ļ					
LINE	NFORMA	ATION DATA BASE ACCESS (LIDB)			OQT		0.0000202										
	1	LIDB Common Transport Per Query LIDB Validation Per Query			OQU	+	0.0000203 0.0136959					1					\vdash
	1	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0130333	55.13	55.13	55.13	55.13	1					
SIGNA	LING (C				04.,040	11112171	1	00.10	00.10	33.10	00.10						
	l ,	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						\Box
		CCS7 Signaling Connection, Per link (B link) (also known as D						40.55	40.55								1
-	ļ	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31	ļ					\vdash
-	<u> </u>	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA	-	1	UDB UDB	STU56	0.0000152 694.32					-					\vdash
	1	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	1	1	ODB	31030	094.32										
		Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						1
E911 S	ERVICE				-							İ					
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00						
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					05.00	47.05	24.70	40.04	7.00						1
-	<u> </u>	Termination Local Channel - Dedicated - DS1 - Zone 1	1	 		+	25.32 35.28	47.35 216.65	31.78 183.54	18.31 21.47	7.03 19.05	1	-			-	\vdash
	1	Local Channel - Dedicated - DS1 - Zone 2	1	1			47.63	216.65	183.54	21.47	19.05						
	1	Local Channel - Dedicated - DS1 - Zone 3	1	†			92.01	216.65	183.54	21.47	19.05					İ	
	1	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856					Ì	İ	1	1		
	ĺ																
]	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05						
CALLI	NG NAM	IE (CNAM) SERVICE	ļ	<u> </u>	0.01/		ļ	0=	0.5	10:		ļ					↓
<u> </u>	.	CNAM For DB Owners - Service Establishment	 	-	OQV	+	 	25.35	25.35	19.01	19.01	ļ		 	 	.	\vdash
-	 	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	1	-	OQV	+	 	25.35	25.35	19.01	19.01	1	-	-	-		\vdash
		Establishment			OQV			1,592.00	1,177.00	352.36	259.09						[
	<u> </u>	CNAM For Non DB Owners - Service Provisioning With Point	†			1		1,002.00	1,177.00	302.30	200.00					1	
	1	Code Establishment	1		OQV	1		546.51	393.82	358.06	259.09						[
		CNAM for DB Owners, Per Query			OQV		0.001024										
		CNAM for Non DB Owners, Per Query			OQV		0.001024				•						
SELEC	TIVE R	DUTING	ļ													ļ	igspace
	1	Selective Routing Per Unique Line Class Code Per Request Per	1			1		00.55	00.55	10.71	40 =:						[
VIDTII	AL COL	Switch LOCATION	-	-		+		93.55	93.55	12.71	12.71	ļ	-	-	-	 	\vdash
VIKTU	AL UUL	LOUATION	<u> </u>	1	L							L	l	l	l	l	

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
011201122											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>									L NI	D'			000	D-1 (A)		
						Rec	Nonrec		Nonrecurring		001450	001441		Rates (\$)	001141	001141
	Virtual Callegation 2 Wise Conse Conserts (Lass) for Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO				OLFSK OLFSB	VLILO	0.0302	11.57	11.57	0.00	0.00						
THIOIDAL O	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTI	VE CARRIER ROUTING					0.0=.0	****		Ţ							
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AINI CMC Access Conice Dort Connection Dial/Charact Access			A4NI	CAMDP		0.04	0.01	40.00	40.00	1					,
 	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P	 	8.64 8.64	8.64 8.64	10.03 10.03	10.03 10.03				-		
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMIP		8.64	8.64	10.03	10.03						
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAWAO		30.00	30.00	23.00	23.00						
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4609										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,439.00	8,439.00								
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 11 11		0.04	0.04	10.00	10.00						
1 1	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1 1	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		20.06	20.06	15.00	15.00						
	AIN Toolkit Service - Query Charge, Per Query				DAFIF	0.0535927	38.06	38.06	15.86	15.86	 	 				
 	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				 	0.0333827								 		
	Subscription, Per Node, Per Query					0.0063698					1					,
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
1 1	Account, Per 100 Kilobytes					0.06					1	1				,
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				D 4 D 4 -											,
	Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	DADDO	4 70	0.04	0.01	0.00	0.00	1					,
\vdash	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	\vdash	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	-	-	-		-	
	Service Subscription			CAM	BAPES	0.12	9.56	9.56			1					,
ENHANCED F	EXTENDED LINK (EELs)			O/ 11V1	DAI LO	0.12	3.30	3.30								
	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE com	binations prov	isioned as ' C	ordinarily Comb	ined' Network	Elements.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for	UNE combination	ons provisione	d as ' Current	ly Combined' N	letwork Eleme	nts.			İ		
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	OFFICE TRANSPOR	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

ATECONY RATE LEMENTS Intel RATE LEMENTS Inte	UNBU	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
Macro Macr				I	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Part March Print Age								_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Description Description								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interestic Transport - Decisional - DSI contribution - Facility DACCU DATE Section DACCU DATE Section DACCU DATE DA																		
Ternitation part morth SACTX UTIT 93.44 77.46 77.62 122.66 5.65 17.05						UNC1X	1L5XX	0.1856										
10 Charmonization System in contribution PM Morth 10 No. No. 10 No.						LINC1Y	IIITE1	88 11	174.46	122.46	<i>1</i> 5.61	17 05						
None Cander COCL) Per Material		1		-	1						43.01	17.95						
Seath Additional 2-Wire VOLCE (St. 2) in Combination - Zone 2											0.00	0.00						
Seath Additional 2-Wire VOLCE (St. 2) in Combination - Zone 2																		
Exch Additional 2-Wiles Vol. Logs (St. 2) in Combination - Zone 3 S. UACOX UEA 2 30.87 127.50 60.64 42.79 2.81 1.00		<u> </u>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
Exch Additional 2-Wiles Vol. Logs (St. 2) in Combination - Zone 3 S. UACOX UEA 2 30.87 127.50 60.64 42.79 2.81 1.00			Fach Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	LINCVY	LIEAL 2	17.40	127 50	60.54	12 70	2.81						
Vision Control Control From Month Noncompany Control Fro		1	Lacif Additional 2-vviile vo Loop (SE 2) in Combination - Zone 2			ONOVA	OLALZ	17.40	127.55	00.54	42.73	2.01						
Nonrecuring Currently Combined Network Elements Switch - Ast UNCIC 8,98					3													1
Inchange Uniform Uni		1				UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
ETHORD 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT				1		LINICAV	LINICOC		0.00	0.00	0.00	0.00						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 18.89 127.59 60.54 42.79 2.81	-	FXTFN		TED DS	I 1 INTER				8.98	8.98	8.98	8.98						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 26.84 127.59 60.54 42.79 2.81 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 47.62 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DST - Socilly Termnation Per Mile Per Month Interoffice Transport - Dedicated - DST - Socilly Termnation Per Month Interoffice Transport - Dedicated - DST - Socilly Termnation Per Month Interoffice Transport - Dedicated - DST - Socilly Termnation Per Month Interoffice Transport - Dedicated - DST - Socilly Termnation Per Month Interoffice Transport - Dedicated - DST - Socilly Termnation Per Month Interoffice Transport Combination - zero month Interoffice Transport - Dedicated - DST combination - zero a 3 UNCXX UDL56 22.20 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DST combination - zero a 3 UNCXX UDL56 55.99 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DST combination - zero a				1	1		1											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 47.62 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DST - combination - Per Mile UNCIX 1LSXX 0.1856 Interoffice Transport - Dedicated - DST - Combination - Per Mile UNCIX 1LSXX 0.1856 Interoffice Transport - Dedicated - DST - Facility Termination Per Munth UNCIX UTFT			First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 47.62 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DST - combination - Per Mile UNCIX 1LSXX 0.1856 Interoffice Transport - Dedicated - DST - Combination - Per Mile UNCIX 1LSXX 0.1856 Interoffice Transport - Dedicated - DST - Facility Termination Per Munth UNCIX UTFT					_		l											
Interoffice Transport - Dedicated - DST - Combination - Per Mile Per Morth Interoffice Transport - Dedicated - DST - Facility Termination Per Morth UNC1X	-	1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	-	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
Interoffice Transport - Dedicated - DST - Combination - Per Mile Per Morth Interoffice Transport - Dedicated - DST - Facility Termination Per Morth UNC1X			First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UFAL4	47 62	127 59	60.54	42 79	2 81						
Interdifice Transport - Dedicated - DS1 - Facility Termination Per Month																		
Month UNC1X UTF1 88.44 174.46 122.46 45.61 17.95						UNC1X	1L5XX	0.1856										
1/10 Channel System in combination per Month UNCYX Votes Grade COCI (nombination - per month UNCYX 1011/6 1.38 10.07 7.08 0.00 0.00							=.		.=									
Voice Grade COCI in combination - per month	-	1		-							45.61	17.95						
Additional 4-Wire Analog Voice Grade Loop in same DS1 1 UNCVX UEAL4 18.89 127.59 60.54 42.79 2.81		1		-	1						0.00	0.00						
Additional 4-Wire Analog Voice Grade Loop in same DS1							1											
Interoffice Transport Combination - Zone 2					1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
Additional 4-Wire Analog Voice Grade Loop in same DS1 3 UNCVX UEAL4 47.62 127.59 60.54 42.79 2.81 1						LINICVAY	LIEALA	20.04	407.50	CO 54	40.70	0.04						
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 47,62 127,59 60,54 42,79 2,81		+				UNCVX	UEAL4	20.84	127.59	60.54	42.79	2.81						
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 8.98 8.98 8.98 8.98 8.98 8.98 8.98					3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
IS Charge			Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT				-														
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1856 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95 1/0 Channel System in combination Per Month UNC1X MQ1 146.77 101.42 71.62 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81		EVTEN		CATED	DC4 IN				8.98	8.98	8.98	8.98						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81		EXTEN	DED 4-WIRE 36 RBF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	I	TEROFFICE TRAIN	3FUKT											
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81			First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81			· •															
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1856 UNC1X 1L5XX 0.1856 UNC1X	-	<u> </u>	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1856 UNC1X 1L5XX 0.1856 UNC1X			First 4-Wire 56Khps Digital Grade Loop in Combination - Zone 3		3	LINCDY	LIDI 56	55 00	127 50	60.54	12 70	2.81						
Per Month UNC1X 1L5XX 0.1856		1		-	-	ONODA	ODESO	33.33	127.55	00.54	72.13	2.01						
Termination Per Month			Per Month			UNC1X	1L5XX	0.1856										1
1/0 Channel System in combination Per Month																		
OCU-DP COCÍ (data) per month (2.4-64kbs)		<u> </u>									45.61	17.95						
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	+		 	 						0.00	0.00	 					
Interoffice Transport Combination - Zone 1		1			t	5.10DX	10.00	2.10	10.07	1.00	0.00	0.00	<u> </u>					
Interoffice Transport Combination - Zone 2	L		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Additional OCU-DP COCI (data) - in combination per month (2.4-									,									
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81 Additional OCU-DP COCI (data) - in combination per month (2.4-	<u> </u>	 		 	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	-					
Additional OCU-DP COCI (data) - in combination per month (2.4-					3	UNCDX	UDL56	55 99	127 59	60.54	42 79	2.81						, l
		1			Ť			55.59	121.00	00.04	72.73							
			64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
					1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OATEGOR	NATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				+		11130	Addi	11130	Addi	JOINEC	JONAN	JONAN	JOHAN	JOINAIN	JOINAIN
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
EY	FENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.30	0.30	0.30	0.30						
	CINDED 4-WIKE 04 KBI 0 EXTENDED DIGITAL LOOF WITH DEDI	CAILD	DOT III	TEROTTIOE TRAIN	JI OKI											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						, !
	I list 4-Wile 64Rbps Digital Grade Loop III Combination - Zone 1		<u>'</u>	UNCDX	UDL04	22.20	127.59	00.54	42.13	2.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						1
	I list 4-Wire 04Rbps Digital Grade Loop III Combination - Zone Z			ONODA	ODL04	31.30	127.55	00.54	72.13	2.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDA	UDL04	33.99	127.59	00.54	42.13	2.01	-	-		-		
	Per Month			UNC1X	1L5XX	0.1856										1
	interoffice Transport - Dedicated - DS1 combination - Facility	-	-	UNCIA	ILSAA	0.1000					-	-		-		
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
		-	-	UNC1X	MQ1	146.77	101.42	71.62	45.61	17.95						
	1/0 Channel System in combination Per Month	-	-						0.00	0.00						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-	-	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBLOA	00.00	407.50	00.54	40.70	0.04						1
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBLOA	04.50	407.50	00.54	40.70	0.04						1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month						40.00	=								1
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
L	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	_													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX.	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
\vdash	First DS1Loop in Combination - Zone 1	ļ	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ					
\vdash	First DS1Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						ļ
\vdash	First DS1Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	ļ					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				1	_								1		1
\vdash	Per Month	ļ		UNC3X	1L5XX	3.87					ļ					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				1									1		, !
	month	<u> </u>		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		ļ		ļ		
\vdash	3/1Channel System in combination per month	ļ		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						ļ
\vdash	DS1 COCI in combination per month	ļ		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		l .	1						1	1		I		1
\vdash	Zone 1	ļ	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		l .	1						1	1		I		1
$oxed{oxed}$	Zone 2	<u> </u>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		ļ		ļ		ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1			1		J				1	1		I		, !
	Zone 3	<u> </u>	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		ļ		ļ		ļ
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		ļ
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1									1		1
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EX	TENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
1 1	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	-	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring		001450	001441		Rates (\$)	001441	0011411
	Interesting Transport Organization Designation Designation				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
 	Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.0091										
	Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	02	20.02	0 0	02.00	00.10	21.00						
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO												
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	1		111000	41.5307						1					1
 	Month	₩		UNCVX	1L5XX	0.0091					-	-		-		\vdash
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month	1		UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53	1	1				1
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCVA	01174	22.50	94.70	52.59	50.49	21.55						\vdash
	Is Charge	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98	1					1
EXTEN	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		UNCCC		0.90	0.90	0.30	0.30						
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVEEN	Is Charge	0.4 1117	FRAFE	UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXIEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST STS-1 Local Lolp in combination - per mile per month	3-1 IN I	EKUFF	UNCSX	1L5ND	10.92										\vdash
	STS-1 Local Loop in combination - Facility Termination per			UNCOX	ILSIND	10.52										
	month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT	LINIONIX	1141.07/	40.00	127.59	00.00	40.70	0.04						
	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2	-	2	UNCNX UNCNX	U1L2X U1L2X	19.28 27.40	127.59	60.60 60.60	42.79 42.79	2.81 2.81						
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - per mile	†	J	0017/	O ILLAN	40.0Z	127.00	00.00	72.13	2.01						
1 1	per month	1		UNC1X	1L5XX	0.1856					1	1				1 !
	Interoffice Transport - Dedicated - DS1 combination - Facility	i –														
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	101.42	71.62								
	2-wire ISDN COCI (BRITE) - in combination - per month	ļ		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						lacksquare
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINONIV	1141.037		400 00				1	1				1 !
 	Combination - Zone 1	₩	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	-	-		-		\vdash
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1	1				1 !
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		OINOINA	UILZA	21.40	127.39	00.00	42.19	2.01						
1 1	Combination - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	1	1				1 !
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	l			1	.0.02	.200	33.30		2.31						
	month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						1 !
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														ldot
\vdash	First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				ļ		\vdash
\vdash	First DS1 Loop Combination - Zone 2	 	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	 	 		 		\vdash
	First DS1 Loop Combination - Zone 3	<u> </u>	J 3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	l	l		L		

UNBUNDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CHECHEL		I									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month	-	-	UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Termination per month 3/1 Channel System in combination per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07	-					
	DS1 COCI in combination per month	1	-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1					
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	13.70	10.07	7.00	0.00	0.00	-					
	Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport		i i	0.1017	002.01	7 0	211110	121102	0							
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport	i –														
	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45			<u></u>	<u></u>		<u> </u>
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1											l	l		
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
-	4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
 	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	ILSAA	0.0091										
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120		0 0	02.00	00.10	200	1					
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	LIATEC	40.44	04.70	50.50	50.40	04.50						
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	-					
	Is Charge	1		UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		UNCCC		0.90	0.50	0.90	0.50						
EXIL	First 2-wire VG Loop (SL2) in Combination - Zone 1	Italioi		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	1					
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per						İ									
	Mile			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -							·					l	l		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			ļ	ļ		
	Per each DS1 Channelization System Per Month	ļ		UNC1X	MQ1	146.77	101.42	71.62								
\vdash	Per each Voice Grade COCI - Per Month per month	-		UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00	-		 	 		
\vdash	3/1 Channel System in combination per month	-		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-					
\vdash	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	-	-	-	-		
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		1				
 	Each Additional 2-Wire VG Loop(SL2) in the same DS1	 	-	01101/	ULALL	12.24	121.33	00.54	72.13	2.01		 				
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		1				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	l –			1	9	.2	33.54	0	2.51			İ	İ		
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		1				
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in	1				Ι Τ										
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI combination per month	<u> </u>	l	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1	l	l	l		

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.2011.21		I									Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXI	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	IEROFF	ICE IR	ANSPORT W/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		١.,	1110101	UEAL4	40.00	407.50	60.54	40.70	0.04						
	Zone 1	-	-	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
\vdash	First 4-Wire Analog Voice Grade Local Loop in Combination -	1		UNCVA	UEAL4	20.04	127.59	60.54	42.79	2.01				-		
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
 	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOVA	OLALT	47.02	127.55	00.54	42.13	2.01						1
	Mile Per Month	1		UNC1X	1L5XX	0.1856						1		I		
	First Interoffice Transport - Dedicated - DS1 - Facility	1	†	0.101/	TEON	0.1000			1		-	†		I		H
	Termination Per Month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		
	Per each 1/0 Channel System in combination Per Month	†		UNC1X	MQ1	146.77	101.42	71.62	.0.01	50			1	<u> </u>		1
	Per each Voice Grade COCI in combination - per month	t		UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00			İ	1		İ
	3/1 Channel System in combination per month	1		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month	i		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
\vdash	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in						.=									
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	<u> </u>	<u> </u>	UNC1X UNCVX	U1TF1 1D1VG	88.44 1.38	174.46 10.07	122.46 7.08	45.61 0.00	17.95 0.00				-		
—	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	1.30	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
FXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.30	0.30	0.30	0.30						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1		T											
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		l	1									_		
	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.1856							ļ	L		L
	First Interoffice Transport - Dedicated - DS1 - combination			LINIOAY						.=				1		
	Facility Termination Per Month	!	-	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	-	-	-	 		-
\vdash	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	 	+	UNC1X UNCDX	MQ1 1D1DD	146.77 2.10	101.42 10.07	71.62 7.08	0.00	0.00	-	-		 	-	-
\vdash	3/1 Channel System in combination per month	 	 	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-	-	 	+		
 	Per each DS1 COCI in combination per month	 	†	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			 	t		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	 	OI4OIA	50151	13.70	10.07	7.00	0.00	0.00				+		
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		1		I		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	Ė		1		0			51	İ	İ	İ	1		İ
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	İ														
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				<u> </u>		
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)	ļ		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			T									_		
	Channel System per month	ļ		UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		LINICAY		00.44	474.40	100.40	45.61	17.0-		1		I		
\vdash	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	-	-	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				 	-	
	combination per month	1		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		1		I		
	combination per month	1	<u> </u>	014017	וטוטט	13.70	10.07	1.00	0.00	0.00	L	1	L	1		1

LINBLINDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
ONBONDE	ED NETWORK ELEMENTS - Florida	I	1		1	I					Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXT	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_			0.4 = 0			40 =0							
—	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81	-					-
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
\vdash	First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCDA	UDL64	55.99	127.59	60.54	42.79	2.01						
	Mile Per Month	1	1	UNC1X	1L5XX	0.1856						1				
	First Interoffice Transport - Dedicated - DS1 combination -	 	l	011017	120//	0.1030					-					
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	.0.01	11.00						
	Per each OCU-DP COCI (data) in combination - per month (2.4-				1									İ		İ
	64kbs)	1	1	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1				
	3/1 Channel System in combination per month		ĺ	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System						40.00	=								
	combination - per month (2.4-64kbs)	-	-	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856										
-	Each Additional DS1 Interoffice Channel Facility Termination in	-		UNCIA	ILSAA	0.1000										
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	011111	00.44	174.40	122.40	45.01	17.93						
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	00.5.	10.70	10.01	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														l	
	Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
\vdash	Transport - Zone 3	ļ	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81				ļ	ļ	ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAY	41.500											
\vdash	Mile per month		<u> </u>	UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -			LINICAV		00.4.	474.40	100.10	45.01	17.0-						
\vdash	Facility Termination per month	1	<u> </u>	UNC1X	U1TF1 MQ1	88.44 146.77	174.46 101.42	122.46 71.62	45.61	17.95				 	-	
\vdash	Per each Channel System 1/0 in combination - per month	+	<u> </u>	UNC1X	IVIQI	146.//	101.42	/1.62				-	-		-	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		1				
 	3/1 Channel System in combination per month	1	-	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				 	 	
	Per each DS1 COCI in combination per month	 	l	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	-					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	JJ./	50151	10.70	10.07	7.00	3.00	5.00						
	Combination - Zone 1	1	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>		1		0	22.30		51	1			İ	l	İ
	Combination - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l			1									1		1
	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel														l	
	system combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00]	I]

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											1		Incremental	Incremental		Incremental
											Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.	po. 20.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
l		-	ļ			1	Nonrec	in a	Nonrecurring	Dissennest	-		220	Rates (\$)		
		-	<u> </u>		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1		<u> </u>		1		11130	Addi	11130	Auu i	JOINEC	JONAN	JONAN	JOWAN	JONAN	JOWAN
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in		1													
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system					40.70	40.00									
	combination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		011000		0.00	0.00	0.50	0.00	†					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
\vdash	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAV	41.5707	0.4050										, [
\vdash	Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -		-	UNC1X	1L5XX	0.1856										
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						.
	3/1 Channel System in combination per month		1	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN	LIATE4	00.44	474.40	100.10	45.04	47.05						
-	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			0.1017	00.5.	10.10	.0.07	7.00	0.00	0.00						
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Nonrecurring Currently Combined Network Elements Switch -As-		3	UNCIA	USLAA	170.39	217.75	121.02	51.44	14.45						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			0.1027	120701	0.0001										
	Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
-	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		ΤŤ	-												i
	per month		<u> </u>	UNCDX	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility					40		==		a						.
\vdash	Termination per month	-	 	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	-					
1 1	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		8.98	8.98	8.98	8.98						.
ADDITIONAL	NETWORK ELEMENTS		†	JODA	311000		0.90	0.30	0.96	0.36						
	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is cl	narge does app	oly.					İ				
When	used as ordinarily combined network elements in All States, t	he non-	recurri	ng charges apply a	nd the Switch											
Nonre	curring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98						,
	10 Onargo - 2 Willor T-VVIIO VO	1	1	011017	314000		0.30	0.30	0.30	0.30	1	I		l		

CATEGORY RATE ELEMENTS Part Care DCG USC Part Care Car	UNBU	NDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
ATE CLEMENTS RATE CL	3.1.20		THE PERSON NAMED IN THE PE										Svc Order	Svc Order				Incremental
RATE GLENETS Res USOC RATE (S) RAT																	Charge -	Charge -
CATEGORY RATE ELEMENTS				Intori														Manual Svc
Bistorium	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				Order vs.
Second Comment Second Processes Second Proces				""									p = = = = = = = = = = = = = = = = = = =	F				Electronic-
Record R																		Disc Add'l
Non-counting Currently Corbinal Nation & South No. South No.																		
Noncepturing Currently Company Services Services Services Services Servic								Rec										
In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - Signal stage - In Chainge - In Chai									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Noncepting Controlled Services Elements Servich - No.				1		LINCDY	LINICOC		0.00	0.00	0.00	0.00						
Schlings-1961 Schlings-1961 ONCIX DNCCC B.98 B						UNCDX	UNCCC		8.98	8.98	8.98	8.98						
National Control National Co				1		LINC1Y	LINCCC		8 08	8 08	8 08	8 08						
Is Change, Disa Next Not Decreased Next Not Decreased Shalth Are Next Not Decreased Shal	-					ONOTA	ONCOC		0.30	0.30	0.30	0.30						
Noncestring Currently Contributed Network Extractin Switch - As						UNC3X	UNCCC		8 98	8 98	8 98	8 98						
In Charge ST81						0.10071	0.1000		0.00	0.00	0.00	0.00						
Optional Features & Functioner: UTID: UTiD: UTID: UTiD: UTID: UTiD: UTID: UTID: UTID: UTID: UTID: UTID: UTID: UTID: UTID: UTID:						UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Clear Charmel Capability Extended Finame Option - per DS1		Option																
Clear Charmel Capability Super FrameCpiton - per DS1						U1TD1,												
Clear Chammer Capability Super FrameOption - per DS1			Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	OI	OI						
Clear Chamer of Cipubliny (SF-ESF) Option - Subsequent U.NOT. U.NOT. U.N. N. N. C.C. 194-925 23.828 207S 0.85																		
Activity - per DST				L			CCOSF		OI	01	01	01			<u> </u>			
C-cal Pairty Option - Subsequent Activity - per DS3																		
Cold Parting Option - Subsequent Activity - per DS3			Activity - per DS1	- 1			NRCCC		184.92S	23.82S	2.07S	0.8S						
MULTIPLEXERS SIGN LOBG Channel System per month UNCIX MQ1 146,77 101.42 71.62																		
SST to DSS Channel System per morth				i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
COUUND COCI (data) - DS1 to DS0 Channel System - per UDL 10100 2.10 10.07 7.08		MULTI																
Month (24-64bb) used for a Local Loop						UNC1X	MQ1	146.77	101.42	71.62								
OCU-OPE COCI (data) - DS1 to DS0 Channel System - per month (2-4-64ks) upon of connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System - per month used for a Local Loop OCI Channel System - per month used for connection to a channelized DS1 Local Channel OCI Channel System - per month used for a Local Loop OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OCI Channel System per month OCI Channel System - per month used for connection to a channelized DS1 Local Channel in the same System per month OCI Channel System p						LIDI	10100	0.40	40.07	7.00								
month (24-64kby) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1010D 2.10 10.07 7.08 0.00 0.00	\vdash					UDL	טטוטו	2.10	10.07	7.08			-					
Local Channel in the same SWC as collocation U1TUD 101DD 2.10 10.07 7.08 0.00 0.00																		
2-wire ISDN COCI (BRITE) - CSI to DSO Channel System - per month for a Local Loop Local Loop						LIATUD	1D1DD	2 10	10.07	7.08	0.00	0.00						
month for a Local Loop					-	01100	TOTOD	2.10	10.07	7.00	0.00	0.00						
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation						UDN	UC1CA	3.66	10.07	7.08								
month used for connection to a channelized DS1 Local Channel U1TUB U1CA 3.66 10.07 7.08 0.00						05.1	00.07	0.00	10.01	7.00								
In the same SVC as collocation																		
Used for a Local Loop						U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
Voice Grade CCCL - DSI to DSO Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UNCX M03 211.19 199.28 118.64 40.34 39.07			Voice Grade COCI - DS1 to DS0 Channel System - per month															
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 101VG 1.38 10.07 7.08 0.00 0.00			used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
Same SWC as collocation																		
DS3 DDS1 Channel System per month																		
STS-1 to DS1 Channel System per month																		
DSI COCI used with Loop per month USL UCID1 13.76 10.07 7.08																		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month	\vdash			ļ	ļ							39.07			 			
Channel in the same SWC as collocation) per month	\vdash			 	-	USL	UC1U1	13.76	10.07	7.08	1	!		 	 	 		
DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 13.76 10.07 7.08 0.00 0				1		LIATUA	LIC1D1	10.70	10.07	7.00	0.00	0.00						
DS3 Interface Unit (DS1 COCI) used with Local Channel per month month month (DS1 COCI) used with Local Channel per month month (DS1 COCI) used with Local Channel per month month (DS1 COCI) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 Coci) used with Local Channel per month (DS1 C	\vdash			-	-									-	1	-		
MOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS	\vdash			 	-	וטווטו	ועוטט	13.76	10.07	7.08	0.00	0.00	-	 	 	 		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPSR UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREXT and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREXT and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80				l		LII DD1	LIC1D1	13.76	10.07	7 08	0.00	0.00						
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Vire Unbundled Florida area calling with Caller ID - Res. UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Vire Unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPAS UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPAS UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPAS UEPAS 1.40 3.74 3.63 1.88 1.80	UNBUN	DLED I		1	†	0_00	30.01	13.70	10.07	7.00	0.00	0.00	-	 		 		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80				1	†		t				1		-	 		 		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80				KY, LA	& TN, tl	he desired features	will need to b	e ordered usir	ng retail USOC	s		İ				İ		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.40 3.74 3.63 1.88 1.80 UEPSR UEPRO 1.40 3.74 3.63 1.88 1.80 UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80					,		1									1		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended			Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended																		
Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended																		
Caller ID - Res.						UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80						
Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended				1														
Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended	\vdash			ļ	L	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80						
Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended				1		LIEDOD	LIEDAS											
dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended	\vdash			ļ	-	UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80				-		
Exchange Ports - 2-Wire VG unbundled Florida extended				1		LIEDOD	LIEDAA	4.40	0.74	0.00	4.00	4.00						
	\vdash			!	+	UEPOK	UEPAT	1.40	3.74	3.63	1.88	1.80	-	-				
			dialing port for use with CREX7, without Caller ID capability	l		UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		_	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	E de la Carte Carte de la lacte de la Cart						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						, '
	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSK	UEFAF	1.40	3.74	3.03	1.00	1.00						
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						· '
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.00	1.00						
FEATU				02. O.K	00,100	0.00	0.00	0.00								
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-WIRI	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															<u> </u>
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.		L	UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80				ļ		
	Estado Para OMina Analas III Bura da Cara			LIEDOD	LIEDES											ı
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80			 	ļ		
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	4 40	0.74	2.00	4.00	4.00						ı
\vdash	Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID		-	UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80					-	
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						I
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00						
FEATL				OLI OD	OOAGO	0.00	0.00	0.00								
1 = 711 0	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)						0.00									
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						ļ
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPAD	1.40	39.00	10.10	12.33	0.7107						
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						I
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	1.40	00.00	10.10	12.00	0.7107						
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						I
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187						I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187						
	Subsequent Activity		\vdash	UEPSP	USASC	0.00	0.00	0.00								
FEATU		<u> </u>		HEDOD HEDOE	UEPVF	2.26	0.00	0.00				 	 	.		
EVOLU	All Available Vertical Features ANGE PORT RATES (COIN)	-	\vdash	UEPSP UEPSE	UEPVF	2.26	0.00	0.00					-	 		
EXCHA	Exchange Ports - Coin Port	-			+	1.40	3.74	3.63	1.88	1.80	-	 				
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to c	ircuit switche						ated with 2	wire ISDN r	orts.	 		
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)							, •apabi								
	ANGE PORT RATES										İ		İ			
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit apply t	o the embedo	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tai	riff rates or	a separate ag	reement.		
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports			ve date of this ame	ndment shall			parate agreen	ent or tariff at							
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															. <u></u>
	capability (E:4/1/2004)			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		ļ		ļ		ļ
\vdash	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		\vdash	UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						ļ!
\vdash	All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	0.000	ala cat	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	lition will be 1	torming -1 - d - d	ha Barra Fr	la Dagueri''	New Bueles	Boguest C	2000	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	avalia	ne only	unougn BFK/NeW	Dusiness Re	quest Frocess.	rates for the	packer capabi	iiiies will be de	termined via t	ne bona Flo	ie Request/	NEW DUSINES	s Request Pro	vess.	

PINDUNDE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
JIIDONDE.		1			1						Svc Order	Svc Order	Incremental		1	
											I .	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1	
													1st	Add'l	Disc 1st	Disc Add'l
		1				_	Nonre	curring	Nonrecurring	Disconnect	i e		oss	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NOTE	: Access to B Channel or D Channel Packet capabilities will be	e availal	ble onl	v through BFR/New	Business Re	quest Process.			lities will be de							
	ANGE PORT RATES (continued)	1	1	<i>y</i>	1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1			1		†
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1									i e					†
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23	İ					
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77	İ					
	Virtual collocation - Special Access & UNE, cross-connect per	1									i e					†
	DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Detai	led E911 with Locator Capability (required with UEPEX port)										İ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										İ					
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,809.00		151.12							
-+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	t	1	1	5.50	.,555.50		2	i			i	Ì	1	1
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.66									
New	or Additional PRI Telephone Numbers	<u> </u>	1	OLI LX	OLI ID	0.00	170.00				1				-	+
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1									1					
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
+-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>	1	02. 27.	020	0.0000	0.0112				1				-	+
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
+-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	<u> </u>	1	OLI LX	OLI ID	0.0000	12.71	12.71			1				-	
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.5412									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	 		OLFDX	OLFIL	0.00	0.3412		 		<u> </u>					+
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
LOC	AL NUMBER PORTABILITY	1	1	OLI LX	1111/21	0.00	25.42	20.42			†					+
	Local Number Portability (1 per port)	1	1	UEPEX UEPDX	LNPCN	1.75								1		+
INTE	RFACE (Provsioning Only)	1	1	OLI LX OLI DX	LIVI CIV	1.73								1		+
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00			†					+
-+	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			†					+
-+	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			†					+
New	or Additional Channel	1	1	OLI DX	I IX/ IL	0.00	0.00	0.00						1		+
IVOW (New or Additional - Voice/Data "B" Channel	 		UEPEX	PR7BV	0.00	15.48		 		<u> </u>					+
-+	New or Additional - Voice/Bata B Channel			UEPEX	PR7BF	0.00	15.48				†					+
	New or Additional Inward Data "B" Channel	 		UEPDX	PR7BD	0.00	15.48		 		<u> </u>					+
-+	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	10.40				†					+
	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BU	0.00								1		+
-+-	New or Additional PRI "D" Channel	 	 	UEPEX	PR7EX	0.00	15.48		 	 	 		 	1	 	+
CALL	TYPES	 	 	OLI LA	1 11/LA	0.00	10.40		 	 	 		 	1	 	+
CALL	Inward	 	 	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	 	 	 		 	1	 	+
-+-	Outward	 	 	UEPEX	PR7CO	0.00	0.00	0.00	 	 	 		 	1	 	+
-+-	Two-way	1	 	UEPEX	PR7CC	0.00	0.00	0.00	 	 				1	 	+
IINDI	JNDLED PORT with REMOTE CALL FORWARDING CAPABILIT	'	 	OLI LA	. 11750	0.00	0.00	0.00	 	 	 		 	1	 	+
LINE	JNDLED FORT WITH REMOTE CALL FORWARDING CAPABILITY JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	.	 		+	<u> </u>			 	 	 		 	1	 	+
- 101480	Unbundled Remote Call Forwarding Service, Area Calling, Res	1	\vdash	UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80	†	-	1	†	t	
-+	S. Sanarou Remote Gair Forwarding Gervice, Area Calling, Nes	t	\vdash	OLI VIX	521070	1.40	5.14	5.05	1.00	1.00	†	-	1	†	t	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80	1				1	1
-+	Unbundled Remote Call Forwarding Service, InterLATA - Res	1	\vdash	UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	†	-	1	†	t	
-+	Unbundled Remote Call Forwarding Service, IntelEATA - Res	t	\vdash	UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	†	-	1	†	t	
Non-	Recurring	t	t	OL. VIC	OZIKIIK	1.40	5.74	5.05	1.00	1.00	1	<u> </u>		1	 	
- 110.1-1	Unbundled Remote Call Forwarding Service - Conversion -	1	t		1				t	i	1		 		†	
	Switch-as-is			UEPVR	USAC2		0.102	0.102	1		1				1	1
-+	Unbundled Remote Call Forwarding Service - Conversion with	t	t	***			302	302	—	 	1	<u> </u>		1	 	
	allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102	I			1			I	1
UNRI	JNDLED REMOTE CALL FORWARDING - Bus	t	t	OL. VIC	23/100		0.102	0.102	—	 	1	<u> </u>		1	 	
	The state of the s	+	+	1	+				t	†	 	1	 	 	1	
- 10.351																

ATECON BATE REMATE NOTE: 100 Per 19	UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATT CLERENTS PART ELEMENTS PART EL													Svc Order	Svc Order			Incremental	Incremental
ATTECHNICAL PROPERTY OF ANY ELEMENTS WAS ASSOCIATED BY A STATE ALL STATES AND													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ANTECHNICAL PLANT OF THE CLERKINS				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Manufacture Manufacture	CATEG	DRY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Proceedings															Electronic-	Electronic-	Electronic-	Electronic-
Committee Remote Call Proventing States. Local Colling. Biol. SPPRI SPRIC 1-0 374 3.81 1.90 1.90															1st	Add'l	Disc 1st	Disc Add'l
Committee Remote Call Proventing States. Local Colling. Biol. SPPRI SPRIC 1-0 374 3.81 1.90 1.90	<u> </u>						1		Monroe		Monroourring	Disconnect			000	Potos (¢)		
Debundled Remote Call Forwarding Service, Local Carling, - Service Legal Call Carling, - Service Legal Carling, - Service Legal Carling, - Service Legal Carling, - Le	\vdash				1		1	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Debunded Remote Call Footnoting Service, InterATAT. Buts DEPPE DEPTE 1.40 3.74 3.65 1.88 1.00	-								11131	Addi	11130	Addi	OOMILO	JOHAN	JONIAN	JONIAN	JOINAIN	JOINAIN
Debunded Remote Call Footnoting Service, InterATAT. Buts DEPPE DEPTE 1.40 3.74 3.65 1.88 1.00			Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80					1 '	
Unbounded Ferrors Call Forwarding Service - Expansed and																	·	
Exception Load Califors			Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
Non-Recording Control Colf Provisiting Service - Convention			Unbundled Remote Call Forwarding Service Expanded and														()	
Unburided Remote Call Forwarding Service - Conversion - UEPV8						UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80					<u> </u>	
Switz-seeks		Non-Re															L	
Unburdied Ferrore Call Forwarding Service - Conversion with UEPVB																	1 '	
Stocked Change (PC and LPC) USPAS						UEPVB	USAC2		0.102	0.102							 '	
INBURDED_COLOR_SWITCHING, PORT USAGE						LIED\/B	LIEACO		0.400	0.400							1 '	I
End Office Switching (Prior Sasteing Function, Per MOU	LINDIA	JI ED i		-	-	UEPVB	USACC		0.102	0.102	+	-			-	-	 '	
End Office Swinking Function, Per MOU				H			1	 			1	 			l	 		
End Office Trunk Fort - Starting Port Larged (Local or Access Tandem)	\vdash				 		<u> </u>	0.0007662			 					 		
Transem Switching (Port Usage) (Local or Access Tandem)	\vdash			†	†		1				1		†	-				—
Tandrum Southing Function Per MOU		Tander			†		i e	0.000.04			İ					İ		
Tandern Switching Function Per MOU (Melded)				1			1	0.0001319				l	İ	İ	1		ſ	
Tandem Trans Port - Shared, Per MOU (Midded)			Tandem Trunk Port - Shared, Per MOU					0.000235										
Melided Factor 2019's of the Tandem Rate Common Transport - Per Mile, per MOU Common Transport - Per Moule, per Mount - Per Mount -			Tandem Switching Function Per MOU (Melded)					0.000027185										
Common Transport - Per Mile, Per MOU								0.000048434										
Contract Transport - Per Mile, Per MOU 0.00000372 0.00000372 0.0000000000000000000000000000000000																	L	
Common Transport Facilities Fermination Per MOU		Commo															L	
UNBLONDLED PORTILODE COMBINATIONS - COST BASED RATES Cost Based Rites are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port Section of this Rate Exhibit. End Office and Tandems Writching Usage and Common Transport Usager area in the Port section of this rate exhibit shall apply to all combinations of loop/port network felterms except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. 2-WIRE VOIC ERRORDE LOOP WITH 2-WIRE LINE POORT (RES) UNE PortLoop Combination Rates 1 10.94 2 10.94																	 '	
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide the name name as they are applied to the Stand-Alone Unbundled Port section of this rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this rate section. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos short Currently Combined Com	LINIBLIN							0.0004372										
Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of 10 loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-WIRE VOIC GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE PORT/Loop Combination Rates 1 1 10.94 2-WIRE VOIC CAPPORT Combo - Zone 2 2 2 1 15.05 UNE Loop Rates 1 2-WIRE VOIC GRADE LOOP (SL1) - Zone 1 1 1 UEPRX UEPLX 9.77 2-WIRE VOICe Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 13.88 2-WIRE VOICe Grade Loop (SL1) - Zone 2 2 1 UEPRX UEPLX 13.88 2-WIRE VOICe Grade Loop (SL1) - Zone 2 3 UEPRX UEPLX 13.88 2-WIRE voice Orabidad Loop (SL1) - Zone 3 3 UEPRX UEPLX 14.75 2-WIRE voice unbundled port with Caller ID - res UEPRX UEPRX UEPRX 1.17 2-WIRE voice unbundled port with Caller ID - res UEPRX UEPR				nd/or Ct	oto Co	mmission rule to nr	ovida Unbun	dlad Lagal Curi	tahina ar Cwit	ah Darta	1						<u> </u>	-
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE PORT/Loop Combination Rates 2-Wire VOICE OFFICE COPE (Loop/Port Combo - Zone 1 1 1 10 10 94 10 10 10 10 10 10 10 1											od Port soction	of this Data E	yhihit				<u> </u>	
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														n Port/Loor	Combination	18		
2-Wire Voice Grade Licop (St.1) - Zone 1																		
2-Wire VIG Lopp/Pat Combo - Zone 1							1			<u> </u>			1	, , , , , , , , , , , , , , , , , , ,	1			
2-Wire Volcop/Port Combo - Zone 2		JNE Po	ort/Loop Combination Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1			2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
UNE Loop Rates																		
2-Wire Voice Grade Loop (St.1) - Zone 1					3			25.80									L	
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 13.88		JNE Lo															 '	
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 24.63					_													
2-Wire Voice Grade Line Port Rates (Res)	\vdash										1						<u> </u>	-
2-Wire voice unbundled port - residence	\vdash	2-Wire		-	3	ULFKA	OEPLA	24.03			+		-	-			 '	
2-Wire voice unbundled port with Caller ID - res	\vdash	. *****			 	LIEPRX	UEPRI	1 17	53 31	26.46	27 50	ደ 27				 		
2-Wire voice unbundled port outgoing only - res																		
2-Wire voice unbundled Florida Area Calling with Caller ID - res UEPRX UEPAF 1.17 53.31 26.46 27.50 8.37													İ	İ	İ			
2-Wire voice unbundles res, low usage line port with Caller ID (LUM) UEPX UEPAP 1.17 53.31 26.46 27.50 8.37											1							
CLUM UEPRX UEPAP 1.17 53.31 26.46 27.50 8.37			2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37	1				1 '	I
2-Wire voice unbundled Florida extended dialing with Caller ID UEPRX UEPA1 1.17 53.31 26.46 27.50 8.37																		
2-Wire voice unbundled Florida extended dialing port without UEPRX UEPA8 1.17 53.31 26.46 27.50 8.37																	<u> </u>	
Caller ID capability						UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37				ļ	 '	-
2-Wire voice unbundled Florida Area Calling Port without Caller UEPRX						HEDDY	LIEDAG						1				1 '	I
ID Capability	\vdash				-	UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37					 '	
2-Wire voice unbundled Low Usage Line Port without Caller ID UEPRX UEPRT 1.17 53.31 26.46 27.50 8.37						LIEDDY	LIEDAO	4 47	E2 24	26.40	27.50	0.07					1 '	1
Capability	\vdash			 	-	ULPRA	UEFA9	1.17	53.31	∠6.46	27.50	8.37	-	-	 	 		
FEATURES						LIEPRX	LIEPRT	1 17	53 31	26.46	27 50	8 27	1				1 '	I
All Features Offered	\vdash	FEATU			†	02.100	021101	1.17	00.01	20.40	27.50	5.57	 	-				
LOCAL NUMBER PORTABILITY UEPRX LNPCX 0.35 UEPRX LNPCX UEPX LNPCX				l		UEPRX	UEPVF	2.26	0.00	0.00	1					1		
Local Number Portability (1 per port) UEPRX LNPCX 0.35		OCAL		1			i i		2.20	2.30	1	l	İ	İ	l	İ	ſ	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
		NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															

UNRI	INDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	ibit: A
OND	JIVDEL						I					Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		. N	B'				D-1 (A)		<u></u>
-	+			1			Rec	Nonrec First		Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-					FIRST	Add'l	FIRST	Add'l	SOWIEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
		Switch-as-is			UEPRX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITOR	00/102		0.102	0.102				1				
		Switch with change			UEPRX	USACC		0.102	0.102								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS		1	LIEDDY	LIEAEN	40.00	40.57	00.00	05.00	0.57		ļ				
	+	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design	-		UEPRX UEPRX	UEAEN UEAEN	10.69 15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57	1	1	-	-	-	+
	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57	+	<u> </u>		 	 	
	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01	 	†		 	 	
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01		1				
		2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01	İ	†				
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)											ļ				ļ
-	UNE P	ort/Loop Combination Rates		-			10.94						ļ				
	-	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			15.05										<u> </u>
	+	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			25.80					ł	1				-
	UNFI	pop Rates					23.00						1				
	0.11	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77					İ	†				
	1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88						İ				
	1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						ļ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	1	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		ļ				
-	+	2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37		.				-
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
	LOCAL	. NUMBER PORTABILITY			OLFBA	OLFBL	1.17	33.31	20.40	27.30	0.37		†				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35						i e				
	FEATU												İ				
	1	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED						•									
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			l											1	
	<u> </u>	Switch-as-is			UEPBX	USAC2		0.102	0.102			ļ			ļ	ļ	ļ
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDDY	110400		0.400	0.400								
	ADDIT	Switch with change	-	├	UEPBX	USACC		0.102	0.102			-	-		-	-	-
<u> </u>	ADDITI	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-	 	-	+											
	1	Activity			UEPBX	USAS2		0.00	0.00								
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	t			00.02		0.00	0.00			1	1	1	1	1	†
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						L
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57	ļ	ļ				_
<u> </u>	+	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01	-			-	-	├
-	+	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	-		UEPBX UEPBX	UEAED UEAED	17.40 30.87	135.75 135.75	82.47 82.47	63.53 63.53	12.01 12.01	1	1	-	-	-	
-	INTER	DFFICE TRANSPORT	-	3	OLPDA	JEAED	30.87	133.75	02.47	03.53	12.01						
ь	Ina LEW	OFFICE HAROFORT	I	<u> </u>	I .							<u> </u>			ı	ı	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	ibit: A
ONBONDE	The state of the s										Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
	Literation Transport De l'installa O'Mina Visina Constalla Francis						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	05.00	47.05	04.70								
	Termination			UEPBX	U1TV2	25.32	47.35	31.78			-					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
2 WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBA	UTTVIVI	0.0091	0.00	0.00			-					+
	Port/Loop Combination Rates										 					-
ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+	10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05					1					†
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80					1					†
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								ļ
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		0.45	1.01								
ADDI	Conversion - Switch with Change TIONAL NRCs			UEPRG	USACC		8.45	1.91			-					
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		+						1					-
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	OLI IKO	00/102	0.00	0.00	0.00								
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.00	7.00			1					
	Premise			UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01	ĺ					
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54	ļ		ļ	ļ		<u> </u>
INTE	ROFFICE TRANSPORT	ļ	<u> </u>								ļ					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEBBO		05.00	47.0-	04 =0				1				
	Termination	 	-	UEPRG	U1TV2	25.32	47.35	31.78		-			 	 	 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	1		UEPRG	U1TVM	0.0091	0.00	0.00				1				
0.1477		-	-	UEPKG	UTTVIVI	0.0091	0.00	0.00		-	 		 	 	-	1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates	 	-		+						 	-				
UNE	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	10.94				 	 		 	 	l	
 	2-Wire VG Loop/Port Combo - Zone 2	t	2		+	15.05							 	 		
 	2-Wire VG Loop/Port Combo - Zone 3	t	3		+	25.80							 	 		
UNF	Loop Rates		Ť			20.00										
15	2-Wire Voice Grade Loop (SL 1) - Zone 1	l –	1	UEPPX	UEPLX	9.77				İ			İ	İ	İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEPPX	UEPLX	13.88				l		İ	İ	İ	l	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	i –		UEPPX	UEPLX	24.63							1	1		
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	i –											1	1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73						<u> </u>
$oxed{oxed}$	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73			ļ	ļ		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>	<u> </u>	UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73			l	l	<u> </u>	<u></u>

UNBI	NDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
3.450	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Otte EEEMERT O T TORIGO										Svc Order	Svc Order	Incremental			
												I .	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65		12.73						ļ
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						ļ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	4.47	474.04	100.05	75.00	40.70						
		Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						.
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVA	4.47	474.04	100.05	75.00	40.70						
	 	Room Calling Port	-		UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73	 	1	 	 	-	
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	10.70			I	I		
	!	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPPX	UEPXO	1.17	174.81 174.81	100.65	75.88 75.88	12.73 12.73	 	-	 	 	-	
	LOCAL	- NUMBER PORTABILITY	-	-	OLFFA	UEFAS	1.17	1/4.81	100.05	75.88	12./3	 	-	 	 	-	
	LUCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			 	-				
	FEATU		-		UEFFA	LINPOP	3.13	0.00	0.00			1	1	-	-		-
	FLATO	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00			<u> </u>	1				-
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	2.20	0.00	0.00			†	-				
	INOMINE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						<u> </u>	1				-
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	00/102		0.40	1.01			1	1	1			†
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
	ADDIT	IONAL NRCs			02.17	00/100		0.10				İ					
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										i e					†
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination			UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination			UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT	-			_						1					
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	25.32	47.35	31.78					I	I		
	!	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	OLFFA	UTIVZ	25.32	41.35	31.78	1		 	-	 	 	-	
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile for Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00					I	I		
	2-W/ID	To Fraction Mille VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T		OLFFA	O I I VIVI	0.0091	0.00	0.00	1	 	1	—	t	t	l	
		ort/Loop Combination Rates	i			+ -				1		1	 	I	I		†
		2-Wire VG Coin Port/Loop Combo – Zone 1	†	1		+ -	10.94			1		1	 	I	I		†
	 	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+ +	15.05							<u> </u>	<u> </u>		
	i e	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	25.80				İ			1	1	İ	
	UNE L	pop Rates	1	É		1					l			1	1	l	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77					İ					
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88					İ					
	L	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37						<u> </u>
	1	2-Wire Coin 2-Way with Operator Screening and Blocking:						==						I	I		
	-	900/976, 1+DDD, 011+, and Local (FL)	.		UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37	ļ		 	 	-	
1	1	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	50.01	00.40	07.50	8.37			I	I		
	<u> </u>	[(AL, FL)	I		UEPCU	UEPKK	1.17	53.31	26.46	27.50	8.37	1	1	1	1	l	

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add I
							_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin Outward with Operator Screening and Blocking:				1 1											
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37	†	1				
		2-Wire Coin Outward Smartline with 900/976 (all states except		 	021 00	OLI OIL	1.17	00.01	20.40	27.00	0.01						
		I A)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
\vdash	A DDITI	ONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFCK	1.17	33.31	20.40	21.30	0.37	1					
-	ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)	-	-	UEPCO	URECU	1.86	0.00	0.00	0.00	0.00	-					
-					UEPCO	UKECU	1.00	0.00	0.00	0.00	0.00						
\vdash	LUCAL	NUMBER PORTABILITY	 	 	LIEDCO	LNDCV	0.05			-		 	-		 		
\vdash	NONES	Local Number Portability (1 per port)	 	1	UEPCO	LNPCX	0.35			 		1	-		 	-	
\vdash	NUNKE	CURRING CHARGES - CURRENTLY COMBINED	!	-	 	+						 	ļ		 	-	
1 1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEBOO			0.400	0.400			1	1		1		l
\vdash		Switch-as-is			UEPCO	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	l	1						1	1		1		l
\vdash		Switch with change	ļ	1	UEPCO	USACC		0.102	0.102						.		ļ
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (RES)												
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										Î
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										Î
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										Î
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40					1			1		
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87					İ					
	2-Wire	Voice Grade Line Port Rates (Res)										İ					
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
		p p gg				10-1110						1			1		
1 1		2-Wire voice unbundled Florida Area Calling with Caller ID - res	1	1	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73	1	1		1		l
		2-Wire voice unbundles res, low usage line port with Caller ID	t	t	02.110	JE171	1.40	174.01	100.00	70.00	12.70	-	l		<u> </u>		
		(LUM)	1		UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		1		I		
\vdash	NTEP	OFFICE TRANSPORT	 	 	OLI I IX	JE1 /11	1.70	174.01	100.00	75.00	12.73	t	 		t	 	
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 	 	+ +						 	l		 		
		Termination	1		UEPFR	U1TV2	25.32	47.35	31.78				1		I		
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	1	OLFIR	UTIVZ	20.32	41.33	31.78	<u> </u>		 	 		 	 	
		or Fraction Mile			UEPFR	1L5XX	0.0091										
\vdash	FEATU		-	-	ULFFR	ILOAA	0.0091			 		-			 		
\vdash	FEAIU		!	-	LIEDED	LIED) (E	2.00	2.22	0.00			 	ļ		 	-	
\vdash		All Features Offered	-	-	UEPFR	UEPVF	2.26	0.00	0.00	 		1			1		
\vdash	LOCAL	NUMBER PORTABILITY	-	-	LIEDED	LNDCY				_		-			1		
$\vdash \vdash \vdash$	NONE	Local Number Portability (1 per port)	-	-	UEPFR	LNPCX	0.35			-		-	 		-	-	-
$\vdash \vdash \vdash$	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	!	L					<u> </u>							
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l	1											
$\vdash \vdash \vdash$		Combination - Conversion - Switch-as-is	ļ	1	UEPFR	USAC2		16.97	3.73						.		ļ
1 1		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		1						1	1		1		l
\sqcup		Combination - Conversion - Switch-With-Change		<u> </u>	UEPFR	USACC		16.97	3.73			1			1		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1										1		I		
$oxed{oxed}$		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (BUS)												
$oxed{\Box}$	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
011201122		I	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.0071.00.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40 30.87										
0.14/:	2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFB	UECF2	30.87					-	-				
2-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller + E484 ID - bus	1	<u> </u>	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73						
 	2-Wire voice unbundled port with Callet + E464 ID - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73				1		
 	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73				1		
LOCAL	NUMBER PORTABILITY			025	02. 5.			100.00	7 0.00	.20						
LOOAL	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT	t	t			5.50								İ		
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	i –		İ						1	1		İ		
	Termination	1		UEPFB	U1TV2	25.32	47.35	31.78								, !
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1													
	or Fraction Mile			UEPFB	1L5XX	0.0091										i l
FEATU	RES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								i
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															ı l
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															ı l
	End User Premise	<u> </u>	<u> </u>	UEPFB	URETN		11.21	1.10								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (РВХ)												
UNE P	ort/Loop Combination Rates	<u> </u>	1		+	42.04					-	-				
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			13.64 18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	3		-	32.27										
LINE L	pop Rates	1	3		1	32.21										
ONE E	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		Ť													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						i l
	Line Side Unbundled Outward PBX Trunk Port - Bus	i	i –	UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus		i –	UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73				1		1
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u></u>		UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															, !
	Capable Port	ļ	<u> </u>	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEDED	LIEDY"											1
\vdash	Administrative Calling Port	ļ	<u> </u>	UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		HEDED	LIEDVAA		474.01	100.05	75.00	10 =0						1
	Room Calling Port	 	1	UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	1		UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						1
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73	-	-		 		$\overline{}$
LOCAL	. NUMBER PORTABILITY	 	 	OLFIF	OLFAG	1.40	1/4.01	100.05	75.08	12.73	-	-		 		
LOCAL	Local Number Portability (1 per port)	†	†	UEPFP	LNPCP	3.15	0.00	0.00	 					 		
INTER	OFFICE TRANSPORT	1	 	0=111		5.15	0.00	0.00			-	-				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	†	i –											i		
	Termination	1		UEPFP	U1TV2	25.32	47.35	31.78			1	1				, l
	L				•								1			

UNBI	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
0				1		1					S	vc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											'		p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Disco					Rates (\$)		
							1100	First	Add'l	First Ad	ld'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
		or Fraction Mile			UEPFP	1L5XX	0.0091										
	FEATU																
		All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						40.00									
-		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
1		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		UEPFP	LIDETN		44.01		j l							
LIMBU	NDI ED 5	End User Premise ORT/LOOP COMBINATIONS - COST BASED RATES	 	1	UEPFP	URETN	-	11.21	1.10	 							
ONBU			CDODE	<u> </u>		+				 					-		
-		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ort/Loop Combination Rates	TOKI	1		+	-			 							
-	UNE PO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	20.95										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2		+	26.11										
-	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3	1	+	39.58			 	+				 		
	UNFIC	op Rates	1			+	33.30										
-	ONE EC	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24								1		
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	17.40										
-	+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
	UNF Po	ort Rate		Ŭ	OLITA	OLODI	00.07										
	0.1.2.1	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED					4										
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1		7.85	1.87								ı
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion													Î		
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								ı
	ADDITI	ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															ı
		End User Premise			UEPPX	URETN		11.21	1.10								
		one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group	1		l	1											ı l
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	1	DID Numbers, Non- consecutive DID Numbers , Per Number		!	UEPPX	ND5	0.00	0.00	0.00								<u> </u>
⊢—	1	Reserve Non-Consecutive DID numbers	!	1	UEPPX	ND6	0.00	0.00	0.00	 					-		
-	1.004	Reserve DID Numbers NUMBER PORTABILITY	!	<u> </u>	UEPPX	NDV	0.00	0.00	0.00	 					-		
	LOCAL		1	1	UEPPX	LNPCP	2.45	0.00	0.00								
\vdash	2-WID	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CID	I DOD'		LINPUP	3.15	0.00	0.00	 					-		
-		ort/Loop Combination Rates	IAE SIDI	LFUKI	I	+	 									-	
—	JIVE PO	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	 		+	+ -			 	-						
		UNE Zone 1		1	UEPPB UEPPI		22.63										ı
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	<u> </u>	OLITO OLFFI	+	22.03										
		UNE Zone 2	1	2	UEPPB UEPPR	: 1	29.05										ı l
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>													
		UNE Zone 3	1	3	UEPPB UEPPR	: [45.84										ı l
	UNE Lo	op Rates	1	T T		1				i					İ		
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25										
				i –											1		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPR	USL2X	21.67										ı l
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	Ì	3	UEPPB UEPPR	USL2X	38.46										
	UNE Po	ort Rate					<u> </u>										
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09					_			
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
										-							

UNBUNDI	ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Fyhi	bit: A
CHECHEL				1			I					Svc Order	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""												Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ		ļ				1		Nonrec	rrin a	Nonrecurring	Disconnect			000	Potos (¢)		
		<u> </u>		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port							FIISL	Addi	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOIVIAIN	JOWAN
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00								ĺ
ADDI	TIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at											1					
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
В-СН	ANNEL USER PROFILE ACCESS:	ļ		LIEDDD	HEDDD	114110.4	0.00	0.00	0.00								-
-	CVS/CSD (DMS/5ESS) CVS (EWSD)	1	1	UEPPB	UEPPR UEPPR	U1UCA U1UCB	0.00	0.00	0.00			-	-				
	CSD (EWSD)	<u> </u>	-	UEPPB UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1					
R-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	, TNI	OLFFB	JLFFIX	01000	0.00	0.00	0.00			<u> </u>		 	 	 	
	R TERMINAL PROFILE	1	· ··•,	1		†											<u> </u>
COL	User Terminal Profile (EWSD only)	1	t	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					1	1	1	
VERT	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI			<u> </u>				4/4/0.4 :1					<u> </u>	l			
	JNE-P DS1 combination rates below for in this rate exhibit appl													nt.			-
	lests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T Port/Loop Combination Rates	runk P	ort arte	r the effec	tive date c	tnis amend	ment snall be p	provided pursi	ant to a separ	ate agreement	or tariff at Bei	isoutn's ai	scretion.				
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											1					
	Zone 1		1	UEPPP			153.48										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			183.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			261.12										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38										
UNE	Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPPP		UEPPP	82.74	488.36	276.65			-					-
NON	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	-	UEFFF		UEPPP	02.74	400.30	270.00			1					
IVOIVI	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38								
ADDI	TIONAL NRCs	1		02		00/101	0.00	0	01.00			1					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		i –			1								1	1	1	
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.5412									
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -						İ										
	Outward Tel Numbers (All States except NC)	<u> </u>	<u> </u>	UEPPP		PR7TO		12.71	12.71								1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		l		L										1	1
	Subsequent Inward Tel Numbers	ļ	<u> </u>	UEPPP		PR7ZT		25.42	25.42			ļ					├
LOCA	AL NUMBER PORTABILITY	<u> </u>	<u> </u>	LIEDDE		LAUDON	4					1		ļ	ļ	ļ	
INITE	Local Number Portability (1 per port) RFACE (Provsioning Only)	 	<u> </u>	UEPPP		LNPCN	1.75					 	-			-	
INTE	Voice/Data	1	 	UEPPP		PR71V	0.00	0.00	0.00			 	-	 	 	 	
+	Digital Data	-	 	UEPPP		PR71D	0.00	0.00	0.00					 	 	 	
<u> </u>	Inward Data	†	t	UEPPP		PR71E	0.00	0.00	0.00					 	 	 	—
New	or Additional "B" Channel	t	t	1			5.50	0.00	3.30			1		1	1	1	
1.2	New or Additional - Voice/Data B Channel	1	i –	UEPPP		PR7BV	0.00	15.48					İ				
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48									
CALL	TYPES							_									

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	oit: A
		1				1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											I .	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		l l
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonred	curring	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Inward			UEPPP	PR7C1	0.00	0.00	0.00	11100	Addi	COMILO	COMPAR	OOMAN	COMPAR	COMPAR	COMPAR
 	Outward			UEPPP	PR7CO	0.00	0.00	0.00			1					
	Two-way		-	UEPPP	PR7CC	0.00	0.00	0.00			1					
Intere	ffice Channel Mileage			OLITI	1100	0.00	0.00	0.00								
IIItero	Fixed Each Including First Mile		\vdash	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05	1					
	Each Airline-Fractional Additional Mile		\vdash	UEPPP	1LN1B	0.1856	103.34	30.47	21.47	19.05	1					
4 WID	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	-		UEFFF	ILINID	0.1636					ł					
	NE-P DS1 combination rates below for in this rate exhibit apply				4 0 / 0 / 0 0 .		4/4/04 th	untan alanii un			<u> </u>	:-!	-4			
											te commerc	iai agreemei	ıt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective a	ate of t	nis amendment snai	ii be provide	ed pursuant to a	separate agre	ement or tarif	at BellSouth's	discretion.						
UNE F	ort/Loop Combination Rates					105.00										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		125.69					 					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		155.49					 					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ļ	3	UEPDC	ļ	233.33					ļ					
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1				USLDC	70.74										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38										
UNE F	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										i e					
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADDIT	IONAL NRCs			02. 00	00/11/2		00.01	10.171			1					
7.22	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -										1					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		10.00	15.05								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	-		UEPDC	UDITE	-	15.09	15.09			ł					
				UEPDC	UDTTC		15.69	45.00								
	Activation/Chan Inward Trunk w/out DID	-		UEPDC	UDITC		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	655.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepl	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
İ	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00					1					
i	DID Numbers, Establish Trunk Group and Provide First Group				ĺ	' ' '					1	1				
1	of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00			I]				
1	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	2.00	2.00			1					
 	DID Numbers, Non- consecutive DID Numbers, Per Number	l	\vdash		ND5	0.00					1	i				
	Reserve Non-Consecutive DID Nos.	 	\vdash	UEPDC	ND6	0.00	0.00	0.00			†					
-	Reserve DID Numbers	 	\vdash	UEPDC	NDV	0.00	0.00	0.00			1					
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digital	Loor			0.00	0.00	0.00			1	-				
Dealc	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	וטונמו l	Loop	WIGH WING DOILS II	I	+ +					1	_				
1		1		UEPDC	11 NO1	00 44	105 54	98.47	21.47	10.05	1					I
	Termination)	-	\vdash	ULPDU	1LNO1	88.44	105.54	98.47	∠1.4/	19.05	1					
1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.1856	0.00	0.00			I]				I
	interonice Charmer Mileage - Additional rate per fille - 0-8 miles	Ц		OLFDO	ILINOA	0.1000	0.00	0.00			<u> </u>	L			l	

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO FIORICA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. zo.t	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
-	1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	1	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TENOZ	0.00	0.00	0.00				1				
		miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities											İ				
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00						ļ				
		EDS1 LOOP WITH CHANNELIZATION WITH PORT n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act				_							1				
		ystem can have up to 24 combinations of rates depending on			her of ports used												
-		IE-P DS1 combination rates below for 4-Wire DS1 Loop with C					lv to the embe	edded base in i	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
		sts for 4-Wire DS1 Loop with Channelization with Port after th											I		l copulate	l	
		S1 Loop				l line of pre			3	2030				İ	İ		İ
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	ļ	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00								
-		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				ļ				
-		96 DSO Channel Capacity -1per 4 DS1s			UEPMG UEPMG	VUM96 VUM14	472.24 708.36	0.00	0.00				ļ				
-	1	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	944.48	0.00	0.00				.				
-	1	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				i e				
	1	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				İ				
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00								
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						ystem									
		mum System configuration is One (1) DS1, One (1) D4 Channe											ļ				
	wuitipi	es of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without	ad'i arte	r tne m	inimum system co	onfiguration is	countea.						1				
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24								
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Char	nelizat					7.27				1				
		ot Currently Combined) in all states, except in Density Zone 1										İ	†				
	, ·	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1	<u> </u>			l		İ			Ì	Ì			1	
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24						
	Bipola	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent				000											
ļ	1	Activity Only	1	.	UEPMG	CCOSF	0.00	0.00i	655.00s			<u> </u>				ļ	
		Clear Channel Capability Format - Extended Superframe -			LIEDMC	CCOEF	0.00	0.00;	655.00s								
 	Altorno	Subsequent Activity Only te Mark Inversion (AMI)	-	 	UEPMG	CCOEF	0.00	0.00i	800.cca			1	1	-	-	1	-
	AIGHI	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			1	†				
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	-	1	2.30	2.30	2.30			1		İ	İ		İ
		nge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business			LIEDDY	LIEBOY											
	1	(E:4/1/2004)	-	-	UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00	1	1	-	-		
		Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00						
-	 	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	ULPFA	UEFIA	1.40	0.00	0.00	0.00	0.00	+	<u> </u>	 	 		
		(E:4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00						
	Feature	Activations - Unbundled Loop Concentration				02. 2	5.71	3.00	3.00	3.00	3.00						
	,				·				ı					ı	ı		L

	NETWORK ELEMENTS - Florida												Attach	ment: 2		bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
1												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash					-	 	Nonroa	urrina	Nonrogurring	Disconnect			220	Botos (\$)		
					+	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4				+		riist	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
-	Feature (Service) Activation for each Trunk Port Terminated in			02.1 X		0.0.02	20.10	10.11	0.00	0.00						
	D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						
Telepho	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	lumber Portability Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional			UEPPA	LINPOP	3.10	0.00	0.00								
	witching Features Offered with Line Side Ports Only				+											
	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00								
	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S		02.1 X	02	2.20	0.00	0.00								
	Based Rates are applied where BellSouth is required by FCC		State C	commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
2. Featu	ires shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rate	e section in the san	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.					
3. End (Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Co	Usage r	ates in	the Port section of	f this rate exh	ibit shall apply	to all combina	tions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
	Iso and are categorized accordingly.															
	tet Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual Ca	ase Basis, un	til further notic	э.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')			+											
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)				+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	Non-Design		1	UEP91		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.		10.01										
	Non-Design		2	UEP91		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		25.80										
	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP91		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91	1	18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91	1	32.04										
	op Rate		3	OLFSI	+	32.04								-		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	13.88					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	12.24					İ			l		
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										
UNE Po																
	es (Except North Carolina and Sout Carolina)				1											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOA	LIEDVA		50.01	00.10	07.50	0.00						
	Area	-	—	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37	-			-		
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEP91	UEPYH	1.17	53.31	26.40	27.50	8.37						
	Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		\vdash	OLFSI	UEFTH	1.17	53.31	26.46	27.50	8.37	-			 		
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02101	JEI IIVI	1.17	100.40	00.10	00.41	13.01						
	Term - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			- **	1			22.10			İ					
	- Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						

CATEGORY RATE ELEMENTS Infert Zone BCS UBOC RATE South South Charge Cha	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
CATEGORY RATE REMEMTS Interest Inter		T										Svc Order	Svc Order				Incremental
CATEGORY RATE ELEMENTS												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Mark Color Mark			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Description Description	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR				Order vs.	Order vs.
Text			""									P =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Page																	Disc Add'l
Money First April Apri																Disc 1st	DISC Add I
Description Print April Print							Pec										
Bases Loop Area							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Georgia and Finds Only																	ı l
2-Win Visco Guide Prot (Februs 20) UEP91 UEP94 UEP94 1.77 53.31 20.66 27.90 5.37					UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
2-Wes Votos Guade Port Centres 80 termination UEP91 UEP94 1.77 53.31 28.46 27.50 3.37	Georgi																
2. Viviv Vaca Grafe Prof. Clembra van Claud (2) UEP91 UEP92 UEP93 UEP94 1.77 123.49 86.10 66.41 13.81 UEP94 UEP93 UEP94 UE																	
2-Wine Voca Grade Pert, Diff Serving Wine Center 2-3 800 USP91																	
Contest/2.5 Contest/2.5					UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
2-Wire Yook Grade Prof. Drill Senting Wire Center 23 - 800 UEPH1 UEPH2 1.17 136.49 86.10 65.41 13.81																	ı l
Service Term					UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
2-Wiew Voices Grade Port terminated in on Megalink or equivalent UEP91 UEP10 1.17 53.51 28.46 27.50 8.37																	ı l
Depth Control Contro	\vdash	Service Term	—	!	UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81	<u> </u>	-	-	ļ		
Dept Control Front Front Control Front		O Miles Vision Condo Dort torrains to the control of the control o			LIEDO4	LIEDUS		50.01	00.40	07.50	0.0-						, !
Cores instruction Cores instruction Cores instruction Cores instruction Cores instruction Cores instruction Cores instruction Cores			-	├								}	-	-	 		
Cortine Interconfor Fundamentally, per port UEFP1 URECS 0.7384 URE	1			-	UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	 		 	 		
Cocal Number Portability (1 per port)	Local			-	LIEDO4	LIDEOO	0.7004					1					
			-	-	UEP91	URECS	0.7384					-					
Reatures All Standard Features Offered, per port UEP91 UEPVF 2.26	Local			-	LIEDO4	LNDCC	0.05					-	-				
All Standard Features Offered, per port UEP91 UEPVS 2.26	Footur				UEP91	LINPCC	0.35					 	-				
All Select Features Offered, per port UEP91 UEPVC 2.26 NARS	reatur				I IED01	LIEDVE	2.26					 	-				
All Centres Control Features Offered, per port								270.70		-		1	1				
NARS	 							370.70		 		<u> </u>					
Unbundled Network Access Register - Combination UEP91	NARS	All defilies control realures offered, per port			OLI 31	OLI VO	2.20					†					
Unbundled Network Access Register - Indial UEP91 UARTX 0.00 0.	ItARO	Unbundled Network Access Register - Combination			UFP91	UARCX	0.00	0.00	0.00	0.00	0.00	1	1				
Unbundled Network Access Register - Outdial UEP91 UAROX 0.00 0												1	1				
Miscellaneous Terminations												İ					
2-Wire Trunk Side Trunk Side Trunk Side Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Pacifies Termination - Voice Grade UEP91 MinGBC Interoffice Channel Realities Termination - Voice Grade UEP91 MinGBC Enter Logo Channel mileage, per mile or fraction of mile UEP91 MinGBM 0.0091 Feature Activation (SDC) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D4 Channel Bank Centrex Loop Slot UEP91 IPOWS 0.66 Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot UEP91 IPOWS 0.66 Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot UEP91 IPOW7 0.66 UEP91 IPOW7 0.66 Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot UEP91 IPOW7 0.66 UEP91 USAC2 0.00 618.82 UEP91 USAC2 0.00 618.82 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UE	Miscel										0.00	İ					
Interoffice Channel Mileage - 2-Wire																	
Interoffice Channel Facilities Termination - Voice Grade UEP91 MFGBC 25.32		Trunk Side Terminations, each			UEP91	CENA6	8.73								Î		
Intereffice Channel mileage, per mile or fraction of mile Feature Activations (SS) Centrex Loop Sol channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Fx Trunk Loop Slot Feature Activation on D-4 Channel Bank Fital Line Loop Slot Feature Activation on D-4 Channel Bank Fital Line Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFeature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IPQ	Interof	fice Channel Mileage - 2-Wire															
Feature Activation on D-4 Channel Bank Fature Activation on D-4 Channel Bank Fature Activation on D-4 Channel Bank Fature Activation on D-4 Channel Bank Fature Side Loop Slot UEP91 1PQWS 0.66																	i
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank EX line Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Different Wire Center UEP91 1PQWP 0.66 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWP 0.66 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWV 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66 Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-Ass with allowed changes, per port Conversion - Currently Combined Switch-Ass with allowed Changes, per port New Centrex Standard Common Block UEP91 MIACS New Centrex Standard Common Block UEP91 MIACS Secondary Block, per Block UEP91 MIACS Secondary Block, per Block UEP91 MIACS UE					UEP91	M1GBM	0.0091										i
Feature Activation on D-4 Channel Bank FX line Side Loop Slot			е														
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP91 1PQW6 0.66 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.66 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWP 0.66	D4 Cha																
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center LEP91 LP91 LP94 LP91 LP94 LSAC2 LP94 LP94 LP94 LSAC2 LP94 LP94 LP94 LSAC2 LP94 LP94 LSAC2 LP94 LSAC2 LP94 LSAC2 LP94 LSAC3 LP94 LSAC4 LP94 LSAC4 LP94 LSAC5 LP94 LSAC5 LP94 LSAC6 LSAC6 LSAC6 LP94 LSAC7 LSAC6		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center LEP91 LP91 LP91 LP91 LP90 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC2 LP91 LSAC3 LP91 LSAC3 LP91 LSAC3 LP91 LSAC4 LP91 LSAC5 LP91 LSAC5 LP91 LSAC6 LP91 LSAC6 LP91 LSAC6 LP91 LSAC7 LP91 LSAC7 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8 LP91 LSAC8																	ı l
Slot					UEP91	1PQW6	0.66										
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWP 0.66						45014											i l
Different Wire Center		0.00		-	UEP91	1PQW7	0.66					1					
Feature Activation on D-4 Channel Bank Private Line Loop Slot					LIEDOA	4 DOWD	0.00										i l
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP91 1PQWQ 0.66 Slot UEP91 1PQWQ 0.66 Slot UEP91 1PQWQ 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 USAC2 UEP91 USAC2 UEP91 USAC2 UEP91 USAC2 UEP91 USAC3 UEP91 USAC4 UEP91 USAC5 UEP91 USAC6 UEP91 USAC6 UEP91 USAC7 UEP91 USAC7 UEP91 USAC8 UEP91 USAC		Different wire Center			UEP91	IPQWP	0.00					 	-				
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP91 1PQWQ 0.66 Slot UEP91 1PQWQ 0.66 Slot UEP91 1PQWQ 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 1PQWA 0.66 Slot UEP91 USAC2 UEP91 USAC2 UEP91 USAC2 UEP91 USAC2 UEP91 USAC3 UEP91 USAC4 UEP91 USAC5 UEP91 USAC6 UEP91 USAC6 UEP91 USAC7 UEP91 USAC7 UEP91 USAC8 UEP91 USAC		Feature Activation on D-4 Channel Bank Private Line Loop Slot			I IEDQ1	1POW//	0.66										ı l
Slot					OLI 31	11 Q V V	0.00					†					
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWA 0.66					LIEP91	1POWO	0.66										ı l
Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91												†					
Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 21.50 8.42	Non-Re				OLI 01	11 000070	0.00					1	1				
Changes, per port												İ					
New Centrex Standard Common Block					UEP91	USAC2		21.50	8.42								i l
New Centrex Standard Common Block					UEP91												
New Centrex Customized Common Block					UEP91	M1ACS	0.00	618.82									
Secondary Block, per Block							0.00										
UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Secondary Block, per Block				M2CC1		71.31									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-					UEP91	URECA	0.00	66.48									
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					•												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo																	
	UNE P																
I I INOn-Design I I 1 IIIEP95 I I 1094 I I I I I I I I I I I I I I I I I I I			1	١.			40			I							1
1		Non-Design		1	UEP95		10.94			1							

ONDONDE	ED NETWORK ELEMENTS - Florida	1	1											ment: 2		
											Svc Order	Svc Order	Incremental		Incremental	bit: A Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	-
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>					-	1	Nonroa	vin a	Monroourring	Dissennest			220	Potos (¢)		
					+	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+		riist	Add I	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOIVIAIN	SOMAN
	Non-Design		2	UEP95		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		25.80										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
\vdash	Design		1	UEP95		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDAE		40.55										
\vdash	Design		2	UEP95		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		32.04										
LINE I	Design Loop Rate		٥	OLF 90	+	32.04					<u> </u>			 	 	
01421	2-Wire Voice Grade Loop (SL 1) - Zone 1	†	1	UEP95	UECS1	9.77					l	†	1	1	1	†
	2-Wire Voice Grade Loop (SL 1) - Zone 2	l	2	UEP95	UECS1	13.88								1	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	24.63						İ	1			
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87										
	Port Rate															
All St				LIEDOE	LIED\/A	4.47	50.04	00.40	07.50	0.07						
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPYA UEPYB	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-					-
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		-	UEF95	UEFTB	1.17	55.51	20.40	27.50	0.37	1					-
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 00	02		00.01	20.10	27.00	0.0.						
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOF	LIEDVO	4.47	50.04	00.40	07.50	0.07						
AI K	Basic Local Area Y, LA, MS, SC, & TN Only			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						<u> </u>
	GA Only		-								1					1
1.20	2-Wire Voice Grade Port (Centrex)		-	UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37	i e					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2 Wire Voice Grade Port terminated in an Magalink or any instant			UEP95	UEPH9	1.17	53.31	26.40	27.50	8.37						
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95 UEP95	UEPH9 UEPH2	1.17	53.31	26.46 26.46	27.50 27.50	8.37			-			
l ocal	Switching	1	 	OL1 30	OLI 11Z	1.17	55.51	20.40	21.30	0.37	 		 	 	 	
Local	Centrex Intercom Funtionality, per port	l		UEP95	URECS	0.7384								1	1	
Local	Number Portability				1							İ	1			
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										ļ
$\vdash \vdash \vdash$	All Select Features Offered, per port	<u> </u>	ļ	UEP95	UEPVS	0.00	370.70				<u> </u>		ļ			_
NADO	All Centrex Control Features Offered, per port		<u> </u>	UEP95	UEPVC	2.26					ļ			-	-	
NARS	Unbundled Network Access Register - Combination	1	<u> </u>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	 	-	-		-	
 	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 	 	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	1	1	 	 	 	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		 	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations				3, 11, 3, 1	0.50	5.00	3.00	3.00	0.00				İ	İ	
	Trunk Side	1					İ							1	1	
	Trunk Side Terminations, each			UEP95	CEND6	8.73										

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		$\overline{}$
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wir	e Digital (1.544 Megabits)								1.114							
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										,
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Interc	office Channel Mileage - 2-Wire	ļ														
-	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	-		UEP95 UEP95	M1GBC M1GBM	25.32 0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20		UEP95	MIGBIN	0.0091			+							
	nannel Bank Feature Activations	Î														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66			† †							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>		UEP95	1PQW6	0.66								ļ		,
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOE	40000											,
	Slot	-		UEP95	1PQW7	0.66			+		-					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										, [
	Director Trice Oction	†		OLI 33	11 (477)	0.00			+							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP95	1PQWA	0.66										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex	-			1											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	Conversion of Existing Centrex Common Block, each	1		UEP95	USACN	0.00	5.17	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82		† †							
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Addit	ional Non-Recurring Charges (NRC)	ļ														
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
 	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF95	UKEIL		0.33	0.63	+ +							
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE-	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	ļ														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD		40.04										
\vdash	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	+	10.94			 							
	Non-Design		2	UEP9D		15.05										.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1									İ		
	Non-Design		3	UEP9D		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDOD		40.44										, [
—	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	7	UEP9D	+	13.41			 							
	Design		2	UEP9D		18.57										, [
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†		02. 00	1	10.07			+							
	Design	<u></u>	3	UEP9D		32.04			<u> </u>		<u> </u>			<u> </u>		<u>. </u>
UNE	Loop Rate			•				_								
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9D	UECS1	9.77										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP9D UEP9D	UECS1	13.88 24.63			 		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D UEP9D	UECS1	12.24	-		+		 					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	†	2	UEP9D	UECS2	17.40			+		 					
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	30.87										
	Port Rate															
ALL S	STATES				1											
	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>		UEP9D	UEPYA	1.17					1			l		

ART ELEMENTS RATE ELEMENTS RATE SELECTION R	UNBUNDLE	D NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhi	bit: A
Note Contact First Ade South Sout	CATEGORY	RATE ELEMENTS	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
Note Contact First Ade South Sout					+	_	Nonred	curring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		
March Marc						Rec					SOMEC	SOMAN			SOMAN	SOMAN
SWR Visio Grade Prof. Centrol. FEBS-PEDS-Black Local UEPVC 117 53.51 26.46 27.50 6.37				LIEP9D	UEPYB	1 17	53.31	26 46	27.50	8 37						
2-We Vice Grade Prof. (Centrer. (FES-MEXISO)) Basic Local 18PHD 177 53.31 78.46 77.50 8.37																
2-WW Vace Grade Prut (Center / EBS-MAD(0))3 Seast Local VEPAD UEPVE 1.77 53.31 26.46 27.50 8.37		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local														
Area 2007		7.1.04		UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
Ave. Ave.		Area		UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
Area 2-Wire Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3.4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3.4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page		Area		UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
Area		Area		UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
Area UEPO UEPVU 1.17 53.31 26.46 27.50 8.37				UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
2-Vitre Voce Grade Port (Centrex (EBS-M8216))3 Basic Local				LIEPAD	LIEPYLI	1 17	53 31	26.46	27 50	8 37						
2-Vitro Votos Grade Port (Centrex Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Carlier Vitro Vitro Vitro Carlier Vitro Vitr		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local														
2-Wire Votes Grade Port (Centrew With Caller ID) Basis Local VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 53.31 28.46 27.50 8.37 VEP9D VEPYH 1.17 139.49 88.10 68.41 13.81 VEP9D VEPYH 1.17 139.49 88.10 68.41 13.		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local														
2-Wire Voice Grade Port (Centrex/Galler DMeg Wig Lamp Indication))4 UEP9D UEPYU 1.17 53.31 28.46 27.50 8.37		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local														
2-Wire Voice Grade Port (CentrewMgWng Lamp Indication) 4 UEPRO UEPYJ 1.17 53.31 26.46 27.50 8.37				UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
Basic Local Area UEP9D UEPYJ 1.17 53.31 26.46 27.50 8.37				UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
2,3-8asic Local Area		Basic Local Area		UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						
Basic Local Area UEPPD UEPYD 1.17 53.31 26.46 27.50 8.37		2,3-Basic Local Area		UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
Basic Local Area UEPD UEPY 1.17 53.31 26.46 27.50 8.37				UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3.4 UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD D UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81 UEPPD UEPYD UEP				UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.17 139.49 86.10 65.41 13.81		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPYS 1.17 139.49 86.10 65.41 13.81		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPY4 1.17 139.49 86.10 65.41 13.81		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPY5 1.17 139.49 86.10 65.41 13.81				UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
Basic Local Area				UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
Basic Local Area		Basic Local Area		UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
Basic Local Area		Basic Local Area		UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
Term 2,3		Basic Local Area		UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPY9 1.17 53.31 26.46 27.50 8.37				UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEP9D UEPY2 1.17 53.31 26.46 27.50 8.37		2-Wire Voice Grade Port terminated in on Megalink or equivalent														
FL & GA Only		2-Wire Voice Grade Port Terminated on 800 Service Term Basic														
2-Wire Voice Grade Port (Centrex) UEP9D UEPHA 1.17 53.31 26.46 27.50 8.37	FL & 6			DEPSD	UEP Y2	1.17	53.31	26.46	27.50	8.37		 	 			
2-Wire Voice Grade Port (Centrex 800 termination) UEP9D UEPHB 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-PSET)4 UEP9D UEPHC 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPHD 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 2-				UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		<u> </u>				
2-Wire Voice Grade Port (Centrex / EBS-M5009)4																
2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37																
	\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	ļ	UEP9D UEP9D	UEPHE UEPHF	1.17 1.17	53.31 53.31	26.46 26.46		8.37 8.37			1	ļ		1

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
0.1.201122											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
	0 M/2 - 1/2 - 0 - 1 - D - 1 / 0 - 1/2 - / 1/4 - 0 M/0 /EBO ME000)0 0 4			LIEDOD	LIEDLIE	4.47	100 10	00.40	05.44	40.04						
—	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Port (Certifex/differ SWC /EBS-W5216)2,3,4			UEP9D	UEPHO	1.17	139.49	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLITII	1.17	100.40	00.10	00.71	10.01						
	Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						1
	Torm 2,0			02.05	UZ: TIZ		100.10	00.10	00	10.01						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										1
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	e Trunk Side															
H-1	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)	ļ		LIEBAB	1,,,,,,,,,											
	DS1 Circuit Terminations, each	-		UEP9D	M1HD1	54.95	15.00				-					
—	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69				-					
Interd	office Channel Mileage - 2-Wire	-		LIEDOD	MICEC	05.00						 		 		
	Interoffice Channel Facilities Termination			UEP9D	M1GBC M1GBM	25.32 0.0091										
Ecoto	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVITOBIVI	0.0091						 		 		
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	,e			1 -				 		H			l		
5401	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66					<u> </u>	 				
$\overline{}$	- Sataro , Saration on D 4 Onamior Bank Sonitox Ecop Sist	<u> </u>	1	01.00		0.00				1		·				

CATEGORY RATE ELEMENTS Internal South Compare	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATTEMPT OF THE LEMENTS IN THE PLANT OF THE P												Svc Order	Svc Order				
RATE ELRIENTS No. No												1					Charge -
ANTECHNIC ANTECHNICAL STATE ALEMPITS																	
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
Second Column Second Colum			m						- (1)			per Lor	per Lor				Electronic-
Faster Attribute on D-C Charmel Bask Fixture Sets Loss Set USPSD																	
Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop Side Feature Advances on D4-Charmel Barry X Fund Side Loop														1st	Addi	Disc 1st	Disc Add'l
Peace Activation on D-4 Channel Basic Inco Start SPERC S								Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Position Activation on D.4 Channel State Y From State Loop State State Position Activation on D.4 Channel State Y From State Loop State State							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Section Committee Commit																	
SOI		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
Section Sect		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
Defend with Character Character Date Character Date		Slot			UEP9D	1PQW7	0.66										
Feature Activation on D.4 Channel Braik Printed Line Loop Start SPRID SPRIN SPRID SP		Feature Activation on D-4 Channel Bank Centrex Loop Slot -									Î						
Feature Activation on D-4 Channel Bank Type LeviTrunk Loop LePage LeP		Different Wire Center			UEP9D	1PQWP	0.66										
Feature Activation on D-4 Channel Bank Type LeviTrunk Loop LePage LeP																	
Set		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
Feature Activation on D.4 Channel Barry WATS Loop & 10 16 16 17 17 18 18 18 18 18 18		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop									Î						
Non-Recurring Changes (MPC) Associated with UNE-P Centers NRC Centration Currently Changes (MPC) Associated with UNE-P Centers NRC Centration Currently Changes (MPC) Associated with UNE-P Centers NRC Centration Currently Changes (MPC) Associated with allowed clared to compare the common Block, each		Slot			UEP9D	1PQWQ	0.66										
NRC Conversion of uniform Common Biol. Act NRF PRIOR NRF Common Biol. Act NRF Commo		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Changes, per port	Non-F																
Commission of metaling Centres Common Block		NRC Conversion Currently Combined Switch-As-Is with allowed															
Conversion of estating Centres Common Block																<u> </u>	<u></u>
New Centres Customized Common Block UEPBD MIACC 0.00 618.82									8.32								
NAF Establishment Change, Net Concarion UEPRD URECA 0.00 68.48		New Centrex Standard Common Block			UEP9D		0.00	618.82									
Additional Non-Recurring Charges (NRC)																	
Unbounded Miscellaneous Rate Element, Tag Loop at End Use UEPBD URETL 8.33 0.43					UEP9D	URECA	0.00	66.48									
Premise	Additi	onal Non-Recurring Charges (NRC)															
Unbundled Miscellaneous Rate (Bermet, Tag Design Loop at Ref User Premise UPPOD URETN 11.21 1.10																	
End Use Premise UNP.P. ENTREX - EWS) (Valid in AL, FL, KY, LA, MS & TN)					UEP9D	URETL		8.33	0.83								
UNE POENTREX EWSD (Valid in AL, FL, KY, LA, MS & TN) 2-Wire Vot Loop2-Wire Vote Grade Port (centrex) Combo Non-Design 2-Wire Vot Cop2-Wire Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Grade Dog Vote Vote Grade Port (Centrex) Port Combo Design Vote Grade Loop (SL 1) - Zone 1 UNE Loop Rie UNE Loop Rie UNE Loop Rie UNE Loop Grade Loop (SL 1) - Zone 2 2 Usepse UGS1 1 - Zone 1 2 Usepse UGS1 2 - Zone 1 2 Usepse UGS3 2 - Zone 1 2 Usepse UGS3 2 - Zone 1 2 Usepse UGS3 2 - Zone 1 2 Usepse UGS3 2 - Zone 1 2 Usepse UGS3 2 - Zone 1 2 Usepse UGS3 2 - Zone 1 2 Usepse UGS3 2 - Zone 2 2 Usepse UGS3 2 - Zone 3 3 Usepse UGS3 2 - Zone 3 3 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 3 - Zone 4 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 3 - Zone 4 4 Usepse UGS3 3 - Zone 4 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 - Zone 3 4 Usepse UGS3 2 -		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
2-Wire Vot Loop/2-Wire Votes Grade Port (Centres) Combo 1 UEP9E 10.94					UEP9D	URETN		11.21	1.10								
Number N																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9E 10.94																	
Non-Design 1 UEPBE 10.94	UNE F																
2 Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9E 25.80			1														
Non-Design 2 UEPRE 15.05				1	UEP9E		10.94										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Non-Des																	
Non-Design 3 UEP9E 25.80				2	UEP9E		15.05										
UNE Port/Loop Combination Rates (Design)																	
2-Wire Volce Grade Fort (Centrex) Port Combo 1 UEPBE 13.41				3	UEP9E		25.80										
Design 1 UEP9E 13.41	UNE F																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 3 UEP9E 32.04 32.04 3 UEP9E 32.04 3 UEP9			1														
Design 2 UEP9E 18.57				1	UEP9E		13.41										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3 UEP9E 32.04 UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP9E UECS1 9.77 1 UEP9E UECS1 13.88 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9E UECS1 13.88 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9E UECS1 13.88 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS1 24.63 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS2 12.24 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9E UEPYH 1.17 139.49 86.10 65.41 13.81 UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81				_													
Design 3 UEP9E 32.04				2	UEP9E		18.57										
UNE Loop Rate				_													
2-Wire Voice Grade Loop (St. 1) - Zone 1				3	UEP9E		32.04										
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9E UECS1 13.88	UNE L		—		LIEBOE	LIEGO:				-	ļ	-		-	-	 	├
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9E UECS1 24.63			—							-	ļ	-		-	-	 	├
2-Wire Voice Grade Loop (SL 2) - Zone 1										 		-	-	 	 		
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 30.87 UNE Port Rate AL, FL, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9E UEPYB 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYB 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area UEP9E UEPYM 1.17 139.49 86.10 65.41 13.81 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81			—							-	ļ	-		-	-	 	├
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 30.87			—							-	ļ	-		-	-	 	├
UNE Port Rate										 		-	-	1	 		
AL, FL, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.17 53.31 26.46 27.50 8.37	likir r			3	UEP9E	UECS2	30.87			 				 	 		
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.17 53.31 26.46 27.50 8.37			-	-		+					-					-	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9E UEPYB 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area UEP9E UEPYM 1.17 139.49 86.10 65.41 13.81 2-Wire Voice Grade Port Enrinated in on Megalink or equivalent	AL, FI		-	-	LIEDGE	I IEDVA	1 17	E2 24	26 46	27 50	0 27					-	
Area			-	-	OLF 3L	OLF IA	1.17	ا د.دد	20.46	21.30	0.37	-	-			-	
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81					LIEDOE	LIEDVD	1 17	52 24	26.46	27.50	0 27		1	I	I		1
Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37			 		OLF 3L	ULFID	1.17	03.31	20.46	21.30	0.37	 	-	+	+	 	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center), 3 Basic Local Area UEP9E UEPYM 1.17 139.49 86.10 65.41 13.81					LIEDGE	LIEDVU	1 17	52 24	26.46	27 50	0 27		1	I	I		1
Center)2,3 Basic Local Area			-	-	OLF 3L	ULFIN	1.17	03.31	20.46	21.30	0.37	-	-			-	
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81					LIEDGE	I IEDVM	1 17	120 40	06 10	SE 11	12.04			1	1		1
Service Term - Basic Local Area			 		OLF 3L	OLF TIVI	1.17	139.49	00.10	05.41	13.81	 	-	+	+	 	
2-Wire Voice Grade Port terminated in on Megalink or equivalent					LIEPGE	HEDV7	1 17	130 /0	86 10	65 //1	12.91		1	I	I		1
	+			 	OLI SL	ULFIZ	1.17	133.49	00.10	05.41	13.01			 	 		
		- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		1	I	I		1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															ı l
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
Florid																
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															ı l
	Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ı l
\vdash	Term 2,3	ļ	—	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81	<u> </u>	-				
	O Mine Vision Condo Dont townsing to 12 or 14 or 12 or 14	l		LIEDOE	LIEDUS		50.01	00.40	07.50	0.07						ı
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 	—	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37	}	-				
1	2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37	 	-				
Local	Switching	-		UEP9E	URECS	0.7384					-					
Local	Centrex Intercom Funtionality, per port Number Portability			UEP9E	URECS	0.7384					 	-				
Local	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			-		1	1				
Featur				UEP9E	LINFCC	0.33			-		1	1				
reatui	All Standard Features Offered, per port			UEP9E	UEPVF	2.26			-		1	1				
 	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70		 		<u> </u>					
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26	370.70				†					
NARS	741 Gentlex Control / Catalog Cherea, per port			OLI OL	OLI VO	2.20					1	1				
10.00	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	İ					
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	İ					
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Intero	ffice Channel Mileage - 2-Wire					0.5.00										
—	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP9E	M1GBM	0.0091					1					
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e									 	-				
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66			-		1	1				
	1 eature Activation on 5-4 Channel Bank Centrex Loop Slot			OLF3L	IFQWS	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										i l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02	4.1.5	0.00					1	1				
	Slot			UEP9E	1PQW7	0.66										i l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										ı l
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										ı
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP9E	1PQWQ	0.66			L		<u> </u>					
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ	ļ						1		ļ					
	NRC Conversion Currently Combined Switch-As-Is with allowed	1						_	I							, !
\vdash	changes, per port	ļ		UEP9E	USAC2		21.50	8.42	-							
	Conversion of Existing Centrex Common Block, each	-		UEP9E	USACN	2.22	5.17	8.32	 		 	-				
	New Centrex Standard Common Block	-		UEP9E	M1ACS M1ACC	0.00	618.82		 		 	-				
\vdash	New Centrex Customized Common Block	 	\vdash	UEP9E UEP9E	URECA	0.00	618.82		 		 	-				
V 44:1:	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)	-		UEF9E	UKECA	0.00	66.48		+							
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+				 		 					$\overline{}$
1 1	Premise	1		UEP9E	URETL		8.33	0.83	I							, !
	1				,		3.50	0.00	1		1					

UN	BUND	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Haland Ball Manager Ball Blancat Tan Ballanda						FIISL	Auu i	FIISL	Auu i	JOINIEC	SOWAN	JOWIAN	JOWIAN	SOWAN	SOWAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at														'	
		End Use Premise			UEP9E	URETN		11.21	1.10							'	
	Not	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														1	
	Not	2 - Requres Interoffice Channel Mileage															
	Not	3 - Installation is combination of Installation charge for SL2 Loc	op and	Port				Ť			•						
	Not	4 - Requires Specific Customer Premises Equipment															
	Not	: Rates displaying an "R" in Interim column are interim and sub							1								

LINIBI	INDI E	D NETWORK ELEMENTO															
UNBL	NULE	D NETWORK ELEMENTS - Georgia			1							Ta - :	la - ·		ment: 2		bit: A
														Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				L		L	<u> </u>		l			<u> </u>	L		<u> </u>		
		one" shown in the sections for stand-alone loops or loops as				ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deavera	iged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	elect e	ther the state specific Commission ordered rates for the servi	ice orde	ring cl	narges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	ally. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rat	e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E					ū										
		OSS - Electronic Service Order Charge, Per Local Service				l			l			l					
1		Request (LSR) - UNE Only	1			SOMEC		3.50	0.00	3.50	0.00	1					
	t	OSS - Manual Service Order Charge, Per Local Service Request					1	0.00	3.30	5.50	5.50	İ	1	i e	1	i e	i e
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
UNF S	FRVICE	DATE ADVANCEMENT CHARGE				00.00			0.00	0.10	0.00	†	†		1		
O.V.E. O		The Expedite charge will be maintained commensurate with	BallSou	th's F(C No 1 Tariff Section	n 5 ae annli	cable					+					
	INOIL.	The Expedite charge will be maintained commensurate with	Lenoou	11131	l	л э аз аррп	Cable.					+					
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC.												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
		LINE Expedite Charge per Circuit or Line Assignable LISOC per			U1TUD, U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per				00400		200.00									
LINIDI	<u> </u>	Day	 		U1TUA	SDASP	-	200.00				+	 		1		
ONBU		EXCHANGE ACCESS LOOP	 	-		 	1					1	1	 	 	 	
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP			LIEANII	LIEALO	40 = 1	40.00	0.00	F 2.	4 ===	ļ	-		!		
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	ļ	-		!		
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ		UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72	_	-		ļ		
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<u> </u>	3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72	ļ	1	ļ	ļ	ļ	ļ
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
1	1	Premise	1		UEANL	URETL		8.33	0.83				1	l		l	l
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12					İ	1	İ	İ
	1	Loop Testing - Basic Additional Half Hour	İ	i –	UEANL	URETA		13.62	13.62			İ		İ	i e	İ	İ
		11 3			1										1		

ACTION RATE LEMENTS IN THE PROPERTY OF THE PRO	UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATE BLEACH S					1								Svc Order	Svc Order				
RATE CLEMENTS													l .					
ATTEMP SATE BLANKETS ON BY SEAL STATE SATE SATE SATE SATE SATE SATE SAT																		
Bereauth Bereauth	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			l .					
Part Part				m						- (1)			per LSK	per Lon				
Part Part																		
CLIC WILLIAM CONTROL CONTROL COUNTY PRIVATE CONTROL COUNTY PRIVATE CONTROL COUNTY PRIVATE CONTROL COUNTY PRIVATE CONTROL COUNTY PRIVATE CONTROL COUNTY PRIVATE COUNTY PRI															151	Auu	DISC 1St	DISC Add I
CLICE CLICE CORRESPONDED (MODE COMPAN) SOMAN SOM								Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
AA-SET AA-S								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Discussion Vision Loop, Non-Design Work Loop, Dilling for 887 LEAN, U.S.N.			CLEC to CLEC Conversion Charge Without Outside Dispatch															
Provided Provided						UEANL	UREWO		15.75	8.92								
Manual Date Contention for EVA-Six by the World Contents of Time for UV-Six by Sept. Sept.																		1
Order Concentration to Specified Conversion Time for IAA-SET DEAL						_	-											
						UEANL	UEAMC		18.92	18.92								
Description Description																		1
2 WW Unbounded Copper Lord Non-Designed-Zone 1					<u> </u>	UEANL	OCOSL		57.79									\vdash
2 Year Unsounded Copper Loop Non-Designed- Cere 2 2 0 EG2 0EG2X 1272 4469 22-60 0.00		2-WIRI				LIEO	LIEGOV	44.00	44.00	00.40	0.00	0.00						\vdash
2 Vivir Urbounded Copper Loop Non-Designed Zeron 3	-	+			1								 	-				
Unburned in Microsine Nate Exement, Tray Loop at End User Nature Previous Natu	-	+											 					
Premise		+			3	ULQ	ULQZX	20.22	44.03	22.40	0.00	0.00	<u> </u>					
Manual Orace Coordination 2 Wiler Unbunded Copper Lop - Nath-Designed (per loop - Lop - Diffusion of Capper Lop - Diffus						UEQ	URETI		8.33	0.83						1		1
Non-Designed (per log) URE LOOK (per log) URE	\vdash	+		 	t		JINE 12	1	0.55	0.03	 		 			 		
Unbounded Copper Lope, Nov-Design Copper Lope, Nov-D	1	1		1		UEQ	USBMC		18.92	18 92						I		1
SST providing native up (Engineering Information - EL)		1		1			302.710		10.02	10.02						<u> </u>		
Loop Testings - Basic Ast Neal Hour						UEQ	UEQMU		7.30	7.30								1
CLIC to CLEC Conversion Change Willhold Outside Depatch (UEO UREWO 14.25 7.42					i e	UEQ	URET1											
UREVOLT UNBOUNCE CALLANDE CACES LOOP UNE VOLT CALLANDE CACES LOOP UNBOUNCE CALLANDE CACES LOOP UNBOUNCE CALLANDE CACES LOOP UNBOUNCE CALLANDE CACES LOOP LOOP CALLANDE CALLA		1				UEQ	URETA											
UNBBUNDLED EXCHANGE ACCESS LOOP		1	CLEC to CLEC Conversion Charge Without Outside Dispatch															
2-WIRE ANALOS VOICE GRADE LOOP			(UCL-ND)			UEQ	UREWO		14.25	7.42								1 1
Wilson W	UNBU	NDLED I	EXCHANGE ACCESS LOOP															
2-Wire Votoce Grade Loop (St.) for Line Splitting - Zone 1																		
2-Wire Voice Grade Loop (EAL) for Line Splitting - Zone 1		UNE L		itting lo	op US		port-loop c	ombo rates UEI										
2-Wire Voice Grade Loop (SL1) for Line Spitting - Zone 2 1 2 UEPSR UEPSR UEALS 14.86 10.05 7.36 1.37 1.28				I														ullet
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 2 1 2 UEPSR UEPSB UEAS 14.86 10.05 7.36 1.37 1.28					<u> </u>													
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3																		\vdash
2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3																		\vdash
UNBINUNCIED EXCHANGE ACCESS LOOP		+											1					
2-WIRE ANALOG VOICE GRADE LOOP	LIMBLE	NDI ED I		-	3	UEPSK UEPSB	UEABS	31.00	10.05	7.30	1.37	1.28	 					\vdash
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Growd Start Signaling - Zone 1 UEA UEAL2 11.57 79.85 24.65 18.92 7.87	UNDU			1	1		+						1			-		
Ground Start Signaling - Zone 1	-	Z-VVIIN			<u> </u>	1	+						<u> </u>					
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2 UEA					1	HΕΔ	LIFAL 2	11 57	79.85	24.65	18 92	7 87						1
Ground Start Signaling - Zone 2		+			<u> </u>	0271	02/122	11.01	7 0.00	200	10.02	7.07	1					
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 UEA UEA12 33.08 79.85 24.65 18.92 7.87					2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						1
Ground Start Signaling - Zone 3		1											İ					
Order Coordination for Specified Conversion Time (per LSR)					3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						1
Battery Signaling - Zone 1						UEA	OCOSL		57.79									
2-Wire Anialog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 UEA UEAR2 16.95 79.85 24.65 18.92 7.87			2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				Ī											
Battery Signaling - Zone 2			Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						1
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 UEA UEAR2 3.08 Diea Coordination for Specified Conversion Time (per LSR) UEA OCOSL 57.79 CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO B7.72 4-WIRE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 3. UEA UEAL4 UEAL4 17.80 93.01 28.17 19.52 8.12 4-Wire Analog Voice Grade Loop - Zone 2 UEA UEAL4 21.68 93.01 28.17 19.52 8.12 0rder Coordination for Specified Conversion Time (per LSR) UEA UEAL4 UEAL4 OCOSL F7.79 CLEC to CLEC Conversion Charge without outside dispatch UEA UEAL4 OCOSL F7.79 CLEC to CLEC Conversion Charge without outside dispatch UEA UEAL4 OCOSL F7.79 CLEC to CLEC Conversion Charge without outside dispatch UEA UEA UEAL4 OCOSL F7.79 CLEC to CLEC Conversion Charge without outside dispatch UEA UEA UEA OCOSL F7.79 CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO R7.72 R7.72 R8.70 R			2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
Battery Signaling - Zone 3 3 UEA UEAR2 33.08 79.85 24.65 18.92 7.87					2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
Order Coordination for Specified Conversion Time (per LSR)																		1
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 87.72 36.36					3			33.08		24.65	18.92	7.87						lacksquare
Loop Tagging - Service Level 2 (SL2)																		
4-Wire Analog Voice Grade Loop - Zone 1		1		-	<u> </u>										 	-		
4-Wire Analog Voice Grade Loop - Zone 1		4 14/15/		-	<u> </u>	UEA	UKETL		11.19	1.10					 	-		\vdash
4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEAL4 21.68 93.01 28.17 19.52 8.12 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 30.25 93.01 28.17 19.52 8.12 5-2	—	4-WIRI		-	4	LIEA	LIEAL 4	47.00	00.01	20.47	40.50	0.40	 		-	 		—
4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 30.25 93.01 28.17 19.52 8.12	-	+		1		-									-			
Order Coordination for Specified Conversion Time (per LSR)	-	+		 									}	-	 	+		
CLEC to CLEC Conversion Charge without outside dispatch	\vdash	+		 	-			30.23		20.17	15.32	0.12	 			 		
2-Wire ISDN Digital Grade Loop - Zone 1	\vdash	+		 	t			1		36.36	 		 			 		
2-Wire ISDN Digital Grade Loop - Zone 1		2-WIRI				1			572	55.00						<u> </u>		$\overline{}$
2-Wire ISDN Digital Grade Loop - Zone 2 2 UDN U1L2X 25.27 180.06 35.25 18.23 6.97 2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 40.17 180.06 35.25 18.23 6.97		1		l –	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97			İ	1		
		1			2													
Order Coordination For Specified Conversion Time (per LSR) UDN OCOSL 57.79			2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
			Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		57.79									

CATEGORY BATE RENEWED BCS USO BCS USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO BATE (8) USO US	UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	ibit: A
ATE BLEMENTS ATE B													Svc Order	Svc Order				
## PATE PLEMENTS Interest Part																		
CATEGORY RATE ELEMENTS																		
Billion	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								l .
Secretaries Secretaries				m						(+)			per LSK	per LSK				
Page																		
CITYCL OF PROCESSION CONTROL COUNTY															1St	Addi	DISC 1St	DISC Add I
Compared C								_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
2 2 2 2								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
S. Wiley Unknowled ASE, Logo including namula service rigidy 1		i	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
Signifity regeneration - Zona 1		2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	i												
2 View Linkmorded ADS Loop including menute services requiry 2 UAL			2 Wire Unbundled ADSL Loop including manual service inquiry															
S. Rodiny recentaints. Plans 2 1 2 144 114.294 12.297 14.49 31.55 0.00 0.00			& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
2 Year Unbounded ASSL Log michalling namual service requiry 1			2 Wire Unbundled ADSL Loop including manual service inquiry															
Stating reservation 1.70m Stating reservation 1.70m				I	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
Order Concentration for Specified Commentation Time (per LSR) 2 New Elbusheded ASS, Loss without manual service requiry 6 Instity reservators. Zince 1 Instity reservators. Zince 2 Institute zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 3 Instity reservators. Zince 2 Institute zince																		
2 Vive Unbunded ADSL. Logs without manual service inquiry 6 1 UAL				- 1	3			20.62		31.55	0.00	0.00						
Testilla reservation - Zone 1						UAL	OCOSL		57.79									
2 Wint Unbunded ASSL Lose without manual service inquiry & feeling reservation 2 one 2 o	1	1		1											_	_		
Teality reservation - Zone 2 1 2 UAL UALW 1297 44.66 31.55 0.00 0.00		ļ			1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00			1	1		ļ
2 Wife Unbunded ASSL Loop without manual service inquiry 6 1 3 UAL UAL 2W 20.62 44.68 31.55 0.00	l				_	l	_ []				1 .	_			1	1		
Section Reportation Company Section Se		ļ			2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00			1	1		ļ
Order Coordination for Specified Conversion Time (per LSR)		1		l .	_	l	_ []				l .	_	1	1	I	I		
CLEG GLEC Convenient Change without outside dispatch 1 UAL UREWO 44.69 29.29				ı	3			20.62		31.55	0.00	0.00						
2 Wife Unbunded FIDS. Loop including manual service inquiry 1																		ļ
2 Wire Unbursded HDSL Loop including manual service inquiry 1 1 UHL UHL2X 7.88 44.69 31.55 0.00 0.00				<u> </u>		UAL	UREWO		44.69	29.29								ļ
Stacility reservation - Zone 1		2-WIRE		(IIBLE I	LOOP													ļ
2 Vivic Unbundled HDSL Loop including manual service inquiry 1 2 UHL				١.	١.	l		= 00										
Stability reservation - Zone 2					1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						-
2 Vivir Unbundled HDSL Loop Including manual service inquiry 1 3 UHL UHL2X 14.48 44.69 31.55 0.00 0.0						l		0.00	44.00	04.55	0.00	0.00						
Stacility reservation - Zone 3		<u> </u>			2	UHL	UHLZX	9.09	44.69	31.55	0.00	0.00	-	-				
Order Coordination for Specified Conversion Time (per LSR)				١.	2		LILILOV	44.40	44.00	24.55	0.00	0.00						
2 Wire Unburided HOSL Loop without manual service inquiry and facility reservation - Zone 1		<u> </u>		'	3			14.48		31.55	0.00	0.00	-	-				
and facility reservation - Zone 1		!		1		UNL	UCUSL		57.79		-				-	-		-
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 1 2 UHL					1	шы	LIHI 2\\\/	7 88	11 60	31 55	0.00	0.00						
and facility reservation - Zone 2				- ' -	<u> </u>	OFIL	OTILZVV	7.00	44.03	31.33	0.00	0.00						-
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 1 3 UHL UHL4W 14.48 44.69 31.55 0.00					2	ПНІ	LIHL 2W/	9.09	44 69	31 55	0.00	0.00						
and facility reservation - Zone 3		<u> </u>		<u> </u>		OFFIC	OTILLEVV	0.00	44.00	01.00	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR)				1	3	UHI	UHI 2W	14 48	44 69	31.55	0.00	0.00						
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 44.69 31.55				<u> </u>	Ŭ					01.00	0.00	0.00						
4-Wire High Bit RATE Digital Subscriber Linke (HDSL) COMPATIBLE LOOP		1								31.55								
and facility reservation - Zone 1		4-WIRE		TIBLE	LOOP													
4-Wire Dribundled HDSL Loop including manual service inquiry and facility reservation - Zone 2			4 Wire Unbundled HDSL Loop including manual service inquiry															
And facility reservation - Zone 2			and facility reservation - Zone 1	- 1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3			4-Wire Unbundled HDSL Loop including manual service inquiry															
And facility reservation - Zone 3	L	<u> </u>			2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00					<u> </u>	
Order Coordination for Specified Conversion Time (per LSR)																		
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		ļ		1	3			19.07		31.55	0.00	0.00						ļ
and facility reservation - Zone 1						UHL	OCOSL		57.79									ļ
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	l					l	[1 .	_			1	1		
and facility reservation - Zone 2		ļ			1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00			1	1		ļ
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		1		l .	_	l	[]								I	I		
and facility reservation - Zone 3	<u> </u>	 			2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00			-	-	 	
Order Coordination for Specified Conversion Time (per LSR)		1			_	l		40.0=	44.00	04.55		2.00			I	I		
CLEC to CLEC Conversion Charge without outside dispatch I	 	 			3			19.07		31.55	0.00	0.00			 	 	-	1
4-Wire DS1 Digital Loop - Zone 1	 	 		-	-					24 55	 				 	 	-	1
4-Wire DS1 Digital Loop - Zone 1	-	4-WID:		+ '	-	UITL	UKEWU		44.69	31.05	 		-	-	 	 		
4-Wire DS1 Digital Loop - Zone 2 2 USL	-	vvirke		1	1	LISI	LISLYY	/1 D2	211 02	72 40	38 34	7 20	-	-	+	+		
4-Wire DS1 Digital Loop - Zone 3 3 USL	 	 		1											t	t	l	
Order Coordination for Specified Conversion Time (per LSR)	-	†		 											t	 		
CLEC to CLEC Conversion Charge without outside dispatch	-	†		 	-			02.03		12.43	30.24	7.20			t	 		
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP UDL 196.66 37.00 18.82 7.20 4 Wire Unbundled Digital 19.2 Kbps UDL UDL19 28.36 196.66 37.00 18.82 7.20 4 Wire Unbundled Digital 19.2 Kbps UDL UDL19 28.36 196.66 37.00 18.82 7.20	-	1	CLEC to CLEC Conversion Charge without outside dispatch	†						42 97	I		-	-	I	I		†
4 Wire Unbundled Digital 19.2 Kbps 1 UDL UDL19 21.86 196.66 37.00 18.82 7.20 4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20		4-WIRF		1			0.1.2770		100.01	72.01	<u> </u>				<u> </u>	<u> </u>		
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20		T		1	1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20	1	1	İ	İ		
		i –	4 Wire Unbundled Digital 19.2 Kbps	İ			UDL19	38.22	196.66	37.00		7.20	İ	İ				

UNRI	INDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
ONDO	NULL	NETWORK ELEMENTS - Georgia	1		I							Svc Order	Svc Order	Incremental	Incremental		Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			lustani									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ														
	ļ						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	ļ	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ	4	UDL	UDL56	21.86	First 196.66	Add'l 37.00	First 18.82	Add'l 7.20	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1		UDL	UDL56	28.36	196.66	37.00	18.82	7.20	1					\vdash
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)	1		UDL	OCOSL	00.22	57.79	07.00	10.02	7.20						
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20	1					
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	i	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	i	3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
1	1	2-Wire Unbundled Copper Loop-Designed including manual	١,	_	LICI	LICE DD	10.00	44.00	04.55	2.00	0.00						[
	 	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00	-			-		\vdash
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	1 .	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						1
	<u> </u>	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00	1					\vdash
	<u> </u>	2-Wire Unbundled Copper Loop-Designed without manual	1		OCL	OCLIVIC		10.32	10.32								
		service inquiry and facility reservation - Zone 1	l i	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						1
	1	2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>	Ė	002	002	12.02		01.00	0.00	0.00	1					
		service inquiry and facility reservation - Zone 2	1 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						1
	i	2-Wire Unbundled Copper Loop-Designed without manual	i														
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without outside dispatch															1
	4 140000	(UCL-Des)	I		UCL	UREWO		44.69	31.55								
	4-WIRE	COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry	ļ														
		and facility reservation - Zone 1	l ,	4	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						1
	<u> </u>	4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	10.05	44.09	31.33	0.00	0.00	1					
		and facility reservation - Zone 2	1 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	1	4-Wire Copper Loop-Designed including manual service inquiry								0.00							
		and facility reservation - Zone 3	- 1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	I	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry	١.	3		1101 414	00.55	44.00	04.55	0.00	0.00						1
-	-	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL UCL	UCL4W UCLMC	30.55	44.69 18.92	31.55 18.92	0.00	0.00	-					
	<u> </u>	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55			1					\vdash
LOOP	MODIFIC		- '-		OCL	OKEWO		44.03	31.33								
	I	SATION	1		UAL, UHL, UCL,							1					
					UEQ, ULS, UEA,												1
1	1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,												[
Ш.	<u></u>	pair less than or equal to 18k ft, per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00			<u></u>					<u> </u>
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	<u> </u>	less than or equal to 18K ft, per Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0.00	0.00						ļ		
1	1		1		UAL, UHL, UCL,												1
		Habitadlad Less Medification Description Description To S			UEQ, ULS, UEA,												1
		Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULMBT		17.91									1
SUB-L	OOBS	per Unbundied Loop	-	-	UEFOB	OLIVIB I		17.91						-		-	
JUB-L		L pop Distribution	 			+						 			 		
	345-EC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1			1						<u> </u>	1		1		
		Up			UEANL	USBSA		255.76									[
														•		•	

UNRUNE	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
SINDOINE	TEL TOTAL ELEMENTO OCOIGIA		1			I					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											I .					_
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	NATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
_						l	Manua		Managarinia.	. Dianamant	<u> </u>		000	Rates (\$)		
		-				Rec	Nonrec		Nonrecurring		001450	001111			0011411	001441
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O L L			LIEANII	USBSB		7.00									1 '
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-		UEANL	02B2B		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			LIEANII	110000		475.00									1
\vdash	Facility Set-Up	-		UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			LIEANII	LIODOD		54.04									1
\vdash	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															1 '
\vdash	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															1
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						L
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								<u> </u>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								<u> </u>
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						[
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						[
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						[
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	·					l i										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	L	UEF	USBMC	<u> </u>	18.92	18.92	<u> </u>		<u></u>	<u></u>	<u> </u>	<u> </u>		1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								1
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62			Ì					
Un	bundled Network Terminating Wire (UNTW)			ĺ							Ì					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28			Ì					
Ne	twork Interface Device (NID)															1
	Network Interface Device (NID) - 1-2 lines	- 1		UENTW	UND12	l i	32.86	20.69								
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		56.03	43.86			Ì					
	Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		2.45	2.45			Ì					
	Network Interface Device Cross Connect - 4W	1	1	UENTW	UNDC4		2.45	2.45			1					ſ
UNE OTHE	ER, PROVISIONING ONLY - NO RATE	1	1	İ			_				1					
	NID - Dispatch and Service Order for NID installation	1	1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	t	t	UENTW	UENCE	0.00	0.00		i				i	t		
	and the second s	t	t	UEANL,UEF,UEQ,U	1	2.20	2.20		i				i	t		
	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00				I		1	1		1
UNE OTHE	ER, PROVISIONING ONLY - NO RATE		t –	T		5.50	3.30				İ	1		1		
				1				1		1					1	

LIMBI	INDLE	D NETWORK ELEMENTS - Georgia												Attack	ment: 2	Exhi	-: A
UND	JNDLE	D NETWORK ELEMENTS - Georgia		1	ı		ı					Cur Ouden	Cur Onder				
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JOINT	NATE ELEMENTS	m	20116	B00	0000			INATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1			i –													
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	0 4 D 4 O	no rate TY UNBUNDLED LOCAL LOOP	-		USL	CCOEF	0.00	0.00									
HIGH	CAPACI			ļ								-					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.97										
-		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	10.97										
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			ULS	OLSEA	255.56	1,733.23	131.50	112.51	73.00				1		
		month			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	10.07										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP	MAKE-U							1,1001_0									
	T	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	1	Loop Makeup - Preordering With Reservation, per spare facility		1													
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE S		G AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND)")											
<u> </u>		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
-		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	-														
-		1: Above will apply to USOCS: ULSDT and ULSCT E 2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1111 00	C amplian ambuta si	ita imatall		b-f	O-t-b 4 200	00		-					
-		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC an	d ULSC	c applies only to cil	rcuits instail	ed and inservic	e on or before	October 1, 20	U3 I		-					
-		TERS-CENTRAL OFFICE BASED	-			-											
-	SELII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00				1		
-	+	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	1	Line Sharing Splitter, Per System, 8 Line Capacity		t	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00				1		
	†	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		 			11.00	2.00	2.00	2,00	5.00				İ		
1	1	deactivation (per LSOD)	1		ULS	ULSDG		66.34	0.00	51.20	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
	<u></u>	OBSOLETE see **NOTE 2	<u> </u>	<u></u>	ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1														
	ļ	(E:10/2/2003)	ļ	<u> </u>	ULS	ULSDT	2.76	10.51	7.70	7.00	4.20				ļ		
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1											
		Central Office Located (50% of UCLND) - please see NOTE 1				LII ODT		40 = 1	7	7.00	4.00						
<u> </u>	 	(E:10/2/2004)	-	<u> </u>	ULS	ULSDT	5.51	10.51	7.70	7.00	4.20				ļ		
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1											
	1	Central Office Located (75% of UCLND) - please see NOTE 1	1		ULS	ULSDT	0.07	40.54	7 70	7.00	4.00	1					
-	+	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line	-	1	ULO	ULSDI	8.27	10.51	7.70	7.00	4.20						
1	1	Rearrangement(BST Owned Splitter	1		ULS	ULSDS		36.23	13.23	16.94	1.69						
-	1	Line Sharing - per Subsequent Activity per Line	 	 	OLO	ULUDO		30.23	13.23	10.94	1.09	-			 		
1	1	Rearrangement(DLEC Owned Splitter	1		ULS	ULSCS		36.23	13.23	16.94	1.69						
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	 	†	010	JLUUJ		30.23	13.23	10.34	1.09				 		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
	1	1		1	1	12200	0.01	17.02	5.50	0.00	7.00	L			L		

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
-								Nonred	rina	Nonrecurring	Disconnect			000	Rates (\$)	l	<u> </u>
—				1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				+		THOU	Auu	11130	Addi	JOHILO	JONIAN	JOHIAN	JONAN	JOINAIN	JOHIAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned										1					
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
		PLITTING				_											-
	END U	SER ORDERING-CENTRAL OFFICE BASED		-	UEPSR UEPSB	UREOS	0.61					1				-	
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30	-	-				+
		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual		-	UEPSR UEPSB	UREBV	0.6288	20.10	12.40		4.30	1	-	-		-	
	MAINT	ENANCE			OLFSK OLFSB	UKLBV	0.0200	20.10	12.40	7.00	4.30	1	1	1		1	1
	WALL	No Trouble Found - per 1/2 hour increments - Basic				+		80.00	55.00	1		1					
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN	DLED I	DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -													ĺ		
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			l <u> </u>												
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						ļ
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	1L5XX	0.0057										
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		-	UTIVX	ILSXX	0.0057					1	-	-		-	
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	01114	10.70	40.40	13.40	10.50	5.00		-				
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			01157	120701	0.0007					1					
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile													1		
		per month			U1TDX	1L5XX	0.0057			<u> </u>		L	<u></u>	<u> </u>		<u> </u>	
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00	ļ			L		
1		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1								I		I	
		month			U1TD1	1L5XX	0.1154			-				-		-	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATDA	LIATE 4	04.40	444.00	00.00	04.00	04 =0			1		1	
		Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73	ļ		 	-	 	├
1		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.53							I		I	
-		Interoffice Channel - Dedicated Transport - DS3 - Facility		-	טווט	ILOAA	∠.53			1		 	 	+	 	 	
		Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81			1		1	
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			5.150	31113	542.02	320.47	00.32	00.77	52.01	1	-	t		t	
1		month			U1TS1	1L5XX	2.53							I		I	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility					2.00			1		1		1	İ	1	
1		Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81			I		I	
DARK	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29					ļ					
——		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70	ļ		1	ļ	1	
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				L	40							I		I	
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84	4 745 00	07.5	70.01	10 =0	1	-	-	ļ	-	
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,745.99	87.54	73.64	18.70	L	1	1	l	1	

UNBU	JNDLEI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental		Incremental
												Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge -	Charge - Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Manual Svc Order vs.	Order vs.
			m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			1		+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CCESS T	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.50	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Per 8XX No. Established With			0.115												
_		POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service		<u> </u>	OHD	N8FTX		5.65	0.76	4.24	0.51						
		Per 8XX Number			OHD	N8FCX		2.50	1.25								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request		1	OHD	N8FAX		2.93	0.43								
		8XX Access Ten Digit Screening, Call Handling and Destination		l	<u>- = </u>	1	†	2.00	0.10	1							
		Features			OHD	N8FDX		2.50									
		8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD	1	0.0008543										
LINE	IEODM A	8XX Access Ten Digit Screening, w/POTS No. Delivery		<u> </u>	OHD		0.0008543										
LINE	NFORWIA	TION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query		1	OQT	+	0.0000682										
		LIDB Validation Per Query			OQU		0.0266962										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.24	33.24	39.35	39.35						
SIGNA	LING (C																
		CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
-		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per Call Setup Message			UDB UDB	PT8SX	108.80 0.0000132			-							
		CCS7 Signaling Usage, Per Call Setup Message CCS7 Signaling Usage, Per TCAP Message		1	UDB	+	0.0000132										
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)		1	UDB		0.0000132										
		CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44										
		CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 S	ERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37						
—	—	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-	 		+	0.0057			 							
		Termination					12.87	48.46	19.48	16.58	5.00						
		Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 3					164.70	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile		-			0.1154										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73						
CALLII	NG NAM	E (CNAM) SERVICE		<u> </u>	001/	+	 	22.90		20.22							
-		CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	-	 	OQV OQV	+		22.90		20.32 20.32							
-		CNAM For DB Owners - Service Provisioning With Point Code		 	OQ V	+	+ +	22.90		20.32							
		Establishment			OQV			959.77	709.83	251.47	184.91						
		CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			OQV			331.89	237.45	257.65	184.91						
		CNAM for DB Owners, Per Query			OQV		0.0009924										
		CNAM for Non DB Owners, Per Query			OQV		0.0009924										
		CNAM (Non-Databs Owner), NRC, applies when using the															
CEL EX	TIVE DO	Character Based User Interface (CHUI)		<u> </u>	OQV	CDDCH	 	595.00	595.00	1							
SELEC	TIVE RO	Selective Routing Per Unique Line Class Code Per Request Per	-	 		+				 							
1		Switch						102.19	61.15	12.68	6.34						
VIRTU	AL COLI	OCATION		t		1		.020	010	.2.30	0.04						
													•		•	•	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OATEOOKT	NATE EEEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		L 51	B'					Diac iat	Disc Add I
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line						11130	Addi	11131	Addi	COMILO	COMPAR	OOMAN	OOMAN	OOMAN	COMPAR
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	/E CARRIER ROUTING			OLI OK OLI OB	1 2 120	0.0107	0.00	0.00								
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user Query NRC, per query	-		SRC SRC	SRCLP	0.0020368	2.06	2.06								
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	-		SRC	+	0.0020300										
1	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		-	A1N A1N	CAMDP CAM1P		8.15 8.15	8.15 8.15	9.16 9.16	9.16 9.16						
	AIN SMS Access Service - Port Conflection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	-		AIN	CAIVITE		0.15	0.15	9.10	9.10						
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute					0.0038 1.81										
	AIN SMS Access Service - Session, Per Militate AIN SMS Access Service - Company Performed Session, Per	1				1.01										
	Minute					0.8323										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			0444	D 4 DOO		44.44	44.44	44.00	44.00						
	Initial Setup AIN Toolkit Service - Training Session, Per Customer	-		CAM	BAPSC BAPVX		41.41 4,236.62	41.41 4,236.62	41.63	41.63						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI VX		4,230.02	4,230.02								
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay	ļ			BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ (1 11V)		0.10	0.10	0.10	0.10						
	DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	ļ			BAPTC		33.98	33.98	14.09	14.09						
	DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Query Charge, Per Query				5, 11 11	0.0271438	00.00	00.00	1 1100	1 1.00						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.04										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				+	0.04										
	Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	6.46	8.98	8.98								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	†	†	0,	2.11 20	0.04	0.10	5.15	5.71	5.71						
	Service Subscription			CAM	BAPES	0.22	8.98	8.98								
	XTENDED LINK (EELs)		L								<u></u>					
	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t															
	The monthly recurring and the Switch-As-is Charge and not to ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					OHE COMBINATI	ONS PROVISIONS	as current	ly combined N	ICLWOIK EIGING						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	L	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						

	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	I Exhi	oit: A
1											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1154										
	per month Interoffice Transport - Dedicated - DS1 combination - Facility		\vdash	UNCIA	ILSAA	0.1154										
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
			-		J L	10.00	700.04	00.00	10.⊣2	0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	111000		5.70	5.70	0.04	0.04						
	Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	I IED DS:	INTE	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTENT	DED 4-WIRE VOICE GRADE EXTENDED EGOT WITH DEDICAL	1 20 00	11112	COLLIGE TRANSPO	T											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
							İ									
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4 Wire Apples Vairs Cooks Lass is Cooks institut. Zone 2		3	LINOVIV	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCVX	UEAL4	30.25	195.94	30.38	18.42	0.80						
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10		10.00							
	Voice Grade COCI in combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
1 1 1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			OHOVA	O E / L +	17.00	100.04	00.00	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Additional Voice Grade COCI in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTENI	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			1	5 5	00	5.51	0.01						
							İ									
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
 	THIST TOWNS DONNING DIGITAL GLADE LOOP IN COMBINATION - ZONE Z			ONODA	ODES	20.30	190.94	30.38	10.42	0.00						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - combination Facility			LINGAV	LIATEA	24.40	07.70	45.70	40.00	07.07						
	Termination Per Month 1/0 Channel System in combination Per Month	-	\vdash	UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					2.2200	=::50									
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						,									
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination per month (2.4-		Ť			33.22	.00.04	55.00	10.42	3.00						
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0.11201122						1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IXILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			-		+		Nonrec	urrina	Nonrecurring	n Diagonnoot		l .	000	Rates (\$)		
			-		+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Newscaring Comments Combined National Florents College As		-		+		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		F 70	5.70	6.61	6.61						1
EVE	Is Charge ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	ATED	DC4 IN		UNCCC		5.70	5.70	0.01	10.01						
EXI	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	D21 IN	TEROFFICE TRANS	PORT											
	First A Mire Odd as Birds Constitution in Constitution 7.		1	LINODY	LIBLOA	04.00	405.04	00.00	40.40	0.00						, ,
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First A Wiss Odd as Bishal Contains in Containing 7		2	LINODY	LIBLOA	00.00	405.04	00.00	40.40	0.00						1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First A Wiss Odd as Bishel Ossle Least to Ossle Least 7			LINODY	LIBLOA	00.00	405.04	00.00	40.40	0.00						1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.1154										
	interoffice Transport - Dedicated - DS1 combination - Facility		1		l						1	1				1
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						, !
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						, !
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						(T
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	0	00	00	10.70	10.00	27.07		1				
	Is Charge		1	UNC1X	UNCCC		5.70	5.70	6.61	6.61	1	1				1
FYT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED DS3	INTER			 	5.70	5.70	0.01	0.01	 	 		†		
- LAT	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	†	l		†		
	First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	†	l		†		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	 			 		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť		33200	02.00	200.40	70.74	57.51	0.00	†	 		†		
	Per Month		1	UNC3X	1L5XX	2.53	J				1	1				1
 	Interoffice Transport - Dedicated - DS3 - Facility Termination per		 	01100/	ILOAA	2.53				 			 	 		
	month		1	UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1	1				, !
 	3/1Channel System in combination per month			UNC3X	MQ3	121.90	323.31	77.07	70.00	32.00	 	l		 		
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	OCIDI	1.55	21.33	2.90	10.00	1.04						
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	l	1	1	l		1
\vdash	Additional DS1Loop in DS3 Interoffice Transport Combination -		- '-	OIVOIA	JJLAA	41.02	209.40	70.44	31.81	0.00	-		 	1		
	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	1	1				1
\vdash			_	UNUIA	USLAA	40.41	209.45	70.44	31.91	0.86		-				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						1
\vdash	Zone 3		3		USLXX UC1D1											
\vdash	Additional DS1 COCI in combination per month		+	UNC1X	UCIDI	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICOV	LINICOC		F 70	F 70	0.01	0.01						1
	Is Charge	05:-		UNC3X	UNCCC		5.70	5.70	6.61	6.61		ļ	 	-		
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD					/== -:					ļ	 	-		
\vdash	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86		ļ	 	-		
\vdash	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		ļ				
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86	l	l		İ		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				41 =>04											
	Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-			1110101			F 70	F 70	0.04	0.04						
EVE	Is Charge	0040		UNCVX	UNCCC		5.70	5.70	6.61	6.61	1					
EXIL	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD				47.00	195.94	00.00	40.40	0.00						
-	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4 UEAL4	17.80		36.38	18.42	6.86	1					
	4-WireVG Loop in combination - Zone 2	-	2	UNCVX		21.68	195.94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86	-	-				
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0057										
 			-	UNCVA	ILDAA	0.0057			1				-	-		
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
		-	-	UNCVX	01174	10.78	66.53	33.01	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX			5.70	F 70	0.04	0.04						
EVT	Is Charge ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED	FEIGE		UNCCC		5.70	5.70	6.61	6.61	-					
EXI		INTERC	TEICE		1L5ND	10.97					 					+
\vdash	DS3 Local Loop in combination - per mile per month			UNC3X	ILSIND	10.97					-	-				
	DC2 and and in combination Facility Towning tion and month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
	DS3 Local Loop in combination - Facility Termination per month	-	-	UNC3X	1L5XX	253.38	1,260.47	628.84	41.53	20.76	-					
—	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	ILSAA	2.53					 					+
	Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
-	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNCSA	UTIF3	342.02	323.91	11.01	49.30	32.00	-					
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EVT	INDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INIT	EDOEE		UNCCC	-	5.70	5.70	0.01	0.01	1					-
LATE	STS-1 Local Lolp in combination - per mile per month	3-1 1141	LKOFF	UNCSX	1L5ND	10.97					<u> </u>		1	1		-
 	STS-1 Local Loop in combination - Facility Termination per			UNCOX	ILSIND	10.57					<u> </u>		1	1		-
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - STS-1 combination - per mile			OHOOX	ODLOT	000.42	1,200.47	020.04	41.00	20.70	†					
	per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	120/01	2.00					1					†
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
h + +	Nonrecurring Currently Combined Network Elements Switch -As-			0.1007	0	000.01	020.01		10.00	02.00	1					
	Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
FXTE	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT	0.100/1	0.1000		00	0.70	0.01	0.01	İ					
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	İ					
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	İ					
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	İ					
	Interoffice Transport - Dedicated - DS1 combination - per mile										İ					
	per month		1	UNC1X	1L5XX	0.1154						1				
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport												Î	Î		
] [Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
i	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
] [month		1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		1				
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u></u>	<u></u>	UNC1X	UNCCC	<u> </u>	5.70	5.70	6.61	6.61	<u> </u>					
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						

UNBU	NDLF	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		3/1 Channel System in combination per month			UNCSX	MQ3	121.90										
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-									-						
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61					ļ	
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF													
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0057										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	=>/===	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT				24.22	10= 01		10.10							
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
-		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3	-	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	1L5XX	0.0057										
-		Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	ILSAA	0.0057					-					
					UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
-		Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDA	UTIDO	7.03	00.00	33.01	43.42	27.00	-					
		Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
-	FYTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	PANSP	OPT w		UNCCC		5.70	5.70	0.01	0.01	1					
\vdash	-AIEN	First 2-wire VG Loop (SL2) in Combination - Zone 1	NAMOP		UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	-	-		 	 	
		First 2-wire VG Loop (SL2) in Combination - Zone 2	†	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	 	 		I	 	
		First 2-wire VG Loop (SL2) in Combination - Zone 3	†		UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86	 	 		I	 	
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť			22.00		22.00		2.00				1	i	
1		Mile		1	UNC1X	1L5XX	0.1154						1		I		
		First Interoffice Transport - Dedicated - DS1 combination -		t			554								1	i	
1		Facility Termination per month		1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		
		Per each DS1 Channelization System Per Month	1		UNC1X	MQ1	69.75	86.10			,				1	İ	
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
L_	<u></u>	Interoffice Transport Combination - Zone 1	<u></u>	_1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	<u></u>	<u></u>		L	<u> </u>	
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 3	<u></u>	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86					L	
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
L		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
0.1.201.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAV	1111000		5.70	F 70	0.04	0.04						í
EVT	Is Charge ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FERNE	ICE TO	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EATE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKOFF	ICE IK	ANSPORT W/ 3/1 WI	1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -		+ '-	ONOVA	OLAL	17.00	190.94	30.30	10.42	0.00						
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -									0.00						i e
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						í
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month			UNC1X	1L5XX	0.1154										i .
	First Interoffice Transport - Dedicated - DS1 - Facility															i
	Termination Per Month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month		_	UNC1X	MQ1	69.75	86.10									
	Per each Voice Grade COCI in combination - per month	.	+	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
\vdash	3/1 Channel System in combination per month	 	1	UNC3X	MQ3	121.90	07.00	0.00	10.00	1.01		 		.		
	Per each DS1 COCI in combination per month Additional 4-Wire Analog Voice Grade Loop in same DS1	-	+	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						í
	Additional 4-Wire Analog Voice Grade Loop in same DS1		+ '	ONCVA	ULAL4	17.00	193.94	30.30	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						í
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1 -	ONOVA	O L / L -	21.00	100.04	00.00	10.42	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						í
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i e
	Channel System per month			UNC1X	1L5XX	0.1154										i
	Each Additional DS1 Interoffice Channel Facility Termination in															i
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ł
EVE	Is Charge	DO INT	FDOFF	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXII	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	SPS INT	EROFF	ICE TRANSPORT W	/ 3/1 MUX											
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		+ '	ONCDX	ODESO	21.00	193.94	30.30	10.42	0.00						
	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		<u> </u>	0.1057	02200	20.00	100.01	00.00	10.12	0.00						
	Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						ł
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													í .
	Mile Per Month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.1154										<u> </u>
	First Interoffice Transport - Dedicated - DS1 - combination															ı
	Facility Termination Per Month	ļ	 	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		ļ
\vdash	Per each 1/0 Channel System in combination Per Month	<u> </u>	1	UNC1X	MQ1	69.75	86.10									
\vdash	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	 	1	UNCDX UNC3X	1D1DD MQ3	0.9963	27.33	2.90	16.86	1.04		 		.		
\vdash	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-	+-	UNC3X UNC1X	UC1D1	121.90 7.35	27.33	2.90	16.86	1.04				 		
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	├	+	UNCTA	OCIDI	7.35	21.33	2.90	10.86	1.04	-					
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86		1				i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	t	 	5.10DA	35230	21.00	130.34	30.30	10.42	0.00	-	 				(
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ł .
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	† –	-	1			22.30		2.30				İ		i
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1				ł .
	OCU-DP COCI (data) COCI in combination per month (2.4-															i
	64kbs)	<u> </u>	<u></u>	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						ı
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1							-						·
	Channel System per month		_	UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		LINIOAN								1				i
\vdash	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	 	+-	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				 		
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						ı
	Combination per month		1	OIVOIA	TOC ID I	1.33	21.33	2.90	10.00	1.04	1	l		1		

LINBLINDI	.ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	ibit: A
UNBUNDL	LED NET WORK ELEMENTS - Georgia	I			1	I					Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	LIDI 04	00.00	405.04	00.00	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	-					+
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
\vdash	First Interoffice Transport - Dedicated - DS1 combination - Per	1	3	UNCDA	ODL04	30.22	195.94	30.30	10.42	0.00	1					-
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	120/01	0.1104					1					†
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1			1									İ	l	
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						ļ
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-		UNCDX	טטוטו	0.9963	21.33	2.90	16.86	1.04	-					+
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TESTA	0.1154										-
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	04.10	07.70	40.70	40.00	21.01	1					
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
\square	Transport - Zone 2	ļ	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				ļ	ļ	ļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	_	LINIONIN		40 :-	405.01	00.00	40.10	0.00		1				
\vdash	Transport - Zone 3	-	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	-			-		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	1		UNC1X	1L5XX	0.1154						1				
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	+	-	ONCIA	ILOAA	0.1154			-		-	-	-		-	
	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination - per month	 		UNC1X	MQ1	69.75	86.10	40.13	45.00	21.31	-	-		 		
	1 5. 545.1 S.I.alliloi Oystoni 170 ili combinationi per monti			5.1517		00.70	55.10									
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		1				
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90	00							İ	İ	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														l	
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				I											
\vdash	Combination - Zone 3	_	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINICALY	110404	4.00	07.00	0.00	10.00	4.6.		1				
\sqsubseteq	system combination- per month	<u> </u>	L	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	L	l			l	

UNBUNI	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	LISO Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1															ı l
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in															ı l
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI in the same 3/1 channel system															i l
		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-	i														ı l
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
E	XIENI	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN														
		First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
\vdash		First 4-wire DS1 Digital Local Loop in Combination - Zone 2	 		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	ļ	 		 		
\vdash		First 4-wire DS1 Digital Local Loop in Combination - Zone 3	-	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINCAV	11.5	0.4454					1	1				1
\vdash		Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -	 	—	UNC1X	1L5XX	0.1154					ļ	ļ		-		
		First interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			LINICAY	U1TF1	24.40	87.76	45.70	40.00	07.07						i l
\vdash		3/1 Channel System in combination per month			UNC1X UNC3X	MQ3	34.19 121.90	87.76	45.73	43.80	27.97						
-		Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
-		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCIA	ОСТОТ	7.35	21.33	2.90	10.00	1.04						
		Channel System per month			UNC1X	1L5XX	0.1154										ı l
		Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILJAA	0.1154										
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ı l
		Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	34.13	07.70	40.73	40.00	21.51						
		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						i l
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			0.1017	00.5.	7.00	27.00	2.00	10.00							
		1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						i l
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone								01101							
		2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						ı l
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						i l
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EX	XTENI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE 1	TRANSPORT												1
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						i
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															i
		per month			UNCDX	1L5XX	0.0057										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1			l	_					1	1				
\vdash		Termination per month	ļ	1	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60				 		
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIODY			F 70	F 70	0.04	0.04						i l
	VTEN	Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDA	EEICE 3	UNCDX	UNCCC		5.70	5.70	6.61	6.61						
F-	X I ENI	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIERU		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
-		First 4-wire 64 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	-	-				
—		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	ONODA	ODLO4	30.22	133.34	30.30	10.42	0.00						
		per month	1		UNCDX	1L5XX	0.0057					1	1				1
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	l -			. 20,01	0.0007										
		Termination per month	1		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	1	1				1
		Nonrecurring Currently Combined Network Elements Switch -As-	1		-		55	55.55			50				l		
		Is Charge	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61	1	1				
ADDITION	NAL N	ETWORK ELEMENTS															í
W	/hen u	ised as a part of a currently combined facility, the non-recurr															
W	/hen u	sed as ordinarily combined network elements in All States, t	he non-	recurrii	ng charges apply a	nd the Switch											
No	onrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-	1			l			_	_	_	1	1				ı l
ullet		Is Charge - 2 wire/4-Wire VG	l	1	UNCVX	UNCCC		5.70	5.70	6.61	6.61	l	<u> </u>		l		

UNRIII	NDI F	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: A
314001	1255	ALTHORIC LLLINLINTO - Georgia		ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
\vdash		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
\vdash		Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV			5.70	5.70	0.04	0.04						
\vdash		Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-		ļ	UNC3X	UNCCC		5.70	5.70	6.61	6.61						
		Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	Intion	al Features & Functions:			UNCOA	UNCCC		5.70	5.70	0.01	0.01	-					
 '	эрион	arreatures & runctions.			U1TD1,	+									1		
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OL	OI	OI	OI						
		croar charmer capability Extended Frame option per 201	Ė		U1TD1.	0002.		0.	0.		0.						
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI		1				
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			-	-								
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62S	23.78\$	2.03\$	0.79S						
		, ,		i –	U1TD3, ULDD3,										1		
		C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3	<u> </u>	218.74S	7.66S	0.7591S	0S	<u></u>	<u> </u>				<u> </u>
1	MULTIF	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
\perp		Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
\vdash		month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
+	_	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	1.00	15.01	11.39	0.01	0.01	-					
		used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
+-+	_	Voice Grade COCI - DS1 to DS0 Channel System - per month			ULA	IDIVG	0.4009	11.90	11.39	0.01	0.01						
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
+		DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90	11.00	11.00	0.01	0.01	1					
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
		DS1 COCI used with Loop per month		t	USL	UC1D1	7.35	15.81	11.39	6.61	6.61				İ		İ
		DS1 COCI (used for connection to a channelized DS1 Local	1	i –	ĺ		50		30	1					İ		ĺ
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61		1				
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															l
$\perp \perp \perp$		month		<u> </u>	ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s	ļ	ļ				ļ		ļ
⊢ —↓2	2-WIRE	VOICE GRADE LINE PORT RATES (RES)		<u> </u>	LIEBOD	LUEDE:											
\vdash		Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28	-			ļ		
		Fushers a Darte - O.Wiss Apples Line Dart with Collecting			LIEDOD	UEPRC	4.00	0.40	0.04	4.07	4.00						
\vdash		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28	-			-		
		Evolungo Porto - 2 Wiro Anglog Line Port outgoing only - De-			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28		1				
+		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port		 	UEFSK	UEPKU	1.09	2.42	∠.31	1.37	1.28				-		-
		with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
\vdash	-	Exchange Ports - 2-Wire Voice Georgia basic dialing port	-	 	OLI OIX	OLFAF	1.09	2.42	2.31	1.37	1.20	 					
		without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28		1				
\vdash		2-Wire voice unbundled Georgia basic dialing port for use with	t	 	021 010	JL1 110	1.09	2.42	2.31	1.37	1.20	 	 				1
		Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28		1				
			T	1		1	50				20	İ			i		İ
\vdash		2-Wire voice unbundled Georgia basic dialing port - outgoing															

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	ibit: A
ONDONDE											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					+		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
—	2-Wire voice unbundled Low Usage Line Port without Caller ID						THOL	Addi	11130	Addi	JOHILO	JOHAN	JONIAN	JOWAN	JOHIAN	JOWAN
	Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID capability,															
	Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
L	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
2 WID	E VOICE GRADE LINE PORT RATES (BUS)		<u> </u>	UEPSR	UEPVF	0.775	0.00	0.00								-
Z-VVIK	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	UEPB1	1.09	0.40	2.24	1.37	1.28						
—	Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						-
	without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI OD	OLI WE	1.00	2.72	2.01	1.07	1.20						
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)			LIEBOE	LUEDDD	1.00		10.00	11.10							
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	-	-	UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP UEPSP	UEPPC UEPPO	1.09 1.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83 0.83						-
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83	İ					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83	İ					
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDOD	HEDVE	4.00	00.00	40.00	44.40	0.00						
—	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83						-
	Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.00	20.00	10.00	11.40	0.00						
	Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way							40								
	Oudial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						
 	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	1	 	OLFOF	OLF WI	1.09	20.08	13.03	11.48	0.83	+		1			
	Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						
	Subsequent Activity	l		UEPSP	USASC	0.00	0.00	0.00	0	3.30						
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00		_						
EXCH	ANGE PORT RATES (COIN)															$oxed{oxed}$
110	Exchange Ports - Coin Port			udii alaat	almanda e cole ci	1.09	2.42	2.31	1.37	1.28	atad cold. a	union IODA:				
INUIE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to o	circuit switche	u voice and/or	circuit Switche	eu data transm	ussion by B-Ch	iaiineis assoc	iated with 2	-wire i2DN b	orts.			

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	_	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
NOT	E: Access to B Channel or D Channel Packet capabilities will be		-11	. there were DED/New	Dueinese De	aurest Dueses	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	D LOCAL EXCHANGE SWITCHING(PORTS)	avaliai	T Only	/ tillough brk/New	Dusiliess Re	quest Process.	Rates for the	раскет сараы	littes will be de	T	ne bona ric	l Request	livew busines	l Request Fro	less.	
	HANGE PORT RATES								 	 	1		1			
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a senarate an	reement.		
	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												l			
11040	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	5.50	122.26	18.65	54.82							
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	L		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			<u> </u>	L				
	E: Transmission/usage charges associated with POTS circuit s													. D		
NOT	E: Access to B Channel or D Channel Packet capabilities will be HANGE PORT RATES (continued)	e avaliak	oie only	through BFK/New	business Re	equest Process.	Rates for the	packet capabi	IITIES WIII DE de	eterminea viä t T	ne Bona Fi	ie Kequest/	New Busines	s Request Pro	cess.	
EVC	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	 	-		1				 	 	 	-	 	 	 	
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726	100.7 1	07.20	72.00	11.00						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	0.3726										
Deta	led E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,818.00									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,			LIEDEV	LIEDAD	0.00	470.57									
Now	Deletions or Additional PRI Telephone Numbers		<u> </u>	UEPEX	UEP1B	0.00	176.57		-	-						
New	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.50									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPEX	DD77T	0.00	21 42	24 42	1	1						
100	Inward Tel Numbers [Customer Testing Purposes] AL NUMBER PORTABILITY	-	+	ULPEA	PR7ZT	0.00	21.43	21.43	 	 	-	-				
LOC	Local Number Portability (1 per port)	1	 	UEPEX UEPDX	LNPCN	1.75			 	 	 		 	 	1	
INTE	RFACE (Provsioning Only)		†	CLI LA OLI DA	LIVI OIV	1.73			—	-		<u> </u>				
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00	i e	1			İ	İ	İ	İ
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00				İ			İ	İ
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71		ļ	ļ			ļ	ļ		
\vdash	New or Additional Inward Data "B" Channel	<u> </u>	_	UEPDX	PR7BD	0.00	28.71				1				ļ	
\vdash	New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel		├	UEPEX UEPEX	PR7BS PR7BU	0.00			 	 	-		-	-		
\vdash	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel	 	-	UEPEX	PR7EX	0.00	28.71		 	 	 	-	 	 	 	
CAL	TYPES	1	 	OLFLA	LIVIEN	0.00	20.11		 	 	 		 	 	1	
OAL	Inward	-		UEPEX UEPDX	PR7C1	0.00	0.00	0.00	 	 	-		 	 		
	Outward	l		UEPEX	PR7CO	0.00	0.00	0.00	1	1			1	1		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00				İ				
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	′														
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28						

UNRI	INDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
3,450		S ITE I TO THE ELEMENTO OCCUPA		1	l		1					Svc Order	Svc Order	Incremental		Incremental	Incremental
1				1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st			
														1St	Add'l	Disc 1st	Disc Add'l
				1			Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with			LIEDVO			0.04	0.04								
	LIMBUR	allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31	1							
—	ONBON	IDLED REMOTE CALL FORWARDING - Bus		 		+				-		-			 		
1		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28				I		
\vdash	H	onbundied Remote Call Forwarding Service, Area Calling - Bus	H	 	OLF VD	ULINAU	1.09	2.42	2.31	1.37	1.28	1		 	t	l	
1		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28				I		
—		Unbundled Remote Call Forwarding Service, Local Calling - Bus		†	UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28	 		 	 		
-		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28	†					
		Unbundled Remote Call Forwarding Service Expanded and			OLI VD	OLIVIIV	1.00	2.72	2.01	1.07	1.20	1					
		Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring										İ					
		Unbundled Remote Call Forwarding Service - Conversion -				1						İ					
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with		1													
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBUN	IDLED L	OCAL SWITCHING, PORT USAGE												ĺ			
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0006153										
		End Office Trunk Port - Shared, Per MOU					0.0001226										
	Tander	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972										
		Tandem Trunk Port - Shared, Per MOU				ļ	0.0001557										
	-	Tandem Switching Function Per MOU (Melded)					0.000017904					1					
-		Tandem Trunk Port - Shared, Per MOU (Melded)		1		-	0.00002868			-		 	-				
-	Comm	Melded Factor: 18.42% of the Tandem Rate on Transport		1		-				-		 	-				
_	Commi	Common Transport - Per Mile, Per MOU				1	0.0000027					 					
\vdash	H	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	H	 	1	+	0.0000027			t		1		 	t	l	
UNRUN	IDI ED E	PORT/LOOP COMBINATIONS - COST BASED RATES	-	†		+	0.0001914			t		 		 	 		
5.4501		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.	I		1	-		I		
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.			†		
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combinatio	ns.	İ	
		st and additional Port nonrecurring charges apply to Not Curr														l	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)										,	ĺ				
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
<u> </u>	UNE L	pop Rates															
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56			L		<u> </u>		ļ	L		
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86			1		ļ		ļ	1		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66			ļ		ļ			ļ		
	2-Wire	Voice Grade Line Port Rates (Res)		<u> </u>	LIEBBY	Lusas:						ļ			ļ		
<u> </u>		2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28	-			-		
├		2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28			ļ	-	 	
<u> </u>	-	2-Wire voice unbundled port outgoing only - res	-	<u> </u>	UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28	 		 	 	 	ļ
1		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.0040	40.05	7.00	4.07	1.28				I		
\vdash	-	(LUM) 2-Wire voice unbundled Georgia basic dialing port without Caller		 	UEPKA	UEPAP	0.9019	10.05	7.36	1.37	1.28	 	-		 		
		ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28				I		
	1	In capability - 162			ULPRA	UEFWC	0.9019	10.05	7.36	1.37	1.28	<u> </u>	l	1	1	l	

UNBUND	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0.1.201.12		1									Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with			UEPRX	UEPWQ	0.9019	10.05	7.00	4.07	4.00						
-	Caller ID - res 2-Wire voice unbundled Georgia basic dialing port - outgoing			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28	-					
	only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITAX	OLI WIK	0.3013	10.03	7.50	1.07	1.20						
	Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
FE	ATURES															
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
LO	CAL NUMBER PORTABILITY							•								
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NO	ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED				ļ				L					L		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1							1					I		
\vdash	Switch-as-is	ļ		UEPRX	USAC2		0.10	0.10	-		-		 	-	 	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPRX	USACC		0.40	0.10	I					I		
AD	Switch with change			UEPRX	USACC		0.10	0.10	-		-			-		
AD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				-						-					
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLFKA	USASZ	0.00	0.00	0.00								
	Premise			UEPRX	URETL		8.33	0.83								
OF	F/ON PREMISES EXTENSION CHANNELS			02.700	0.12.12		0.00	0.00								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INT	TEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRX	11477.60	40.07	40.40	40.40	40.50	5.00						
-	Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00	-			-		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
2-W	WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLI IXX	OTTVIVI	0.0037	0.00	0.00	 		1					
	IE Port/Loop Combination Rates				+											
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46			t							
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UN	IE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86			ļ					ļ		
<u> </u>	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPBX	UEPLX	31.66								ļ		
2-V	Nire Voice Grade Line Port (Bus)	ļ	.	HEDDY	LIEDE:	0.001-					1		ļ		ļ	
	2-Wire voice unbundled port without Caller ID - bus	 	—	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28			 	 	 	
-	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	-	-	UEPBX UEPBX	UEPBC UEPBO	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28				 		-
-	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	1		UEPBX	UEPB0	0.9019	10.05	7.36	1.37	1.28	 	1	 	 	 	
	2-Wire voice unburidled incoming only port with Caller ID - Bus 2-Wire voice unbundled Georgia basic dialing port, without	 		סבו טא	OLI DI	0.5019	10.05	1.30	1.37	1.20	H		l	t	l	
	Caller ID capability - bus	1		UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28				1		
	2-Wire voice unbundled Georgia basic dialing port for use with	i e			1	0.00.0				20			İ	1	İ	
	Caller ID - bus	1		UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28				I		
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability	<u> </u>		UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28	<u></u>	<u> </u>	<u></u>	L	<u> </u>	
LO	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE.	ATURES	ļ	ļ		<u> </u>				1					1		
	All Features Offered	ļ		UEPBX	UEPVF	0.775	0.00	0.00								
NO	DNRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	L							L					1		

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0.100	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS		_	LIEDDY	LIEAEN	10.51	40.00	2.00					 	1	 	├
 	 	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72			 	1	 	-
 	!	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design	-	3	UEPBX UEPBX	UEAEN	15.85 31.97	40.02 40.02	9.99	5.61 5.61	1.72 1.72	-	-		1		
 	!	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design	-		UEPBX	UEAEN	31.97 11.57	79.85	24.65	18.92	7.87	-	-		1		
-	 	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	 	2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87	-	-	 		 	
-		2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87			1		1	-
-	INTER	OFFICE TRANSPORT			OLI DA	OLALD	33.00	13.05	24.00	10.32	7.07						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											†
		Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile													1		
		or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46							ĺ		ĺ	
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										
	0.140	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPRG	UEPLX	31.66										
	2-wire	Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+						-					
		Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
-	LOCAL	. NUMBER PORTABILITY			OLI NO	OLITO	0.3013	10.05	7.50	1.57	1.20			1		1	-
	LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU				OLI IKO	LIVI OI	0.10	0.00	0.00								†
		All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.70	0.70								
 		Group	1	-		+		6.70	6.70	 		-	-	-	1	-	
	l	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		1	UEPRG	URETL		8.33	0.83				1				
 	OFF/O	N PREMISES EXTENSION CHANNELS	—	-	OLI INO	OINETE		0.33	0.03	1				 	1	 	
	31170	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87	<u> </u>	 		1		
	1	Local Channel Voice grade, per termination			UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87			1		1	
	i e	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87			İ		İ	
	l	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02	İ	İ	İ		İ	
		Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	OFFICE TRANSPORT															
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		l		L											
	l	Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00	İ	İ				

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
—	Interesting Transports Dedicated Collins Value Conda Des Mile						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								ı l
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			02.110	0	0.0001	0.00	0.00								
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
-	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2		-	15.76 32.56										
UNE	Loop Rates		J			32.30										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
2 Win	2-Wire Voice Grade Loop (SL 1) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	31.66										
2-9911	e voice Grade Line Fort Rates (BOS - FBA)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						, l
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPLD UEPXA	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXE	0.0040	10.05	7.00	1.37	4.00						ı l
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAE	0.9019	10.05	7.36	1.37	1.28						
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						ı l
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
—	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO UEPXS	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPPA	UEFAS	0.9019	10.05	7.30	1.37	1.20						
	Oudial Trunk 2-Wire voice unbundled Georgia basic dialing port - 2-Way			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						ı
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port 2-Wire voice unbundled Georgia basic dialing port - PBX LD			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	Terminal Switchboard Port 2-Wire voice unbundled Georgia basic dialing port - PBX LD 2-Wire voice unbundled Georgia basic dialing port - PBX LD			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port 2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						
1.004	Trunk It NUMBER PORTABILITY			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
100	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								$\overline{}$
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											\vdash
	Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10								
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change TIONAL NRCs			UEPPX	USACC		0.10	0.10								
ADDI	HOMAL MAGS	1	<u> </u>		1				I		L	i .		I		

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400	0.00	0.00	0.00								l l
		Subsequent Activity		1	UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70								l l
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				_		0.70	6.70			1	-				
		Premise			UEPPX	URETL		8.33	0.83								l l
-	OFF/O	N PREMISES EXTENSION CHANNELS		1	OLITA	OKLIL		0.33	0.03			1	-				
	01170	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87	1	1				—
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02					ĺ	
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE P	ort/Loop Combination Rates		.			10.10										ļ
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
-		2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		2	-		15.76 32.56						-				-
	LINEL	pop Rates		3	-		32.56						-				-
	ONL L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56					1	1				1
-		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86					1		1	1	1	-
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	31.66										
	2-Wire	Voice Grade Line Ports (COIN)		l u	021 00	OLI EX	01.00										
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 900/976															
		Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEBS !	0.0040	40.0-	7.00	4.0-	1.00						
		(GA, KY, MS)		<u> </u>	UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28			 	 	.	
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
-	-	2-Wire 2-Way Smartline with 900/976 (all states except LA)	-	 	UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28	 		 	 	 	
 	-	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	-	t	02100	OLI ON	0.5019	10.05	1.30	1.37	1.20	-	-	 	 	 	
1		LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
-	ADDIT	ONAL UNE COIN PORT/LOOP (RC)	†	 		52. OK	5.5519	10.00	7.50	1.07	1.20	 	 				†
		UNE Coin Port/Loop Combo Usage (Flat Rate)		t —	UEPCO	URECU	3.59	0.00	0.00	0.00	0.00			İ	İ	İ	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -									_						
		Switch-as-is		<u> </u>	UEPCO	USAC2		0.10	0.10								<u> </u>
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change		<u> </u>	UEPCO	USACC		0.10	0.10								ļ
<u> </u>	ADDIT	ONAL NRCs		<u> </u>	ļ												
1		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110400		0.00	0.00								'
<u> </u>		Activity		 	UEPCO	USAS2		0.00	0.00			-		-	-	-	-
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIDE	Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I FIINF	POPT /		ONLIL		0.33	0.63			 		 	 	 	
	T-AAIL/E	. VOICE LOCI / ZWINE VOICE GRADE IO TRANSPORT/ Z-WIRE	L LINE I	OK I (NEO)	1						I	I	I	I	I	

JNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
				1							1	Submitted	Charge -	Charge -	Charge -	Charge -
		Intor:		[Elec		Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC ISI	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										Ī
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										Ī
2-Wi	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res	i		UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44						1
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						1
	2-Wire voice unbundles res, low usage line port with Caller ID										İ					1
	(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without	t	l –	1	1				150	12	1		i e	İ	i e	
	Caller ID capability - res	1		UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44		1				
	2-Wire voice unbundled Georgia basic dialing port for use with			02	020	1.00	100.00	10.00	11.00							
	Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing	-		CETTIC	OLI WQ	1.00	100.00	40.00	41.00	10.44						+
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTE	EROFFICE TRANSPORT	1		OLFIK	OLFWK	1.09	100.03	43.00	41.03	13.44				1		
IIVIL	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1												1		
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<u> </u>	-	OLFIK	UTIVZ	12.07	40.40	13.40	10.56	5.00	-	-				
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FFA	TURES	1	-	UEPFR	ILOXX	0.0057	0.00	0.00			-					-
FEA		1	-	LIEDED	LIED\/E	0.775	0.00	0.00			-					-
	All Features Offered CAL NUMBER PORTABILITY	<u> </u>	-	UEPFR	UEPVF	0.775	0.00	0.00								-
LOC				LIEDED	LNDOV	0.05										
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										ļ
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l												
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.19	1.10								
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE F	PORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08										
2-Wi	ire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						
i	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						1
	2-Wire voice unbundled incoming only port with Caller ID - Bus	Ì		UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44			İ		İ	1
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with	i –	İ													f e
	Caller ID - bus	1		UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44		1				
LOC	AL NUMBER PORTABILITY	i		İ					1	1	1		İ	İ	İ	
-30	Local Number Portability (1 per port)	†		UEPFB	LNPCX	0.35			†	1			i	Ì	i	1
INTE	EROFFICE TRANSPORT	†		T		0.00			†	1			i	Ì	i	
			-	 					1	 	1	1	-	 	-	†
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		l			ı					1					

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
			1								Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														l .		
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	curring	Nonrecurring	Disconnect	†		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+ -		11131	Auui	11130	Auu i	JOINEC	JOHAN	JOHAN	JOINAIN	JOHAN	JONAN
	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FEA	TURES	-	-	UEFFB	ILSAA	0.0057	0.00	0.00			-					-
FEA				HEDED	LIED) /E	0.775	0.00	0.00			ļ					-
	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								.
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at								Ì							
	End User Premise			UEPFB	URETN		11.19	1.10								
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	FINE	ORT (
	Port/Loop Combination Rates	<u> </u>		,	+ +						1		 	1	l	†
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1	 	+ -	25.53					1		 	1	 	
 	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		+ -	30.92					 		 	}	 	
		 	3		+	30.92 47.04					 			1		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			47.04					 		-	ł	ļ	├
UNE	Loop Rates		<u> </u>								ļ			ļ		_
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	11.57					ļ					
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44	1			1		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
—	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	-	UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44	1			1		-
											ļ					-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						↓
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								Ì							
	Room Calling Port	1	1	UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44			l		l	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			T			.00.00	.0.50	55	.0.11	1		i e	İ	i e	
	Discount Room Calling Port	1	1	UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44			l		l	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	-	UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44	1		 	1	 	
 	2-Wire voice unbundled Georgia basic dialing port - 1-Way	 	 	UL111	OLI AO	1.09	100.03	45.00	41.09	10.44	 		 	}	 	
		1	1	UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44			l		l	
	Oudial Trunk	 	<u> </u>	UEPFP	UEPW5	1.09	166.05	43.66	41.89	15.44	1		 	1	 	
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	1	1	LIEDED	HEDVICE										l	
	Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44	ļ			ļ		ļ
LOC	AL NUMBER PORTABILITY															L
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			1					
INT	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1	l	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00			1		1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						_		1				ĺ	1	ĺ	
	or Fraction Mile	1	1	UEPFP	1L5XX	0.0057	0.00	0.00							l	
FFΔ	TURES			T	,	3.0007	3.30	5.50			1		i e	İ	i e	1
	All Features Offered	†		UEPFP	UEPVF	0.775	0.00	0.00			1		 	1	l	t
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	t e	-	J-111	OL: VI	0.113	0.00	0.00			1		 	 	 	
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 		+ -						 		 	}	 	
				LIEDED	110400		7.0-	4.00								
	Combination - Conversion - Switch-as-is	-	<u> </u>	UEPFP	USAC2		7.85	1.86						ļ		
ı l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	l	l	1		_]				1		1	
\vdash	Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86			ļ			ļ		↓
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	l]				1		1	
	End User Premise	<u> </u>	<u></u>	UEPFP	URETN		11.19	1.10	<u> </u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	oit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		•	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	D/	cs	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	_ B(63	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic-
																DISC 1St	Disc Add'l
							Rec	Nonrec		Nonrecurring		001100			Rates (\$)		
LINBLINDI ED I	PORT/LOOP COMBINATIONS - COST BASED RATES	-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT					+										
	ort/Loop Combination Rates	1															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17.05										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				22.44										
LINIE I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38.56										
UNE L	oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	-	2	UEPPX		UECD1	16.95										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	t	3	UEPPX		UECD1	33.08										
UNE P	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27						
NONRI	ECURRING CHARGES - CURRENTLY COMBINED	ļ															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	1		UEPPX		USAC1		6.66	1.86								
 	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1		UEPPA		USACT	+	0.00	1.86								
	with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								
ADDIT	IONAL NRCs							0.00									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.19	1.10								
Teleph	none Number/Trunk Group Establisment Charges					N.D.T											
	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX		NDT	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers	1		UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY	ļ															
2 WIDE	Local Number Portability (1 per port) E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDE	DODI	UEPPX		LNPCP	3.15	0.00	0.00								
	e ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI ort/Loop Combination Rates	NE SIDE	PORT			 	+										
0	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		19.44										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2	ļ	2	UEPPB	UEPPR		24.45										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	HEDDE		20.00										
LINE L	oop Rates	 	3	UEPPB	UEPPR	-	38.09										
ONE E	2-Wire ISDN Digital Grade Loop - UNE Zone 1	†	1	UEPPB	UEPPR	USL2X	14.25					 	 				
	5		Ė				20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	ļ	3	UEPPB	UEPPR	USL2X	32.90										
UNE P	ort Rate Exchange Port - 2-Wire ISDN Line Side Port	 	-	UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37	-					
NONRI	ECURRING CHARGES - CURRENTLY COMBINED	 		UEPPD	UEFFR	ULPPD	5.19	101.30	141.08	43.08	0.37						
- INSINICI	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	†					 										
<u> </u>	Combination - Conversion	<u> </u>		UEPPB	UEPPR	USACB	0.00	42.52	26.99			<u> </u>	<u> </u>				
ADDIT	IONAL NRCs										-						
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1		LIEDES	LIEBES	110465	Ι Τ										
\vdash	Non Feature/Add Trunk	 		UEPPB	UEPPR	USASB		0.00				-					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 		OLI FD	OLI: FIX	OINETIN		11.19	1.10								
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:	ļ		LIEDDD	HEDDE	LIALICA	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)	<u> </u>		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			<u> </u>	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1			1		Nonne		l Names according	Dianamant			220	Datas (ft)		
		-	1			+	Rec	Nonrec	urring Add'l	Nonrecurring First		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	CVS (EWSD)	1	+	UEPPB	UEPPR	U1UCB	0.00	First 0.00	0.00	FIRST	Add'l	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SOWAN
	CSD		1		UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	L TN)	OLITE	OLITIK	01000	0.00	0.00	0.00								
	TERMINAL PROFILE	1	1			1											
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
4 MUDE	Interoffice Channel mileage each, additional mile	K DODT	1	UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNINE-P DS1 combination rates below for in this rate exhibit apple.			Ided baca	in place a	e of 10/2/02	until 4/1/04 A4	or 4/1/04 these	rates shall re	vert to tariff rot	es or a consta	to commore	al agraces	nt .	-		
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 7														 		
	ort/Loop Combination Rates	I	I		nive date c		incite onan be i	oroviaca parse	idiit to a sepai	l agreement	or tarm at Ber		1				
0.1.2.1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1											
	Zone 1		1	UEPPP			106.15										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1															
	Zone 2		2	UEPPP			111.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			127.15										
UNE Lo	oop Rates		<u> </u>														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2	-	3	UEPPP		USL4P USL4P	46.41 62.03										
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate	1	3	UEPPP		USL4P	62.03					-					
UNLF	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1	UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						
NONRE	ECURRING CHARGES - CURRENTLY COMBINED			OL:		02	00.10	000.10	1011.12	70	21.00						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
ADDITI	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																ı
	Inward/two way Tel Nos. (except NC)		ļ	UEPPP		PR7TF		0.50									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			LIEDDD		DD7TO		40.70									
—	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	-	 	UEPPP		PR7TO		10.72				-					
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43									1
LOCAL	NUMBER PORTABILITY			OLITI		110/21		21.40									
	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75								İ		
INTER	FACE (Provsioning Only)	1								<u> </u>							
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00		_						
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
<u> </u>	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00								
New or	r Additional "B" Channel	1	1	LIEDOD		DDZD\/	0.00	10.50									
\vdash	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	1	1	UEPPP		PR7BV PR7BF	0.00	13.59 13.59				1					
 	New or Additional Inward Data B Channel	 	1	UEPPP		PR7BD	0.00	13.59		1		 			 		
CALL 1		 	1	OLI II		. 17700	0.00	15.55									
J. 122	Inward	t -		UEPPP		PR7C1	0.00	0.00	0.00								
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00	İ					İ		
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage								•								
	Fixed Each Including First Mile			UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.1154										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				To other	1 40/0/22		4/4/04 //				<u> </u>	-1				
I he UN	NE-P DS1 combination rates below for in this rate exhibit applests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef	y to the	embec	this amor	in place a	IS 01 10/2/03 I	untii 4/1/04. Aft	er 4/1/U4 these	rates shall re	vert to tariff rat	es or a separa	e commerc	iai agreeme	nt.			
	sts for 4-wire DS1 Digital Loop with 4-wire DDI1S after the en	Tective	ate of	uns amen	unient sna	ne provide	u pursuant to a	a separate agre	ement or tarif	at DeliSouth's	discretion.	 			 		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC		 	82.22			1		H			 		
	23. 2.g Loop/411 DDITO HUIKT OIL ONE ZOILE I			02.00		1	02.22						L		1		

UNBUND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
3.130.11	Octorgia										Svc Order	Svc Order	Incremental			Incremental
			İ								I .	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(*)			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec		curring	Nonrecurring	g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		87.61										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
UN	E Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	ļ		UEPDC	USLDC	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2	1		UEPDC	USLDC	46.41										
	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	62.03					1					
UN	## Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1		LIEDDO	UDD1T	41.20	200.05	405.00	80.17	7.00	-					-
NO	NRECURRING CHARGES - CURRENTLY COMBINED	1		UEPDC	ווטטטוו	41.20	392.25	185.06	80.17	7.86	-					-
NO	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-			+						 	-				
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79								
—	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 		OLFDC	USAC4		132.19	00.79			<u> </u>					1
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79					1	1		
 	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	-	02.1 00	30,000		102.19	00.79	1		 	-	t	 		
	- Conversion with Change - Trunk (E:4/1/2004)		1	UEPDC	USAWB		132.19	66.79					I	I		
AD	DITIONAL NRCs	1			30,		102.10	33.73					<u> </u>	<u> </u>		1
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				İ	İ	İ	1		İ			1	1	İ	İ
	Service Activity Per Service Order		1	UEPDC	USAS4		0.00	0.00					I	I		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1	Ì				1	1		l			1	1	l	İ
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1														
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				l											
L	Activation / Chan - 2-Way DID w User Trans	ļ		UEPDC	UDTTE		13.95	13.95								
BIF	POLAR 8 ZERO SUBSTITUTION	1		LIEBBO	00005		0.00									
\vdash	B8ZS -Superframe Format B8ZS - Extended Superframe Format	1		UEPDC UEPDC	CCOSF		0.00i 0.00i	392.25s			-					-
A 14	ernate Mark Inversion	-		UEPDC	CCOEF		0.001	392.25s			 	-				
Alt	AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00			1	1	1	1		
—	AMI - Extended SuperFrame Format	1		UEPDC	MCOPO		0.00	0.00			1	1	1	1		
Tel	ephone Number/Trunk Group Establisment Charges			OLI DO	WICCI C		0.00	0.00			†		-			
10.	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00					1					
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					i e					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	İ	1		İ			1	1	İ	İ
	DID Numbers, Establish Trunk Group and Provide First Group			-	1	2.30	İ	1		İ			1	1	İ	İ
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00					I	I		
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00					İ					1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
De	dicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities														I	
	Termination)	1	<u> </u>	UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73			L	L		ļ
			1	l	1			I					I	I		
\vdash	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00					1	1		ļ
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1										I	I		
\vdash	Termination)	1	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00	ļ	-		-	-	-	 	ļ
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBBO	41 1100	0.44=-	0.00						1	1		
\vdash	miles	-		UEPDC	1LNOB	0.1154	0.00	0.00			-		-	-		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		l	LIEDDC	1LNO3	0.00	0.00	0.00					1	1		
\vdash	Termination)	1	 	UEPDC	ILINU3	0.00	0.00	0.00	1		 	-	 	 		-
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.1154	0.00	0.00					I	I		
\vdash	Local Number Portability, per DS0 Activated	+	 	UEPDC	LNPCP	3.15	0.00	0.00	1		1	 	+	+	 	
\vdash	Central Office Termininating Point	 	 	UEPDC	CTG	0.00	 	+	1		1	 	+	+	 	1
	Dential Office Tellillilliating Folia	1	<u> </u>	OLI DO	010	0.00	l	1	1	l	L	1	1	I	l	

NBUNDL	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			Incrementa
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
4-WI	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations									İ					1
Each	h System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
The	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this rate	e exhibit app	ly to the embe	dded base in p	lace as of 10/2	/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	uests for 4-Wire DS1 Loop with Channelization with Port after th														Ī	1
	DS1 Loop					1										1
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46.41	0.00	0.00								1
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	62.03	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00					İ		İ	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00					İ		İ	<u> </u>
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00					İ		İ	<u> </u>
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00					i	†	i	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00					i	†	i	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	430.40	0.00	0.00					i	†	i	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00					i	†	i	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00			†					
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								-
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1.032.96	0.00	0.00								-
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00								-
Non	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	aliztio					0.00								-
	inimum System configuration is One (1) DS1, One (1) D4 Channe						Stein									-
	tiples of this configuration functioning as one are considered Ac															-
inuit	NRC - Conversion (Currently Combined) with or without	l au r unto	1 1110 11	l	I	l .										-
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
Syst	tem Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat					0.57								-
	(Not Currently Combined) in all states, except in Density Zone 1				l carron carro		i				†					
14011	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	0. TOP	1 11107	I							-					1
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
Rinc	plar 8 Zero Substitution			OLI WO	VOIVID4	0.00	373.04	200.01	03.43	0.55	-					1
Бірс	Clear Channel Capability Format, superframe - Subsequent				†						†					
	Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s								
	Clear Channel Capability Format - Extended Superframe -			OLI MO	00001	0.00	0.001	002.200								-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
Alto	rnate Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.001	552.255								-
Aite	Superframe Format		-	UEPMG	MCOSF	0.00	0.00	0.00					1		1	1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								-
Excl	hange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	021 1010		0.00	0.00	0.00			H		 	 	 	
	hange Ports	******			 									+		
EXCI	Line Side Combination Channelized PBX Trunk Port - Business				1	 	 	<u> </u>			H		 	 	 	
	(E:4/1/2004)			UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00		1		I		
	Line Side Outward Channelized PBX Trunk Port - Business	 	 	OLI I A	JLI UX	1.09	0.00	0.00	0.00	0.00	t	-	<u> </u>	t	 	
	(E:4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID	-		OLFFA	JLFUA	1.09	0.00	0.00	0.00	0.00	-	-	-		-	
	(E:4/1/2004)		1	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00	1	1	l	1	l	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-	 	UEFPA	UEPIA	1.09	0.00	0.00	0.00	0.00	 	<u> </u>		 		
	(E:4/1/2004)			UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00		1		I		
Eact	ture Activations - Unbundled Loop Concentration	-		ULPPA	DEFDIN	5.50	0.00	0.00	0.00	0.00	-		-	 	-	
reat		-	 		 						 	<u> </u>		 		
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95						
	Feature (Service) Activation for each Trunk Port Terminated in	 		OLFFA	I F CQ V V IVI	0.4009	12.90	0.80	1.90	1.95	 	-	1	 	1	
	D4 Bank			UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34		1		I		
Tala	phone Number/ Group Establishment Charges for DID Service	-		ULPPA	IFUVVU	0.4689	38.09	9.18	20.77	5.34	-		-	 	-	
rele		-		UEPPX	NDT	0.00	0.00	0.00			-		-	 	-	
	DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-	-		NDT						1	-	 	1	 	
		-		UEPPX	NDZ ND4	0.00	0.00	0.00			-		-	 	-	
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number	-		UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00			-		-	 	-	
	Reserve Non-Consecutive DID Numbers - per number	<u> </u>	-								-		-	-	-	
		1	1	UEPPX	ND6	0.00	0.00	0.00	i l	1	1	1	I	1	1	1

CATEGORY Factor	Reserve DID Numbers Reserve DID Numbers Reserve DID Numbers Reserve DID Numbers Reserve DID Numbers Reserve DID Numbers Reserve DID Numbers Reserve DID Numbers Reserve DID Number Portability - 1 per port Reserve DID Number Portability - 1 per port Reserve DID Number Portability - 1 per port Reserve DID Number Portability - 1 per port Reserve DID Number Portability - 1 per port Reserve DID Number Portability - 1 per port Reserve DID Number Portability Reserve DID Number Portability Reserve DID Numbers Reserve DID	and/or Sost Base Usage raurrently (ed Rate ates in Combi	te section in the sam the Port section of ined Combos. For 0	this rate exh Currently Co	they are applie ibit shall apply mbined Combo	d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 0.00 vitch PortsAlone Unburnations of loop/g	oort network el	Add'I on of this Ratelements excep	Submitted Elec per LSR SOMEC	Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'I
FEATURE Local Nu	Reserve DID Numbers Jumber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ct Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	m S and/or s ost Base Usage rairrently	State Ced Rate ates in Combi	UEPPX UEPPX UEPPX Commission rule to pe section in the same the Port section of ined Combos. For the composition of the Port section of the Port s	NDV LNPCP UEPVF provide Unbue manner as this rate exh Currently Co	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 itch PortsAlone Unbune	First siled Port sections ort network el	Add'I on of this Ratelements excep	Submitted Elec per LSR SOMEC	Submitted Manually per LSR SOMAN	Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'I
FEATURE Local Nu	Reserve DID Numbers Jumber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ct Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	m S and/or s ost Base Usage rairrently	State Ced Rate ates in Combi	UEPPX UEPPX UEPPX Commission rule to pe section in the same the Port section of ined Combos. For the composition of the Port section of the Port s	NDV LNPCP UEPVF provide Unbue manner as this rate exh Currently Co	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 itch PortsAlone Unbune	First siled Port sections ort network el	Add'I on of this Ratelements excep	Elec per LSR SOMEC Exhibit.	Manually per LSR SOMAN oin Port/Lo	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'I
FEATURE Local Nu Local Su	Reserve DID Numbers Jumber Portability Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ct Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	m S and/or s ost Base Usage rairrently	State Ced Rate ates in Combi	UEPPX UEPPX UEPPX Commission rule to pe section in the same the Port section of ined Combos. For the composition of the Port section of the Port s	NDV LNPCP UEPVF provide Unbue manner as this rate exh Currently Co	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 itch PortsAlone Unbune	First siled Port sections ort network el	Add'I on of this Ratelements excep	SOMEC SEXHIBIT. Exhibit. t for UNE C	SOMAN Som Port/Lo	Order vs. Electronic- 1st OSS SOMAN	Order vs. Electronic- Add'l Rates (\$) SOMAN	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'I
Local Nu I FEATUR Local Sv / / UNBUNDLED C 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Lumber Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional Writching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC Lores shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport First and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or sost Bases rurrently (ed Rate ates in Combi	UEPPX UEPPX Commission rule to pe section in the sam the Port section of ined Combos. For the section of the Port section of	UEPVF provide Unbute manner as this rate exh	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 0.00 vitch PortsAlone Unburnations of loop/g	First siled Port sections ort network el	Add'I on of this Ratelements excep	SOMEC Exhibit.	SOMAN Soin Port/Lo	OSS SOMAN	Electronic- Add'I Rates (\$) SOMAN	Electronic- Disc 1st	Electronic- Disc Add'I
Local Nu I FEATUR Local Sv / / UNBUNDLED C 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Lumber Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional Writching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC Lores shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport First and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX UEPPX Commission rule to pe section in the sam the Port section of ined Combos. For the section of the Port section of	UEPVF provide Unbute manner as this rate exh	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 0.00 vitch PortsAlone Unburnations of loop/g	First siled Port sections ort network el	Add'I on of this Ratelements excep	Exhibit.	Coin Port/Lo	1st OSS SOMAN	Add'I Rates (\$) SOMAN	Disc 1st	Disc Add'I
Local Nu I FEATUR Local Sv / / UNBUNDLED C 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Lumber Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional Writching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC Lores shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport First and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX UEPPX Commission rule to pe section in the sam the Port section of ined Combos. For the section of the Port section of	UEPVF provide Unbute manner as this rate exh	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 0.00 vitch PortsAlone Unburnations of loop/g	First siled Port sections ort network el	Add'I on of this Ratelements excep	Exhibit.	Coin Port/Lo	OSS SOMAN	Rates (\$) SOMAN SOMAN	SOMAN	SOMAN
Local Nu I FEATUR Local Sv / / / UNBUNDLED C 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Lumber Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional Writching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC Lores shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport First and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX UEPPX Commission rule to pe section in the sam the Port section of ined Combos. For the section of the Port section of	UEPVF provide Unbute manner as this rate exh	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	Add'I 0.00 0.00 0.00 0.00 vitch PortsAlone Unburnations of loop/g	First siled Port sections ort network el	Add'I on of this Ratelements excep	Exhibit.	Coin Port/Lo	SOMAN SOMAN	SOMÁN SOMÁN		
Local Nu I FEATUR Local Sv / / / UNBUNDLED C 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Lumber Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional Writching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC Lores shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport First and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX UEPPX Commission rule to pe section in the sam the Port section of ined Combos. For the section of the Port section of	UEPVF provide Unbute manner as this rate exh	0.00 3.15 0.775 undled Local Sthey are applie ibit shall apply mbined Combo	0.00 0.00 0.00 witching or Sw d to the Stand to all combines, the nonrecu	0.00 0.00 0.00 vitch Ports. Alone Unbunctions of loop/g	dled Port sectio	on of this Rate	Exhibit.	Coin Port/Lo	op Combinat	ions.		
Local Nu I FEATUR Local Sv / / / UNBUNDLED C 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Lumber Portability Local Number Portability Local Number Portability - 1 per port RES - Vertical and Optional Writching Features Offered with Line Side Ports Only All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC Lores shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport First and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX UEPPX Commission rule to pe section in the sam the Port section of ined Combos. For the section of the Port section of	UEPVF provide Unbute manner as this rate exh	0.775 undled Local S they are applie ibit shall apply mbined Combo	0.00 0.00 witching or Sw d to the Stand to all combina s, the nonrecu	0.00 0.00 vitch Ports. -Alone Unbunctions of loop/g	oort network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	'Cs may
Local Sv V V V V V V V V V	Local Number Portability - 1 per port RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available ENTREX PORTI/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ct Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX Commission rule to pe section in the same the Port section of ined Combos. For (UEPVF provide Unbute manner as this rate exh	0.775 Indled Local S they are applie ibit shall apply mbined Combo	0.00 witching or Sw d to the Stand to all combina s, the nonrecu	0.00 ritch Ports. -Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	*Cs may
FEATUR Local SV	RES - Vertical and Optional witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ories shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. et Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	UEPPX Commission rule to pe section in the same the Port section of ined Combos. For (UEPVF provide Unbute manner as this rate exh	0.775 Indled Local S they are applie ibit shall apply mbined Combo	0.00 witching or Sw d to the Stand to all combina s, the nonrecu	0.00 ritch Ports. -Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	coin Port/Lo	oop Combinat	ions.	Additional NR	:Cs may
Local Sv UNBUNDLED C 1. Cost E 2. Featu 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	witching Features Offered with Line Side Ports Only All Features Available EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	Commission rule to pe section in the same the Port section of ined Combos. For the combos of the com	provide Unbute manner as this rate exh	undled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	coin Port/Lo	op Combinat	ions.	Additional NR	:Cs may
UNBUNDLED 1. Cost E 2. Featur 3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Wet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	Commission rule to pe section in the same the Port section of ined Combos. For the combos of the com	provide Unbute manner as this rate exh	undled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	:Cs may
UNBUNDLED CE 1. Cost E 2. Featur 3. End C 4. The fire apply als 5. Marks UNE-P C 2-Wire V UNE Por	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC orres shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Ct Iso and are categorized accordingly. wet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	Commission rule to pe section in the same the Port section of ined Combos. For the combos of the com	provide Unbute manner as this rate exh	undled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	ritch Ports. -Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	oin Port/Lo	oop Combinat ently Combine	ions.	Additional NR	:Cs may
1. Cost E 2. Featur 3. End C 4. The fi apply als 5. Mark UNE-P C 2-Wire V UNE Por	Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Ct Iso and are categorized accordingly. Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design Non-Design	and/or Sost Base Usage rairrently (ed Rate ates in Combi	te section in the sam the Port section of ined Combos. For 0	this rate exh Currently Co	they are applie ibit shall apply mbined Combo	d to the Stand to all combina s, the nonrecu	-Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	coin Port/Lo	oop Combinat ently Combine	ions.	Additional NR	:Cs may
2. Featul 3. End C 4. The fit apply als 5. Marke UNE-P C 2-Wire V UNE PO	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport irist and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design Non-Design	ost Base Usage ra urrently (ed Rate ates in Combi	te section in the sam the Port section of ined Combos. For 0	this rate exh Currently Co	they are applie ibit shall apply mbined Combo	d to the Stand to all combina s, the nonrecu	-Alone Unbundations of loop/	oort network el	lements excep	t for UNE C	oin Port/Lo	pop Combinat ently Combine	ions. ed sections.	Additional NR	Cs may
3. End C 4. The fi apply al: 5. Mark UNE-P C 2-Wire V UNE Por	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Collso and are categorized accordingly. Wet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combont/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design	Usage raurrently (ates in Combi	the Port section of ined Combos. For (this rate exh Currently Co	ibit shall apply mbined Combo	to all combina s, the nonrecu	tions of loop/	oort network el	lements excep	t for UNE C	coin Port/Lo rring - Curre	l oop Combinat ently Combine	ions. ed sections.	Additional NR	Cs may
4. The fit apply at 5. Mark UNE-P C 2-Wire V UNE Por I	iirst and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	be nego	Combi	ined Combos. For (Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecui	rring - Curre	ently Combine	ed sections.	l Additional NR	Cs may
apply als 5. Marks UNE-P 2-Wire V UNE Por	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design Non-Design Non-Design	be nego			-			inning changes	Silali De tilose	identined in t	THE NOTIFIECU	I IIIg - Curre	ritiy Combine	eu sections. /	Additional No	Cos Illay
5. Marko UNE-P C 2-Wire V UNE Por	ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		tiated	on an Individual Ca	se Basis, unt	il further notic	a. I									
UNE-P C 2-Wire V UNE Por	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design		riateu	on an murvidual Ca	Dasis, Ulli	an randiner modici									1	
2-Wire V UNE Por	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design				+											
UNE Por	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design				1											
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design			 	+											
2 1	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				1											
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		1	UEP91		10.46										ĺ
1 2	Non-Design			OLI OI	+	10.40					1					
2			2	UEP91		15.76										ĺ
				02. 0.	+	10.70					1					
	Non-Design		3	UEP91		32.56										ĺ
	ort/Loop Combination Rates (Design)			02. 0.		02.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		12.47										ĺ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1 1 1	Design		2	UEP91		17.85										ĺ
:	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		33.98										ĺ
UNE Lor	oop Rate															
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.86										
1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.66										
1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57										
1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.95										
1	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08										
UNE Por	orts															
	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															ĺ
	Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						└
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															ĺ
	Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ĺ
	Term - Basic Local Area			UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15			 	 	 	├
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDO4	LIEDYO	0.0040	40.0-	7.00	4.0-	4.00				1		1
	- Basic Local Area			UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28	-		-	 	-	
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY2	0.0040	10.05	7.00	1 07	1.00				I		1
	Basic Local Area			UEP91	UEP Y2	0.9019	10.05	7.36	1.37	1.28	1		-	 	-	
	a and Florida Only			LIEDO1	LIEDLIA	0.0040	40.05	7.00	4.07	4.00	1		-	 	-	
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA UEPHB	0.9019 0.9019	10.05 10.05	7.36	1.37	1.28				 		
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91 UEP91	UEPHB			7.36	1.37	1.28	<u> </u>			 		
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28	1		-	 	-	
1 1 1	` `			LIEDO1	UEPHM	0.0040	00.07	00.00	00.00	0.45				1		1
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15	<u> </u>			 		
	2-wire voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15				1	1	1

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEC	ODV	DATE EL EMENTO	Interi	7	BCS	USOC			DATES (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		L 2 . 2															
-		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP91 UEP91	UEPH9 UEPH2	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
	Local S	Switching			UEF91	UEPHZ	0.9019	10.05	7.30	1.37	1.20						
	Looui	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature				LIEBO.	11557.65											
		All Standard Features Offered, per port			UEP91	UEPVF	0.775	0.00									
-	-	All Select Features Offered, per port All Centrex Control Features Offered, per port	 		UEP91 UEP91	UEPVS UEPVC	0.00	0.00				-	-				
	NARS	7 in Control Control Features Official, per port			OLI 31	OLI VO	0.00										
	T	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-wire	Trunk Side Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
-	Interof	fice Channel Mileage - 2-Wire			OLI 31	CLIVAO	5.50	122.20	10.03	34.02	3.43						
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations			LIEDO4	400040	0.4000										
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.0.		0.1000										
		Slot			UEP91	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.4689										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLF91	IFQVV	0.4009										
		Slot			UEP91	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed			UEP91	USAC2		0.10	0.10								
-		changes, per port New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
		New Centrex Standard Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
-		Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLF91	UKEIL		0.33	0.83								
		End Use Premise			UEP91	URETN		11.19	1.10								
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
-	UNE Po	ort/Loop Combination Rates (Non-Design)				+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP95		10.46										
—	-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 30	+	10.40										
1		Non-Design		2	UEP95		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		32.56										
	UNE Po	ort/Loop Combination Rates (Design)	-			+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP95		12.47										
		Dealgh	<u> </u>	'	UL1 33		12.47			I		l	L	l	I		

CATEGORY NATE ELEMENTS Name DCS USOC PARTS (8) So Order So Code So Code C	UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
## RATE ELEMENTS Part													1	Incremental	Incremental	Incremental	Incremental
## RATE ELEMENTS Part												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
## APT ELEMENTS May 200 BCG USOC FAYER (B) Description Descr			Interi									Elec	Manually	Manual Svc	Manual Svc		
Section Process Proc	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			ner I SR	,				Order vs.
Second Column			m						***			per Lor	per Lor				
Noncentring Noncentring																	
Section Sect														1st	Addi	Disc 1st	Disc Add'l
SWIN VI LODG-Wiles Vision Globe Part Centrol Centrol				+				Nonrec	curring	Nonrecurring	Disconnect		l	220	Pates (\$)	l .	ь
2-View Vot Lougo-View Vote Grade Port (Comescipan Cortec) 2 18-996 17-86 17-86 17-86 18-996 18-				+			Rec					COMEC	COMAN			COMAN	SOMAN
Design		2 Miss VC Leas /2 Miss Vaiss Conds Bost (Control Dat Const.		+		+		FIISL	Add I	FIISL	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
2-Vive Vol. Loss/2-Vive Volume Classes Prof. Common/Service 3 UEP96																	
Design Comparison Compari				2	UEP95		17.85										ļ
UPE Coop Rase																	
2-Verw Votes Clinate Long (St. 1) - Zone 1		Design		3	UEP95		33.98										
2-Wire Visco Grade Loco (St. 17-Zenz 2 2 EPPS UCSS 114,89	UNE	Loop Rate															
2-Wire Visco Grade Loco (St. 17-Zenz 2 2 EPPS UCSS 114,89		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56										
2-vive lovad Grafe Long (St. 1) - Zone 3 3 UPPS UPCS 3.167				2									İ				
2-Year Voto Grade Ford Control (1) 2-Year 1 1 1 1 1 1 1 1 1												1			1		
2.Wire Voice Grade Loog 18, 2 - Zeron 2 3 UEPRS UESS2 19.98													<u> </u>				
E-Vitre Voxos Grade Prot (Centree) Basic Local Anse UEPPG UEPVA 0.0910 1.006 7.36 1.37 1.28			-							-		-	-	-	ļ		
UNE POR TREE				_									-				
All States				3	UEP95	UECS2	33.08										.
2-Wire Votas Grade Port Centres (Desire Court Ana)																	ļ
2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port (Centres with College Toll Bases Local 2-Wire Votes Grade Port Imministed in on Megalinium or equivalent - Basic Local Anne 3-Wire Votes Grade Port Imministed in on Megalinium or equivalent - Basic Local Anne 3-Wire Votes Grade Port (Centres with Centres with Imministed Imminist	All St			1													L
Service Vision Cardes Port (Centres with Called D) Flancis Local Annual Port (Centres with Called D) Flancis Local Annual Port (Centres Vision Bright Card Annual Po		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28						
Area UEP95 UEP7H 0.0019 10.05 7.36 1.37 1.28		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28						
Area UEP96 UEP7H 0.0010 10.05 7.36 1.37 1.28		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
2-Wire Votes Grade Port (Centres know did Savring Wire Center 2.3 - 800 UEP96 UEPYM 0.9019 82.27 26.96 20.29 0.15					UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
Centerly 2.3 Basic Local Area UEP96 UEPVZ 0.9019 82.27 26.96 20.29 9.15						0 111	0.00.0						1				
2-Vivir Votoc Grade Port, Diff Serving Wire Center 2,3 - 600					LIEDOS	HEDVM	0.0010	82 27	26.06	20.20	0.15						
Service Term - Basic Local Area UEP95 UEP72 0.0019 82.27 26.96 20.29 9.15				+	OLF 93	OLFTIVI	0.5015	02.21	20.90	20.29	9.13		ł				
2-Vivir Voice Grade Port Terminated in on Megalink or equivalent																	
Basic Local Area				1	UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
2-Wire Voice Grade Port Terminated on 800 Service Term-Basic Local Area Basic Local Area Ft. & On Only 10.06 7.36 1.37 1.28																	
Basic Local Area					UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
F.L. & GA Only		2-Wire Voice Grade Port Terminated on 800 Service Term -															
2-Wire Voice Grade Port (Centrex 800 termination)		Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex 800 termination)	FL &	GA Only										İ	ĺ	1	1		
2-Wire Voice Grade Port (Centrex Win Caller ID)1					UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28		İ				
2-Wire Voice Grade Port (Centrex with Caller (D)1												1			1		
Center2,3				+									<u> </u>				
Center/2.3				+	ULF 93	OLFIIII	0.5015	10.03	7.30	1.37	1.20	-	 				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP95 UEPHZ 0.9019 82.27 26.96 20.29 9.15																	
Term 2,3					UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						<u> </u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 UEPH9 0.9019 10.05 7.36 1.37 1.28																	
Local Switching		Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
Local Switching																	
Local Switching		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						
Local Switching					UEP95	UEPH2							İ				
Centrex Intercom Funtionality, per port	Loca						0.00.0						1				
Local Number Portability Local Number Portability (1 per port) UEP95 LNPCC 0.35	2000		1	1	UFP95	URECS	0 4237			1		 	1	1	t		†
Local Number Portability (1 per port)	Loca		<u> </u>	+	02.00	SINEOU	0.7201			 		 	+	 	 		
Features	Loca		-	+	LIEDOE	LNDCC	0.05			1		1	1	1	 	 	
All Standard Features Offered, per port			 	+	ULF90	LINFUL	0.35			 		1	-	 	1	-	
All Select Features Offered, per port	Featu		-	+	LIEBOE	LIED) (E				1		 	 	 	1	 	├
All Centrex Control Features Offered, per port UEP95 UEPVC 0.00			ļ	 													
NARS Unbundled Network Access Register - Combination UEP95 UARCX 0.00				1				0.00									L
Unbundled Network Access Register - Combination					UEP95	UEPVC	0.00										
Unbundled Network Access Register - Indial	NARS	<u> </u>															
Unbundled Network Access Register - Indial		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register - Outdial				1									i .	i e		l	
Miscellaneous Terminations			İ	1								İ	İ	i e	1	i	
2-Wire Trunk Side	Misc		-	t		5, 1, 5, 7	0.00	0.00	0.00	0.00	0.00	 	 	<u> </u>	t		
Trunk Side Terminations, each			 	1	 	1				 		 	 	1	t	 	
4-Wire Digital (1.544 Megabits)	2-771		-	+	LIEDOE	CENIDO	F F0	400.00	40.05	E4.00	0.45	1	1	1	-	 	
DS1 Circuit Terminations, each	4		!	+	UEP90	CEINDP	5.50	122.26	18.65	54.82	3.45	 	 	 	1	 	├
DS0 Channels Activated, each	4-Wir		<u> </u>	1	LIEBAE	Laure :							ļ	ļ			
Interoffice Channel Mileage - 2-Wire				1					93.00	65.81	2.33						L
Interoffice Channel Facilities Termination UEP95 M1GBC 12.87 48.46 19.48 16.58 5.00 Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.0057 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service					UEP95	M1HDO	0.00	13.95									
Interoffice Channel Facilities Termination UEP95 M1GBC 12.87 48.46 19.48 16.58 5.00 Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.0057 Interoffice Channel mileage, Destructions (DS0) Centrex Loops on Channelized DS1 Service	Interd	office Channel Mileage - 2-Wire															
Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.0057 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service					UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service	l i			1						1			i .	i e		l	
	Feati		e	1			3.0007			1			İ	1	1		
D4 Channel Bank Feature Activations			Ī	+		+				 		1	 	 	t	 	

UNBI	JNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
1			Inter'									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			por Loik	Por Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonred			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ļ	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
		East and Authorities and But Aller and Evel Evel and Olive			LIEBOE	400000	0.4000										
	ļ	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689										
-	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	UEP95	TPQW/	0.4689										
		Different Wire Center			UEP95	1PQWP	0.4689										
-	<u> </u>	Different Wife Center			OLI 33	II QVVI	0.4003										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										
	1	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			02.00		0.1000										
1	1	Slot			UEP95	1PQWQ	0.4689			I			1	I			1
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689			1		İ	İ	1			
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		0.10	0.10								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92						
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	ļ	Premise Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOE	LIDETN		44.40	4.40								
	LINE D	End Use Premise CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.19	1.10	-		-					
-		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+				-				-			
-		ort/Loop Combination Rates (Non-Design)		-		+				 						1	1
-	ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
		Non-Design		1	UEP9D		10.46										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02.05		10.10							1			
		Non-Design		2	UEP9D		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		32.56										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	ļ	Design		2	UEP9D		17.85			ļ				1		ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD					1				I			
		Design	<u> </u>	3	UEP9D		33.98								ļ		
<u> </u>	UNE L	pop Rate		1	UEP9D	UECS1	0.50			 	-			 	1	.	
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D UEP9D	UECS1	9.56 14.86			-				 	-		
-	 	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP9D UEP9D	UECS1	14.86 31.66			+		-	-	 			-
-	 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP9D	UECS1	11.57			+		-	-	 			-
\vdash	 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	—		UEP9D	UECS2	16.95			t	 			t	1	 	
-	†	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-		UEP9D	UECS2	33.08			t				t	1	 	
	UNE P	ort Rate	†		021 00	02002	33.00			†		†	†	†	1	1	
	ALL ST					1				1	İ			1		İ	İ
	T	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28			1		İ	İ
	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			İ	İ	1		İ	İ
1	1	Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28		1	I			1
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
L	<u></u>	Area	<u></u>		UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	<u> </u>	Area			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
1	1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1											_			
	<u> </u>	Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
1	1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local										1	1	I			l
L	<u> </u>	Area	l		UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28			L	I .	l	l

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	bit: A
CHECHEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>					+		Nonrec	rurring	Nonrecurring	Disconnect			088	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				1		11130	Addi	11100	Addi	COMILO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	LIEDVIII	0.0040	40.05	7.00	4.07	4.00						1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						-
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				1											
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						[
 	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1	 	OLFAD	OEP I VV	0.9019	10.05	1.30	1.37	1.28	 					\vdash
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1	0.00.0	10.00									
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area	ļ	ļ	UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPTP	0.9019	82.21	20.90	20.29	9.15						\vdash
	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															1
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1	1	OLF3D	OLF 14	0.9019	02.21	20.90	20.29	9.13						
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDAD	LIEDV7	0.0040	00.07	00.00	00.00	0.45						
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	Term 2.3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 02	022	0.00.0	02.2.	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			l												
FI 0	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL &	GA Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 666 termination)			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	ļ	_	UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28	1					
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4	 	-	UEP9D UEP9D	UEPHG UEPHT	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						\vdash
 	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28	-					\vdash
	2-Wire Voice Grade Port (Centrex / EBS-M5206)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	L		UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				I 7											1 7
\vdash	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	 	-	UEP9D UEP9D	UEPHW UEPHJ	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	1					\vdash
\sqsubseteq	12-44116 ADICE GLAGE FOR (Centrexivist) ANTA FRIENDING (CALIDE)		Ь	OLFBD	OLFIJ	0.9019	10.05	1.30	1.37	1.28	L		l	l		

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDLINA	0.0040	00.07	00.00	20.29	0.45						l l
	<u> </u>	2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15		-				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	ł	2-Wile Voice Glade Folt (Centrexuller SWC/EB3-F3E1)2,3,4	-		OLF9D	OLFTIO	0.9019	02.21	20.90	20.29	9.13	1			-		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	1	2-ville voice Grade i ort (Centrexullier GVVG /EBG-IVISGGS)2,5,4			OLI 3D	OLITII	0.3013	02.21	20.30	20.23	9.15	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
						0 = 1 1 1 1	0.00.0										
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
		, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
-		Term 2,3	-	-	UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2 Mine Veine Conda Bost terraineted in our Manalink or anniculant			UEP9D	UEPH9	0.9019	10.05	7.00	4.07	1.28						
	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH9 UEPH2	0.9019	10.05	7.36 7.36	1.37	1.28		-				
	Local S	Switching	-		UEP9D	UEPHZ	0.9019	10.05	7.30	1.37	1.20	1			-		
	LUCAI	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
	Local N	Number Portability			OLI OD	ORLOG	0.4201					1					†
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						ļ
	ļ	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00				ļ		
		laneous Terminations				1				-					-		_
	2-Wire	Trunk Side		-	LIEDOD	OFNES		400.00	10.0=	F1.00	0.15				 		
	4-141:	Trunk Side Terminations, each	1	-	UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45	1	-		 	-	
-	4-vvire	Digital (1.544 Megabits) DS1 Circuit Terminations, each	 	 	UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33		-	 	+	 	
	-	DS0 Channels Activiated per Channel		 	UEP9D	M1HDO	0.00	13.95	93.00	05.01	2.33			 	 		
-	Interof	fice Channel Mileage - 2-Wire	-		021 00		0.00	15.35		t		-		 	 		
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00				<u> </u>		†
	t	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057	.5. 70			5.50			İ	1	İ	
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
	ļ	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										<u> </u>
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop													_		
	<u> </u>	Slot			UEP9D	1PQW7	0.4689			L				ļ	L		ļ
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -								I					I		
	<u> </u>	Different Wire Center			UEP9D	1PQWP	0.4689										!
	1	Footing Astingtion on D.4 Oberes I Book Division 1991			LIEDOD	4000407	0.4000			I					I		
	 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	UEP9D	1PQWV	0.4689			 					 		
l	1	ISlot		1	UEP9D	1PQWQ	0.4689			I			1		I		
	<u> </u>	Joiot	l	Ц	OLFAD	IFUVVU	0.4689			L	L	1	L	L	L	L	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additi	onal Non-Recurring Charges (NRC)										İ					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port			İ										
Note 4	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

Version 3Q03: 11/12/2003 Page 115 of 348

UNBUNDLED NETWORK ELEMENTS - Kentucky CATEGORY RATE ELEMENTS		1	T .									Attach	ment: 2	Exhi	
CATEGORY DATE ELEMENTS		1								-	1_				
CATEGORY DATE ELEMENTS	1									1	1	Incremental	Incremental		
CATEGORY DATE ELEMENTS											Submitted	Charge -	Charge -	Charge -	Charge -
	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
KATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
												1st		DISC 1St	DISC Add I
					Rec	Nonre			Disconnect				Rates (\$)		
		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or lo	ons as nart of	a com	hination refers to Ge	ngranhically	Deaveraged II	NF Zones To	view Geogran	hically Deavers	aged LINE Zone	- Designation	ons by Cent	ral Office refe	er to internet V	Nehsite:	l .
http://www.interconnection.bellsouth.com/become a clec/ht				ograpinoany	Deaveragea o	INE Edites. To	view ocograp	mouny Deaver	aged ONE LON	Designation	ono by oon	rai Omoc, reio	. to internet t	vebolte.	
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it pr															
elect either the state specific Commission ordered rates for the	e service orde	ering ch	narges, or CLEC may	elect the reg	gional service o	ordering charg	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
each of the 9 states. NOTE: (2) Any element that can be ordered electronically will	he billed see		to the COMEC sets lie	4	atamam. Diasa	a sefes to Delli	Cauthla Lasal	Onderine Hend	h a a la /I OUI) 4 a		.f =			II. Fanthaa	
that cannot be ordered electronically at present per the LOH,		•						•	` '		•			•	
SOMAN, will be applied to a CLECs bill when it submits an L			e in this category ren	ects the cha	irge mai would	i be billed to a	CLEC once en	ectronic orden	ng capabilities	come on-n	ne ioi that e	element. Othe	erwise, the ma	inual ordenni	g charge,
OSS - Electronic Service Order Charge, Per Local Service		T													
Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	<u> </u>	<u> </u>				
OSS - Manual Service Order Charge, Per Local Service F	equest														
(LSR) - UNE Only		ļ		SOMAN		7.86	0.00	0.99	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE NOTE: The Expedite charge will be maintained commensurate	a with BallCar	ith's E	C No 4 Toriff Contin	n E ao annii	achic										
NOTE: The Expedite charge will be maintained commensural	e with belison	IIIISF	l No.1 Tariii, Sectio	п з аз арріп	sable.										
			UAL, UEANL, UCL,												
			UEF, UDF, UEQ,												
			UDL, UENTW, UDN,												
			UEA, UHL, ULC,												
			USL, U1T12, U1T48,												
			U1TD1, U1TD3, U1TDX, U1TO3,												
			U1TS1, U1TVX,												
			UC1BC, UC1BL,												
			UC1CC, UC1CL,												
			UC1DC, UC1DL,												
			UC1EC, UC1EL,												
			UC1FC, UC1FL,												
			UC1GC, UC1GL, UC1HC, UC1HL,												
			UDL12, UDL48,												
			UDLO3, UDLSX,												
			UE3, ULD12,												
			ULD48, ULDD1,												
			ULDD3, ULDDX,												
			ULDO3, ULDS1,												
			ULDVX, UNC1X, UNC3X, UNCDX,												
			UNCNX, UNCSX,												
			UNCVX, UNLD1,												
			UNLD3, UXTD1,												
			UXTD3, UXTS1,												
UNE Expedite Charge per Circuit or Line Assignable USC	C, per		U1TUC, U1TUD,												
Day		1	U1TUB, U1TUA	SDASP		200.00			-						
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP		+								-	-				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone	1	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	 	 				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone Unbundled Miscellaneous Rate Element, Tag Loop at En		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	1	1				
Premise	u 0361		UEANL	URETL		8.33	0.83								
Loop Testing - Basic 1st Half Hour	1	†	UEANL	URET1		46.88	46.88								
Loop Testing - Basic Additional Half Hour		L	UEANL	URETA		24.16	24.16								

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
1												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
—		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		00.04	00.04								
-	2 W/IDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01								
	Z-VVIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed 20ne 1	l i		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65	-					
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65	1			-		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	- ' -	3	ULQ	ULQZX	13.19	44.51	20.09	23.04	0.03					1	
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -					<u> </u>	5.00	3.00						—		<u> </u>
		Non-Designed (per loop)			UEQ	USBMC		9.00	9.00						1		1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			,		1	2.00	2.00					İ	1		1
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	ļ	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.			40.50	40.00									
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
-		Zone 2	-	2	UEPSK UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		UEFSK UEFSB	UEADS	15.54	40.00	22.51	20.03	7.05	1			-		-
		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OL/ (LO	01.11	40.00	22.01	20.00	7.00						
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
UNBUN	DLED E	EXCHANGE ACCESS LOOP		Ŭ	02. 0. 02. 02	027.20	0	10.00	22.01	20.00	7.00						
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
l		Ground Start Signaling - Zone 1	<u></u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88	<u></u>		<u> </u>	<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
1 T		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				Ι Τ								_		_
\vdash		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				1	ļ	1
\vdash		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		23.01							ļ		ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.,		LIEADO	40.0-	404.00	04.0=	70.0-	44.00				1		1
\vdash		Battery Signaling - Zone 1	├	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88	-			 	-	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				1		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		UEA	UEAK2	17.45	134.89	81.87	73.65	14.88				 		
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88				1		1
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	٥	UEA	OCOSL	33.22	23.01	01.07	73.05	14.08	H		l	t	 	
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	 		UEA	UREWO		87.72	36.36			-			 	 	
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.21	1.10						<u> </u>	1	<u> </u>
	4-WIRE	ANALOG VOICE GRADE LOOP	1		- " -	1			0						<u> </u>	1	<u> </u>
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66			İ	1	İ	1
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	34.25	164.11	112.36	78.91	18.66			l	1	İ	1
		4-Wire Analog Voice Grade Loop - Zone 3	l		UEA	UEAL4	85.06	164.11	112.36	78.91	18.66					1	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	İ	87.72	36.36								

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
OND	MULL	NETWORK ELEMENTO Remadky										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-			+	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		ь н
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP						11131	Addi	11130	Auu i	OOMILO	JOINAIN	JONIAN	JOWAN	JONAN	JOINAIN
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP 2 Wire Unbundled ADSL Loop including manual service inquiry	AHBLE	LOOP	<u>'</u>												
		& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						1
-	1	2 Wire Unbundled ADSL Loop including manual service inquiry	1	-	OAL	UALZA	10.02	141.30	19.15	03.02	11.47						
		& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						1
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
	ļ	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	44.70	101.10	CO 00	00.00	44.54						1
-	<u> </u>	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	11.79	121.18	69.00	69.09	11.54						-
		facility reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.01	23.01	00.00	00.00	11.04						
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP			Ì										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
		2 Wire Unbundled HDSL Loop including manual service inquiry					0.50	454.54	00.00	00.00	44.54						1
	<u> </u>	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
		& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
		Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.01	23.01	03.23	03.03	11.54						
	i -	2 Wire Unbundled HDSL Loop without manual service inquiry			0.12	00002		20.01									
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						1
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry		_													1
	ļ	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
-		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-	-	UHL UHL	OCOSL UREWO		23.01 86.14	40.40								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	UNL	UKEVVO		00.14	40.40								\vdash
	7 ******	4 Wire Unbundled HDSL Loop including manual service inquiry	T T	1			-										
		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		1				[
	1	4-Wire Unbundled HDSL Loop including manual service inquiry					Ì										
		and facility reservation - Zone 2	I	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
		4-Wire Unbundled HDSL Loop including manual service inquiry															1
	ļ	and facility reservation - Zone 3	ļ	3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
-	-	Order Coordination for Specified Conversion Time (per LSR)	-	-	UHL	OCOSL	-	23.01									\vdash
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		4	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		1				1
-	 	4-Wire Unbundled HDSL Loop without manual service inquiry	1	-	OI IL	UI IL4VV	13.93	104.93	114.04	11.32	10.60	1			 		\vdash
		and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		1				1
	1	4-Wire Unbundled HDSL Loop without manual service inquiry	1	_		3.12.11	.5.50			02	.0.00						
L	<u></u>	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	<u> </u>	<u></u>		<u> </u>		<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	4-WIRE	DS1 DIGITAL LOOP	ļ	L.													↓
-	 	4-Wire DS1 Digital Loop - Zone 1	!		USL	USLXX	86.47	306.69	174.44	65.83	14.55		 		 		\vdash
-	 	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	1		USL	USLXX	114.10	306.69	174.44 174.44	65.83 65.83	14.55 14.55	-			-		\vdash
 	 	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	OCOSL	297.76	306.69 23.01	174.44	65.83	14.55		-		1		\vdash
ь	1	Oraci Ocordination for Openined Conversion fillie (pel LSK)			JUJE	OUUSL		20.01				1			L		

UNBU	INDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		·										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	i	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	i	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75			İ					
	2-WIRE	Unbundled COPPER LOOP			1	1											
		2-Wire Unbundled Copper Loop-Designed including manual										İ					
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed including manual										İ					
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	t	2 Wire Unbundled Copper Loop-Designed including manual									-						
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	12.07	9.00	9.00	00.00	11.01						
		2-Wire Unbundled Copper Loop-Designed without manual			002	0020		0.00	0.00								
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual			002	002		120.10	01.01	00.00	11.01						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
		Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	12.07	9.00	9.00	00.00	11.04						
	1	CLEC to CLEC Conversion Charge without outside dispatch			002	0020		0.00	0.00			†					
		(UCL-Des)			UCL	UREWO		97.23	42.48								
	4-WIRE	COPPER LOOP			002	OILETTO		07.20	72.70			1		1			
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	-	4-Wire Copper Loop-Designed including manual service inquiry		Ė	OOL	OOL+O	10.02	170.01	100.00	14.00	14.00						
		and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	1	4-Wire Copper Loop-Designed including manual service inquiry			OOL	OOL+O	17.00	170.01	100.00	74.00	14.00	†					
		and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	-	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	20.10	9.00	9.00	14.00	14.00						
	-	4-Wire Copper Loop-Designed without manual service inquiry			OOL	OOLIVIO		0.00	0.00								
		and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry		<u>'</u>	UCL	UCL4VV	10.92	145.52	91.33	74.55	14.05						
		and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	<u> </u>	4-Wire Copper Loop-Designed without manual service inquiry	1		UCL	UCL4VV	17.30	149.32	91.33	74.93	14.05	1		-	-		
		and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
		Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCLMC	20.10	9.00	9.00	14.33	14.03						
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		9.00	9.00								<u> </u>
		(UCL-Des)			UCL	UREWO		97.23	42.48								
LOOP	MODIFIC	CATION			OOL	OKEVVO		37.23	72.70								
LOOI	I	SATION			UAL, UHL, UCL,												
	1		1	1	UEQ, ULS, UEA,								1	I	I		1
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	1	pair less than or equal to 18k ft, per Unbundled Loop	1	1	UEPSB	ULM2L		9.24	9.24				1	I	I		1
-	 	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	-	OLI OD	OLIVIZL		5.24	5.24			 	-			-	
1	1	less than or equal to 18K ft, per Unbundled Loop	1	1	UHL, UCL, UEA	ULM4L		9.24	9.24				1	I	I		1
-	 	ress man or equal to Tork it, per Unbundled Loop	-	 	UAL, UHL, UCL,	ULIVI4L		9.24	9.24			-	-			-	
1	1		1	1	UEQ, ULS, UEA,								1	I	I		1
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL. UEPSR.									1			1
I	1	per unbundled loop	1	1	UEPSB	ULMBT		10.47	10.47				1	I	1	1	1
		her aunaugieg 100h	<u> </u>	<u> </u>	ULFOD	OLIVID I		10.47	10.47	<u> </u>		L	<u> </u>	L	1	L	

UNBII	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
3.120		The state of the s										Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.t	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							,										
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LC		and Principle of the second		-													
\vdash	Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										-					
		Up	١.		UEANL	USBSA		207.91	207.91								
		ОР			UEAINL	USBSA	-	207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ,		UEANL	USBSB		12.50	12.50								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>	-	OLANE	OODOD		12.50	12.50								
		Facility Set-Up	l ı		UEANL	USBSC		80.87	80.87								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		02/11/2	00200		00.01	00.01								
		Set-Up	l ı		UEANL	USBSD		45.04	45.04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			<u> </u>	-											
		Zone 1	- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	- 1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	- 1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_					=0.00	0= 04	40.00						
		Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	LIFANI	USBN4	25.00	400.04	56.32	CF 04	40.00						
\vdash		Zone 3		3	UEANL	USBIN4	25.60	102.31	56.32	65.24	10.88	-					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
\vdash		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90			1			
		Oub-Loop 2-vviile intrabuliding Network Cable (INC)	<u> </u>	-	OLANE	OODINZ	2.51	00.55	22.30	33.01	7.50						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
		()			<u> </u>												
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
igsquare		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
			1		l								1		I		
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u> </u>	UEF	USBMC		9.00	9.00								
<u> </u>		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS4X	7.09	102.31	56.32	65.24	10.88			!	 	-	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS4X	8.66	102.31	56.32	65.24	10.88	-	-	 	1	-	
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88				 		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00						1		
\vdash		Loop Testing - Basic 1st Half Hour	-	-	UEF	URET1	 	46.88	46.88					-		-	
\vdash		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	 		UEF	URETA	+	24.16	24.16					 	t	l	
	Unhun	dled Network Terminating Wire (UNTW)	l	l —	0_1	SINEIA	 	24.10	27.10			-	†		I		
	J	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51					1	<u> </u>		1
	Netwo	k Interface Device (NID)					5.55	20.01	20.01					1	<u> </u>		1
		Network Interface Device (NID) - 1-2 lines	i e		UENTW	UND12	1	73.53	49.47					İ	1	İ	İ
		Network Interface Device (NID) - 1-6 lines	1	Ì	UENTW	UND16	1	115.96	91.91			İ	İ	İ	1	l	İ
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56								
UNE OT	THER, F	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00	•								
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
			1		UEANL,UEF,UEQ,U								1		I		
		Unbundled Contract Name, Provisioning Only - No Rate	ļ		ENTW	UNECN	0.00	0.00						ļ			
UNE OT	HER, F	ROVISIONING ONLY - NO RATE	l	<u> </u>											L		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	pit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							N		I M	D'					2.00 .01	
						Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-							riist	Auu i	Filst	Addi	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			OLA,ODIN,OCL,ODO	OODI Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP			001	0002.	0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			1150	41.515	2.2-										
	month High Capacity Unbundled Local Loop - DS3 - Facility		-	UE3	1L5ND	9.25										
	Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month		-	UDLSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP MAKE				00207	00201	020.01	551.55	000.00	170.00	120112						
	Loop Makeup - Preordering Without Reservation, per working or															
-	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		23.40	23.40								
	queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or			-												
	spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
	NG AND LINE SPLITTING E 1: The Line Sharing monthly recurring rates for all installation	is comi	aleted f	rom October 02 200	3 through m	idnight Octobe	r 01 2004 shal	I he hilled as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					l dingin colobe	01, 2004 31141	i be billed as i	0.10413.							
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND E 1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							
	SHARING			,				,								
SPL	ITTERS-CENTRAL OFFICE BASED					100.00			050.55							
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	198.83 49.71	379.05 379.05	0.00	358.55 358.55	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
END	deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		173.62	0.00	100.40	0.00						
END	Line Sharing - per Line Activation (BST Owned splitter) -															
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter -				32331	2.03	37.10	21.20	20.17	3.30						
	Central Office Located (50% of UCLND) - please see NOTE 1				l	[_]										
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -	-	<u> </u>	ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
	Central Office Located (75% of UCLND) - please see NOTE 1															
	(E:10/2/2005)		<u>L</u>	ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						<u>. </u>
	Line Sharing - per Subsequent Activity per Line				050											
	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line		-	ULS	ULSDS		32.90	16.43								
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43								
	Line Sharing - per Line Activation (DLEC owned Splitter) -					1										
	OBSOLETE see **NOTE 2	<u> </u>	<u> </u>	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74]					

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: A
0.120	HULL	NETWORK ELEMENTO Romadky	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				1		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	- COMPART
		splitter - Central Office Located (25% of UCLND) - please see															ı
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned			OLO	OLOGI	2.00	77.77	13.51	20.07	12.74	1					
		splitter - Central Office Located (50% of UCLND) - please see															1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
-		Line Share Service, TRO per line activation, CLEC owned		-	ULO	ULSCI	5.29	47.44	19.31	20.07	12.74						
		splitter - Central Office Located (75% of UCLND) - please see															ı
						ш оот	7.04	47.44	40.04	00.07	40.74						1
-		NOTE 1 (E:10/2/2005)		-	ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
-		PLITTING		-													
-	END U	SER ORDERING-CENTRAL OFFICE BASED		-			2.24					ļ					
-		Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61		01.00	24.42							
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						1
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	ł														
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
1	l	Termination	l	1	U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75	1	l	l			
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility										1					
		Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
	1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	1		1			270	1	50		1	İ	İ		
	1	month	1	1	U1TD1	1L5XX	0.23						1				,
	i –	Interoffice Channel - Dedicated Tranport - DS1 - Facility	i –	1						1		1	İ	İ	İ		
1	1	Termination	1	1	U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		1				, !
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per								1			İ	İ	İ		
		month			U1TD3	1L5XX	4.97										1
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01150	120/01											
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
	-	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	-	01150	01110	1,110.10	000.10	210.21	00.07	01.10						
1	l	month	l	1	U1TS1	1L5XX	4.97					1	l		l		
—		Interoffice Channel - Dedicated Transport - STS-1 - Facility		t	01101	ILUM	7.51			 		1	 	 			
	1	Termination	1	1	U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		1				,
DARK	FIREP	Torringaloff	 	 	0.101	01110	1,143.31	333.40	213.24	09.37	01.75	H		 	 		
DAKK	IDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-	 		+				+		 	-	-			
	1	Thereof per month - Interoffice Channel	1	1	UDF, UDFCX	1L5DF	30.74						1				,
—	-	NRC Dark Fiber - Interoffice Channel	-	 	UDF, UDFCX UDF, UDFCX	UDF14	30.74	732.53	192.67	377.27	241.67	-		-	-		
\vdash	-		-	+	UDF, UDFCX	UDF 14		132.53	192.67	311.21	241.67	 				-	
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	1	UDF. UDFCX	1L5DL	47.01						1				, !
\vdash	-	Thereof per month - Local Loop	-	-	UDF, UDFCX	UDFL4	47.01	732.53	192.67	377.27	241.67	1	 	 	 		
		NRC Dark Fiber - Local Loop	<u> </u>	<u> </u>	UDF, UDFGX	UDFL4		132.53	192.67	311.21	241.67	l	L	L	L		

IINRI	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ONDO	NULL	I NETWORK ELEMENTS - Remucky	1	l		1	ı					Svc Order	Svc Order	Incremental			
												1					
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zono	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			-				Nonred	urring	Nonrecurring	Disconnect	1		088	Rates (\$)	l	
-	1		-	-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
9VV A	CCESS.	I FEN DIGIT SCREENING						FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
OAA A	I	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0006478										
-	1	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OLID	+	0.0000478										
		Number Reserved			OHD	N8R1X		4.14	0.70								
	1	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	HOICIX		7.17	0.70								\vdash
		POTS Translations			OHD			8.78	1.18	7.08	0.86						
	1	8XX Access Ten Digit Screening, Per 8XX No. Established With			OTID	+		0.70	1.10	7.00	0.00	†					
		POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
	1	8XX Access Ten Digit Screening, Customized Area of Service		-	OTID	1401 17		0.70	1.10	7.00	0.00						
		Per 8XX Number			OHD	N8FCX		4.14	2.07								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR		t		1.0. 0/		7.17	2.01					 	†	 	
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78						1		1
	†	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70					i	1	i	
	1	8XX Access Ten Digit Screening, Call Handling and Destination							50						<u> </u>		
		Features			OHD	N8FDX		4.14	4.14								
		8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD	110. 57	0.0006478										
	1	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										
LINE I	NFORM	ATION DATA BASE ACCESS (LIDB)															
	1	LIDB Common Transport Per Query			OQT		0.000023										
	1	LIDB Validation Per Query			OQU		0.0137322										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59		İ					
SIGNA	LING (C				,												
	1	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
	1	CCS7 Signaling Connection, Per link (A link)		i i	UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 S	ERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98						$ldsymbol{ldsymbol{\sqcup}}$
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility													1		1
	1	Termination		<u> </u>			29.11	47.34	31.78	22.77	8.75				ļ		
	 	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07						
	1	Local Channel - Dedicated - DS1 - Zone 2		<u> </u>			43.39	209.60	176.51	30.21	21.07						
<u> </u>	1	Local Channel - Dedicated - DS1 - Zone 3	—			1	164.50	209.60	176.51	30.21	21.07	-		 	-	 	├
	1	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>		1	0.23								_		
		Land Was Taxania Ballanda Ball						,							1		1 !
C 4	NO PLAT	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>		-	96.04	105.52	98.46	23.09	20.49	-			 		├
CALLI	NG NAN	IE (CNAM) SERVICE	—	-	001/			05.01	25.34	20.00	00.00	-		-	 	-	├
-	╂	CNAM For DB Owners - Service Establishment	—	-	OQV			25.34		23.30	23.30	-		-	 	-	
-	╂	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	—	-	OQV			25.34	25.34	23.30	23.30	-		-	 	-	
1	1	Establishment		1	OQV			1,591.54	1,177.08	431.95	317.61				I		1
-	+		-	-	UQV	+		1,591.54	1,177.08	431.95	317.61			-		-	\vdash
1	1	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment		1	oqv			546.40	393.74	438.93	317.61				I		1
	+	CNAM for DB Owners, Per Query	 	 	OQV	+	0.0010348	546.40	393.74	438.93	317.07			 	+	 	
<u> </u>	+	CNAM for Non DB Owners, Per Query	-	-	OQV	+	0.0010348							-		-	
 	+	CNAM (Non-Databs Owner), NRC, applies when using the	-	-	UUV	-	0.0010348					-		-	 	-	
1		Character Based User Interface (CHUI)		1	oqv	CDDCH		595.00	595.00						I		1
SEL EC	TIVE P	OUTING	—	-	UUV	СРРСП		J95.0U	595.00			H		l	t	l	
JEEE	I I I	Selective Routing Per Unique Line Class Code Per Request Per	-	-		+						-			 		
		Switch						93.53	93.53	15.58	15.58						1
L	1	[- · · · · · · · · · · · · · · · · · · 			L			55.55	50.55	10.00	10.00	<u> </u>		·	1	·	

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: A
SHESHEE	5 HE I HORR ELEMENTO - Remucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,		Order vs.		
o/		m		200	0000			== (+)			per LSR	per LSR	Order vs.	Electronic-	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL	LOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO	LLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						ı
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0037502										ı
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE															
1 1	AIN SMS Access Service - Service Establishment, Per State,				I											, 7
	Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
1 1									_							, 7
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03				ļ		,
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															ı
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															ı
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per															
<u> </u>	Minute					0.4608										
AIN - BELLSO	JTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			0414	D 4 DOO		40.55	40.55	44.00	44.00						ı
	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC		43.55	43.55 8,436.93	44.93	44.93						
		-	-		BAPVX		8,436.93	8,436.93								
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		0.04	0.04	40.00	10.03						ı
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTI		8.64	8.64	10.03	10.03						
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						ı
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPID		0.04	0.04	10.03	10.03						
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFTIVI		0.04	0.04	10.03	10.03						
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		31.01	31.01	10.50	10.50						
	DN, CDP				BAPTC		51.01	51.01	18.50	18.50		1				, [
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		t				501	301	.0.00	.5.00						
	DN, Feature Code		1		BAPTF		51.01	51.01	18.50	18.50	1	1				
	AIN Toolkit Service - Query Charge, Per Query					0.0549207	001	331						İ		
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
1 1	Subscription, Per Node, Per Query					0.0066492			I			1				,
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1											ĺ		
1 1	Account, Per 100 Kilobytes		1			0.07			I		1	1				
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						<u>. </u>
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	3.26	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															, 7
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit								_							, 7
	Service Subscription			CAM	BAPES	0.11	9.56	9.56								
	(TENDED LINK (EELs)								1							
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE con	binations pro	visioned as ' C	Ordinarily Coml	bined' Network	Elements.			ļ		
	The monthly recurring and the Switch-As-Is Charge and not t					JNE combinati	ons provisione	ed as ' Current	y Combined' N	Network Eleme	nts.			ļ		
EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	I ED D\$′				12.67	405.00	00.40	F0.00	7.01				ļ		
\Box	First 2-Wire VG Loop (SL2) in Combination - Zone 1	L	1 1	UNCVX	UEAL2	12.6/	125.22	60.48	59.69	7.84	ı	l		L		

ATECOPY RATE ELEMENTS Minds Core BCS USOC RATES (8) RATES (UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATTECHNIS Share See SCS USOC FATES (3) Charges Share Charge	CHECHEL	RETWORK ELEMENTO ROMAGNY				1	1					Svc Order	Svc Order				
## RATE CLEMENTS Internal Property Section Property Proper												1					
CATEGORY RATE ELEMENTS Mark Zong DCS USDC SATE (5) Mark Color												1					
Record R	CATEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES (\$)				,				
Procedure Proc	OATEGORT	NATE ELEMENTO	m	20110	500	0000			πατ ΔΟ (ψ)			per LSR	per LSR				
Part 2-War Vol. Lags (SU.) in Communication Part 2-War Vol. Lags																	
Miles														1st	Add'l	Disc 1st	Disc Add'l
Miles						+		Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		
First 2 Year Vol Cotton (St.) of Commission - Zeno 2						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
First 2 Vive Yol Code (BLS) in Cerebration - Part Man DelCIX 1,000 1,0		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	LINCVX	LIEAL 2	17 45					COMILO	COMPAR	COMPAR	COMPAN	OOMAN	COMPAR
Instablish Transport Conditional District Production Dec. of 1972 Dec. of 1												†	1				
Memorian Memorian				l u	ONOVA	OLALE	00.22	120.22	00.40	00.00	7.04	†	1				
Interestive Transport - Declarated - OST contribution - Facility DACKX Control					UNC1X	11.5XX	0.19										1
Transaction per month																	
10 Charantelization System in componation Per Name 10 No. No. No. 10 No. 13 No. 13 No. 13 No. 14 No. 14 No. 14 No. 14 No. 15					UNC1X	U1TF1	79.02	181 24	123 53	56.72	22.32						1
Victor Grade COCCI - Per Morth Cash Additional 2-Wive VG Locg (St. 2) in Combination - Zune 1 1, MNCVX UEAL2 17,75 125,22 60,48 59,89 7,84																	
Each Additional 2 Niver VGL Loop (St. 2) in Combination - Zone 2 2 UNCVX																	
Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 2 2 UMCVX UEAL2 17.45 125.22 60.46 59.60 7.84 Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 2 UMCVX UEAL4 101VG 8.88 8.88 8.98 11.17 11.17 LOCK Standard - Wire Analog Voce Grade Loop in Combination - Zone 1 1 UMCVX UEAL4 29.28 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 2 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 2 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 2 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zon							0.02	-									
Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 2 2 UMCVX UEAL2 17.45 125.22 60.46 59.60 7.84 Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 2 UMCVX UEAL4 101VG 8.88 8.88 8.98 11.17 11.17 LOCK Standard - Wire Analog Voce Grade Loop in Combination - Zone 1 1 UMCVX UEAL4 29.28 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 2 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 2 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 2 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zone 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog Voce Grade Loop in Combination - Zon		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125,22	60.48	59,69	7.84		1				i '
Each Additional 2-Wire VD Loop (St. 2) in Combination - Zone 3		2010				1	01		22.10	22.00					İ		
Each Additional 2-Wire VD Loop (St. 2) in Combination - Zone 3		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		1				i '
Vision V					-	T -			22.10	22.30					İ		
Vision V		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						i - 1
Norsecuring Currenty Combined Network Elements Switch -As- UNCICK B. 68 B. 96 11.17 11.17															İ		
Is Change						1											ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 29.26 125.22 60.48 59.69 7.84 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 34.25 125.22 60.48 59.69 7.84 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele UNC1X UNc1X UNC1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X Unc1X UNc1X Unc1X Unc1X UNc1X Un					UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTE	ROFFICE TRANSPO	RT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2																	ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3																	
Interdifier Transport - Dedicated - DS1 combination - Per Mile UNC1X		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
Interdifier Transport - Dedicated - DS1 combination - Per Mile UNC1X																	
Per Month		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
Interoffice Transport - Declicated - DS1 - Facility Termination Per UNC1X		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
Month					UNC1X	1L5XX	0.19										
1/10 Channel System in combination Per Month UNC1X MO1 113.33 67.26 14.74 1.86 1.67 Voice Grade COC in combination per month UNC1X MO1 10.22 6.71 4.84		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
Voice Grade COCI in combination - per month UNCVX 101VG 0.62 6.71 4.84		Month			UNC1X	U1TF1		181.24	123.53	56.72	22.32						1
Additional 4-Wire Analog Voice Grade Loop in same DS1 1 UNCVX										1.86	1.67						
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	0.62	6.71	4.84								
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 34.25 125.22 60.48 59.69 7.84																	ł
Interoffice Transport Combination - Zone 2				1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84																	1
Interoffice Transport Combination - Zone 3				2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.62 6.71 4.84				_		l											1
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCC 8.98 8.98 11.17 11.17				3						59.69	7.84						
Is Charge	L				UNCVX	1D1VG	0.62	6.71	4.84								
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					LINIOAV	1111000		0.00	0.00	44.47	44.47						1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 Interoffice Transport - Dedicated - DS1 - combination Per Month UNC1X UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84				<u> </u>				8.98	8.98	11.17	11.17						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	EXTE	NDED 4-WIKE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	I EKUFFICE TRANS	PUKI				-	-	 	ļ		 		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		First 4 Wire F6Khan Digital Crade Lane in Combinedia 2 2 4		_	LINICDY	LIDLEC	07.50	405.00	00.40	50.00	7.04						i - 1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84	\vdash	First 4-vvire portops Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDLOB	27.59	125.22	60.48	59.69	7.84	-	-	-			
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84		First 4 Wire 56Khas Digital Grade Lean in Combination 7 2		2	LINCDY	LIDLES	20.40	105.00	60.40	E0.60	7.04						i - 1
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX 10 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 UNC1X UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 UNCDX UNCDX 1D1DD 1.32 6.71 4.84 UNCDX	\vdash	ir irst 4-vviile bortups Digital Grade Loop in Combination - Zone 2	-	_	OINCDA	UDLOB	3∠.48	125.22	bU.48	59.69	7.84	-					
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX 10 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 UNC1X UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 UNCDX UNCDX 1D1DD 1.32 6.71 4.84 UNCDX		First 4 Wire F6Khan Digital Crade Loop in Combination 7 2		2	LINICDY	LIDI EG	26.27	125.00	60.40	50.00	7.04		1				i '
Per Month UNC1X 1L5XX 0.19	\vdash		-	3	OINCDA	UDLOB	30.37	125.22	bU.48	59.69	7.84	-	-		-		
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32				1	LINC1Y	11 5YY	0.10						1				i '
Termination Per Month	\vdash		-	1	DINOIA	ILUAA	0.19					 					
1/0 Channel System in combination Per Month				1	LINC1Y	LI1TE1	79.02	191 24	123 52	56.72	22.22		1				i
OCU-DP COCI (data) per month (2.4-64kbs)	 			 								H			 		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				 						1.00	1.07		 				
Interoffice Transport Combination - Zone 1			†	†	5.10DA	10100	1.02	0.71	7.04			 	 		 		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	UNCDX	UDL56	27.59	125.22	60 48	59.69	7 84		1				i
Interoffice Transport Combination - Zone 2				<u> </u>		1	255	.20.22	33.10	55.55	54				i		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						i
				ΙĪ		1	320	.20.22	33.10	55.55	5-				i		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		1				i '

UNRU	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
ONDO	INDEL	NETWORK ELEMENTO Remadky					I					Svc Order	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''										'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional OCU-DP COCI (data) - in combination per month (2.4-						11131	Addi	11130	Addi	JOINLO	JOHAN	JONIAN	JOWAN	JONAN	JOWAN
		64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRAI	NSPORT											
								40= 00		=====							
-		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		I list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone Z			UNCDX	ODL04	32.40	123.22	00.40	39.09	7.04						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť													
		Per Month			UNC1X	1L5XX	0.19										
		interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDX	ODL04	27.59	123.22	00.40	39.09	7.04						
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-	i														
	EVTEN	Is Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC1	INITED	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EVIEN	4-Wire DS1 Digital Loop in Combination - Zone 1	ED D31		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	-					
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month		ļ	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAV	1111000		0.00	0.00	44.47	44.47						
-	EVTEN	Is Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED Des	INITED	UNC1X	UNCCC		8.98	8.98	11.17	11.17	-					-
	LAILN	First DS1Loop in Combination - Zone 1	LD D33		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	1					
		First DS1Loop in Combination - Zone 2			UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		First DS1Loop in Combination - Zone 3			UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
L		Per Month			UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	l														
		month	ļ		UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	-	3/1Channel System in combination per month	-	-	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	-		-	-		
-	-	DS1 COCI in combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -	-	-	UNC1X	UC1D1	11.80	6.71	4.84			-		-	-		+
		Zone 1	1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional DS1Loop in DS3 Interoffice Transport Combination -		Ė		00201	55.47	2.3.70		55.50				1	1		
		Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
		Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIONY	LINICOO											
-	EVTEN	Is Charge DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CBAD	E INITE	UNC3X	UNCCC		8.98	8.98	11.17	11.17	1	-	 	 		
-	CAIEN	2-WireVG Loop in combination - Zone 1	GKAD		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	-		-	-		+
-		2-WireVG Loop in combination - Zone 1	-		UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		1 200p 11 0011011011011 20110 2				10-11-11-1	17.70	.20.22	00.70	00.00	7.04	<u> </u>	L	L	L		

UNBU	NDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		,										Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec			Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							20.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84	1					
'		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			LINOVY	41.577	0.01										
<u> </u>		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.01					-					-
'		Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONCVA	01172	23.93	90.09	33.07	30.31	22.42	<u> </u>				1	
		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	EINTE				0.00	0.00	11.17		1					
		4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84	1					
		4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84	İ					
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84	İ					
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
l '	1	Month	1	1	UNCVX	1L5XX	0.01							I	I		1
	ĺ	Interoffice Transport - 4-wire VG - Dedicated - Facility	ĺ														
L '	<u> </u>	Termination per month	<u> </u>	<u> </u>	UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 combination - Facility				=				40.00							
-		Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	ļ					
'		Nonrecurring Currently Combined Network Elements Switch -As-	İ		UNC3X	UNCCC		8.98	8.98	44.47	11.17						
	EVTEN	Is Charge DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	EBOEE		UNCCC		8.98	8.98	11.17	11.17	 	-				
	EXIEN	STS-1 Local Lolp in combination - per mile per month	3-1 INT		UNCSX	1L5ND	9.25					1	1	1	1		
		STS-1 Local Loop in combination - Facility Termination per		-	UNCOX	TESIND	9.20					1	1	1	1		
		month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
		Interoffice Transport - Dedicated - STS-1 combination - per mile		-	ONCOX	ODLOT	320.31	257.50	147.03	00.40	32.07	1					
		per month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			orroor.	120701						†		t			
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		Nonrecurring Currently Combined Network Elements Switch -As-										İ					
		Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT													
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
		First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
'	1	Interoffice Transport - Dedicated - DS1 combination - per mile	1											1	1		
<u> </u>	ļ	per month	ļ		UNC1X	1L5XX	0.19										ļ
	1	Interoffice Transport - Dedicated - DS1 combination - Facility	1					404	400					1	1		
L	<u> </u>	Termination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1					
<u> </u>		1/0 Channel System in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	-		-	-		
<u> </u>	-	2-wire ISDN COCI (BRITE) - in combination - per month	-	<u> </u>	UNCNX	UC1CA	2.84	6.71	4.84			ļ	-	1	 	-	-
'	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1	1	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84			1	1		
<u> </u>	!	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	!		ONCINA	UILZX	18.44	125.22	bU.48	99.69	7.84	 	-	 	 		-
'	1	Combination - Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84			I	I		
	 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		0140147	JILEA	23.00	120.22	00.40	39.09	1.04	 	-	t	 	 	
'	1	Combination - Zone 3	1	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84			I	I		
\vdash		Additional 2-wire ISDN COCI (BRITE) - in combination- per		Ť	2.70.00	J	72.01	120.22	33.40	55.55	7.04			<u> </u>	<u> </u>	1	i
'	1	month	1	1	UNCNX	UC1CA	2.84	6.71	4.84					I	I		
	i e	Nonrecurring Currently Combined Network Elements Switch -As-	 			1								1	1	İ	İ
'	1	Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	11.17	11.17			I	I		
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE								İ				1	1
		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						

CATEGORY RATE ELEMENTS Interior	er Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Sv Order vs. Electronic Add'I	al Incremental Charge - C Manual Svo Order vs. Electronic- Disc 1st	Charge -
CATEGORY RATE ELEMENTS Interigration Zone BCS USOC RATES (\$)	d Charge - y Manual Svo Order vs. Electronic- 1st	Charge - Manual Sv Order vs. Electronic Add'I	Charge - c Manual Svo Order vs Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interf	Manual Svo Order vs. Electronic- 1st	Order vs. Electronic Add'l	order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Miles Zone BCS USOC RATES (\$) Per LSR Per LS	Order vs. Electronic- 1st	Order vs. Electronic Add'l	Order vs Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Rec	Electronic- 1st	Electronic Add'I	- Electronic- Disc 1st	Electronic- Disc Add'l
First DS1 Logo Combination - Zone 3	1st OSS	Add'l	Disc 1st	Disc Add'l
First DS1 Logo Combination - Zone 3	OSS	S Rates (\$)		
First DS1 Logo Combination - Zone 3			SOMAN	SOMAN
First DS1 Loop Combination - Zone 3	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month UNCSX				
Per Month				
Interoffice Transport - Dedicated - STS-1 combination - Facility UNCSX				
Termination per month				
3/1 Channel System in combination per month				
DS1 COCI in combination per month				
Combination - Zone 1				
Additional DS1Loop in the same STS-1 Interoffice Transport 2 UNC1X				
Combination - Zone 2				
Additional DS1Loop in the same STS-1 Interoffice Transport 3 UNC1X				
Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97				
DS1 COCI in combination per month				
Nonrecurring Currently Combined Network Elements Switch -As- UNCCC S.98 S.98 S.98 S.11.17 S. Charge UNCSX UNCCC S.98 S.9				
Is Charge				
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT				
4-wire 56 kbps Local Loop in combination - Zone 1				<u> </u>
4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84			1	
4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84				
Per Mile per month				
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month UNCDX U1TD5 17.25 98.09 53.67 56.31 22.42				
Facility Termination per month				
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX				
Is Charge				
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT				
4-wire 64 kbps Lcoal Loop in Combination - Zone 1 1 UNCDX UDL64 27.59 125.22 60.48 59.69 7.84		-	_	
4-wire 64 kbps Lcoal Loop in Combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84	+	-	+	
4-wire 64 kbps Looal Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84	_	-	+	1
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month UNCDX 1L5XX 0.01	-	+	+	1
Per Mile per month UNCDX 1L5XX 0.01			1	
Interoffice Transport - Dedicated - 4-wire 64 khns combination -				
Introfolio Transport - Dedicated - 4-wife of Rupp combination -				
Facility Termination per month UNCDX U1TD6 17.25 98.09 53.67 56.31 22.42				
Nonrecurring Currently Combined Network Elements Switch -As-				
Is Charge				
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		_		
First 2-wire VG Loop (SL2) in Combination - Zone 1		-	_	ļ
First 2-wire VG Loop (SL2) in Combination - Zone 2	+	-	+	
First 2-wire v6 Loop (SL2) in Combination - 20ne 3	+	+	+	
Mile UNC1X 1L5XX 0.19	1	1		
First Interoffice Transport - Dedicated - DS1 combination -	1		1	
Facility Termination per month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32	1			
Per each DS1 Channelization System Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67				
Per each Voice Grade COCI - Per Month per month UNCVX 1D1VG 0.62 6.71 4.84				
3/1 Channel System in combination per month UNC3X MQ3 158.20 115.48 56.53 15.12 5.30 5.30				
Per each DS1 COCI in combination per month UNC1X UC1D1 11.80 6.71 4.84	\perp			ļ
Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1		
Interoffice Transport Combination - Zone 1 1 UNCVX UEAL2 12.67 125.22 60.48 59.69 7.84	+	+	+	
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL2 17.45 125.22 60.48 59.69 7.84	1	1		
Interollice Transport Combination - Zone 2	+	+	+	
Later Additional 2-vivie ve Eucopicat 2 in the same DS1	1			
Each Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.62 6.71 4.84	+	1	1	1
Each Additional DS1 Interoffice Channel per mile in same 3/1		1		İ
Channel System per month UNC1X 1L5XX 0.19	1			<u></u>
Each Additional DS1 Interoffice Channel Facility Termination in				1
			1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Fook Additional DC4 COCI combination nor month	ļ		UNC1X	UC1D1		First	Add'I 4.84	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	ОСТОТ	11.80	6.71	4.84								$\overline{}$
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						, !
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	EROFF	CE TR													
	First 4-Wire Analog Voice Grade Local Loop in Combination -															1
	Zone 1	ļ	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						i
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_	ONOVA	OL/ IL-I	04.20	120.22	00.40	00.00	7.04						
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															_
\vdash	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
 	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		١,	1110000		00.00	405.00	00.40	50.00	7.04						ł
\vdash	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	-	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						ł
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		OTTO TA	027121	01.20	120.22	00.10	00.00	7.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						ł
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i
—	Channel System per month	1		UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
 	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	0.62	6.71	4.84	30.72	22.02						
	Nonrecurring Currently Combined Network Elements Switch -As-	-		-			-	-								i
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											-
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						i
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	'	UNCDX	UDL36	21.59	125.22	60.46	59.69	7.04						
	Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						i
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					İ										i
	Zone 3	ļ	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINCAV	11 5 7 7	0.40										i
 	Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination	 	-	UNC1X	1L5XX	0.19			+		1					
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67						<u> </u>
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						——
	Per each DS1 COCI in combination per month Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	.		UNC1X	UC1D1	11.80	6.71	4.84								
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						l
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		T .	- +	1	255	.20.22	33.10	55.50	7.54						i
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIDLE?				=0.4-							l
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) COCI in combination per month (2.4-	 	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	-					
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	J. 100/1	10100	1.02	0.71	7.04								í
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.19										<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in				I											
	same 3/1 Channel System per month	L	l	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32				<u> </u>		

Svc Order Svc Order Svc Order Submitted Submit	UNBU	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ANTE BLEMENTS	3.450												Svc Order	Svc Order				
RATE GLENKY RATE													1					
AFFECRATION IN ALTER ELEMENTS IN CORPUS AND STATE OF THE				Intori														
Second Company Compa	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
Second Company Compa				""									p = = = = = = = = = = = = = = = = = = =	p				
Second Company Compa																		
Sept Sept				ļ			ļ											
Gash Additional Gift COCH in the same 31 decimal agreement Section Sec								Rec										
Semination per month UNION	-	ļ	Foot Additional DC4 CCCI in the same 2/4 sharped avertors	-	-		+		First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonequiring Currency Completes Network Enterior Selection - 1 UNCX						LINC1V	LIC1D1	11 90	6 71	1 91								
SCHOOLD SUPPLY	-	1				UNCIX	OCIDI	11.00	0.71	4.04	1		1		1	1		
EXTENDED 4-WINE & RAPES MONTAL, LOOP WITH EDUCATED DST INTERCEPTICE. TRANSPORT of YM NUX.						LINC1X	LINCCC		8 98	8 98	11 17	11 17						
Fig. 4 vive Galdeno Digital Grants Loop in a DST Intereffice 1		EXTEN		INTERC	FFICE				0.00	0.00			1					
Transport Confinition - Zoue 1 1 NECOX U.C.64 27.59 125.22 60.48 59.69 7.84				1	1		1				t				t			
Transport Combination - Zone 2 2 UNCOX UUG64 32 48 192 22 60.48 59.69 7.74			Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
First A-We 6450s Dalled Gede Loop in QST Interesting			First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
Transport Combination - Zeros 3 UNCDX UUG.64 38.37 192.62 60.48 59.69 7.94					2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Fest Intereffice Transport - Deficated - DST combination - Per Mine Per Mem UNCIX ULTF1 7902 181.24 123.55 56.72 22.32																		
Mile Per Menth					3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
First Interdiffice Transport Conditional Control Price (1997) First Interdiffice Transport Conditional Control Price (1997							1											
Facility Termination Fee Munth MINCIX MITTI 79.02 1812.4 122.55 56.72 22.25	<u> </u>	ļ		_		UNC1X	1L5XX	0.19			-				-	-		
Per each Channel System (10 in combination per morth		1				LINICAV	LIATEA	70.00	404.04	400.50	FC 70	20.00			I	I		
Per sech OCUP COCI (data) in continuation - per month (2-4 4.64 4.	-	1		-	-								-		-	-		
Microx M	-	1				UNCIX	IVIQ I	113.33	57.20	14.74	1.00	1.07	1		1	1		
ST Channel System in combination per month UNCXX M33 158.20 115.84 56.53 15.12 5.30						UNCDX	1D1DD	1 32	6.71	4 84								
Additional 4-Wire 64Rbps Digital Grafus Loop in same DST UNCDX UDL64 27.59 125.22 60.48 59.69 7.84		1									15.12	5.30	†					
Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 27.59 125.22 60.48 59.89 7.84		1													t			
Additional 4-Wine 64Kbps Digital Grade Loop in same DST 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84					1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
Additional A-Wire 6405ps Digital Grade Loop in same DS1 InterOffice Transport Combination - 2 per Growth (2-644bb) Additional OCU-PP COCI (data) - DS1 to DS0 Channel System combination - per month (2-644bb) UNCIX ULIX ULIX ULIX USS3 56.72 22.32 USS3 Channel System per month UNCIX ULIX ULIX USS3 Channel System per month UNCIX ULIX UNCIX UCID1 UNCIX UCID1 UNCIX UCID1 UNCIX UCID1 UNCIX UCID1 UNCIX UCID1 UNCIX UNCIX UCID1 UNCIX UNCIX UCID1 UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UCID1 UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UNCIX UCID1 UNCIX UN			Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
Interoffice Transport Combination - Zone 3			Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System Channel System per morth (2-464bbs) Channel System per morth Ch																		
Combination - per month (24-6kbs) Life Channel per mile in same 3/1					3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Each Additional DSI Interoffice Channel Facility Termination in same 3/1 UNCIX 1L5XX 0.19 UNCIX 1L5XX 0.19 Each Additional DSI Interoffice Channel Facility Termination in same 3/1 Channel System per month UNCIX UTTF1 79.02 181.24 123.33 56.72 22.32 Section 1.5							1											
Channel System per month						UNCDX	1D1DD	1.32	6.71	4.84								
Search Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X						LINICAV	41.577	0.40										
Same 3/1 Channel System per month	-	1		-	-	UNCIX	ILDAX	0.19			-		-		-	-		
Each Additional DST COCI in the same 3f channel system combination per month UNC1X UC1D1 11.80 6.71 4.84						LINC1Y	LI1TE1	79.02	181 24	123 53	56.72	22.32						
Combination per month		1				ONOTA	01111	75.02	101.24	120.00	30.72	22.02	†					
Nonrecurring Currently Combined Network Elements Switch -As Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17						UNC1X	UC1D1	11.80	6.71	4.84								
Scharge UNCIX UNCCC 8.98 8.98 11.17 11.17		1							-		t				t			
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 1 UNCNX U1L2X 18.44 125.22 60.48 59.69 7.84						UNC1X	UNCCC		8.98	8.98	11.17	11.17						
Transport - Zone 1		EXTEN		RT w/ 3/	1 MUX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 2 UNCNX																		
Transport - Zone 2					1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84		1			_										I	I		
Transport - Zone 3 3 UNCNX		<u> </u>		!	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84			 	 		-
First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		1			2	LINCNY	1111.2	42.07	125 22	60.40	50.60	7 04			I	I		
Mile per month Nile	-	 		 	3	OINOINA	UILZA	42.07	123.22	00.48	59.69	7.84	 		 	 	 	
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 Per each Channel System 1/0 in combination - per month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 Per each 2-wire ISDN COCI (BRITE) in combination - per month UNC1X UC1CA 2.84 6.71 4.84 3/1 Channel System in combination per month UNC3X MQ3 158.20 115.48 56.53 15.12 5.30 Per each DS1 COCI in combination per month UNC1X UC1D1 11.80 6.71 4.84 UC1D1 11.80 6.71 4.84 DEDICATED TO STAN STAN STAN STAN STAN STAN STAN STAN		1				UNC1X	1L5XX	0.19			1				I	I		
Facility Termination per month		i –					1	20			1				1	1		İ
Per each Channel System 1/0 in combination - per month		1				UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			I	I		
3/1 Channel System in combination per month UNC3X MQ3 158.20 115.48 56.53 15.12 5.30																		
3/1 Channel System in combination per month UNC3X MQ3 158.20 115.48 56.53 15.12 5.30																		
Per each DS1 COCI in combination per month		ļ		ļ														
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		ļ		ļ							15.12	5.30						
Combination - Zone 1	<u> </u>	<u> </u>		<u> </u>		UNC1X	UC1D1	11.80	6.71	4.84			1				ļ	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 2 UNCNX U1L2X 25.08 125.22 60.48 59.69 7.84		1		1		LINICALY	LIALOV	40.44	405.00	60.40	50.00	7.4		1	I	I		
Combination - Zone 2		 		-	1	UNCNX	UTLZX	18.44	125.22	60.48	59.69	7.84	-		 	 		<u> </u>
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84 59.69 7.84		1			2	LINCNX	1111 2Y	25.00	125 22	60.49	50.60	7.94			I	I		
Combination - Zone 3 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84	-	†		 		OINOINA	UILZA	23.00	120.22	00.40	39.09	1.04			 	 		
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		1			3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84			I	I		
		1			Ť		1	01		22.10	22.00			İ	1	1	İ	
		1		1		UNCNX	UC1CA	2.84	6.71	4.84	I			1	I	I		

UNB	UNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
1												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1															ı l
		Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in															ı l
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system															i l
		combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-															i l
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT													
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	ļ	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
<u> </u>		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						-
1		First Interoffice Transport - Dedicated - DS1 combination - Per	l	1	l .	1											1
		Mile Per Month	ļ	1	UNC1X	1L5XX	0.19										
1		First Interoffice Transport - Dedicated - DS1 combination -	l	1	l .	I											
		Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	_	3/1 Channel System in combination per month		ļ	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															i l
	_	Channel System per month		ļ	UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in															i l
		same 3/1 Channel System per month		ļ	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system						. = 4									i l
		combination per month		ļ	UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															ı l
-		1 DALES LA ME - DOA B'-' La		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	11041/	1101.107	44440	040.70	444.00	00.00	47.07						i l
-		Additional 4 Wise DC4 Disital Land Land in Combination 7-1-	-		UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	LINIOAN	USLXX	007.70	040.70	444.00	00.00	47.07						ı l
-	-	Nonrecurring Currently Combined Network Elements Switch -As-		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
			1		LINCAV	UNCCC		8.98	8.98	11.17	11.17						i l
-	EVTEN	Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE :	UNC1X	UNCCC		8.98	8.98	11.17	11.17	-					
-	EXIEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	I	T 1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	-					
-	-	First 4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84	-					
-	+	First 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	-					
-	-	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDLS6	30.37	125.22	00.40	39.69	7.04	1					
		per month	l		UNCDX	1L5XX	0.01										l .
	+	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	-	 	0.1007	ILUAA	0.01			 							
1		Termination per month	l	1	UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	-	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	OTTES	17.20	30.03	33.07	30.31	22.72	-					
		Is Charge	l		UNCDX	UNCCC		8.98	8.98	11.17	11.17						1
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5.1000		0.00	0.30	/	11.17						
		First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84				 		
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2	l	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	l	Ť	-				22.10	1 22.30							
		per month	l		UNCDX	1L5XX	0.01										ı
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1													1
		Termination per month	l		UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						1
	Ì	Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge	L_	<u></u>	UNCDX	UNCCC		8.98	8.98	11.17	11.17	<u> </u>					<u>. </u>
ADDI		IETWORK ELEMENTS															
	When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	Switch As Is cl	harge does app	oly.									
		used as ordinarily combined network elements in All States, t					As Is Charge of	does not.									
	Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	nbination)											
1		Nonrecurring Currently Combined Network Elements Switch -As-	1			I											, 7
		Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		8.98	8.98	11.17	11.17						

CATEGORY RATE ELEMENTS Intel Zone BCS USOC RATE (B) Section Companies	UNBUN	IDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	ibit: A
CATEGORY RATE ELEMENTS Minds M	J.1201		TELLIONIC ELEMENTO - Nemucky		1		1						Svc Order	Svc Order				
Part Part					1								II .			l .		Charge -
CATEGORY RATE ELEMENTS Image: Control Category				to read														
Recommendation	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)						l .		Order vs.
Non-counting Common Nations Remarks Switch As Non-counting Discounted Non-counting Common Nations Remarks Switch As No				m						()			per Lor	per Lor				Electronic-
Normalizing Cumming Combined Network Elements Switch - April No. N																l .		Disc Add'l
No. Security Cores of Continue Network Elements Soutch As UNCDX																	DISC 1St	DISC Add I
Separating Currently Contributed Neurosis Institutes of South So								Poc	Nonre	curring								
S. Change - Solid Allows Service								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Noncounting Currently Combined Network Elements Switch - April 1																		
S Charge - CBST						UNCDX	UNCCC		8.98	8.98	11.17	11.17						
National Processing Contribution National Section - New 1st Change, - 1935 1.1.7 11.17																		
In Change, Disa Control Capability Control of Network Elements Switch As NACCC 8.88 8.88 11.17 11.17						UNC1X	UNCCC		8.98	8.98	11.17	11.17						
Noncentral Control (Control						LINICOV	LINICCO		0.00	0.00	44.47	44.47						
Scharge - 5781						UNC3X	UNCCC		8.98	8.98	11.17	11.17	 					+
Claser Channel Capability Extended Frame Option - per DS1						LINICSY	LINICCC		9 09	9.09	11 17	11 17						
Clear Channel Capability Extended Frame Option - per DS1	-	ntion				ONCOX	014000		0.30	0.30	11.17	11.17	1		1		1	-
Clear Channel Capability Extended Frame Option - per DR1 U.DD1.WICK COCEF 0 0 0 0 0 0 0 0 0		puon	ar reactives a randitions.		-	LI1TD1	+						1					
Class Channel Capability Super Familicyten - per DS1			Clear Channel Capability Extended Frame Option - per DS1	1			CCOEF		OI	01	OI	01						
Clear Channel Capability Super FrameOption - per 051 1 ULDDI LURCIX CCOSF 01 01 01 01 01 01 01 0													İ					
Clear Channel Cigability (SF-ESF) Option - Subsequent LUDDI , UTITO1, LNDS, NRCC 184,918 23,828 1,998 0,788			Clear Channel Capability Super FrameOption - per DS1	- 1			CCOSF		01	01	01	01						
C-bit Parity Option - Subsequent Activity - per DS3						ULDD1, U1TD1,												
C-air Party Option - Subsequent Analyse per DS3 1 UEs, UNCX NRCC3 20.708 7.208 68245 0.8			Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
WULTIPIEXERS Dis DSi Channel System per month UNCIX MO1 113.33 07.26 14.74 1.86 1.67																		
SS 10 DSQ Channel System per month				i		UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
COLUPP COCT (data) - DS1 to DS0 Channel System - per	N	/IULTI																
Month (2.4-64/6s) used for a Local Loop						UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
OCU-OP COCI (data) - DS1 to DS0 Channel System - per month																		
month (24-84bts) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D10D 1.32 10.07 7.08						UDL	1D1DD	1.32	10.07	7.08								
Local Channel in the same SWC as collocation U1TUD 1010D 1.32 10.07 7.08																		
2-wire ISDN OCCI (BRITE) - ISS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN OCCI (BRITE) - ISD1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UITUB UCICA 2.84 10.07 7.08						LIATUD	10100	4.00	40.07	7.00								
month for a Local Loop Local Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUB U1TUC Local Channel U1TUC U1TUC Local Channel U1TUC U1TUC Local Channel U1TUC U1TUC U1TUC U1TUC Local Channel U1TUC U1					-	UTTUD	טטוטו	1.32	10.07	7.08			1					
2-wire ISDN OCCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UEA						LIDNI	LICACA	2.04	10.07	7.00								
month used for connection to a channelized DS1 Local Channel nthe same SWC as collocation UTIUB UCICA 2.84 10.07 7.08					-	UDIN	UCTCA	2.84	10.07	7.08	-		 					
In the same SWC as collocation																		
Vicice Grade COCT - DS1 to DS0 Channel System - per month UEA ID1VG 0.6228 10.07 7.08						LITTUR	LIC1CA	2 84	10.07	7.08								
USEA TOTAL LOCAL LOOP USEA LOCAL LOOP USEA LOCAL LOOP USEA LOCAL LOOP USEA LOCAL LOOP USEA LOOP USEA LOOP USEA LOOP USEA LOOP USEA LOOP USEA LOOP USEA LOOP USEA LOOP USEA LOOP USEA USEA LOOP USEA U						01102	00.07	2.01	10.01	7.00								†
Voice Grade COCI - DST to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UNIXX M03 158.20 115.48 56.53 15.12 5.30						UEA	1D1VG	0.6228	10.07	7.08								
Same SWC as collocation U1TUC 101VG 0.6228 10.07 7.08																		
DS3 to DS1 Channel System per month			used for connection to a channelized DS1 Local Channel in the															
STS-1 to DS1 Channel System per month			same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
DS1 COCI used with Loop per month																		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month											15.12	5.30						
Channel in the same SWC as collocation) per month						USL	UC1D1	11.80	10.07	7.08								ļ
DS1 COCI used with Interoffice Channel per month					1	l <u>_</u>	l	l	l	_	I			1				
DS3 Interface Unit (DS1 COCI) used with Local Channel per month UNDIT U					<u> </u>													_
MOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS						U1TD1	UC1D1	11.80	10.07	7.08	 	-	ļ	 	!	1	.	├
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled Fe, low usage line port with Caller ID (LUM) UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13					1	LII DD4	LIC4D4	44.00	40.07	7.00	1			1				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Valler ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13	LIMBUING	ו בה י			-	ULUUT	UCTD1	11.80	10.07	7.08	-		1			1	-	
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRM 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13 UEPSR UEPAP 3.74 3.63 2.23 2.13 UEPSR UEPAP 3.74 3.63 2.23 2.13 UEPSR UEPAP 3.74 3.63 2.23 2.13				-	<u> </u>		+		 		 		 	-		1		
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY I A	L S. TNI 41	he desired features	will need to b	ne ordered usi	ng retail IISOC	<u> </u>	 		<u> </u>		 	1	 	
Exchange Ports - 2-Wire Analog Line Port With Caller ID - Res.				.,	, [inc aconeu realares	I I I I I I I I I I I I I I I I I I I	Jo Stuered USII	l retail 0300	Ĭ	-					1		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.						UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13			1		1	
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			<u> </u>		Ì		1		1	2.30	1				İ		İ	
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.																		
dialing Parity Port with Caller ID - Res.					<u> </u>	UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13 UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13																		
with Caller ID (LUM)						UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						
Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13 2-Wire voice unbundled Low Usage Line Port without Caller ID																		
without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13 2-Wire voice unbundled Low Usage Line Port without Caller ID					<u> </u>	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13			ļ	ļ .	ļ	ļ
2-Wire voice unbundled Low Usage Line Port without Caller ID					1							_		1				
					ļ	UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13			ļ	ļ	ļ	
					1	LIEDOD	LIEDDE	1 40	0.74	2.00	0.00	0.40		1				

UNBL	JNDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	ibit: A
OND	JINDEL	THE TWORK ELEMENTO Remarks										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-		O. L A. d. W.			LIEDOD	110400		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	FEATU	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				-				
-	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)			OLFOR	OLF VI	0.00	0.00	0.00			1	1				
	2 *****	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				1						†					
		Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
		·															
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire VG unbundled KY extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan			LIEDOD	LIEDWE	4.40	2.74	2.02	0.00	0.40						
-	+	without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		-				-
		Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	2.20	2.10						
-	FEATU				OLI OD	00/100	0.00	0.00	0.00				†				
	,	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00			İ					
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	-	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB UEPXC	1.49 1.49	39.05 39.05	18.17	15.38	0.89	 					
-	+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17 18.17	15.38 15.38	0.89	1	1				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFSF	OLFAD	1.43	39.03	10.17	13.36	0.03						
		Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			02. 0.	OL: AL		00.00		10.00	0.00		1				
		Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	1	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling															
		Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						ļ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDY"											
	-	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89						
	-	Room Calling Port			UEPSP	UEFAIVI	1.49	39.05	10.17	13.36	0.09	 	-				-
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						
-	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		†				
	1	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	.0.00	0.00						
	FEATU				-	1	5.50	2.20	2.30			1					
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
	EXCHA	NGE PORT RATES (COIN)							·		·						
<u> </u>		Exchange Ports - Coin Port					1.49	3.74	3.63	2.23	2.13						
		witching Features offered with Port				<u> </u>	اــِــــــــــــــــــــــــــــــــــ			<u> </u>		<u>L</u>	L	<u> </u>			1
<u> </u>		Transmission/usage charges associated with POTS circuit so															
<u> </u>	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availab	ie only	tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	lities will be de	termined via t	ne Bona Fid	de Request/	New Business	Request Pro	cess.	1
		Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	101.60	188.36	95.15	61.92	22.67						
LINBU	NDI ED I	OCAL EXCHANGE SWITCHING(PORTS)				OLFEA	101.60	100.30	90.15	01.92	22.07	1	H	l			
51400		NGE PORT RATES		-		+						 					\vdash
						1							<u> </u>	·			

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	ibit: A
ONDONDE					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											I .	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			-				Nonre	curring	Monrocurring	Disconnect			220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The D	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla									JOINAIN	JOMAN
	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17	ļ					
	All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX UEPTX, UEPSX	UEPVF U1UMA	0.00	0.00	0.00			1					
NOTE	E: Transmission/usage charges associated with POTS circuit so	witched				0.00	0.00	0.00	ionian by B Cl		iotod with 2	wire ICDM	20110			
	E: Access to B Channel or D Channel Packet capabilities will be													Paguast Pro	2202	1
	HANGE PORT RATES (continued)	uvanai	0111	,ough Di Kritew	_uomeoo Ne			paonor capabi	will be de		55114 111	rroquest/	Duames:	quest i 10		†
125.01	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911					1							İ	İ	İ	
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57						L
	Virtual collocation - Special Access & UNE, cross-connect per			l	L											
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57	ļ					
Detai	led E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1							-				ļ
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IX	0.00	1,011.00		100.00		i e					
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
New	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1C	0.07	0.54				ļ					ļ
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLI LX	OLI ID	0.07	12.71	12.71			i e					
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								
LOCA	AL NUMBER PORTABILITY															
INITE	Local Number Portability (1 per port)		-	UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only) Voice/Data	1	-	UEPEX	PR71V	0.00	0.00	0.00			1	1			-	
H + + + + + + + + + + + + + + + + + + +	Digital Data	 	 	UEPEX	PR71V PR71D	0.00	0.00	0.00	 	 	1	 	 	 	 	
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			†	-				
New	or Additional Channel				1	0.00	5.00	5.00					İ	İ	İ	
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48						İ	İ	İ	
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48									
	New or Additional Useage Sensitive Voice Data "B" Channel		<u> </u>	UEPEX	PR7BS	0.00	15.48				ļ					
 	New or Additional Useage Sensitive Digital Data "B" Channel	1	.	UEPEX	PR7BU	0.00	15.48					1				
	New or Additional PRI "D" Channel	-	-	UEPEX	PR7EX	0.00	15.48			-	ļ	1	 	 	 	1
CALL	_ TYPES Inward	-	 	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	-	-	1	-	-	-	-	
 	Outward		 	UEPEX UEPDX	PR7CO	0.00	0.00	0.00			†		 	 	 	
	Two-way	l		UEPEX	PR7CC	0.00	0.00	0.00					1	1	1	
UNBU	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,			150	0.00	5.50	5.50					1	1	1	
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Res	ļ	<u> </u>	UEPVR	UERLC	1.49	3.74	3.63			ļ					_
	Unbundled Remote Call Forwarding Service, InterLATA - Res	l		UEPVR	UERTE	1.49	3.74	3.63			<u> </u>	1	l			1

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
													Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc		Manual Svc
OAT LOOK	KATE ELEMENTO	m	20110	500	0000			τοτι Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
													1st	Add'l	DISC 1St	DISC Add 1
						Rec	Nonred			Disconnect				Rates (\$)		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	1		UEPVR	UERTR	1.49	First 3.74	Add'l 3.63	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non	-Recurring			UEFVK	UERIR	1.49	3.74	3.03								
i i i i i i i i i i i i i i i i i i i	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with		1		i e											
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNB	BUNDLED REMOTE CALL FORWARDING - Bus	ļ														
	Unbounded Bornets Call Farmendian Continue Asso Calling Burn			LIED//D	UERAC	4.40	0.74	2.02								
-	Unbundled Remote Call Forwarding Service, Area Calling - Bus	ļ		UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	t	UEPVB	UERTE	1.49	3.74	3.63					1	1		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1	i i	UEPVB	UERTR	1.49	3.74	3.63	İ	İ	İ	İ	ĺ	ĺ		
	Unbundled Remote Call Forwarding Service Expanded and	İ								1			1	1		
	Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
Non-	-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACC		0.10	0.10								
LINDLINDI E	allowed change (PIC and LPIC) D LOCAL SWITCHING, PORT USAGE	<u> </u>		UEPVB	USACC		0.10	0.10								
	Office Switching (Port Usage)															
Liid	End Office Switching Function, Per MOU				1	0.0011971										
	End Office Trunk Port - Shared, Per MOU					0.0002112										
Tano	dem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port - Shared, Per MOU	ļ				0.0002416										
	Tandem Switching Function Per MOU (Melded)	ļ				0.000094381										
\vdash	Tandem Trunk Port - Shared, Per MOU (Melded) Melded Factor: 48.65% of the Tandem Rate	1	1			0.000117538										
Com	nmon Transport	1	1													
Com	Common Transport - Per Mile, Per MOU	1	1		1	0.000003										
	Common Transport - Facilities Termination Per MOU	1				0.0007466										
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES				1											
	t Based Rates are applied where BellSouth is required by FCC a															
	tures shall apply to the Unbundled Port/Loop Combination - Cos															
End	Office and Tandem Switching Usage and Common Transport U	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	ort network elei	ments except	or UNE Coi	n Port/Loop	Combination	ns.		
	first and additional Port nonrecurring charges apply to Not Curl	rently C	ompine	ea Compos. For Cur	rentiy Combi	nea Combos ti	ne nonrecurrin	g cnarges sha	iii pe tnose idei T	ntified in the N	onrecurring	- Currently	Compined se	ections.		
	Port/Loop Combination Rates	1	 		1				+	1	1	1	 	 		
JAL	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	15.52				İ			İ	İ		
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPRX	UEPLX	14.37			ļ							
0.757	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	30.59			1	-	-	-	 	 		
Z-VVI	ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	-	 	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67						
 	2-Wire voice unburidled port vith Caller ID - res	 	 	UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with caller 15 - res 2-Wire voice unbundled port outgoing only - res	<u> </u>	t	UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67			1	1		
	2-Wire voice Grade unbundled Kentucky extended local dialing	1	i i		1						İ	İ	ĺ	ĺ		
	parity port with Caller ID - res	1		UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	<u> </u>	<u> </u>	UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67			ļ	ļ		
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan	1		LIEDDY	LIEDWE		04.00	45		0.5-						
\vdash	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	 	!	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67	-	-				
	Capability	1		UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67						
	Оприонну	1	1	OEI IV	DEI IVI	1.13	21.29	13.49	2.00	2.07	1	1	ı	ı		

UNRI	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
ONDO	MULL	NETWORK ELEMENTO Remarky	I	l								Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU			<u> </u>	LIEBBY .												
-	1.0041	All Features Offered	-	1	UEPRX	UEPVF	0.00	0.00	0.00								
	LUCAL	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
-	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	1	UEPKA	LINPUX	0.35					-					
-	INCINKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1										1		
		Switch-as-is			UEPRX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02.100	00/102		0.10	0.10								
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00					<u> </u>		<u> </u>	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	-	2 Wire Analog Voice Grade Extension Loop – Design	-	1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
	-	Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design	-	3	UEPRX UEPRX	UEAED UEAED	17.45 33.22	134.89 134.89	81.87 81.87	73.65 73.65	14.88 14.88	-					
	INTED	DFFICE TRANSPORT	1	3	UEPKA	UEAED	33.22	134.69	01.07	73.00	14.00	1					
-	IIVIEN	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			1										1		
		Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.101	02	20.00	00.00	00.01	00.01		1					
		or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)						0.00									
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
	0.140	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	30.59										
	2-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	-		UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67	-					
	1	2-Wire voice unburidled port with Caller + E484 ID - bus	1	1	UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67	1					
 	 	2-Wire voice unburidled port outgoing only - bus	1	 	UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67	H		l	 	l	l
-	†	2-Wire voice Grade unbundled Kentucky extended local dialing	†	 		02. 50	1.10	21.20	10.40	2.00	2.01	 	 				
l	1	parity port with Caller ID - bus		1	UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		1				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67			1		1	1
		2-Wire Voice Unbundled Kentucky Business Dialing Plan															
L	<u> </u>	without Caller ID	<u></u>		UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67	<u></u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
		2-Wire voice unbundled Incoming Only Port without Caller ID															
	1	Capability	<u> </u>		UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						
	LOCAL	NUMBER PORTABILITY	ļ		L	1									ļ		
		Local Number Portability (1 per port)	ļ		UEPBX	LNPCX	0.35								ļ		
<u> </u>	FEATU		<u> </u>	<u> </u>	LIEDDY	LIED) (E	0.00	0.00	0.00			-		 	ļ	 	
-	NONE	All Features Offered	-	├	UEPBX	UEPVF	0.00	0.00	0.00			-			-		
 	NUNKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	+	+	-	+						-	-				
l	1	Switch-as-is		1	UEPBX	USAC2		0.10	0.10				1				
-	t	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021 0/	00,102		0.10	0.10			-	-		 		
l		Switch with change			UEPBX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs						50	5.70					İ	İ	İ	İ
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1			1								l	İ	l	l
1	1	Activity	1	1	UEPBX	USAS2		0.00	0.00				1				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
	2 2										Svc Order	Svc Order	Incremental		1	
											1	Submitted		Charge -	Charge -	Charge -
		Inter'			1 1						Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
															Disc 1st	
													1st	Add'l	DISC 1St	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User												ĺ			
	Premise			UEPBX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS															Ì
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65			Î			
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65			ĺ			
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65			ĺ			
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88			Î			ĺ
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88			Î			ĺ
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						1
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility												Î			Î
	Termination	1		UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42		1			I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00								
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										İ					1
	Port/Loop Combination Rates										İ					1
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										1
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	30.59										
2-W	re Voice Grade Line Port Rates (RES - PBX)		Ŭ	02.110	02. 2.	00.00					†				-	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+						†				-	
	Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
LOC	AL NUMBER PORTABILITY			OLI IKO	OLITO	1.10	21.20	10.40	2.00	2.07	†				-	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FFΔ	TURES			OLI IKO	LIVI OI	0.10	0.00	0.00								
. =/	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			†				-	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IKO	OLI VI	0.00	0.00	0.00			†				-	
1101	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1					1
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		0.40	1.01								
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADD	ITIONAL NRCs			OLI IKO	OOACC		0.40	1.31								1
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI IKO	00/102	0.00	0.00	0.00								
	Group						7.86	7.86							1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.00	7.00								
	Premise	1		UEPRG	URETL		8.33	0.83				1			I	
OFF	ON PREMISES EXTENSION CHANNELS	 		OLI NO	OINETE		0.33	0.03	 		H		 	1	 	
Orr	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88	 	-	1	1	+	
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88	 		 	t	 	
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	1		UEPRG	P2JHX P2JHX	33.22	134.89	81.87	73.65	14.88	 	-	1	1	+	
- 	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80	 		 	t	 	
	Non-Wire Direct Serve Channel Voice Grade	 	2	UEPRG	SDD2X SDD2X	18.12	170.06	78.10	119.62	15.80	H		 	1	 	
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X SDD2X	29.64	170.06	78.10	119.62	15.00	 	-	-	 		
INITE	ROFFICE TRANSPORT	1	J	OLI INO	ODDZA	23.04	170.00	70.10	119.02	13.00	 	-	1	1	+	
IINTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+ -						 	-	1	1	+	
	Termination	1		UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42		1			I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-	ULPRU	UTIVZ	23.95	90.09	33.67	30.31	22.42	 	-	-	 		+
		1		LIEDDG	U1TVM	0.0005	0.00	0.00				1			I	
0.140	or Fraction Mile	-		UEPRG	UTTVIVI	0.0095	0.00	0.00	 		-		-	-	 	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 	-								1	-	 	+	 	
UNE	Port/Loop Combination Rates	}	-			10.70					-	-	 	1	 	
	2-Wire VG Loop/Port Combo - Zone 1	}	1			10.79					-	-	 	1	 	
	2-Wire VG Loop/Port Combo - Zone 2		2		\perp	15.52					ļ			ļ		
1	2-Wire VG Loop/Port Combo - Zone 3	1	3		[31.74					1			1	l	

UNBUI	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
0.120.	1022	NETWORK ELEMENTS Romany				1						Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
1	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										1
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37							Î		Î	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										1
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)												Î		Î	
														Î		Î	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67			Î		Î	
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling															
		Port			UEPPX	UEPOA											
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49		2.67						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49		2.67						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49		2.67						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						
l T		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		l -		-							1				
		Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
		Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49		2.67						
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling															
		Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	4.45	04.00	45.40	0.05	0.07						
\vdash		Discount Room Calling Port					1.15	21.29	15.49	2.85	2.67						+
	10041	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY	-	-	UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						+
	LUCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								+
	FEATU		-		UEPPX	LINPUP	3.15	0.00	0.00			-					+
	FEATU	All Features Offered	-	-	UEPPX	UEPVF	0.00	0.00	0.00	 		-	-				
	NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFFX	OLF VI	0.00	0.00	0.00			1			1		+
	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	-		+				1		1					+
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
 +		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	 	OLI I A	UUAUZ		0.40	1.31	 		H	 	 	1	 	
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
-	ADDITI	ONAL NRCs	†	 	OLI I A	00,100		0.43	1.31	1		 	 		1		
H	111	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	†	\vdash		+ +	+			1		<u> </u>	 		†		
		Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00				1				1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt				00.02	0.00	0.00	0.00					1		1	<u> </u>
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				1	1		7.50	İ				i	Ì	i	1
		Premise	1	1	UEPPX	URETL		8.33	0.83				1				1
1	OFF/O	N PREMISES EXTENSION CHANNELS	t			12	1	2.00	2.00	1				i		i	<u> </u>
<u> </u>		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88			İ		İ	<u> </u>
		Local Channel Voice grade, per termination	İ		UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88						1
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88			ĺ		ĺ	1
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10		15.80			ĺ		ĺ	1
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	18.12	170.06	78.10		15.80			1		1	1
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	29.64	170.06	78.10		15.00						1
į,	INTER	OFFICE TRANSPORT				1											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination		i	UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42	1	i .	1	1	1	1

CATEGORY RATE ELEMENTS BEG USOC REGION Secretary Company Com	UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	ibit: A
ACTEORY RATE ELEMENTS New Zone DCS USOC PATES (8) Security Securi	ONDONDE	RETWORK ELEMENTO Remarky	1		1							Svc Order	Svc Order				Incremental
## PATE PLEMENTS Inter- ## PATE ACT PATE PLEMENTS Inter- ## PATE																	Charge -
## CATEGORY RATE ELEMENTS May Zond BCS USDC SATES STATES Details Det			Interi														
Best Person Best Person	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
Tell			- ""									P =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Recommendation																	Disc Add'l
																2.00 .01	2.007.00.
Insertitive Transport Pedicators 2: Wire Vision Grades Per Mills School							Rec										
Information			ļ	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description Description					LIEDDY	11477.04	0.0005	0.00	0.00								
With Provided Control Contro	2 14/1		DT	1	UEPPX	UTIVM	0.0095	0.00	0.00			 					
2-Min VP GOAT PORTLOSS CRITICAL PROTECTION JONE 2			KI	 									-				-
Description Description	ONE		 	1			10.70					1	1				-
E-Yerry VIC Code Profits Control - Earn 3 3	\vdash					+											
UPECO UPEN 1.50 UPEN 1.50 UPEN 1.50 UPEN 1.50 UPEN 1.50 UPEN			1									1	1				†
2-West Order Loop (Sts) - Zone 1 1 UEPCO UEPX 5.44 1.427	UNE			Ť			0					İ					
2-Wire Visco Grant Long (R.1.) - Zone 2 2. MEPOO UEPKX 14.37			1	1	UEPCO	UEPLX	9.64					İ					
2-Wire Vision Grante Lucy (SL1): Zum 3 3 MEPCO UFPIX 30:59				2	UEPCO	UEPLX	14.37										
2-Wine Coin - 2-Way without Operator Screening and without UEPCO UEPRE 1.15 21.26 15.49 2.85 2.67			1														
Blocking (AL, KY, LA, MS)	2-Wi	re Voice Grade Line Ports (COIN)															
2-Wine Coin 2-Way with Operator Screening and Blocking; 011, 00078; 1-1000 (JL, KY, LA, MS) UEPCO UEPRA 1.15 21.29 15.49 2.85 2.67																	
2-Wire Coin 2-Way with Operator Screening and Blocking () UEPCO UEPRA 1.16 21.29 15.49 2.85 2.67																	<u> </u>
Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart 1-100 Depart Depart 1-100 Depart 1-100 Depart D					UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67						
2-Wire Coin 2-Winy with Operator Screening and Off Blocking (NO) UEPCO UEPCD 1.15 21.29 15.49 2.85 2.67					l		. 1			_	_						
IRYO 2-Wire Coin Cut-Way with Operator Screening & Blocking: UEPCO UEPCN 1.15 21.29 15.49 2.85 2.67			ļ	ļ	UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						
2-Wire Cond 2-Way with Operator Screening & Blocking: UEPCO UEPCD 1.15 21.29 15.49 2.85 2.67																	
S00976; 1-DDD, 011-8, Local (AL, KY, LA, MS)			1		UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						ļ
2-Vitre Coin Outward without Blocking and without Departor UEPCO UEPRN 1.15 21.29 15.49 2.85 2.67					LIEDOO	LIEDOD	4.45	24.20	45.40	2.05	0.07						
Screening (KY, LA, MS)			1	-	UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67	 	-				+
2-Wire Coin Outward with Operator Screening and Blocking (CA, KY, MS) 2-Wire Coin Outward with Operator Screening and Blocking UEPCO UEPCN 1.15 21.29 15.49 2.85 2.67					LIEDCO	HEDDNI	1 15	21 20	15.40	2.95	2.67						
CA, KY, MS UEPCO UEPR 1.15 21.29 15.49 2.85 2.67	 		1	1	OLFCO	OLFKIN	1.13	21.29	13.49	2.00	2.07	ł	1				-
2-Wire Com Outward with Operator Screening and Blocking: UEPCO UEPRH 1.15 21.29 15.49 2.85 2.67					LIEPCO	UEPR.I	1 15	21 29	15 49	2 85	2 67						
O11, 900976, 1+DDD (AL, KY, LA, MS)					021 00	OLI III	1.10	21.20	10.40	2.00	2.07						
2-Wire Con Outward Operator Screening & Blocking; 900976, 1-10DD, 011+, and Local (AL, KY, LA, MS) UEPCO UEPCN 1.15 21.29 15.49 2.85 2.67					UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
2-Wire 2-Way Smartline with 900976 (all states except LA)			1														
2-Wire Coin Outward Smartline with 900976 (all states except LA)		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
LA UEPCO					UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
ADDITIONAL UNE COIN PORTLOOP (RC)																	
UNE Coin Port/Loop Combo Usage (Flat Rate) USPCO USECU 2.57 0.00 0.					UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						ļ
LOCAL NUMBER PORTABILITY	ADD																
Local Number Portability (1 per port)				ļ	UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
NONRECURRING CHARGES - CURRENTLY COMBINED	LOC		1		LIEBOO	LLIBOY											ļ
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-assis - Switch-assis - Switch with change UEPCO USACC US	NON		1	1	UEPCO	LNPCX	0.35										
Switch-as-is	NON		1	_									-				-
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			1		LIEPCO	LISAC2		0.10	0.10								
Switch with change			_		02.1 00	JUAUZ	+	0.10	0.10			 		 		 	
ADDITIONAL NRCS					UEPCO	USACC	l	0.10	0.10								
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	ADD		1			0000	+	5.10	0.10					1		1	
Activity			1			1	İ					1		İ	l	İ	
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPCO URETL 8.33 0.83					UEPCO	USAS2	l	0.00	0.00								
2-Wire Voice Grade Loop (Su2) - Zone 1 1 UEFFR UECF2 17.45 2-Wire Voice Grade Loop (Su2) - Zone 3 3 UEFFR UECF2 33.22 2-Wire Voice Grade Loop (Su2) - Zone 3 3 UEFFR UECF2 33.22 2-Wire Voice Unbundled port - residence UEFFR UE							i										
UNE Port/Loop Combination Rates						URETL		8.33	0.83								
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			E LINE I	PORT (RES)												
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 18.68 34.45	UNE																<u> </u>
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 34.45 34.45	\vdash		L		ļ	\bot						ļ		ļ		ļ	ļ
UNE Loop Rates	\vdash		1			+							-	ļ	 	ļ	_
2-Wire Voice Grade Loop (SL2) - Zone 1	1150		!	3	 	+	34.45					 		 	 	 	
2-Wire Voice Grade Loop (SL2) - Zone 2	UNE		+	1	LIEDED	LIECES	12.07					 	1	 	-	 	1
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFR UECF2 33.22	\vdash		1									 	-		-		
2-Wire Voice Grade Line Port Rates (Res)	 		 					-				1	 	 	 	 	
2-Wire voice unbundled port - residence	2-Wi		 	-	OLI I IX	OLOI Z	33.22					 	-	 		 	
2-Wire voice unbundled port with Caller ID - res UEPFR UEPRC 1.23 128.96 64.11 61.92 9.97					UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
														İ	İ	İ	
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97			İ	İ	İ	

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.100		NETWORK ELEMENTO Romadky		l .								Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Intent									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundles res, low usage line port with Caller ID				1											
		(LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan			LIEDED	LIEDWE	4.00	400.00	04.44	04.00	0.07						
	INTER	without Caller ID DFFICE TRANSPORT			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97	-					-
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	OLFIK	UTIVZ	23.93	30.03	33.07	30.31	22.42				-		
		or Fraction Mile			UEPFR	1L5XX	0.0095										
-	FEATU			-	OLITIK	TEOAX	0.0033										
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		ĺ													
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (BUS)												
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		\perp	13.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	LINIE I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		+	34.45										
	UNE L	pop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFB	UECF2	12.67										
-		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-		UEPFB	UECF2	33.22			-					-		
	2-Wire	Voice Grade Line Port (Bus)		3	OLFIB	OLCI 2	33.22										
	2 ******	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Business Dialing Plan															
		without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
	LOCAL	NUMBER PORTABILITY				1											
<u> </u>		Local Number Portability (1 per port)		<u> </u>	UEPFB	LNPCX	0.35			ļ					ļ		
<u> </u>	INTER	DFFICE TRANSPORT		ļ		+				-			ļ	ļ	-	 	ļ
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	LIEDED	LIATVO	20.0-	20.22	50.07	50.01	00 :0		1		I		
 	-	Termination	-	<u> </u>	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42			 	 	-	
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		1	UEPFB	1L5XX	0.0095			I			1		I		
-	FEATU			-	ULFFD	ILOAA	0.0095			 				 	 		
 		All Features Offered	—	-	UEPFB	UEPVF	0.00	0.00	0.00	t				 	t	l	
-	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	l —		32. 71	0.00	0.00	0.00	I		-	†		I		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				1				İ	1		İ
1		Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		9.03	1.87	I			1		I		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		İ		1			-					1			1
<u> </u>	<u></u>	Combination - Conversion - Switch with change	<u> </u>	L	UEPFB	USACC		9.03	1.87	<u> </u>		<u></u>	<u></u>	<u> </u>	L	<u></u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (PBX)												
	UNE P	ort/Loop Combination Rates		<u> </u>		1				L				ļ	L		ļ
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	l	1			13.90			L					L		

CATEGORY RATE ELEMENTS Internal Property Part Security	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
RATE BLEMENTS No. 10 No. 1						1						Svc Order	Svc Order				
RATE ELEMENTS Sheet				1		1						1					Charge -
CATEGORY RAYE ELEMENTS M Zone BCS UBC RAYES (D) Park Park Park Defense Other val. O			Inter'	1		1											Manual Svc
Bestoning Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Section Sect			m									per Lore	por Lore				Electronic-
Section																	Disc Add'l
Mile Mile																D100 10t	DISC Add I
SWAN VS LONG Transport Centre - Case 2 2 15.65 First Add SOUR							Rec										
Solver VS. Loop(ID) TemporPer Contact 2, 2002 1 1 1 1 1 1 1 1 1								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNIT LOOP ROSE UNIT VICTOR CITAL LOOP (SL) - Zeros																	
2-Wine Value Clark Long (ELG) - Zono 1				3			34.45										
2-Wire Vision Clarect Long (SE) - Zone 2 2 (1899P) UECP2 17.46	UNE L																
2-Wire Viceo Broad Loop (SL) - Zure 9			ļ														
Department			ļ														
Line Side Unknowled Combination 2-Way PBX Trank POT- Bus UEPPP UEPPC 1.53 164.27 78.56 78.56 8.73	- 100			3	UEPFP	UECF2	33.22										
Line Site Unbursted Contemp RPX Trank Port Bus UEPPP UEPPD 1.23 164.27 78.65 75.05 8.73	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Line Site Unbursted Contemp RPX Trank Port Bus UEPPP UEPPD 1.23 164.27 78.65 75.05 8.73		Live Cite Hele and Local Conference Of West BRY To all Boats Breat			LIEDED	LIEDDO	4.00	404.07	70.05	75.05	0.70						
Line Bilds Unbrounded Protein (PRS Trank Port - Dual UEPPP UEPYR 1.23 164.27 78.65 75.05 8.73																	
2-Wire Vota Unbunded PIX. D Terman Ports UEPPP UEPX 123 164.27 78.65 75.05 8.73	 		 												 		-
2-Wire Votar Unbunded 2-Wig Centionation PDX Usage Port UEPPR UEPAX 1.23 164.27 78.65 75.05 8.73	 		 	 								-	-		 	-	-
Service Valor Unbranded PBX Toll Terminal Hords UEPPP UEPX6 1.23 164.27 78.65 75.05 8.73			 	 										-		-	-
2-Wire Vision Unbundled PBX LD Terminals Port UEPPP UEPX 123 164.27 78.65 75.05 8.73	 		 	 								-	-		 	-	-
2-Wite Voice Unbundled PRIX (D Terminal Switchboard PDI)	 		 	 								-	-	-		-	-
2-Wire Vision Urbandied PRX LOT Emmal Switchboard IDD UEPP UEPXE 1.23 164.27 78.65 75.05 8.73	\vdash		 	 									-	 	+	 	
Capable Port Capa	 		 	 	OLFIF	OLFAD	1.23	104.27	70.05	75.05	0.73	 	-	1	 	l	
2-Vitre Vote Urbundled 2-Way PEX Kentucky Room Area UEPFP UEPX 1.23 164.27 78.65 75.05 8.73					LIEPEP	LIEDYE	1 22	16/1 27	79.65	75.05	Q 72				1		
Calling Port without LUD UEPFP UEPX 1.23 164.27 78.65 75.05 8.73			ł	-	OLFIF	OLFAL	1.23	104.21	70.03	75.05	0.73	1			-		
2-Wire Voice Unbundled PEX Kentucky LUD Area Calling Port UEPFB UEPXB 1.23 164.27 78.65 75.05 8.73					LIEDED	HEDYE	1 23	16/1 27	78 65	75.05	8 73						
2-Wire Voice Unbundled PNX Kentucky Premium Calling Port UEPPP UEPNJ 1.23 164.27 78.65 75.05 8.73			-														
2-Wire Voice Unbundled 2-Way PRX Hotely-ky Area Calling Port UEPFP UEPX 1.23 164.27 78.65 75.05 8.73			<u> </u>	-								-					
Without LUD UEPPP UEPX 1.23 164.27 78.65 75.05 8.73			1		OLITI	OLI XIII	1.20	104.27	70.00	70.00	0.70	†					
Administrative Caling Pot					LIEPEP	UFPX.I	1 23	164 27	78 65	75.05	8 73						
Administrative Calling Port VEPRV Voice Unbundled 2-Way PXL Hotel/Hospital Economy VEPPP VEPXL 1.23 164.27 78.65 75.05 8.73																	
2-Wire Votice Unbundled 2-Wig PBX Hotel/Hospital Economy UEPFP UEPXM 1.23 164.27 78.65 75.05 8.73					UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
Room Calling Port UEPKM 1.23 164.27 78.65 75.05 8.73			1														
2-Wire Volore Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port Room Calling Port Room					UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.23 164.27 78.65 75.06 8.73			1					-									
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.23 164.27 78.65 75.06 8.73		Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	i		UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFP U1TV2 23.95 98.09 53.67 56.31 22.42	LOCA	L NUMBER PORTABILITY															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFP U1TVZ 23.95 98.09 53.67 56.31 22.42		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								Ī
Termination	INTER	OFFICE TRANSPORT															Ī
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFP 1L5XX 0.0095		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
Or Fraction Mile					UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
FEATURES																	
All Features Offered					UEPFP	1L5XX	0.0095										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 9.03 1.87	FEAT																
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFP USAC2 9.03 1.87					UEPFP	UEPVF	0.00	0.00	0.00								
Combination - Conversion - Switch-as-is	NONR		ļ														
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 9.03 1.87																	
Combination - Conversion - Switch with change			ļ		UEPFP	USAC2		9.03	1.87								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				1	LIEDED	110466				I			1		I		
End User Premise	 		 	<u> </u>	UEPFP	USACC		9.03	1.87	 	-			.	 	 	.
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES				1	LIEDED	LIDETN		44.04	4.40	I			1		I		
2-Wire VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	IIMBIINDI ED		 	 	UEPFP	UKEIN		11.21	1.10	 		-	-		 	-	-
UNE Port/Loop Combination Rates			CPOPT	 		+				 		-	-		 	-	
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1			TORI	 		+ +	-			 			-	 	+	 	
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 2 26.08 2 - Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85 3	ONE P		 	1		+ +	21 20			 				 	 		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85	 		 			+ +				+					+		
UNE Loop Rates			†			+ +				<u> </u>					—		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	UNF I		†	Ť		+ +	50			<u> </u>					—		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			†	1	UEPPX	UECD1	12.67			1				i	1		i
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 3 UEPPX UECD1 33.22 UNE Port Rate			l							t				İ	t		İ
UNE Port Rate			1														
	UNE F		Ì														
ן ן ן באטומוועס רטונא - ב-vviile בייט די די די די די די די באטומוועס רטונא - ב-vviile בייט די די די די די די די די די די די די די		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31			ĺ			ĺ

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						ļ											
—							Rec	Nonrec		Nonrecurring					Rates (\$)		
NON	DECLIDRING CHARGES CHRRENTLY COMPINED					+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INON	RECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion					+				-		1	1				$\vdash \vdash \vdash$
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								l .
ADD	ITIONAL NRCs			OLFFX		USATO		7.00	1.07	1		ł	1				<u> </u>
ADD	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25			†					—
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OL: 17		00/10/		02.20	02.20			İ					
	End User Premise			UEPPX		URETN		11.21	1.10								l .
Teler	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			ļ											
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	LIEDDD	LIEDDD		05.00										1
	UNE Zone 1		- 1	UEPPB	UEPPR		25.69					1					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										l .
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB	UEPPR	1	31.92					 	-				——
	UNE Zone 3		3	UEPPB	UEPPR		50.21										l .
UNE	Loop Rates		3	OLFFB	ULFFR		30.21			1		ł	1				<u> </u>
ONE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10					†					—
	2 WHO IODIA DIGITAL GRAND ECOP CHE ZONO 1		<u> </u>	OLITE	OLITIK	OOLEX	10.10					1	1				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63										
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
NON	RECURRING CHARGES - CURRENTLY COMBINED																1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																l .
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								1
ADDI	ITIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					l											l .
———	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDD	HEDDD	LIDETI		0.00	0.00								i .
1.00	Premise AL NUMBER PORTABILITY		-	UEPPB	UEPPR	URETL		8.33	0.83	 		-	-		-		
LOCA	Local Number Portability (1 per port)	-	-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 		 	-	-		-	
R_CL	IANNEL USER PROFILE ACCESS:			UEPPB	UEPPR	LINEUX	0.35	0.00	0.00	 		+		-	 	-	
B-CI	CVS/CSD (DMS/5ESS)	-		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	t		 	-		 		
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	I		1	 				<u> </u>
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	<u> </u>					1		
B-CH	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	TN)	<u> </u>		1		2.20	2.30	1	İ			İ	İ	İ	
	CVS/CSD (DMS/5ESS)	, -, -		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	1	l	1		l	İ	l	ſ
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES					1											
\vdash	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	1		ļ			ļ		
INTE	ROFFICE CHANNEL MILEAGE					1				ļ							
	Interoffice Channel mileage each, including first mile and					1											1
\vdash	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75			 	ļ	 	
4 1471	Interoffice Channel mileage each, additional mile	PODT	-	UEPPB	UEPPR	M1GNM	0.01	0.00	0.00	 		-	-		-		 '
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK UNE-P DS1 combination rates below for in this rate exhibit apply			dod bess	in place -	0 of 10/2/02 :	until 4/4/04 Aft	or 4/4/04 th	rotos obell	Lort to toriff	00 05 0 005	to commerc	ial agraga	L			
	une-P DS1 combination rates below for in this rate exhibit apply lests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													III.			 '
Requ	iesis ioi 4-vviie DST Digital Loop with 4-vviie ISDN DST Digital T	runk P	חו מונפ	uie eite	LIVE UALE C	n uns ameno	iment snan de p	novided purst	iani io a separ	are agreement	or tariii at Bei	isoutii s ai	scretion.	l		l	1

IINBIINDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
CINDONDE	RETWORK ELEMENTO REMUCKY	I			1	I					Svc Order	Svc Order	Incremental			
ĺ											1	Submitted	Charge -	Charge -	Charge -	Charge -
ĺ											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
ĺ														Add'l	Disc 1st	Disc Add'l
ĺ													1st	Addi	DISC ISL	DISC Add I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 3	-	3	UEPPP	-	381.35										
UNE	Loop Rates	-	4	UEPPP	USL4P	86.47										
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPPP	USL4P USL4P	114.10					-					-
	4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPPP	USL4P	297.76					1					-
UNE	Port Rate	 	-	OLI FF	UOL4F	231.70					1					
ONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	-	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82				1		t
NON	RECURRING CHARGES - CURRENTLY COMBINED	 	-	0=111	JE: 11	00.09	730.10	302.74	155.40	40.02				1		t
11014	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	†	l —		1						 	-		1	1	I
1	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
ADDI	TIONAL NRCs			02	00/101	0.00	010	01.01								
71331	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -				i e											
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel	-	-	UEPPP	PR7BF	0.00	15.48									
CALL	New or Additional Inward Data B Channel TYPES			UEPPP	PR7BD	0.00	15.48				-	-				
CALL	Inward	-		UEPPP	PR7C1	0.00	0.00	0.00			-					
\vdash	Outward	1	-	UEPPP	PR7CO	0.00	0.00	0.00			1					-
 	Two-way			UEPPP	PR7CC	0.00	0.00	0.00			 					
Inter	office Channel Mileage	†	l —	0=111	. 117.50	0.00	0.00	0.00			 	-		1	1	t
marc	Fixed Each Including First Mile	†	l —	UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49	 	-		1	1	t
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.23	.00.02	55.70	20.00	20.40						T
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1	5.20										t
	JNE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base in place a	as of 10/2/03 ι	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	ert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	86.47										
$\vdash \vdash \vdash$	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	114.10										L
	4-Wire DS1 Digital Loop - UNE Zone 3	ļ	3	UEPDC	USLDC	297.76					ļ					
UNE	Port Rate	<u> </u>	ļ	LIERRO	LIDDA'T	21 =-	======	6== =-	100 1-	10.00	1		 		 	-
h	4-Wire DDITS Digital Trunk Port (E:4/1/2004)		<u> </u>	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98	<u> </u>					
NONE	RECURRING CHARGES - CURRENTLY COMBINED	 	<u> </u>		1					-			 	1	 	
$\sqcup \bot$	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70						<u> </u>		

HINBHINDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ONBONDE	LED NETWORK ELEMENTS - Relitucky	I		I							Svc Order	Svc Order	Incremental	Incremental		Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	<u></u>	m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC ISL	DISC Add I
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDI	ITIONAL NRCs											ļ				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	LIDTTA		45.00	45.00								
\vdash	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-	-	UEPDC	UDTTA		15.09	15.09				.				-
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLFDC	ODITE		13.09	15.09				+				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
\vdash	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 50	050		10.00	10.00			1	1				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1			1		75.50	15.50	İ		1	1	l			1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09								1
BIPO	DLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	730.00s								
Alter	nate Mark Inversion	ļ														ļ
\vdash	AMI -Superframe Format	ļ		UEPDC	MCOSF		0.00	0.00			ļ					1
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	phone Number/Trunk Group Establisment Charges				URTOV											
	Telephone Number for 2-Way Trunk Group	-	-	UEPDC UEPDC	UDTGX	0.00	0.00	0.00				1				-
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00			 	 				
\vdash	DID Numbers for each Group of 20 DID Numbers	-	-	UEPDC	ND4	0.00	0.00	0.00				 				-
	DID Numbers, Non- consecutive DID Numbers . Per Number			UEPDC	ND5	0.00	0.00	0.00				+				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			1	1				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00			İ	†				1
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita														
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41.1100	0.45	0.00	0.00								
$\vdash \vdash \vdash$	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	╂	-	UEPDC	1LNOB	0.45	0.00	0.00			-	-		-	-	
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								1
\vdash	TommallUH)	 	-	OLFDO	ILINUS	0.00	0.00	0.00			}	}	 			
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.45	0.00	0.00								I
\vdash	Local Number Portability, per DS0 Activated	t		UEPDC	LNPCP	3.15	0.00	0.00			1	1	1			†
	Central Office Termininating Point			UEPDC	CTG	0.00	5.00	5.00								1
4-WII	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	i –									İ	İ				
Systo	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on															
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
	uests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendme	nt shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					ļ
UNE	DS1 Loop	-	_	LIEDMO	LICI DO	00.4=	0.00	0.00					 			-
\vdash	4-Wire DS1 Loop - UNE Zone 1	-		UEPMG	USLDC	86.47	0.00	0.00			-	-				
$\vdash \vdash \vdash$	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	+		UEPMG UEPMG	USLDC	114.10 297.76	0.00	0.00			 	 		-	-	
LINE	DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)	3	ULFIVIG	USLDC	291.70	0.00	0.00			+	<u> </u>				
DIVE	24 DSO Channel Capacity - 1 per DS1	113)		UEPMG	VUM24	111.16	0.00	0.00			 	 				
\vdash	48 DSO Channel Capacity - 1 per 2 DS1s	 		UEPMG	VUM48	222.32	0.00	0.00								†
	96 DSO Channel Capacity -1per 4 DS1s	l –		UEPMG	VUM96	444.64	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	666.96	0.00	0.00	İ		1		l			1
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,111.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00			1	1				

UNBU	NDLEI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
O.T.DO.		THE INDICATE LEE MENTO TROMBONY										Svc Order	Svc Order	Incremental			Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	P = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—																	
							Rec		curring	Nonrecurring					Rates (\$)		
		004 000 01 1 0 1 40 004			LIEDMO) // IN 400		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00			1					
\vdash		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG	VUM4O VUM57	2,223.20 2,667.84	0.00	0.00			 					
\vdash		576 DS0 Channel Capacity -1 per 24 DS1s				VUM67	3,112,48	0.00	0.00			1					
\vdash	Non De	672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	-1:-4:-	UEPMG				0.00			 					
		num System configuration is One (1) DS1, One (1) D4 Channe						Stelli	-			1	1				\vdash
	Multiple	es of this configuration functioning as one are considered Ac	id'I afte	the m	inimum system co	nfiguration is	counted					†					
		NRC - Conversion (Currently Combined) with or without	I	tile iii	minum system co	Illiguration is	Counted.						†				
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								1
		Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat								İ					
		ot Currently Combined) in all states, except in Density Zone 1															
	,	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						1
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
		Clear Channel Capability Format - Extended Superframe -															1
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
-	F1	Extended Superframe Format		D	UEPMG	MCOPO	0.00	0.00	0.00			1					
		ge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports	on with	Port		+		-	-				-				
\vdash	EXCITATI	Line Side Combination Channelized PBX Trunk Port - Business										 	-				
		(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						1
		Line Side Outward Channelized PBX Trunk Port - Business			OLFFX	OLFCX	1.13	0.00	0.00	0.00	0.00	<u> </u>			1		
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						1
		Line Side Inward Only Channelized PBX Trunk Port without DID			OLI I X	02.0%	0	0.00	0.00	0.00	0.00	İ					
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						1
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						1
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															1
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															1
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															1
—		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	LIEDOV/	4.45	0.00	0.00	0.00	0.00						
-		Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00	 					
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan (E:4/1/2004)	1		UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						[
\vdash	Feature	Activations - Unbundled Loop Concentration		-	OLI FA	OLFOW	1.15	0.00	0.00	0.00	0.00	 			 		\vdash
	. cature	Feature (Service) Activation for each Line Port Terminated in D4	l			1	†	-	I			1	 				
		Bank	1		UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						[
		Feature (Service) Activation for each Trunk Port Terminated in				1	5.02		12		0				İ		
		D4 Bank	1		UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						į l
		one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers	ļ		UEPPX	ND6	0.00	0.00	0.00			ļ			ļ		└──
\vdash		Reserve DID Numbers	ļ		UEPPX	NDV	0.00	0.00	0.00			ļ					
\vdash	Local N	lumber Portability	ļ		LIEDDY	LNDCS	L					ļ					
\vdash	A T' -	Local Number Portability - 1 per port	 		UEPPX	LNPCP	3.15	0.00	0.00			ļ		 	.	-	\vdash
		RES - Vertical and Optional	 			+	1	 	 			 	1	-	 	-	\vdash
\vdash		witching Features Offered with Line Side Ports Only All Features Available		-	UEPPX	UEPVF	0.00	0.00	0.00								\vdash
UNRUM		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	s S		OLFFA	ULF VF	0.00	0.00	0.00			1	H	l	 	l	\vdash
		Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local 9	witching or Su	witch Ports			1	H	l	 	l	\vdash
	0031	in applied where believed to required by 1 00	and, or	Julio (inobion rate to	p. Struc Silb	aaioa Eoodi C						1	L	1	L	

UNBU	NDLEI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: A
		· · · · · · · · · · · · · · · · · · ·										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ			 	Nonred		Monroourring	Disconnect			220	Rates (\$)		
-							Rec	First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2 Feat	res shall apply to the Unbundled Port/Loop Combination - C	oet Ras	ed Pat	e section in the sam	e manner as	they are annlie						SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions.		
	4. The 1	irst and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s. the nonrecu	rring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		Iso and are categorized accordingly.						,	3				3	,			
		set Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notice	э.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					4==0										
		Non-Design		2	UEP91		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		31.74										
-	LINE D	ort/Loop Combination Rates (Design)		3	OLF91		31.74										
	OILE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													
		Design		1	UEP91		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		34.37										
		op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	9.64										
-		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	30.59 12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
-		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	33.22										
	UNE Po				OLI SI	02002	00.22										
		es (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
-		Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
-		Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
		Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						
—		2-Wire Voice Grade Port terminated in on Megalink or equivalent	†	 	02101	J_1 12	1.13	21.23	13.43	2.00	2.01	 	 				
		- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67	1	1				
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1	i i													
<u></u>		Basic Local Area		<u>L</u>	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67						
	AL, KY,	LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67						
-		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67	1	1				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		 	OLF91	UEPQIVI	1.15	21.29	15.49	2.85	2.07						
		Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67	1	1				
—			l	t				220	.5.70	2.30	2.01						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local S	witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873										
	Local N	lumber Portability	1	<u> </u>	LIEDO4	LNDCC											
<u> </u>	Feature	Local Number Portability (1 per port)		 	UEP91	LNPCC	0.35										
Ь	reature	15	I	I		l				l		l	l				

	UNBL	JNDLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATECORY RATE CLIMENTS May 18 June 19	0.1.2												Svc Order	Svc Order				Incremental
RATE GLENDITY RATE G																		
ATTEMPT BATTER EMPRIS BATTER FLEMENTS				Intori									1		_			
Record R	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
No. No.														"				
Mile																		
Miller destructe Circles part point Miller State Miller Stat					ļ			1										
M. Scartistal Festivation Client, due priori	-				ļ			Rec										
All Series Testimes Direct on proof USPP1 USPVC 0.00 400	-		N.O. 1 15 1 0%		1	115504			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
All Contrats Contrat Recursion Price (page of point) UPPY UPPY UPPY UPPY UNIVERSITY	-	-		-	-				405.00									
MASS	-	1			1				405.66									
Unbounded National Access Register - Continuation E-EPPS UNRIX 0.03 0.00 0	-	NADO	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0.00										
Cinclanded National Access Register - Indial UEPP1 UAPTX 0.00	-	INAKS	Unbundled Network Assess Begister, Combination		-	LIEDO1	LIABOV	0.00	0.00	0.00	0.00	0.00	-					
Lineardinal National Access Register - Outstand 1,6991 1,090 1,000 0.		+		-	 								1					
Miscelansous Terminations		1			1								-					
2000 Trunk Side		Miscell			1	OLI OI	O/ II CO/C	0.00	0.00	0.00	0.00	0.00	†	1				
Trans See Terminations, each SEP11 SENS SE16 S.30					1								1					
Interoffice Channel Miseage - 2-Wise						UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interesting Channel Facilities Terminations - Vices Grade UEP91 MTGBM 0.01		Interoff		1	1	-	1	10.01			5	2.50			l	İ	l	
Intercitios Character infeace, per mise of infactor of mise				i –	1	UEP91	M1GBC	29.11								1		
December 8 Bank Feature Activations December 1 Dece								0.01										
December 8 Bank Feature Activations December 1 Dece		Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
Feature Activation on D-4 Channel Bank FX Ine Side Loop Side UEP91 IPOWR 0.62		D4 Cha																
Feature Activation on D4 Channel Bank FX Trunk Side Loop UEP91 1POW7 0.62			Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
Feature Activation on D4 Channel Bank FX Trunk Side Loop UEP91 1POW7 0.62																		
Slote Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWP 0.82						UEP91	1PQW6	0.62										
Feature Activation on D4 Channel Bank Centrox Loop Stot UEP91 1PQWP 0.62																		
Different Wire Center						UEP91	1PQW7	0.62										
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.62																		
Feature Artivation on D-4 Channel Bank NJ is LineFitnik Loop UEP91 IFOWO 0.62	-		Different Wire Center		ļ	UEP91	1PQWP	0.62										
Feature Artivation on D-4 Channel Bank NJ is LineFitnik Loop UEP91 IFOWO 0.62							4501457											
Slot	-				1	UEP91	1PQWV	0.62										
Feature Activation on 0-4 Channel Bank WATS Loop Stot UEP91 IPOWA 0.62						LIEDOA	4001110	0.00										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex UEP91 USAC2	-	1	0.00		1													
Conversion - Currentry Combined Switch-As-les with allowed		Non-Po		-	1	UEP91	IPQWA	0.62					-					
Changes, per port UEP91 USAC2 0.102	-	NOII-RE			-		-						-					
Conversion of Existing Centrex Common Block UEP91 USACN 18.95 8.32						LIED01	LIGACO		0.102	0.102								
New Centrex Customized Common Block		1			1								-					
New Centrex Customized Common Block					1			0.00			111.05	13 27	1					
Secondary Block, per Block UEP91		1																
NAR Establishment Charge, Per Occasion		1																
Additional Non-Recurring Charges (NRC)					1			0.00										
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP91 URETL 8.33 0.83		Additio																
Unbundled Miscellaneous Rate Element, Tag Design Loop at UEP91					1													
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			Premise		1	UEP91	URETL		8.33	0.83								
End Use Premise			Unbundled Miscellaneous Rate Element, Tag Design Loop at															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo						UEP91	URETN		11.21	1.10								
UNE Port/Loop Combination Rates (Non-Design)																		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				1	1		1											
Non-Design		UNE Po		<u> </u>	1		1									ļ		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP95 15.52	1			1		l								1				
Non-Design 2 UEP95 15.52		1		.	1	UEP95	4	10.79										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP95 31.74 Non-Design 3 UEP95 31.74 Non-Design 3 UEP95 31.74 Non-Design 3 UEP95 31.74 Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 13.82 Non-Design 1 UEP95 Non-D	1			1	_	LIEDOS								1				
Non-Design 3 UEP95 31.74	<u> </u>	1		-	2	UEP95	+	15.52			<u> </u>		-		 	ļ	 	
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82	1			1		LIEDOE		24.74						1				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	<u> </u>	LINE		!	3	UEP95	+	31.74			-			 	 	 	 	
Design	-	UNE PO		+	+		+						-	-				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2 UEP95 18.60				1	1	LIED05		12 02						1				
Design 2 UEP95 18.60	-	 		 	+-	OL1 30	+	13.02			 			 		 		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 3 UEP95 34.37					2	UEP95		18.60										
Design 3 UEP95 34.37		†	9	t	 		+	10.00					 	 				
UNE Loop Rate Image: Company of the Compa	1			1	3	UEP95		34.37						1				
2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP95 UECS1 9.64		UNE Lo			Ť		1	201			1					İ		
		1		i –	1	UEP95	UECS1	9.64								1		
		1		i –	2			14.37								1		

INBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	ibit: A
, NOONDE.				1							Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	33.22										
UNE I	Port Rate															
All St																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1 2	0	20				1			İ	İ	İ
	Center)2,3 Basic Local Area	1		UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				1 2	0	20				1			İ	İ	İ
	Service Term - Basic Local Area	1		UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	†			1	5	220	.5.70	2.30	2.57			 		i	1
	- Basic Local Area	1		UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			02. 00	02 0	0	21.20	10.10	2.00	2.07						
	Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
AI.K	Y, LA, MS, SC, & TN Only			02. 00	022	0	21.20	101.10	2.00	2.01	†					1
AL, IX	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Fort (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67	†					1
	2-Wire Voice Grade Port (Centrex With Galler 12)			021 00	OLI QII	1.10	21.20	10.40	2.00	2.07	†					1
	Center)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 30	OLI QIVI	1.10	21.20	10.40	2.00	2.07						+
	Term 2.3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	16111 2,5			OLI 33	OLI QZ	1.10	21.23	10.40	2.00	2.07						+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated in 60 Megalink of equivalent			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67				1		
Local	Switching			OLI 33	OLI QZ	1.10	21.23	10.40	2.00	2.07				1		
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										+
Local	Number Portability			OLI 33	ONLOG	0.0073										+
Local	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										+
Featu				OLI 33	LIVI CC	0.55					1			1		
1 catu	All Standard Features Offered, per port		-	UEP95	UEPVF	0.00			 						1	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66									+
	All Centrex Control Features Offered, per port		-	UEP95	UEPVC	0.00	403.00		 						1	
NARS				OLI 33	OLI VO	0.00										+
IVANO	Unbundled Network Access Register - Combination	 	 	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				1	 	†
	Unbundled Network Access Register - Indial		-	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					1	
+	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	 		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	H		 	1	 	†
Misso	ellaneous Terminations	 		OE1 30	UNITON	0.00	0.00	0.00	0.00	0.00	H		 	1	 	†
	e Trunk Side	 			+				 	 	H		 	1	 	1
2-4411	Trunk Side Terminations, each	 	 	UEP95	CEND6	10.51	92.18	15.82	52.16	5.30				1	 	†
/_\N/i+	e Digital (1.544 Megabits)	1		OL1 30	OLIVDO	10.51	32.10	13.02	32.10	5.30	 		l	1	1	ł
-+- AA II.	DS1 Circuit Terminations, each	 	 	UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86				1	 	†
+	DS0 Channels Activated, each	 		UEP95	M1HD0	0.00	15.09	11.14	00.09	3.00	H		 	1	 	1
Intere	office Channel Mileage - 2-Wire	 		OE1 30	IVITIDO	0.00	10.09		 	 	H		 	1	 	1
interc	Interoffice Channel Facilities Termination	 	 	UEP95	M1GBC	29.11			 	 				1	 	†
+	Interoffice Channel mileage, per mile or fraction of mile	 		UEP95	M1GBM	0.01			 	 	H		 	1	 	1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OE1 30	IVITODIVI	0.01			 	 	H		 	1	 	1
	nannel Bank Feature Activations	ĩ	 		+ +				+					†		†
D4 C1	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 		UEP95	1PQWS	0.62			 	 	H		 	1	 	1
+	- Cataro , ouvation on b 4 chariner bank denties boop diot	 		021 00	11 9 7 7 0	0.02			 	 	H		 	1	 	†
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.62			I							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	 		OL1 33	11 Q V V U	0.02			 	 	1			 	 	
	Slot	1		UEP95	1PQW7	0.62			I							
		 	 	021 00	11 02 11 1	0.02			 	 	1		 	 		†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												1		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	l	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11131	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port	ļ		UEP95	USAC2		0.102	0.102								
\vdash		Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	18.95	8.32	444.05	40.07						
-		New Centrex Standard Common Block New Centrex Customized Common Block			UEP95 UEP95	M1ACS M1ACC	0.00	669.80 669.80	78.32 78.32	111.05 111.05	13.27 13.27		-				
\vdash		NAR Establishment Charge, Per Occasion	1		UEP95 UEP95	URECA	0.00	72.75	10.32	111.05	13.27			 	 	 	
	Additio	onal Non-Recurring Charges (NRC)	 		OLI 30	UNLOA	0.00	12.15		+		-			t		
 		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	†				1			I		 	-		I	 	
		Premise			UEP95	URETL		8.33	0.83	1					I		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1			1		2.20	2.30	1			1	İ	1	İ	
		End Use Premise	<u></u>		UEP95	URETN		11.21	1.10	<u> </u>					<u> </u>		
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	JNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design		1	UEP9D		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo			LIEDOD		45.50										
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	+	15.52			-			-				
		Non-Design		3	UEP9D		31.74										
	JNF P	ort/Loop Combination Rates (Design)			OLI 3D	+	31.74										
	J. V.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		34.37										
\vdash	JNE L	pop Rate	ļ														
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	2	UEP9D UEP9D	UECS1 UECS1	14.37 30.59			 		1		 	 	 	
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D UEP9D	UECS1	12.67			 		 	1	 	 	 	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP9D	UECS2	17.45			t		H		 	t	 	
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	33.22			†		t	†	1	†	1	
	JNE P	ort Rate		Ť	05	32002	00.22			1				İ	1	İ	
		TATES															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67						
	•	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67						
1 T		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			l					_				1	_		
\vdash		Area	ļ		UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67				ļ		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	LIEDVD	4.45	04.00	45.40	0.05	0.07				I		
\vdash		Area	1	-	UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67	1		 	 	 	
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67				1		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	 		OLI 3D	OLI IL	1.13	21.29	15.49	2.00	2.07	-		 	t	 	
		Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67				1		
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	†					220	.0.10	2.50	2.57	1		1	1	1	
		Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67				I		
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area	ļ		UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						
1 T		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1												_		
		Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67			l	L]	

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
ONDO		THE THORK ELEMENTO HOMONY										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urrina	Monrocurring	n Disconnoct			088	Rates (\$)		
-				-			Rec	First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local						11130	Auu i	11130	Addi	JOINEO	JOINAIN	JONIAN	JONIAN	JONAN	JOINAIN
		Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
		Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															1
		Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						1
-		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLI 3D	OLI IVV	1.10	21.23	13.43	2.00	2.07						
		Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	ĺ														
		2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						igspace
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDY C		04.00	45.40	0.5-	0.00						1
<u> </u>		Basic Local Area 2 Wire Voice Grade Bort (Centray/differ SWC /EBS M5000)2 2 4	-		UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67	1	-				\vdash
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						1 1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI 3D	OLI II	1.13	21.23	13.43	2.00	2.07						
		Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
		Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															1
-		Basic Local Area		-	UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		-				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLI 14	1.10	21.20	10.40	2.00	2.07						
		Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
		Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4				l											
_		Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	OLI 12	1.10	21.20	10.40	2.00	2.07						
		Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
	AL, KY	, LA, MS, SC, & TN Only			LIEDOD	LIEBOA	4.45	04.00	45.40	0.05	0.07						
<u> </u>		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						\vdash
\vdash		2-Wire Voice Grade Port (Centrex 500 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67	 					\vdash
		2-Wire Voice Grade Fort (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
L		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						igsquare
<u> </u>		2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-	-	UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67	ļ	-				\vdash
-		2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4	-		UEP9D UEP9D	UEPQU UEPQV	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	1	 				\vdash
		2-Wire Voice Grade Port (Centrex / EBS-N5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	1					
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67	ļ					
<u> </u>		2-Wire Voice Grade Port (Centrey/Msg Wtg Lamp Indication)4	-	-	UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67	ļ	-				\vdash
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						[
—		2,0			OLI 3D	OLF QIVI	1.15	21.29	13.49	2.00	2.07	 					\vdash
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						[
		, , , , , ,	ĺ														
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67						

	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
	NETWORK ELEMENTO Remadky	l									Svc Order	Svc Order	Incremental	Incremental		Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	P = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							N.		. N	B'				D-1 (A)		
\longrightarrow						Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	001141	001441
\longrightarrow							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
	2-Wile Voice Grade Fort (Centrexuller SWC/LB3-3209)2,3,4			OLFBD	ULFQQ	1.13	21.29	13.45	2.03	2.07	<u> </u>					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
	, ,,,,										İ					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
\vdash	2-vvire voice Grade Port (CentreX/differ SWC /EBS-M5216)2,3,4	 	\vdash	UEP9D	UEPQb	1.15	21.29	15.49	2.85	2.67	1	-	1	1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	\vdash	J_1 JD	OL: 0/	1.13	21.23	15.45	2.00	2.07	1	-				
	Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local	Switching															
1 1	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
Local	Number Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						-				
Feature				UEP9D	LINECC	0.35						-				
reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66				İ					
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
<u> </u>	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		-				
4-Wire	Digital (1.544 Megabits)			OLI 3D	CLINDO	10.51	32.10	13.02	32.10	3.30						
4 11110	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		1				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09		00.00							
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11										
\vdash	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	\vdash								<u> </u>	1	ļ	ļ		
D4 Cha	Annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	\vdash	UEP9D	1PQWS	0.62					1	1	-	-		
\vdash	r eature Activation on D-4 Channel Bank Centrex Loop Slot	 		OLFAD	IFUVO	0.62					1	-	1	1		
1 1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 0000	0.02						1				
	Slot	1		UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						İ									
	Different Wire Center			UEP9D	1PQWP	0.62										
		l											l	l		
$\vdash \vdash \vdash$	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	\vdash	UEP9D	1PQWV	0.62						1	ļ	ļ		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		UEP9D	1PQWQ	0.00										
\vdash	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 	\vdash	UEP9D UEP9D	1PQWQ 1PQWA	0.62 0.62					1	1	-	-		-
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex	1	\vdash	OLFBD	IFQVVA	0.02	-				1	 	 	 		
NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed	 	\vdash		+						1	-				
	changes, per port	1		UEP9D	USAC2		0.102	0.102								
	Conversion of existing Centrex Common Block, each	ĺ		UEP9D	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						

CATEGORY New C. NAR E. Additional Noi Unbun Premis Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Looj 2-Wire Non-Dc 2-Wire Non-Dc 1-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 1-Wire Design 2-Wire Design 1-Wire De	Indled Miscellaneous Rate Element, Tag Design Loop at Use Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) Dop/2-Wire Voice Grade Port (Centrex) Combo OP Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design op Combination Rates (Design)	Interi	Zone	BCS UEP9D UEP9D UEP9D UEP9D	USOC M1ACC URECA URETL URETN	Rec 0.00 0.00	Nonrec First 669.80 72.75 8.33	Add'I 78.32	Nonrecurring First 111.05	Disconnect Add'l 13.27	Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN		Charge -
New Cri NAR E. Additional Noi Unbun Premis Unbun Lined Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Design 2-Wire	Centrex Customized Common Block Establishment Charge, Per Occasion on-Recurring Charges (NRC) Indled Miscellaneous Rate Element, Tag Loop at End Use ise Indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise IREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) INDIPICATION TO COMB		1	UEP9D UEP9D UEP9D	M1ACC URECA URETL	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
New Cri NAR E. Additional Noi Unbun Premis Unbun Lined Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Design 2-Wire	Centrex Customized Common Block Establishment Charge, Per Occasion on-Recurring Charges (NRC) Indled Miscellaneous Rate Element, Tag Loop at End Use ise Indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise IREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) INDIPICATION TO COMB		1	UEP9D UEP9D UEP9D	M1ACC URECA URETL	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
New Cr. NAR E. Additional Noi Unbun Premis Unbun Lined Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Design 2-Wire	Centrex Customized Common Block Establishment Charge, Per Occasion on-Recurring Charges (NRC) Indled Miscellaneous Rate Element, Tag Loop at End Use ise Indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise IREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) INDIPICATION TO COMB		1	UEP9D UEP9D UEP9D	M1ACC URECA URETL	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l		per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
NAR E Additional Noi Unbun Premisi Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Design 2-Wire Design 2-Wire	Establishment Charge, Per Occasion on-Recurring Charges (NRC) indled Miscellaneous Rate Element, Tag Loop at End Use ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D UEP9D UEP9D	URECA	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l			Electronic- 1st	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
NAR E Additional Noi Unbun Premisi Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Design 2-Wire Design 2-Wire	Establishment Charge, Per Occasion on-Recurring Charges (NRC) indled Miscellaneous Rate Element, Tag Loop at End Use ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D UEP9D UEP9D	URECA	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l	SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add'l
NAR E Additional Noi Unbun Premisi Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Design 2-Wire	Establishment Charge, Per Occasion on-Recurring Charges (NRC) indled Miscellaneous Rate Element, Tag Loop at End Use ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D UEP9D UEP9D	URECA	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l	SOMEC	SOMAN	OSS	Rates (\$)		
NAR E Additional Noi Unbun Premisi Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Design 2-Wire	Establishment Charge, Per Occasion on-Recurring Charges (NRC) indled Miscellaneous Rate Element, Tag Loop at End Use ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D UEP9D UEP9D	URECA	0.00	First 669.80 72.75	Add'I 78.32	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
NAR E Additional Noi Unbun Premisi Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Design 2-Wire	Establishment Charge, Per Occasion on-Recurring Charges (NRC) indled Miscellaneous Rate Element, Tag Loop at End Use ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D UEP9D UEP9D	URECA		669.80 72.75 8.33	78.32			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NAR E Additional Noi Unbun Premisi Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Non-Do 2-Wire UNE-Port/Loo 2-Wire Non-Do 2-Wire Design 2-Wire	Establishment Charge, Per Occasion on-Recurring Charges (NRC) indled Miscellaneous Rate Element, Tag Loop at End Use ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D UEP9D UEP9D	URECA		72.75 8.33	0.83	111.05	13.27						
Additional No Unbun Premis Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Location 2-Wire Design 2-Wire Design 2-Wire	on-Recurring Charges (NRC) incled Miscellaneous Rate Element, Tag Loop at End Use ise ise incled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) iop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design op Combination Rates (Design)		1 2	UEP9D UEP9D	URETL	0.00	8.33									
Unbun Premis Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Looj 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Design 2-Wire	indled Miscellaneous Rate Element, Tag Loop at End Use ise ise indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) 200p/2-Wire Voice Grade Port (Centrex) Combo 200p/2-Wire Voice Grade Port (Centrex) Port Combo 200p/2-Wire Voice Grade Po		1 2	UEP9D												
Premis Unbun End US UNE-P CENTR 2-Wire VG Loc UNE Port/Looj 2-Wire Non-Dc 2-Wire Non-Dc 1-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Design 2-Wire	ise Indled Miscellaneous Rate Element, Tag Design Loop at Jsse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) Dop/2-Wire Voice Grade Port (Centrex) Combo Op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design)		1 2	UEP9D												
Unbun End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc UNE Port/Loo 2-Wire Non-Dc UNE Port/Loo 2-Wire Design 2-Wire D	Indled Miscellaneous Rate Element, Tag Design Loop at Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) Dop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		1 2	UEP9D					1							1
End Us UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Design 2-Wire	Jse Premise REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) zop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design op Combination Rates (Design) e Combination Rates (Design) op Combination Pates (Design)		1 2		URETN		11.21		1							†
UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dc 2-Wire Non-Dc 2-Wire Non-Dc UNE Port/Loo UNE Port/Loo 2-Wire Design 2-Wire Design 2-Wire	REX - EWSD (Valid in AL, FL, KY, LA, MS & TN) pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		1 2					1.10								
2-Wire VG Loc UNE Port/Log 2-Wire Non-Do 2-Wire Non-Do 2-Wire Non-Do UNE Port/Log 2-Wire Design 2-Wire Design 2-Wire	pop/2-Wire Voice Grade Port (Centrex) Combo op Combination Rates (Non-Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- po Evg Loop/2-Wire Voice Grade Port (Centrex) Port Combo- po VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		1 2	UEP9E												
2-Wire Non-Dt 2-Wire Non-Dt 2-Wire Non-Dt 2-Wire Non-Dt UNE Port/Looj 2-Wire Design 2-Wire Design 2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- po		1 2	UEP9E												
Non-De 2-Wire Non-De 2-Wire Non-De UNE Port/Looj 2-Wire Design 2-Wire Design 2-Wire	Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- In		1 2	UEP9E		- 1										
2-Wire Non-De 2-Wire Non-De UNE Port/Loo 2-Wire Design 2-Wire Design 2-Wire	e VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- In		2	UEP9E	1 1	I										
Non-De 2-Wire Non-De UNE Port/Loo 2-Wire Design 2-Wire Design 2-Wire Design 2-Wire	Design e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - gn		2	1		10.79										<u> </u>
2-Wire Non-Do UNE Port/Looj 2-Wire Design 2-Wire Design 2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- In		2					·					l			
Non-De UNE Port/Loo 2-Wire Design 2-Wire Design 2-Wire Design 2-Wire	Design op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- n			UEP9E		15.52										<u> </u>
UNE Port/Looj 2-Wire Design 2-Wire Design 2-Wire Design 2-Wire	op Combination Rates (Design) e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			l												
2-Wire Design 2-Wire Design 2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		3	UEP9E		31.74										
Design 2-Wire Design 2-Wire	n l															ļ
2-Wire Design 2-Wire				LIEDOE		40.00										
Design 2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - [1	UEP9E		13.82										ļ
2-Wire			2	LIEDOE		40.00										
	gn e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E	+	18.60					-	-				
Design			3	UEP9E		34.37										
UNE Loop Rat			3	OLF 9L	+	34.37										1
	e Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										
	e Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	14.37										
	e Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	30.59										
	e Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	12.67										
	e Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										
2-Wire	e Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										
UNE Port Rate	te															
	_A, MS, & TN only															
	e Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port (Centrex 800 termination)Basic Local															
Area				UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	LIED.			.=								
Area	Naise Conde Dark (Contract for the 1977 Condition 1977)		<u> </u>	UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67			 			
	re Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVM	4.45	04.00	45.40	0.05	0.07						
	er)2,3 Basic Local Area re Voice Grade Port, Diff Serving Wire Center 2,3 - 800		-	UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						-
	ce Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port terminated in on Megalink or equivalent		 	OLI SL	ULFIZ	1.15	21.29	15.49	2.00	2.07						
	ic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port Terminated on 800 Service Term -		l —		02.10	1.10	21.20	10.40	2.00	2.01	-	-				†
	Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY, LA, M			Ì		1		0	.5.10			İ	İ	l			
	e Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port (Centrex from diff Serving Wire				1								l			
Center			<u> </u>	UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67						ļ
	e Voice Grade Port, Diff Serving Wire Center 2,3 - 800			l	1											
Service	ce Term		<u> </u>	UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	William Could Breathand to the Country of the Count			LIEBOE	LIEDGS											
	e Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	e Voice Grade Port Terminated on 800 Service Term		-	UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						-
Local Switchin			-	UEP9E	URECS	0.8873										
Local Number	rex Intercom Funtionality, per port			UEP9E	UKEUS	0.8873					-	-	-			

UNBUNDU	ED NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
ONDONDE	LD NETWORK ELEMENTO Remacky	I		I	1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ														
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Land North - Dorth 21 - (4)	1	-	UEP9E	LNPCC	0.35	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featu	Local Number Portability (1 per port)	+	-	UEP9E	LINPCC	0.35					-					
reatu	All Standard Features Offered, per port	1	-	UEP9E	UEPVF	0.00					-					
	All Select Features Offered, per port	1	-	UEP9E	UEPVS	0.00	405.66				-					
	All Centrex Control Features Offered, per port	+		UEP9E	UEPVC	0.00	403.00									
NARS		1		OLI SL	OLI VO	0.00										
10	Unbundled Network Access Register - Combination	1		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	1		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each	ļ		UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wir	e Digital (1.544 Megabits)	ļ		LIEBAE	1,,,,,,,,,,		101							ļ		
	DS1 Circuit Terminations, each	1		UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86	1				ļ	
last	DS0 Channel Activated Per Channel office Channel Mileage - 2-Wire	 	-	UEP9E	M1HDO	0.00	15.09							 	 	
Interc	Interoffice Channel Facilities Termination	+		UEP9E	M1GBC	29.11						-				
	Interoffice Channel mileage, per mile or fraction of mile	+		UEP9E	M1GBM	0.01					1					
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Servi	CE		OLFBL	IVITGBIVI	0.01					1					
	hannel Bank Feature Activations	T			+											
15.70.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										
						2.02										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.62										
	Endow Add at the D. A. Ohmand Bank Britan Live Land Old			LIEDOE	4500407	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+		UEP9E	1PQWQ	0.62					1					
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	1		OLI SL	II QWA	0.02										
	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
Addit	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise	1	-	UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								
LINE	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	+		OLFBL	OKLIN		11.21	1.10			1					
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+						-					
	Port/Loop Combination Rates (Non-Design)	1			1									1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-			1							İ			1	l
I	Non-Design	<u></u>	1	UEP93		10.79					<u> </u>	<u></u>		<u> </u>	<u></u>	<u></u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	- [
	Non-Design	1	2	UEP93		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	·		l												
	Non-Design	1	3	UEP93		31.74										
UNE	Port/Loop Combination Rates (Design)	 	-		+									!	-	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	4	UEP93	1	13.82										
 	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	OFLAS	+	13.82	-				 	1		 	 	
	Design		2	UEP93		18.60										
1	1			1 00		.0.00				1		1	1	1		

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		•										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			to to at									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
		····	m						(+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-				Manaa		Managarini	. Dianamant		l	222	Detec (6)		
				<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		34.37										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37					1	1	1			†
-				3	UEP93	UECS1	30.59						<u> </u>				
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3									ļ				
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
\Box	UNE P	ort Rate	\Box	\perp													
	AL, KY	, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		i .	i e	1	l	
		2-Wire Voice Grade Port (Centrex) Basic Educatived 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1		1	0	220	10.10	2.50	2.51	1	1	1	1	l	
1		Area	l	1	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		1			1	1
-				+	OLF 33	OLF (D	1.15	21.29	15.49	2.65	2.07	1	-	 	1	-	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOO	LIEDY"							1				1
		Area		 	UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		ļ	ļ			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent											1				
		- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
				1	UEF93	UEF19	1.15	21.29	15.49	2.00	2.07		-		-		
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						<u> </u>
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49		2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49		2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		† 	02. 00	02. Q	0	21120	10.10	2.00	2.01		1		1		
		Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
-		Service Terrii		+	UEF93	UEPQZ	1.13	21.29	15.49	2.00	2.07	-	 		1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35					İ	ĺ	1			
	Feature												1				
	· outur	All Standard Features Offered, per port		1	UEP93	UEPVF	0.00										
—			-	+		UEPVF				1		1	1	1	1	 	
	NIADO	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00					1	 	1	 		
<u> </u>	NARS			1		LUADO::							 	!	ļ	 	
		Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00		0.00	1	ļ	ļ			
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00		0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						1
	Miscell	aneous Terminations															
		Trunk Side				1						İ	İ	i e	Ì	i	
		Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	İ	İ	i e	Ì	i	
—	4-Wire	Digital (1.544 Megabits)	—	+		5250	10.01	52.10	10.02	02.10	0.00	1	 	 	 	 	
—		DS1 Circuit Terminations, each	-	+	UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86	1	1	1	1	 	
				+					11.14	60.09	3.86	1	-	 	+	-	
<u> </u>	Landa C	DS0 Channels Activated, Per Channel		+	UEP93	M1HDO	0.00	15.09				 	 	 	}	 	
	interof	ice Channel Mileage - 2-Wire		 		1				ļ			ļ	ļ			
		Interoffice Channel Facilities Termination		1	UEP93	M1GBC	29.11							ļ			
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62										
l		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						1				1
							0.02					-					

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per LSK	per LSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port				İ									
Note 4	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Condition	ns.									

Version 3Q03: 11/12/2003 Page 155 of 348

	INIE: =	D NETWORK ELEMENTO												1			
UNB	JNDLE	D NETWORK ELEMENTS - Louisiana										Ι	T -		ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OAIL	00	NATE ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac iat	Disc Add I
							Rec		curring		Disconnect				Rates (\$)		
-	-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	!
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	. ,			• •								
OPER		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													1		
		(1) CLEC should contact its contract negotiator if it prefers th															
		ither the state specific Commission ordered rates for the servi f the 9 states.	ice orae	ring cr	narges, or CLEC may	elect the re	gional service o	ordering charg	je, nowever, Ci	.EC can not or	itain a mixture	of the two	regardiess i	f CLEC nas a	Interconnecti	on contract e	stabiisned in
		(2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				001150											
-	+	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		-		SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as appli	cable.										
					LIAL LIFANIL LICI												
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINIBLI	NDI ED I	Day		-	U1TUB, U1TUA	SDASP		200.00									
ONRO		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP	-	 					1			1			 		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87								
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87								
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL UEANL	UEASL UEASL	12.90 23.33	36.54 36.54	16.87 16.87			-			 		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	48.43	36.54	16.87			†					
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>			.5.10	22.01	15.01						1		
		Premise			UEANL	URETL		8.33	0.83								
	1	Loop Testing - Basic 1st Half Hour		<u> </u>	UEANL	URET1		33.17	33.17			-					
		Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA	<u> </u>	19.28	19.28			<u> </u>	<u> </u>	<u> </u>	l		l

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
3.150		Sitt EEEMENTO Evaluation					I					Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		47.50	17.56								
	2 WIDE	I(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56			-					-
	Z-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60			-					-
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	14.32	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	16.87	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	0_0	JEGZA	10.07	55.21	13.00			-	†		I		
		Premise			UEQ	URETL		8.33	0.83				1		I		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			,			2.00	2.00					İ	1	İ	İ
		Non-Designed (per loop)			UEQ	USBMC		7.92	7.92						1		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for												1		1	1
L		BST providing make-up (Engineering Information - E.I.)	<u> </u>		UEQ	UEQMU		13.04	13.04				<u> </u>		<u> </u>		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.			40.00										
		Zone 1		- 1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00	-					
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	10.07	0.00	0.00				-		
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OLADO	20.00	30.34	10.07	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0 02. 03	027.20	10.10	00.01		0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
UNBUN	DLED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72		<u> </u>				<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72						ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			l			400 :-					1		I		
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72						-		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	-	-	UEA	OCOSL		17.56						 	 	 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	14.93	102.10	65.72				1		I		
\vdash		Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	1	UEA	UEAK2	14.93	102.10	05.72			-	-		+		
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72				1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	H		OLA.	JEANA	20.00	102.10	05.72					 	t	 	
		Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72				1		I		
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.40	17.56	33.72					İ	1	İ	İ
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30			İ	İ		1		
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		_1	UEA	UEAL4	30.81	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

UNBI	JNDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
0			1									Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec		Nonrecurring			_		Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1	ļ		UDN	U1L2X	22.09	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 3	ļ		UDN	U1L2X	65.18	113.34	76.96								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									\vdash
-	O MUDE	CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI E		UDN	UREWO		91.49	44.09								
-	2-WIRE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOP		+				-							
		& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
-	-	2 Wire Unbundled ADSL Loop including manual service inquiry	-	-	UAL	UALZA	12.29	117.00	00.30	-							
		& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								[
\vdash	 	2 Wire Unbundled ADSL Loop including manual service inquiry	 		UAL	UALZA	14.09	117.08	00.30						 	l	
1	1	& facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36				1				1
	 	Order Coordination for Specified Conversion Time (per LSR)	 	-	UAL	OCOSL	15.75	17.56	00.30						 	 	
-	†	2 Wire Unbundled ADSL Loop without manual service inquiry &	 		J, (L	00001		17.50					-		 		
1	1	facility reservaton - Zone 1	1	1	UAL	UAL2W	12.29	92.83	56.02				1				1
	l -	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	<u> </u>		J	12.23	02.00	00.02						i	 	
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservation - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	i	2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry															1
		& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	ļ	1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry		_			44.50										
		and facility reservation - Zone 2	1	2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry		3			40.74	404.04	04.40								
-		and facility reservation - Zone 3	<u> </u>	0	UHL	UHL2W	12.74	101.24	64.43								
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	OCOSL		17.56	40.34			-					
	4-WIPE	ICLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOR	UHL	UREWO		86.00	40.34								
-	VVIRE	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDLE L	1000		+				-					-	-	
1	1	and facility reservation - Zone 1	1	1	UHL	UHL4X	16.24	153.26	104.54				1				[]
-	†	4-Wire Unbundled HDSL Loop including manual service inquiry	 	-	OI IL	OI IL+A	10.24	100.20	104.34				-		 		
1	1	and facility reservation - Zone 2	1	2	UHL	UHL4X	16.65	153.26	104.54				1				[]
 	1	4-Wire Unbundled HDSL Loop including manual service inquiry	1	-		J //	10.00	100.20	10-1.0-			-	 				
		and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		17.56									
	1	4-Wire Unbundled HDSL Loop without manual service inquiry	1	Ì		1						İ			İ	l	
	1	and facility reservation - Zone 1	1	1	UHL	UHL4W	16.24	129.00	92.20				1				1
		4-Wire Unbundled HDSL Loop without manual service inquiry		İ					-						1		
	<u></u>	and facility reservation - Zone 2	<u></u>	2	UHL	UHL4W	16.65	129.00	92.20			<u> </u>	<u></u>		<u> </u>	<u></u>	<u>1 </u>
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	4-WIRE	DS1 DIGITAL LOOP	ļ												ļ		1
	<u> </u>	4-Wire DS1 Digital Loop - Zone 1	<u> </u>		USL	USLXX	85.70	245.16	152.98								
<u> </u>	!	4-Wire DS1 Digital Loop - Zone 2	!	2		USLXX	194.96	245.16	152.98				ļ		-	 	—
<u> </u>	!	4-Wire DS1 Digital Loop - Zone 3	!		USL	USLXX	491.94	245.16	152.98				ļ		-	 	—
<u> </u>	l	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	USL	OCOSL		17.56				ı	l		L	l	

ACTEGORY RATE ELEMENTS RES RES ROTE ROTE ROTE ROTE ROTE ROTE ROTE ROTE	UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
ATE SERIENTS RATE ELEMENTS RATE SERIENTS RATE SE												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
RATE FLEMENTS			1	1								I .					Charge -
CATEGORY RAYE ELEMENTS Image Some Content Co																	
Big Big Big	CATEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES (\$)								
Section Sect		10.112 ====	m			0000			== (+)			per LSR	per LSR				Order vs.
Proceedings																	Electronic-
More 1962 1,000														1st	Add'l	Disc 1st	Disc Add'l
Column C						+		Nonrec	urring	Nonrecurring	Disconnect	1	1	OSS	Rates (\$)	l	
CLECK DISECT Comments Charge actions and state depatch USC.						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Aware Unamented Digital Lock of Sides 2 - 2019 1		CLEC to CLEC Conversion Charge without outside dispatch			LISI	LIREWO				11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
4 Year Unbrundled Operat 12 Kipps	4-WIF				002	O. LETTO		100.00	12.00			İ					
A Wile Unbroaded Opport 192 Ribos	1			1	UDI	UDI 19	30.99	121.86	85 48			İ					
4 Vites Unburded Digital 12 Kibos 1.00												†					
A Vivo Unbrunded Digital Long 6th Ripps_2-Zene 1												1	†				
4 Year Unbunded Digital Long 68 Kips _ Zene 2												1	†				
A Vivi Culturalizat Digital Loop 68 (Spz. 2 Zere 3 2 UDC. U												1	†				——
Order Coordination for Septimized Conversion Free (per LSR) UPL OCCSS. 17.56 8.46												1					
A Wine Introducid Organization of Response - Zone 1 1 D/DL D/DL64 30.99 121.86 85.48				3			30.32		05.40				1				
4 Wite Unburnded Digital Loop 6 KRipes - Zone 2 2 DUCL				1			30.00		0E 10				1				
A Wile Unbounded Digital Loop 64 (Note) - Zone 3 3 DCL DCL64 36.92 121.86 56.48													1				
Order Coordination for Specified Convention Time (per LSR)													1				
CLEC to CLEC Conversion Charge webout outside dispatch UDL UREWO 101.07 49.67				3			30.92		05.40				1				
2 WINE Unburndled COPPER LOOP 1 U.C. U.C.PB 12.29 116.18 67.46			-						40.67			1					
2-Wire Unburneded Capper Loop-Designed including manual service inquiry & facility reservation. Zone 3 1 UCL UCLPB 12:29 116:18 67:46	0.14/15		-		UDL	UKEWU		101.97	49.07			-					
Service Inquiry & Stacility reservation - Zone 1	2-9911		-			-						-					
2/Wer Unburnded Copper Loop-Designed including manual service inquiry 8 facility reservation 2 and 2 manual service inquiry 8 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 manual reservation 2 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 5 manual service inquiry 5 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 7 manual service inquiry 6 manual service inquiry 7 manual service inquiry 6 manual service inquiry 7 manual service inquiry 7 manual service inquiry 8 manual se					LICI	LICLED	40.00	440.40	07.40								
Service incignity & facility reservation - Zone 2 2 UCL UCLPB 14.00 116.18 67.46			-	1	UCL	UCLPB	12.29	116.18	67.46			-					
2 Vivine Unbundled Cologor Leosop Deleganden and James Services (Local Delegander) and James Services (Local				_		LIOL DD	44.00	440.40	07.40								
Service inquity & facility reservation - Zone 3 3 UCL UCLPW 17,75 116,18 67,46 1 1 1 1 1 1 1 1 1				2	UCL	UCLPB	14.09	116.18	67.46								
Order Coordination for Unbundled Copper Loops (per loop)				_													
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1				3			15.75										
Service Inquiry and facility reservation - Zone 1					UCL	UCLMC		7.92	7.92								
2-Wire Unburdled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 14.09 91.92 55.12																	
Service inquiry and facility reservation - Zone 2				1	UCL	UCLPW	12.29	91.92	55.12								
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation -Zone 3 UCL UCLPW 15.75 91.92 55.12																	
Service inquiry and facility reservation - Zone 3				2	UCL	UCLPW	14.09	91.92	55.12								
Order Coordination for Unburdled Copper Loops (per loop)																	
CLEC to CLEC Conversion Charge without outside dispatch UCL				3			15.75										
CUCL-Des UCL UREWO 91.92 42.47					UCL	UCLMC		7.92	7.92								
A-WiRE Copper Loop-Designed including manual service inquiry 1 UCL UCL4S 22.27 138.69 90.96																	
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed michalding manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCL4S 18.95 139.69 90.96 4-Wire Copper Loop-Designed michalding manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7.92 7.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCL4W 10.04 1 UCL4W 10.05					UCL	UREWO		91.92	42.47								
and facility reservation - Zone 1	4-WIF																
4-Wire Capper Loop-Designed including manual service inquiry and facility reservation - Zone 2																	
Advire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 10.99 139.69 90.96		and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7:92 7:92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCL4W 22.27 115.43 78.63 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCL4W 18.95 115.43 78.63 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7:92 7:92 CLEC to CLEC Conversion Charge without outside dispatch UCL UREWO 91.92 42.47 UCL UREWO 91.92 42.47 LOOP MODIFICATION UAL, UHL, UCL, UEAN, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UENB, UEPSR, UENB		4-Wire Copper Loop-Designed including manual service inquiry															
And facility reservation - Zone 3		and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 5-ECL Control - Zone 3 5-ECL Control - Zone 3 5-ECL Control - Zone 3 5-ECL Control - Zone 3 5-ECL Control - Zone 3 6-ECL Control - Zone 3 6-ECL Control - Zone 3 6-ECL Control - Zone 3 6-ECL Cont		4-Wire Copper Loop-Designed including manual service inquiry															
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 5-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 7-8.63 7-8.63 7-8.63 10-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 7-92 7		and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 18.95 115.43 78.63 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 18.95 115.43 78.63 2 UCL UCL4W 10.99 115.43 78.63 115.44 78.63 115.44 78.63 115.44 78.63 115.44 78.63 115.44 78.63 115.44 78.63 115.44 78.63 115.44 78		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92					Î			
and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCL4W 10.99 115.43 78.63 UCL UCL4W 10.99 115.43 78.63 OURDING COORDING CONTROL OF THE WIRE CONTROL OF THE		4-Wire Copper Loop-Designed without manual service inquiry															
and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCL4W 10.99 115.43 78.63 Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UCLMC 7.92 7.92 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 91.92 42.47 UNBEWO 91.92 42.47 LOOP MODIFICATION UAL, UHL, UCL, UEQ, ULS, UEA, UEPSR, ULM2L 0.00 0.00 Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, ULM4L 0.00 0.00 UHL, UCL, UEA ULM4L 0.00 0.00 UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, ULM4L 0.00 0.00				1	UCL	UCL4W	22.27	115.43	78.63								
and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCL4W 10.99 115.43 78.63 Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UCLMC 7.92 7.92 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 91.92 42.47 UNBEWO 91.92 42.47 LOOP MODIFICATION UAL, UHL, UCL, UEQ, ULS, UEA, UEPSR, ULM2L 0.00 0.00 Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, ULM4L 0.00 0.00 UHL, UCL, UEA ULM4L 0.00 0.00 UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, ULM4L 0.00 0.00		4-Wire Copper Loop-Designed without manual service inquiry				Î											
and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7.92 7.92 7.92 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 91.92 42.47 LOOP MODIFICATION UNbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, ULMAL 0.00 0.00				2	UCL	UCL4W	18.95	115.43	78.63								
and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7.92 7.92 7.92 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 91.92 42.47 LOOP MODIFICATION UNbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, ULMAL 0.00 0.00		4-Wire Copper Loop-Designed without manual service inquiry															
Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) LOOP MODIFICATION UNDundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unb				3	UCL	UCL4W	10.99	115.43	78.63								
CLEC to CLEC Conversion Charge without outside dispatch ((UCL-Des) LOOP MODIFICATION UAL, UHL, UCL, UEQ, ULS, UEA, UENL, UEPSR, pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA UHL, UCL, UEA UHL, UCL, UEA UHL, UCL, UEA ULM4L Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UENL, UEA, UENL, UEA, UEANL, UEPSR, UEANL, UERM,																	
UCL UREWO 91.92 42.47								-	-			İ					
LOOP MODIFICATION UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UES than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA UHL, UCL, UEA UHL, UCL, UEA ULM4L UNDUMBLE UNDUMB					UCL	UREWO		91.92	42.47								
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA ULM4L ULM4	LOOP MODIF											i e					
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA UHL, UCL, UEA ULM4L 0.00 0.00 UNM4L 0.00 0.00 UNM4L 0.00 0.00					UAL. UHL. UCL.							i e					
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L ULM4L 0.00 ULM4L																	
pair less than or equal to 18k ft, per Unbundled Loop UEPSB ULM2L 0.00 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 0.00 0.00 ULAL, UHL, UCL, UEA, ULGQ, ULS, UEA, UEQQ, ULS, UEA, UEQQ, ULS, UEA, UEANL, UEPSR, UEANL, UEPSR,		Unbundled Loop Modification, Removal of Load Coils - 2 Wire		l								1					1
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,			1	1		ULM2L		0.00	0.00						I		1
less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 0.00 0.00 0.00 0.00 UAL, UHL, UCL, UEQ, ULS, UEQ, ULS, UEA, UDEANL, UEPSR, UDEANL, UEPSR, UES, UEANL, UEPSR, UES, UEANL, UEPSR, UES, UEANL, UEPSR, UEANL, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEANL, UEPSR, UEANL, UEANL, UEANL, UEANL, UEPSR, UEANL, UEA								2.00	2.00			1		1	1		
UAL, UHL, UCL, UEQ, ULS, UEA, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,			1	1	UHL UCL LIFA	ULM4I		0.00	0.00						I		1
Unbundled Loop Modification Removal of Bridged Tap Removal, UES, UES, UEANL, UEPSR,		or oqual to forting por oribunated book	†	t		J FL		3.30	0.00			1		i	†	 	
Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,			1	1											I		1
		Unbundled Loop Modification Removal of Bridged Tap Removal		l								1					1
I I IDECUMPANDE I I ILIEPSE ILIEMET I 1 12.15 I 12.15 I I I I I I I I I I I I I I I I I I I		per unbundled loop	1	1	UEPSB	ULMBT		12.15	12.15			I			1	1	1

UNRI	INDI F	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
31400	,.4DLL				1							Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			Instant									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO																	
	Sub-Lo	pop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.		LIFANII	110004		444.00	444.00								
-		Up	- 1	-	UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ,		UEANL	USBSB		10.99	10.99								
	1	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		UEANL	USBSB		10.99	10.99						1		
		Facility Set-Up	1		UEANL	USBSC		86.16	86.16								
-	1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		OL7 (IAL	00000		00.10	00.10								
		Set-Up	1 .		UEANL	USBSD		27.13	27.13								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	1	Zone 1	- 1	1	UEANL	USBN2	7.57	63.89	30.06			1	1		I		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								ĺ							
	<u> </u>	Zone 2		2	UEANL	USBN2	12.75	63.89	30.06							<u></u>	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop															
	ļ	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		2	UEANL	USBN4	16.84	76.75	42.92								
		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-		UEANL	USBN4	16.84	76.75	42.92								
		Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		2016 3		3	OLANE	OODIV	13.27	10.15	42.32								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54	23.71								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour	ļ		UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour	<u> </u>		UEANL	URETA	2.00	19.28	19.28								
-	ļ	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	6.26	63.89	30.06	<u> </u>							
<u> </u>	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06			-			 		
—	1	z vvire copper unbunuled Sub-Loop Distribution - Zone 3	+-'-	3	OLF	UUSZĀ	12.70	63.89	30.06	 			-	 	 	 	1
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		7.92	7.92			1	1		I		
 	l	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.03	76.75	42.92				 		-		
-	t	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	10.71	76.75	42.92					1	1		1
	i –	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.08	76.75	42.92					İ	1		İ
			l											1			1
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		7.92	7.92			1	1		I		
		Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
	Unbun	dled Network Terminating Wire (UNTW)															
L	<u> </u>	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72	ļ					ļ		ļ
	Netwo	rk Interface Device (NID)			LIENTAL	LINDAS		10.0-								ļ	
<u> </u>	!	Network Interface Device (NID) - 1-2 lines	 	-	UENTW	UND12		42.26	27.83			ļ		 	 	 	
<u> </u>	1	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	+	-	UENTW UENTW	UND16 UNDC2		62.86 5.73	48.43 5.73	+		-	-		 		
	1	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 	-	UENTW	UNDC2 UNDC4		5.73	5.73	+		 	-	 	 	 	
LINE O	THER F	PROVISIONING ONLY - NO RATE	 	-	OLIVIVV	UNDU4		5.73	5.73	+		 	-		+		-
JIVE U	THER, F	NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00						 	 		
-	†	UNTW Circuit Id Establishment, Provisioning Only - No Rate	 		UENTW	UENCE	0.00	0.00		+ +		-		 	 		
	<u> </u>	orter of our id Ediabnoriment, From John y - No Mate			UEANL,UEF,UEQ,U	021102	0.00	0.00							†		
	1	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00				1	1		I		
UNE O	THER. F	PROVISIONING ONLY - NO RATE				1	2.20	2.20						i	1	i	i
•	, •				1										1		ı

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana											1	Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted		Incremental	Incremental Charge -		Incremental Charge -
		-	Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic- Disc 1st	Electronic-
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												i
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									i l
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	1		UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate	ļ		USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									i l
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP			001	0002.	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				41.5115											
\vdash		month High Capacity Unbundled Local Loop - DS3 - Facility		-	UE3	1L5ND	10.04					 					
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								i l
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per					1										
-		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.04										
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								i l
LOOP N	IAKE-L				00207	00201	07 1100	100.10	200.00								
		Loop Makeup - Preordering Without Reservation, per working or															
\vdash		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		23.29	23.29								
		queried (Manual).			UMK	UMKLP		24.70	24.70								i l
		Loop MakeupWith or Without Reservation, per working or															
LINE CL	IADING	spare facility queried (Mechanized) AND LINE SPLITTING			UMK	UMKMQ		0.19	0.19								
		1: The Line Sharing monthly recurring rates for all installation	ns comi	oleted f	rom October 02, 200	I 3 throuah m	idniaht Octobe	r 01. 2004 shal	I be billed as f	follows:							
	NOTE '	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co															
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		-													
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
\vdash	SPLIT	FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00								
		Line Sharing Splitter, per System 35 Line Capacity			ULS	ULSDB	46.79	183.33	0.00								$\overline{}$
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.59	183.33	0.00								
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		83.98	0.00								i l
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1		ULS	ULSDG		03.90	0.00								
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	17.97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2003)			ULS	ULSDT	3.10	17.97	10.29								ı l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.20	17.97	10.29								i l
		Line Share Service, TRO per line activation, BST owned splitter -			020	OLOD I	0.20	17.37	10.29			†					$\overline{}$
		Central Office Located (75% of UCLND) - please see NOTE 1															
\vdash		(E:10/2/2005)		1	ULS	ULSDT	9.30	17.97	10.29								
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95								
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)	ļ	 	ULS	ULSCS		15.91	7.95			1					
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31								
-		100002212 000 110122	<u> </u>		020	01000	0.01	77.74	10.01			1					

UNBI	INDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	ibit: A
3.150		EEEMENTO EOMOMIA										Svc Order	Svc Order	Incremental		Incremental	
				1	1							I .	Submitted		Charge -	Charge -	Charge -
1			Intor:	1	1							Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			ın	1	1									Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see				LUCCT	2.40	47.44	40.04								
		NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCT	3.10	47.44	19.31	 		-					
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
-		Line Share Service, TRO per line activation, CLEC owned			ULS	ULSC1	0.20	47.44	15.51	+		<u> </u>					
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
	LINE S	PLITTING										İ					
		SER ORDERING-CENTRAL OFFICE BASED										İ					
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29								
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBU		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			LIATION	1L5XX	0.040										
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.013			 		-					
		Facility Termination	1		U1TVX	U1TR2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	22.00	39.30	20.02	-		 					
		Per Mile per month	1		U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		-	OTTVX	TESAX	0.013					†					
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			01117	0	10.01	00.00	20.02			İ					
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility										İ					
		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
L	<u></u>	per month	<u> </u>	L	U1TDX	1L5XX	0.013					<u></u>	<u></u>	<u> </u>	L	<u></u>	<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
L		Termination			U1TDX	U1TD6	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per]											I	
<u> </u>		month			U1TD1	1L5XX	0.2652							L	L		
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	l	1							1	I	I		
		Termination		L	U1TD1	U1TF1	70.47	86.69	79.44					L	ļ		
1		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1									1	I	I		
<u> </u>		month		<u> </u>	U1TD3	1L5XX	6.04						ļ	-	-	 	
1		Interoffice Channel - Dedicated Transport - DS3 - Facility		1	LIATES	LIATES	050 45	070.00	450.05				1	I	I		
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		<u> </u>	U1TD3	U1TF3	850.45	270.69	158.05	 		ļ		 	 	 	├
		·			114704	41.5007	0.04										
	-	month Interoffice Channel - Dedicated Transport - STS-1 - Facility	-	 	U1TS1	1L5XX	6.04			+		 	-	 	 	-	
1		Termination		1	U1TS1	U1TFS	830.19	270.69	158.05				1	I	I		
DARK	FIRER	Tominaudi	—	-	01101	01113	030.19	270.09	100.05	1		1		t	t	l	
DAKK	IDEN	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	—	-	 	1				1		1		t	t	l	
		Thereof per month - Interoffice Channel		1	UDF, UDFCX	1L5DF	25.28						1	I	I		
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	25.20	620.60	133.88				 	-	-		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			22., 32. 07.	324		320.00	100.00	1				<u> </u>	<u> </u>		
1		Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	52.23						1	I	I		
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4	5220	620.60	133.88	1				1	1	i	
					. ,	1								<u> </u>			

UNBL	INDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: A
0											Sı	vc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			lustani									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									DOI LOIK	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonred		Nonrecurring Discor					Rates (\$)		
	<u> </u>							First	Add'l	First Ad	d'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CESS 1	EN DIGIT SCREENING															
-		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.51	0.43								
-	<u> </u>	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	INSKIA		2.51	0.43								
		POTS Translations			OHD			5.77	0.78								
-		8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID	+		5.11	0.76	 							
		POTS Translations			OHD	N8FTX		5.77	0.78								
	<u> </u>	8XX Access Ten Digit Screening, Customized Area of Service			OTID	1401 174		0.77	0.70		-						
		Per 8XX Number			OHD	N8FCX		2.51	1.26								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR				1.01.011											
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43	i i							
		8XX Access Ten Digit Screening, Call Handling and Destination								i i							
		Features			OHD	N8FDX		2.51									
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
		query			OHD		0.0006387										
LINE I	NFORM <i>A</i>	TION DATA BASE ACCESS (LIDB)															
-		LIDB Common Transport Per Query			OQT		0.0000221										
-	<u> </u>	LIDB Validation Per Query			OQU	NDDDV	0.0135077	00.00									
CICNIA	LING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.33									
SIGNA	LING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	ł	CCS7 Signaling Termination, Fer STF Fort			UDB	F100A	0.000064					-					
		CCS7 Signaling Osage, Fer TOAF Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per link (8 link) (also known as D			000	1	10.77	04.00	04.00								
		link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
	İ	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911 S	ERVICE																
	ļ	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21								
	 	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				+	18.32	187.51	32.21						 		
-	 	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	-	\vdash		+	18.32	187.51	32.21	 					-		
-	 	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-	\vdash		+	0.013			 						-	
		Termination					22.60	39.36	26.62								
H	 	Local Channel - Dedicated - DS1 - Zone 1	-			+	39.18	172.34	149.27	 							
H	-	Local Channel - Dedicated - DS1 - Zone 2				+	121.58	172.34	149.27	 							
-	1	Local Channel - Dedicated - DS1 - Zone 3	t			+	70.02	172.34	149.27	 							
	†	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.2652			1							
	1		1												l		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44]							
CALLI	NG NAM	E (CNAM) SERVICE															
		CNAM For DB Owners - Service Establishment			OQV			22.29									
		CNAM For Non DB Owners - Service Establishment			OQV			22.29	•					•			
		CNAM For DB Owners - Service Provisioning With Point Code													l		\neg
	ļ	Establishment			OQV			962.22	711.64								
		CNAM For Non DB Owners - Service Provisioning With Point]							
	!	Code Establishment		\vdash	OQV	4		332.43	238.05	 							
	 	CNAM for DB Owners, Per Query			OQV	+	0.0010217			 					 		
CE: E:	TIVE RO	CNAM for Non DB Owners, Per Query		-	OQV	+	0.0010217			 					 		
SELEC	, IIVE K	UTING	1							<u> </u>					l		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
ONDONDED	- Education										Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per															1
	Switch						82.25	82.25								
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															1
PHYSICAL CO	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CC	Physical Collocation-2 Wire Cross Connects (Loop) for Line										-					
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						1
AIN SELECTIV	VE CARRIER ROUTING			OLI OK OLI OB	I LILO	0.0310	11.54	11.40	0.00	0.00						
7	Regional Service Establishment			UEBIB	SRCEC		100,209.33				1					
	End Office Establishment			UEBIB	SRCEO		164.29	164.29								
	Query NRC, per query			UEBIB		0.0030293										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		38.30	38.30								
																1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
	AIN SMS Access Service - User Identification Codes - Per User															1
	ID Code			A1N	CAMAU		33.99	33.99	1							
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39								1
+	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0022	41.39	41.39	1		1					-
 	AIN SMS Access Service - Session, Per Minute				1	0.5795			 		1					
	AIN SMS Access Service - Company Performed Session, Per					0.0700										
	Minute					0.8104										1
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE					0.0.0.										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38.30	38.30								1
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Term. Attempt				BAPTT		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						= 00									1
	DN, Off-Hook Delay				BAPTD		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.60	7.60								1
-	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTM		7.60	7.60	-		-					
	DN, 10-Digit PODP				BAPTO		33.47	33.47								1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 10		00.47	00.41			-					
	DN. CDP				BAPTC		33.47	33.47								1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		33.47	33.47								1
	AIN Toolkit Service - Query Charge, Per Query					0.0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															1
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			CAM	BAPMS	40.00	7.00	7.00								1
-	Subscription ANN Toolkit Sonios Special Study For ANN Toolkit Sonios		<u> </u>	CAIVI	BAPIVIS	10.90	7.60	7.60	-		-					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41	I			1				1 1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	DAFLO	2.00	0.41	0.41								\vdash
1 1	Subscription			CAM	BAPDS	8.20	7.60	7.60	I			1				1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	t	†		2 20	5.20	7.50	7.50	I		 	 				
1 1	Service Subscription			CAM	BAPES	0.09	8.41	8.41	1							1
ENHANCED E	XTENDED LINK (EELs)															
NOTE:	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE con	nbinations prov	visioned as ' C	Ordinarily Coml	oined' Network	Elements.					
NOTE:	: The monthly recurring and the Switch-As-Is Charge and not t	he non	recurri	ng charges below w	ill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRÉ VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPOR	RT				1							

UNRI	INDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
3.400		D ILL I WORK ELLINEITI O - Louisiana				1	1					Syc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring Di					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 207											
-		per month			UNC1X	1L5XX	0.2652			-							-
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
-		1/0 Channelization System in combination Per Month	-		UNC1X	MQ1	105.09	59.97	12.96								
-		Voice Grade COCI - Per Month	-		UNCVX	1D1VG	0.6497	5.91	4.26								
-		Voice crade GCG1 1 ci Month			ONOVA	IDIVO	0.0407	0.01	4.20								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			1	100		.5.00							İ	
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
						1								1			1
	<u></u>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	50.46	94.21	45.09							<u> </u>	
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-							<u> </u>								
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	INTE	ROFFICE TRANSPO	RT											
						l											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		First 4 Wiss Apples Vales Conde Land in Combination 7-1-2		2	UNCVX	UEAL4	38.32	94.21	45.09								
-		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	38.32	94.21	45.09								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
-		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNCVA	ULAL4	00.39	34.21	45.05	 							1
		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	120/01	0.2002										
		Month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Additional 4-Wire Analog Voice Grade Loop in same DS1					i										
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-	İ		UNC1X			5 40	5.40								
-	EVTEN	Is Charge IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN		UNCCC		5.43	5.43								
-	EXIEN	DED 4-WIRE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	LATED	או ויפע	EROFFICE TRANS	I											
1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09								
—	H	1 1100 - 11110 JONDPS Digital Grade Loop III Combination - 20116 1	 		0.1007	30130	30.39	⊅4.∠ I	45.09	 				 	1	l	
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	36.78	94.21	45.09								
		Compression of the complication - Zone Z			5.13DA	CDLOG	55.76	J-1.Z1	-10.00								
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	İ														
		Per Month	1		UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - combination Facility	ĺ			1											
		Termination Per Month	<u> </u>	L_	UNC1X	U1TF1	70.47	143.58	103.88							<u> </u>	
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
1		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1							j							
		Interoffice Transport Combination - Zone 1	ļ	1	UNCDX	UDL56	30.99	94.21	45.09					ļ			ļ
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINIODY	LIDLES											
		Interoffice Transport Combination - Zone 2	 	2	UNCDX	UDL56	36.78	94.21	45.09	 				 	1	 	.
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	UNCDX	UDL56	38.92	94.21	45.09								
	<u> </u>	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDLOB	38.92	94.21	45.09	<u> </u>				l .	l	l .	l

INDOINT.	DLE	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	ibit: A
3.130.11		State Evaluation									Svc Or	der Svc Orde	Incremental			
1			1									ed Submitte		Charge -	Charge -	Charge -
			l								Elec		Manual Svc		Manual Svc	
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per L		Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m								per L	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	_ 1	Nonrec	urring	Nonrecurring Discon	nect		oss	Rates (\$)		
							Rec	First	Add'l	First Add	'I SOME	C SOMAN		SOMAN	SOMAN	SOMAN
		Additional OCU-DP COCI (data) - in combination per month (2.4-														
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNC1X	UNCCC		5.43	5.43							
EX	TEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT										
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
															Î	
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	38.92	94.21	45.09			1	1			
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	Ì								İ	1				
		Per Month	1		UNC1X	1L5XX	0.2652						1			
		interoffice Transport - Dedicated - DS1 combination - Facility														
		Termination Per Month	1		UNC1X	U1TF1	70.47	143.58	103.88				1			
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96						ĺ	1
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	Ì		UNCDX	1D1DD	1.38	5.91	4.26		İ	1				
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
		Additional OCU-DP COCI (data) - in combination - per month														
		(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNC1X	UNCCC		5.43	5.43							
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT									ĺ	
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89						Î	
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89							
		Interoffice Transport - Dedicated - DS1 combination - Per Mile														
		Per Month			UNC1X	1L5XX	0.2652									
		Interoffice Transport - Dedicated - DS1 combination - Facility													ĺ	
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNC1X	UNCCC		5.43	5.43							
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPO	RT										
		First DS1Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89							
		First DS1Loop in Combination - Zone 2			UNC1X	USLXX	194.96	169.22	100.89							
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89							
		Interoffice Transport - Dedicated - DS3 combination - Per Mile														
L		Per Month	<u></u>		UNC3X	1L5XX	6.04			<u> </u>			1		<u> </u>	<u> </u>
		Interoffice Transport - Dedicated - DS3 - Facility Termination per									Ì					
		month	<u></u>		UNC3X	U1TF3	850.45	296.68	121.16	<u> </u>			1		<u> </u>	<u> </u>
		3/1Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Additional DS1Loop in DS3 Interoffice Transport Combination -														
L l		Zone 1	<u></u>	1	UNC1X	USLXX	85.70	169.22	100.89	<u> </u>			1		<u> </u>	<u> </u>
		Additional DS1Loop in DS3 Interoffice Transport Combination -														
		Zone 2	<u> </u>	2	UNC1X	USLXX	194.96	169.22	100.89				<u> </u>			<u> </u>
		Additional DS1Loop in DS3 Interoffice Transport Combination -														
L l		Zone 3	<u></u>	3	UNC1X	USLXX	491.94	169.22	100.89	<u> </u>			1		<u></u>	<u> </u>
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26		Ì					
		Nonrecurring Currently Combined Network Elements Switch -As-					İ			ĺ						
L		Is Charge	<u></u>		UNC3X	UNCCC	<u> </u>	5.43	5.43	<u> </u>			1		<u></u>	<u> </u>
	TEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	E INTE	ROFFICE TRANSPO	RT										
EX				1	UNCVX	UEAL2	14.93	94.21	45.09					1		
EX		2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09				<u> </u>	<u> </u>	l	

UNBUN	IDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—							1										
						-	Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash		2-WireVG Loop in combination - Zone 3		2	UNCVX	UEAL2	50.46	First 94.21	Add'l 45.09	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	-	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVX	UEAL2	50.46	94.21	45.09	-					-		-
		Month			UNCVX	1L5XX	0.013										
\vdash		Interoffice Transport - 2-wire VG - Dedicated - Facility		1	UNCVA	ILSAA	0.013			 					1		1
		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	01112	22.00	72.00									
		Is Charge			UNCVX	UNCCC		5.43	5.43								
F	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	Ė INTE	ROFFICE TRANSPO	DRT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
T	Ţ	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			l	1				Ι Τ					_		_
$\vdash \vdash$		Month		<u> </u>	UNCVX	1L5XX	0.013			1					1		1
		Interoffice Transport - 4-wire VG - Dedicated - Facility				<u>-</u>									1		1
\vdash		Termination per month		<u> </u>	UNCVX	U1TV4	19.81	72.60	41.75	1					-	 	-
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX	UNCCC		F 40	5.43						1		1
├	VTEN	Is Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED) FEIGE		UNCCC		5.43	5.43			-					
<u> </u>	XIENI	DS3 Local Loop in combination - per mile per month	INTERC	JFFICE	UNC3X	1L5ND	10.04					-					
\vdash		DSS Local Loop in combination - per mile per month			UNCSA	ILOND	10.04			-							
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
\vdash		Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	6.04	100.40	120.01	t							
		Interoffice Transport - Dedicated - DS3 combination - Facility			ONOON	120/01	0.04										
		Termination per month			UNC3X	U1TF3	850.45	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		5.43	5.43								
F	XTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.04										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	374.56	188.45	125.51								
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
\vdash		per month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
\vdash		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCOV	LINCCO		F 40	E 40						1		1
 ,	VTEN	Is Charge DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	SDODT	UNCSX	UNCCC		5.43	5.43	+			-	-	 		
	A I EN	First 2-Wire ISDN Loop in Combination - Zone 1	IKAN	J 1	UNCNX	U1L2X	22.09	94.21	45.09	+ +		1			 	 	
\vdash		First 2-Wire ISDN Loop in Combination - Zone 2	H	2	UNCNX	U1L2X	35.28	94.21	45.09	1					t	l	t
\vdash		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09	+ +		 			-		†
\vdash		Interoffice Transport - Dedicated - DS1 combination - per mile	l	Ť	2.10.01	3	55.16	U-1.2.1	-10.00	† †					1		1
		per month			UNC1X	1L5XX	0.2652			1					I		I
		Interoffice Transport - Dedicated - DS1 combination - Facility		i –		1											
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88	1			1		I		I
		1/0 Channel System in combination - per month			UNC1X	MQ1	105.09	59.97	12.96								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
1 T	T	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														l	_
$\sqcup \sqcup$		Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09						L		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport				[]				1			1		I		I
\vdash		Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	1					 		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINICNIV	1141.07	05.40	04.04	45.00						1		1
\vdash		Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	65.18	94.21	45.09	+				-	 		
1		month			UNCNX	UC1CA	2.96	5.91	4.26				1		I		I
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	 	0140147	3010A	2.50	3.31	4.20	+ +					t	l	t
		Is Charge	1		UNC1X	UNCCC		5.43	5.43				1		I		I
	XTFNI	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE				J. 1 J	5.45	+ +		-	 		I		I
		First DS1 Loop Combination - Zone 1	0.0	1 1	UNC1X	USLXX	85.70	169,22	100.89	 					<u> </u>		<u> </u>
 		FIIST DS I LOOP COMBINATION - ZONE I															

UNRI	JNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
OIADC	MULE	D 14E : WORK ELLINEI 10 - Louisiana				1	ı					Svc Order	Svc Order	Incremental			
				1									Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
							Rec	Nonred		Nonrecurring Dis					Rates (\$)		
-	-	First POAT Or all institute 7 O		_	LINIOAY	1101307	404.04	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	First DS1 Loop Combination - Zone 3	-	3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6.04										
	-	Interoffice Transport - Dedicated - STS-1 combination - Facility	-	-	UNCSA	ILSAA	6.04										
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
	ļ	Combination - Zone 2	ļ	2	UNC1X	USLXX	194.96	169.22	100.89								
1		Additional DS1Loop in the same STS-1 Interoffice Transport		3	UNC1X	USLXX	491.94	169.22	100.89				1				
<u> </u>	+	Combination - Zone 3 DS1 COCI in combination per month	1	3	UNC1X UNC1X	UC1D1	491.94 11.78	169.22 5.91	4.26	 						-	
	1	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	11.70	5.91	4.20								
1		Is Charge		1	UNCSX	UNCCC		5.43	5.43				1				
—	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF				0.40	0.40	 					1		
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				====	4= 04	=									
-	-	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		5.43	5.43								
-	EYTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RDS INT	FROFE		UNCCC		5.43	5.43								
	LATEN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	30.99	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	ļ	Facility Termination per month	ļ		UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINODY	111000		5 40	5 40								
-	EVTEN	Is Charge IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	OPT W	UNCDX	UNCCC		5.43	5.43	-							
	EXIEN	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSF		UNCVX	UEAL2	14.93	94.21	45.09								
	1	First 2-wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	50.46	94.21	45.09								
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť												1	
		Mile			UNC1X	1L5XX	0.2652									<u> </u>	
		First Interoffice Transport - Dedicated - DS1 combination -															
	1	Facility Termination per month	<u> </u>		UNC1X	U1TF1	70.47	143.58	103.88						ļ	ļ	
	<u> </u>	Per each DS1 Channelization System Per Month	<u> </u>		UNC1X	MQ1	105.09	59.97	12.96								
<u> </u>	 	Per each Voice Grade COCI - Per Month per month	!		UNCVX	1D1VG	0.6497	5.91	4.26	 			 		!	 	-
-	1	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	1	-	UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	91.25 4.26	+						-	
—	1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	 	ONOIA	ועוסט	11.78	18.6	4.20	+ +					 	 	1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	<u> </u>		1		021	.0.00						İ		
L	<u></u>	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	25.35	94.21	45.09	<u> </u>			<u></u>		<u> </u>	<u></u>	<u></u>
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
L	1	Each Additional Voice Grade COCI in combination - per month	ļ	<u> </u>	UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	41.577	0.0050										
-	+	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	1	-	UNC1X	1L5XX	0.2652			+			-		-	-	
1		same 3/1 Channel System per month		1	UNC1X	U1TF1	70.47	143.58	103.88				1				
	1	ound of a Ontarinor Oyotom por Month	Ь	L	5.10 IX	101111	10.41	170.00	100.00			L	L		<u> </u>	Ц	1

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
0.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO Louisiana									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m								po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring Disconnect				Rates (\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI combination per month	ļ		UNC1X	UC1D1	11.78	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-	1					= 10	= 40							
		Is Charge			UNC1X	UNCCC		5.43	5.43							
-	EXIEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	IEROFF	ICE IR	ANSPORT W/ 3/1 M	IUX					+					
		First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	30.81	94.21	45.09							
	<u> </u>	Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -	 	'	UNCVA	UEAL4	30.61	94.21	45.09		+	1				\vdash
		Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
-		First 4-Wire Analog Voice Grade Local Loop in Combination -	+		ONOVA	OLAL	30.32	34.21	45.05		+					
		Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							
	†	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť	2.10171	02	00.00	U-1.21	70.00		1			1		
	1	Mile Per Month			UNC1X	1L5XX	0.2652									1
	1	First Interoffice Transport - Dedicated - DS1 - Facility	1								i		l	İ		
	1	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
		Per each Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.6497	5.91	4.26							
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Additional 4-Wire Analog Voice Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
		Additional 4-Wire Analog Voice Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_												
		Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	60.39	94.21	45.09							
		Each Additional DS1 Interoffice Channel per mile in same 3/1														
	<u> </u>	Channel System per month	1		UNC1X	1L5XX	0.2652				+					\vdash
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	70.47	143.58	103.88							
	-	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	-		UNCVX	1D1VG	0.6497	5.91	4.26		+	-				
	ł	Nonrecurring Currently Combined Network Elements Switch -As-	 	-	ONCVA	IDIVG	0.0497	5.91	4.20		+	1				
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	FXTFN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.40	0.40		+	1				
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1		1										
		Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							ĺ
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1													
l	1	Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							1
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -														
l	1	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							1
		First Interoffice Transport - Dedicated - DS1 combination - Per														
		Mile Per Month			UNC1X	1L5XX	0.2652									
		First Interoffice Transport - Dedicated - DS1 - combination							. <u></u>							1
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	ļ	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	!	Per each DS1 COCI in combination per month	<u> </u>	-	UNC1X	UC1D1	11.78	5.91	4.26		1		 	 		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	30.99	94.21	45.09		1					1
	 	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1	UNCDX	UDLOO	30.99	94.21	45.09		+					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09		1					1
-	†	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 		011007	0000	30.70	34.∠1	45.09		+	-		 		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		1					1
	1	OCU-DP COCI (data) COCI in combination per month (2.4-	t	-	5.10DA	00200	30.32	37.21	45.05		1	 				—
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							1
	t	Each Additional DS1 Interoffice Channel per mile in same 3/1				1			20		1		İ	İ		
		Channel System per month			UNC1X	1L5XX	0.2652									1
		Each Additional DS1 Interoffice Channel Facility Termination in	1								1			1		
1	1	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88		I					1
		•				-				•						

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
01124											Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""								1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	1		-	-		+	1	Nonrec	ina	Nonrecurring Disconnec			220	Rates (\$)		l
-	-		-	-		+	Rec	First	Add'l	First Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI in the same 3/1 channel system		-		+		FIISL	Addi	First Add I	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOIVIAIN
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-			O. CO. IX	00.5.		0.01	20							
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	1 MUX										
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice														
		Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_												
		Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	LIDL C4	20.00	04.04	45.00							
-	-	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCDX	UDL64	38.92	94.21	45.09	-	+	-				
		Mile Per Month			UNC1X	1L5XX	0.2652									
	 	First Interoffice Transport - Dedicated - DS1 combination -	 		5.1017	TEO///	3.2032				+	-				
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	i e	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
		Per each OCU-DP COCI (data) in combination - per month (2.4-														
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	30.99	94.21	45.09							
-	<u> </u>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	30.99	94.21	45.09		_					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLOT	00.70	04.E1	40.00		+	1				
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	i e	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System														
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		Each Additional DS1 Interoffice Channel per mile in same 3/1														
		Channel System per month			UNC1X	1L5XX	0.2652									
		Each Additional DS1 Interoffice Channel Facility Termination in														
-	ļ	same 3/1 Channel System per month	-	-	UNC1X	U1TF1	70.47	143.58	103.88		-					
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIA	OCIDI	11.76	5.51	4.20			1				
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		0.1000		0.10	0.10							
	i e	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
		Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09							
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
		Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09							
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination					0= 40		4= 00							
-	ļ	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCNX	U1L2X	65.18	94.21	45.09		-					
		Mile per month			UNC1X	1L5XX	0.2652									
\vdash	 	First Interoffice Transport - Dedicated - DS1 combination -	 		ONOIA	ILUAA	0.2052				+	 	 	 		
	1	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88							
	i –	Per each Channel System 1/0 in combination - per month	l		UNC1X	MQ1	105.09	59.97	12.96					1		
	İ							İ								
	ļ	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26							
	ļ	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	201.48	107.05	91.25							
<u> </u>	.	Per each DS1 COCI in combination per month	!	-	UNC1X	UC1D1	11.78	5.91	4.26		+		 	.		
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		4	UNCNX	U1L2X	22.09	94.21	45.09							
—	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	- -	OINOINA	UILZA	22.09	94.∠1	45.09	 	+	 	 	 		
		Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09							
	†	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>		- 11	55.20	JZ1	.0.00					İ		
		Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09							
•		•				•					•	•				

IINRI	INDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit: A
ONDU	JNDLE	D NETWORK ELEMENTS - Louisiana		1	I	1	1					Cua Ordar	Cvo Ordor	Incremental	Incremental		Incremental
												Submitted	Submitted				
												I .			Charge -	Charge -	Charge -
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OAIL		NATE ELEMENTO	m	20110	200	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrec	urring	Nonrecurrin	g Disconnect	İ		oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel									11000						
		system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								1
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.2652										í
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								i I
		Each Additional DS1 COCI in the same 3/1 channel system															i
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								i I
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														l .
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		_	UNC1X	USLXX	85.70	169.22	100.89								
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								l .
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		First Interoffice Transport - Dedicated - DS1 combination - Per															i I
		Mile Per Month			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -															í
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =>04											í
	1	Channel System per month		-	UNC1X	1L5XX	0.2652					1					
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	70.47	143.58	402.00								í
	1	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	70.47	143.58	103.88			-					
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								i I
	1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	OCIDI	11.70	5.91	4.20			1					
		14		1	UNC1X	USLXX	85.70	169.22	100.89								1
-	1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		- '	ONOTA	OOLXX	03.70	103.22	100.03		1	<u> </u>					
		2		2	UNC1X	USLXX	194.96	169.22	100.89								1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	O. CO. IX	002/01	101.00	100.22	100.00			İ					
		3		3	UNC1X	USLXX	491.94	169.22	100.89								i I
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								1
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												·
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09		Î						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								i
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															·
	1	per month		<u> </u>	UNCDX	1L5XX	0.013				ļ						
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility											1				1
<u> </u>	1	Termination per month		-	UNCDX	U1TD5	15.61	72.60	41.75		ļ	ļ					
		Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	LINIOOO		F	F								1
		Is Charge		<u> </u>	UNCDX	UNCCC		5.43	5.43								
-	EXIEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NIERO			LIDLC4	20.00	04.04	45.00		1	ļ					
—	+	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX UNCDX	UDL64 UDL64	30.99 36.78	94.21 94.21	45.09 45.09		1	 	-			-	
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL64	38.92	94.21	45.09			1					
—	+	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		-	CHODA	ODLU4	30.32	⊅4.∠ I	45.09		+	1					
1		per month			UNCDX	1L5XX	0.013						1				1
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			J. 13D/1	.20/01	0.010				1						(
		Termination per month			UNCDX	U1TD6	15.61	72.60	41.75				1				1
	1	Nonrecurring Currently Combined Network Elements Switch -As-				1	13.01	00			1						(
		Is Charge			UNCDX	UNCCC		5.43	5.43				1				1
ADDIT	IONAL I	NETWORK ELEMENTS						_			1	İ					1
		used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	Switch As Is cl	harge does app	oly.									
	When	used as ordinarily combined network elements in All States, the	ne non-	recurri	ng charges apply a	nd the Switch											
	Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
									_							_	

ATEORY RATE LEMENTS WAS BOS USOS RATES B) Security Companies (August Description Companies Compa	UNBIII	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	nit: A
ATECHNIS BATE ELEMENTS BATE PLANETS BATE	5.4001		5 ILL I WORK ELEMENTO - Louisiana	1	I								Svc Order	Svc Order				Incremental
RATE BLENDTY RATE LENDLYS Interest Section Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rock Rate Rock				1			1						1					
CATEGORY SATE ELEMENTS				l														
Record R	CATEG	DRY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			1	,				
Non-conting Common Contrived Network Elements Switch - Apr Non-conting Common Contrived Network Elements Switch - Apr Non-conting Common Contrived Network Elements Switch - Apr Non-contrived Network	071120			m						101120 (4)			per LSR	per LSK				
Proceeding Control C																		
March Marc															1st	Add'l	Disc 1st	Disc Add'l
March Marc								_	Nonre	curring	Nonrecurrin	a Disconnect			oss	Rates (\$)		
Number of Carbon of Descript Research Sements Study And Schools 2 - Mind Vision 1 - Mind Vision 1 - Mind Vision 2 - Mind Vis								Rec					SOMEC	SOMAN			SOMAN	SOMAN
SCHOOL 2			Nonrecurring Currently Combined Network Elements Switch -As-															
In Charge, 5898 bigs			Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
Nonecurring Correlling Controlled Network Elements Seletich - Not			Nonrecurring Currently Combined Network Elements Switch -As-						Î	Î						Î		
Schange SST Service						UNCDX	UNCCC		5.43	5.43								
Noncexuming Currently Contributed Network Elements Switch Ade NoCick			Nonrecurring Currently Combined Network Elements Switch -As-															
S. Charge, D.S.						UNC1X	UNCCC		5.43	5.43								
Namescuring Currents Cartifories Namescuring Cartifories Namescuring				ł														
In Charge - STRS						UNC3X	UNCCC		5.43	5.43								
Clear Channel Capability Extended Frame Option - per D81				ł														
Clear Channel Capability Entended France Option - per DS1						UNCSX	UNCCC		5.43	5.43								
Clear Channel Capability Super Frame-Option - per DS1		Option	al Features & Functions:															
Clear Charmel Capability Super FrameOption - per DS1 ULDD1 UND1X COOSF 01 01 01 01 01 01 01 02 01 01 01 01 01 01 02 01 01 01 02 01 01 02 01 01 02 01 02 01 02 01 02 01 02 01 02 01 02 01 02			0101	١.			00055		01	01	01							
Clear Channel Capability Signs Framoption - per DS1	-		Clear Channel Capability Extended Frame Option - per DS1		-		CCOEF		UI	UI	OI .	OI .						
Clear Charmer Claysolatey (SFEST) Option - Subsequent UNDITY, UNDITY, USB, NRCCC 184 655 23.795 1.975 0.775 1.97			Clear Channel Canability Super Franco-tion	Ι.			CCOSE		OI.	OI.	OI.	OI.						
Activity - per D81	\vdash				+		CCOSF		UI	UI	UI	UI	-	-	-			
C-bit Parity Option - Subsequent Activity - per DS3							NRCCC		184 659	23 705	1 979	0.778		1				
C-ot Party Option - Subsequent Activity - per DS3	\vdash		Activity - per DOT	<u> </u>			INICCC		104.033	23.193	1.973	0.773				1		
MULTIPLEMENS			C-hit Parity Ontion - Subsequent Activity - per DS3	l i			NRCC3		218 785	7 665	72635	08						
DST to DSD Channel System per month		VIIII TI				OLO, ONOOX	1411003		210.700	7.000	.72030	00						
OCU-OP COCI (data) - DS1 to DS0 Channel System - per morth						UNC1X	MQ1	105.09	59 97	12 96			1					
month (2.4-64bs) used for a Local Loop						0.10.77		100.00	00.01	12.00								
COLUPE COCI (data) - DS1 to DS0 Channel System - per month (2.4-64xb) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD U1DD 1.38 6.39 4.58						UDL	1D1DD	1.38	6.39	4.58								
Local Channel in the same SWC as collocation UTIUD IDIDD 1.38 6.39 4.58																		
2-wire ISDN OCCI (RRITE) - DSI to DS0 Channel System - per month for a Local Loop UDN			month (2.4-64kbs) used for connection to a channelized DS1															
month for a Local Loop						U1TUD	1D1DD	1.38	6.39	4.58								
2-wire ISDN COCI (RENTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel in the same SWC as collocation						UDN	UC1CA	2.96	6.39	4.58								
In the same SWC as collocation																		
Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop UEA 1D1VG 0.6497 6.39 4.58																		
Used for a Local Loop						U1TUB	UC1CA	2.96	6.39	4.58								
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DSI Local Channel in the same SWC as collocation																		
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC						UEA	1D1VG	0.6497	6.39	4.58								
Same SWC as collocation																		
DS3 to DS1 Channel System per month						14710	4041/0	0.0407	0.00	4.50								
STS-1 to DS1 Channel System per month	\vdash			!	+						1	 	-	-				
DS1 COCI (used with Loop per month USL UCID1 11.78 6.39 4.58	\vdash			 	-						-	 	 	 	 	 		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 11.78 6.39 4.58 DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month ULDD1 UC1D1 11.78 6.39 4.58 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire Gunbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled La extended local with Caller ID - Res UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled Louisiana Area Plus with Caller ID - Res UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled Louisiana Area Plus with Caller ID - Res UEPSR UEPAS 1.52 2.31 2.21	\vdash			-	1						1	+	 					
Channel in the same SWC as collocation) per month U1TUA UC1D1 11.78 6.39 4.58 DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 11.78 6.39 4.58 DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 11.78 6.39 4.58 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port - Res. UEPSR UEPRL 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LOuisiana Area Plus with Caller ID - Res. (UEPSR UEPAG 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled res, low usage line port	\vdash						30.151	11.70	0.39	7.50	1	 	-	-		 		
DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1				1		U1TUA	UC1D1	11 78	6.39	4 58		I		1				
DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 11.78 6.39 4.58 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LOuisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port	\vdash											<u> </u>				1		
MONTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs Exchange Ports				i e			1		0.50	50		1			İ	İ		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Vire Vire Vire Vire Vire Vire Vire V				1		ULDD1	UC1D1	11.78	6.39	4.58		I		1				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPSR UEPRC 1.52 2.31 2.21 UEPSR UEP	UNBUN	DLED I	OCAL EXCHANGE SWITCHING(PORTS)				1									1		
2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRL 1.52 2.31 2.21		Exchar	nge Ports															
Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.52 2.31 2.21 UEPSR UEPRO 1.52 2.31 Exchange Ports - 2-Wire Vire Unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port				KY, LA	& TN, tl	he desired features	will need to b	e ordered usir	ng retail USOC	s								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPSR UEPAS 1.52 2.31 2.21 UEPSR UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port		2-WIRE																
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UE			Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21								
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UE				1		l	l					I		1				
Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR UEPAS 1.52 2.31 2.21	$\vdash \vdash$		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	!	<u> </u>	UEPSR	UEPRC	1.52	2.31	2.21	1							
Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR UEPAS 1.52 2.31 2.21			Forting Body OWEN Andrew Co. 5	1		LIEDOD	LIEBES					I		1				
dialing Parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR UEPAS 1.52 2.31 2.21 UEPAG 1.52 2.31 2.21	\vdash			ļ	ļ	UEPSK	UEPRO	1.52	2.31	2.21		-	-		 	ļ		
Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) UEPSR UEPAG 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled res, low usage line port				1		LIEDOD	LIEDAG	4.50	0.01	0.01		1						
with Caller ID - Res (RUL) UEPSR UEPAG 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled res, low usage line port	\vdash			!	+	UEPOK	UEPAS	1.52	2.31	2.21	1	 	-	-	-			
Exchange Ports - 2-Wire VG unbundled res, low usage line port				1		LIEPSR	LIEPAG	1.50	2 21	2 21		I		1				
				l	†	OLI OIX	OLI AO	1.52	2.31	2.21	1	-						
	1 1		with Caller ID (LUM)	1	1	UEPSR	UEPAP	1.52	2.31	2.21		I		1				

UNBUI	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
			l									Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
			And and									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			t				_	Nonrec	urrina	Nonrecurring Dis	sconnect		1	oss	Rates (\$)		
			t				Rec	First	Add'l		Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan	t							1							
		without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
1		Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			02. 0.1	02. 110	1.02	2.01									
		without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
\vdash		2-Wire voice unbundled Low Usage Line Port without Caller ID	-		OLI OIL	OLI IXQ	1.02	2.01	2.21								+
		Capability			UEPSR	UEPRT	1.52	2.31	2.21								
\vdash		Subsequent Activity	1		UEPSR	USASC	0.00	0.00	0.00								
 	FEATU		1		ULFSK	USASC	0.00	0.00	0.00								
├ ──┼	FLATO	All Available Vertical Features	-	-	UEPSR	UEPVF	0.00	0.00	0.00								
\vdash	2 W/IDE	VOICE GRADE LINE PORT RATES (BUS)	-	-	ULFSK	OLF VI	0.00	0.00	0.00								
	Z-VVIRE		1	-		+											
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI	4.50	0.04	0.04								
		Bus	!	-	UEPSB	UEPBL	1.52	2.31	2.21					-	 	-	
		Exchange Ports - 2-Wire VG unbundled Line Port with	1	1	LIEBOD	LIEBBO	4 ===	0.01	0.01						l	1	
\vdash		unbundled port with Caller+E484 ID - Bus.	 		UEPSB	UEPBC	1.52	2.31	2.21								_
\vdash		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	<u> </u>		UEPSB	UEPBO	1.52	2.31	2.21								
		Exchange Ports - 2-Wire VG unbundled LA extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
		Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
		Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
		without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															
		Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
		2-Wire voice unbundled Incoming Only Port without Caller ID	i														
		Capability			UEPSB	UEPBE	1.52	2.31	2.21								
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
, i	FEATU	RES															
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res	t		UEPSE	UEPRD	1.52	30.37	14.42								
 		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPPC	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42								
\vdash		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	 		UEPSP	UEPP1	1.52	30.37	14.42								
-		2-Wire Analog Long Distance Terminal PBX Trunk - Bus	t	H	UEPSP	UEPLD	1.52	30.37	14.42	 					†		
-		2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port	†	-	UEPSP	UEPL2	1.52	30.37	14.42						 		
		2-Wire Voice Unbundled PBX LD Terminal Ports	 	 	UEPSP	UEPLD	1.52	30.37	14.42					 	<u> </u>	 	
\vdash		2-Wire Vice Unbundled 2-Way PBX Usage Port	 	 	UEPSP	UEPXA	1.52	30.37	14.42					 	 	 	
\vdash		2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 	1	UEPSP	UEPXA	1.52	30.37	14.42						-	-	
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	 	UEPSP	UEPXB	1.52	30.37	14.42					 	 	 	
\vdash		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	 	UEPSP	UEPXC	1.52	30.37	14.42	 							
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	-	UEPSP	UEPAD	1.52	30.37	14.42						 		-
			1	1	LIEDOD	HEDVE	4.50	20.07	44.40						l	1	
\vdash		Capable Port	.	-	UEPSP	UEPXE	1.52	30.37	14.42					-	.	-	├
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1		LIEDOD	LIEDY	4.50	00.0-	44.40	[
\vdash		Callling Port	!		UEPSP	UEPXK	1.52	30.37	14.42	 				-	.	 	├
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	LIEDOD	LIEDY"											
\vdash		Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42								_
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		l	1				[
\longmapsto		Room Calling Port	ļ		UEPSP	UEPXM	1.52	30.37	14.42								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		l	1				[
		Discount Room Calling Port	ļ		UEPSP	UEPXO	1.52	30.37	14.42						ļ		ļ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local		1													
		Discount Calling Port	ļ		UEPSP	UEPXP	1.52	30.37	14.42						ļ		ļ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ		UEPSP	UEPXS	1.52	30.37	14.42								ļ
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								

UNRUN	DI FI	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
ONDON		THE THORK ELEMENTO Education	1			I						Svc Order	Svc Order	Incremental			Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200			m		200	0000			== (+)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurrin	g Disconnect	i e		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
F	XCHA	NGE PORT RATES (COIN)							71441		71441	0020					
H F		Exchange Ports - Coin Port					1.52	2.31	2.21			i e					
N		Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	ircuit switche				ission by B-C	hannels assoc	iated with 2	wire ISDN ı	norts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)			g	T	1		p = = = = = = = = = = = = = = = = = = =								
		NGE PORT RATES										i e					
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a senarate ag	reement.		
		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a															
l f		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85									
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					0.20					i e					
		capability (E:4/1/2004)	1		UEPDD	UEPDD	68.47	196.18	92.92				1	l	l	1	
	\neg	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	i		UEPTX, UEPSX	U1PMA	10.07	70.76	51.46	i	Ì			i	i	i	i
	\neg	All Features Offered	i		UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	i	Ì			i	i	i	i
		Exchange Ports - 2-Wire ISDN Port Channel Profiles	1		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	1		1		i	i	 	
N	OTE:	Transmission/usage charges associated with POTS circuit sv	witched				ed voice and/or		ed data transm	ission by B-C	hannels assoc	iated with 2	-wire ISDN ı	oorts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	İ
		NGE PORT RATES (continued)			g	1			,			1					
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911											İ				
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62			i e					
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47			İ					
		Virtual collocation - Special Access & UNE, cross-connect per										i e					
		DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
D	etaile	E911 with Locator Capability (required with UEPEX port)										İ					
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										t					
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,792.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						1,1 0=100				t					
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	174.03									
N	ew or	Additional PRI Telephone Numbers										i e					
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911											İ				
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										İ					
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward											İ				
		Telephone Numbers - Inward Data Only Option [New or	1			1											
		Additional]	1		UEPDX	UEP1E	0.00	0.48				1					1
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]				1				ĺ	1	1		ĺ	ĺ		
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35								
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)	Ì		UEPEX UEPDX	LNPCN	1.75										
ll li		ACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
N	ew or	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.11									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.11									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.11									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.11									
C	ALL T	YPES															
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	oit: A
O.V.DO.		NETWORK ELEMENTO Education										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
						ļ	Rec	Nonrec		Nonrecurring		001450	001111		Rates (\$)	001141	001111
	LIMBLIN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DLED FOR I WITH REMOTE CALL FORWARDING CAPABILITY DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE										1					
	ONDON	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21			-					
		onburialed Remote Call Forwarding Cervice, Fied Calling, Res			OLI VIC	OLIVIO	1.02	2.01	2.21								
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
1 7		Unbundled Remote Call Forwarding Service - Conversion with]													刁
\vdash		allowed change (PIC and LPIC)		\sqcup	UEPVR	USACC		0.10	0.10								
\vdash	UNBUN	DLED REMOTE CALL FORWARDING - Bus		\sqcup		ļ											
		Haland Hali Barrett Oall France Page Oct in Acc. O. "			LIED) (D	LIEDAG		0.01	0.01				1				
\vdash		Unbundled Remote Call Forwarding Service, Area Calling - Bus		\vdash	UEPVB	UERAC	1.52	2.31	2.21	 	-		 				
1 1		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21				1				
		Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21			-					
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21			-					
		Unbundled Remote Call Forwarding Service, intraLATA - Bus			OLF VB	OLKIK	1.52	2.31	2.21			1					
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
	Non-Re	curring			OLI VD	OLIVO	1.02	2.01	2.21								
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
		OCAL SWITCHING, PORT USAGE															
	End Off	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
		End Office Trunk Port - Shared, Per MOU					0.00018										
	Tanden	Switching (Port Usage) (Local or Access Tandem)					0.0004007										
		Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.0001067 0.000222					-					
-		Tandem Switching Function Per MOU (Melded)					0.00035296					-					
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000033290					1					
		Melded Factor: 33.08% of the Tandem Rate					0.000073430					-					
	Commo	n Transport		\vdash		1											
		Common Transport - Per Mile, Per MOU				i e	0.0000032										
		Common Transport - Facilities Termination Per MOU	1			İ	0.0003748			İ	l						
		ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
		ice and Tandem Switching Usage and Common Transport Us															
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	II be those idei	ntified in the N	onrecurring	- Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				 											
\vdash	UNE Po	rt/Loop Combination Rates				 	40.40			 	-		 				
\vdash		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		1	13.13 23.75						-	-		-	
\vdash		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3		1	49.62					-	-	-		-	
\vdash	LINE L	op Rates	H	3		1	45.02			1	 	H					
 	5142 20	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26			İ	İ						
	2-Wire	/oice Grade Line Port Rates (Res)				i e	,										
	Ĺ	2-Wire voice unbundled port - residence	1		UEPRX	UEPRL	1.36	38.85	19.08	İ	l						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08								
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08								
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08								

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		Elec		Manual Svc		Manual Svc	
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)		per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Disconne				Rates (\$)		
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res				+		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		(RUL)			UEPRX	UEPAG	1.36	38.85	19.08							
		2-Wire voice unbundles res, low usage line port with Caller ID			02.100	02.710	1.00	00.00	10.00				t			
		(LUM)			UEPRX	UEPAP	1.36	38.85	19.08							
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan														
		without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08				1			
		2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08							
		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITOR	OLI IXQ	1.00	00.00	10.00							
		Capability			UEPRX	UEPRT	1.36	38.85	19.08							
	FEATU															
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00		_					
	LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35						1			
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRA	LINFOX	0.35						 			
	TTOTTICE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -											1			
		Switch-as-is			UEPRX	USAC2		0.10	0.10							
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
		Switch with change			UEPRX	USACC		0.10	0.10		_					
	ADDITI	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+	-					-	-			
		Activity			UEPRX	USAS2	0.00	0.00	0.00							
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			021101	00.102	0.00	0.00	0.00			1				
		Premise			UEPRX	URETL		8.33	0.83							
	OFF/OI	N PREMISES EXTENSION CHANNELS														
		Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX UEPRX	UEAEN UEAEN	12.90 23.33	36.54 36.54	16.87 16.87				1			
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	48.43	36.54	16.87				<u> </u>			
		2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	14.93	102.10	65.72							
		2 Wire Analog Voice Grade Extension Loop - Design		2	UEPRX	UEAED	25.35	102.10	65.72							
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72			ļ				
	INTER	DFFICE TRANSPORT				+							ļ			
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	22.60	39.36	26.62							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI TOX	OTTVZ	22.00	33.30	20.02			 				
		or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00							
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
	UNE P	ort/Loop Combination Rates		_			40.40				_					
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2			13.13 23.75						-			
		2-Wire VG Loop/Port Combo - Zone 3		3		+	49.62				+	1				
	UNE L	pop Rates		Ť			10.02									
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	11.77									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39									
\vdash	2_\M:=c	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	48.26					1	-			
	2-wire	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				 			
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08			t	1			
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08			1				
		2-Wire voice Grade unbundled Louisiana extended local dialing														
		parity port with Caller ID - bus	-		UEPBX	UEPAX UEPB1	1.36	38.85	19.08			 	 			
		2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with			UEPBX	UEPBI	1.36	38.85	19.08			1	 			
		Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08				1			
		2-Wire Voice Unbundled Louisiana Business Dialing Plan										İ				
		without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08			1				
		2-Wire voice unbundled Louisiana Business Area Calling Port			LIEDDY	LIEDE A	4.00	00.0=	10.00				1			
		without Caller ID Capability	L		UEPBX	UEPBA	1.36	38.85	19.08			1	L	l		

UNBI	JNDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	ibit: A
3.450											S	vc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		١,	per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									poi Loit	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring Disco					Rates (\$)		
							1100	First	Add'l	First Ad	ld'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.36	38.85	19.08								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
-	FEATU		-	-	HEDDY	LIED) /E	0.00	0.00	0.00								-
	NOND	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00								
	NONRI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-			+					-						+
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
-	+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	OLFBA	USACZ		0.10	0.10		-				-		-
		Switch with change	1	1	UEPBX	USACC		0.10	0.10						I		
	ADDIT	IONAL NRCs	 		OLI DA	UUAUU		0.10	0.10						t		
	ווטכה	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	†	 	1	_									I		†
		Activity	1	1	UEPBX	USAS2		0.00	0.00						I		
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User				30,102		3.00	2.00						<u> </u>		†
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	23.33	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
	1	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	22.60	39.36	26.62								ļ
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE P	ort/Loop Combination Rates		.			10.10										ļ
-	+	2-Wire VG Loop/Port Combo - Zone 1	-	1			13.13										-
	+	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	LINE L	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	11.77				-						+
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	22.39				-				-		-
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	48.26										-
	2-Wire	Voice Grade Line Port Rates (RES - PBX)			OLI NO	OLI LX	40.20				-						
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	 	 	+	+					- 				+		
		Res			UEPRG	UEPRD	1.36	66.91	31.29						1		
	LOCAL	NUMBER PORTABILITY	t			32	00	33.51	020						1		
	1	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00						t		
	FEATU		İ														
		All Features Offered	İ		UEPRG	UEPVF	0.00	0.00	0.00								
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -												l		I	
		Conversion - Switch with Change	ļ	ļ	UEPRG	USACC		7.68	1.85								ļ
	ADDIT	IONAL NRCs	ļ		ļ										1		ļ
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1											I		
	1	Subsequent Activity	-	<u> </u>	UEPRG	USAS2	0.00	0.00	0.00					 	-	 	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1					-						I		
<u> </u>	+	Group	-	├	+	+		7.11	7.11						 		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83						1		
-	OFF/O	N PREMISES EXTENSION CHANNELS	 	 	ULFRU	UKEIL		8.33	0.83	 	+			 	+	 	
\vdash	OPF/O	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	14.93	102.10	65.72		+			l	t	l	
\vdash	1	Local Channel Voice grade, per termination	 	2	UEPRG	P2JHX	25.35	102.10	65.72						 		
		1200at Ottalinor voice grade, per termination	ь		1021 110	1 2011/	20.00	102.10	00.72	ı <u> </u>				L	1	L	

CATEGORY RATE ELEMENTS Indeed June BCS USOC RATE (a) Company	Exhibit: A	Exh	ment: 2	Attachm													JNDLED NETWORK ELEMENTS - Louisiana
ACTION OF PLANS 1987 RATE LIMINES Submitted Submitted Charge		Incremental			er Inc	Svc Orde	Svc Order										
RATE ELEMENTS Mary		Charge -															
CATEGORY RATE ELEMENTS Manual Rock South RATE RATE RAT		Manual Svo														Intori	
December December		Order vs.								RATES (\$)			USOC	BCS	Zone		GORY RATE ELEMENTS
NETEROPTIC PROPERTY CONTROL 2004 1		Electronic-														ın	
Note Character	Disc 1st Disc																
MIRE MARIE Charged verse gross, per termination 3 JAPPHS 92-JAX 50.44 107-10 66.77 First Add? SOMEC SOMAN	22 .22								N		N.					\sqcup	
Local Commont views grates, per termination 3 \$6.996 92.00 95.00 95.72 95.00 95.72 95.00 95.72 95.00 95.72 95.70 95.72 95.70 95.72 95.70 95.70 95.72 95.70 95.7							001150					Rec					
Intercorrect PRANSPORT	SOMAN SO	SOMAN	SOMAN	VIAN	1 8	SOMAN	SOMEC	Addi	First			50.40	DO ILIV	LIEBBO	2	-	I and Ohannal Vaina and a new town in ation
Interoffice Transport - Declared - 2 Wife Votes Grade - Facility Terresidence					+					65.72	102.10	50.46	PZJHX	UEPRG	3		
Termination UEPRG UTIV2 22 00 39.06 28.62			\vdash	\longrightarrow	_								-				
Interdiffice Transport - Dedicated - 2 Wife Votes Grade - Per Mile UEPRG U1TMM 0.013 0.00										26.62	30.36	22.60	111T\/2	LIEDRG			
OF PICTOR MINE DEPTIC DE				+	+					20.02	00.00	22.00	OTTVZ	OLI IKO			
2 2 2 2 2 2 2 2 2 2										0.00	0.00	0.013	U1TVM	LIEPRG			
UNE Loop Fortions Jan False				-						0.00							
S-Wee VS LoopPint Cortino. Zone 2 2 2 2 2 3 4 6 5 1																	
Description Description												13.13			1		2-Wire VG Loop/Port Combo - Zone 1
Diff. Loop Rates												23.75			2		2-Wire VG Loop/Port Combo - Zone 2
2-Wire Voice Orable Loop (St. 1) - Zone 2 2 UEPPX UEPLX 22-39												49.62			3		
2-Wire Voice Grade Loss (\$1, 1-Zone 2 2 UEPPX UEPLX 42,20 2 2 2 2 2 2 2 2 2																	
2-Wire Votes Grade Line Press (EUS - YPS) 3 0EPPX UEPPX 48.26			igcup														
2-Wire Voice Grade Line Port Rates (BIS - PBX)					_												
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPC 1.36 66.91 31.29 Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPC 1.36 66.91 31.29 Line Side Unbundled DBX Combination PBX Louisians Port Subsequence PBX Trunk Port - Bus UEPPX UEPPY UEPPY 1.36 66.91 31.29 Line Side Unbundled PBX Combination PBX Louisians Port UEPPX UEP			 _	\longrightarrow	_	ļ						48.26	UEPLX	UEPPX	3	\sqcup	
Line Side Unbundled Courser PEX Trunk Port - Bus UEPPX UEPPD 1.36 6691 31.29			\vdash		+	-	 						+		\vdash		2-Wire Voice Grade Line Port Rates (BUS - PBX)
Line Side Unbundled Courser PEX Trunk Port - Bus UEPPX UEPPD 1.36 6691 31.29										24.20	00.04	4.00	LIEDDO	LIEDDY			Line Cide Hebrardted Combination C. Way DDV Tavaly Dark Do
Line Side Unbundled Nooming PEX Trunk Port - Bus			\vdash	\longrightarrow	+												
Caling Port			\vdash	\longrightarrow	_												
Calling Port View Voice Unbounded PBX LD Terminal Ports UEPPX UEPL 1.36 66.91 31.29	+		\vdash	\rightarrow	+	1				31.29	00.91	1.30	UEPPI	UEPFA			
2-Wire Voice Unbundled PSK LD Terminal Ports UEPPX UEPX U										31 20	66 91	1 36	HEDI 2	LIEDDY			
2-Wire Voice Unbundled PEX Toll Terminal Hotel Ports UEPPX UEPXA 1.36 66.91 31.29				\rightarrow	+												
2-Wire Voice Unbundled PRX DID DETerminal Port UEPPX UEPXE 1.36 66.91 31.29				+	_												
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPXD 1.36 66.91 31.29				-													
Capable Port Capa										31.29	66.91	1.36	UEPXC	UEPPX			2-Wire Voice Unbundled PBX LD DDD Terminals Port
Capable Port						Ì				31.29	66.91	1.36	UEPXD	UEPPX			2-Wire Voice Unbundled PBX LD Terminal Switchboard Port
Calling Port																	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD
Calling Port			<u> </u>							31.29	66.91	1.36	UEPXE	UEPPX			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port																	
Administrative Calling Port										31.29	66.91	1.36	UEPXK	UEPPX			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPPX																	
Room Calling Port					_					31.29	66.91	1.36	UEPXL	UEPPX			
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPX UEETL UEPX UEETL UEPX UEETL UEPX UEETL UEPX UEETL UEETL UEETL UEETL UEETL UEETL UEETL				04.00	00.04	4.00	LIEDVA	LIEDDY									
Discount Room Calling Port			\vdash	\longrightarrow	+	ļ				31.29	66.91	1.36	UEPXM	UEPPX		-	
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port UEPPX UE										24 20	66.01	1 26	LIEDVO	LIEDDY			
Discount Calling Port	+		\vdash	\rightarrow	+	1				31.29	00.91	1.30	UEPAU	UEPFA			2 Wire Voice Unbundled 1 Way Outgoing PRY Louisiana Local
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPX 1.36 66.91 31.29										31 29	66 91	1 36	LIEDXD	LIEPPX			
LOCAL NUMBER PORTABILITY				\rightarrow	+												
Local Number Portability (1 per port)					+					01.20	00.01	1.00	02.70	02.17			
FEATURES UEPPX UEVEN				-						0.00	0.00	3.15	LNPCP	UEPPX			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPPX USAC2 7.68 1.85																	
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX USACC 7.68 1.85 ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group UEPPX USACC 7.68 1.85 UEPPX USACC 7.68 1.85 OFF/ON PREMISES EXTENSION CHANNELS										0.00	0.00	0.00	UEPVF	UEPPX			All Features Offered
Conversion - Switch-As-Is																	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USAS2 UEPPX USAS2 0.00 0.00 DBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPX USAS2 0.00 0.																	
Conversion - Switch with Change UEPPX USACC 7.68 1.85 ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise OFF/ON PREMISES EXTENSION CHANNELS UEPPX USAS2 0.00 0.00 0.00 T.11 7.11 UNETL 8.33 0.83						ļ				1.85	7.68		USAC2	UEPPX			
ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise OFF/ON PREMISES EXTENSION CHANNELS UEPPX USAS2 0.00 0.00 0.00 7.11 7.11 UNBUND REMISES EXTENSION CHANNELS			1				1										
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USAS2 0.00 0.00 0.00 UEPPX USAS2 0.00 UEPPX USAS2 0.00 0.00 UEPPX USAS2 0.00 U			\vdash		+	1				1.85	7.68		USACC	UEPPX	$\vdash \vdash$		
Subsequent Activity			\vdash	\longrightarrow	+	ļ	ļ						+	-	\vdash	-	
PBX Subsequent Áctivity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPX URETL 8.33 0.83			1							0.00	0.00	0.00	116763	LIEDDY			
Group 7.11 7.11	+		\vdash	\longrightarrow	+	 	 			0.00	0.00	0.00	USASZ	OLPFA	$\vdash \vdash$	\vdash	
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPX URETL 8.33 0.83 OFF/ON PREMISES EXTENSION CHANNELS			1				1			7 11	7 11		1				
Premise	+			\longrightarrow	+	1			+	7.11	7.11		+		\vdash		
OFF/ON PREMISES EXTENSION CHANNELS			1				1			0.83	8 33		URETI	LIEPPX			
				\rightarrow	+	t	 		+	0.03	0.55		OINETE	OLI I A			
I I Local Channel Voice grade, per termination I I 1 IUEPPX IP2JHX I 14.93 I 102.10 I 65.72 I I I I I I I I I I	+			\rightarrow	+					65.72	102.10	14.93	P2JHX	UEPPX	1		Local Channel Voice grade, per termination
Local Channel Voice grade, per termination	+			\rightarrow	+										2		

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
ONDONDE			1	I							Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-		-			_	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72	11130	Addi	JOHILO	JOHAN	JONIAN	JOWAN	JONIAN	JONAN
INTER	ROFFICE TRANSPORT			02.17	. 20.00	00.10	102.10	00.72								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR Port/Loop Combination Rates	K I														
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1		1		-	13.13										
 	2-Wire VG Coin Port/Loop Combo – Zone 2	1	2		+	23.75										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62					1					
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
2-Wire	e Voice Grade Line Ports (COIN)	ļ														
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		ĺ	UEPCO	UEPRF	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	OLITA	1.50	30.03	13.00			1					
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking										1					
	(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
	2-Wire Coin Outward without Blocking and without Operator															
H	Screening (KY, LA, MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking	-		UEPCO	UEPRN	1.36	38.85	19.08			-					
	(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and Blocking:	1		OLI CO	OLILA	1.50	30.03	13.00								
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08								
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)	ļ		UEPCO	UEPCB	1.36	38.85	19.08								
ADDI	FIONAL UNE COIN PORT/LOOP (RC)	-		UEPCO	URECU	1.81	0.00	0.00	0.00	0.00	1					
1.004	UNE Coin Port/Loop Combo Usage (Flat Rate) L NUMBER PORTABILITY	-		UEPCU	URECU	1.81	0.00	0.00	0.00	0.00	1					
LOOA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					1					
NONR	ECURRING CHARGES - CURRENTLY COMBINED	t				5.55	1									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l														
	Switch-as-is			UEPCO	USAC2		0.10	0.10			ļ					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1				\vdash										
ABBIT	Switch with change	<u> </u>	<u> </u>	UEPCO	USACC		0.10	0.10			<u> </u>		ļ		ļ	
ADDI	FIONAL NRCs	1	-								 					
1 1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		ĺ	UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	†		02.00	30/102		0.00	0.00								
1 1	Premise		ĺ	UEPCO	URETL		8.33	0.83								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	ORT (RES)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			16.45					ļ					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2		_	26.87 51.98				-	<u> </u>	-	-		-	
I INE I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 Loop Rates	-	3			51.98				-	1					
ONE	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFR	UECF2	14.93				<u> </u>	<u> </u>		 		 	
	2-Wire Voice Grade Loop (SL2) - Zone 2	†		UEPFR	UECF2	25.35					1					
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	50.46										
2-Wire	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93								

UNRL	INDI F	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Fyhi	ibit: A
ONDO	JINDLL		I		I						Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
			lustau!								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m								per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
							Rec	Nonrec		Nonrecurring Disconne				Rates (\$)		
					LIEBER	UEDDO		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93		_	ļ				
-	+	2-Wire voice unbundled port outgoing only - res	-	-	UEPFR	UEPRO	1.52	104.41	67.93		_	.				-
		2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93							
-	+	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			OLFTK	ULFAG	1.52	104.41	07.93			1				1
		(RUL)			UEPFR	UEPAG	1.52	104.41	67.93							
	1	2-Wire voice unbundles res, low usage line port with Caller ID			02	02.7.0			01.00			†				
		(LUM)			UEPFR	UEPAP	1.52	104.41	67.93							
	1	2-Wire Voice Unbundled Louisiana Residence Dialing Plan														
		without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93							
	INTER	OFFICE TRANSPORT														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	[<u> </u>					- 1					
	1	Termination			UEPFR	U1TV2	22.60	39.36	26.62							_
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
	FEATU	or Fraction Mile	-	-	UEPFR	1L5XX	0.013				+	ļ		-		-
	FEATU	All Features Offered		-	UEPFR	UEPVF	0.00	0.00	0.00		_	 				+
-	LOCAL	NUMBER PORTABILITY		-	OLFIK	OLF VI	0.00	0.00	0.00	 		1		1		-
	LOOAL	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					1				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00					†				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81							
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81							
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at														
		End User Premise	<u> </u>		UEPFR	URETN		11.20	1.10							
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (BUS)						_	ļ				
	UNE P	ort/Loop Combination Rates		1			16.45				_	ļ				
	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2			26.87				_	.				-
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98					1				-
	UNFI	pop Rates					31.30					1				
	0.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93					†				
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35									
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46									
	2-Wire	Voice Grade Line Port (Bus)							·							
	1	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93							<u> </u>
	1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93					ļ		ļ
	1	2-Wire voice unbundled port outgoing only - bus	_		UEPFB	UEPBO	1.52	104.41	67.93		\rightarrow					
1		2-Wire voice Grade unbundled Alabama extended local dialing	1		LIEDED	LIEDAVA/					- 1					
<u> </u>	+	parity port with Caller ID - bus 2-Wire voice Grade unbundled Louisiana extended local dialing	+	-	UEPFB	UEPAW					+	 			-	
1		parity port with Caller ID - bus	1		UEPFB	UEPAX	1.52	104.41	67.93		- 1					
—	1	2-Wire voice unbundled incoming only port with Caller ID - Bus	 		UEPFB	UEPB1	1.52	104.41	67.93		+	 				
—	1	2-Wire voice unbundled Louisiana Bus Area Calling Port with	l –						300		1			1		
1		Caller ID (BUC)	1		UEPFB	UEPAA	1.52	104.41	67.93		- 1					
		2-Wire Voice Unbundled Louisiana Business Dialing Plan						İ								
		without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93							
	LOCAL	NUMBER PORTABILITY														
L		Local Number Portability (1 per port)	ļ		UEPFB	LNPCX	0.35									_
<u></u>	INTER	OFFICE TRANSPORT	 	-							+	ļ	 	.		├
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1		UEPFB	U1TV2	22.60	39.36	26.62		- 1					
-	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	-	ULPFD	UTIVZ	22.00	J9.30	20.02		+					
		or Fraction Mile			UEPFB	1L5XX	0.013				- 1					
	FEATU		t		02110	120/01	0.013					1	1	1		t
	1	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00		1		İ			
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	•	· ·	•								•					

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
CHECHEL											Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-					Nonros		Nonroquering [Diagonnost	-		220	Potos (¢)		
-					_	Rec	Nonrec First	Add'l	Nonrecurring D	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-			+		FIISL	Add I	FIISL	Auu i	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															1
0.14	End User Premise		ODT (UEPFB	URETN		11.20	1.10								\vdash
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI Port/Loop Combination Rates	E LINE F	ORT (PBX)	_											
OINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93										
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35										
2 Wir	2-Wire Voice Grade Loop (SL2) - Zone 3 re Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	50.46										-
2-9911	e voice Grade Line Fort Rates (BOS - FBX)				+											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.52	132.47	82.14								1
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14								
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.52	132.47	82.14								
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															1
	Calling Port	-		UEPFP UEPFP	UEPL2 UEPLD	1.52	132.47	82.14			-					
-	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52 1.52	132.47 132.47	82.14 82.14								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14								-
	2-Wire Voice Unbundled PBX LD DDD Terminal Floter Forts			UEPFP	UEPXC	1.52	132.47	82.14								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.52	132.47	82.14								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port			UEPFP	UEPXK	1.52	132.47	00.44								1
\vdash	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEPFP	UEPAK	1.52	132.47	82.14								\vdash
	Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14								1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			-				-								
	Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14								1
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14								
LOCA	AL NUMBER PORTABILITY			OLITI	OLI AO	1.02	102.47	02.14								
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination	ļ		UEPFP	U1TV2	22.60	39.36	26.62								\longleftarrow
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.013										1
FEAT	TURES	1		0=111	TEOXX	0.013										\vdash
1 -711	All Features Offered	1		UEPFP	UEPVF	0.00	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l												1 7
\vdash	Combination - Conversion - Switch-as-is	1		UEPFP	USAC2		8.24	1.81								\vdash
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81								1
 	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 		OLITI	UUAUU		0.24	1.01			 					\vdash
	End User Premise			UEPFP	URETN		11.20	1.10								1
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT						· · · · · ·								
UNE	Port/Loop Combination Rates	1									1	<u> </u>		l		

UNRI	UNDI F	D NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Evhi	ibit: A
OND	ONDEL		I	l	I			I					Svc Order	Svc Order	Incremental		Incremental	
														Submitted		Charge -	Charge -	Charge -
			Intori										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										po. 20.0	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								Rec	Nonrec		Nonrecurring Disco		001150			Rates (\$)		
-	+	2 Miss VC Leas /2 Miss DID Tayani Day Careba LINE Zana 4	-	1	ļ			22.20	First	Add'l	First A	dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	2	ļ			23.20 33.62										
	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	<u> </u>		1	58.73										
-	UNFI	pop Rates						30.73								1		
	0	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										
	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										
	UNE Po	ort Rate						İ										
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1							·					l			
	4	Switch-as-is	ļ		UEPPX		USAC1		7.10	1.81			ļ			ļ		ļ
1		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEBBY		110440						1					
		with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81								
-	ADDITI	ONAL NRCs	-	1	LIEDDY		LICACA		20.04	20.04								
-	+	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	1	UEPPX		USAS1		26.01	26.01								-
		End User Premise			UEPPX		URETN		11.20	1.10								
	Teleph	one Number/Trunk Group Establisment Charges			OLITA		OKETIV		11.20	1.10								
	Генери	DID Trunk Termination (One Per Port)		1	UEPPX		NDT	0.00	0.00	0.00								
	1	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	Γ													
	UNE Po	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDDD	LIEDDO		07.40										
-	+	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	1	UEPPB	UEPPR		27.48										-
		UNE Zone 2		2	UEPPB	UEPPR		40.34										
-	+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITB	OLITIK		40.54										
		UNE Zone 3		3	UEPPB	UEPPR		70.99										
	UNE Lo	pop Rates					İ											
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
								İ										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60										
	UNE Po	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								
<u> </u>	NONRE	CURRING CHARGES - CURRENTLY COMBINED	 	-	 		ļ						ļ		 	 	 	\vdash
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	37.40	26.23								
-	ADDITI	ONAL NRCs	-		UEPPB	UEFFR	USACB	0.00	37.40	20.23								-
	ADDITI	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	<u> </u>		1											
		End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User				32			20							İ		
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
L	1	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						ļ		
	+	CVS (EWSD)	ļ	<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
<u> </u>	D CITE	CSD	C M2 ^	Th"	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						-		
<u> </u>	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	∪,⊮i5, & T	IN)	HEDDD	UEPPR	U1UCD	0.00	0.00	0.00				-	-		-	-
-	+	CVS/CSD (DMS/5ESS) CVS (EWSD)	1	 	UEPPB UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	 			1	 	 	 	
—	+	CSD	1	 	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00					l	 	l	\vdash
		1005		<u> </u>	25.10	OLITIK	31001	0.00	0.00	0.00	<u> </u>		L	1		·		

CATEGORY RATE ELEMENTS Intering Manual Svc Order Submitted Flect Manually per LSR Page Nonrecurring Disconnect Svc Order Submitted Per LSR Page Nonrecurring Disconnect Svc Order Submitted Submitted Charge - Cha	UNBU	IDI F	NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	hit· Δ
ATE CLEMENTS AND OTHER PROPERTY AND ATTEMPTS (1) SOUTH AND ATTEMPTS	3.4001		THE THE STATE CELLINE TO TE CONTROL OF THE STATE OF THE S		I			1	1					Svc Order	Svc Order				Incremental
ATE PLEMENTS INTO THE PROPERTY OF THE PROPERTY														I .	1				
CATEGORY RATE GLEMENTS																			
Record R	CATEGO	RY	RATE ELEMENTS		Zone	В	cs	usoc			RATES (\$)				,				
12				m	-33	_					== (4)			per LSK	per LSK				
DEST PRIMINAL PROPERTY SECURI																			
Mile First April SOME																151	Addi	DISC 1St	DISC Add I
SPEET FERMINAL PROPRIES First Note of Street (1970) SOURCE		i							Dee	Nonred	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	•
Dear Territor (1970) entry (1970) Dear (Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VERTICAL FEATURES																			
May Vertical Features: Charge of Charmed B Lister Portion WHENDPYEE CHANAGE MILELAGE Text May						UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
INTERCOPTICE CHANNEL MILEAGE																			
Interestica Consonide inleage each, including lest mise and LEPPS UPPN LEPPS LEPPS UPPN LEPPS LEPP						UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
Excitions control of many co																			
Interfactor Connect entering exch., another control make																			
### CRITICAL DOOR WITH # WINE EST DOOR ST DOOR TALL TRUMP FORT TO THE UNIT THE UNIT TO SEND ST DOOR ST	\vdash																		
The UNEF DST combination rates below for in this rate exhibit apply to the embedded base in place as of 19203 until 47/06. After 47/06 these rates shall rever to certif rates or a separate commercial agreement.	\vdash			(DODT		UEPPB	UEPPR	M1GNM	0.013	0.00	0.00								
Requests for 4-Wine DSD Digital Loop with 4-Wine SDD Digital Trusk Port - UNE UE-PPP 100.02								- (40/0/00		4/4/04 //			1	<u> </u>	<u> </u>				
UNE FORTLogo Combination Rates																nt.			
AV DST Digital Loop/AW ISDN DST Digital Trunk Port - LINE 1 UEPPP				Tunk Po	T alle	the enec	live date c	T this amend	Intent Shall be	provided pursu	iani io a sepai	ate agreement	Or tariii at bei	l South's di	Scretion.		-		
Content Cont	 			1	!			1				 	 	1	H	l	t	 	
AV SST Digital Loop-WI SSDN DST Digital Trunk Port - UNE 2					1	LIEPPP			180 52			1	1				1		
Zone 2	\vdash			 	+ -	JE111		 	100.02			 	 	 	-		 	 	
Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Coop Rates Web Web Coop Rates Web Coop Rates Web Coop Rates Web Web Coop Rates Web				1	2	UEPPP			289 78			I	I				I		
New Content of Conte	\vdash			1	- -	J II		1	200.70			<u> </u>	<u> </u>				<u> </u>	1	
UNE Loop Rates	1 1			1	3	UEPPP			586.76			I	I				I		
4-Wire DST Digital Loop - UNE Zone 2					Ť									İ					
4-Wire DST Digital Logo - UNE Zane 2 2 UEPPP					1	UEPPP		USL4P	85.70					İ					
4-Wire DST Digital Loop - LNRE Zene 3 3 UEPPP USL4P 491.94					2	UEPPP		USL4P	194.96										
Exchange Ports - 4-Wire ISDN DS1 Port (E-4/120204)					3	UEPPP		USL4P	491.94										
NONRECURRING CHARGES - CURRENTLY COMBINED		JNE Po	rt Rate																
A-Wire DST Digital Logo / A-Wire ISDN DST Digital Trunk Port UEPPP USACP 0.00 115.63 76.29						UEPPP		UEPPP	94.82	443.08	251.60								
Combination - Conversion - Switch-asis (E4/1/2004) UEPPP USACP 0.00 115.63 76.29																			
ADDITIONAL NRCs																			
A-Wire DS1 Loop/A-W ISDN Digit Trik Port - Subset Activy UEPPP						UEPPP		USACP	0.00	115.63	76.29								
Inward/No vey Tel Nos. (except NC)																			
A-Wire DS1 Loop / A-Wire ISON DS1 Digital Trunk Port - UEPPP PR7TO 11.18 11.18																			
Outward Tel Numbers (All States except NC)	\vdash					UEPPP		PR7TF		0.48				ļ					
A-Wire DS1 Loop / A-Wire ISDN DS1 Digital Tirk Port - Subsequent Invender Tel Number						LIEDDD		DDZTO		44.40	44.40								
Subsequent Inward Tel Numbers	-			-		UEPPP		PR/10		11.18	11.18			 	-				
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB						LIEDDD		DD77T		22.25	22.25								
Liccal Number Portability (1 per port)	—			1		OLFFF		FRIZI		22.33	22.33	-	-	1	1		-		
INTERFACE (Provisining Only)	<u> </u>					LIEPPP		LNPCN	1 75					†					
Voice/Data				1		J II			1.75			<u> </u>	<u> </u>				<u> </u>	1	
Digital Data						UEPPP		PR71V	0.00	0.00	0.00	i	1			İ	1	İ	
Inward Data																İ	1		
New or Additional - Voice/Data B Channel			Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New or Additional - Digital Data B Channel		lew or	Additional "B" Channel																
New or Additional Inward Data B Channel																			
CALL TYPES																			
Inward						UEPPP		PR7BD	0.00	14.11									
Outward				ļ				<u> </u>				ļ	ļ				1	ļ	
Two-way	\vdash			ļ	<u> </u>									ļ			ļ		
Interoffice Channel Mileage Fixed Each Including First Mile LEach Arline-Fractional Additional Mile UEPPP 1LN1A 70.7352 86.69 79.44 LEPPP 1LN1B 0.2652 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates 4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17 4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43 4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	\vdash			<u> </u>	ļ							<u> </u>	-		-	 	-		
Fixed Each Including First Mile Each Airline-Fractional Additional Mile UEPPP 1LN1A 70.7352 86.69 79.44	├			!	-	UEPPP		PR/CC	0.00	0.00	0.00	.	.				 	-	
Each Airline-Fractional Additional Mile 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17 4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43 4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	 			1	-	HEDDD		41 N/4 A	70 7050	00.00	70.44	 	 	 	1	-	 	 	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE? PDS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4-W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17 4-W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43 4-W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	\vdash			+	+					86.69	79.44	 	 	 	-		 		-
The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	 			 	-	UEPPP		ILINIB	0.2652			-	-				+		
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41				v to the	ember	ded bace	in nlace a	s of 10/2/02 :	Intil 4/1/04 Afe	er 4/1/04 these	rates chall ro	Vert to tariff rat	es or a senera	te commerc	ial agreems	nt .	 	 	
UNE Port/Loop Combination Rates														commett	iui agreeiile	 I	t	 	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1						o amen		Do provide	La parsaant to a	. Jopanate agre	content of tall	. at Donoouth t	and Guidin.	 	-		 	 	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	 			†	1	UEPDC		1	154.17			-	 	1	 		I	 	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41				1	2			1				<u> </u>	<u> </u>				<u> </u>	1	
								İ				i	1			İ	1	İ	
								i e				t	t				t	İ	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												"	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ					Managa		l Names accorden	. Dianamant						
—		1	1			Rec	Nonred First	Add'l	First	g Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	85.70	FIISL	Addi	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	194.96										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94										
UNE F	Port Rate		Ť													
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90								
NONR	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
ļ	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	USAWB		405.75	CF 00								1
ADDI	- Conversion with Change - Trunk (E:4/1/2004) TIONAL NRCs	1	 	UEPDC	USAVVB		125.75	65.08		-	-	 		 	 	
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	 	 						1	 				1	 	
1 1	Subsequent Channel Activation/Chan - 2-Way Trunk	1		UEPDC	UDTTA		14.06	14.06				1				1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								[
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
DIDO	Activation / Chan - 2-Way DID w User Trans LAR 8 ZERO SUBSTITUTION	ļ		UEPDC	UDTTE		14.06	14.06								
ВІРОІ	B8ZS -Superframe Format	1		UEPDC	CCOSF		0.00i	605.00s								
-	B8ZS - Extended Superframe Format	1	1	UEPDC	CCOEF			605.00s								
Altern	nate Mark Inversion			OLI DO	CCCLI		0.001	000.003								
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
-	DID Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	ND4 ND5	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	<u> </u>		UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								<u> </u>
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop			0.00	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1														
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44								l
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															ĺ
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41.1100	0.0050	0.00	0.00								ĺ
	miles	1		UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							ĺ
 	Torriniadori)	 	 	021 00	ILINOS	0.00	0.00	0.00	0.00	 				 	 	
1 1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.2652	0.00	0.00				1				1
	Local Number Portability, per DS0 Activated	i –	 	UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point	i	i –	UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on				L	L	L		1			L				
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after th DS1 Loop	e effect	ive dat	e or this amendment T	shall be pro	vided pursuan	ιτ το a separate	agreement or	tariff at BellSo	utn's discretio	on.	-		-	-	
UNE	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	85.70	0.00	0.00	-			-	-			
\Box	T- VVIIG DOT LOOP - DIVE ZOIIG I		<u> </u>	OLI IVIG	USLDC	05.70	0.00	0.00	l	I	L	l		L	L	

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CIVECIVEL	LOUISIANA					1					Svc Order	Svc Order	Incremental			Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
l		ļ					Monro	curring	Monroourring	g Disconnect			220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	THOU	Addi	JOHILO	JOINAIN	JONIAN	JONIAN	JONIAN	JOHIAN
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00				İ				
UNE I	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				ļ				——
—	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM14 VUM19	584.10 778.80	0.00	0.00	-							-
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
-	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				1				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00	t							
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,947.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe								-							
With	bles of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without	uu i aite	i the in	iminum system cor	linguration is	counted.			 							
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								İ
Svste	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat					0.12	1							
	Not Currently Combined) in all states, except in Density Zone															
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
Bipol	ar 8 Zero Substitution	ļ														
	Clear Channel Capability Format, superframe - Subsequent			UEPMG	CCOSF	0.00	0.00:	605.00s								ĺ
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPIVIG	CCOSF	0.00	0.001	605.00S								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00i	605.00s								ĺ
Alterr	ate Mark Inversion (AMI)			020	0002.	0.00	0.00.	000.000				1				
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	inge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excha	inge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															ĺ
	(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	-	-	UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		.				
	(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						İ
	Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.02	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00						1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
	(E:4/1/2004)	<u> </u>		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00	<u> </u>		ļ	ļ	ļ	
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –								1							1
	(AL, KY, LA, MS, & TN)(Conversion from Network Access			LIEDDY	LIEDCY	4.50	0.00	0.00		0.00						1
	Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination	 		UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00	-					
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															ĺ
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00						1
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –						2.00	5.00	2.00	5.00			İ		İ	
	Louisiana Only - Calling Plan (E:4/1/2004)	<u> </u>		UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
	Louisiana Only – Calling Plan (E:4/1/2004)	ļ		UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00	ļ	ļ				
Featu	re Activations - Unbundled Loop Concentration	!				1			-							
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40								1
	Feature (Service) Activation for each Trunk Port Terminated in	 		OLIFA	II- QVVIVI	0.0497	25.30	13.40	 		-			 		
1 1	D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40	1							1
Telep	hone Number/ Group Establishment Charges for DID Service	1				0.0.01	. 5.50	.0.10	1	İ	1			İ		
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								

UNBI	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
O.V.D.	ONDEL	THE THORK ELEMENTO LOGICIANA				1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ļ.,										
	-						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	+	N. O	-	-	LIEDDY	NDE	0.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	+	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	-	-	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
-	+	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00								\vdash
-	Local I	Number Portability		-	OLITA	INDV	0.00	0.00	0.00								
	Looui i	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES - Vertical and Optional			OLI I X	2.1. 0.	0.10	0.00	0.00								
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
		Office and Tandem Switching Usage and Common Transport															
		first and additional Port nonrecurring charges apply to Not C	urrently	comb	inea Combos. For	Currently Co	mpinea Combo	s, tne nonrecu	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections.	Auditional NR	.cs may
-		also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	h	-4:-41	an an Individual C	Dania	4:1 fth. a a4:a.	_					ı		1	1	
-		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		otiated	on an individual Ca	ase basis, uni	tii further notice	э.									
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1				1										
-		ort/Loop Combination Rates (Non-Design)				+											
	OITE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1											
		Non-Design		1	UEP91		13.13										1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		23.75										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		49.62										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														1
		Design		1	UEP91		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	LIEDO4		00.74										1
-	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		UEP91	+	26.71										
		Design		3	UEP91		48.26										1
	UNFI	poop Rate		Ŭ	OLI 01	+	40.20										
	0.11	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46										
<u> </u>	UNE P		ļ			_	ļ										
	All Sta	tes (Except North Carolina and Sout Carolina)	<u> </u>		LIEDO4	LIEDY'A	100	00.0=	10.00								\vdash
<u> </u>	+	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	<u> </u>	UEP91	UEPYA	1.36	38.85	19.08			-	-	-	-	-	\vdash
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.36	38.85	19.08								[]
—	+	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1		OLF31	OLF ID	1.30	30.05	19.08					 	l	l	\vdash
		Local Area	1		UEP91	UEPYH	1.36	38.85	19.08			1					[
—	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1			1		00.00	.0.00								
		Note 2, 3 Basic Local Area	1		UEP91	UEPYM	1.36	104.41	67.93			1					[
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	1	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															1 7
	1	- Basic Local Area	ļ		UEP91	UEPY9	1.36	38.85	19.08			ļ					
		2-Wire Voice Grade Port Terminated on 800 Service Term -															[
<u> </u>	AL IC	Basic Local Area	 	-	UEP91	UEPY2	1.36	38.85	19.08			 		 	 	 	\vdash
<u> </u>	AL, KY	, LA, MS, & TN Only	1	-	LIEDO1	UEPQA	1.00	38.85	10.00					-	-	-	
-	+	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP91 UEP91	UEPQA	1.36 1.36	38.85	19.08 19.08				-	-	-	-	
	+	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	-	UEP91	UEPQB	1.36	38.85	19.08			 	-	 	 	 	\vdash
-	+	2-Wire Voice Grade Port (Centrex with Carel ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLI 31	OLFQII	1.30	30.03	13.00			 					\vdash
		Center)2,3			UEP91	UEPQM	1.36	104.41	67.93								(l
	-	1 7 - 7 - 7				,	00		000								

UNBUNI	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
	ī											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			_ m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash	-	0.14% V. 1 . 0 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			LIEDO4	LIEDO7	4.00	404.44	07.00								
\vdash	-	Service Term	1		UEP91	UEPQZ	1.36	104.41	67.93				-				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
\vdash		2-Wire Voice Grade Port Terminated in on Wegalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP91	UEPQ9	1.36	38.85	19.08								
1.0	ocal S	witching	1		UEP91	UEFQZ	1.30	30.00	19.06						1		
100	,cai c	Centrex Intercom Funtionality, per port	1		UEP91	URECS	0.8577										
I c	ocal N	lumber Portability			OLI 01	ONLOG	0.0077								1		
	1	Local Number Portability (1 per port)			UEP91	LNPCC	0.35								1		
Fe	ature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port	i		UEP91	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	İ									
NA	ARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
$oxed{oxed}$		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations	<u> </u>											ļ	L	ļ	
2-V	Wire	Trunk Side	ļ			1								ļ	1	ļ	ļ
		Trunk Side Terminations, each	!	<u> </u>	UEP91	CENA6	8.29	115.85	18.20						ļ		
Int	teroff	ice Channel Mileage - 2-Wire	<u> </u>	ļ	LIEDO4	144050		22.2-	20.5-	ļ		ļ		ļ	-	ļ	
\vdash		Interoffice Channel Facilities Termination - Voice Grade	!	-	UEP91	M1GBC	22.60	39.36	26.62	1				 	 	 	
		Interoffice Channel mileage, per mile or fraction of mile		-	UEP91	M1GBM	0.013			1				 	 	 	
		Activations (DS0) Centrex Loops on Channelized DS1 Service nnel Bank Feature Activations	i e	-		+								 	 	 	-
104	+ Cna	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	-	UEP91	1PQWS	0.6497	-				-	-		 		
\vdash	-	realure Activation on D-4 Channel Bank Centrex Loop Stot	1		UEF91	IPQVIS	0.0497			1					-		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
+-+	-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		OLI 01	11 0000	0.0407										
		Slot	1		UEP91	1PQW7	0.6497					1			I		
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	†			~,,,	5.0-157							1	<u> </u>	1	
		Different Wire Center			UEP91	1PQWP	0.6497								1		
			1		-							İ	İ	İ	1	İ	ĺ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497								1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop												1		1	
		Slot	L	Ш.	UEP91	1PQWQ	0.6497					<u> </u>			<u> </u>		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497										
No	on-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed	1								-						l
\vdash		changes, per port	<u> </u>		UEP91	USAC2		0.10	0.10					ļ	L	ļ	
\vdash		Conversion of Existing Centrex Common Block	ļ		UEP91	USACN	0.00	36.66	16.10						ļ		
\vdash		New Centrex Standard Common Block	<u> </u>	ļ	UEP91	M1ACS	0.00	680.40		ļ		ļ		ļ	-	ļ	
$\vdash \vdash$		New Centrex Customized Common Block	<u> </u>	ļ	UEP91	M1ACC	0.00	680.40		ļ		ļ		ļ	-	ļ	
\vdash		Secondary Block, per Block	!	-	UEP91	M2CC1	0.00	79.31		1				 	 	 	
H-	- اعالما	NAR Establishment Charge, Per Occasion	 	-	UEP91	URECA	0.00	73.93						 	 	 	-
Ad	Jaitio	nal Non-Recurring Charges (NRC)	1	 		+				1		-	-		 		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1		UEP91	URETL		8.33	0.83			1			I		
\vdash	-	Unbundled Miscellaneous Rate Element, Tag Design Loop at	 	1	OL1 31	UNLIL		0.33	0.03			-	-		+		
		End Use Premise			UEP91	URETN		11.20	1.10						1		
411	NF-P	CENTREX - 5ESS (Valid in All States)	 	 	OL: 01	JILLIN		11.20	1.10						+		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>												<u> </u>		
		ort/Loop Combination Rates (Non-Design)	t			1								İ	1	İ	İ
	Ť	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1								İ	1	İ	
		Non-Design	1	1	UEP95		13.13					1			I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												1		1	
		Non-Design		2	UEP95		23.75								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1 1		Non-Design	1	3	UEP95		49.62					1	1		I		I

	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007144
\longrightarrow						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)	-			+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	1	4	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95	+	10.29					-					
	Design		2	UEP95		26.71										
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33	+	20.71					-					
	Design		3	UEP95		51.82										
UNE I	oop Rate			02. 00	1	01.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93		·								
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
	Port Rate															
All Sta																
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08								
\vdash	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPYM	1.36	104.41	67.93								
\vdash	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP95	UEPYIVI	1.30	104.41	67.93			-			-		
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 95	OLI 12	1.50	104.41	07.33					1			
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OL: 00	OLI 10	1.00	00.00	10.00								
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
\vdash	Term 2,3			UEP95	UEPQZ	1.36	104.41	67.93								
	OMES Volve Cond. Bust transit.			LIEBOE	LIEDGS							1		I		
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08						-		ļ
1	2-Wire Voice Grade Port Terminated on 800 Service Term	-	<u> </u>	UEP95	UEPQ2	1.36	38.85	19.08		-	1	-	-	1	-	1
Local	Switching Centrex Intercom Funtionality, per port	-	-	UEP95	URECS	0.8577					-	-		 	-	1
Local	Number Portability	 	-	05.590	UKEUS	0.8577						-	 	+	 	1
Local	Local Number Portability (1 per port)		-	UEP95	LNPCC	0.35							 	 		+
Featu		-		021 00	1111 00	0.55					-		 	 		
- Juliu	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	0.00								<u> </u>		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25						İ	1		1
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						İ	İ	1	l	
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side				1											
\vdash	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20					ļ	ļ		
I A 1871	Digital (1.544 Megabits)			LIEBAE	LAU IE		,									
4-1/1	DS1 Circuit Terminations, each	1	1	UEP95	M1HD1	68.47	196.18	92.92		l	1	I	l	1	l	1
4-1/1/0						2.20										
	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.06									

UNBUNDL'	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
					1						Svc Order	Svc Order	Incremental			
											I .	Submitted		Charge -	Charge -	Charge -
		Inter:									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e									ļ					
D4 Ci	hannel Bank Feature Activations			LIEDOE	400040	0.0407					ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497					1					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF95	IPQVV6	0.0497			-		1			-		-
	Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 33	11 QVV7	0.0437			 	1	<u> </u>		1		1	
	Different Wire Center			UEP95	1PQWP	0.6497										
	Different vine contor			02. 00		0.0.07			t		†			t		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497			1					1		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
I	Slot		L	UEP95	1PQWQ	0.6497			<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u></u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex							·								
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40				ļ					
4.1.15	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93				1					
Addit	tional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use										1					
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF95	UKETL		0.33	0.03	-		1			-		-
	End Use Premise			UEP95	URETN		11.20	1.10								
UNF-	-P CENTREX - DMS100 (Valid in All States)			OL1 00	ORLIN		11.20	1.10			1			1		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1			1		1
	Port/Loop Combination Rates (Non-Design)										İ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		49.62										
UNE	Port/Loop Combination Rates (Design)								ļ	ļ			ļ	1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOD					I					I		
$\!\!\!+\!\!\!-$	Design		1	UEP9D	+	16.29			-	 		ļ	ļ	-	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		00.74			1					1		
$\longrightarrow \longmapsto$	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 2	UEP9D	+	26.71			-	1	-			 		<u> </u>
	2-wire vG Loop/z-wire voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		51.82			I					I		
LINE	Loop Rate	1	3	OLFBD	+ +	51.02			 	1	1	1	1	 	 	
- OIAE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77			 	+	 		 	t	 	
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	22.39			†	1				<u> </u>		
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	48.26						İ		1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.35				1	İ		1		1	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
	Port Rate															
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				Π				_					_		
	Area			UEP9D	UEPYB	1.36	38.85	19.08		ļ						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	00.0-	10.00	I			1		I		1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		<u> </u>	UEP9D	UEPYC	1.36	38.85	19.08	 	 	ļ		.	 	 	-
											•			i		1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	Dec	usos			DATES (6)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area (500 MT/10) A D D D D D D D D D D D D D D D D D D			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08								
 	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLF3D	OLFIT	1.30	30.03	19.00						 		
	Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.36	38.85	19.08						-		-
	Area			UEP9D	UEPYV	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local									1						
	Area			UEP9D	UEPY3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
\vdash	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	-	-	UEP9D	UEPYH	1.36	38.85	19.08	1		 			-		-
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			021 02	OLI IW	1.00	00.00	10.00								
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLF3D	OLFIO	1.30	104.41	07.93						 		
	Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			LIEDOD	UEPYR	4.00	404.44	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPTR	1.36	104.41	67.93						 		-
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	LIEDVE	4.00	404.44	07.00								
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY5	1.36	104.41	67.93						-		-
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4						-									
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDVZ	4.00	404.44	07.00								
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	UEP9D	UEPYZ	1.36	104.41	67.93	+		1			 		-
	Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.36	38.85	19.08								
AL, K	Y, LA, MS, SC, & TN Only			LIEDAD	LIEDOA	4.00	00.05	10.00								ļ
-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.36 1.36	38.85 38.85	19.08 19.08	-					-		
	2-Wire Voice Grade Fort (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		_	UEP9D	UEPQF	1.36	38.85	19.08	ļ		<u> </u>					
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-	-	UEP9D UEP9D	UEPQG UEPQT	1.36 1.36	38.85 38.85	19.08 19.08	+	-	1			 		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		 	UEP9D	UEPQU	1.36	38.85	19.08	+		 					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08			1					<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08								

UNBI	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
OND	JIIDEL	NETWORK ELEMENTO Louisiana		l		1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Inten!									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
		Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															1
-	+	2,3			UEP9D	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								1
-	+	2-Wile Voice Grade Port (Certiex/diller SWC /EBS-PSE1)2,3,4	-		UEP9D	UEPQU	1.30	104.41	67.93			1					\vdash
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								1
-	1	2 VIII VOICE GIAGE FOR (CENTRONGING GVV) EBE MICOCO)2,0,4			OLI OD	OLI QI	1.00	104.41	01.00			†					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								1
	1																
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								1
	1	•															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
																	1
	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								1
-	+	2-Wire Voice Grade Port (Centrex/diller SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	UEP9D	UEPQ7	1.36	104.41	67.93			-					
		Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								1
		16111 2,3			OLFBD	ULFQZ	1.30	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
	NADO	All Centrex Control Features Offered, per port	-	-	UEP9D	UEPVC	0.00										
-	NARS	Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	-					
-	+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	-	-	UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						\vdash
-	+	Unbundled Network Access Register - Outdial		 	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		 		 		\vdash
	Miscell	aneous Terminations			02. 00	3,4(3)(0.00	0.00	3.00	0.00	0.00						
		Trunk Side				1											
		Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20						1		
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62								
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06	•								
	Interof	ice Channel Mileage - 2-Wire															igsquare
	1	Interoffice Channel Facilities Termination	ļ	<u> </u>	UEP9D	M1GBC	22.60	39.36	26.62								↓
		Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	<u> </u>	UEP9D	M1GBM	0.013										\vdash
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	₩		+						-			-		\vdash
-	D4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.6497									-	├──┤
	+	r eature Activation on D-4 Channel Bank Centrex Loop Slot	 	 	OFLAD	IFUVS	0.6497						 	 	 		\vdash
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						1				[
-	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		021 00	11 9440	5.0437					-	-		 		
		Slot			UEP9D	1PQW7	0.6497										[
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1	5.5.01										
1	1	Different Wire Center			UEP9D	1PQWP	0.6497						1				1
						•						•					

ATECONY PATE ELEMENTS Note: 100: 100: 100: 100: 100: 100: 100: 10	UNBUN	DLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
ANTE CLEMENTS RATE C	0112011												Svc Order	Svc Order				
Part Part																		
MAIN MAIN				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
Record R	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Pack Pack															Electronic-	Electronic-	Electronic-	Electronic-
Part Part															1st	Add'l	Disc 1st	Disc Add'l
Part Part							+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
Finding Activation of John Charles (Park Pick No. 100)							1	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Finding Activation of John Charles (Park Pick No. 100)																		
Sect Sect						UEP9D	1PQWV	0.6497										
Figure Activation of Inchange (RPC) Accessed with WERF Centres																		
Non-Recurring Charges (RRC) Associated with MERF Centers of millions (NRF) Centers (NRF)				-										-				
NeC Conversion Cummit Committee Service Commit	N	on-Pa				UEP9D	TPQWA	0.6497										-
Changes, per port Chan		011 110						1										
New Centres Enterind Control (Common Block) UEPIG MIACS 0.00 660-60						UEP9D	USAC2		0.10	0.10								
New Countries Customical Courtme Block SPRID MINCC 0.00 680.40			Conversion of existing Centrex Common Block, each							16.10								
NAR Establishment Change, Per Occasion: UEPPO UERCA 0.00 77.35																		
Additional Non-Recurring Charges (RRC)	 -																	
Unbunded Miscolinarous Rate Element, Tigo Dosign Loop at a ULPPO URET.		dditio		-	-	UEP9D	UKECA	0.00	/3.93		-			 				
Premise Prem	H-1	aunu					+	 			+			 				
Uniternative Number Number						UEP9D	URETL		8.33	0.83								
End Use Premise														1				
2-Wire Vot Loop/2-Wire Vote Grade Port (Centreal) Comboo						UEP9D	URETN		11.20	1.10								
UNE PortLoop Combination Rates (Non-Design)																		
Average Composition Compos																		
Non-Design	- 0	NE PO					_											-
A A A A A A A A A A					1	UEP9E		13.13										
Non-Design 2 UEP9E 23.75																		
Non-Design 3 UEPPE 49.62					2	UEP9E		23.75										
New Port Cop Combination Rates (Design)																		
2-Wire Vot Loop/2-Wire Votoe Grade Port (Centrex) Port Combo- 1	L	NE D			3	UEP9E	_	49.62										
Design D	0	NE PO					+											-
2 Wire Volce Grade Port (Centrex)Port Combo-					1	LIFP9F		16 29										
Design D							1											
Design 3 UPPE 51.82					2	UEP9E		26.71										
With Loop Rate																		
2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>				3	UEP9E		51.82										
2-Wire Voice Grade Loop (SL 1) - Zone 2	U	NE LO			1	LIEDOE	LIECC1	11 77										
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UP9E UECS1 48.26																		-
2-Wire Voice Grade Loop (St. 2) - Zone 1																		
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 50.46					1	UEP9E		14.93										
UNE Port Rate																		
AL, FL, KY, LA, MS, & TN only					3	UEP9E	UECS2	50.46										
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.36 38.85 19.08							+											
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	_ ^	L, FL,				UFP9F	UFPYA	1.36	38 85	19.08								
Area						OLI OL	OLI IX	1.00	00.00	10.00								
Area UEP9E UEPYH 1.36 38.85 19.08			· · · · · · · · · · · · · · · · · · ·			UEP9E	UEPYB	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center), 3 Basic Local Area UEP9E UEPYM 1.36 104.41 67.93 LEPYM 1.36 104.41 67.93 Service Term - Basic Local Area UEP9E UEPYZ 1.36 104.41 104.41 105.93 LEPYZ 1.36 104.41 105.93 LEPYZ 1.36 104.41 105.93 LEPYZ 1.36 105.93																		
Center)2,3 Basic Local Area						UEP9E	UEPYH	1.36	38.85	19.08								
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP9E UEPY9 1.36 38.85 19.08 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP9E UEPY2 1.36 38.85 19.08 AL, KY, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex) UEP9E UEP9C 1.36 38.85 19.08						LIEDOE	LIEDVA	4 30	104 44	67.00								
Service Term - Basic Local Area	\vdash			-		UEP9E	UEPTIVI	1.36	104.41	67.93				-				
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPY9 1.36 38.85 19.08						UEP9E	UEPYZ	1.36	104.41	67.93								
- Basic Local Area								1.50		2.100								
Basic Local Area			- Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08								
AL, KY, LA, MS, & TN Only Legren Service Grade Port (Centrex) Legren Service Grade Port (Centrex 800 termination) Legren Service Grade Port (Centrex 800 terminat																		
2-Wire Voice Grade Port (Centrex)	- -	1 107				UEP9E	UEPY2	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex 800 termination) UEP9E UEPQB 1.36 38.85 19.08 9.08	A	L, KY		-		LIEDGE	LIEPΩΔ	1 26	20 DE	10.00				-				
	\vdash										 			 				
			2-Wire Voice Grade Port (Centrex with Caller ID)1	l		UEP9E	UEPQH	1.36	38.85	19.08				1	1	1	1	

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect	i e		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										i e					
		Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
												i e					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08			i e					
	Local S	Switching			02. 02	02. Q2	1.00	00.00	10.00			i e					
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577					1	1				
	Local I	Number Portability					0.000.					i e					
	Looui	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1	†				
	Feature						0.00					1		 	†	 	
	. Jacan	All Standard Features Offered, per port			UEP9E	UEPVF	0.00					1		 	†	 	
—		All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	412.25		†		†	 	 	t		
—		All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0.00	T12.20		†		†	 	 	t		
—	NARS	y in Control Control i Gatules Offered, per port		 	OLI OL	OLI VO	0.00					 	1		1		
—	11/1/10	Unbundled Network Access Register - Combination		 	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	 	1		1		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	†					
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscol	aneous Terminations			OLI SL	OAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side				_											
-	z-wire	Trunk Side Trunk Side Terminations, each	-	-	UEP9E	CEND6	8.29	115.85	18.20	ļ		ł	-		-		
-	4 10/:20	Digital (1.544 Megabits)	-	-	UEF9E	CENDO	0.29	113.63	10.20	ļ		ł	-		-		
-	4-44116	DS1 Circuit Terminations, each	-	-	UEP9E	M1HD1	68.47	196.18	92.92	ļ		ł	-		-		
-	-	DS0 Channel Activated Per Channel	-	-	UEP9E	M1HDO	0.00	14.06	32.32	ļ		ł	-		-		
-	Interef		-	-	UEF9E	MILLIPO	0.00	14.06		ļ		ł	-		-		
-	meroi	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	-	-	UEP9E	M1GBC	22.60	39.36	26.62	ļ		ł	-		-		
-	-	Interoffice Channel mileage, per mile or fraction of mile	-	-	UEP9E	M1GBM	0.013	39.30	20.02	ļ		ł	-		-		
	Footur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEF9E	IVITGDIVI	0.013					-	-				
		nnel Bank Feature Activations	e	-		_						-	-				
	D4 Cha			-	UEP9E	400000	0.6497					-	-				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.6497					-	-				
		Factor Addition of B. A.O. and B. A. EVIII. O'LL Land Old			LIEDOE	400140	0.0407										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
-		Slot			UEP9E	1PQW7	0.6497										
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	LIEDOE	400040	0.040-					1			I		
		Different Wire Center		-	UEP9E	1PQWP	0.6497					1	1		1		
1		Footing Astrotics on D.4 Ohans d. Book British 1991		1	LIEDOE	4001407	0.040-					1			I		
<u> </u>	—	Feature Activation on D-4 Channel Bank Private Line Loop Slot	—	!	UEP9E	1PQWV	0.6497			ļ		<u> </u>	-	 	-	-	
1		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1	LIEDOE	4001110						1			I		
<u> </u>		Slot		_	UEP9E	1PQWQ	0.6497					-			-		
<u> </u>	N	Feature Activation on D-4 Channel Bank WATS Loop Slot	—	!	UEP9E	1PQWA	0.6497			ļ		<u> </u>	-	 	-	-	
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ	—								1			_		
1		NRC Conversion Currently Combined Switch-As-Is with allowed		1								1			I		
L		changes, per port			UEP9E	USAC2		0.10	0.10	ļ		_	.				
<u> </u>	ļ	Conversion of Existing Centrex Common Block, each	ļ	—	UEP9E	USACN		36.66	16.10			1			_		
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40				ļ	ļ				
<u> </u>	ļ	New Centrex Customized Common Block	ļ	—	UEP9E	M1ACC	0.00	680.40				1			_		
<u> </u>		NAR Establishment Charge, Per Occasion	ļ	—	UEP9E	URECA	0.00	73.93				1			_		
	Additio	onal Non-Recurring Charges (NRC)	ļ	—								1			_		
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1								1			I		
<u> </u>	ļ	Premise	ļ	—	UEP9E	URETL		8.33	0.83			1			_		
1		Unbundled Miscellaneous Rate Element, Tag Design Loop at		1								1			I		
ļ		End Use Premise		 	UEP9E	URETN		11.20	1.10			ļ			.		
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		L								ļ	ļ		1		
L		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>										ļ	ļ		
	UNE P	ort/Loop Combination Rates (Non-Design)		L								ļ	ļ		1		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1										1	1		
		Non-Design		1	UEP93		13.13					<u> </u>				l	

ATE BLEMENTS RATE BLEMENTS	UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
RATE ELEMENTS May Ma												Svc Order	Svc Order				
RATE ELEMENTS May Ma												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS Rate Some S			Intori														
Part Part	CATEGOR	Y RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
14 Add Disc tot			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Average Continue																	Disc Add'l
Note 1985																2.00 .01	2.007.444.
2 Nove Visit Concern View Voice Conde Prof (Contemplient Combo 2 Nove Visit Concern Visit Conde Prof (Contemplient Combo 3 Nove Visit Conde Prof (Contemplient Combo 4 Nove Visit Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Pr							Rec										
Non-Design 2 SPP68 2375								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-View Vol. Loops/2-We Volve Grief Port (Certes/Port Cortes) 1																	
Non-Design 3 USP 15 USP 16 USP 16 USP				2	UEP93		23.75										
Description Comparison Co																	
Description Description				3	UEP93		49.62										ļ
Design	UN																
2-Win Vol Long/2-Win Vole Grade Port (Centres)Port Combo 3 UEP93 36.71 36.74			1	١.			40.00										
Design				1	UEP93		16.29										ļ
2-Wine Vol Loop-View Voxes Grade Port Centerwiron Combo-																	
Design D				2	UEP93		26.71										.
Web Loop Rate							= 4 00										
2-Wire Voice Grade Long (St. 1) - Zone 1			!	3	UEP93	+	51.82					-	-	 	1	-	
2-Wire Votor Gradue Loop (St. 1) - Zone 3 3 UEP93 UECS1 42.26	UN		!	1	LIEDOS	LIECC4	44					-	-	 	1	-	
2-Wire Vota Grande Coto (St. 1) - Zone 3			!									-	-	 	1	-	
2-Wire Voice Grade Loos (St. 2) - Zone 1																	
2 Wire Voice Grade Locis (St. 2) - Zono 3 3 UEP93 UEC52 55.56			-									-		-	-		
2-Wire Votes Grade Local (Area)			1	<u> </u>								-		-	 	-	
AL, KY, LA, MS, & TM only			1									1					-
AL, KY, LA, MS, & TN only	LIK		-	3	UEF93	UEC32	30.46					-					+
2-Vife Voice Grade Port (Centres) Base Local Area UEP93 UEPY8 1.36 38.85 19.08			-	-		+						-	-				-
2-Wive Votoc Grade Port (Centrex 800 termination) Basic Local UEP93 UEPY8 1.36 38.85 19.08	AL				LIED03	LIEDVA	1 26	20.05	10.09						1		
Area Area					ULF 93	OLFIA	1.30	30.03	19.00					1			-
2-Wire Voice Grade Port (Centrex win Caller ID)* Blasic Local Area UEP93 UEPYH 1.36 38.85 19.08					I IED03	HEDVR	1 36	38.85	10.08								
Area					OL1 33	OLI ID	1.50	30.03	13.00					1			-
2-Wire Voice Grade Port (Centrex from diff Sening Wire Center - 2,3 - 800 UEP93 UEP94 1,36 104.41 67,93					LIEP93	LIEPYH	1 36	38.85	19.08								
Center/2,3 Basic Local Area UEP93 UEP7M 1,36 104.41 67.93					OL1 50	OLI III	1.00	00.00	10.00			1					†
Service Term - Sais Local Area UEPYZ 1.36 104.41 67.93					UEP93	UEPYM	1.36	104.41	67.93								
Service Term - Basic Local Area																	
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP93 UEP99 1.36 38.85 19.08					UEP93	UEPYZ	1.36	104.41	67.93								
Basic Local Area																	
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP3					UEP93	UEPY9	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex 80) termination)		2-Wire Voice Grade Port Terminated on 800 Service Term -															
2-Wire Voice Grade Port (Centrex 80th Caller With Ca		Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex with Caller ID)1		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 2,3 -800 UEP93 UEPQM 1.36 104.41 67.93		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08								
Center]2.3		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 UEP93		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
Service Term					UEP93	UEPQM	1.36	104.41	67.93								
2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEP02 1.36 38.85 19.08 Local Switching Centrex Intercom Funtionality, per port UEP93 UEP93 UEP93 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 UNECS 0.8577 UEP93 URECS 0.8577 UEP93 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 URECS 0.857									-							I	
2-Wire Voice Grade Port Terminated on 800 Service Term		Service Term			UEP93	UEPQZ	1.36	104.41	67.93					ļ	ļ.		<u> </u>
2-Wire Voice Grade Port Terminated on 800 Service Term			1			1							1				
Local Switching			ļ														
Centrex Intercom Funtionality, per port UEP93 URECS 0.8577			ļ		UEP93	UEPQ2	1.36	38.85	19.08								
Local Number Portability	Lo		-	ļ	LIEDOS	LIDECC						-	ļ	ļ		 	
Local Number Portability (1 per port)	- .		 	-	UEP93	URECS	0.8577							 	1	 	├
Features	Lo		1	-	LIEDOS	LNDCC	0.05					1		 	1	-	1
All Standard Features Offered, per port UEP93 UEPVF 0.00 73.93 27.14	 		+	+	UEP93	LINPUU	0.35					-	-		1	-	
All Centrex Control Features Offered, per port UEP93 UEPVC 0.00 73.93 27.14	re		1	-	I IED03	HED\/E	0.00	72.02	27 14			-		-	 	-	
NARS Unbundled Network Access Register - Combination UEP93 UARCX 0.00 <t< td=""><td></td><td></td><td>1</td><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td> </td><td>-</td><td></td><td>1</td><td></td><td> </td></t<>			1	 								 	-		1		
Unbundled Network Access Register - Combination	NI A		 	\vdash	OL: 30	OLF VO	0.00	13.93	21.14					 			
Unbundled Network Access Register - Indial UEP93 UAR1X 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 Unbundled Network Access Register - Outdial UEP93 UAROX 0.00 0.0	IVA		 	 	UFP93	UARCX	0.00	0.00	0.00	0.00	0.00				1		
Unbundled Network Access Register - Outdial UEP93			†														†
Miscellaneous Terminations Image: Company of the company			†														†
2-Wire Trunk Side	Mi		t				2.00	2.00	2.00	2,00	5.00			i			
Trunk Side Terminations, each UEP93 CEND6 8.27 115.85 18.20						1								İ			
4-Wire Digital (1.544 Megabits)			İ		UEP93	CEND6	8.27	115.85	18.20								
	4-\													ĺ			
ן בי		DS1 Circuit Terminations, each	İ	i i	UEP93	M1HD1	68.47	196.18	92.92								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			101120 (4)			per LSR	per LSR				
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		Į	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06							Î		
Interoff	ice Channel Mileage - 2-Wire													Î		
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62						Î		
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										İ					
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -										İ					
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40							Î		
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93							Î		
Additio	nal Non-Recurring Charges (NRC)													Î		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at					ĺ	İ									
	End Use Premise			UEP93	URETN		11.20	1.10	<u> </u>				<u> </u>			I
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port					_					_			
	- Requires Specific Customer Premises Equipment															
Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to r	rate tru	e-up as set forth in	General Tern	ns and Conditio	ns.									

LIMDI	INDI E	D NETWORK ELEMENTS Mississippi												Assach		F	L. 14. A
ONBU	MULE	D NETWORK ELEMENTS - Mississippi	1	1	1		1					Sun Order	Svo Order		ment: 2	Incremental	bit: A Incremental
														Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAIL	JOIN	KATE ELEMENTO	m	20116	B00	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	•
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	ne "state	speci	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges	. CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	narges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	ally. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rat	e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service															
	ļ	Request (LSR) - UNE Only	ļ			SOMEC		3.50	0.00	3.50	0.00				ļ		
		OSS - Manual Service Order Charge, Per Local Service Request															
]	(LSR) - UNE Only	ļ			SOMAN		15.75	0.00	1.97	0.00				ļ		
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB. U1TUA	SDASP		200.00									
UNBIII	NDI ED I	EXCHANGE ACCESS LOOP	†		5.10b, 5110A	20/101	†	200.00				†	<u> </u>		1		
5.155		E ANALOG VOICE GRADE LOOP	†		 					 	i	1		i	1	i	i
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	t	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25			i		i	i
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	†		UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25	1		i	1	i	i
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	†		UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25	1		i	1	i	i
	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	†	4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25	1		i	1	i	i
	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	†	1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25	1		i	1	i	i
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	†		UEANL	UEASL	16.87	37.92	17.55	23.48	5.25	1		i	1	i	i
—	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEASL	25.68	37.92	17.55	23.48	5.25				1		
	 	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	†	4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25	†	<u> </u>		1		
	l	Unbundled Miscellaneous Rate Element, Tag Loop at End User	t		02.412	02/102	40.00	01.02	17.55	20.40	0.20	1	†	 	1	 	†
1	1	Premise	1		UEANL	URETL		8.33	0.83								
	l	Loop Testing - Basic 1st Half Hour	t	 	UEANL	URET1		34.36	34.36		 	1	†	 	1	 	†
	1	1200p 100ming Dadio for Hall Flour	1		10-/111-	OIXE I I		J-1.30	J-1.30		1	1		ı	1	1	1

F	NDFE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
1												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
\vdash		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
\vdash		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
 		Unbundled COPPER LOOP		-	ULAINL	OCCOSL		10.19	10.19						1		1
H		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	i	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	i	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42				1		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEQ	URETL		8.33	0.83							<u></u>	<u> </u>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			1							1					
$\sqcup \sqcup$		Non-Designed (per loop)	ļ		UEQ	USBMC		8.20	8.20								
1 1		Unbundled Copper Loop, Non-Design Copper Loop, billing for	1		l												
$\sqcup \sqcup$		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
LINIBLIN		CLEC to CLEC Conversion Charge Without Outside Dispatch	-	-	UEQ	UREWO		14.24	7.42								
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															
 		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	-		-											
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
+		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		- '	OLF SK OLF SB	ULALS	12.03	31.52	17.55	23.40	5.25						
		Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						0110-			0.20						
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	İ	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	4	LIEDOD LIEDOD	LIEALO	40.05	27.00	47.55	00.40	F 05	1	1				
\vdash		Zone 4 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25					-	-
1 1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4	1	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25	1	1				
UNRUM		XCHANGE ACCESS LOOP	 	-	OLI ON OLF OB	ULADO	40.00	31.92	17.55	23.40	5.25				 		
		ANALOG VOICE GRADE LOOP	 		1	+				+		 	 				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		i e										1		1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			İ											1	
L		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37	L	<u> </u>			<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
$\perp \perp \perp$		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
1 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		l	I ¬											1
$\vdash \vdash$		Ground Start Signaling - Zone 4	ļ	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37	ļ			ļ		ļ
\vdash		Order Coordination for Specified Conversion Time (per LSR)	_		UEA	OCOSL		18.19									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	LIEADO	40.00	405.00	00.00	50.00	40.07						
\vdash		Battery Signaling - Zone 1	╂	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37	-	-	-			
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	1	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37	1	1				
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		02.7	JLAK	10.73	105.50	00.20	32.02	10.37				 	l	
		Battery Signaling - Zone 3	1	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	1	1				
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	†		0-/1	JE/ 1112	21.00	100.00	00.20	52.02	10.37	 	 				
		Battery Signaling - Zone 4	1	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37	1	1				
1 1					1				00.20	02.02			1		1	1	

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES (\$) Svc Order Submitted Elec Dear Manual Svc Order vs. Electronic-Disc 1st Disc Add'l Disc Add'l Disc As Disc Add'l Disc As Disc Add'l Disc As	UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ACTEGORY BATE ELEMENTS Date Dat	0			1									Svc Order	Svc Order				
RATE ELEMENTS Inter- 2																	Charge -	Charge -
### CATE CLEMENTS ### Zone BCS USD PATER (3)				Intori														Manual Svc
Case Case	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					Order vs.
Second Companies Second Comp				""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Description Description																		Disc Add'l
Color Colo																		
CLCC to SLCE Comment Charge embers outside desembly UEA				ļ				Rec										
Loop Tapparts - Service Level 2 (Side)			0.50								First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AWRE ANALOG VICE GRADE LOOP		+		<u> </u>	-													
4-Wins Androg Vorse Contact Lorp. Zero 1		4 MUDE		<u> </u>		UEA	UKETL		11.19	1.10			-					-
A Vittle Androg Vote Clotter Lorge - Zonz 2		4-WIRE		<u> </u>	1	LIEA	LIEAL 4	27.47	122.27	04.50	60.69	1161	-					-
A-William Anabas (vice Close) Loco - Zoou 9 3 OEA DEAL So.03 15327 04.59 05.08 14.94		+		-														
4 Vites Anchard process Commission Explanated Conversion Inter (part 158) ABA COVDB 11.00 COVDB 11.00 COVDB 1.00 COVDB COV		+		ł												-		
Octor Coordination for Special Conversion. Time (per LSR)		+																1
CLEC to CLEC Conversion Charge without ductied despeach. USA UREVO 87.56 36.29		+		<u> </u>				30.03		34.33	00.00	14.04						
2-WINE SERO POINT AL REACE LOOP		+								36.29								1
2-YMMS ISIN Digital Gines Loop - Zone 1		2-WIRE		<u> </u>		OLA	ONLIVO		07.00	00.20								
2-WWW SIGN Digital Gradual Loop - Zone 2 2 LIDN UHLZX 27.56 117.61 79.92 52.82 10.37				†	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37				<u> </u>		1
2-Wine BON Digital Grade Loop - Zone 3 3 UDN UTLEX 37.74 117.61 79.92 52.82 10.37		1		t											İ	1	İ	İ
2-Wise BDKP Digital Grade Loop - 20x 4		1		l												t		İ
Order Coordination For Specified Conversion Time (per LSR)		1		l												t		İ
CLEC to CLEC Convestor Charge wethout outside dispatch UNN UNR WO 91.46 44.07			Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
2 Wire Unburnded ADSL Loop including manual service inquiry 1		1		İ		UDN	UREWO		91.46	44.07								
S. Bidility reservation - Zone 1		2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	ATIBLE	LOOP													
2 Wife Unbunded ADSL Loop including manual service inquiry 8 (a lighty reservation - Zone 2 (a lighty reservation - Zone 3) (a lighty reservation - Zone 3) (a lighty reservation - Zone 3) (a lighty reservation - Zone 3) (a lighty reservation - Zone 3) (a lighty reservation - Zone 4) (a																		
A stadity reservation - Zone 2					1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
2 Wire Unbunded ADS Loop including manual service inquiry 8 (1) AL UALX 11.74 121.27 70.81 50.38 7.93 (1) AL UALX 11.74 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 (1) ALX																		
Stacility reservation - Zone 3 JUAL JU					2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
2 Wire Unbundled ADSL Loop including manual service inquiry 4																		
Stacility reservation - Zone 4 UAL U					3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
Order Coordination for Specified Conversion Time (per LSR)																		
2 Wire Unbundled ADSL Loop without manual service inquiry & 1 UAL				ļ	4			12.69		70.81	50.38	7.93						
facility reservation - Zone 1		1				UAL	OCOSL		18.19									
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 2 UAL UALZW 11.47 96.15 58.03 50.38 7.93 1							1141 0141	44.44	00.45	50.00	50.00	7.00						
Inacility reservation - Zone 2		-		ļ	1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
2 Wire Unbundled ADSL Loop without manual service inquiry & 3 UAL UALW 11.74 96.15 58.03 50.38 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & 4 UAL UALW 12.69 96.15 58.03 50.38 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & 4 UAL UALW 12.69 96.15 58.03 50.38 7.93 Drider Coordination for Specified Conversion Time (per LSR) UAL UALW 12.69 96.15 58.03 50.38 7.93 Drider Coordination for Specified Conversion Time (per LSR) UAL UREWO 86.04 40.33 EXPINER HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 1 UHL UHLZX 8.75 129.98 79.52 50.38 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 2 UHL UHLZX 9.22 129.98 79.52 50.38 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 3 UHL UHLZX 9.87 129.98 79.52 50.38 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry 4 UHL UHLZX 10.46 129.98 79.52 50.38 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4 UHL UHLZX 10.46 129.98 79.52 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZX 10.46 129.98 79.52 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.22 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.27 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.27 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.28 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.28 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and fa					_	1141	1141 014	44.47	00.45	50.00	50.00	7.00						
Sacility reservation - Zone 3		+		-		UAL	UALZVV	11.47	96.15	58.03	50.38	7.93						
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4					2	LIAI	1101 200/	11 7/	06.15	E0 03	50.29	7.02						
facility reservation - Zone 4		+		<u> </u>	3	OAL	UALZVV	11.74	30.13	30.03	30.30	7.55						
Order Coordination for Specified Conversion Time (per LSR)					4	LIAI	UAL 2W	12 69	96 15	58.03	50.38	7 93						
CLEC to CLEC Conversion Charge without outside dispatch		1			<u> </u>			12.00		00.00	00.00	7.00						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP										40.33								
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		2-WIRE		TIBLE	LOOP													
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 9.22 129.98 79.52 50.38 7.93																		
Stacility reservation - Zone 2		1	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		1		I		
Stacility reservation - Zone 2																		
Recility reservation - Zone 3 3 UHL UHL2X 9.87 129.98 79.52 50.38 7.93			& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
2 Wire Unbundled HDSL Loop including manual service inquiry												·				_		
Stacility reservation - Zone 4		1		<u> </u>	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93			ļ	L		ļ
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.19 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.22 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 4 UHL UHL2W 10.46 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 4 UHL UHL2W 10.46 66.74 50.38 7.93 4 UHL UHL2W 10.46 66.74 50.38 7.93 4 UHL UHL2W 10.46 66.74 50.38 7.93 4 UHL UHL2W 10.48 66.74 50.38 7.93 4 UHL UHL2W 10.48 66.74 50.38 7.93 4 UHL UHL2W 10.48 66.74 50.38 7.93																1		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 104.86 66.74 50.38 7.93		1		 				10.46		79.52	50.38	7.93				ļ		
and facility reservation - Zone 1		1		 		UHL	OCOSL		18.19					ļ	 	-	 	ļ
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.22 104.86 66.74 50.38 7.93 9 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93 9 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 105.1 Loop without manual service inquiry 1 UHL UREWO 105.1 Loop without manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop incl		1				l		0.75	404.00	00.74	50.00	7.00		1		I		
and facility reservation - Zone 2		+		 	1	UTL	UHL2W	8.75	104.86	bb./4	50.38	7.93			-	 	-	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93					2	шы	LIHL 3/A/	0.22	104.96	66 74	50.30	7.03				1		
and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.19 CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry		+		 		OLIL	UNLZVV	9.22	104.80	00.74	50.38	1.93	-	-		+		-
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4					3	шы	LIHL 2W	9.27	104.86	66.74	50.38	7 93				1		
and facility reservation - Zone 4	-	+		 	-	OI IL	JIILZVV	3.07	104.00	00.74	30.36	1.53				+		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.19 CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry					4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93				1		
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry		+		†				.0.40		33.74	33.00					<u> </u>		
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry		1								40.33						1		İ
4 Wire Unbundled HDSL Loop including manual service inquiry		4-WIRE		TIBLE I					22.00				İ	İ	İ	1	İ	
																		1
					1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68				1		

UNBI	JNDLE	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	ibit: A
OND	ONDEL	THE TWORK ELEMENTO IMISSISSIPPI	1									Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_		ļ					Manage		T N1	B'				D-1 (A)		
-	-		1				Rec	Nonrec First		Nonrecurring		SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
-	+	4-Wire Unbundled HDSL Loop including manual service inquiry	1					FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
		and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	1	4-Wire Unbundled HDSL Loop including manual service inquiry	1		0.12	0112170	10.10	100.7 1	100.20	00.72	10.00						
		and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	ļ	1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry		2		1 11 11 4147	13.43	400.00	05.50	50.70	40.00						
-	+	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	1		UHL	UHL4W	13.43	133.62	95.50	56.72	10.68	-					-
		and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
—	+	4-Wire Unbundled HDSL Loop without manual service inquiry	 		J. 1L	OT IL-TVV	10.09	100.02	33.30	30.72	10.00	-					\vdash
		and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19		*****							
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45	46.10	12.07						
	+	4-Wire DS1 Digital Loop - Zone 4	ļ	4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
-	+	Order Coordination for Specified Conversion Time (per LSR)	ļ	-	USL	OCOSL UREWO		18.19 100.90	42.96	-							
-	4-W/IDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>		USL	UREWU		100.90	42.96								
	4-WIKE	4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	+	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	ļ	4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
-	+	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ	4	UDL UDL	OCOSL UDL64	27.44	18.19 126.53	88.85	60.68	14.64						
	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<u> </u>		UDL	UDL64	34.55	126.53	88.85	60.68	14.64	1					
	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	1		UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	1	Order Coordination for Specified Conversion Time (per LSR)	t	Ė	UDL	OCOSL	525	18.19	22.30	22.30				İ			
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
	1	service inquiry & facility reservation - Zone 1	ļ	1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						ļ
	1	2-Wire Unbundled Copper Loop-Designed including manual	1	2		LIOLDD		400.01	00.07	50.00	7.00						
-	+	service inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
—	+	2 Wire Unbundled Copper Loop-Designed including manual	 	3	UUL	UCLED	11.74	120.34	09.67	50.38	1.93	 		 			
		service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	1	Order Coordination for Unbundled Copper Loops (per loop)	i e	Ė	UCL	UCLMC	:=:00	8.20	8.20	22,00	.100			İ			
	1	2-Wire Unbundled Copper Loop-Designed without manual												1			
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual															
	1	service inquiry and facility reservation - Zone 2	ļ	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						ļ
		2-Wire Unbundled Copper Loop-Designed without manual				LIOI DIA	44	05.01	F7 00	50.00	7.00						
<u> </u>	+	service inquiry and facility reservation - Zone 3	 	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93	1	-				-
	1	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
\vdash	+	Order Coordination for Unbundled Copper Loops (per loop)	 	+	UCL	UCLMC	12.09	8.20	8.20	50.56	1.93			 			
ь	1	c.ac. coordination for oribatiated copper Loops (per 100p)	1		- J-	COLIVIO		0.20	0.20				1	·	l	l	

UNBUNI	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	C	CLEC to CLEC Conversion Charge without outside dispatch		1				FIISL	Add I	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	(1	UCL-Des)			UCL	UREWO		95.21	42.40								ı
4-\		COPPER LOOP															
		-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						ı l
	4	-Wire Copper Loop-Designed including manual service inquiry ind facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
		-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	10.04	144.00	94.22	56.72	10.66						
	а	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						i l
	C	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20	55772							
		-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
		-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
		-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		-Wire Copper Loop-Designed without manual service inquiry		3	OCL	UCL4VV	21.33	119.50	01.44	30.72	10.00						
		nd facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		ļ	UCL	UCLMC		8.20	8.20								
		UCL-Des)			UCL	UREWO		95.21	42.40								i l
LOOP MO	DIFICA	ATION							-								
	р	Unbundled Loop Modification, Removal of Load Coils - 2 Wire reair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
		Jnbundled Loop Modification Removal of Load Coils - 4 Wire ess than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
SUB-LOOI	L	Inbundled Loop Modification Removal of Bridged Tap Removal, er unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
		p Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Jp	ı		UEANL	USBSA		259.69									
	,s	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.77									
	S	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47									
	S	actify Gerop Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		56.39									
	S	Sel-Cop Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Cone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	S	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	S	Cone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	S	Cone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
		Cone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.20	8.20								
	Z	Cone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
		Cone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35	<u> </u>					

LINDUNDU	ED NETWORK ELEMENTS Missississis															
UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
											1		Incremental	Incremental	Incremental	Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect	1		220	Rates (\$)		
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						11130	Addi	11130	Addi	JOINEC	JONAN	JONAN	JOHAN	JONAN	JOINAIN
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OL7 II VL	CODIT	10.70	10.40	77.70	01.27	0.00	†					
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	2010		<u> </u>	02,442	002.11	10.10	70.10		01.27	0.00	1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
	()									• • • • • • • • • • • • • • • • • • • •						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
	(1.0)						22.00	00		5.00				t		
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		8.20	8.20						I		
	Loop Testing - Basic 1st Half Hour	İ		UEANL	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	† 1	19.97	19.97						t		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS2X	6.06	66.18	31.14	45.36	6.71				1		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2		UCS2X	7.09	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3		UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3		UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
Netw	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
	Network Interface Device Cross Connect - 4W	ļ		UENTW	UNDC4		5.94	5.94						-		
UNE OTHER,	PROVISIONING ONLY - NO RATE															
—	NID - Dispatch and Service Order for NID installation			UENTW UENTW	UNDBX UENCE	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-		UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
LINE OTHER	PROVISIONING ONLY - NO RATE	-		LINIVV	UNEUN	0.00	0.00				 			+		
JIVE OTHER,	I ROVIDIONING ONL I - NO RATE	 				 					H			t		
		1		UAL,UCL,UDC,UDL,										1		
	Unbundled Contact Name, Provisioning Only - no rate	1		UDN,UEA,UHL,ULC	UNECN	0.00	0.00							1		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIT, OLIT, OLIL, OLO	ONLON	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			02/1/02/1/002/02/0	00B. Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate	†		USL	CCOSF	0.00	0.00							t		
	Unbundled DS1 Loop - Expanded Superframe Format option -	†												t		
	no rate	1		USL	CCOEF	0.00	0.00							I		
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	Ì														
	month	1		UE3	1L5ND	11.20								I		
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						
1 1 -	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	11.20								1		

LINDI	INDIE	D NETWORK ELEMENTO Missississis															
UNB	JNDLE	D NETWORK ELEMENTS - Mississippi					1								ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	I
CATE	GURT	RATE ELEMENTS	m	Zone	BUS	0500			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1		1		Nonre	curring	Nonrecurring	Disconnect			220	Rates (\$)		
	+			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	High Capacity Unbundled Local Loop - STS-1 - Facility							71441		71441		00				
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						1
LOOP	MAKE-U	IP .															
		Loop Makeup - Preordering Without Reservation, per working or		1													
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								1
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															1
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S		AND LINE SPLITTING															
-		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 sha	l be billed as f	ollows:							
-		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op noi	n-designed ("UCLNI)")											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
-						-											──
-		1: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULS	CDC on	4 111 67	C annline anly to a	iravita inatall	lad and incomi	o on or before	Ostobor 1 20	l		-					
		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	ULSC	applies only to c	TCUITS INSTAIL	led and inservic	e on or before	October 1, 20	U3 		-					\vdash
		TERS-CENTRAL OFFICE BASED		-	1	1						1					\vdash
	SELII	Line Sharing Splitter, per System 96 Line Capacity		-	ULS	ULSDA	186.67	189.89	0.00	178.41	0.00	1					\vdash
-	+	Line Sharing Splitter, per System 36 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
	+	Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			020	OLODO	10.00	100.00	0.00	170.41	0.00	1					
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						1
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						1
	1	Line Share Service, TRO per line activation, BST owned splitter -		1													
		Central Office Located (25% of UCLND) - please see NOTE 1															1
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						1
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															1
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (75% of UCLND) - please see NOTE 1															1
	ļ	(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line			ULS	000		40.40	0.04								1
-	+	Rearrangement(BST Owned Splitter)		1	ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24								1
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	-	 	OLO	ULUUU		10.48	0.24				 	 			\vdash
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						[
-	+	Line Share Service, TRO per line activation, CLEC owned		\vdash	020	52000	0.01	77.44	10.01	20.07	12.74		 		†		
		splitter - Central Office Located (25% of UCLND) - please see															1 1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						1 1
	1	Line Share Service, TRO per line activation, CLEC owned		t	1		20			20.07	.2.7						
1		splitter - Central Office Located (50% of UCLND) - please see											1				1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	47.44	19.31	20.67	12.74		1				[
		Line Share Service, TRO per line activation, CLEC owned															
1		splitter - Central Office Located (75% of UCLND) - please see															(l
L	<u> </u>	NOTE 1 (E:10/2/2005)	<u></u>	<u>L</u>	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74			<u> </u>			<u> </u>
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						igsquare
L	1	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						└──
	MAINT	ENANCE		<u> </u>		1											↓
<u> </u>	1	No Trouble Found - per 1/2 hour increments - Basic		<u> </u>		1		80.00	55.00			-		 			\vdash
<u> </u>	1	No Trouble Found - per 1/2 hour increments - Overtime		<u> </u>		1		120.00	82.50			-		 			\vdash
	1	No Trouble Found - per 1/2 hour increments - Premium	1	1		1		160.00	110.00	l	l	1	l	l	1	l	1

UNBUND	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		ļ			1	Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	COMAN
LINDLINDI E	l D DEDICATED TRANSPORT	-			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT				+						†					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FIBE		<u> </u>			1											
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95	6.10 ==	100 (-	222.2=	200.5-		1				
OVY ACCES	NRC Dark Fiber - Local Loop S TEN DIGIT SCREENING	1		UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85	1	1		-		
OAA ACCES	8XX Access Ten Digit Screening, Per Call	-		OHD	+	0.0006216			 		 					
	8XX Access Ten Digit Screening, Ter Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X	0.0000210	2.60	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.60	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FAX		3.04	0.44								
	Features			OHD	N8FDX		2.60									
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216						<u> </u>				

LIMIDII	NDI EI	NETWORK ELEMENTS Mississippi												Attack		Ful:	laite. A
UNDU	NULEI	NETWORK ELEMENTS - Mississippi		1	ı	1	ı					Cur Onden	Cur Ouden		ment: 2		bit: A
														Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE EL EMENTO	Interi	7	DOC	LICOC			DATES (A)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L							ļ.,,								L		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
		query			OHD		0.0006216										
LINE IN	IFORMA	TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNAL	LING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
		CCS7 Signaling Connection, Per link (B link) (also known as D									_			_			
		link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53	I	1		l		
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149										
		CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	683.55					ĺ	1		ĺ		
		CCS7 Signaling Point Code, per Originating Point Code		1		1						İ	İ		İ		
		Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
E911 SE	ERVICE	3,,,															
		Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0098										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	0.0000						1				
		Termination					22.52	40.77	27.57	17.26	7.11						
		Local Channel - Dedicated - DS1 - Zone 1				1	36.83	178.50	154.61	22.89	15.74		1				
		Local Channel - Dedicated - DS1 - Zone 2				1	35.99	178.50	154.61	22.89	15.74		1				
-		Local Channel - Dedicated - DS1 - Zone 3				1	221.63	178.50	154.61	22.89	15.74						
-		Local Channel - Dedicated - DS1 - Zone 4				1	221.63	178.50	154.61	22.89	15.74						
\vdash		Interoffice Transport - Dedicated - DS1 Per Mile		-		1	0.2010	170.50	134.01	22.03	10.74						
-		Interoffice Transport - Dedicated - DST Fer Mile				1	0.2010										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CALLIN	IC NAM	E (CNAM) SERVICE	-	-		+	37.33	09.79	02.20	10.00	14.50	-	-				
CALLIN	IG NAIVI	CNAM For DB Owners - Service Establishment	-	-	OQV	+		23.09	23.09	21.23	21.23	-	-				
\vdash		CNAM For Non DB Owners - Service Establishment	-	-	OQV	+		23.09	23.09	21.23	21.23	-	-				
\vdash		CNAM For DB Owners - Service Provisioning With Point Code	-	-	OQV	+		23.09	23.09	21.23	21.23	-	-				
		Establishment			oqv			996.62	737.08	270.49	198.89						
-		CNAM For Non DB Owners - Service Provisioning With Point	-		OQV	1		996.62	737.08	270.49	198.89						
					001/			044.00	0.40.50	070.05	100.00						
\vdash		Code Establishment		-	OQV			344.32	246.56	276.85	198.89						
-		CNAM for DB Owners, Per Query	-		OQV	1	0.0010231										
051 503	TI) /F D C	CNAM for Non DB Owners, Per Query	-		OQV	1	0.0010231										
SELEC	TIVE RC					ļ											
		Selective Routing Per Unique Line Class Code Per Request Per															
1/15-1111		Switch		1		1		85.19	85.19	14.19	14.19		ļ				
VIRTUA	AL COLL	OCATION		1		1							ļ				
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOS	VE41.0	0.000-				= :-	1	1				
DID (A)		Splitting	ļ	<u> </u>	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSIC	CAL COL	LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SEI	LECTIV	E CARRIER ROUTING		<u> </u>		I											
		Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51							
\vdash		End Office Establishment		ļ	SRC	SRCEO		167.49	167.49	1.71	1.71		ļ		ļ		
		Query NRC, per query			SRC		0.0030502										
AIN - BI	ELLSOL	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,				1							1				
		Initial Setup	<u></u>	<u></u>	A1N	CAMSE	<u> </u>	39.67	39.67	40.92	40.92				L		
		AIN SMS Access Service - Port Connection - Dial/Shared Access	<u></u>	<u></u>	A1N	CAMDP	<u> </u>	7.87	7.87	9.14	9.14				L		
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14						
		AIN SMS Access Service - User Identification Codes - Per User															
1	1	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		l				

CATEGORY RATE ELEMENTS Interiment RATE ELEMENTS Interiment Description D	Charge - vc Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement	SOMAN	SOMAN
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement	SOMAN	SOMAN
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup AIN Toolkit Service - Triaining Session, Per Customer AIN Toolkit Service - Triaining Session, Per Customer AIN Toolkit Service - Triager Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolk		
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTT AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTD AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTD AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTD AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM AIN Toolkit Service - Triager Access Ch		
AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup AIN Toolkit Service - Triaining Session, Per Customer AIN Toolkit Service - Triaining Session, Per Customer AIN Toolkit Service - Triager Access Charge, Per Trigger, Per DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate		
AIN SMS Access Service - Company Performed Session, Per Minute 0.8393 AIN - BELLSOUTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup CAM BAPSC 39.67 40.92 40.92 AIN Toolkit Service - Triaining Session, Per Customer BAPVX 4.226.54 4.226.54 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt BAPTT 7.87 7.87 9.14 9.14 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay BAPTD 7.87 7.87 9.14 9.14 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate BAPTD 7.87 7.87 9.14 9.14 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate BAPTD 7.87 7.87 9.14 9.14		
Minute 0.8393		
AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup		
Initial Setup		
AIN Toolkit Service - Triaining Session, Per Customer BAPVX 4,226.54 4,226.54 4,226.54 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1 '
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		
DN, Term. Attempt	1 1	
DN, Off-Hook Delay		L
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate BAPTM 7.87 7.87 9.14 9.14 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i '
DN, Off-Hook Immediate	+	
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i '
IDN 10-Digit PODP		
		L
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP BAPTC 34.67 34.67 14.44 14.44		1
UIN, CUP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTU 34.07 34.07 14.44 14.44 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	+	
DN, Feature Code BAPTF 34.67 34.67 14.44 14.44		i '
AIN Toolkit Service - Query Charge, Per Query 0.0535577 0.0535577		
AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		i '
Subscription, Per Node, Per Query 0.0063509 AIN Toolkit Service - SCP Storage Charge, Per SMS Access	+ +	
Account, Per 100 Kilobytes 0.06		i '
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		,
Subscription CAM BAPMS 11.11 7.87 7.87 5.54 5.54		<u> </u>
AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 2.71 8.71 8.71		i '
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	+	
Subscription CAM BAPDS 8.48 7.87 7.87 5.54 5.54		
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		i '
		<u> </u>
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.	+	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.		
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		ļ'
First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37		<u> </u>
First 2-Wire VG Loop (SL2) in Combination - Zone 3 3 JUNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	+ +	
First 2-Wire VG Loop (SL2) in Combination - Zone 4 4 UNCVX UEAL2 45.72 105.96 68.28 52.82 10.37		
Interoffice Transport - Dedicated - DS1 combination - Per Mile		1
per month UNC1X 1L5XX 0.1813 Unteroffice Transport - Dedicated - DS1 combination - Facility	+	<u> </u>
Interollice Transport - Dedicated - UST combination - Facility		1 '
1/0 Channelization System in combination Per Month UNC1X MQ1 102.85 91.57 62.94 10.87 10.10		
Voice Grade COCI - Per Month UNCVX 1D1VG 0.5737 6.62 4.74		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37		1
Lasti Padillottal 2-1916 VO Edgy (GL 2) III COMMITTATION 1 1 0/1/0/0/1 10.30 10.30 00.20 0.20 10.37	+	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37		<u> </u>
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	+	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4 4 UNCVX UEAL2 45.72 105.96 68.28 52.82 10.37		1 '
Voice Grade COCI - Per Month UNCVX 1D1VG 0.5737 6.62 4.74		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
						1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												"	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	IED DS	1 INTE	ROFFICE TRANSPO	RI											
	First AME and a Main Condition in Condition in Tours		١.,	11110101		07.47	400.07	04.50	00.00	44.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64	-					<u> </u>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
 	1 list 4-vviile Arialog voice Grade Loop in Combination - Zone 2			DINCVA	ULAL4	30.20	132.21	34.33	00.00	14.04						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
 	1 113t 4-Wile Allalog Voice Grade Loop III Combination - Zone 3		3	ONOVA	OLAL	30.03	102.21	34.33	00.00	14.04						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		7	ONOVA	O L / L -	00.00	102.21	04.00	00.00	14.04						
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0.10174	120701	0.1010										
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
							=-									
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First A Mire FOlders Birlind One to Leave in Oraclinating Transport			LINODY	LIDI 50	40.70	400 50	00.05	00.00	4404						
—	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	-					-
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	00.05	60.68	14.64						
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	4	OIACDV	UDLOB	32.25	120.53	88.85	80.08	14.04	-	 		 		
	Per Month			UNC1X	1L5XX	0.1813										
 	Interoffice Transport - Dedicated - DS1 - combination Facility	t		5.101/	TEON	0.1013						-		 		
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month	l –		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				İ		İ
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00				İ		İ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			İ	† <u> </u>					1			İ		İ
1 1	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1	1				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				L		<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	<u></u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
_	Additional OCU-DP COCI (data) - in combination per month (2.4-	1				I T										
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00				ļ		ļ
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1														
<u> </u>	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	I EROFFICE TRANS	PORT											
	First 4 Wise CAl/Less District Conductions to Conduction 7	1	_	LINCDY	LIDICA	07.4.	400.50	00.0=	20.00	44.61		1				
\Box	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	L	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	l	l		l		L

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
0.1.2.												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	I						l I	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	ļ	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						└──
		First 4 Wiss CAVE Digital Conds I am in Combination 7 4		4	LINCDY	LIDL C4	20.05	400.50	00.05	00.00	44.64						
-	-	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		-	-			\vdash
		Per Month			UNC1X	1L5XX	0.1813										
		interoffice Transport - Dedicated - DS1 combination - Facility			0.10.77	120701	0.1010										
	<u> </u>	Termination Per Month	<u></u>	L	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			<u> </u>		<u> </u>	<u> </u>
		1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
L	ļ	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00			ļ			$ldsymbol{ldsymbol{\sqcup}}$
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	LIDI 64	07.4.	400 50	00.0=	20.00	4461			1			1 !
	-	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1	-	1	-		\vdash
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64			1			1 !
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLO4	34.33	120.55	00.00	00.00	14.04						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EYTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				5.63	5.03	7.20	7.20						\vdash
	LXILI	4-Wire DS1 Digital Loop in Combination - Zone 1	<u> </u>		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															[
	-	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						[
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	011111	31.72	03.73	02.20	10.00	14.50						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						[
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSP												
		First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	ļ	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	-	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		-	1			
-	 	First DS1Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS3 combination - Per Mile	-	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	-	-	 			
		Per Month			UNC3X	1L5XX	4.29							1			1
		Interoffice Transport - Dedicated - DS3 - Facility Termination per					20							1			
	<u> </u>	month	<u></u>		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	<u> </u>	<u> </u>	<u> </u>			1
		3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	<u> </u>	DS1 COCI in combination per month		_	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional DS1Loop in DS3 Interoffice Transport Combination -		4	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07			1			1
	 	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -	-	1	ONCIA	USLAA	79.08	253.93	158.45	46.10	12.07	-	-	 			
		Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			1			1
		Additional DS1Loop in DS3 Interoffice Transport Combination -		T-			.20.00		.00.70	.50	.2.37			1			
		Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			<u> </u>		<u> </u>	1
		Additional DS1Loop in DS3 Interoffice Transport Combination -	l													l	1
	ļ	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	ļ		ļ			
	-	Additional DS1 COCI in combination per month	-	-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1	-	1	-		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		5.63	5.63	7.20	7.20			1			1
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTF				5.03	5.03	1.20	1.20	 	 	+			
	1	2-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37			1	İ		
	•					•							•	-	•	•	

HINBLIN	DI FI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
ONDON	DLL	NETWORK ELEMENTS - MISSISSIPPI				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	IX I	RATE ELEMENTS	m	Zone	603	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-		+		Nonrec	rrina	Nonrecurring	Disconnoct	-	l .	000	Rates (\$)		
\vdash				-			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAIN
\vdash		2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	-	-				
\vdash		2-WireVG Loop in combination - Zone 3 2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	-	-				
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		4	UNCVA	ULALZ	45.72	105.90	00.20	32.02	10.37	-	-				
		Month			UNCVX	1L5XX	0.00088										ł
—		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.00000					1					
		Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						ł
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	UTIVZ	20.32	40.77	21.31	17.20	7.11						
		Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
 	VTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	I E INITEI				3.03	3.03	7.20	7.20	1					
	VIEN	4-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
+		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		 				(
+-+		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
+		4-WireVG Loop in combination - Zone 4	-	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	H			 		
-		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		-	ONOVA	OLALT	30.03	102.21	34.33	00.00	14.04						
		Month			UNCVX	1L5XX	0.00088										ł
\vdash		Interoffice Transport - 4-wire VG - Dedicated - Facility			ONOVA	TESTA	0.00000										
		Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						ł
—		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	17.00	40.77	21.51	17.20	7.11	1					
		Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
E	VTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITEDO	EEICE		UNCCC		5.05	3.03	1.20	1.20	1					
H	X I LIV	DS3 Local Loop in combination - per mile per month	INTERC	I	UNC3X	1L5ND	11.20										
-		233 Local Loop III combination - per mile per month			UNCOX	ILSIND	11.20										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						í
\vdash		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29	404.10	200.41	120.20	00.10						
+-+		Interoffice Transport - Dedicated - DS3 - 1 et Mille per Month Interoffice Transport - Dedicated - DS3 combination - Facility			ONOOX	TESTON	4.23										
		Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						ł
H		Nonrecurring Currently Combined Network Elements Switch -As-			ONOOA	01110	041.00	200.07	100.70	02.00	00.20	†	1				ſ
		Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						í
F	XTFN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFF		0.1000		0.00	0.00	7.20	7.20	1					
	, <u></u>	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20										
		STS-1 Local Loop in combination - Facility Termination per			0.100/1	120.12	11.20										
		month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						ł
		Interoffice Transport - Dedicated - STS-1 combination - per mile									-						
		per month			UNCSX	1L5XX	4.29										í
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						í
		Nonrecurring Currently Combined Network Elements Switch -As-										İ					·
		Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						ł .
E	XTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													i Total
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				ĺ		1
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37				ĺ		i
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
		First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						·
		Interoffice Transport - Dedicated - DS1 combination - per mile				1											í .
		per month			UNC1X	1L5XX	0.1813										ł
		Interoffice Transport - Dedicated - DS1 combination - Facility															i
		Termination per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				1
		1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						í
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						i
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 1	<u></u>	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				L		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport											1				·
1 1		Combination - Zone 4	L	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		<u> </u>		<u> </u>	<u> </u>	1

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
320			l .								Svc Order	Svc Order	Incremental			
			1									Submitted	Charge -	Charge -	Charge -	Charge -
1		Inter.	1								Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D100 10t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
igsquare						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
\vdash	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1						= 00								
EXC	Is Charge	ED OTO	4 15177	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXI	First DS1 Loop Combination - Zone 1	EDSIS		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	-					
	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	-	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						1
\vdash	First DS1 Loop Combination - Zone 2 First DS1 Loop Combination - Zone 3	<u> </u>		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07				-		1
\vdash	First DS1 Loop Combination - Zone 4	<u> </u>		UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07				-		1
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	<u> </u>	_	OITOTA	OOLA	400.40	200.00	100.40	40.10	12.01						
	Per Month			UNCSX	1L5XX	4.29										
\vdash	Interoffice Transport - Dedicated - STS-1 combination - Facility	†		2.100/1	. 20. 50	7.20								<u> </u>		
	Termination per month	1	1	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29				I		
	3/1 Channel System in combination per month	t		UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82			İ	1	İ	Ì
	DS1 COCI in combination per month	1	Ì	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	İ		l	1	l	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
L l	Combination - Zone 1	<u></u>	_1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<u> </u>		<u> </u>	L	<u> </u>	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXI	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	SPS IN I			LIDLEC	27.44	126.53	88.85	60.68	14.64	-					
$\vdash \vdash \vdash$	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX UNCDX	UDL56 UDL56	34.55	126.53	88.85	60.68	14.64	-					
\vdash	4-wire 56 kbps Local Loop in combination - Zone 2	-	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						1
\vdash	4-wire 56 kbps Local Loop in combination - Zone 4	<u> </u>		UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64				1		
\vdash	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		4	UNCDA	ODESO	32.23	120.55	00.00	00.00	14.04						
	Per Mile per month			UNCDX	1L5XX	0.0098										
\vdash	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		0.1027	120701	0.0000										
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1												_		
oxdot	Per Mile per month	<u> </u>	<u> </u>	UNCDX	1L5XX	0.0098							ļ	L	ļ	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1	l	1									I		
$\vdash \vdash$	Facility Termination per month	!	<u> </u>	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11				ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINODY	LINIOGG									I		
FV-	Is Charge	DANCE	OBT	UNCDX	UNCCC		5.63	5.63	7.20	7.20				 		1
EXI	TENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP		UNCVX	UEAL2	13.89	105.00	60.00	52.82	10.37			-	 	-	1
$\vdash \vdash$	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	!		UNCVX	UEAL2 UEAL2	13.89 18.75	105.96 105.96	68.28 68.28	52.82 52.82	10.37	-		-	 	-	1
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3	 		UNCVX	UEAL2	18.75 27.55	105.96	68.28	52.82	10.37	-		 	+	 	1
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 3 First 2-wire VG Loop (SL2) in Combination - Zone 4	 		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37			l	t	 	1
$\vdash \vdash$	First Interoffice Transport - Dedicated - DS1 combination - Per	 		0.10 1 /	JLALZ	40.12	100.30	00.20	52.02	10.37			l	t	 	1
	Mile	1	1	UNC1X	1L5XX	0.1813								I		
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	1	l —	0.101/	ILONA	5.1013					-			I	1	1
	Facility Termination per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				I		
		t	t e	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	†		1	1	1	Ì
	Per each DS1 Channelization System Per Month	1														

UNBUI	IDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
ONDO	IDEL		I		l	I						Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec			Disconnect				Rates (\$)		
igsquare								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		3/1 Channel System in combination per month	ļ		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١.			40.00	40=00		=====							
		Interoffice Transport Combination - Zone 1	<u> </u>	- 1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	ł		UNCVA	UEALZ	10.75	105.96	00.20	52.62	10.37	1			-		-
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	<u> </u>		OITOTA	OLITE	27.00	100.00	00.20	02.02	10.01						
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
		Each Additional Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.5737	6.62	4.74								
		Each Additional DS1 Interoffice Channel per mile in same 3/1							-					1		1	
		Channel System per month			UNC1X	1L5XX	0.1813						1		I		I
	•	Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
E	XTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	TEROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
		First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1			1110101	UEAL4	07.47	400.07	04.50	00.00	4404						
\vdash		First 4-Wire Analog Voice Grade Local Loop in Combination -	<u> </u>	- 1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
		Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
-		First 4-Wire Analog Voice Grade Local Loop in Combination -	ł		UNCVA	ULAL4	30.20	132.21	34.33	00.00	14.04	1			-		-
		Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		Ŭ	ONOVA	O E / KE +	00.00	102.27	04.00	00.00	14.04	1					
		Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 - Facility															
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
\sqcup		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
		3/1 Channel System in combination per month	ļ		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
\vdash		Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
\vdash		Additional 4-Wire Analog Voice Grade Loop in same DS1	<u> </u>	1	UNCVX	UEAL4	21.41	132.27	94.59	80.08	14.64	-			-		-
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				I		I
\vdash		Additional 4-Wire Analog Voice Grade Loop in same DS1	 		0.1017	JL/1L4	30.20	102.21	34.33	00.00	17.04	-		 	 	 	
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				1		1
		Additional 4-Wire Analog Voice Grade Loop in same DS1	i –	Ť			55.55	.02.27	000	55.50	54			İ	1	İ	1
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1		I		I
		Each Additional DS1 Interoffice Channel per mile in same 3/1	İ														
		Channel System per month			UNC1X	1L5XX	0.1813										
		Each Additional DS1 Interoffice Channel Facility Termination in															
$\vdash \vdash$		same 3/1 Channel System per month	ļ		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				ļ	ļ	1
\longmapsto		Additional Voice Grade COCI - in combination - per month	<u> </u>		UNCVX	1D1VG	0.5737	6.62	4.74								ļ
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	LINIOOO		F	F 00	7.00	7.00		1		I		I
 	VTCV	Is Charge	INTERS	EELOE	UNC1X	UNCCC		5.63	5.63	7.20	7.20	-		-	 	-	
┝──╬	: A I EN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	PFICE	TRANSPORT W/ 3/1	IWUX				1					 		
		Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		1		I		I
\vdash		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	 		CINCDA	UDLUG	21.44	120.03	00.00	80.08	14.04		-	 	+	 	
		Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				1		1
\vdash		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	 		0.1007	JULJU	34.55	120.00	00.00	00.06	14.04	-		 	 	 	
		Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64				1		1
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	t	Ť			.5 0	.20.00	33.30	55.56	54			İ	1	İ	1
		Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		I	1	1	1	1

UNBU	NDLE	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
CITE		THE THORK ELEMENTO IMPOSICO.	1									Svc Order	Svc Order	Incremental		Incremental	
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 101	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 - combination			LINIOAV		54.70	00.70	00.00	40.00	44.00						1
		Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
-		Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<u> </u>		UNC1X UNCDX	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10.87 0.00	10.10 0.00						
		3/1 Channel System in combination per month	-		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	-					
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
-		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00						
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	<u> </u>	ONODA	ODLOO	27.44	120.00	00.00	00.00	14.04	1					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						1
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1813										
		Each Additional DS1 Interoffice Channel Facility Termination in															1
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		11041/	111000		5.00	5.00	7.00	7.00						1
	EVTEN	ls Charge DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITEDO	FFICE	UNC1X	UNCCC	-	5.63	5.63	7.20	7.20						
-	EXIEN	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT W/ 3/T	WIUX						-					
		Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						1
-		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODA	ODLO4	21.44	120.55	00.00	00.00	14.04						
		Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			O. CODA	02201	0 1.00	120.00	00.00	00.00							
		Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
L	ļ	Per each Channel System 1/0 in combination Per Month	ļ		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				ļ		
	1	Per each OCU-DP COCI (data) in combination - per month (2.4-				4B 4B=											[
		64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
-		Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						(l
-		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	1	UNCDX	UDL64	21.44	120.53	88.83	80.08	14.64	-					
1	1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		1				[
-		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		011007	ODLOT	54.55	120.33	00.00	00.00	17.04		 		 		\vdash
1	1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		1				[
	l	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	†	Ť			.5.70	.20.00	22.00	55.00	0-1				i		
1	1	Interoffice Transport Combination - Zone 4	1	4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		1				[
	1	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1		_		1		22.30	22.20				l	İ		
	1	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						[]
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1				† <u> </u>							l	İ		
1	1	Channel System per month	1		UNC1X	1L5XX	0.1813						1				[
		Each Additional DS1 Interoffice Channel Facility Termination in															
	<u> </u>	same 3/1 Channel System per month	<u></u>		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	<u></u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
_				_									•				

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	ibit: A
ONDONDE		1	1								Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonred			Disconnect				Rates (\$)	_	
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI W/ 3/	I MUX						-		-					
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
 	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	+	-	UNCINA	UTLZA	21.01	117.01	19.92	32.02	10.37						-
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		OTTOTAL	OTLEX	27.00	117.01	70.02	02.02	10.07						
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	t	Ť	- 2	1	201			52.02	. 3.01	İ		İ	1	İ	
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	İ													
	Mile per month		<u> </u>	UNC1X	1L5XX	0.1813									<u></u>	
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						ļ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINICALV	1141.07	04.04	447.04	70.00	50.00	40.07						
	Combination - Zone 1	1	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	-					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	+		UNCINA	UTLZA	21.35	117.01	19.92	32.02	10.37						-
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	-	OTTOTAL	OTLEX	07.04	117.01	70.02	02.02	10.07						
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			0.10.0.	U I LLIX	00.10		70.02	02.02	10.07						
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	ĺ													
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
1	Nonrecurring Currently Combined Network Elements Switch -As	1	1	l	1		_	_	I _	_		1		I		
	Is Charge	<u> </u>	L	UNC1X	UNCCC		5.63	5.63	7.20	7.20				-		
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	LIKANS			HELVY	70.00	050.00	450.45	40.40	40.07		-	-	1	-	1
\vdash	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	1		UNC1X UNC1X	USLXX	79.08 129.38	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07	-			 	-	
\vdash	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2 First 4-wire DS1 Digital Looal Loop in Combination - Zone 3	1		UNC1X UNC1X	USLXX	129.38 206.74	253.93	158.45 158.45	46.10 46.10	12.07	-			 	-	
\vdash	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3 First 4-wire DS1 Digital Looal Loop in Combination - Zone 4	 		UNC1X	USLXX	458.46	253.93	158.45		12.07	-	 		+		
 	First 4-wire DST Digital Ecoal Loop in Combination - Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per	 	4	ONCIA	USLAA	430.40	200.93	100.45	40.10	12.07			l	t	l	
	Mile Per Month		1	UNC1X	1L5XX	0.1813			I			1		I		
	First Interoffice Transport - Dedicated - DS1 combination -	1			.20.00	3.1010			<u> </u>					<u> </u>		
	Facility Termination Per Month		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1		I		
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82			İ	1	İ	
	Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	<u> </u>	L	UNC1X	1L5XX	0.1813			<u> </u>		<u></u>	<u></u>	<u> </u>	L	<u></u>	
	Each Additional DS1 Interoffice Channel Facility Termination in															
$oxed{oxed}$	same 3/1 Channel System per month	1		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						ļ
	Each Additional DS1 COCI in the same 3/1 channel system			l .	[<u>.</u>]				1					1		
	combination per month		<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						_
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.			=0		4=0 :-						1		
	[1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	l	l		1		1

CATEGORY RATE ELEMENTS Index Zum BGS	IBUNDI FD I	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	nit: A
ATTECONY RATE ELEMENTS Brief Drive BCS USC BATE				l			I					Svc Order	Svc Order				Incremental
APPLICATION PATE DE MEMBER 5 Base Ba	1		1	1													Charge -
CATEGORY RATE ELEMENTS Image: Some S																•	•
Recommendation	TECORY	DATE ELEMENTO	Interi	7000	DCC.	LISOC			DATES (\$)								Manual Svc
Notice Print Add Discourting Disco	TEGORT	KATE ELEMENTS	m	Zone	BUS	0500			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Additional AlWin DST Digital Local Loop in Combination - Zero 2														Electronic-	Electronic-	Electronic-	Electronic-
Additional 4-Ville DET Digital Lose Loop in Cembratian - Zere 2 NNTIX USUXX 172:35 255:33 156:45 46:10 12:07														1st	Add'l	Disc 1st	Disc Add'l
Additional 4-Ville DET Digital Lose Loop in Cembratian - Zere 2 NNTIX USUXX 172:35 255:33 156:45 46:10 12:07															L		
Addressed 4-Wite DSI Digital Local Lope in Cerebration - Zone 2 Junction							Rec										
2 SHCTIVE AND STREET TOP TO CONTRICT OF THE STREET TOP TO CONTRICT OF THE STREET TO STREET T							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional 4-Wine DST Digital Local Loop in Contribution - Zone 4 UNCTX	Ac	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone															
S	2			2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
Additional 4-Wire DST Digital Local Loop on Contribution - Zeron 4 UNCTY USUAY 458-66 253-55 156-65 46.10 12.07	Ac	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone															
A	3			3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
Norsecuring Currently Correlate Reviews Sealed - Apr NACOC	Ac	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone															
INCIDENT UNICO S.63 C.20 T.20 T.20	4			4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
Extraction of white 5 kepts (and pain proteinments - Zives 1 1 MCDX 15.56 27.44 178.55 68.86 60.68 14.64	No	onrecurring Currently Combined Network Elements Switch -As-															
First 4 wre 64 bigs Local Loop in combination - Zeno 1	Is	Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
First 4-wise 58 kbys Local Loop in combination - Zone 2 2 (MCDX UDL56 34.55 726.53 88.65 60.88 14.64	EXTENDE	ED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
First 4-wise 58 kbys Local Loop in combination - Zone 2 2 (MCDX UDL56 34.55 726.53 88.65 60.88 14.64	Fi	irst 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
First 4-wee 68 kbyps Local Loop in combination - Zone 3 JUKCOX UDLS6 32,76 126,53 88.65 60.68 14,644				2	UNCDX						14.64						
First 4-wire 95 Klyps Local Loop in combination - Zone 4 4 UNCDX U.D.56 32.26 126.53 88.85 60.66 14.64																	
First 4-wires 65 kips Interoffice Transport - Dedicated - Facility Lincold Linco																	
Per morth				<u> </u>	0.10271	02200	02.20	120.00	00.00	00.00			1				
First 4-wwe 5k byte Interoffice Transport - Dedicated - Facility UNCDX UTIDE 22.52 40.78 27.57 17.66 7.11		·			LINCDX	11 5XX	0 0000										
Termination per month UNCDX UTDS 22.52 40.78 27.57 17.26 7.11				 	OITODA	ILUAA	0.0080	 	 	1	1	 	 		1		
Nonrecurring Currently Combined Network Elements Switch As UNCCC 5.63 5.53 7.20 7.20					LINCDY	LIATOS	22.52	40.79	27.57	17.26	7 11						
Scharge				1	UNCDA	01103	22.32	40.76	21.31	17.20	7.11	-					
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT INJECT. INJEC					LINCDY	LINICCO		F 00	F 00	7.00	7.00						
First 4-wire 64 kbps Local Loop in combination - Zone 1						UNCCC		5.03	5.03	7.20	7.20						
First 4-wire 64 kbps Local Loop in combination - Zone 3			NIERO					100 =0									
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 40.76 126.53 888.85 60.88 14.64																	
First 4-wire 64 kbps Local Loop in combination - 20ne 4				-													
First I-wive 68 kbps Interofice Transport - Dedicated - Per Mile UNCDX 1L5XX 0.0098 Prior month First I-wive 64 kbps Interofice Transport - Dedicated - Facility UNCDX U1TD6 22.52 40.78 27.57 17.28 7.11 Prior Internation per month UNCDX U1TD6 22.52 40.78 27.57 17.28 7.11 Prior Internation per month UNCDX U																	
Der month				4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility UNCDX	Fi	irst I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
Termination per month					UNCDX	1L5XX	0.0098										
Nonrecurring Currently Combined Network Elements Switch -As- Scharge	Fi	irst 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
Is Charge	Te	ermination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.	No	onrecurring Currently Combined Network Elements Switch -As-															
When used as a part of a currently combined facility, the non-recurring charges ado not apply, but a Switch As is charge does apply.	Is	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
When used as ordinarily combined Network Elements in All States, the non-recurring charges apply and the Switch As is Charge does not.	DITIONAL NET	TWORK ELEMENTS									Î						
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch As-Is Charge - 2 wire/4-Wire VG	When use	ed as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a Sv	witch As Is cl	harge does ap	ply.			Î						
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG	When use	ed as ordinarily combined network elements in All States, the	he non-	recurri	ng charges apply an	nd the Switch	As Is Charge	does not.									
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG UNCCC S.63 S.63 7.20 7.20																	
Is Charge - 2 wire/4-Wire VG						[İ	İ		İ		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			1	1	UNCVX	UNCCC		5,63	5.63	7.20	7.20	l	1		1		
Is Charge - 56/64 kbps								2.00	2.00	20	1.20	İ			İ		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1					UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Is Charge - DS1				t				5.50	5.50		20				i		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3		9 ,	1	1	UNC1X	UNCCC		5.63	5.63	7 20	7 20	l	1		1		
Is Charge - DS3			—	t	5OIA	511000		5.05	5.05	1.20	7.20	 	 		†		
Nonrecurring Currently Combined Network Elements Switch -As- UNCCC 5.63 5.63 7.20 7.20			1	1	LINC3X	LINCCC		5.62	5.62	7 20	7 20	1	1				
Is Charge - \$TS1				 	014037	UNCCC		5.65	5.03	1.20	1.20	 	l		 		
Optional Features & Functions:			1	1	LINICGY	LINICCC		5.60	5.60	7 20	7 20	l	1		1		
Clear Channel Capability Extended Frame Option - per DS1			—	+	OINOOA	UNCCC		5.03	5.03	1.20	1.20	-	-				
Clear Channel Capability Extended Frame Option - per DS1	Optional	reatures & Functions:		 	LIATDA	 			-	1	 	 	-		 		
Clear Channel Capability Super FrameOption - per DS1		loor Channel Canability Estanded France Ontice DO4				CCOFF		OI.	OI.	OI.	OI.						
Clear Channel Capability Super FrameOption - per DS1	CI	iear Channel Capability Extended Frame Option - per DS1	- 1	-		CCOEF		UI	UI	UI	UI	 			 		
Clear Channel Capability (SF/ESF) Option - Subsequent ULDD1, U1TD1, UNC1X, USL NRCCC 184.6S 23.78S 1.96S 0.76S		land Channel Comphility Company From Continuous DC 1				00005		OI.	OI.	OI.	OI.						
Activity - per DS1				1		CCOSF	-	UI	UI	UI	UI		ļ		.		
C-bit Parity Option - Subsequent Activity - per DS3 UE3, UNC3X NRCC3 218.72S 7.66S .7201S 0S			١.	1		LUDOG 5					. ===	1	1				
C-bit Parity Option - Subsequent Activity - per DS3 i UE3, UNC3X NRCC3 218.72S 7.66S .7201S 0S MULTIPLEXERS UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 OCU-DP COCI (data) - DS1 to DS0 Channel System - per UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 OCU-DP COCI (data) - DS1 to DS0 Channel System - per UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 OCU-DP COCI (data) - DS1 to DS0 Channel System - per UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 OCU-DP COCI (data) - DS1 to DS0 Channel System - per UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 OCU-DP COCI (data) - DS1 to DS0 Channel System - per UNC1X MQ1 102.85 91.57 62.94 10.87 10.10 OCU-DP COCI (data) - DS1 to DS0 Channel System - per OCU-DP COCI (data) - DS1	Ac	ctivity - per DS1		<u> </u>		NRCCC		184.6S	23.78S	1.96S	0.76S	ļ	ļ				
MULTIPLEXERS																	
DS1 to DS0 Channel System per month			i		UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per																	
					UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
				1					l				l				
	m	nonth (2.4-64kbs) used for a Local Loop	l	1	UDL	1D1DD	1.22	6.62	4.74			I	1		1		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			DATES (\$)			Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	LOCULED COOLULY DOOR DOOR LOCAL	ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1	1	01100	10100	1.22	0.02	7.17								
	month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation	ļ		U1TUB	UC1CA	2.62	6.62	4.74								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74								
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	IDIVG	0.5737	0.02	4.74								
1 1	used for connection to a channelized DS1 Local Channel in the	1														
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
\vdash	DS1 COCI used with Loop per month	<u> </u>	1	USL	UC1D1	12.96	6.62	4.74	-	-			-			
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
	DS1 COCI used with Interoffice Channel per month	<u> </u>	1	U1TD1	UC1D1	12.96	6.62	4.74								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1	1	01101	00151	12.00	0.02	7.77								
	month			ULDD1	UC1D1	12.96	6.62	4.74								
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports	<u> </u>	<u> </u>		1	ليبيا										
	E: Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	ne desired features	will need to b	e ordered usin	g retail USOCs	·								
2-VVI	RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.	!	 	UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
	Excitatige Forts - 2-Wire Arialog Line Fort- ites.	1	1	OLI OK	OLI IL	1.41	2.55	2.23	1.72	1.55						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled MS extended local			LIEDOD	LIEDAT		0.00	0.00	4.40	4.00						
	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port	!	 	UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
	with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Voice Mississippi Residence Dialing			02. 0.0	02.7.		2.00	2.20	2	1.00						
	Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability	ļ	ļ	UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
EEA	Subsequent Activity FURES	<u> </u>	1	UEPSR	USASC	0.00	0.00	0.00								
FEA	All Available Vertical Features		1	UEPSR	UEPVF	2.56	0.00	0.00								
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)			OLI OIL	OLI VI	2.00	0.00	0.00								
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						
1 1 -	Exchange Ports - 2-Wire VG unbundled Line Port with					IT										
	unbundled port with Caller+E484 ID - Bus.	ļ	 	UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled MS extended local	1	1	OLI OB	OLI DO	1.41	2.55	2.23	1.72	1.55						
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus	<u> </u>	1	UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan	1		LIEDOD	LIEDWIZ	4 44	2.20	0.00	4.40	4.00						
 	without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID	-	1	UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						
	Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	12	50	İ		İ			
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00					j			

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (DID & PBX)															igsquare
	ļ	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92	ļ					
	ļ	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-		UEPSP UEPSP	UEPPC UEPPO	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92	1					
-	1	2-Wire VG Line Side Unbundled Uncoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
	1	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	1	1				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	ļ	2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ		UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						
-	ļ	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92	ļ					
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						1
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			021 01	OLI AL	1.41	01.40	14.50	14.00	0.02						
		Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXIVI	1.41	31.45	14.93	14.38	0.92						
		Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	<u> </u>	Calling Port 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						—
		Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						1
		2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
		Subsequent Activity	ļ		UEPSP	USASC	0.00	0.00	0.00								\vdash
	FEATU	All Available Vertical Features	-		UEPSP UEPSE	UEPVF	2.56	0.00	0.00				-				
	EXCHA	NGE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
	LXCIIA	Exchange Ports - Coin Port	1				1.41	2.39	2.29	1.42	1.33						
	NOTE:	Transmission/usage charges associated with POTS circuit st	witched	usage	will also apply to c	ircuit switche						iated with 2	-wire ISDN p	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES				<u> </u>	<u> </u>				L.,			L	L		
		t1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											riff rates or	a separate ag	reement.		
	Reques	Exchange Ports - 2-Wire DID Port	arter trie	eneci	UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLI I Z	0.20	120.00	10.00	01.77	0.00	1	1				
		capability (E:4/1/2004)			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						ĺ
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		L.,			L			
		Transmission/usage charges associated with POTS circuit s													Deminer Des		-
 		Access to B Channel or D Channel Packet capabilities will be NGE PORT RATES (continued)	e avaiiai	ore only	y unougn BFK/NeW	Dusiness Re	quest rrocess.	rates for the	раскег сарабі	nues will be de	remmed via t	ne bona Fi	ue request/	NEW DUSINESS	s Request Pro		
	LACITA	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	†	†		+						1	 				
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
		Virtual Collocation - Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						[
	Detaile	d E911 with Locator Capability (required with UEPEX port)	†	†	OLFLA UEFDA	OINCIA	1.14	22.10	10.02	0.00	5.97		 				—
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			l	l											
<u> </u>	<u> </u>	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>	 	UEPEX	UEP1A	0.00	1,814.00		156.15		ļ	-				
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,															1
		Deletions			UEPEX	UEP1B	0.00	176.15									1
	New or	Additional PRI Telephone Numbers	1			1	2.00								İ		

UNBUI	NDLF	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
2231				Ι	1							Svc Order	Svc Order	Incremental			
1				l	1							I .	Submitted	Charge -	Charge -	Charge -	Charge -
			Inter:	1	1							Elec			Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in			l												
\vdash		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in			HEDEV	LIEDAD	0.0704	44.50	44.50								
		E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			UEPEX	UEP1D	0.0701	11.58	11.58			-		-			
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49									
-		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1	-	OLFDX	OLFIL	0.00	0.49				1			-		
		Inward Tel Numbers [Customer Testing Purposes]		1	UEPEX	PR7ZT	0.00	23.15	23.15	[1		I		
 	LOCAL	NUMBER PORTABILITY	†	 	0-1 L/\	. 13/41	0.00	20.10	20.13			1	†		I		1
Г		Local Number Portability (1 per port)	1		UEPEX UEPDX	LNPCN	1.75							1	<u> </u>	1	
<u> </u>		ACE (Provsioning Only)	1		<u>32. 2</u> X		0							1	<u> </u>	1	
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					İ	1	İ	Ì
		Digital Data	1	Ì	UEPEX	PR71D	0.00	0.00	0.00				İ	İ	1	İ	
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New or	Additional Channel														ĺ	
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61								ĺ	
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61									
\vdash		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									
	CALL T																
\vdash		Inward	-	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			1					
		Outward			UEPEX UEPEX	PR7CO PR7CC	0.00	0.00	0.00			-		-			
\vdash		Two-way DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		UEPEX	PR/CC	0.00	0.00	0.00			-		-			
		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				+						 					
 	UNDUN	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33	1			1		
		Oribundied Remote Call Forwarding Service, Area Calling, Res	-		OLF VK	ULKAC	1.41	2.33	2.23	1.42	1.55	+			-		
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33	1			1		
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33	İ					İ
	Non-Re	curring										İ					
		Unbundled Remote Call Forwarding Service - Conversion -															
1 1		Switch-as-is		1	UEPVR	USAC2		0.0988	0.0988				1		I		
		Unbundled Remote Call Forwarding Service - Conversion with															
$oxed{oxed}$		allowed change (PIC and LPIC)	ļ		UEPVR	USACC		0.0988	0.0988								
\Box	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
				l]					I		
\longmapsto		Unbundled Remote Call Forwarding Service, Area Calling - Bus	ļ	<u> </u>	UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33	ļ			ļ		
															1		
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus	-		UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33	-			-		
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus	 	<u> </u>	UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33			-	 	-	1
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus	 	-	UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33	-			 		1
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33				1		
\vdash	Non-Pa	ecurring	1	 	OLF VD	DERVJ	1.41	2.39	2.29	1.42	1.33		-		+		
 	14011-KE	Unbundled Remote Call Forwarding Service - Conversion -	1	 	 	1						1		 	t	 	1
		Switch-as-is		1	UEPVB	USAC2		0.0988	0.0988				1		I		
\vdash		Unbundled Remote Call Forwarding Service - Conversion with	†	 	J_1 VD	30,102		5.0300	0.0300			1	†		I		1
		allowed change (PIC and LPIC)		1	UEPVB	USACC		0.0988	0.0988				1		I		
UNBUN		OCAL SWITCHING, PORT USAGE											İ		1		
		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0010269										
		End Office Trunk Port - Shared, Per MOU					0.000161										
		n Switching (Port Usage) (Local or Access Tandem)															

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBL		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC a															
		es shall apply to the Unbundled Port/Loop Combination - Cos											L	L			
		fice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	ed Combos. For Cur	rently Combi	ined Combos th	ne nonrecurrin	g charges sha	II be those ider	ntified in the N	Ionrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	<u> </u>	-								ļ			ļ		-
	UNE P	ort/Loop Combination Rates															
	+	2-Wire VG Loop/Port Combo - Zone 1	!	1		-	12.22					-					-
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE L	oop Rates		<u> </u>	UEDDV	LIEBLY.	10.00										
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		_	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)	-	-	LIEDDY	LIEDDI	4.00	40.04	40.04	04.00	0.50	1					
	+	2-Wire voice unbundled port - residence	-	-	UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
-	-	2-Wire voice unbundled port with Caller ID - res	-	-	UEPRX UEPRX	UEPRC UEPRO	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	-					
	+	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Mississippi extended local	-	-	UEPRX	UEPRU	1.23	40.31	19.84	24.90	6.58						
					LIEDDY	UEPAT	4.00	40.31	19.84	24.90	0.50						
-	-	dialing parity port with Caller ID - res	-	-	UEPRX	UEPAI	1.23	40.31	19.84	24.90	6.58	-					
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
-	+	2-Wire Voice Unbundled Mississippi Residence Dialing Plan	-	-	UEFRA	UEFAF	1.23	40.31	19.04	24.90	0.36	ł	-	-			-
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire voice unbundled Low Usage Line Port without Caller ID	-		UEPRA	UEPWJ	1.23	40.31	19.04	24.90	0.36	 					
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU				ULFIX	OLFKI	1.23	40.31	15.04	24.50	0.30				1		
	ILAIC	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00			†					
	LOCAL	NUMBER PORTABILITY			OLITON	OLI VI	2.00	0.00	0.00			†					
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					1					†
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI TOX	LIVI OX	0.00					1					1
	1101111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				İ						İ					
		Switch-as-is			UEPRX	USAC2		0.0988	0.0988								
	†	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										i e					
		Switch with change			UEPRX	USACC		0.0988	0.0988								
	†	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										i e					
		Subsequent Database Update	1					0.00	0.00				1				I
	ADDIT	IONAL NRCs			1	1						1		ĺ			
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	İ														
		Activity	1		UEPRX	USAS2	0.00	0.00	0.00				1				I
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			1	1								ĺ			
		Premise			UEPRX	URETL		8.33	0.83								1
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		1	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ														
						Rec	Nonrec			Disconnect				Rates (\$)		
	2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>	2	UEPRX	UEAED	27.55	First 105.96	Add'l 68.28	First 52.82	Add'l 10.37	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>		UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37	-				-	
INTE	ROFFICE TRANSPORT		-	ULFKX	ULALD	45.72	105.90	00.20	32.02	10.37			1			-
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<u> </u>	1													
	Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
<u> </u>	2-Wire VG Loop/Port Combo - Zone 3	!	3			26.26									ļ	_
UNE	Loop Rates	<u> </u>	4	LIEDDY	UEDLY	10.00									-	
	2-Wire Voice Grade Loop (SL1) - Zone 1	 		UEPBX	UEPLX	10.98			1			ļ	.	1	 	
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX UEPBX	UEPLX UEPLX	15.91 25.04			1		-	-		1	 	
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4	 		UEPBX	UEPLX	25.04 43.68			+		 		1	1	 	
2-Wi	re Voice Grade Line Port (Bus)	 	-	OLI DA	OLI LA	40.00					-	-	 	1	t	
	2-Wire voice unbundled port without Caller ID - bus	1		UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58	†					
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1,23	40.31	19.84	24.90	6.58				1		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID	ļ		UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled Incoming Only Port without Caller ID								0.4.00	0.50						
100	Capability AL NUMBER PORTABILITY	ļ		UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
LOCA	Local Number Portability (1 per port)		<u> </u>	UEPBX	LNPCX	0.35					-				-	-
EEV.	TURES	1		UEPBA	LINPUX	0.35					1			1	1	1
I LA	All Features Offered	1		UEPBX	UEPVF	2.56	0.00	0.00			1				1	†
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	i -		02. 5/	02. 11	2.00	0.00	0.00							t	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	i -													t	
	Switch-as-is			UEPBX	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Switch with change	ļ		UEPBX	USACC		0.0988	0.0988								<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1													_	
	Subsequent Database Update	ļ					0.00	0.00					ļ		1	
ADD	ITIONAL NRCs	<u> </u>	.						ļ		1			ļ		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDBY	116460		0.00	0.00				1			I	
\vdash	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	+	UEPBX	USAS2		0.00	0.00	1		-	-		1	 	
	Premise			UEPBX	URETL		8.33	0.83							1	
OFF	ON PREMISES EXTENSION CHANNELS	 	 	OLI DA	OINETE		0.33	0.03	1		 	 	 	1	 	
5117	2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25					t	
	2 Wire Analog Voice Grade Extension Loop – Non-Design	i –		UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25			İ		1	†
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55		5.25			1			
	2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37						
igwdows	2 Wire Analog Voice Grade Extension Loop – Design	ļ		UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37			ļ		1	ļ
L	2 Wire Analog Voice Grade Extension Loop – Design	!	4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37					ļ	
INTE	ROFFICE TRANSPORT	 	-						1			 	-	1	 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDBY	U1TV2	20.20	40.77	27.57	47.00	744					1	
$\vdash \vdash \vdash$	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	 	UEPBX	UTTV2	20.32	40.77	27.57	17.26	7.11	-	 		 	 	
1 1	or Fraction Mile			UEPBX	U1TVM	0.0088	0.00	0.00				1			I	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 	 	OLI DA	01100	0.0000	0.00	0.00					 	t	 	

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter'									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
-	UNELA	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
		op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98					-			-	-	
-		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPRG	UEPLX	15.91			1		1			-	-	
-		2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3	UEPRG	UEPLX	25.04			1		1			-	-	
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68					-					
	2-Wire	/oice Grade Line Port Rates (RES - PBX)			OLI IKO	OLI EX	40.00					1					
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		1		I	I	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.00	0.00								
	ADDITI	ONAL NRCs				1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00								
\vdash		Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USA52	0.00	0.00	0.00			-					
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		7.50	7.50								
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS			OLI IKO	OKETE		0.00	0.00								
	011701	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
	INTERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
1 T		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile													_	_	
\vdash	- 11/:-	or Fraction Mile			UEPRG	U1TVM	0.0088	0.00	0.00						ļ	ļ	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	.	-		+				1	-		 		 	 	
\vdash		rt/Loop Combination Rates	.	4		+	40.00			1	-		 		 	 	
\vdash		2-Wire VG Loop/Port Combo - Zone 1	-	1 2		+	12.22 17.13			 	-	1			 	 	
\vdash		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3		+	17.13 26.26			1		-	-	-	 	 	-
\vdash		2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 4	 	4		+	26.26 44.91			1			 		+	+	
\vdash	LINE LO	op Rates	H	4		+	44.91			1	 	H			t	t	
\vdash	JIVE EU	2-Wire Voice Grade Loop (SL 1) - Zone 1	H	1	UEPPX	UEPLX	10.98			1	 	H			t	t	
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1	†	2	UEPPX	UEPLX	15.91			1		 	 		I	I	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPPX	UEPLX	25.04								<u> </u>	<u> </u>	
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68			1					1	1	
	2-Wire	/oice Grade Line Port Rates (BUS - PBX)															
		` '															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		<u> </u>		<u> </u>	<u> </u>	
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17						

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVAA	4.00	00.07	00.40	07.00	0.47						
		Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17				1		
—		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		<u> </u>	UEFFA	UEPAU	1.23	69.37	3∠.48	37.86	0.17	-		-			
		Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17				1		
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		 	OLIFA	ULFAQ	1.23	09.37	32.40	31.00	0.17	 	-		+		
		Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17	1					
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17	1					
	LOCAL	NUMBER PORTABILITY				0 1 1					***						
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered		1	UEPPX	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
_	ADDIT	Subsequent Database Update						0.00	0.00								
	ADDIT	ONAL NRCs				1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			ULFFX	USASZ	0.00	0.00	0.00			1		1			
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1				7.00	7.00	1							
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								47.00							
		Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0000	0.00	0.00								
	2 WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR) T		UEPPX	U1TVM	0.0088	0.00	0.00			-					
		ort/Loop Combination Rates	K I			+						-			-		
	ONL F	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	17.13			1			<u> </u>		-		
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26								†		
		2-Wire VG Coin Port/Loop Combo – Zone 4		4		1	44.91			1	l		1	İ	1	İ	
	UNE L	pop Rates		i –										1		1	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
	2-Wire	Voice Grade Line Ports (COIN)								ļ							
		2-Wire Coin 2-Way without Operator Screening and without													I		
		Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58				L		

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
33												Svc Order	Svc Order	Incremental			
												1	Submitted		Charge -	Charge -	Charge -
			Inter'									Elec			Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred			g Disconnect				Rates (\$)	_	
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way without Operator Screening and without															
	ļ	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,									0.50						
-	-	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		-	UEPCU	UEPIVIA	1.23	40.31	19.84	24.90	6.58	-					
		(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						
-	+	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;		-	OLI CO	OLIND	1.25	40.51	13.04	24.30	0.50	 					
		with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Coin 2-Way with Operator Screening & Blocking:			02. 00	025	1120	10.01	10.01	200	0.00						İ
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	1		UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		1	I	I		
		2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
		1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward without Blocking and without Operator															
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward without Blocking and without Operator															
		Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward with Operator Screening and 011															
	1	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEBOO	LIEDDII	4.00	40.04	40.04	04.00	0.50						
	+	011, 900/976, 1+DDD (AL, KY, LA, MS)	-	-	UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,	1		UEPCO	UEPCIN	1.23	40.31	19.04	24.90	0.56	1		-	-		
		011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
		2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 0.0	20		10.01	21.00	0.00						
		LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
	ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRI	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1										1	I	I		
<u> </u>	1	Switch-as-is	ļ		UEPCO	USAC2		0.0988	0.0988			ļ		ļ	ļ		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDOO	LICACO		0.0000	0.0000					1	1		
<u> </u>	ADDIT	Switch with change	-	-	UEPCO	USACC		0.0988	0.0988			<u> </u>		 	 		1
-	ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1			+						1		 	 	-	
		Activity	1		UEPCO	USAS2		0.00	0.00				1	I	I		
 	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 		021 00	00/02		0.00	0.00	1	 	 		t	t	l	1
		Premise	1		UEPCO	URETL		8.33	0.83				1	I	I		
	2-WIRE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINF	ORT (OILLIE		0.00	0.03			 	-	I	I		1
		ort/Loop Combination Rates	T	J (1								1	1		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	i –	2			20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFR	UECF2	13.89										
	1	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFR	UECF2	18.75			ļ	ļ	ļ		1	1		1
<u> </u>	1	2-Wire Voice Grade Loop (SL2) - Zone 3	ļ		UEPFR	UECF2	27.55					ļ		ļ	ļ		
	0.140	2-Wire Voice Grade Loop (SL2) - Zone 4	-	4	UEPFR	UECF2	45.72					1	ļ	-	-	 	ļ
<u> </u>	2-Wire	Voice Grade Line Port Rates (Res)	 	-	LIEDED	LIEDDI	4.07	400.05	70.57	54.04	44.70			 	 	 	1
-	+-	2-Wire voice unbundled port - residence	├		UEPFR UEPFR	UEPRL UEPRC	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70	 	-	1	 		1
		2-Wire voice unbundled port with Caller ID - res	<u> </u>		UEFFK	UEPKC	1.27	108.35	70.57	54.24	11.70	<u> </u>		L	l .	l	

ATECOPY RATE ELEMENTS IND RATE ELEMENTS IN	UNBUNI	DLFD	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
ARTECHMENTS RATE ELEMENTS RATE DELEMENTS RATE DELEMENTS RATE ELEMENTS RATE DELEMENTS RAT	ONBON		THE THE REPORT OF THE PROPERTY										Svc Order	Svc Order				
RATE LIMINATE LI													1					Charge -
CATEGORY RATE ELEMENTS				Indan:														
Bistonic Bistonic	CATEGOR	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second Control Seco				m									per Lore	per Lore				Electronic-
Note																		
																	DISC 1St	DISC Add I
2-West once submanded port subgroups says, see,								Das	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
2-Vive vace Code standarded Massappire extended local								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
dialing pasty port and Collet Dres		2	-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
2-Vive view unbursted res. for wages in port with Caller ID LEPFR LEPAP 1.27 108.35 70.57 54.24 11.70		2	-Wire voice Grade unbundled Mississippi extended local															
SILVED Library Libra						UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
SWee Victor United and State Section Sec		2	-Wire voice unbundles res, low usage line port with Caller ID															
MITTERFORD TEMASPORT TO ANY PROTECTION AND PROTEC						UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
Improvided Transport - Disclosed - 2 Wire Voto Grade - Facility DEPTR DE																		
Interoffice Transport - Dedicated - 2 Vife Vote Grade - Parkity LIEPPR LIEVX 20.32 40.77 27.57 17.20 7.11						UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						
Termination Internation	IN																	
Interdition Transport - Decidated - 2 Wire Votos Grade - Peri Mile																		
Continued Cont						UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
FEATURES																		
All Features Orlined Local Number PortRadilly part point DEPFR DEPF						UEPFR	1L5XX	0.0088										
LOCAL NUMBER PORTABLITY	FE																	
Local Number Porturbility (1 per port)						UEPFR	UEPVF	2.56	0.00	0.00								
NOMECURRING CHARGES (MRCs) - CURRENTLY COMBINED	LC						LNBOY	0.05										
2-Wire Loop / Delicated IO Transport / 2 Wire Line Port UEPFR USAC2 16.94 3.72	N.			-	-	UEPFR	LNPCX	0.35										
Combination - Sourchas-Basel UEPFR USACC 16.94 3.72	N																	
2-Wire Loop Description 3-Wire Line Port UPFR UREN UPFR						LIEDED	110 4 00		40.04	0.70								
Combination - Conversion - Sweld-With-Change UEPFR USACC 16.94 3.72				-	-	UEPFR	USAC2		16.94	3.72								
Unburded Miscellaneous Rate Element, Tag Designed Loop at End for Primise						LIEDED	110400		40.04	0.70								
End User Premise				-		UEPFR	USACC		16.94	3.12			-					
2-Wire Volce Croop/ Transport/Port Combo - Zone 1						LIEDED	LIDETN		11 10	1 10								
Net Port/Log Combination Rates	2.			E I INE E	OPT /		UKETIN		11.19	1.10			-					
2-Wire Vot Loop/IO Trapport/Per Combo - Zone 1				LLINE	I	l .							1			-		-
2-Wire VG LoppilO Trapport/Port Combo - Zone 2 2 20,002	01				1			15.16										
2-Wire VG LoppiO Tranport/Port Combo - Zone 4																		
2-Wire Volce Grade Loop (SL2) - Zone 1							+						†	 				
NELOPO Rates							+						†	 				
2-Wire Voice Grade Loop (SL2) - Zone 1	UI																	
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFB UECF2 18.75					1	UEPFB	UECF2	13.89										
2-Wire Voice Grade Loop (SL2) - Zone 3					2	UEPFB							İ					
2-Wire Voice Grade Loop (SL2) - Zone 4					3	UEPFB	UECF2	27.55										
2-Wire voice unbundled port without Caller ID - bus UEPFB UEPBL 1.27 108.35 70.57 54.24 11.70		2	-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
2-Wire voice unbundled port with Caller (- E484 ID - bus UEPFB UEPBC 1.27 108.35 70.57 54.24 11.70	2-	Wire Vo	pice Grade Line Port (Bus)															
2-Wire voice unbundled port outgoing only - bus UEPFB UEPBO 1.27 108.35 70.57 54.24 11.70		2	-Wire voice unbundled port without Caller ID - bus															
2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus UEPFB UEPAY 1.27 108.35 70.57 54.24 11.70		2	-Wire voice unbundled port with Caller + E484 ID - bus															
dialing parity port with Caller ID - bus UEPFB UEPAY 1.27 108.35 70.57 54.24 11.70						UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
2-Wire voice unbundled incoming only port with Caller ID - Bus UEPB UEPB 1.27 108.35 70.57 54.24 11.70																		
2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID UEPFB UEPFB UEPWK 1.27 108.35 70.57 54.24 11.70					<u> </u>										ļ	L		
Without Caller ID				ļ		UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70				1		1
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) LINTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-asis UEPFB USAC2 UEPFB USACC 16.94 3.72 UEPFB USACC 16.94 3.72																1		1
Local Number Portability (1 per port)	<u> </u>			ļ	<u> </u>	UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70				ļ		ļ
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile FEATURES IAII Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFB USAC2 UEPFB USACC 16.94 3.72 UEPFB USACC 16.94 3.72 UEPFB USACC 16.94 3.72 UEPFB USACC 16.94 3.72	LC			<u> </u>	<u> </u>	LIEDED	LNDCY	2.2-					-		 	-	 	-
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB U1TV2 20.32 40.77 27.57 17.26 7.11 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFB 1L5XX 0.0088 FEATURES All Features Offered UEPFB UEPVF 2.56 0.00 0.00 0.00 NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFB USAC2 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at				 	<u> </u>	UEPFB	LNPCX	0.35						ļ	 	 	 	
Termination	IN			1	<u> </u>		+						1		-	 	-	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile FEATURES All Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFB USAC2 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at UEPFB USACC 16.94 3.72					1	LIEDED	11111/2	20.20	40.77	27.57	17.00	7 4 4		1		I		I
Or Fraction Mile UEPFB 1L5XX 0.0088	-			1	-	ULFFD	UTIVZ	20.32	40.77	21.51	17.20	7.11	-		-		-	
FEATURES All Features Offered UEPFB UEPVF 2.56 0.00 0.00						LIEDER	11.533	0.0000								1		1
All Features Offered	E			 	\vdash	OLITO	ILUAA	0.0000								 		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFB USAC2 16.94 3.72 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFB USACC 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at	r			 	\vdash	UEPER	UEPVE	2.56	0.00	0.00				 		+		+
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFB USAC2 16.94 3.72 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFB USACC 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at	N			1	<u> </u>	02.10	CLI VI	2.50	0.00	3.00						<u> </u>		<u> </u>
Combination - Conversion - Switch-as-is UEPFB USAC2 16.94 3.72 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFB USACC 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at				1	<u> </u>		1									<u> </u>		<u> </u>
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFB USACC 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at						UEPFB	USAC2		16.94	3.72						1		1
Combination - Conversion - Switch with change UEPFB USACC 16.94 3.72										J 2						t		t
Unbundled Miscellaneous Rate Element, Tag Designed Loop at		C	combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72						1		1
		U	Inbundled Miscellaneous Rate Element, Tag Designed Loop at															
, , , , , , , , , , , , , , , , , , , ,				1	1	UEPFB	URETN		11.19	1.10				1		I		I

UNBI	JNDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	ibit: A
3.450		Sitt EEEmEtt O Imississippi					I					Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	ORT (PBX)												
	UNE Po	ort/Loop Combination Rates		— `													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16							Î			
	i	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	i	2			20.02										
	i	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	İ	3			28.82										
	i	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	İ	4			46.99										
	UNE Lo	pop Rates												Î			
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89							Î			
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75							Î			
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55							Î			
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	<u></u>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29	<u></u>		<u> </u>	<u> </u>	<u> </u>	
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
		Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						ļ
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
	LOCAL	NUMBER PORTABILITY															ļ
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								ļ
	INTER	OFFICE TRANSPORT															ļ
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.00				.=					1		
	!	Termination	!		UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11	-		.	-	 	├
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		LIEDED	41.5007	0.0000								I		
-	FFAT	or Fraction Mile	!	-	UEPFP	1L5XX	0.0088					-		 	 	-	
-	FEATU		 	-	UEPFP	UEPVF	2.56	0.00	0.00			-		-	 		
-	Novice	All Features Offered	!	-	UEPFP	UEPVF	2.56	0.00	0.00			-		 	 	-	
	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 			+						-		-	 		
1	1	Combination - Conversion - Switch-as-is	1		UEPFP	USAC2		16.94	3.72						I		
-	 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	-	ULFFF	USAUZ		16.94	3.72			-		-		-	
	1	Combination - Conversion - Switch with change	1		UEPFP	USACC		16.94	3.72						I		
	 	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 	-	OLITE	USACC		10.94	3.72			 			+		
		End User Premise			UEPFP	URETN		11.19	1.10						1		
UNRIII	NDI ED E	PORT/LOOP COMBINATIONS - COST BASED RATES	 	 	02.11	JILLIN		11.19	1.10						+		
5.4501		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1						<u> </u>			†	 	
-		ort/Loop Combination Rates	1			+						-		 	 		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1		1	21.32					 			I		†
	t	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	†	2		1	26.16								<u> </u>		†
	l -	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3		1	34.98							i	†	 	—
	†	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	t	4		1	53.15							i	1	i	
	UNE L	pop Rates	i –	Ė		1	220					1		1	1		
	,											-		1	1		

UNBUN	NDI FI	NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Fyhi	ibit: A
ONDO	1DLL	THE TWORK ELEMENTO IMISSISSIPPI			1								Svc Order	Svc Order	Incremental		Incremental	
														Submitted		Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGO	DRY	RATE ELEMENTS	m	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""												Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
—			-				-	1	Nonred	curring	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
					1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89	THOU	Auu i	11130	Addi	JOHILO	JONIAN	JONAN	JONAN	JONIAN	JONIAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75								t		
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	27.55										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
l		ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25						
1		CURRING CHARGES - CURRENTLY COMBINED	ļ				ļ											
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1															
		Switch-as-is		-	UEPPX		USAC1		7.35	1.88								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		7.35	1.88								
-	ADDITI	ONAL NRCs			UEPFA		USATC		7.33	1.00			ł	1		1		1
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94						-		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	†		JE. 1 /		30.101	1	20.04	20.04			1	 		I		†
		End User Premise			UEPPX		URETN		11.19	1.10						I		
- 1	Teleph	one Number/Trunk Group Establisment Charges			1		1	1					Ì		ĺ	1	1	
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY		-	LIEDDY		LNDOD	0.45	0.00	0.00								
	MIDE	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDE	DOD	UEPPX		LNPCP	3.15	0.00	0.00						1		<u> </u>
		ort/Loop Combination Rates	NE SIDE	FOR	<u>'</u>		1						ł	1		1		1
	JIVE I	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			<u> </u>		+											
		UNE Zone 1		1	UEPPB	UEPPR	:	28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 4	ļ	4			ļ	67.61										
		op Rates		-	LIEDDD	HEDDD	1101.07	40.00										
		2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB	UEPPR	USLZX	18.26						-		-		-
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85										
		2-Wire ISDN Digital Grade Loop - UNE Zone 4			UEPPB	UEPPR		57.28					İ			t		
ι	JNE Po	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
T		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			l											_		
		Combination - Conversion	ļ	<u> </u>	UEPPB	UEPPR	USACB	0.00	38.73	27.17			ļ			ļ		
/	ADDITI	ONAL NRCs	!	1	-		-	1					ļ		.	 	-	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	HEDDD	URETN		44.40	1.10						I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	 	UEPPB	UEPPR	UKETN		11.19	1.10						 		
		Premise			UEPPB	UEPPR	URETL		8.33	0.83						I		
 	OCAI	NUMBER PORTABILITY	†	†	J I D	J	J		0.00	0.00			1	t	1	†	1	—
T i	,	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						1	İ	
E	B-CHAI	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		•						
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)	LIEBES	LIEBES	1141102						<u> </u>	1			ļ	
\vdash		CVS/CSD (DMS/5ESS)	-	├	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			-		-	 		
 		CVS (EWSD)	1	-	UEPPB UEPPB	UEPPR UEPPR	U1UCE U1UCF	0.00	0.00	0.00			1	1		 	-	
ш		COD		1	UEPPB	UEPPR	UTUCE	0.00	0.00	0.00			1	1	L	L	L	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: A
0.1.2011222			1									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
		Interi										Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS		USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""										p = = = = = = = = = = = = = = = = = = =	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
HOED	TERMINAL PROFILE							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	TERMINAL PROFILE	ļ		HEDDD III	EDDD	11411540	0.00	0.00	0.00			1					
VEDTI	User Terminal Profile (EWSD only) CAL FEATURES	1		UEPPB U	EPPR	U1UMA	0.00	0.00	0.00			 					
VERII	All Vertical Features - One per Channel B User Profile	1		UEPPB U	EPPR	UEPVF	2.56	0.00	0.00			 					
INTER	OFFICE CHANNEL MILEAGE	1	1	OLFFB O	LFFK	OLF VI	2.30	0.00	0.00	1		ł			1		
INTER	Interoffice Channel mileage each, including first mile and	1	1									†					
	facilities termination			UEPPB UE	PPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile				EPPR	M1GNM	0.0098	0.00	0.00	11.20		İ					
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT								t		İ					
The UN	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embec	ded base in	place as	s of 10/2/03	until 4/1/04. Aft	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1																
	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
\vdash	Zone 2		2	UEPPP			205.74			ļ					ļ		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 4	1	4	UEPPP			534.81										
UNE L	oop Rates		_	LIEDDD		LIOL 4D	70.00										
	4-Wire DS1 Digital Loop - UNE Zone 1	-	1 2	UEPPP UEPPP		USL4P	79.08			1							
H	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPPP		USL4P USL4P	129.38 206.74			-		 	-				
—	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	458.46					 					
LINE D	ort Rate	1	4	UEPPP		USL4P	436.46			1		ł			1		
ONE I	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76	†					
NONRI	ECURRING CHARGES - CURRENTLY COMBINED			OLITI		OLITI	70.00	400.00	200.00	127.70	02.70						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1										1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1															
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
LOCAL	NUMBER PORTABILITY	ļ				LUBOU											
INITED	Local Number Portability (1 per port)	!	 	UEPPP		LNPCN	1.75			 	 	 		 	 	 	
INTER	FACE (Provsioning Only) Voice/Data	1	 	UEPPP		PR71V	0.00	0.00	0.00	-		-			 		<u> </u>
\vdash	Digital Data	 	 	UEPPP		PR71D	0.00	0.00	0.00	 	1	}	-	 	 	 	
 	Inward Data	 	†	UEPPP		PR71E	0.00	0.00	0.00	 	 	 			 	 	
New or	r Additional "B" Channel	 	 	02111			0.00	5.00	0.00	+					+		
11011 01	New or Additional - Voice/Data B Channel	t	 	UEPPP		PR7BV	0.00	14.61		-		1	-		I		
	New or Additional - Digital Data B Channel		t	UEPPP		PR7BF	0.00	14.61		İ	İ	†		İ	1	İ	
	New or Additional Inward Data B Channel	1	1	UEPPP		PR7BD	0.00	14.61									
CALL	TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																
	Fixed Each Including First Mile	1	<u> </u>	UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	<u> </u>			L	ļ	
	Each Airline-Fractional Additional Mile		<u> </u>	UEPPP		1LN1B	0.20			.					.		
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	<u> </u>	<u> </u>						L			<u> </u>	L	ļ		
	NE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.	-	ļ	
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	rective o	ate of	tnis amendme	ent sha	iii be provide	ed pursuant to a	a separate agre	ernent or tarif	r at BeilSouth's	s aiscretion.	 		-	 	 	
UNE P	ort/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		+	131.78			 		-			 		
\Box	TTV DOT DIGITAL LOOP/4VV DDITO THURK FOR - OINE ZONE T		_ '	OLFDO		1	131.78			L	1	1	1	l	1	l	

UNBUNI	DLEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												p	p	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1										2.00	
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		182.07										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15										
Ur	NE LO	op Rates															
-	-	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										
H.,		4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										
Ur		ort Rate	<u> </u>	-	LIEDDO	LIDDAT	50.70	457.40	054.70	400.00	44.04						
N/		4-Wire DDITS Digital Trunk Port (E:4/1/2004)	<u> </u>		UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		-				
INC	JNKE	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			-						-					
		- Switch-as-is (E:4/1/2004)	1		UEPDC	USAC4		130.24	67.41					I			1
\vdash	-	- Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	-	OLPDO	USAU4		130.24	67.41	1		-		 	 		
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41					1			1
\vdash	-	Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	-	OLPDO	USAVVA		130.24	67.41	1	-	-			1	-	
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
Λ.	ודוחר	ONAL NRCs	1	-	UEPDC	USAVVB		130.24	67.41			1		-	1		
AL	וווטכ	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<u> </u>	-		+						-	-	-	1		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								
	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	-	UEPDC	UDITA		14.50	14.56			1		-	1		
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								
 		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLFDC	ODITB		14.30	14.50								
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
 		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		14.50	14.50								<u> </u>
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		14.50	14.50								
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
BI	POL A	AR 8 ZERO SUBSTITUTION	<u> </u>		OLI DO	ODITE		14.00	14.00			-					
	. 02/	B8ZS -Superframe Format	1		UEPDC	CCOSF		0.00i	600.00s			-					
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s			1		1	1		
ΔI	terna	te Mark Inversion			02. 00	0002.		0.001	000.000								
— — — — — — — — — — — — — — — — — — —		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			1		1	1		
Te		one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group	t -		UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					İ					
		Telephone Number for 1-Way Inward Trunk Group Without DID	1	İ	UEPDC	UDTGZ	0.00								1		
		DID Numbers for each Group of 20 DID Numbers	1	1	UEPDC	ND4	0.00			1			1	İ	1		
		DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPDC	ND5	0.00								1		
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
De	dicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS 1	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
		Termination)	<u> </u>	L	UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90	<u></u>		<u> </u>	<u> </u>	<u> </u>	1
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1				-				I					l	1
		Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00		<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel Mileage - Additional rate per mile - 9-25	1				-				I					l	1
oxed		miles	ļ		UEPDC	1LNOB	0.20	0.00	0.00								
	П	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities														l	1
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
			1				-				I					l	1
oxdot		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	ļ		UEPDC	1LNOC	0.20	0.00	0.00						ļ		
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point	ļ		UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
Sy	stem	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	ibit: A
ONDONDE	LED NETWORK ELEMENTO IMISSISSIPPI				1	1					Svc Order	Svc Order	Incremental			
											II .	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			II .	,				
CATEGORI	KATE ELEMENTO	m	20116	500	0000			ICATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			_		+		Monro	curring	Monroourring	Disconnect	1		000	Potos (\$)	l .	
		-			+	Rec					001150	001441		Rates (\$)	0011411	001111
		Ļ	Ļ		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	System can have up to 24 combinations of rates depending on					Ļ	<u> </u>				<u> </u>	L	L	l	l	
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	<u> </u>
	uests for 4-Wire DS1 Loop with Channelization with Port after th	e effecti	ve dat	e of this amendmen	nt shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)									İ					
	24 DSO Channel Capacity - 1 per DS1	Γ΄		UEPMG	VUM24	95.06	0.00	0.00			i e					-
	48 DSO Channel Capacity - 1 per 2 DS1s	t		UEPMG	VUM48	190.12	0.00	0.00			1		 		 	†
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00		 	 			 		†
	144 DS0 Channel Capacity - 1 per 6 DS1s	 	-	UEPMG	VUM14	570.36	0.00	0.00	-	 	1		 	}	 	+
		-	_	UEPMG	VUM19					-	 			 		
	192 DS0 Channel Capacity -1 per 8 DS1s	-	-			760.48	0.00	0.00			1			ł		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00			 		ļ	ļ	ļ	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								Ī
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank.	and Ur	To 24 DSO Ports v	with Feature	Activations.					ĺ					1
	iples of this configuration functioning as one are considered Ad										İ					
	NRC - Conversion (Currently Combined) with or without	1			T						1					t
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
Sycto	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nolizat					0.41			<u> </u>					+
	(Not Currently Combined) in all states, except in Density Zone 1				Tination Curre	Intry Exists and	1				1			1		
ivew	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	Гогтор	O IVI SP	1 5	+						1			1		
				LIEDMO	V/LIMD4	0.00	745.45	207.20	440.05	47.50						
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Віро	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Alter	nate Mark Inversion (AMI)															Ī
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			ĺ					1
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								İ		İ		İ	Ť T
	ange Ports	1			1	1		1		1	İ			İ		
	Line Side Combination Channelized PBX Trunk Port - Business				+	†		 		†	1		 	1	 	†
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	1					
	Line Side Outward Channelized PBX Trunk Port - Business	 		OLI I A	OLI OA	1.23	0.00	0.00	0.00	0.00	1		 	1	 	
1	(E:4/1/2004)	1	l	UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00	1		1		1	
		-	-	UEFFA	UEPUX	1.23	0.00	0.00	0.00	0.00	1			ļ		
	Line Side Inward Only Channelized PBX Trunk Port without DID										1					
	(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00						
1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port					1					1					
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00	ļ					<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access					1					1					
1	Service) (E:4/1/2004)	1	l	UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00	1		1		1	
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
1	(AL, KY, LA, MS, & TN) (Conversion from Network Access	1	l			I	1		1		1		1		1	
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00	1					
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial–	t			1	1	0.50	0.50	0.50	0.50	1		 	1	 	†
1	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	1					
$\overline{}$	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	1		OLIFA	OLF O4	1.23	0.00	0.00	0.00	0.00	 			 		
1		1	l	UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00	1		1		1	
	Mississippi Only – Calling Plan (E:4/1/2004)	-	_	ULPFA	UEPU/	1.23	0.00	0.00	0.00	0.00	+		-	1	-	
	ure Activations - Unbundled Loop Concentration	1	1	I		I	l	1	l	1	1	l	l	1	l	1

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
OND	JINDEL					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Instant									Elec			Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ														
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	-	Facture (Coming) Activistics for each Line Dort Torreinsted in DA	-			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						1
	1	Feature (Service) Activation for each Trunk Port Terminated in	1	1	UEPPA	IFQVVIVI	0.61	23.30	13.39	4.29	4.20	1					
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						1
	Telenh	one Number/ Group Establishment Charges for DID Service			OLITA	11 QVV0	0.01	70.03	10.55	00.00	11.00						
	reiepii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			1					
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	1	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C											l				
		Office and Tandem Switching Usage and Common Transport														A 1 170 1 NE	
		first and additional Port nonrecurring charges apply to Not C	urrentiy	Comb	inea Combos. For	Currently Co	mbinea Combo	os, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections.	Additional NR	.Cs may
		also and are categorized accordingly.				B	er condition of	_							1		
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual C	ase Basis, un	til further notic	e.									\vdash
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7			+						-					
		ort/Loop Combination Rates (Non-Design)				+											\vdash
	ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											\vdash
		Non-Design		1	UEP91		12.22										1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 01		12.22					1					
		Non-Design		2	UEP91		17.13										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		3	UEP91		26.26										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		4	UEP91		44.91										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
		Design		1	UEP91		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		2	UEP91		19.98										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDO4		00 =0						1				1
<u> </u>	1	Design	!	3	UEP91	+	28.78										\vdash
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDO4		40.05						1				1
—	HNE !	Design	+	4	UEP91	+	46.95					-	-				
	ONE L	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP91	UECS1	10.98					 	 	 	 	 	\vdash
\vdash	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 		UEP91	UECS1	15.91					-	-		 		\vdash
\vdash	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	 		UEP91	UECS1	25.04					-	-		 		\vdash
	1	2-Wire Voice Grade Loop (SL 1) - Zone 4	†		UEP91	UECS1	43.68					 	 		 		
	†	2-Wire Voice Grade Loop (SL 2) - Zone 1	t		UEP91	UECS2	13.89								i		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	18.75								İ		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	l		UEP91	UECS2	27.55								1		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 4	l	4	UEP91	UECS2	45.72								1		
	UNE P	orts															
	All Sta	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local							·		·			l			
L	1	Area		<u> </u>	UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						oxdot
1		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			l								1				1
		Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58	1			I	l	1

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
0.100	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											Svc Order	Svc Order	Incremental			
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								1
071120	• • • • • • • • • • • • • • • • • • • •	10112 =======	m						== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	l					+		Nonrec	urring	Nonrecurring	g Disconnect	†	1	OSS	Rates (\$)	1	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				+		11130	Auu i	11130	Addi	JOINEO	JOINAIN	JOHAN	JOHAN	JOHAN	JONAN
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF91	OLFTIVI	1.23	100.33	10.51	34.24	11.70	1	-		 		
		Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP91	UEFTZ	1.23	100.33	70.57	54.24	11.70	-					
					UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		-	UEP91	UEPT9	1.23	40.31	19.84	24.90	6.58	-					
					LIEDO4	LIEDVO	4.00	40.04	40.04	24.90	0.50						
		Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58	ļ			_		.
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	l	1					l	I	1	l	1	l	
		Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800											1		I		
		Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										ĺ
	Feature	es									Î			Î		Î	
		All Standard Features Offered, per port			UEP91	UEPVF	2.56				Î			Î		Î	
		All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98			Î			Î		Î	
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56				Î			Î		Î	
	NARS										Î			Î		Î	
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00			Î		Î	
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						1
	Miscel	laneous Terminations															1
	2-Wire	Trunk Side									Î			Î		Î	
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098	_	_			İ					
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		annel Bank Feature Activations				1				İ	İ	İ	İ	İ	1	İ	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		†	UEP91	1PQWS	0.57			İ	İ	İ		İ		İ	
		The second secon			- ·· · · ·		0.01			i	i			i	1	i	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57					1					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop										i e					
		Slot			UEP91	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 0.		0.01					1					
	1	Different Wire Center		1	UEP91	1PQWP	0.57					I	1	l	1		
		S. I. O. S. I. I. O. S. I.		 	02.01	🔾 111	0.01			 	 	1	<u> </u>	 	<u> </u>	 	†
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57						1		I		
		Feature Activation on D-4 Channel Bank Filvate Line Loop Siot	 	 	02101	11 04 7 7 7	0.57			1	1	1	-	 	t	 	
		Slot			UEP91	1PQWQ	0.57					1					
		Feature Activation on D-4 Channel Bank WATS Loop Slot	 		UEP91	1PQWQ	0.57			1	1	1	-	1	+	1	
	Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex	 		OLF91	IF Q VVA	0.57			1	1	1	-	1	+	1	
	NOII-RE	Conversion - Currently Combined Switch-As-Is with allowed	-	-		+					-	1	-			-	
	1				UEP91	USAC2		0.10	0.40				1		I		
		changes, per port	-		UEP91	USAC2 USACN		37.97	0.10 16.68			1			 	-	
		Conversion of Existing Centrex Common Block	-	-		M1ACS	0.00		16.68	-	 	 	-	 	1	 	
		New Centrex Standard Common Block	-	-	UEP91		0.00	666.32		 	-	}	-	 	 	 	
		New Centrex Customized Common Block	-	-	UEP91	M1ACC	0.00	666.32		-	 	 	-	 	1	 	
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.91				1			-		
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63				1	l		1		

CATEGORY RATE ELEMENTS BDB USC RATE (E) Section of Company (Company Company Control of Company (Company Control of Company Control of Company Control of Company (Control of Company Control of Contr	UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
AGTECONY RATE ELEMENTS RATE ELEMENT	CHECHEL	TET TOTAL CELINETTO INICOSOSIPPI				1						Svc Order	Svc Order				Incremental
RATE CLEMENTS																	Charge -
CATEGORY RATE (LEMENTS Mark 2004 Mark 2004 Mark M			Interi										1		_	-	_
Best control Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second Not Recording Dispose NEC Second Not Recording Dispose NEC Second Not Recording Dispose NEC Second Not Recording Dispose NEC Second Not Recording Dispose NeC Second Not Second Not Not Not Not Not Not Not Not Not Not			""														Electronic-
Additional Non-Fernance NRCO																	Disc Add'l
Madellina Manufacturing Entries (MEC) March Madell March Madell Madell Madell Madellina Madellin			ļ														
Additional Non-Plearanting Charge (MEC)							Rec										
Unbounded Movements Relieved February To Joseph End Use USEPH US	A -1 -1	tional Nan Basserina Charres (NBC)				_		FIrst	Addi	FIRSt	Add I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Pierricas	Add		1									1	1		-		
Unbounded Microfilmonics Rate Element, 1 to Person UsEP91 USETIN 11.19 1.10					LIED01	LIBETI		8 33	0.83								
End tips Permiss USEPT U					OLI OI	ORLIL		0.00	0.00			-	-				
Use Performance Us					UEP91	URETN		11.19	1.10								ĺ
2-year vol. Loop/2-Wes Voca Grade Port (Centreal) Port Control Non-Design	UNE																
2-Wei VC Lupp/Wei Voto Grade Prof (Centres) Part Control - Non-Design 1 UBP96 12.22 1							İ										
Nen-Design	UNE	Port/Loop Combination Rates (Non-Design)															
2-Wine Vol Lapp2-Wine Voles Grade Port (CentracyPort Combo-Not-Design Voles Grade Port (CentracyPort Combo-Not-Design Voles Grade Port (CentracyPort Combo-Not-Design Voles Grade Port Combo-Not-Not-Design Voles Grade Port Combo-Not-Not-Not-Not-Not-Not-Not-Not-Not-No			-														
Num Distings				1	UEP95		12.22										
2-Wes Vol Loop/2-Wes Voles Grade Port (Centres) Port Combo 2-Wes Vol Loop/2-Wes Voles Grade Port (Centres) Port Combo 3 UPP6				_	l		l l								I		1
Nan-Design 1	\vdash		_	2	UEP95		17.13								-		
Note Note				_	LIEBOE		20.00								I		1
Non-Design Many Vis. Coopy-2-Vive Voice Grade Port Centrey/Port Combo Vis. Port Vis. Coopy-2-Vive Voice Grade Port Centrey/Port Combo Vis. Port Vis. Vis. Coopy-2-Vive Voice Grade Port Centrey/Port Combo Vis. Port Vis. Vis. Vis. Vis. Vis. Vis. Vis. Vis.	\vdash		-	3	UEP95		26.26					1	1	 	1	 	
UNE FortCoop Combination Rates (Design)			1	4	LIEDOS		44.04								I		1
2-Wife Vol. Loop/2-Wire Vision Grade Port (Centres) Port Combo-Design 1 UEP96 15.12 2 UEP96 19.98	LIME		1	4	OFL.89	+	44.91							 	 	 	
Design	ONE					+											
2-Wife Vot Copp2-Wire Vote Grade Port (Centres)Port Combo 2 UEP95 19.98				1	UEP95		15.12										
Design															t		
2-Wife Vol Lopp/2-Wife Volce Grade Port (Centrex)Port Combo-Design 3 UEP96 28.78 4 UEP96 46.95 4 UEP96 46.95 4 UEP96 46.95 4 UEP96 46.95 4 UEP96 4 UEP				2	UEP95		19.98										ĺ
2-Wife Vota Coracle Port (Centrex) Port Combo 4 UEP95 46.95																	
Design				3	UEP95		28.78										
NNE Loop Rate			1														
2-Wire Voice Grade Loop (St. 1) - Zone 1				4	UEP95		46.95										
2-Wire Votoe Grade Loop (St. 1) - Zone 2	UNE			_	LIEDOE	LIEGOA	40.00										
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP96 UECS1 25.04			-										-		-		
2-Wire Voice Grade Loop (SL 2) - Zone 1			-										-		-		
2-Wire Voice Grade Loop (SL 2) - Zone 1													1		1		
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UEGS2 18.75																	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 27.55 UEPYA UEP96 UECS2 45.72 UEP POR TRIBE UEP96 UEPYA UEP96				2													
UNE Port Rate																	
All States		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
2-Wire Voice Grade Port (Centrex 800 termination)																	
2-Wire Voice Grade Port (Centrex 800 termination)	All S																
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP95																	
Area					UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800 UEP95 UEPYM 1.23 108.35 70.57 54.24 11.70					LIEDOE	LIEDVII.	4.00	40.04	40.04	04.00	0.50						ĺ
Center)2,3 Basic Local Area	-		-	-	UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		-		-		
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 UEP95					LIEDOE	HEDVM	1 22	100 25	70.57	54.24	11 70						ĺ
Service Term - Basic Local Area					OLI 33	OLI TIVI	1.20	100.55	10.51	34.24	11.70	-	-				-
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP95 UEPY9 1.23 40.31 19.84 24.90 6.58 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP95 UEPY2 1.23 40.31 19.84 24.90 6.58 AL, KY, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPQA 1.23 40.31 19.84 24.90 6.58 DEPQA 1.23 40.31 19.84 24.90 6.58					UFP95	UFPY7	1 23	108 35	70 57	54 24	11 70						
Basic Local Area					02. 00	022	1120	.00.00	7 0.01	0							
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP95 UEPY2 1.23 40.31 19.84 24.90 6.58			1		UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58				I		1
AL, KY, LA, MS, SC, & TN Only UEP95 UEPQA 1.23 40.31 19.84 24.90 6.58 UEPQB 2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPQB 1.23 40.31 19.84 24.90 6.58 UEPQB 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQB 1.23 40.31 19.84 24.90 6.58 UEPQB 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQB 1.23 40.31 19.84 24.90 6.58 UEPQB 24.90 6.58 UEPQB 24.90 2		2-Wire Voice Grade Port Terminated on 800 Service Term -															
2-Wire Voice Grade Port (Centrex)					UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex 800 termination)	AL,																
2-Wire Voice Grade Port (Centrex with Caller ID)1			ļ												ļ		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3 UEP95 UEPQM 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70 UEPQZ 1.23 108.35 T0.57 T0.57 T0.57 T0.57 T0.57 T0.57	<u> </u>								1	1	 	1	 	 			
Center)2,3	\vdash		+	-	UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58	-	-		 		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP95 UEPQZ 1.23 108.35 70.57 54.24 11.70					LIEP95	LIEPOM	1 22	108 35	70.57	5/1 2/1	11 70				I		1
Term 2,3			 		021 00	OLI GIVI	1.23	100.55	10.51	54.24	11.70	-	-		t		<u> </u>
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 UEPQ9 1.23 40.31 19.84 24.90 6.58					UEP95	UEPQZ	1,23	108,35	70.57	54,24	11.70				1		1
		,	1				20	.00.00	7 0.01	J	70			İ	1	İ	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58				I		1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58						

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
			1									Submitted		Charge -	Charge -	Charge -
ł		Inter'	1								Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>															D130 131	DISC Add I
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	GA Only															
Loca	al Switching			LIEBOE	LIDEOO	0.7047										
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Loca	al Number Portability	-	-	LIEBOE	LNPCC	0.05										
Foot	Local Number Portability (1 per port)	-		UEP95	LNPCC	0.35										
real	All Standard Features Offered, per port	1	-	UEP95	UEPVF	2.56								-		1
-	All Select Features Offered, per port	1	-	UEP95	UEPVS	0.00	404.98							-		1
+	All Centrex Control Features Offered, per port	1	-	UEP95	UEPVC	2.56	404.30							-		1
NAR			-	OLI SO	OLI VO	2.00										
INAN	Unbundled Network Access Register - Combination	†	l —	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	-			I		1
	Unbundled Network Access Register - Indial	1		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				<u> </u>	1	1
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00			İ	1	İ	İ
Misc	cellaneous Terminations				1		2.20	2.30	5.50	2.30			İ	1	İ	İ
	ire Trunk Side													t	İ	i e
	Trunk Side Terminations, each	İ		UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						1
4-W	ire Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54					ĺ	
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56								ĺ	
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0098										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP95	1PQWS	0.57										
	5															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-	-	UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	TPQW7	0.57					-					
	Different Wire Center			UEP95	1PQWP	0.57										
	Different Wife Center			OLF 93	IFQVVF	0.57									1	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLI 33	II QVVV	0.57									1	
	Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex					0.07							İ	1	İ	İ
1.3	NRC Conversion Currently Combined Switch-As-Is with allowed	1	Ì								1		l	1	İ	i .
	changes, per port	1	1	UEP95	USAC2		0.10	0.10						I		
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63									
Add	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1	l	1									I		
	Premise	ļ		UEP95	URETL		8.33	0.83						1	ļ	ļ
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	1	LIEDOS	LIDET:									I		
17875	End Use Premise	!		UEP95	URETN		11.19	1.10						-		
	-P CENTREX - DMS100 (Valid in All States) ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	-		+									 	-	<u> </u>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	+	<u> </u>		+								-	 		1
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	 		+						-		 	 	 	1
	Non-Design		1	UEP9D		12.22								1		
-+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	<u> </u>	OFLAD	+	12.22					-		 	 	 	1
	Non-Design	1	2	UEP9D		17.13								I		
-+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OLI 3D	+	17.13								 	 	†
	Non-Design	1	3	UEP9D		26.26								I		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			02100	+	20.20							 	†		1
	Non-Design	1	4	UEP9D		44.91			1		1	1	ı	1	I	1

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-				1	Nonred	curring	Nonrecurring	Disconnect			220	Rates (\$)		L
	1		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	UNE P	ort/Loop Combination Rates (Design)				1			7144		71001	0020	00				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		28.78										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		20.70								1		1
		Design		4	UEP9D		46.95										
	UNE L	pop Rate															t
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		_	UEP9D	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
-	-	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9D	UECS2	27.55 45.72										-
-	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 4 ort Rate	-	4	UEP9D	UECS2	45.72								-		-
-	ALL S		-	1		+									-		-
	ALL 0	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.20	40.01	10.04	24.00	0.00						
		Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area	ļ		UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	LIEDVE	4.00	40.04	10.04	04.00	0.50						
	-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	-	1	UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						-
		Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLF 9D	OLFII	1.23	40.31	15.04	24.90	0.56						
		Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
		Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local								0.4.00	0.50						
	-	Area	ļ		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58				1		1
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1	OLI 3D	OLI 13	1.25	+0.51	13.04	24.30	0.50						
		Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
		Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								=							
	-	2,3-Basic Local Area	ļ		UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70				1		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area		1	UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70				I		
	t	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	 	 	021 30	02.10	1.23	100.55	10.31	54.24	11.70				t		†
		Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70				1		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	1		1	1	0			22.					1		
		Basic Local Area		1	UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70				I		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
		Basic Local Area	ļ		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70				1		1
1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1	1		Lumber									I		I
	1	Basic Local Area	<u> </u>	1	UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70	l		l	1	l	I

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually	Manual Svc	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
			m		200							per LSK	per LSR	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Names		Namaaaaaa	- Dianamant					2.00 .00	2.007.444.
	-						Rec	Nonrec First	arring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4						11130	Addi	11130	Addi	SOME	JOINAIN	JOHAN	JONAN	JOINAIN	JOINAN
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						<u> </u>
		Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
-	+	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
		Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KY	, LA, MS, SC, & TN Only															
	-	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
-		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPQB UEPQC	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						-
	+	2-Wire Voice Grade Port (Centrex / EBS-P5E1)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		1	UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp								0.4.00							ĺ
-	-	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D UEP9D	UEPQW UEPQJ	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
-	+	2-Wire Voice Grade Port (Centrexing Vitg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF 9D	ULFQJ	1.23	40.31	13.04	24.90	0.36						
		2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1,23	108.35	70.57	54.24	11.70						
-	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						1
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
-	-	Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching		1	LIEBAR	Lungar											
<u> </u>	1' *	Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0.7947						ļ				
-	Local I	lumber Portability Local Number Portability (1 per port)		1	UEP9D	LNPCC	0.35										
	1	Local Number Fortability (1 per port)			OFLAD	LINEOU	0.35			L		1	l				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
ONDONDE	Indicate										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		1	-			1	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		l
		1			-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Feat	ıres	1														
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
L	All Centrex Control Features Offered, per port	ļ		UEP9D	UEPVC	2.56										
NAR		1		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	<u> </u>	-	UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	1		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations	i -														
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wi	re Digital (1.544 Megabits)	!	<u> </u>						=,							
\vdash	DS1 Circuit Terminations, each	<u> </u>	ļ	UEP9D UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54					ļ	
Intor	DS0 Channels Activiated per Channel office Channel Mileage - 2-Wire	<u> </u>		UEP9D	M1HDO	0.00	14.56									
inter	Interoffice Channel Facilities Termination	1	-	UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098	40.77	27.07	17.20	7.11						
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<u> </u>		UEP9D	1PQW6	0.57										
	Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		OLI OD	11 QVV	0.07										
	Different Wire Center			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
-	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9D UEP9D	1PQWQ 1PQWA	0.57 0.57										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	1		UEP9D	IPQWA	0.57										
- Iton	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32									
	New Centrex Customized Common Block	ļ		UEP9D	M1ACC	0.00	666.32									
A dal	NAR Establishment Charge, Per Occasion tional Non-Recurring Charges (NRC)	1		UEP9D	URECA	0.00	72.63									
Addi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1														
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	i				5.50	0.00								
	End Use Premise	<u> </u>	<u> </u>	UEP9D	URETN	<u> </u>	11.19	1.10								
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
UNE	Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	.		+	 										
1 1	Non-Design	1	1	UEP9E		12.22						1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>	<u> </u>	02. 02	1	12.22										
1 1	Non-Design		2	UEP9E		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	İ														
oxdot	Non-Design	<u> </u>	3	UEP9E		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.	LIEDOE												
LINE	Non-Design Port/Loop Combination Rates (Design)	 	4	UEP9E	+	44.91										
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		 		+	 										
	Design		1	UEP9E		15.12						1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	T .													
	Design		2	UEP9E		19.98										

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
			1	1								1	Submitted		Charge -	Charge -	Charge -
			Intor	l								Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			' ^m	1										Electronic-	Electronic-	Electronic-	Electronic-
				ĺ										1st	Add'l	Disc 1st	Disc Add'l
			 	<u> </u>			Rec	Nonred		Nonrecurring		COLLEC	COLLAN		Rates (\$)	COLLAN	001111
<u> </u>	-	2 Wire VC Loop/2 Wire Voice Crade Port (Centre-) Port Combine		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		28.78							1			1
-	-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	3	UEP9E	+	28.78					-		 	 	-	
		Design]	4	UEP9E		46.95							1			1
-	LINE	oop Rate		4	OLF 9L		40.93					1		1	1		1
	OIVE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91					1		1			1
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	25.04								1		
		2-Wire Voice Grade Loop (SL 1) - Zone 4			UEP9E	UECS1	43.68								1		
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72										
		ort Rate															
	AL, FL	, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58						
1		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1											_			_
		Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1											1			1
		Area	ļ	<u> </u>	UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58			ļ			ļ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	LIEBOE	LIED. C.			=				1	I			I
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70			-			-
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1	1	LIEDOE	LIEDV7	4.00	400.05	70.57	E4 04	44 70			I			I
	-	Service Term - Basic Local Area	 	-	UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70	-		 	1	-	
1		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		1	I			I
	 	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	 	 	OLPSE	UEF 19	1.23	40.31	19.84	24.90	86.0		-	 		 	
		Basic Local Area		l	UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58			1			1
-	AL. KY	, LA, MS, & TN Only			OLI OL	JLI 12	1.23	70.31	13.04	24.90	0.36			 	+	 	
-	,	2-Wire Voice Grade Port (Centrex)	l	 	UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58	 	†	I	1		I
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58			<u> </u>		1	<u> </u>
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	Ì	UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		İ	1		İ	1
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire														1	
		Center)2,3	1	1	UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		1	I			I
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				İ											
		Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local	Switching												1			ļ
		Centrex Intercom Funtionality, per port	<u> </u>	<u> </u>	UEP9E	URECS	0.7947					1			ļ		
<u> </u>	Local	Number Portability			LIEBOE	LNDOO	0.05							-			-
	Factor	Local Number Portability (1 per port)	 	<u> </u>	UEP9E	LNPCC	0.35							 	1	 	
<u> </u>	Featur		 	<u> </u>	UEP9E	UEPVF	2.56					1		 	1	 	
<u> </u>	-	All Standard Features Offered, per port All Select Features Offered, per port	!	 	UEP9E UEP9E	UEPVF	0.00	404.98				-	-	 	1		
-	 	All Centrex Control Features Offered, per port	 	 	UEP9E UEP9E	UEPVS	2.56	404.98					-	 		 	
—	NARS	Onlines Control Features Orieled, per port	 	-	OLF 3L	OLF VO	2.00					H		t	1	 	t
—	MANO	Unbundled Network Access Register - Combination	 	-	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	H		t	1	 	t
-	-	Unbundled Network Access Register - Indial	 	-	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	-		t	1	 	t
	t	Unbundled Network Access Register - Outdial	l	 	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	 	†	I	1		I
	Miscel	laneous Terminations				0, 1, 0, 1	0.00	0.00	0.00	0.00	0.00			<u> </u>		1	<u> </u>
		Trunk Side	i e											1		İ	1
		Trunk Side Terminations, each	i e		UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88			1		İ	1
	4-Wire	Digital (1.544 Megabits)	1	Ì	ĺ								İ	1		İ	1
		DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54					1	
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash	-							Nonrec	urring	Nonrecurring	n Disconnect		l	OSS	Rates (\$)		
+							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098		71441		71441	0020	00				
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
		5			LIEBAE	450140											
-		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP9E	1PQW6	0.57								1		
		Slot			UEP9E	1PQW7	0.57										
\vdash	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF9L	IFQW/	0.57								1		
		Different Wire Center			UEP9E	1PQWP	0.57										
			i e				0.07				İ				1	İ	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	<u> </u>	UEP9E	1PQWV	0.57							<u> </u>			
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
\square		Slot			UEP9E	1PQWQ	0.57			1				ļ		ļ	
$\vdash \vdash$		Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ	<u> </u>	UEP9E	1PQWA	0.57			1					ļ		
N	ion-Re	curring Charges (NRC) Associated with UNE-P Centrex	-	-											1		
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
\vdash	-	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68						1		
\vdash		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32	10.00								
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
P	dditio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
\vdash		Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10								
	INF-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEF9E	UKETIN		11.19	1.10						1		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+											
		ort/Loop Combination Rates (Non-Design)													t		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\vdash		Non-Design		2	UEP93		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOS		20.20										
\vdash		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	3	UEP93	+	26.26	-		+		-			+		
		Non-Design	1	4	UEP93		44.91						1		I		
l	JNE Po	ort/Loop Combination Rates (Design)	<u> </u>	Ė						1	1				1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						İ								1	
igsqcut		Design		1	UEP93		15.12										
	J	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		l		7								_		
\vdash		Design	ļ	2	UEP93	1	19.98			ļ				ļ			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP93		28.78								1		
\vdash		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	3	OLFSO	+	28.78	-		+	1	1		 	 	 	
		Design	1	4	UEP93		46.95								I		
t	JNE Lo	op Rate	i	Ė		1				İ	ĺ	İ		1	1	ĺ	
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	15.91		•								
igsquare]	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04			1						ļ	
\longmapsto		2-Wire Voice Grade Loop (SL 1) - Zone 4	!	4	UEP93	UECS1	43.68			1	-		 	 	 	!	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	1 2	UEP93 UEP93	UECS2 UECS2	13.89 18.75			1			-		-		
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-		UEP93	UECS2	27.55	-		+		-			+		
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4	1		UEP93	UECS2	45.72								—		
ι		ort Rate	i e	Ė			2				İ				1	İ	
	L, KY,	LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58						

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
2.100												Svc Order	Svc Order	Incremental			
												I .	Submitted		Charge -	Charge -	Charge -
			Intori									Elec			Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						40.04			0.50						
		Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOO	LIEDVILL	4.00	40.04	40.04	04.00	0.50						
		Area	-	-	UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58	1					-
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		-	UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70	-		-	-		
		Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	OLF 93	OLF 12	1.23	100.55	70.57	34.24	11.70	1		-	-		+
		- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -		-	OLI 33	OLI 13	1.20	40.51	13.04	24.30	0.50	†					
	l	Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		1	I	I		
	1	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58			<u> </u>	<u> </u>	1	
	l -	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58			<u> </u>	<u> </u>		†
	l	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58			1	1	i	
	i e	2-Wire Voice Grade Port (Centrex from diff Serving Wire					20	.5.51	.0.04	250	3.30			1	1	İ	
		Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
		Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local \$	Switching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	Local I	Number Portability															
	_	Local Number Portability (1 per port)			UEP93	LNPCC	0.35					ļ					
	Featur		-	-	LIEBOO	UEPVF	2.56					1					
		All Standard Features Offered, per port All Centrex Control Features Offered, per port			UEP93 UEP93	UEPVF	2.56			-		-					
	NARS	All Centrex Control Features Offered, per port			UEF93	UEFVC	2.30					 					+
	IVANO	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	<u> </u>				1	-
		Unbundled Network Access Register - Indial		-	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	†					
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	1		1			<u> </u>
	Miscel	Ianeous Terminations			02.00	07111071	0.00	0.00	0.00	0.00	0.00	1		1			<u> </u>
		Trunk Side										İ					
		Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire	Digital (1.544 Megabits)														ĺ	
		DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
	Interof	fice Channel Mileage - 2-Wire															
	ļ	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11			1	1	ļ	ļ
		Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	ļ	UEP93	M1GBM	0.0098			-			ļ	-	-	ļ	
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	ļ						-			ļ	-	-	ļ	
	D4 Cha	annel Bank Feature Activations		<u> </u>	LIEDOS	400140	0.55			 	 	ļ		 	 	 	
	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57			 		-		 	 		
	l	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57			I			1	I	I		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	-	OLI 30	11 02 7 7 0	0.57			t		 		t	 	 	
	l	Slot			UEP93	1PQW7	0.57			1				1	1		
	l -	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			00		3.01			<u> </u>				<u> </u>	<u> </u>		†
	l	Different Wire Center			UEP93	1PQWP	0.57			I			1	I	I		
				İ								İ				1	
	l	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57			I			1	I	I		
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	<u> </u>	Slot	<u></u>	<u> </u>	UEP93	1PQWQ	0.57			<u></u>						<u> </u>	
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	l	NRC Conversion Currently Combined Switch-As-Is with allowed								I			1	I	I		
		changes, per port			UEP93	USAC2		0.10	0.10	I				I	I	<u> </u>]

UNBUNE	DLED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		,
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
Ad	ditional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
No	te 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
No	te 2 - Requres Interoffice Channel Mileage															
No	te 3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
No	te 4 - Requires Specific Customer Premises Equipment															
No	te: Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

LIMBI	INDI E	D NETWORK ELEMENTS. North Carolina												A 44 1		F.1.	
UNBI	NULE	D NETWORK ELEMENTS - North Carolina	ı	1								Svc Order	Svc Order	Incremental	ment: 2 Incremental		bit: A Incremental
													Submitted		Charge -	Charge -	Charge -
			lustani									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	T		-					Nonre	curring	Nonrecurrin	g Disconnect		<u> </u>	OSS	Rates (\$)		I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
OPER		vww.interconnection.bellsouth.com/become_a_clec/html/inter _ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnec	tion.ht	m		1		ı		1			1	1		1
OI LIK		(1) CLEC should contact its contract negotiator if it prefers th	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	e the BellSo	uth "regional	" service orde	ring charges	CLEC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list N. will be applied to a CLECs bill when it submits an LSR to B			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic order	ng capabilities	s come on-li	ine for that	element. Othe	erwise, the ma	anual orderin	g charge,
-		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			o annlicable rate ele	ment for SO	MAN charge**		ı		1			1	1		1
	INOTE.	OSS - Electronic Service Order Charge, Per Local Service	I	1	e applicable rate ele	Inche for oo	in Air on aige				1				1		
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
UNE S		DATE ADVANCEMENT CHARGE	<u> </u>	L													
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.				-				1		
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12. UDL48.												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,						1						
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
LINBII	NDI ED I	EXCHANGE ACCESS LOOP		<u> </u>	UTTUB, UTTUA	SDASP		200.00			-						
01400		E ANALOG VOICE GRADE LOOP		 							-				†		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	33.65	57.99	42.37				ļ	26.94	12.76	0.00	0.00
	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL UEANL	UEASL UEASL	12.11 21.24	57.99 57.99	42.37 42.37		 	-	1	26.94 26.94	12.76 12.76	0.00	0.00
 	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1		UEANL	UEASL	33.65	57.99	42.37		 	-	}	26.94	12.76	0.00	0.00
	†	Unbundled Miscellaneous Rate Element, Tag Loop at End User			O = / 11 11 =	JL/ IUL	33.03	31.35	72.37		 			20.34	12.10	0.00	0.00
L		Premise		L	UEANL	URETL		8.33	0.83		<u> </u>			26.94	12.76	0.00	0.00
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24					26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.76	8.93		1			26.94	12.76	0.00	0.00
		(UVL-ULI)		1	OLAINL	UKEWU	l .	15.76	8.93		1	1	1	26.94	12.76	0.00	0.00

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
0.1.20.1		101110111										Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
						i i	_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	-	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST											1				
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38				ĺ		Î		
		Order Coordination for Specified Conversion Time for UVL-SL1											1				
		(per LSR)			UEANL	OCOSL		45.34	45.34								
2	-WIRE	Unbundled COPPER LOOP											ĺ		Î		
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60				ĺ	26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60				ĺ	26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	<u> </u>	<u></u>	UEQ	USBMC		61.38	61.38	<u> </u>	<u></u>						<u> </u>
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76	L	ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						== 00	40.00						40 =0		
LINIBUNE		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		ļ
		XCHANGE ACCESS LOOP		-													ļ
	-WIRE	ANALOG VOICE GRADE LOOP		-													
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	14.97	142.97	400.50					26.94	12.76	0.00	0.00
		Ground Start Signaling - Zone 1		1 1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-		OLA	ULALZ	20.93	142.97	100.36	1	-	-	 	20.94	12.70	0.00	0.00
		Z-wire Analog voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	l	3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UEA	OCOSL	40.01	45.34	100.00	1	 	 	 	20.94	12.70	0.00	0.00
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	 	OLA	JUUGL		40.04		 	 	I	1	 	 		
		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
—		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		+ '-	OLA	OLAKZ	14.57	142.57	100.50			1	 	20.54	12.70	0.00	0.00
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
+	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		OLA	JEANE	20.93	172.31	100.30	†			 	20.94	12.70	0.00	0.00
		Battery Signaling - Zone 3	l	3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	 	Ť	UEA	OCOSL	70.01	45.34	100.00	1		-	 	20.04	12.70	0.00	0.00
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	 	1	UEA	UREWO		87.64	36.33	1		-	 	26.94	12.76	0.00	0.00
\vdash		Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL		11.20	1.10					26.94	12.76	0.00	
4	-WIRE	ANALOG VOICE GRADE LOOP	i e	1		12:			0	1	İ			20.04	.20	5.50	0.00
<u> </u>		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.32	288.47	237.45	1				26.94	12.76	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	36.27	288.47	237.45		i			26.94	12.76	0.00	
		4-Wire Analog Voice Grade Loop - Zone 3	l		UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	
		Order Coordination for Specified Conversion Time (per LSR)	l		UEA	OCOSL		45.34		1					1		2.00
	_	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
12	-WIRE	ISDN DIGITAL GRADE LOOP					j									0.00	0.00

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			to to a								Elec	Manually		Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR	_	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)		per Lor	per Lon	Electronic-	Electronic-	Electronic-	
																l .
													1st	Add'l	Disc 1st	Disc Add'l
				1			1	Nonrec	urring	Nonrecurring Disconnect	†	1	oss	Rates (\$)	l	
-				 			Rec	First	Add'l	First Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31		JOINEC	JONAN	26.94	12.76	0.00	
-		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	51.14	325.91	251.31		+	1	26.94	12.76	0.00	
				3	UDN	OCOSL	31.14		231.31		-	+	20.94	12.76	0.00	0.00
		Order Coordination For Specified Conversion Time (per LSR)						45.34	11.10		 	ļ	00.04	40.70	0.00	0.00
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDN	UREWO		91.55	44.12				26.94	12.76	0.00	0.00
2-	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	,						1					ļ
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60		1	1	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		T	UAL	OCOSL		45.34			1	1	1	1	2.20	2700
- t		2 Wire Unbundled ADSL Loop without manual service inquiry &		t		00002	+	.0.0+			1	1	1	i		
		facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82		1	1	26.94	12.76	0.00	0.00
				-	UAL	UALZVV	11.00	190.23	114.02		-	+	20.94	12.70	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	18.39	190.25	114.82				00.04	12.76	0.00	0.00
		facility reservaton - Zone 2		2	UAL	UAL2VV	18.39	190.25	114.82		 	ļ	26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &		l _												
		facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36				26.94	12.76	0.00	0.00
2-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
		2 Wire Unbundled HDSL Loop including manual service inquiry														
		& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry									1					
		& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILZX	14.07	204.74	100.04		+	+	20.34	12.70	0.00	0.00
		& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54				26.94	12.76	0.00	0.00
				3	UHL	OCOSL	22.02	45.34	103.34		-	+	20.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL		45.34								.
		2 Wire Unbundled HDSL Loop without manual service inquiry			l											
		and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05		1		26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05				26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	İ	86.06	40.36				26.94	12.76	0.00	0.00
4-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	1						1	1	1	İ		
<u> </u>		4 Wire Unbundled HDSL Loop including manual service inquiry		1	İ	+ +	İ				1	1	i e	İ	İ	
		and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45		1	1	26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	 			300	220.40	 	 	t	20.04	.20	0.00	5.00
		and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45		1	1	26.94	12.76	0.00	0.00
+		4-Wire Unbundled HDSL Loop including manual service inquiry	 		OI IL	OI IL4A	17.07	341.03	220.43	+ +	+	1	20.94	12.70	0.00	0.00
				2	UHL	UHL4X	27.24	244.65	220.45		1	1	26.04	40.70	0.00	0.00
		and facility reservation - Zone 3	<u> </u>	3	_		27.24	341.65	220.45	+	+	+	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34		 	1	1	ļ			
		4-Wire Unbundled HDSL Loop without manual service inquiry		1	L	1	l				1	1			1	
		and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96		1	1	26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry		1	İ		l				1	1			1	
		and facility reservation - Zone 2	<u></u>	2	UHL	UHL4W	17.67	264.39	188.96		<u> </u>	<u> </u>	26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry		1												
		and facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	27.24	264.39	188.96	<u> </u>	1	<u> </u>	26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	İ	86.06	40.36				26.94	12.76	0.00	0.00
4-	-WIRF	DS1 DIGITAL LOOP		1	İ	1 1	İ		50		1	1	1	1	2.20	2700
- 1		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47.60	714.84	421.47	 	 	t	42.19	12.76	0.00	0.00
-+		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84.36	714.84	421.47		t	+	42.19	12.76	0.00	
		4-Wire DS1 Digital Loop - Zone 2	-	3	USL	USLXX	134.29	714.84	421.47		+	+	42.19	12.76	0.00	
-+			-	3	USL	OCOSL	134.29	48.31	421.47		+	+	42.19	12.76	0.00	0.00
-+		Order Coordination for Specified Conversion Time (per LSR)	-	+					40.00	 	+	+	20.04	40.70	0.00	0.00
	14/15-	CLEC to CLEC Conversion Charge without outside dispatch		1	USL	UREWO		100.99	43.00	 	+	+	26.94	12.76	0.00	0.00
4-	-WIKE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<u> </u>	1						1	1		l		

UNBL	INDLE	O NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	I					+ +		Nonrec	urrina	Nonrecurring Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51				26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	ļ	4 Wire Unbundled Digital 19.2 Kbps		_	UDL	UDL19	67.26	489.04	337.51	ļ			26.94	12.76	0.00	0.00
-	-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL UDL	UDL56	25.32 43.11	489.04 489.04	337.51 337.51	 	+	1	26.94 26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56 UDL56	43.11 67.26	489.04 489.04	337.51		+		26.94	12.76 12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	07.20	45.34	337.31	 	+	+	20.94	12.70	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51		1	1	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51		1	1	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70				26.94	12.76	0.00	0.00
	2-WIRE	Unbundled COPPER LOOP														
		2-Wire Unbundled Copper Loop-Designed including manual														
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75		+	1	26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75				26.94	12.76	0.00	0.00
-		2 Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	22.39	202.00	143.75	+ + + + + + + + + + + + + + + + + + + +	+	+	20.94	12.76	0.00	0.00
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	0 1.00	61.38	61.38		1	1	20.01	12.10	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual								1						
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual														
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual														
	-	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39 61.38	112.96 61.38	+	+	1	26.94	12.76	0.00	0.00
	-	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		1	UCL	UCLIVIC		61.38	61.38	+ +	+	+				\vdash
		(UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
	4-WIRE	COPPER LOOP			002	0.12110		0			1	<u> </u>	20.0 .	12.10	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility				1										
		reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility														1
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility				1101.40	40.00	044.00	101.00				00.04	40.70	0.00	0.00
-	-	reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	46.26	311.03 61.38	191.93 61.38		+	 	26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility			OCL	OCLIVIC		01.30	01.30	 	+	+				
		reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility								1						
		reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility														
		reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38	_	_					
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44							1 1
LOOP	MODIFIC				UCL	UREWU		97.14	42.44	+ +	+	1				
LOOP	IVIODIFIC	BATION		1	UAL, UHL, UCL,	+ +				+ + + + + + + + + + + + + + + + + + + +	+	1				
					UEQ, ULS, UEA,											1 1
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											1
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
		Unbundled Loop Modification Removal of Load Coils - 4 Wire														
	ļ	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24				26.94	12.76	0.00	0.00
					UAL, UHL, UCL,											1 !
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA, UEANL, UEPSR,											1 !
		per unbundled loop			UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
SUB-L	OOPS	parameter and the parameter an			02	3231		24.04	24.04		1	†	20.04	12.70	0.00	0.00
		op Distribution				1						1	ĺ			
										•						

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									1.	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			ļ													
						Rec	Nonred			g Disconnect	201150	001141		Rates (\$)	001111	001141
	Cub Lana Bas Casas Bas Lanatina CLEC Foodes Facility Cat	-	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
	ОР	- ' -	 	ULANL	USDSA		313.31		 		 		20.54	12.70	0.00	0.00
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		027.11.12	00202		000				1		20.01	.2	0.00	0.00
	Facility Set-Up	- 1		UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	I	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	I	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				USBN2	40.00	100.00	5454					26.94	40.70	0.00	0.00
	Zone 3	- 1	3	UEANL	USBN2	18.20	126.03	54.54	1		1		26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBIVIC		01.30	01.30	1		1					
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OL7 (I VL	CODIVA	0.44	100.02	70.00					20.04	12.70	0.00	0.00
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														****	
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
													ĺ			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38					20.01	40.00		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
\vdash	Loop Testing - Basic 1st Half Hour	-	+	UEANL	URET1		76.24	76.24	-		1					
\vdash	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24			1		26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	9.70	137.10	60.24			1		26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	0.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	0.00
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.84	162.24	85.38	ļ		ļ		26.94	12.76	0.00	0.00
		1		luee .			04.00	04.00	I							
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	1	UEF	USBMC		61.38	61.38	 	1			.	 	 	1
\vdash	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	+	1	UEF UEF	URET1 URETA		76.24 39.51	76.24 39.51	 	1	 		 	-	-	1
Habi	Indled Network Terminating Wire (UNTW)	\vdash	 	ULI	OKEIA		39.51	38.51	+		 	-				
Onbu	Unbundled Network Terminating Wire (UNTW) per Pair	t	 	UENTW	UENPP	0.4351	64.98		 	1			26.94	12.76	0.00	0.00
Netw	ork Interface Device (NID)				0_1111	0.4001	04.90		†				20.04	12.70	0.00	5.00
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86.37	56.69				İ	26.94	12.76	0.00	0.00
	Network Interface Device (NID) - 1-6 lines	i		UENTW	UND16		127.93	98.21	1			İ	26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		11.68	11.68					26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4		11.68	11.68					26.94	12.76	0.00	0.00
UNE OTHER,	, PROVISIONING ONLY - NO RATE															
$\sqcup \sqcup \sqcup$	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
\vdash	UNTW Circuit Id Establishment, Provisioning Only - No Rate	ļ		UENTW	UENCE	0.00	0.00		ļ		ļ		ļ			1
	1	1	1	UEANL,UEF,UEQ,U	1				1	1	1	I	l	l	l	1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
												II .		Incremental	Incremental	Incremental	Incremental
												Submitted		_	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Habitandlad Contact Name Braining College as sets			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINIEGNI	0.00	0.00									
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDIN,UEA,UHL,ULC	UNECIN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			,,,												
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
шсис	ABACI	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH	AFAUI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	 													
1		month			UE3	1L5ND	13.33										
		High Capacity Unbundled Local Loop - DS3 - Facility					1										
		Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
1		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month High Capacity Unbundled Local Loop - STS-1 - Facility	-	-	UDLSX	1L5ND	13.33										
		Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP	ΛΔKF-I		1	1	ODLOX	ODLOT	404.20	1,071.00	040.12					33.40	33.40		
		Loop Makeup - Preordering Without Reservation, per working or					†										
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	ļ		UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or			UMK	UMKMQ		0.0000004	0.6960821								
LINES	HARING	spare facility queried (Mechanized) AND LINE SPLITTING			UIVIK	UIVIKIVIQ		0.6960821	0.6960821								
LINE		1: The Line Sharing monthly recurring rates for all installation	ns comi	oleted f	rom October 02, 200	3 through m	idniaht Octobe	r 01. 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	ļ														
-		1: Above will apply to USOCS: ULSDT and ULSCT	CDC	1111 60	C!:!:			b-f	0-4-14 20	22							
		E 2: The Line Sharing monthly recurring rates with USOCs ULS HARING	SDC and	ULSC	c applies only to cil	Tourts Install	ed and inservic	e on or before	October 1, 20	03							
		FERS-CENTRAL OFFICE BASED				-											
		Line Sharing Splitter, per System 96 Line Capacity	L		ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00		_			26.94	12.76		
L		Line Sharing Splitter, Per System, 8 Line Capacity	<u> </u>		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
1		Line Sharing-DLEC Owned Splitter in CO-CFA activation-			111.6	ULSDG		146.22	24.07					26.94	12.76		
—	END II	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	 	-	ULS	ULODG	 	146.32	31.27			1		26.94	12.76		
	_14D 0	Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
		Line Share Service, TRO per line activation, BST owned splitter -	•														
		Central Office Located (25% of UCLND) - please see NOTE 1															
-		(E:10/2/2003)			ULS	ULSDT	3.49	54.71	28.77								
1		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
1		(E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77								
		Line Share Service, TRO per line activation, BST owned splitter -			-		2.00										
1		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)	ļ	ļ	ULS	ULSDT	10.48	54.71	28.77								
1		Line Sharing - per Subsequent Activity per Line				000		05.10	10					00.01	40.70		
		Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line	 	-	ULS	ULSDS	 	35.42	16.57			-		26.94	12.76		
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29					26.94	12.76		
		Line Sharing - per Line Activation (DLEC owned Splitter) -						00.14	.0.20					20.04			
		OBSOLETE see **NOTE 2	<u> </u>	<u> </u>	ULS	ULSCC	0.61	47.44	19.31					26.94	12.76		
						•						_					

CATEGORY RATE ELEMENTS Interi						Syc Order			ment: 2		bit: A
		1				SVC Order	Svc Order	Incremental	Incremental		Incremental
						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
						Elec	Manually		Manual Svc	Manual Svc	
	BCS U	ISOC		RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
								1st	Add'l	Disc 1st	Disc Add'l
								151	Addi	DISC 1St	DISC Add I
		Б	Nonrec	curring	Nonrecurring Disconnect			oss	Rates (\$)	•	
		Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Line Share Service, TRO per line activation, CLEC owned											
splitter - Central Office Located (25% of UCLND) - please see											1
NOTE 1 (E:10/2/2003) ULS	ULSO	CT 3.49	47.44	19.31							1
Line Share Service, TRO per line activation, CLEC owned		-				1	1				
splitter - Central Office Located (50% of UCLND) - please see											1
NOTE 1 (E:10/2/2004) ULS	ULSO	CT 6.99	47.44	19.31							1
Line Share Service, TRO per line activation, CLEC owned	OLO	0.33	77.77	13.51		+					—
splitter - Central Office Located (75% of UCLND) - please see											1
NOTE 1 (E:10/2/2005) ULS	ULSO	CT 10.48	47.44	19.31							1
LINE SPLITTING	ULS	01 10.40	47.44	19.31		+	-				——
END USER ORDERING-CENTRAL OFFICE BASED						-	-				
	D LIEDOD LUDE	00 001	 		 	+	1	 	-		
	R UEPSB URE			00.50	 	+	-	20.0:	10.70		
	R UEPSB URE			28.59		1	ļ	26.94	12.76		
	R UEPSB URE	BV 0.61	56.92	28.59		1		26.94	12.76		
MAINTENANCE											
No Trouble Found - per 1/2 hour increments - Basic			80.00	55.00							1
No Trouble Found - per 1/2 hour increments - Overtime			120.00	82.50							1
No Trouble Found - per 1/2 hour increments - Premium			160.00	110.00							l .
UNBUNDLED DEDICATED TRANSPORT											l .
INTEROFFICE CHANNEL - DEDICATED TRANSPORT											1
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -											[
Per Mile per month U1TVX	(1L5X	XX 0.0125									1
Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -											
Facility Termination U1TVX	(U1T\	V2 18.00	137.48	52.58				38.07	38.07		1
Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		İ				1					
Rev Bat Per Mile per month U1TVX	(1L5X	XX 0.0125									1
Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat							İ				
Facility Termination U1TVX	C U1TF	R2 18.00	137.48	52.58				38.07	38.07		1
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -											
Per Mile per month U1TVX	(1L5X	XX 0.0125									1
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		0.0120									
- Facility Termination U1TVX	(U1T\	V4 22.16	106.11	65.95				22.32	22.32		1
Interoffice Channel - Dedicated Transport - 56 kbps - per mile		22.10	100.11	00.00				22.02	22.02		
per month U1TDX	X 1L5X	XX 0.0282									1
Interoffice Channel - Dedicated Transport - 56 kbps - Facility	TEO/	0.0202				1					
Termination U1TDX	K U1ΤΙ	D5 17.40	137.48	52.58		1		38.07	38.07		1
Interoffice Channel - Dedicated Transport - 64 kbps - per mile	, OIII	17.40	131.40	32.30		+	 	30.07	30.07		
per month U1TDX	X 1L5X	XX 0.0282				1		1			1
Interoffice Channel - Dedicated Transport - 64 kbps - Facility	, ILDX	0.0282				+	 				
Termination U1TDX	K U1ΤΙ	D6 17.40	137.48	52.58	[1		38.07	38.07		1
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	\ UTIL	17.40	137.48	5∠.58		+	 	38.07	38.07		
	1 1L5X	vv 0.5350			[1					1
month U1TD1	1 1L5X	XX 0.5753				1	-				
Interoffice Channel - Dedicated Tranport - DS1 - Facility		F4 74.00	047.47	400.75		1		20.07	20.27		1
Termination U1TD1	1 U1TF	F1 71.29	217.17	163.75		1	ļ	38.07	38.07		
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					[1					1
month U1TD3	3 1L5X	XX 12.98									
Interoffice Channel - Dedicated Transport - DS3 - Facility	_		1			1		l	l		1
Termination per month U1TD3	U1TF	F3 720.38	794.94	579.55				91.26	91.26		1
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					[1					1
month U1TS1	I 1L5X	XX 6.14					1				
Interoffice Channel - Dedicated Transport - STS-1 - Facility					[1		1			1
Termination U1TS1	U1TF	FS 790.37	642.23	408.89				53.48	53.48		
DARK FIBER											
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									l		1
	UDFCX 1L5D										
	UDFCX UDF	14	1,807.00	562.96							
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction											1
	UDFCX 1L5D										
NRC Dark Fiber - Local Loop UDF, U	UDFCX UDF	L4	1,347.00	279.87							

UNRI	INDI F	D NETWORK ELEMENTS - North Carolina											Δttach	ment: 2	Fyhi	bit: A
SIADO	HULL			1	1						Svc Order	Svc Order	Incremental			
l												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (+)		per LSK	per Lok	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring Disconnec				Rates (\$)		
							Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CESS	TEN DIGIT SCREENING														
		8XX Access Ten Digit Screening, Per Call			OHD		0.0005									
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX														
		Number Reserved			OHD	N8R1X		7.05	0.96	 			26.94			
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			00.00	0.70				44.05			
-	-	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With		-	OHD	+		23.82	2.73	+ +	-	-	41.35	-		
		POTS Translations			OHD	N8FTX		23.82	2.73				41.35			
		8XX Access Ten Digit Screening, Customized Area of Service			OTID	INOL IX		23.02	2.75	 	-		41.55			
		Per 8XX Number			OHD	N8FCX		5.63	2.82							
		8XX Access Ten Digit Screening, Multiple InterLATA CXR						0.00	2.02				1	<u> </u>		
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77					1		
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94	1	1	l
		8XX Access Ten Digit Screening, Call Handling and Destination				1								1	1	
		Features			OHD	N8FDX		5.63								
LINE II	NFORM/	ATION DATA BASE ACCESS (LIDB)														
		LIDB Common Transport Per Query			OQT		0.00003		·							
		LIDB Validation Per Query			OQU		0.0134									
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26					26.94	26.94		
SIGNA	LING (C															
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02	.			41.35	41.35		
		CCS7 Signaling Connection, Per link (B link) (also known as D					40.00									
		link)			UDB UDB	TPP++ PT8SX	18.22 132.83	278.02	278.02		_		41.35	41.35		
		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message			UDB	P185X	0.00004			+						
-		CCS7 Signaling Usage, Per TCAP Message			UDB	-	0.00004			 		-				
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98			 	-	1	1			
		CCS7 Signaling Osage Currogate, per link per EATA CCS7 Signaling Point Code, per Originating Point Code		-	ODB	01030	330.90			 						
		Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99		
		CCS7 Signaling Point Code, per Destination Point Code								1						
		Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				19.99	19.99		
E911 S	ERVICE															
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69				42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69				42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69				42.17	12.76		
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282									
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1										I		
L	.	Termination		<u> </u>		-	18.00	137.48	52.58		_		38.07	38.07		
	!	Local Channel - Dedicated - DS1 - Zone 1		1		-	27.05	534.48	462.69		-		86.15	1.77		
<u> </u>	1	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	2		+	47.94 76.32	534.48 534.48	462.69 462.69		+	1	86.15 86.15	1.77 1.77	-	
<u> </u>	1	Interoffice Transport - Dedicated - DS1 - Zone 3	-	3		+	0.5753	534.48	462.69	 	-	-	86.15	1.//	1	
—	 	Interoffice Transport - Dedicated - DOT Fel Wille	—	-	1	1	0.5753				+	H	 	t	l	
	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			71.29	217.17	163.75				38.07	38.07		
CALLI	NG NAM	IE (CNAM) SERVICE	 	l —		1	71.20	217.17	100.70			 	55.57	55.57		1
77.221	1	CNAM For DB Owners - Service Establishment			OQV			75.62					İ	1		
		CNAM For Non DB Owners - Service Establishment		Ì	OQV	1		75.62					İ	1	l	l
		CNAM For DB Owners - Service Provisioning With Point Code														
L	<u> </u>	Establishment (Initial)	<u></u>	L	OQV		<u> </u>	2,354.00	2,354.00	<u> </u>		<u></u>	<u> </u>	L	<u></u>	<u> </u>
		CNAM For DB Owners - Service Provisioning With Point Code														
		Establishment (Subsequent)			OQV			1,739.00	1,739.00							
		CNAM For Non DB Owners - Service Provisioning With Point							·							l
		Code Establishment (Initial)			OQV			1,072.00	1,072.00							
1	1	CNAM For Non DB Owners - Service Provisioning With Point		1	L									I		
L	.	Code Establishment (Subsequent)		<u> </u>	OQV	-	0.0000#	768.44	768.44		_			ļ		
051.50	<u> </u>	CNAM for DB & Non DB Owners, Per Query		ļ	OQV	+	0.0009592				-	-	ļ	-	 	
SELEC	IIVE R	OUTING Telephine Position Per Unique Line Class Code Per Request Per	-	<u> </u>		+				 	+	1	 	 	-	-
1	1	Selective Routing Per Unique Line Class Code Per Request Per Switch		1				188.59					26.94	12.76		I
Ц	<u> </u>	OWILLOI	<u> </u>	L	l		<u> </u>	188.59		<u> </u>		I	20.94	12.76	l	l

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	_	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	DOC	11000			DATES (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring			l .		Rates (\$)		
					1	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLI		-														
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHYSICAL COL				OLF SK OLF SB	VLILO	0.0207	33.90	32.00	0.00	0.00			19.99	19.99		
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				†											
	Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO	0.0050750	347.27									
AIN - PELLSOI	Query NRC, per query JTH AIN SMS ACCESS SERVICE			SRC	-	0.0053758										
AIN - BELLSOO	AIN SMS Access Service - Service Establishment, Per State,				1											
	Initial Setup			A1N	CAMSE		294.77									
	•															
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,	-		A1N	CAMAU		200.83									
	Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAWICC	0.0023	172.03									
	AIN SMS Access Service - Session, Per Minute				†	0.0791										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.08										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE				1											
	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	DADCC		200.05									
	Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		290.05 8,363.00									
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFVA		0,303.00									
	DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L											
	DN, Off-Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFIU		149.95									
	DN. CDP				BAPTC		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				İ						Ì					
	DN, Feature Code				BAPTF		149.95									
	AIN Toolkit Service - Query Charge, Per Query					0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	-	+		1	0.005					-					
	Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			O/ UVI	טתו טט	15.50	71.00					 				
	Service Subscription			CAM	BAPES	0.003	47.20									
	(TENDED LINK (EELs)															
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE con	nbinations pro	visioned as ' C	ordinarily Coml	oined' Network	Elements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS				44.07	440.07	400 50					20.07	38.07		
	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2	-		UNCVX UNCVX	UEAL2 UEAL2	14.97 25.93	142.97 142.97	106.56 106.56				-	38.07 38.07	38.07		
	1 1131 Z 11110 13 LOOP (OLZ) III OOIIIDIIIAIIOII - ZOITE Z			0110 1/1	ULALL	20.50	174.31	100.00	l		1	l	50.07	30.07		

CATEGORY	.ED NETWORK ELEMENTS - North Carolina															bit: A
CATEGORY											Svc Order	Svc Order	Attach Incremental			
CATEGORY												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
I													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		L
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								└
	Fort A 1 177 and 0 147 a 1/0 1 and (01.0) in Orani in 17 and 1			1110000	UEAL2	14.97	440.07	100.50					38.07	38.07		
\vdash	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEALZ	14.97	142.97	106.56			-		38.07	38.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
\vdash	Lacit / aditional 2-vviie vo Loop (SE 2) in Combination - Zone 2			014047	ULALZ	20.53	142.37	100.30	 			-	30.07	30.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38					55.57	55.57		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ĺ
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS1	INTER	ROFFICE TRANSP	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
			_													
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIX	ILDXX	0.5753										
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	30.07		
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.1017	.5		.0.00	0.00								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVE	Is Charge	OATED I	204 125	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATEDI	או דפע IN	IEKUFFICE IRAN	ISPUK I	-						-	-	 	-	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		1
\vdash	I not +-vine boropo Digital Grade Loop III Combination - Zone 1			OIYODA	ODEJO	20.32	409.04	337.31	 				30.07	30.07	 	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		1
			Ē		32200	.5.11	.00.04	337.101					55.07	55.07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51]				38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					İ										
	Per Month			UNC1X	1L5XX	0.5753		<u> </u>							<u></u>	<u> </u>
	Interoffice Transport - Dedicated - DS1 - combination Facility															1
igsqcut	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
\vdash	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
$\vdash \vdash$	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28	<u> </u>				ļ		ļ	├
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDLEC	25.00	400.04	227.54				1	20.27	20.07		1
\vdash	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	25.32	489.04	337.51	 				38.07	38.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51]			1	38.07	38.07		1
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			OIYODA	ODESO	43.11	409.04	337.31	 				30.07	30.07	 	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51]			1	38.07	38.07		1
	Additional OCU-DP COCI (data) - in combination per month (2.4-					323	.00.04	337.31					55.57	55.57	İ	
1 1	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									l ·	'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T. N	. B'				D-((A)		
						Rec	Nonrec		Nonrecurring		201150	001441		Rates (\$)	001441	SOMAN
	Name and the Control of National Control of Asset Asset				+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
EVTE	Is Charge NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				21.75	21.75	32.28	10.96			38.07	38.07		
LATE	TOTAL COOP WITH DEDI	CATED	D31 IIV	TEROFFICE TRAINS	J				1							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		ı l
	That 4 Who of topo Digital Crade 2000 in Combination 2016 1		<u> </u>	ONODA	ODLOT	20.02	400.04	007.01					00.07	00.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		i l
	, , , , , , , , , , , , , , , , , , ,															
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		i l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															$\overline{}$
	Per Month			UNC1X	1L5XX	0.5753										ı
	interoffice Transport - Dedicated - DS1 combination - Facility															, ——
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	<u> </u>		UNCDX	1D1DD	2.00	15.76	11.28								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1			LIBL C							1				, !
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINIODY	LIBLOA	40.44	400.04	007.54					00.07	00.07		ı l
	Interoffice Transport Combination - Zone 2	-	2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3	LINCDV	UDL64	67.00	489.04	227.54					38.07	38.07		ı l
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination - per month	-	3	UNCDX	UDL64	67.26	409.04	337.51	1				36.07	36.07		
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								i l
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	2.00	10.70	11.20								$\overline{}$
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				210	20	02.20	10.00			00.07	00.01		$\overline{}$
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															ı l
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														i l
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			47.00	714.84	404.47					38.07	38.07		
-	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2	-	2	UNC1X UNC1X	USLXX	47.60 84.36	714.84	421.47 421.47	1				38.07	38.07		
H	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	+	3	UNC1X UNC1X	USLXX	134.29	714.84	421.47	1		-	-	38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	 	3	DIVOIA	USLAA	134.29	114.04	421.47	1		-	 	30.07	30.07		
	Per Month			UNC3X	1L5XX	12.98										ı
	Interoffice Transport - Dedicated - DS3 - Facility Termination per					12.00								1		
	month	1		UNC3X	U1TF3	720.38	794.94	579.55				1	38.07	38.07		ı l
	3/1Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40	1		İ					
	DS1 COCI in combination per month	i –		UNC1X	UC1D1	16.07	13.09	9.38						1		i
	Additional DS1Loop in DS3 Interoffice Transport Combination -					1										1
	Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -												l			,
	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_		1	[]										ı l
\vdash	Zone 3	-	3	UNC1X	USLXX	134.29	714.84	421.47	-	-			38.07	38.07		
	Additional DS1 COCI in combination per month	!	-	UNC1X	UC1D1	16.07	13.09	9.38	1	-		 	 	 		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC3X	UNCCC		21.75	21.75	22.00	10.00			38.07	38.07		1
EVTE	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CPAC	L E INITE				21.75	∠1./5	32.28	10.96	-	-	38.07	38.07		
EXIE	2-WireVG Loop in combination - Zone 1	GRAD	<u>⊏ INITE</u> I	UNCVX	UEAL2	14.97	142.97	106.56	1		-	 	 	 		
 	2-WireVG Loop in combination - Zone 2	 	2	UNCVX	UEAL2	25.93	142.97	106.56	 			 		 		
	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3	t	3	UNCVX	UEAL2	40.81	142.97	106.56	1		-	 		 		$\overline{}$
	I				1	.0.01	2.01	.00.00	1		1			1	1	

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 2-wire VG - Dedicated - Facility		i i													
	Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-		i i													
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE	ROFFICE TRANSPO	ORT				ĺ				Î			
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45	ĺ				Î			
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45	ĺ				Î			
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45	ĺ				Î			
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month	<u> </u>	L	UNCVX	1L5XX	0.0282			<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Interoffice Transport - 4-wire VG - Dedicated - Facility								j							
	Termination per month	1	1	UNCVX	U1TV4	22.16	106.11	65.95				1	38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-		i i													
	Is Charge	1	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE						<u> </u>							
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33			ĺ				Î			
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS														
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		ļ
	1/0 Channel System in combination - per month	<u> </u>	<u> </u>	UNC1X	MQ1	146.69	197.78	140.06					ļ	ļ		<u> </u>
	2-wire ISDN COCI (BRITE) - in combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.59	15.76	11.28					ļ	ļ		<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l .	I									1		
 -	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1										1				
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	١.									1				
\vdash	Combination - Zone 3	!	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1	1									1		I		
\vdash	month	ļ		UNCNX	UC1CA	3.59	15.76	11.28								<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l .	l							1		I		
 	Is Charge		<u> </u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		_
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				4=	=,,-:	404 :-								_
\vdash	First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	47.60	714.84	421.47			-		38.07	38.07	 	├
\vdash	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421.47			ļ		38.07	38.07		
	First DS1 Loop Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	134.29	714.84	421.47			1		38.07	38.07	l	

UNBI	JNDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
3.450						1						Svc Order	Svc Order	Incremental			
												1	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
		DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		Additional DS1Loop in the same STS-1 Interoffice Transport															
L	<u> </u>	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	134.29	714.84	421.47	<u> </u>		<u></u>	<u> </u>	38.07	38.07	<u> </u>	<u> </u>
		DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF	ICE TRANSPORT												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0282										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0282										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
L	EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			1								 _	_		ļ
L	!	First 2-wire VG Loop (SL2) in Combination - Zone 1	ļ		UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	<u> </u>	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
<u> </u>		First 2-wire VG Loop (SL2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
1	1	First Interoffice Transport - Dedicated - DS1 combination - Per	1										1	I	I		1
<u> </u>	ļ	Mile	!		UNC1X	1L5XX	0.5753							-	-		
		First Interoffice Transport - Dedicated - DS1 combination -					=,										
<u> </u>		Facility Termination per month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
<u> </u>	ļ	Per each DS1 Channelization System Per Month	!		UNC1X	MQ1	146.69	197.78	140.06					-	-		
<u> </u>	!	Per each Voice Grade COCI - Per Month per month	<u> </u>		UNCVX	1D1VG	1.27	13.09	9.38			-		-	-	 	
<u> </u>	!	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	233.10	403.97	234.40			-		-	-	 	
<u> </u>	!	Per each DS1 COCI in combination per month	!	-	UNC1X	UC1D1	16.07	13.09	9.38			-	-	 	 	-	
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1			LINICV	LIEALO	44.07	440.07	400 50					20.07	20.07		
-	!	Interoffice Transport Combination - Zone 1	!	1	UNCVX	UEAL2	14.97	142.97	106.56			-	-	38.07	38.07	-	
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	2	LINIOVO	LIENIO	05.00	440.07	400.50				1	20.07	20.07		1
-	 	Interoffice Transport Combination - Zone 2	-	- 2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			1110101	115410	40.04	4 40 07	100.50					00.07	00.07		
<u> </u>	!	Interoffice Transport Combination - Zone 3	├	3	UNCVX	UEAL2	40.81	142.97	106.56			-	-	38.07	38.07		-
<u> </u>	!	Each Additional Voice Grade COCI in combination - per month	!	-	UNCVX	1D1VG	1.27	13.09	9.38			-	-	 	 	-	
1	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINICAV	11.5	0.5750						1	I	I		
<u> </u>	 	Channel System per month	-		UNC1X	1L5XX	0.5753							 	 		
	1	Each Additional DS1 Interoffice Channel Facility Termination in	1		UNC1X	U1TF1	71.29	047 47	162.75				1	20.07	20.07		1
	 	same 3/1 Channel System per month Each Additional DS1 COCI combination per month	-	-	UNC1X UNC1X	UC1D1	71.29 16.07	217.17 13.09	163.75 9.38			1	-	38.07	38.07		
	1	Lacii Additional Do i COOl combination per month		<u> </u>	OINCIA	וחוטט	10.07	13.09	9.38			L	1	1	1		

UNBUND	DLED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
01120112											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec			Manual Svc	Manual Svc	
CATEGOR	RY RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			g Disconnect				Rates (\$)		
		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As	1		LINIOAY	1111000		04.75	04.75	32.28	40.00			00.07	00.07		
FV	Is Charge XTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	TERRET	ICE TO	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EA	First 4-Wire Analog Voice Grade Local Loop in Combination -	IERUFF	ICE IK	ANSPORT W/ 3/1 W	UX											
	Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
 	First 4-Wire Analog Voice Grade Local Loop in Combination -	+	-	UNCVA	ULAL4	21.32	200.47	237.43					36.07	36.07		
	Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1		ONOVA	O L/ L T	00.27	200.41	201.40			1		00.07	00.07		
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1														
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - Facility															
l	Termination Per Month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75		<u> </u>	<u></u>	<u></u>	38.07	38.07	<u></u>	1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													ĺ
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110101		50.57	000 47	007.45					00.07	00.07		ĺ
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		——
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in	 		UNCIA	ILSAA	0.5755					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	1.27	13.09	9.38			1		30.07	30.07		
	Nonrecurring Currently Combined Network Elements Switch -As	-		0.10171	1.5.110	1.27	10.00	0.00			1					
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EX	XTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		ĺ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAY	41.5007							1				1
	Mile Per Month	1		UNC1X	1L5XX	0.5753			ļ		1			ļ	ļ	
	First Interoffice Transport - Dedicated - DS1 - combination			UNC1X	U1TF1	71.29	047.47	400.75				1	20.07	20.07		1
\vdash	Facility Termination Per Month Per each 1/0 Channel System in combination Per Month	1	-	UNC1X UNC1X	MQ1	71.29 146.69	217.17 197.78	163.75 140.06	-			-	38.07	38.07		
\vdash	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	 		UNCDX	1D1DD	2.00	197.78	140.06				 				
\vdash	3/1 Channel System in combination per month	 	-	UNC3X	MQ3	233.10	403.97	234.40				 				
\vdash	Per each DS1 COCI in combination per month	 		UNC1X	UC1D1	16.07	13.09	9.38		 	H		 	1	l	
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 		014017	10101	10.07	13.09	5.30	1		-	-	 	1		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ė		1	20.02	100.04	337.31		İ			55.57	55.57	İ	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1								İ					l	
L l	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	67.26	489.04	337.51		<u> </u>	<u></u>	<u></u>	38.07	38.07	<u></u>	1
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)	<u> </u>		UNCDX	1D1DD	2.00	15.76	11.28							<u> </u>	<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in			l	I							1				1
$\vdash \vdash$	same 3/1 Channel System per month	1		UNC1X	U1TF1	71.29	217.17	163.75	ļ		-		38.07	38.07	 	
	Each Additional DS1 COCI in the same 3/1 channel system			LINGAY	UC1D1	16.07	13.09	9.38				1				1
	combination per month		<u> </u>	UNC1X	ומוטטן	16.07	13.09	9.38	l .	L	1	l	L	l	l	

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec per LSR Manually per LSR Monrecurring Disconnect Rec Nonrecurring Currently Combined Network Elements Switch -As- Is Charge Nonrecurring Currently Combined Network Elements Switch -As- Is Charge Nonrecurring Currently Combined Network Elements Switch -As- Is Charge NONCC 21.75 21.75 21.75 32.28 10.96 SOMAN 38.07 EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX First 4-Wire 64/Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 25.32 489.04 337.51	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Charge -	Incremental Charge - Manual Svc Order vs.
Nonrecurring Currently Combined Network Elements Switch - As- UNCIX UNCCC 21.75 21.75 32.28 10.96 38.07	Rates (\$)	2.00 .00	Electronic- Disc Add'l
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX First 4-Wire 64 Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 25.32 489.04 337.51 SOMEC SOMAN SOMAN 28.07			2.007.00.
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCCC 21.75 21.75 32.28 10.96 38.07		SOMAN	SOMAN
Is Charge	00	SOMAN	SUMAN
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL64 25.32 489.04 337.51 38.07	38.07		!
Transport Combination - Zone 1 1 UNCDX UDL64 25.32 489.04 337.51 38.07			
	38.07		
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL64 43.11 489.04 337.51 38.07	38.07		
Triansport combination - Zone 2 2 ONCDA ODLO4 43.11 409.04 337.31 33.07 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	30.07		
Transport Combination - Zone 3 3 UNCDX UDL64 67.26 489.04 337.51 38.07	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per			
Mile Per Month UNC1X 1L5XX 0.5753			
First Interoffice Transport - Dedicated - DS1 combination -			
Facility Termination Per Month	38.07		
		<u> </u>	
Per each OCU-DP COCI (data) in combination - per month (2.4- 64kbs) UNCDX 1D1DD 2.00 15.76 11.28			
3/1 Channel System in combination per month			
Per each DS1 COCI in combination per month UNC1X UC1D1 16.07 13.09 9.38			
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			
Interoffice Transport Combination - Zone 1	38.07		
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			
Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 43.11 489.04 337.51 38.07	38.07		
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 JUNCDX	38.07		!
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	30.07	1	-
			!
Each Additional DS1 Interoffice Channel per mile in same 3/1			
Channel System per month UNC1X 1L5XX 0.5753			
Each Additional DS1 Interoffice Channel Facility Termination in			
Same 3/1 Channel System per month	38.07		
Each Additional DS1 COCI in the same 3/1 channel system combination per month UNC1X UC1D1 16.07 13.09 9.38			
Nonrecurring Currently Combined Network Elements Switch -As-		1	-
Is Charge UNC1X UNCCC 21.75 21.75 32.28 10.96 38.07	38.07		!
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			
First 2-Wire ISDN Loop in a DS1 Interoffice Combination			
Transport - Zone 1 1 UNCNX U1L2X 19.42 325.91 251.31 38.07	38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 UNCNX U1L2X 32.88 325.91 251.31 38.07	38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination	30.07	 	
Transport - Zone 3	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per			
Mile per month UNC1X 1L5XX 0.5753			
First Interoffice Transport - Dedicated - DS1 combination -			
Facility Termination per month	38.07	<u> </u>	
Per each Channel System 1/0 in combination - per month UNC1X MQ1 146.69 197.78 140.06		1	
Per each 2-wire ISDN COCI (BRITE) in combination - per month UNCNX UC1CA 3.59 15.76 11.28			
3/1 Channel System in combination per month UNC3X MQ3 233.10 403.97 234.40		İ	
Per each DS1 COCI in combination per month UNC1X UC1D1 16.07 13.09 9.38			
Additional 2-wire ISDN Loop in same DS1Interoffice Transport			
Combination - Zone 1	38.07	ļ	<u> </u>
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 UNCNX U1L2X 32.88 325.91 251.31 38.07	38.07		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport	30.07	1	<u> </u>
Combination - Zone 3	38.07		
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month UNCNX UC1CA 3.59 15.76 11.28			

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	I .	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						D	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										1 1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								i l
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.5753										i l
	First Interoffice Transport - Dedicated - DS1 combination -		1													
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i l
	3/1 Channel System in combination per month		1	UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per month		1	UNC1X	UC1D1	16.07	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										i l
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.1%	120/01	0.07.00										
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i l
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.1%	01111	7.1.20	2	100.10					00.07	00.01		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	0.10.1%	00.5.	10.07	10.00	0.00			†	1				
	1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	ONOTA	OOLAC	47.00	714.04	721.71			†	1	00.01	00.01		
	2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	0.10.1%	002/01	01.00	7 1 1.0 1				†	1	00.07	00.01		
	3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		i l
	Nonrecurring Currently Combined Network Elements Switch -As-		Ť	0.10.1%	002701	101.20	7 1 1.0 1						00.07	00.01		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		0.1000		21110	20	02.20	10.00			00.07	00.01		
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0282										1
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility					0.0000										
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		i l
	Nonrecurring Currently Combined Network Elements Switch -As-			O. CODX	01120	171.10	101110	02.00					00.07	00.07		
	Is Charge	1	1	UNCDX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		1 1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		1											$\overline{}$
	First 4-wire 64 kbps Local Loop in combination - Zone 1	T		UNCDX	UDL64	25.32	489.04	337.51						i	i	
	First 4-wire 64 kbps Local Loop in combination - Zone 2	t	2	UNCDX	UDL64	43.11	489.04	337.51						i	i	
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51			1					
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ť			520					1					
	per month	1	1	UNCDX	1L5XX	0.0282						1				1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1								1					
	Termination per month	1	1	UNCDX	U1TD6	17.40	137.48	52.58				1	38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-		1		1			22.30	1							$\overline{}$
	Is Charge	1	1	UNCDX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		1
ADDITIONAL	NETWORK ELEMENTS	1	1		1											
	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is cl	harge does app	oly.							i	i	
	used as ordinarily combined network elements in All States, t													i	i	
	ecurring Currently Combined Network Elements "Switch As Is"													İ	İ	
	Nonrecurring Currently Combined Network Elements Switch -As-		Ī													
	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	26.94	12.76		1 1
		•			•						•	•			•	

CATEGORY RATE ELEMENTS Infert Zone BCS URGC SATES (8) SATES (9) SATES (9) PL 1581 PL	UNBU	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
CATEGORY RATE ELEMENTS Interior Core BCS USO					l								Svc Order	Svc Order				Incremental
## BCS MBOC PATE (EMENTS Pate													1				Charge -	Charge -
March Marc				Interi									Elec	Manually			Manual Svc	Manual Svc
Become B	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Numerouring Committy Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING CONTRIVED RECENT																		Electronic-
Number Property Committee Committy Committee Committy Committee C															1st	Add'l	Disc 1st	Disc Add'l
No. No. First Agri Cortinal Network Elements Salicin Agri No. No											T. N	. B'				D-((A)		
Numerouring Country Confessed National Countries Seaton And Sci. Confessed National Countries Seaton And Sci. Countries National Agents Countries Seaton And Sci. Countries National Agents Sci. Countries Seaton And Sci. Countries National Agents Sci. Countries Seaton And Sci.	-							Rec					001150	001111			001141	001111
In Change, - Sign 4 shops	-		Nonrequiring Currently Combined Network Floments Switch As				+		FIrst	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Notice curring Curring Curring Curring Curring Nation As Elements Switch As						LINICDY	LINICCC		21.75	21.75	22.20	10.06			26.04	12.76		
In Charge, Dist Controlled Network Elements Sorbit - As						UNCDA	UNCCC		21.73	21.73	32.20	10.90			20.54	12.70		
Name						UNC1X	UNCCC		21 75	21 75	32 28	10.96			26 94	12 76		
S. Chasgo _ Dists St. Change _ Dists Dis						0.10.7	0.1000		20	20	02.20	10.00			20.0 .	.20		
S Chargo - 6 151						UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functions: Optional Features & Functional Features &			Nonrecurring Currently Combined Network Elements Switch -As-															
Clear Channel Capability Extended Frame Option - per DS1						UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Clear Channel Capability Executed Firms Option - per DS1 ULDD1.WFCK COCCEF 01 01 01 01 01 01 01 0		Option	al Features & Functions:															
Clear Charmol Capability Super Framic/pton - per DS1																		
Clear Channel Capability Super Francoption - per DS1			Clear Channel Capability Extended Frame Option - per DS1	ı			CCOEF		OI	Ol	01	OI						
Clase Channel Capabelly (SF/ESF) Option - Subsequent ULDD1, UTTD1, Anthry, per DS1 UNCYX, USB, NRCCC 184,768 23.85 1,998 0.788 26.94 12.76							00005								1			
Activity - per DST 1					<u> </u>		CCOSF		OI	UI	UI	UI .			-			
Color Parity Option - Subsequent Activity - per DS3				Ι.			NDCCC		404.700	22.00	4 000	0.700			20.04	40.70		
Cold Planty Option - Subsequent Actifyl - per DS3	-		Activity - per DST		 		INRUCU		184./65	23.85	1.995	0.785	-		26.94	12.76		
MULTIPLEXERS Size DSS Channel System per month UNC1X MG1 146,69 197,76 140,06 26,94 12,76			C-hit Parity Ontion - Subsequent Activity - per DS2	l .			NBCC3		218 025	7 665	75769	ns			26.04	12.76		
DS1 to DS0 Channel System per morth	-	MIII TI		-		ULS, UNUSA	INICOS		210.925	7.003	.73703	03	<u> </u>		20.94	12.70		
OCU-OP COCI (data) - DS1 to DS0 Channel System - per month (2-464bat) used for a Cocial Loop		WICEII				UNC1X	MQ1	146 69	197 78	140.06					26.94	12 76		
month (24-69kbs) used for a Local Loop						0.10.7		1 10.00		1.0.00					20.0 .	.20		
OCU-PP COCI (data) - OS1 to DS0 Channel System - per month Local Channel in the same SWC as collocation UTUD D1DD 2.00 13.00 9.38						UDL	1D1DD	2.00	13.09	9.38								
Local Channel in the same SWC as collocation U1TUD 10TDD 2.00 13.09 9.38																		
2-wire ISIN OCCI (BRITE) - US1 to DS0 Channel System - per			month (2.4-64kbs) used for connection to a channelized DS1															
month for a Local Loop						U1TUD	1D1DD	2.00	13.09	9.38								
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel In the same SIVC as collocation UTUB UC1CA 3.59 13.09 9.38						UDN	UC1CA	3.59	13.09	9.38								
In the same SWC as collocation																		
Voice Grade COCI - DS1 to DS0 Channel System - per month UEA 101VG 1.27 13.09 9.38						LIATUD	110404	2.50	42.00	0.00								
Used for a Local Loop	-					UTTUB	UCTCA	3.59	13.09	9.38	-	-			-			
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UNC3X M03 233.10 403.97 234.40 224.40 26.94 12.76							1D1VG	1 27	12.00	0.20								
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC UNC3X M03 233.10 403.97 234.40 26.94 12.76						ULA	IDIVG	1.21	13.09	9.30								
Same SWC as collocation																		
DS3 DS1 Channel System per month						U1TUC	1D1VG	1.27	13.09	9.38								
DS1 COCI (used with Loop per month USL UC1D1 16.07 13.09 9.38															26.94	12.76		
DS1 COCI used with Loop per month			STS-1 to DS1 Channel System per month			UNCSX		233.10		234.40					26.94	12.76		
Channel in the same SWC as collocation) per month			DS1 COCI used with Loop per month				UC1D1	16.07	13.09	9.38								
DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 16.07 13.09 9.38																		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 16.07 13.09 9.38 26.94 12.76 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res. Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res. UEPSR UEPRO 2.19 21.60 21.60 Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res. UEPSR UEPRO 2.19 21.60 21.60 Exchange Ports - 2-Wire Voice unbundled res, low usage line port with Caller ID (LUM) UC1D1 16.07 13.09 9.38 26.94 12.76 UEPSR UEPRO 2.19 21.60 21.60 26.94 12.76 UEPSR UEPRO 2.19 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Vice unbundled Low Usage Line Port without Caller ID Capability, UEPSR UEPRO 2.19 21.60 21.60 2-Wire Voice Grade Unbundled Port without Caller ID capability,					<u> </u>													
Month ULDD1 UC1D1 16.07 13.09 9.38 26.94 12.76					<u> </u>	U1TD1	UC1D1	16.07	13.09	9.38			ļ		ļ			
12.76 12.7							LICADA	40.00	40.00	0.00	I	I			I			
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Vice Grade Unbundled res, low usage line port with Caller ID With Caller ID (LUM) UEPSR UEPRC 2.19 2.19 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.16	-		Imonth		 	ULDD1	UC1D1	16.07	13.09	9.38	 	 	-		20.01	40.70		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRC 2.19 21.60 21.60 21.60 21.60 26.94 12.76 26.94 12.76 26.94 12.76 26.94 12.76 27.90 28.94	<u> </u>	-		-	 		+				 	 	 	-				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port uitgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Vire Unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRD 2.19 2.19 2.160 2.100 2	LINRUN	DI ED I	OCAL EXCHANGE SWITCHING/PORTS\		 		+				 	 	+		20.94	12.76		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRP 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire VG unbundled res, low usage Line Port without Caller ID Capability UEPSR UEPRP 2.19 21.60 21.60 21.60 21.60 26.94 12.76 26.94 12.76 26.94 12.76					 		+				+	†	1		t			
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY. LA	& TN. t	he desired features	will need to b	oe ordered usir	ng retail USOC	s	<u> </u>	<u> </u>			<u> </u>	1		
Exchange Ports - 2-Wire Analog Line Port With Caller ID - Res.				.,	1									İ	1			
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.				1	i i	UEPSR	UEPRL	2.19	21.60	21.60	1	1	Ì	İ	26.94	12.76		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 2.19 21.60 21.60 21.60 26.94 12.76 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 21.60 26.94 12.76 UEPSR UEPRT 2.19 21.60 21.60 21.60																		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 2.19 21.60 21.60 26.94 12.76 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 2.19 21.60 21.60 26.94 12.76 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,																		
with Caller ID (LUM)					<u> </u>	UEPSR	UEPRO	2.19	21.60	21.60			<u> </u>		26.94	12.76		
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,						l	l	_			I	I			l			
Capability					<u> </u>	UEPSR	UEPAP	2.19	21.60	21.60			ļ		26.94	12.76		
2-Wire Voice Grade Unbundled Port without Caller ID capability,						LIEDOD	LIEDET	0.40	04.00	04.00	1	1			00.01	10.70		
	-				 	UEPSK	UEPKI	2.19	21.60	21.60	-	-	-		26.94	12.76		
L I North Carolina L I II IEDR II I II II II II II I I I I I I I I I	1	1	North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60	I	I	1	1	I			

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—			1				Name		I Names according	- Dissesses			220	Detec (\$)		
	<u> </u>	-	 			Rec	Nonred			g Disconnect	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	2-Wire Voice Grade Unbundled Port with Caller ID capability,		-				First	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00			-		26.94	12.76		
FEAT			1	02. 0.1	00,100	0.00	0.00	0.00			1		20.01	.2		
	All Available Vertical Features		1	UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.		ļ	UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Fush and Darte O.Wise Apple 11 - Darte 1 - 1			LIEDOD	LIEDEO	0.40	04.60	04.00	1				20.0.	10.70		J
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	1	UEPSB	UEPBO	2.19	21.60	21.60	-	1	1		26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus	1		UEPSB	UEPB1	2.19	21.60	21.60	I			1	26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID	1	 	OLFOD	OLFDI	2.19	21.00	21.00	 	+	 		20.94	12.76		
	Capability			UEPSB	UEPBE	2.19	21.60	21.60	1				26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.04	12.70		
FEAT			1			0.00		0.00								
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		ļ	UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		-	UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port	-	 	UEPSP UEPSP	UEPLD UEPXA	2.18 2.18	21.60 21.60	21.60 21.60	1				26.94 26.94	12.76 12.76		
-	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	1	UEPSP	UEPXA	2.18	21.60	21.60	-		-		26.94	12.76		
 	2-Wire Voice Unbundled PBX LD DDD Terminal Floter Forts		+	UEPSP	UEPXC	2.18	21.60	21.60	 				26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXD	2.18	21.60	21.60			1		26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1													
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port		1	UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	LIEDVO	0.40	04.00	04.00					00.04	40.70		
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXO UEPXS	2.18 2.18	21.60 21.60	21.60 21.60	-				26.94 26.94	12.76 12.76		
	Subsequent Activity		1	UEPSP	USASC	0.00	0.00	0.00	1		1		26.94	12.76		
FEAT		 	 	OL1 01	3000	0.00	0.00	0.00	†	†	-	 	20.34	12.70		
1 - 2 / 1 /	All Available Vertical Features			UEPSP UEPSE	UEPVF	3,40	0.00	0.00	t				26.94	12.76		
EXCH	ANGE PORT RATES (COIN)	İ	İ													
	Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
	: Transmission/usage charges associated with POTS circuit s															
	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>								ļ	1			ļ		
	ANGE PORT RATES	DN Da	Lin Al-1-	rote exhibit	a the control	dod bose in ci-	00 00 05 40/0/0	2m4il 4/4/04	After 4/4/04 :1:	ann reter ab - "	rovert to to	ill rotes -		l roomort		
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											iii rates or	a separate ag	reement.		
Reque	Exchange Ports - 2-Wire DID Port	arter tile	enecti	UEPEX	UEPP2	12.36	81.84	81.84		Denounts 0	ioci edilli.		26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	t	1	OLI LA	JL112	12.30	01.04	01.04	-	†	 	 	20.34	12.70		
	capability (E:4/1/2004)	1		UEPDD	UEPDD	123.65	116.59	69.92	I			1	26.94	12.76		
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	24.50	62.29	62.29	1	1			55.30	55.30		
	All Features Offered			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit s													L		
	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
EXCH	ANGE PORT RATES (continued)	l	1		l		l				l					

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""									p = = = = = = = = = = = = = = = = = = =	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911				l											
	Locator Capability (E:4/1/2004)	ļ		UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<u> </u>		UEPDX	UEPDX	179.75	241.63	241.63					53.89	53.89		
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per			HEDEY HEDDY	ONOAY	0.97	74.00	F4 00					00.04	40.70		
D. (c)	DS1	ļ		UEPEX UEPDX	CNC1X	0.97	71.02	51.08	-				26.94	12.76		
Detai	iled E911 with Locator Capability (required with UEPEX port)	1			+ +						-					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1		UEPEX	UEPTA	0.00	1,802.00				-		26.94	12.76		-
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
Now	or Additional PRI Telephone Numbers	 	-	OLFLX	OLFIB	0.00	174.33		+ + + + + + + + + + + + + + + + + + +		1		20.94	12.70		1
INGW	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	 	-		+				+ + + + + + + + + + + + + + + + + + +		1			-		
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IC		1.17	1.17					20.34	12.70		+
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLI LX	OLI ID		20.17	20.17					20.34	12.70		+
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OLI DX	OLI IL	0.00	1.17	1.17					20.04	12.70		+
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
LOC	AL NUMBER PORTABILITY	1	1	OLI LX	11021	0.00	00.00	00.00			1		20.04	12.70		1
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)	1														
	Voice/Data	1		UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data	1	1	UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
New	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		Ī
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		Ī
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00							26.94	12.76		
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00							26.94	12.76		
	New or Additional PRI "D" Channel		<u> </u>	UEPEX	PR7EX	0.00	36.92						26.94	12.76		ļ
CALI	L TYPES		<u> </u>											L		ļ
	Inward		<u> </u>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00					26.94	12.76		
	Outward	1	├	UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		_
	Two-way		<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00					26.94	12.76		
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		<u> </u>		+ +									-		
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1	<u> </u>	LIEDVD	LIEDAG	0.10	04.00	04.00			-	ļ	00.01	10.70	 	
	Unbundled Remote Call Forwarding Service, Area Calling, Res	₩	-	UEPVR	UERAC	2.19	21.60	21.60			-	ļ	26.94	12.76	-	
I	Habundled Remote Cell Femuradian Control Level Collins Box	.]		UEPVR	UERLC	2.19	04.00	21.60					20.01	40.70		
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res	+	-	UEPVR	UERTE	2.19	21.60 21.60	21.60	-				26.94 26.94	12.76 12.76	-	
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	 	-	UEPVR	UERTR	2.19	21.60	21.60	-				26.94	12.76	-	
Non	Recurring	 	 	OLIVIN	OLKIK	2.19	21.00	21.00	+ +		 		20.94	12.70		
14011-	Unbundled Remote Call Forwarding Service - Conversion -	1	 		+ +				 					 		
I	Switch-as-is			UEPVR	USAC2	J	2.77	0.40					26.94	12.76		
 	Unbundled Remote Call Forwarding Service - Conversion with	t -	<u> </u>	J. VI	23/102		2.11	5.40					20.34	12.70		
I	allowed change (PIC and LPIC)			UEPVR	USACC	J	2.77	0.40						1		
UNRI	UNDLED REMOTE CALL FORWARDING - Bus	l –	t					2.10						1		
1		t	1		1 1				† †					t		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60				1	26.94	12.76		
		1	1	1			-		1		1	1		T T	1	
					UERLC				'							

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
										;		Submitted		Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	-	B00				DATEO (6)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring Dis	sconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
Non-F	Recurring			OLFVB	OLKVJ	2.19	21.00	21.00					20.94	12.70		
iton i	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
	LOCAL SWITCHING, PORT USAGE															
End C	Office Switching (Port Usage)				1	0.0045										
	End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU	1	1		+	0.0015 0.00023										
Tanda	em Switching (Port Usage) (Local or Access Tandem)	1	 		+	0.00023			 			-		1		
Tanac	Tandem Switching Function Per MOU				+	0.0006										
	Tandem Trunk Port - Shared, Per MOU					0.0003										
	Tandem Switching Function Per MOU (Melded)					0.00024618										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00012309				ĺ						
	Melded Factor: 41.03% of the Tandem Rate															
Comn	non Transport															
	Common Transport - Per Mile, Per MOU					0.00001										
UNIBUNIBUED	Common Transport - Facilities Termination Per MOU				1	0.00034										
	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a	nd/or C	oto Co	mmissian rula ta nr	avida Unhun	dlad Lagal Curi	tahina ar Cwite	h Dorto								
	res shall apply to the Unbundled Port/Loop Combination - Cos								nd Port section of t	thic Pate Ev	hihit					
	office and Tandem Switching Usage and Common Transport U											n Port/Loor	Combination	ıs.		
	rst and additional Port nonrecurring charges apply to Not Cur															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)											i -				
UNE F	Port/Loop Combination Rates									1						
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2		1	21.33										
LINE	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	-	3		+	32.61										
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33										
2-Wire	e Voice Grade Line Port Rates (Res)									1						
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	1	UEPKA	UEPAP	2.20	79.59	63.97		1			40.16	9.45		
	Capability			UEPRX	UEPRT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Unbundled Port without Caller ID capability,	1	t	101		2.20	. 0.00	55.07					.0.10	5.40		
	North Carolina		1	UEPRX	UEPRZ	2.28	79.59	63.97				1				
	2-Wire Voice Grade Unbundled Port without Caller ID capability,															
	North Carolina			UEPRX	UEPRY	2.28	79.59	63.97								
FEAT		1	<u> </u>	LIEBBY												
	All Features Offered	1	<u> </u>	UEPRX	UEPVF	3.40	0.00	0.00				 	40.18	9.45		
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)	1	!	UEPRX	LNPCX	0.35								-		
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	ULPRA	LINFUX	0.35								 		
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	 		+	1								 		
	Switch-as-is		1	UEPRX	USAC2		2.77	0.40				1	40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	i i		1	1		2.10						21.0		
	Switch with change		<u> </u>	UEPRX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update	1	<u> </u>		1		1.42					l	10.27	<u> </u>		

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
		Total out only										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dee	Nonred	urring	Nonrecurring Di	sconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AD	DITIO	DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
INT		FFICE TRANSPORT		<u> </u>		1											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1									1				1
		Termination			UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2		\perp	21.33										
L		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UN		op Rates		L.	LIEDD\/	LIEBLY .	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
0.11		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-V		/oice Grade Line Port (Bus)			UEPBX	UEPBL	2.28	79.59	60.07					40.18	0.45		—
—		2-Wire voice unbundled port without Caller ID - bus		-		UEPBC			63.97	.					9.45		
\vdash		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBO	2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		—
-		2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB0	2.28	79.59	63.97					40.18	9.45		
\vdash		2-Wire voice unburidled incoming Only Port with Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID		-	UEPDA	UEPDI	2.20	79.59	03.97	-			-	40.16	9.43		
		Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
10		NUMBER PORTABILITY			OLFBA	OLFBL	2.20	19.55	03.97	+ +				40.16	9.43		
100		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			 					1		
FF	ATUF			1	OLI DX	LIVIOX	0.55										
<u> </u>		All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02. 5/1	02	0.10	0.00	0.00					10.10	0.10		
-		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				0.000											
		Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						1.42						10.27			
AD	DITIO	DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
		Premise			UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	
\vdash	-	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
<u> </u>		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
INT		FFICE TRANSPORT		1		+ +								ļ	ļ	 	├
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	LIEDDY	U1TV2	40.00	407.40	50.50				1	20.07	20.07		1
		Termination		<u> </u>	UEPBX	UTIVZ	18.00	137.48	52.58				ı	38.07	38.07	L	

UNBUND	DLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred	curring	Nonrecurring	g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UN	IE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
ļ		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UN		op Rates	ļ	L .	LIEBBO	LIEDLY.	10.75										!
$\vdash \vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	10.75			-	ļ	_		.	.	-	├
\vdash	_	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	19.05			ļ		 	-	-	-	 	
0.14	Mire '	2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEPRG	UEPLX	30.33			 	-	 		 	 	 	
2-V	vire \	/oice Grade Line Port Rates (RES - PBX)	1	-		+				+		 		-	-	 	
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2.28	164.57	100 10					40.40	9.45	I	1
H. ~	CAL	NUMBER PORTABILITY	1	-	ULFRU	UEFKU	2.28	104.57	128.16	+		 		40.18	9.45	 	
10	/CAL	Local Number Portability (1 per port)	 	 	UEPRG	LNPCP	3.15	0.00	0.00	1	-	 		-	-	 	
-	ATU		 	 	ULPRU	LINFUF	3.15	0.00	0.00	+		1	-			+	
FE		All Features Offered	1		UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	ULFRG	OLF VI	3.40	0.00	0.00	1		1		40.10	9.43	-	
140	JINICE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 			+						 		1	1		
		Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		l
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		2.77	0.40			1		40.10	0.40		
		Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion	-		02.110	00/100			0.10			1			00		
		Subsequent Database Update						1.42						10.27			ĺ
AD	DITIO	ONAL NRCs	1														
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		l
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1														
		Premise			UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF	F/ON	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPRG	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
INT	IERC	OFFICE TRANSPORT	1	<u> </u>								ļ				ļ	-
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEBBO	11477.50			==							I	1
$\vdash \vdash$		Termination	1	-	UEPRG	U1TV2	18.00	137.48	52.58	1	 			38.07	38.07	 	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEBBO	1147\44	0.0405	0.00	0.00							I	1
2 14	WIPE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 	 	UEPRG	U1TVM	0.0125	0.00	0.00	1	1	 	-	 	 	+	
		rt/Loop Combination Rates	 	 		+ -	-			1	1	 	-	 	 	+	
UN	- FO	2-Wire VG Loop/Port Combo - Zone 1	 	1		+ -	13.03			1	1	 	-	 	 	+	
\vdash	-	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	 	2		+ -	21.33			 				 	 	 	—
		2-Wire VG Loop/Port Combo - Zone 2	t	3		+ -	32.61			1		 	-			I	—
UN		op Rates	t			+ -	32.01			1		 	-			I	—
J		2-Wire Voice Grade Loop (SL 1) - Zone 1	t	1	UEPPX	UEPLX	10.75			1		 	-			I	—
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	19.05				1			1	1	<u> </u>	
		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	30.33			1	İ		İ	İ	İ	1	
2-V		/oice Grade Line Port Rates (BUS - PBX)	1	Ť	İ	1	22.20			1	İ		İ	İ	İ	1	
		,	1			1								1	1		
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45	I	1
	1	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		
	\neg	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic-
															DISC 1St	Disc Add'l
-						Rec	Nonrec		Nonrecurring D		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	<u> </u>	UEPPX	UEPXC	2.28	First 164.57	Add'l 128.16	First	Add'l	SOMEC	SOWAN	40.18	9.45	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
\vdash	Discount Room Calling Port	1	<u> </u>	UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
LOCA	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port L NUMBER PORTABILITY	1	 	UEPPX	UEPXS	2.28	164.57	128.16	 				40.18	9.45		
LOCAL	Local Number Portability (1 per port)	1	 	UEPPX	LNPCP	3.15	0.00	0.00	 				40.18	9.45		
FEATU		 	†	OLI I A	LIVI OF	3.13	0.00	0.00	 				40.10	₹,40		
LATO	All Features Offered	1	†	UEPPX	UEPVF	3.40	0.00	0.00	 				40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	i i		1	2.10	2.00	2.00						2.10		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40	_				40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
ADDIT	Subsequent Database Update	-	ļ				1.42		 				10.27			
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	<u> </u>			-										
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/O	N PREMISES EXTENSION CHANNELS			OLITA	OKETE	1	0.00	0.00					20.04	12.70	0.00	0.00
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
INITED	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 			+			+			-				
	Termination	ļ		UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT	<u> </u>			-			 							<u> </u>
UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1			13.03			+							
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2	 	2		+	21.33			 							
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 3	t	3			32.61			+							
UNE L	oop Rates		Ť						1							
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05		· · · · ·								
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	30.33										
2-Wire	Voice Grade Line Ports (COIN)	1	<u> </u>													
	2-Wire Coin 2-Way without Operator Screening and without			LIEBCO	UEPND	2 20	70.50	62.07					40.18	0.45		
 	Blocking (NC) 2-Wire Coin 2-Way with Operator Screening (NC)	 	 	UEPCO UEPCO	UEPNC	2.28	79.59 79.59	63.97 63.97	+		1		40.18	9.45 9.45		
	2-Wire Coin 2-Way with Operator Screening (NC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										l ·	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1			Rec	Nonrec		Nonrecurring					Rates (\$)		
		1	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEDNIE	0.00	70.50	00.07					40.40	0.45		
	(NC)	1	-	UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDOI	0.00	70.50	00.07					40.40	0.45		
	900/976, 1+DDD, 011+, and Local (NC) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	1	-	UEPCO UEPCO	UEPCL UEPCK	2.28 2.28	79.59	63.97 63.97					40.18 40.18	9.45 9.45		
\vdash		1	1	UEPCO	UEPCK	2.28	79.59	63.97				-	40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except I A)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADE	ITIONAL UNE COIN PORT/LOOP (RC)	1	1	UEPCU	UEPCR	2.28	79.59	63.97			-		40.18	9.45		
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	3.70	0.00	0.00	0.00	0.00		-	40.18	9.45		
1.00	AL NUMBER PORTABILITY	1	1	UEPCO	UKECU	3.70	0.00	0.00	0.00	0.00	-		40.16	9.45		
LOC	Local Number Portability (1 per port)	+	+	UEPCO	LNPCX	0.35			1		-		-	-		-
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	1	OLFOO	LINFUA	0.35			1		 	-	1	1		l
INON	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	+		+ +								 	 		
	Switch-as-is	1	1	UEPCO	USAC2	J	2.77	0.40					40.18	9.45		
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion	+	+	OLI CO	00A02		2.11	0.40			1		40.10	3.43		
	Switch with change	1	1	UEPCO	USACC	J	2.77	0.40					40.18	9.45		
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	+-	02100	UUAUU		2.11	0.40			-		40.10	5.40		
	Subsequent Database Update						1.42									
ADE	ITIONAL NRCs	1	1		+		1.72						1	1		
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		+						-					
	Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	021 00	00/102		0.00	0.00			1		40.10	0.40		
	Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
2-W	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELINE	PORT (0.42.12		0.00	0.00			1		20.0 .	12.70	0.00	0.00
	Port/Loop Combination Rates	T	Ι ,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12					İ					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	Loop Rates	1														
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81							ĺ	ĺ		
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID															l
igsquare	(LUM)		ļ	UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INTE	ROFFICE TRANSPORT	1	<u> </u>													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	l	1	J										
\vdash	Termination	1	 	UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	LIEDED	41.5007							1				1
	or Fraction Mile	1	-	UEPFR	1L5XX	0.0125			ļ		-		ļ	ļ		
FEA	TURES	1	-	LIEDED	LIED) (E	2.1-			ļ		-					
H	All Features Offered	 	+	UEPFR	UEPVF	3.40	0.00	0.00	1				40.18	9.45		
LOC	AL NUMBER PORTABILITY Il coal Number Portability (4 per port)	+	+	LIEDED	LNDCY	0.35					1		 	 		-
NON	Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	+	UEPFR	LNPCX	0.35			1		-		-	-		-
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	+		+				1		-		-	-		-
	Combination - Conversion - Switch-as-is		1	UEPFR	USAC2	J	9.03	1.87					40.18	9.45		
+-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	+	OLITA	USAUZ		9.03	1.07					40.10	9.45		
	Combination - Conversion - Switch-With-Change		1	UEPFR	USACC	J	9.03	1.87					40.18	9.45		
\vdash	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	+	0=1111	00,100		9.03	1.07	†		<u> </u>	-	40.10	3.43		1
1 1	End User Premise			UEPFR	URETN		11.20	1.10					26.94	12.76	0.00	0.00
1 1		E LINE	DODT /		J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		11.20	1.70	1		 	-	20.04	12.70	0.00	0.00
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE														
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR Port/Loop Combination Rates	LINE	I OKT (j									
	Port/Loop Combination Rates	LINE	1			17.16										
		ELINE	1 2	500)		17.16 28.12										

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
0.475.0001/	DATE ELEMENTO	Interi		D00				DATEO (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	1	Nonrec	urring	Nonrecurring D	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	pop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										1
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
2-Wire	Voice Grade Line Port (Bus)				I											
—	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
—	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	-	-	UEPFB UEPFB	UEPBC UEPBO	2.19 2.19	225.00 225.00	225.00 225.00					40.18 40.18	9.45 9.45		
 	2-Wire voice unbundled incoming only port with Caller ID - Bus	-	-	UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY			OLITB	OLI DI	2.13	225.00	225.00					40.10	3.43		
LOGAL	Local Number Portability (1 per port)	1		UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT				1						İ	İ		1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0125										
FEATU																
NOND	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONKI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	-		+											
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITB	OOAOZ		9.03	1.07					40.10	3.43		
	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (I	PBX)												
UNE P	ort/Loop Combination Rates				1											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	28.12										
LINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		+	43.00										
ONE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFP	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)			-												
	, ,															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		ı
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		1
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	-	UEPFP UEPFP	UEPXA UEPXB	2.18 2.18	225.00 225.00	225.00 225.00					40.18 40.18	9.45 9.45		
	2-Wire Voice Unbundled PBX Toli Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITI	OLI AD	2.10	220.00	220.00					40.10	0.40		
	Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l			1											
	Administrative Calling Port	<u> </u>		UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		<u>. </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1														
 	Discount Room Calling Port	-	<u> </u>	UEPFP UEPFP	UEPXO	2.18	225.00	225.00	 		-		40.18	9.45		
LOCAL	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port - NUMBER PORTABILITY	1		UEPFP	UEPXS	2.18	225.00	225.00	 		-	-	40.18	9.45		
LOCAL	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00	 		1	1	40.18	9.45		
INTER	OFFICE TRANSPORT	 		02.11	LIVI OI	5.15	0.00	0.00			-	-	40.10	3.43		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1											
	Termination	1		UEPFP	U1TV2	18.00	140.00	71.00								.

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge -		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
—							Nonrec	u.vvin a	Manroquering Die	ocennost.			220	Rates (\$)		
-		1	<u> </u>		-	Rec	First	Add'l	Nonrecurring Dis	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						11131	Auu	11131	Addi	OONIEC	JOHAN	JONIAN	JONIAN	JONIAN	JOINAN
	or Fraction Mile			UEPFP	1L5XX	0.0125										
FEA	TURES															
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	OLITI	UUAUZ		9.03	1.07					40.10	9.43		
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>		\perp											
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>										ļ	ļ		
UNE	Port/Loop Combination Rates	-	1			20.97										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	 	2		+	20.97			 			1	 	 		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	t	3		+	37.08										
UNE	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
UNE	Port Rate			LIEBBY .		10.10	22121	100.10					10.10			
NON	Exchange Ports - 2-Wire DID Port RECURRING CHARGES - CURRENTLY COMBINED	-		UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1			-											
	Switch-as-is	1		UEPPX	USAC1		13.26	8.39					53.89	11.34		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLI I X	00/101		10.20	0.00					00.00	11.04		
	with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
ADD	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
Tala	End User Premise phone Number/Trunk Group Establisment Charges	-	ļ	UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	0.00
reie	DID Trunk Termination (One Per Port)	-		UEPPX	NDT	0.00	0.00	0.00								
-	DID Numbers, Establish Trunk Group and Provide First Group			ULFFX	INDI	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers	1	<u> </u>	UEPPX	NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY Local Number Portability (1 per port)	1	!	UEPPX	LNPCP	3.15	0.00	0.00			-					
2-1//	Local Number Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	POPT		LINPUP	3.15	0.00	0.00	 			1	 	 		
	Port/Loop Combination Rates	1 3101	I	1	+	+							 	 		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	t	t		+											
	UNE Zone 1		1	UEPPB UEP	PR	38.84					<u> </u>	<u></u>	<u> </u>	<u> </u>		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 2	1	2	UEPPB UEPF	R	50.01										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_													
LINE	UNE Zone 3	+	3	UEPPB UEPF	'K	65.18					-	-	-	-		
UNE	Loop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1	 	1	UEPPB UEPP	R USL2X	14.47			 			1	 	 		
	2 TYTIC TODA DIGITAL CHARGE COOP - CIAC ZOTIC T	t		OLITO OLFF	, OOLZA	17.47										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPF	R USL2X	25.64			[1					
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPP		40.81										
UNE	Port Rate							•								
	Exchange Port - 2-Wire ISDN Line Side Port	1	<u> </u>	UEPPB UEPPI	R UEPPB	24.37	388.20	302.77					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	l								<u> </u>		l	l		

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Fyhi	ibit: A
ONDONDE			1	1		1	T					Svc Order	Svc Order	Incremental		Incremental	
1													Submitted	Charge -	Charge -	Charge -	Charge -
1		Intori										Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	- E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		""										p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
1														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
		ļ	ļ	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
.	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
ADDE	Combination - Conversion	1	1	UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADDI	TIONAL NRCs Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	1			-			 							
.	End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	+	OLFFB	ULFFR	UKLTN	 	11.20	1.10	 		1	1	1		1	
	Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
LOCA	AL NUMBER PORTABILITY		1	OLITE	OLITIK	OKETE		0.00	0.00			1	1	20.04	12.70	0.00	0.00
	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1	1				1
B-CH	ANNEL USER PROFILE ACCESS:														İ		
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							ĺ	
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	k TN)														
USER	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile		ļ	UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI			<u> </u>				4/4/5.4.11					<u> </u>	L			
	JNE-P DS1 combination rates below for in this rate exhibit appl													nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T Port/Loop Combination Rates	Trunk P	ort atte	er the effec	ctive date of	of this amend	iment snall be p	provided pursu	iant to a separ	ate agreement or ta	arim at Beii	South's ai	scretion.				
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	+	1		1	1			 			1				
	Zone 1		1	UEPPP			226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		OLI I I		1	220.00					-	-				
	Zone 2		2	UEPPP			263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	02			200.20								İ		
	Zone 3		3	UEPPP			313.15										
UNE I	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	134.14										
UNE F	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	179.01	956.47	663.10					19.99	19.99		
NONF	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51								
ADDI	TIONAL NRCs	1				1	ļ							ļ		ļ	ļ
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	l													
	Subsequent Inward/2-Way Tel Nos - (NC Only)	1		UEPPP		PR7TG	ļ	1.17	1.17	 							ļ
1	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent			LIEBES		DDTT											
	Activity Outward tel nos. (NC only)	1	-	UEPPP		PR7TP	 	28.17	28.17	 				 	1	 	
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers		1	UEPPP		PR7ZT		56.33	56.33								
1.004	AL NUMBER PORTABILITY	1	1	UEPPP		1°K/41		56.33	56.33	 		-	-		1		1
LUCA	Local Number Portability (1 per port)	 	1	UEPPP		LNPCN	1.75			 		 		 	1	 	1
INTER	RFACE (Provsioning Only)	+	1	ULPPP		LINFOIN	1./5			 		—	H	 	1	 	1
INTER	Voice/Data	 	1	UEPPP		PR71V	0.00	0.00	0.00	 		-	-	 	1	 	
-+	Digital Data	t	 	UEPPP		PR71D	0.00	0.00	0.00			 	 		1		1
-+	Inward Data	t	 	UEPPP		PR71E	0.00	0.00	0.00			 	 		1		1
		+	 	1		1	3.50	0.00	3.30	 				1		1	
New o	or Additional "B" Channel															-	t
New c	or Additional "B" Channel New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0,00	36,92		1				19,99	19.99		
New (New or Additional - Digital Data B Channel New or Additional - Digital Data B Channel			UEPPP UEPPP		PR7BV PR7BF	0.00	36.92 36.92						19.99 19.99	19.99 19.99		
New o	New or Additional - Voice/Data B Channel																

HINRHI	JDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
ONDO	IDEL	NETWORK ELEMENTS - NORTH Carollila	1	Ι		1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711201		10.1.2 ===	m			0000			101120 (4)			per LSR	perLSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				i i			Dee	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
I	nterof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
<u> </u>		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	L	<u> </u>			44454	L				<u> </u>				
		IE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective a	ate or	tnis amendment sn	all be provide	a pursuant to	a separate agr	ement or tarif	at BellSouth's	alscretion.						
H 1	JNE P	ort/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	4	UEPDC	+	171.06					-	-				-
$\vdash \vdash$		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 		UEPDC	+	207.79						 	 	 	 	
\vdash		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	—		UEPDC	+	257.66	 	 			H		l	 	l	
 	INF I	pop Rates	—	3	021 00	+	237.00	 	 			H		l	 	l	
 		4-Wire DS1 Digital Loop - UNE Zone 1	-	1	UEPDC	USLDC	47.54					-	-		 		
\vdash		4-Wire DS1 Digital Loop - UNE Zone 2	 		UEPDC	USLDC	84.27					 	 				H
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	134.14								1		1
ι	JNE Po	ort Rate		Ť	02. 20	00220											
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEBBO	UDTTA		00.04	00.04								
-		Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		28.81	28.81								-
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDITE		20.01	20.01			-					
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		20.01	20.01					15.55	19.99		
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 20	055		20.01	20.01					10.00	10.00		
		Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		28.81	28.81				1				1
E	BIPOL/	AR 8 ZERO SUBSTITUTION				1								İ		İ	
		B8ZS -Superframe Format		İ	UEPDC	CCOSF		0.00i	615.00s						1		1
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s								
-	Alterna	te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
ī	Teleph	one Number/Trunk Group Establisment Charges				1											
$\vdash \vdash$		Telephone Number for 2-Way Trunk Group		<u> </u>	UEPDC	UDTGX	0.00							19.99	19.99		
\longmapsto		Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00							19.99	19.99		
$\vdash \vdash$		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
		DID Numbers, Establish Trunk Group and Provide First Group		1	LIEDDC	NDZ	0.00	0.00	0.00				1				
\vdash		of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers			UEPDC	NDZ ND4	0.00	0.00	0.00								
\vdash		DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number	-	<u> </u>	UEPDC UEPDC	ND4 ND5	0.00					-	-				-
\vdash		Reserve Non-Consecutive DID Numbers , Per Number	-	<u> </u>	UEPDC	ND6	0.00	0.00	0.00			-	-				-
\vdash		Reserve DID Numbers	-	-	UEPDC	NDV	0.00	0.00	0.00								-
-)edica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	l Digital	Loon			0.00	0.00	0.00			 					-
	Journa	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	. Digital	_00p		Tank FOIL						-	-		 		
		Termination)		1	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00		1	19.99	19.99		
		1	L		1 50	1.2	20		.00.70	0.00	3.00	1		.0.00	.0.00		1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	ibit: A
				1	1						Svc Order	Svc Order	Incremental			
											l l	Submitted	Charge -	Charge -	Charge -	Charge -
											II .					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,		Manual Svc	Manual Svc	
SATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Mana	curring	Nonrecurring	. Di	<u> </u>		000	Rates (\$)		
						Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				LIEBBO												
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		-	UEPDC	1LNOA	0.5753	0.00	0.00						ļ		
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities													1		
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25													1		
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities													1		
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
														1		
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	ļ		UEPDC	1LNOC	0.5753	0.00	0.00							ļ	ļ
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					ļ		
	Central Office Termininating Point			UEPDC	CTG	0.00										ļ
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
Each	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used										1		
The !	JNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	Channel	ization	with Port in this rat	te exhibit app	ly to the embe	dded base in p	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
Requ	ests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	t shall be pro	vided pursuan	nt to a separate	agreement or	tariff at BellSo	uth's discretion	on.			1		
UNE	DS1 Loop													i '		
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00			ĺ					1
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	134.14	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1	Γ΄		UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00			i e		19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00			i e		19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99			
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
-+	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476,72	0.00	0.00			1		19.99	19.99		
-+-	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00			+		19.99	19.99		
-+-	480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM4O	2,461,20	0.00	0.00			+		19.99	19.99		
+-	576 DS0 Channel Capacity -1 per 24 DS1s		 	UEPMG	VUM57	2,953.44		0.00			<u> </u>		19.99	19.99		
+-	672 DS0 Channel Capacity - 1 per 28 DS1s		 	UEPMG	VUM67	3.445.68	0.00	0.00			<u> </u>		19.99	19.99		
Non	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani) Noliztio					0.00			ł		19.99	13.33		-
	nimum System configuration is One (1) DS1. One (1) D4 Channe						/Stelli				ł			<u> </u>		-
	nimum System configuration is One (1) DS1, One (1) D4 Channe liples of this configuration functioning as one are considered Ad						 	 			-		-	 	-	1
IVIUITI		uu i ante T	i iiie m	ıııııılılıı system con	inguration IS	counted.	 	 			-		-	 	-	1
1	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	1		UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
C.,-4	Bell South Allowed Changes em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nolize					10.04	 		1		19.99	19.99	-	1
					III Cuffe	nuy ⊑xists and	u T	 	 		1			 	-	
New	(Not Currently Combined) in all states, except in Density Zone 1	гот гор	o WISA	1 5	1		 	 	 		1			 	-	1
1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1	1	LIEDMO	L/IMP4	0.00	740.74	200.00	140.00	47.00	1		40.00	40.00	l	
	and Assoc Fea Activation (E:4/1/2004)	-	-	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	 		19.99	19.99	 	
Віро	lar 8 Zero Substitution															
1	Clear Channel Capability Format, superframe - Subsequent										1					
\longrightarrow	Activity Only			UEPMG	CCOSF	0.00	0.00i	615.00s			 					ļ
1	Clear Channel Capability Format - Extended Superframe -	1	1	l	1	_	L	L			1		1]	l	
-	Subsequent Activity Only	ļ	!	UEPMG	CCOEF	0.00	0.00i	615.00s	<u> </u>							ļ
Alter	nate Mark Inversion (AMI)		ļ		1						ļ			ļ		ļ
	Superframe Format		ļ	UEPMG	MCOSF	0.00	0.00	0.00			ļ			ļ		ļ
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00						ļ		
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
1	(E:4/1/2004)			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00	1		40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port - Business															
I	(E:4/1/2004)	1	I	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00	1		40.18	9.45	1	
	(L.4/1/2004)															
-	Line Side Inward Only Channelized PBX Trunk Port without DID							0.00	0.00	0.00				0.10		

UNBUNE	DLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
	Ī											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
		· - · - · - · - ·	Interi	l_								Elec			Manual Svc		Manual Svc
CATEGOR	KY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			HEDDY	LIEDDIA	40.00	0.00	0.00	0.00	0.00			40.40	0.45		
Eo		(E:4/1/2004) Activations - Unbundled Loop Concentration			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
1.6	ature	Feature (Service) Activation for each Line Port Terminated in D4		<u> </u>		+	1										
		Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
		Feature (Service) Activation for each Trunk Port Terminated in					1										
		D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Те		one Number/ Group Establishment Charges for DID Service			LIEDDY	NDT	0.00	0.00	0.00								
		DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00								
+		DID Numbers - groups of 20 - Valid all States	-	 	UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lo		umber Portability			LIEDDY	LNDCD	0.4-	0.00	2.00			-					
FE		Local Number Portability - 1 per port RES - Vertical and Optional		-	UEPPX	LNPCP	3.15	0.00	0.00				-				
		witching Features Offered with Line Side Ports Only				+											
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC															
2.	Featu	res shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sar	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.)				
3.	Ena (Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci	usage	Combi	ned Combos For	Currently Co	indit snall apply	to all combina	itions of loop/	shall be those	identified in t	he Nonrecu	rring - Curr	op Combinat	ions.	Additional NR	Cs may
		lso and are categorized accordingly.	uncining	0011101	nea compos. To	ourrently oc	mbmed combe	, , , , , , , , , , , , , , , , , , , ,	irring charges	Shan be those	identified in t	ne Homeou	iiiig Ouii	only combine		-taditional ini	ios may
		tet Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual C	ase Basis, un	til further notice	e.									1
		CENTREX - 5ESS (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN		rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+	-										
		2-wire vo Loop/2-wire voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP95		13.03										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		32.61										
UN		rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	 		+	 					-	-				
		Design		1	UEP95		17.25										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė		1	0										
		Design		2	UEP95		28.21										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOS												
1116		Design op Rate	-	3	UEP95		43.09										
l low		op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP95	UECS1	10.75	-				1	 				
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.97										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.93										
1114		2-Wire Voice Grade Loop (SL 2) - Zone 3 rt Rate	-	3	UEP95	UECS2	40.81										
	I State		-	 													
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28	79.59	63.97					40.18	9.45		
	\neg	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local							<u> </u>								
		Area	ļ	_	UEP95	UEPYH	2.28	79.59	63.97				1	40.18	9.45		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		1	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						В	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
	- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC C	Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97			İ		40.18	9.45		1
Loca	al Switching		İ													1
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903					İ					1
Loca	al Number Portability															1
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35					İ					1
Feat	ures										İ					1
	All Standard Features Offered, per port			UEP95	UEPVF	3.40					İ					1
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83				İ					1
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40					İ					1
NAR	S										İ					1
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	İ	0.00	40.18	9.45		1
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	İ	0.00	40.18	9.45		1
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		1
Misc	cellaneous Terminations															1
2-Wi	re Trunk Side										İ					1
	Trunk Side Terminations, each			UEP95	CEND6	12.36										1
4-Wi	re Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		1
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Inter	office Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.00										1
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u></u>		UEP95	1PQWV	0.65					<u></u>		<u> </u>			1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed							_								
	changes, per port			UEP95	USAC2	J	2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
i	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
i	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
Addi	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
l l				UEP95	URETL		8.33	0.83								

ATTOOM RATE ELEMENTS MM 2 Janu BCS USOC STATE Section	UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
Company Comp			I	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Discription Monthly Market Market Market Name Top Dough Loop at 1.50 1.							Poc	Nonrec	urring	Nonrecurring	Disconnect						
Control Principle Cont							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
With Part Res With Stage With Stage Colored Part Control Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Colored Part Control Colored Part Control Colored Part Colored Pa					LIEDOE	LIDETN		44.00	4.40								
A Pure Vis Loogy-Xive Vision Grade Part (Central Combo) Central Combo Ce	LINE		-		UEP95	UREIN		11.20	1.10								
With Perfusion Continuation Rates (Perfusion)						+				1							
Second Content of the Content of t										1							
SWEW VC Loads (We vision Grade Part (Centrel) Part Control 1 UPPO 3 AB 1																	
Non-Design 2 UPP0		Non-Design		1	UEP9D		13.03										
2-Wire VS Loop/Were Votes Grade Pert Control Pert Control 1																	1
Man-Datings	\vdash			2	UEP9D	+	21.33										
Week Profit Long Combination Rates (Design)				3	LIEP9D		32 61										1
2-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control 2-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control 3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control 3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control 3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control 3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control 3-Wine Visco Grade Port (Centros) Port Control	UNE F			Ť	02.00		02.01			1							
2-Wine Vot Coppositive Votes Grade Port (Centres/Port Cortico) 2 UEPBO 28.21																	
Design D				1	UEP9D		17.25										
Description Description																	1
Design Same	H		-	2	UEP9D	+	28.21										
Dec Dec				3	UEP9D		43.09										1
SAVIEN Votoe Grade Loop (St. 1) - Zone 1	UNE L			Ť	02. 02		.0.00			1							
2-Vivin Votor Grade Locy (St. 1) - Zone 3				1	UEP9D	UECS1	10.75										
2 2 2 2 2 2 2 2 2 2		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D		19.05										
2 2 2 2 2 2 2 2 2 2				3													
2-Wire Voice Grade Loog (St. 2) - Zone 3																	
Number N																	-
ALL STATES UEPO UEPY 2.28 79.59 63.97 40.18 9.45	LINE			3	UEP9D	UECS2	40.81										
2-Wire Voice Grade Port (Centrex) Basic Local Area UEPD UEPYB 2.28 79.59 63.97 40.18 9.45						+											
Avea	ALL				UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
Area					02. 02	02	2.20		00.07	1				10.10	0.10		
Area					UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		ı
2-Wire Voice Grade Port (Centrex / EBS-M509)3Basic Local Area UEP9D UEPYD 2.28 79.59 63.97 40.18 9.45 9		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
Area UEP9D UEPYD 2.28 79.59 63.97 40.18 9.45			ļ	ļ	UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area UEP9D UEPYE 2.28 79.59 63.97 40.18 9.45 40.1					LIEDOD	LIEDVD	2.20	70.50	62.07					40.10	0.45		1
Area					OLF9D	OLFID	2.20	19.59	05.57	 				40.16	9.43		
2-Wire Voice Grade Port (Centrex / EBS-M512))3 Basic Local UEP9D UEPYF 2.28 79.59 63.97 40.18 9.45					UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		1
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local																	
Area		Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		<u> </u>
2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area UEP9D UEPYT 2.28 79.59 63.97 40.18 9.45																	
Area UEP9D UEPYT 2.28 79.59 63.97 40.18 9.45			 	-	UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEPPD UEPYJ 2.28 79.59 63.97 2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center) 2-ABasic Local Area 2-Wire Voice Grade Port (Centrex/form diff Serving Wire Center) 2-ABasic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC / EBS-PSET)2,3,4					LIEP9D	UEPYT	2 28	79 59	63 97					40 18	9.45		i
Area			†	†	02. 00		2.20	70.00	55.57					70.10	0.40		
Area			<u></u>	L	UEP9D	UEPYU	2.28	79.59	63.97	<u> </u>		<u></u>		40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPY3 2.28 79.59 63.97 UEP9D UEPY4 2.28 79.59 63.97 40.18 9.45 UEP9D UEPY4 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 UEP9D UEPYW 2.28 79.59 63.97									<u> </u>		<u> </u>						
Area			ļ	_	UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area LEP9D UEPYH 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area LEP9D UEPYW 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area LEP9D UEPYJ 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center) 2.3-Basic Local Area LEP9D UEPYJ 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area LEP9D UEPYJ 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area LEP9D UEPYM 2.28 164.57 128.16 40.18 9.45					LIEDAD	HEDV3	2 20	70.50	63.07					AO 10	0.45		ı
Area				 	טבו אַט	OLF 13	2.20	19.59	05.97	 				40.10	5.43		
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 UEP9D UEPYW 2.28 79.59 63.97					UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
Indication))4 Basic Local Area												Ì					
Basic Local Area			ļ	ļ	UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		.
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area UEP9D UEPYM 2.28 164.57 128.16 40.18 9.45 9.45					LIEDOD	LIEDY	0.00	70.50	00.0=					40.40	0.4-		i
2,3-Basic Local Area UEP9D UEPYM 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 0 <td>\vdash</td> <td></td> <td> </td> <td>-</td> <td>UEP9D</td> <td>UEPYJ</td> <td>2.28</td> <td>79.59</td> <td>63.97</td> <td> </td> <td></td> <td></td> <td></td> <td>40.18</td> <td>9.45</td> <td></td> <td></td>	\vdash		 	-	UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4					LIEP9D	UEPYM	2 28	164 57	128 16					∆ ∩ 12	9.45		
					02	J = 1 1111	2.20	104.07	120.10					70.10	0.40		
			1		UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		,

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Su	ubmitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Discor					Rates (\$)		
						Nec	First	Add'l	First Ad	ld'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area 2-Wire Viero Grade Port (Centrex/differ SWC /EBS M5216)2,3,4			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
NC On	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4	-		UEP9D UEP9D	UEPUD UEPUE	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Certifex / EBS-M5209)4 2-Wire Voice Grade Port (Certifex / EBS-M5112)4	-		UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)	-		UEP9D UEP9D	UEPU3 UEPUH	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	†		ULI 3D	JEI JII	2.20	19.39	03.97				-	40.10	3.40		
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	_		UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		

UNB	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		_	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Auu	Diac rat	Disc Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
		Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		1
																	1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Featur																
		All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
		laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	12.36										
	4-Wire	Digital (1.544 Megabits)				l											
		DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
-	E 1	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>		-											
-	D4 Cha	Annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	<u> </u>	UEP9D	1PQWS	0.65										
-	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP9D	IPQWS	0.05										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										ı l
-	-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP9D	TPQVV6	0.05					-					
		Slot			UEP9D	1PQW7	0.65										ı l
-	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-	<u> </u>	OLF 9D	IF QVV7	0.03					-	-				
		Different Wire Center			UEP9D	1PQWP	0.65										ı l
	+	Different wife Center		1	OLF 9D	IFQVVF	0.03					1					
1	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65						1				ı l
\vdash	+	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot		t	021 00		0.03					<u> </u>	 	 			
1		Slot			UEP9D	1PQWQ	0.65										, I
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot		t -	UEP9D	1PQWA	0.65										$\overline{}$
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02.02		0.00										
	1	NRC Conversion Currently Combined Switch-As-Is with allowed		1		1								i	i		
		changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		ı l
	1	New Centrex Standard Common Block		t	UEP9D	M1ACS	0.00	695.11						40.18	9.45		
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9,45		
	1	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	Additio	onal Non-Recurring Charges (NRC)		i –													
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								ı l
		Unbundled Miscellaneous Rate Element, Tag Design Loop at				1							l				1
		End Use Premise			UEP9D	URETN		11.20	1.10								ı l
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	? - Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									
		·															

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISI	DISC Add I
							В	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographicall	y Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	tm												
OPER/	ATIONA	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	ne "state	speci	fic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.		·			•		,				Ü				
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rdina	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
		N, will be applied to a CLECs bill when it submits an LSR to B			o timo outogot y to.		argo mar nouna		00 000 0		g capas						g 0.1a. g0,
	OOMA	OSS - Electronic Service Order Charge, Per Local Service	I	i.			1		I	I	I	1	1	1			ı
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				OOMEO		3.30	0.00	3.30	0.00						
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
IINE C		DATE ADVANCEMENT CHARGE	-	-		SOIVIAIN	_	13.09	0.00	1.57	0.00	-	-		-		
UNE 3		The Expedite charge will be maintained commensurate with	PallCau	th'o E	CC No. 1 Tariff Coatio	n E oo onni	iooblo					-	-				
-	NOTE:	The Expedite charge will be maintained commensurate with	Dellou	lui S F	T No.1 Tariff, Section	ii o as appi	icable.					-	-		-		
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRI	ANALOG VOICE GRADE LOOP															
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		1				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		_	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise		1	UEANL	URETL		8.33	0.83						1		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								

UNBU	NDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ONDO		NETWORK ELEMENTO Godin Garollina				1						Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				Ī				ĺ				Î			
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17					ĺ			
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User													_	<u> </u>	
		Premise			UEQ	URETL		8.33	0.83								<u> </u>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		8.17	8.17					ļ	L		ļ
		Unbundled Copper Loop, Non-Design Copper Loop, billing for													1		
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.30	7.45								
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.					4= 00								
-		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEDOD LIEDOD		04.00	07.00	47.00	00.50	5.00						
-		Zone 2	-	2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	HEDOD HEDOD	UEABS	21.39	27.00	47.00	22.50	F 20						
-		Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						+
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEFSK UEFSB	UEALS	26.72	31.92	17.02	23.30	5.32						
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
LINBLIN	DI ED I	EXCHANGE ACCESS LOOP		3	OLF SK OLF SB	ULABS	20.72	31.32	17.02	23.30	5.52			1			-
ONDO		ANALOG VOICE GRADE LOOP															
	_ *****	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+											†
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		Ė	- " -	1	.0.00		55.10	33.50				1	<u> </u>		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	ΙĪ		1			22.10	12.20		İ	İ	İ	1	l	
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61				1		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13			•			1			
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61					<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									. <u></u>						
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														I	
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						ļ
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13						ļ	ļ		ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44					ļ	1		ļ
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10					ļ	1		ļ
	4-WIRE	ANALOG VOICE GRADE LOOP				1											<u> </u>
ļ		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61			ļ	.		<u> </u>
		4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>		UEA	UEAL4	43.89	132.38	94.83	59.35	14.61				_		_
<u> </u>		4-Wire Analog Voice Grade Loop - Zone 3	—	3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61			.	-	 	├
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	—		UEA	OCOSL		18.13	20.11					.	-	 	├
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.90	36.44						L	l	

UNBL	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
J 						1						Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
			1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-WIRE	ISDN DIGITAL GRADE LOOP	<u> </u>	1	LIDAL	1141.01/	25.21	117.58	80.03	53.05	10,61						
	1	2-Wire ISDN Digital Grade Loop - Zone 1	<u> </u>		UDN UDN	U1L2X	32.76		80.03	53.05	10.61	-					
-	 	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	.		UDN	U1L2X U1L2X	37.70	117.58 117.58	80.03	53.05	10.61						
	1	Order Coordination For Specified Conversion Time (per LSR)	<u> </u>		UDN	OCOSL	37.70	18.13	80.03	53.05	10.61	-					
	1	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDN	UREWO		91.82	44.25								
	2-WIDE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDIE			UKEWU		91.02	44.25	1					-		
-	Z-VVIINE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOF		+								1			
		& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry	1	<u> </u>	07.12	O/ LE/C	12.10	.20.01	7 0.00	00.01	7.00						
		& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry	t					.20.04	. 5.56	55.57				İ	1	İ	İ
		& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL		18.13				İ	İ	İ	1	l	l
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE I	OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
-		& facility reservation - Zone 1	ļ	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	 	2 Wire Unbundled HDSL Loop including manual service inquiry	1		UNL	UNLZA	10.92	129.52	79.24	50.57	7.93				-		
		& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	11.40	18.13	13.24	30.37	7.55						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry	1		OTIL	00002		10.10									
		and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry	İ														
		and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE L	OOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry			l	I I									1		
	1	and facility reservation - Zone 1	 	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		ļ	ļ	-	 	
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	2	UHL	UHL4X	14.33	450.40	107.89	55.12	10.38		1		I		
<u> </u>	1	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	 		UNL	UHL4X	14.33	158.18	107.89	55.12	10.38				 		
		and facility reservation - Zone 3	1	3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		1		I		
-	 	Order Coordination for Specified Conversion Time (per LSR)	 	١	UHL	OCOSL OCOSL	10.04	18.13	107.09	33.12	10.30			 	 		
	t -	4-Wire Unbundled HDSL Loop without manual service inquiry	†		0	30002		10.10							<u> </u>		
		and facility reservation - Zone 1	1	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		1		I		
		4-Wire Unbundled HDSL Loop without manual service inquiry	t	Ė		1					: ::30			İ	1	İ	İ
		and facility reservation - Zone 2	1	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		1		I		
		4-Wire Unbundled HDSL Loop without manual service inquiry					İ										
		and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
	4-WIRE	DS1 DIGITAL LOOP															
<u> </u>	1	4-Wire DS1 Digital Loop - Zone 1	 		USL	USLXX	79.51	253.03	157.89		11.73				ļ		
	1	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	136.00	253.03	157.89		11.73		ļ	ļ	-	 	
<u> </u>	-	4-Wire DS1 Digital Loop - Zone 3	!	3	USL	USLXX	229.15	253.03 18.13	157.89	44.80	11.73			ļ	-	 	
	1	Order Coordination for Specified Conversion Time (per LSR)	1		USL	OCOSL		18.13		l		L	L	L	L	L	l

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						<u> </u>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13		====							
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-		UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
\vdash	-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	3	UDL UDL	UDL64	33.99	126.66	89.12	59.35	14.61	1		 	 	 	
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	UDL64 OCOSL	34.74	126.66	89.12	59.35	14.61	-		-	 	-	
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	1	├	UDL	UREWO		18.13 102.34	49.85	 		1		 	 	 	
	2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UKEWU		102.34	49.85								
\vdash	Z-WIKE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual	-	 		1						-	 	-		-	
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
\vdash		2-Wire Unbundled Copper Loop-Designed including manual		<u>'</u>	UCL	UCLFB	12.19	119.91	09.02	30.37	1.55						
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual	1		UCL	OCLEB	13.71	119.91	09.02	30.37	7.55	1			-		
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.14	8.17	8.17	30.37	1.55			1		1	
		2-Wire Unbundled Copper Loop-Designed without manual			OOL	OCLIVIC		0.17	0.17								
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual		i i	OOL	OOLI II	12.10	04.01	00.00	00.07	7.00						
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual			002	002. 11	10.7 1	0 1.01	00.00	00.01	7.00						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		94.87	42.57								
	4-WIRE	COPPER LOOP												ĺ		ĺ	
		4-Wire Copper Loop-Designed including manual service inquiry															1
		and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								ļ
		4-Wire Copper Loop-Designed without manual service inquiry		١.						== .0							
		and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry				1101 414	00.00	440.40	04.45	55.40	40.00						
		and facility reservation - Zone 2	-	2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
		and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4VV UCLMC	19.34	8.17	81.15	55.12	10.38	-					
		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UCL	UCLIVIC		0.17	0.17			1			-		
		(UCL-Des)			UCL	UREWO		94.87	42.57								
LOOP N	MODIFIC				OOL	OKEVVO		34.07	42.01					1		1	
1			1	<u> </u>	UAL, UHL, UCL,	1									<u> </u>		t
					UEQ, ULS, UEA,										1		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,										1		
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	Ì		1								İ	1	İ	1
		less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		32.46	32.46				1		I		
					UAL, UHL, UCL,												
				1	UEQ, ULS, UEA,								1		I		
1		Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,								1		I		
		per unbundled loop	1	I	UEPSB	ULMBT		32.48	32.48			1	l	l	1	l .	1

UNBI	JNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	ibit: A											
3.450		Out Element o Count out office										Svc Order	Svc Order	Incremental		Incremental												
												I .	Submitted	Charge -	Charge -	Charge -	Charge -											
			Intor:									Elec	Manually	Manual Svc	Manual Svc	Manual Svc												
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.											
			m											Electronic-	Electronic-	Electronic-	Electronic-											
														1st	Add'l	Disc 1st	Disc Add'l											
								N		Laterana	. D'																	
	ļ						Rec	Nonred			Disconnect	SOMEC	SOMAN		Rates (\$)	001441	0011411											
SUB-LO	OOBS			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN											
SUB-LI		l pop Distribution								1		1	1		1		1											
-	OUD-LO	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										†	-				 											
		Up	1		UEANL	USBSA		241.42	241.42																			
	1	197								t		†																
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22.69	22.69																			
		Sub-Loop - Per Building Equipment Room - CLEC Feeder																										
		Facility Set-Up	- 1		UEANL	USBSC		177.84	177.84																			
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel																										
		Set-Up	- 1		UEANL	USBSD		55.58	55.58																			
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			l																							
<u> </u>	!	Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71	ļ		 	 	 	 											
	1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	l .	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71				I													
-	<u> </u>	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		UEAINL	USBINZ	12.50	05.94	31.03	45.35	0.71	-	-		-		 											
		Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71				1													
—	 	2010 0		3	OLAIVL	CODIAC	14.79	05.54	31.03	40.00	0.71	†	-		t		 											
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17	1					I													
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -								t		†																
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09																	
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -																										
		Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09																	
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -																										
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09																	
-	ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.44	8.17	8.17	45.05	0.74	ļ																
-	1	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1	-	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71	.	-		-		-											
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17																			
-	1	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09	1	1		1		-											
		Cub Loop 4 Wile intrabalianing Network Cable (into)	· ·		OL7 II VL	OODIT-	0.00	00.00	24.47	40.02	0.00	i e																
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17																			
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23																			
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90																			
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1		UEF	UCS2X	7.11	65.94	31.03	45.35	6.71																	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	9.83	65.94	31.03	45.35	6.71																	
	ļ	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71	ļ			ļ		_											
	1	0.10			luee .	LIODAGO		0.1-	0 :-	I					I													
	<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEF	USBMC	7.0-	8.17	8.17	40.00	0.00				 		 											
-	 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF UEF	UCS4X UCS4X	7.85 14.17	79.21 79.21	44.29 44.29	49.82 49.82	9.09 9.09	1	1		 	-	 											
—	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X UCS4X	14.17	79.21	44.29		9.09	}	 	 	+	 	 											
-	†	The state of the s	- '-	3	ULI	00047	12.04	13.21	44.29	43.02	9.09	†		 	 		 											
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17	1					I													
	†	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	34.23	<u> </u>	1			1	<u> </u>													
	1	Loop Testing - Basic Additional Half Hour	1		UEF	URETA		19.90	19.90	1	ĺ	Ì		ĺ	1	1												
	Unbun	dled Network Terminating Wire (UNTW)																										
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20																			
	Netwo	rk Interface Device (NID)																										
	ļ	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79	ļ					ļ		<u> </u>											
	<u> </u>	Network Interface Device (NID) - 1-6 lines	1		UENTW	UND16		64.42	49.53				1			ļ												
<u> </u>	 	Network Interface Device Cross Connect - 2 W		-	UENTW UENTW	UNDC2 UNDC4		5.92 5.92	5.92 5.92	 		-		-	 		-											
LINE C	THED F	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	1		UEIN I VV	UNDC4		5.92	5.92	-		1	1		 	-	 											
OIVE U	inek, f	NID - Dispatch and Service Order for NID installation	 		UENTW	UNDBX	0.00	0.00		 	1	1	 			UENTW	UENCE	0.00	0.00		 		†		 	 		
	1	5 5out to Establishmont, I Tovisioning Only - NO Nate	†		UEANL,UEF,UEQ,U	CLITOL	0.00	0.00		†		1	t	1	†	1	†											
	1	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00		I					I													
UNE O	THER, F	PROVISIONING ONLY - NO RATE				1				t	İ			İ	t													
	, •	-																										

UNBUND	DLED	NETWORK ELEMENTS - South Carolina											1	Attach	ment: 2	Exhi	pit: A
	Ī											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	v	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	١,	Jnbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
		Jnbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		<u> </u>	ODIN,OLA,OI IL,OLO	UNLCIN	0.00	0.00									
		ate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	ι	Jnbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		ate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Jnbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Jnbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0.00	0.00									
HIGH CAP		/ UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					1										
		nonth			UE3	1L5ND	12.26										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Fermination per month	ļ		UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per nonth			UDLSX	1L5ND	12.26										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	12.20										
		Fermination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP MAI																	
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	ļ		UMK	UMKLW		24.04	24.04								
		Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual).			UMK	UMKLP		25.49	25.49								
		Loop MakeupWith or Without Reservation, per working or	-		OWIE	OWINE		25.45	25.45								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
		AND LINE SPLITTING															
		The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper Io	op nor	i-designed ("UCLND	")						-					
		10/02/2005 – 10/01/2006: 75% of the rate for UCLND		<u> </u>													
		Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							
		ARING															
SP		RS-CENTRAL OFFICE BASED	ļ														
-		Line Sharing Splitter, per System 96 Line Capacity	-	-	ULS	ULSDA	216.22 54.05	189.21 189.21	0.00	178.38	0.00	-					
\vdash		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS	ULSDB ULSD8	18.02	189.21	0.00	178.38 178.38	0.00						
		Line Sharing Opinter, Fer Gystern, & Eine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	-		010	OLODO	10.02	103.21	0.00	170.30	0.00						
		deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						1
EN		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -							40.00								1
\vdash		DBSOLETE see **NOTE 2 _ine Share Service, TRO per line activation, BST owned splitter -		-	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
		Central Office Located (25% of UCLND) - please see NOTE 1															
		E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
		ine Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															
		E:10/2/2004)		-	ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1	1														
		E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						,
	Ĺ	ine Sharing - per Subsequent Activity per Line								13.37	30						
	F	Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21								
		Line Sharing - per Subsequent Activity per Line					1										, 7
\vdash		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -	-	-	ULS	ULSCS	+	16.42	8.21			1					
		DBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
$\overline{}$							5.01			20.07	12.77					1	

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	ibit: A
ONDO	HULL					1						Svc Order	Svc Order	Incremental	Incremental		
												1	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned						11131	Addi	11130	Addi	JONILO	JOINAIN	JONIAN	JOWAN	JONIAN	JOWAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
-	LINE	PLITTING		<u> </u>	ULS	ULSCI	9.71	47.44	19.31	20.67	12.74		-				
		SER ORDERING-CENTRAL OFFICE BASED				+											
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					İ					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
LIMBLE	IDI ED I	No Trouble Found - per 1/2 hour increments - Premium				_		160.00	110.00								
UNBUI		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>		-							-				
-	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011177	120701	0.0101					İ					
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		l <u> </u>												
-		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	1		U1TVX	1L5XX	0.0167										
-		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.0167										
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.500/	0.0407										
-	-	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-		U1TDX	1L5XX	0.0167						-				
		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTTEX	OTTE	10.70	40.03	21.41	10.77	0.31						
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
-		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	UTIF3	680.05	2/9.3/	103.12	60.33	58.59						
	1	month			U1TS1	1L5XX	8.02]
	t	Interoffice Channel - Dedicated Transport - STS-1 - Facility	t		0.101	120/0/	0.02					1	t	1			\vdash
	1	Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59]
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	ļ	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	36.41					ļ					ļ
<u> </u>	 	NRC Dark Fiber - Interoffice Channel	.	1	UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11	ļ		 			\vdash
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF. UDFCX	1L5DL	97.65										
 	1	Thereof per month - Local Loop NRC Dark Fiber - Local Loop	-	 	UDF, UDFCX	UDFL4	60.16	640.51	138.17	317.76	198.11	1	-	1			+
	1	I 11/0 Daily I loci - Local Loop			יטטי , טטי טא	JUI L4		U 4 U.51	130.17	317.70	130.11	<u> </u>		L			

UNB	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
0.12												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS 1	EN DIGIT SCREENING															
-	+	8XX Access Ten Digit Screening, Per Call		-	OHD	1	0.0006673										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	N8R1X		2.59	0.44								
-	+	Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O			ОПО	INORIA		2.59	0.44			-					
		POTS Translations			OHD			5.95	0.81	4.58	0.54						
	+	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+		5.95	0.01	4.50	0.54	-					
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	+	8XX Access Ten Digit Screening, Customized Area of Service			0.15	110.17		0.00	0.01		0.01						
		Per 8XX Number			OHD	N8FCX		2.59	1.30								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR				1									1		
	<u> </u>	Routing Per CXR Requested Per 8XX No.	<u></u>		OHD	N8FMX		3.03	1.74		<u> </u>	<u></u>				<u> </u>	
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44								
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.59	2.59								
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE	NFORMA	ATION DATA BASE ACCESS (LIDB)			007		0.0000010										
-		LIDB Common Transport Per Query			OQT		0.0000246										
-	+	LIDB Validation Per Query			OQU OQU	NDDDV	0.0138158	24.40		40.40							
CICNI	ALING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18		-					
SIGNA	ALING (C	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	1					
-	+	CCS7 Signaling Connection, Per STP Port			UDB	PT8SX	163.49	33.01	33.01	10.40	10.40						
	+	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.0000692										
	1	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911	SERVICE					+	15.33	193.53	33.24	36.72	3.21						
	+	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		1		1	0.0167	193.53	33.24	36.72	3.21	-					
\vdash	+	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	H			1	0.0167					H			 	l	
1	1	Termination					24.30	40.63	27.47	16.77	6.91						
	1	Local Channel - Dedicated - DS1 - Zone 1				1	42.62	177.87	154.06	22.24	15.30				1		
		Local Channel - Dedicated - DS1 - Zone 2				1	70.32	177.87	154.06	22.24	15.30						
	1	Local Channel - Dedicated - DS1 - Zone 3				1	190.68	177.87	154.06	22.24	15.30				1		
		Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
L		Interoffice Transport - Dedicated - DS1 Per Facility Termination					77.14	89.47	81.99	16.39	14.48						
CALL	ING NAM	E (CNAM) SERVICE				<u> </u>									ļ		
<u> </u>	+	CNAM For DB Owners - Service Establishment		ļ	OQV	+		23.00	23.00	21.15	21.15	-			ļ	 	
<u> </u>	+	CNAM For Non DB Owners - Service Establishment		ļ	OQV	+		23.00	23.00	21.15	21.15	-			ļ	 	
		CNAM For DB Owners - Service Provisioning With Point Code			001/			000.00	704 47	200 50	400.40						
-	+	Establishment CNAM For Non DB Owners - Service Provisioning With Point	-	+	OQV	+	1	993.09	734.47	269.53	198.18	-		-			
		Code Establishment			OQV			343.09	245.69	275.87	198.18						
-	+	CNAM for DB Owners, Per Query		 	OQV	+	0.0010433	343.09	240.09	213.01	130.10				 		
 	+	CNAM for Non DB Owners, Per Query		†	OQV	1	0.0010433										
SELF	CTIVE RO					1	0.00.00										
1		Selective Routing Per Unique Line Class Code Per Request Per				1									İ	İ	
1	1	Switch						84.89	84.89	14.14	14.14						
VIRTU	IAL COLI	OCATION															
				•		-											

UNBUN	IDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
0112011				1		T						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N.		T N1	D'			000	D-1 (A)		
\vdash							Rec	Nonrec First		Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	-	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		<u> </u>		-		FIRST	Add'l	FIRST	Add'l	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
		Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSICA		LOCATION		<u> </u>	OLI OK OLI OD	VETES	0.0317	12.02	11.00	0.04	3.43						
1 1110102	1	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SEL	ECTIVE	CARRIER ROUTING															
		Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
		End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
		Query NRC, per query			SRC		0.0035036										
AIN - BE		TH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78						
-		initial Setup			AIN	CAIVIOL		39.33	35.33	40.76	40.76						
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11						
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11						
		AIN SMS Access Service - User Identification Codes - Per User								•							
		ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027										
\vdash		AIN SMS Access Service - Session, Per Minute					0.7121										
		AIN SMS Access Service - Company Performed Session, Per Minute					0.0004										
AIN - DE		TH AIN TOOLKIT SERVICE				+	0.8364										
AIN - BL		AIN Toolkit Service - Service Establishment Charge, Per State,		1		1											
		Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per							·								
		DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D A DTA		7.05	7.05	0.44	0.44						
-		DN, Off-Hook Immediate		<u> </u>		BAPTM		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
—		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		BAI 10		34.34	54.54	14.55	14.55						
		DN. CDP				BAPTC		34.54	34.54	14.39	14.39						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	1	DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39						
		AIN Toolkit Service - Query Charge, Per Query					0.0558238										
1 [AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					I T			Ι Π							, 7
\vdash		Subscription, Per Node, Per Query		1		-	0.0069214										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.07										,
+		Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		 		+	0.07			<u> </u>					-		
		Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
—		AIN Toolkit Service - Special Study - Per AIN Toolkit Service		<u> </u>	CAW	DAI WO	11.07	7.00	7.00	3.32	3.32						
1 1		Subscription			CAM	BAPLS	3.51	8.68	8.68								,
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52					<u></u>	
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit													l		
		Service Subscription		<u> </u>	CAM	BAPES	0.12	8.68	8.68								
		TENDED LINK (EELs)		n al (1)	Constants A a 1 - O1		lu fan IME -	hinatia	dalama 4 1 -	hadimanite : A - 1	in a di Nistere				ļ		
⊢	IOTE: 1	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t	appiy a	rocure	owitch-As-Is Charge	will apply for	INE combined	one provisions	visioned as . (Julinarily Comb	Jinea Network	⊏iements.			-		
	YTENT	The monthly recurring and the Switch-As-IS Charge and not to TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	LED De	-recurri 1 INTER	OFFICE TRANSPOR	viii appiy for	ONE COMDINATION	ons provisione	au as Current	ly combined N	etwork Eleme	iis.					
 		First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43		10.61				İ		
				•											•		

HINBLIND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
ONBONDI	LED NETWORK ELEMENTS - South Carolina	1			1						Cua Oudan	Cur Ouden				
													Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	-		-		FIISL	Auu i	FIISL	Auu i	JOINIEC	SOWAN	JOIVIAN	SOWAN	SOWAN	SOWAN
	·			LINIOAY	41.5007	0.07										1
	per month		ļ	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
	Lacif Additional 2-vviie vo Loop (SE 2) in Combination - Zone i		<u> </u>	ONOVA	OLALZ	10.00	100.00	00.43	33.03	10.01	-					
	F1-A-13':1-0 M': NO 1 (OL 0) :- O1 : 7 0			LINIONA	115410	00.40	405.00	00.40	50.05	40.04						1
\vdash	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		 				
			1								I	1		1		1
\Box	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Voice Grade COCI - Per Month		\perp	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE													
- LXI	LINDED 4 WINE VOICE CHADE EXTENDED ECOT WITH DEDICA	1 20 00	T	TOTTIOL TRAINER	1											—
	First 4 Wiss Assless Value Conda Lancia Combination - Zena 4			UNCVX	UEAL4	32.59	132.38	94.83	59.35	44.04						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27										1
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0.10.17	120701	0.2.										
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
$\overline{}$		-	!													
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Additional Voice Grade COCI in combination - per month	-	J	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	-			-		
\vdash			<u> </u>	UNCVA	IDIVG	0.36	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1						= 0.4								1
\vdash	Is Charge	L	<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRAN	SPORT											
			1					·				l				1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	I	1		1		1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	I	1		1		1
		 	<u> </u>		32200	55.55	.20.00	33.1E	55.00		-	l		i		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	I	1		1		1
			3	UNCDA	ODESO	34.74	120.00	03.12	39.33	14.01						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1								I	1		1		1
\vdash	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility				1							l				1
L l	Termination Per Month		Ш.	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u> </u>		L	<u></u>	<u> </u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						1
	OCU-DP COCI (data) per month (2.4-64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	i .	İ		İ		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	0	0.00	0	5.50	3.30	t e	l		i e		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	I	1		1		1
\vdash		—	+ -	ONODA	ODESO	29.93	120.00	09.12	ეყ.ან	14.01	-	 		-		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIBI 50	00.00	400.00	00.10	50.05	44.51	I	1		1		1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		ļ				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1							l				1 '
	Interoffice Transport Combination - Zone 3	<u></u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61				L		'
	Additional OCU-DP COCI (data) - in combination per month (2.4-	-														1
	64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	I	1		1		1
	11						2.00	0	2.00	2.00	1			L		

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			101120 (4)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	1	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				+		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
FXT	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.01	0.01	7.00	7.00	İ					
			T								İ					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1 '
											İ					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1 '
	9										İ					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1 '
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť								İ					
	Per Month			UNC1X	1L5XX	0.27										1 '
	interoffice Transport - Dedicated - DS1 combination - Facility	†	t		1 - 2 : 3 :	ÿ <u>.</u> ,							i	i		
	Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					——
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	1	t	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	1		 	i		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	t		1.0.00		5.00	0	3.00	0.00				i		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1 '
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	0.1027	00201	20.00	120.00	00.12	00.00	11.01	İ					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1 '
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	0.10271	0020.	00.00	120.00	00.12	00.00	11.01	1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1 '
	Additional OCU-DP COCI (data) - in combination - per month		l u	ONODA	ODLOT	04.74	120.00	00.12	00.00	14.01	1					
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1 '
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10271	15.55	0	0.00	0	0.00	0.00	1					
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS1	INTER				0.01	0.01	7.00	7.00	İ					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	i e					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	i e					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	İ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										i e					
	Per Month			UNC1X	1L5XX	0.27										1 '
	Interoffice Transport - Dedicated - DS1 combination - Facility					***					i e					
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						l .
	Nonrecurring Currently Combined Network Elements Switch -As-										i e					
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.0.				İ					
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile										1			ĺ		
	Per Month	1	1	UNC3X	1L5XX	6.42						1				1 '
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month	1	1	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		1				1 '
	3/1Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1			ĺ		
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1	<u> </u>	_1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -					İ										
	Zone 2	1	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		1				1
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-					İ										
L l	Is Charge	<u> </u>	Ц_	UNC3X	UNCCC		5.61	5.61	7.00	7.00		<u> </u>	<u> </u>	<u> </u>		<u> </u>
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD			ORT											
	2-WireVG Loop in combination - Zone 1		_1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						

UNBL	UNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
							I					Svc Order	Svc Order	Incremental			
1												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc ist	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0134										
		Interoffice Transport - 2-wire VG - Dedicated - Facility				l											
		Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-	1					= 0.1			=						
-	EVTEN	Is Charge	0040		UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD			UEAL4	32.59	132.38	94.83	59.35	14.61						-
-	+	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2	-		UNCVX UNCVX	UEAL4	32.59 43.89	132.38	94.83	59.35	14.61						
-	+	4-WireVG Loop in combination - Zone 3	-		UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61	-					
-	+	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	1	3	UNCVA	UEAL4	43.30	132.30	94.03	39.33	14.01	1			-		
		Month			UNCVX	1L5XX	0.0134								1		
<u> </u>	+	Interoffice Transport - 4-wire VG - Dedicated - Facility	 	-	0110 1/	1LOAA	0.0134								+		
1		Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		1		I		
-	1	Nonrecurring Currently Combined Network Elements Switch -As-				2	17.00	70.00	21.41	10.77	0.01	 	†		I		H
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1											
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
		·				1											
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT														
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
		STS-1 Local Loop in combination - Facility Termination per						450.50									
		month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - STS-1 combination - per mile			LINGOV	41.500/	0.40										
-	+	per month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	6.42										-
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	+	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCOX	UTIFS	704.44	219.31	103.12	60.33	36.39	-					
		Is Charge	1		UNCSX	UNCCC		5.61	5.61	7.00	7.00						
-	EYTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TPANG	SPORT		UNCCC		3.01	3.01	7.00	7.00			1			
-	LAIL	First 2-Wire ISDN Loop in Combination - Zone 1	111/2111		UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		 		-		
	1	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61			1	<u> </u>		1
	1	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61				<u> </u>		
	1	Interoffice Transport - Dedicated - DS1 combination - per mile				1	1 1	-						İ	t		İ
		per month			UNC1X	1L5XX	0.27								1		
		Interoffice Transport - Dedicated - DS1 combination - Facility															
L_		Termination per month	<u></u>		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u></u>	<u> </u>	<u> </u>	L	<u></u>	<u> </u>
		1/0 Channel System in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport														I	
	1	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61			ļ	L		ļ
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1										1		I		
	1	Combination - Zone 2	ļ	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61			ļ	1		ļ
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1							===			1		I		
	+	Combination - Zone 3	-	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	-	ļ	ļ	-	 	ļ
		Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINGNIX		0	0 =0	4 ===	0.00					1		
	1	month	!		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00				-		
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINCCC		E 04	E 04	7.00	7.00		1		I		
<u> </u>	EVTE	Is Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	_4 INT	UNC1X	UNCCC		5.61	5.61	7.00	7.00				 		
-	EVIEN	First DS1 Loop Combination - Zone 1	-D 212		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		-	 	 	 	
—	+	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	H		 	t	l	
-	+	First DS1 Loop Combination - Zone 3	 		UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73			 	 		
		1 Do. Loop Combination Zone C			0.101/	JOLIM	201.03	200.00	101.08	77.00	11.73	<u> </u>	1	1	1	L	1

UNBI	JNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
3.450						1						Svc Order	Svc Order	Incremental			
						1							Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.42										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
		3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	i	Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
L	<u> </u>	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF	ICE TRANSPORT												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
L	EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			1								.	.		
	<u> </u>	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
L	ļ	First 2-wire VG Loop (SL2) in Combination - Zone 2	ļ		UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61			.	.		
		First 2-wire VG Loop (SL2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61				_		
1	1	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1								1	1	I	I		I
<u> </u>	ļ	Mile	!	.	UNC1X	1L5XX	0.27							-	-		
1	1	First Interoffice Transport - Dedicated - DS1 combination -	1	1	LINIOAN	LIATE :						1	1	I	I		I
<u> </u>		Facility Termination per month	<u> </u>		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48				_		
<u> </u>	ļ	Per each DS1 Channelization System Per Month	!	.	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81			-	-		
<u> </u>	!	Per each Voice Grade COCI - Per Month per month	<u> </u>	—	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00			-	-	 	├
<u> </u>	!	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90			-	-	 	├
-	!	Per each DS1 COCI in combination per month	!	-	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	-	-	 	 	-	
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		4	LINICV	LIEALO	40.00	405.00	00.40	50.05	40.04			1	1		1
-	!	Interoffice Transport Combination - Zone 1	!	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	-	-	 	 	-	
1	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	2	LINIOVO	LIEALO	22.40	405.00	00.40	50.05	40.04	1	1	I	I		I
-	 	Interoffice Transport Combination - Zone 2	-	- 2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61			 	 		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			1110101	115410	00.40	405.00	00.40	50.05	40.04						
	!	Interoffice Transport Combination - Zone 3	├	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	-	-	1	 		1
-	!	Each Additional Voice Grade COCI in combination - per month	!	-	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	-	-	 	 	-	
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINICAV	11.5	0.07						1	I	I		I
-	!	Channel System per month	!	-	UNC1X	1L5XX	0.27					-	-	 	 	-	
	1	Each Additional DS1 Interoffice Channel Facility Termination in	1		UNC1X	LIATE4	04.74	00.47	04.00	40.00	44.40		1	I	I		I
-	!	same 3/1 Channel System per month Each Additional DS1 COCI combination per month	!	-	UNC1X UNC1X	U1TF1 UC1D1	61.71 8.64	89.47 6.59	81.99 4.73	16.39 0.00	14.48 0.00	-	-	 	 	-	
	1	Each Additional DST COCI combination per month	<u> </u>	<u> </u>	UNCIX	וערטטן	8.64	6.59	4./3	0.00	0.00	ı	L	L	L	L	L

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.20.1						1						Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
L .		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	XIEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT W/ 3/	1 MUX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -			LINOVA	UEAL4	32.59	400.00	94.83	50.05	44.04						
\vdash		Zone 1		-	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						-
		First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
-		First 4-Wire Analog Voice Grade Local Loop in Combination -	-		UNCVA	UEAL4	43.09	132.30	94.03	39.33	14.01						
		Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONOVA	OLAL	45.50	132.30	34.03	33.33	14.01						
		Mile Per Month			UNC1X	1L5XX	0.27										
		First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	120/01	0.27										
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI in combination per month		İ	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in					0.4 = 4			40.00							
-		same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month			UNC1X UNCVX	U1TF1 1D1VG	61.71 0.56	89.47 6.59	81.99 4.73	16.39 0.00	14.48 0.00	-					
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.00	6.59	4.73	0.00	0.00						-
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
F	XTFN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				5.01	5.01	7.00	7.00						-
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	I	1	TRANSFORT W/ G/	I											
		Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		ĺ													
		Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First Interoffice Transport - Dedicated - DS1 combination - Per											1				
		Mile Per Month			UNC1X	1L5XX	0.27										
l [First Interoffice Transport - Dedicated - DS1 - combination	1														_
\vdash		Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD MQ3	1.19 144.02	6.59	4.73	0.00 33.33	0.00 31.90						
\vdash		3/1 Channel System in combination per month	-	<u> </u>	UNC3X		144.02 8.64	178.54 6.59	94.18	0.00	0.00			-	1	-	
\vdash		Per each DS1 COCI in combination per month Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00		-		1		
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		1				I
+		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<u> </u>	- -	OITODA	ODLOG	23.33	120.00	03.12	55.55	14.01		 		1		—
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		1				I
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	22.20			22.30				İ		İ	
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1				I
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)	<u></u>	L	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		<u></u>	<u> </u>		<u> </u>	<u> </u>
	•	Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in		1		I				1			1				I
\vdash		same 3/1 Channel System per month		ļ	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			 		 	
		Each Additional DS1 COCI in the same 3/1 channel system			LINICAY	UC1D1	8.64	6.59	4.70	0.00	0.00						1
		combination per month	L	<u> </u>	UNC1X	ומוטטן	8.64	6.59	4.73	0.00	0.00	l	l	l	l	l	L

LINBLINDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
ONBONDE	ED NETWORK ELEMENTS - South Carolina	1	l		1						Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.			Order vs.
	10112 ======	m			0000			= (4)			per LSR	per LSR	Electronic-	Order vs. Electronic-	Order vs. Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		ĺ													
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/2	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
\vdash	Mile Per Month	├	<u> </u>	UNC1X	1L5XX	0.27					-			-		-
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1				
\vdash		1	<u> </u>	UNC1X UNC1X	MQ1	61.71 107.57	89.47 91.24	62.71	16.39 10.56	9.81	1			 	-	
\vdash	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-	╂		UNCIA	IVIQT	107.57	91.24	02.71	10.56	9.81		-	-			
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
\vdash	3/1 Channel System in combination per month	1	-	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1					
 	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						1
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	-	UNCIX	OCIDI	0.04	0.59	4.73	0.00	0.00	1					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	ONODA	ODLOT	20.00	120.00	00.12	00.00	14.01	†	1				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.10271	0020.	00.00	120.00	00.12	00.00							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX			ļļ										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		١.	LINIONIN	1141.037		,		== ==							
\vdash	Transport - Zone 1	 	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		ļ		 	 	.
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
\vdash	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	2	UNCINA	UILZX	32.76	117.58	80.03	53.05	10.61	1			 	-	
	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
\vdash	First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	ONCIVA	UILZX	31.10	117.58	80.03	53.05	10.01		 		 	 	
	Mile per month	1	1	UNC1X	1L5XX	0.27						1				
 	First Interoffice Transport - Dedicated - DS1 combination -	1	-	011017	ILOAA	0.27					H			 	 	
	Facility Termination per month	1	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1				
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	. 2. 2227 Ordanio Oyaton 70 iii oombiidaan por montii			2.1017		107.07	51.24	02.71	10.00	5.51				1		1
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1	1	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00		1				
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				İ		İ
	Per each DS1 COCI in combination per month	l	İ	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				1		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	<u></u>	_1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														l	
	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	1		1							1				
	system combination- per month	<u> </u>	<u> </u>	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	l	l		İ	l	ļ

UNBUND	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
320112	Ī											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =>04											
———		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in				=-											
———		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system							. =0								ı
———		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		5.04	5.04	7.00	7.00						
	/TENI	s Charge	TDANK	DODT	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EX		DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IKAN			1101101		0.00		44.00							
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	-	_	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
\vdash		First 4-wire DS1 Digital Local Loop in Combination - Zone 2	-	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
\vdash		First 4-wire DS1 Digital Local Loop in Combination - Zone 3	 	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINICAV	1L5XX	0.07					1					
\vdash		Mile Per Month	 	—	UNC1X	ILOAX	0.27					-			-		
		First Interoffice Transport - Dedicated - DS1 combination -			LINIOAY	114754	04.74	00.47	04.00	40.00	44.40						
		Facility Termination Per Month	-		UNC1X UNC3X	U1TF1 MQ3	61.71 144.02	89.47 178.54	81.99	16.39 33.33	14.48 31.90						
\vdash		3/1 Channel System in combination per month Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	94.18 4.73	0.00	0.00						
-					UNCIX	OCIDI	8.64	6.59	4.73	0.00	0.00	-					
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	1L5XX	0.27										ı
\vdash		Channel System per month			UNC1X	ILDXX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
\vdash		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	61.71	89.47	81.99	16.39	14.48						
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	OCIDI	0.04	0.59	4.73	0.00	0.00						
		Additional 4-Wife DST Digital Local Loop III Combination - Zone		4	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
H	-+	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		- 1	UNCIA	USLAA	90.67	255.05	137.09	44.00	11./3						
		nddilloriai 4-vviie D31 Digitai Eocai Eoop III Combination - Zone		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						ı
 	- 1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OOLAX	100.40	255.05	137.03	44.00	11.75						
		additional 4-vviile DOT Digital Local Loop III Combination - Zone		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						ı
	- 1	Nonrecurring Currently Combined Network Elements Switch -As-		3	ONOTA	UULXX	201.03	255.05	137.03	44.00	11.75						
		s Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						ı
FX	(TFNI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		011000		0.01	0.01	7.00	7.00						
		First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	- 1	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť	0.1027	02200	0	120.00	00.12	00.00							
		per month			UNCDX	1L5XX	0.0134										ı
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		s Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EX	(TEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	RANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
		per month	<u> </u>	<u> </u>	UNCDX	1L5XX	0.0134								<u> </u>		<u>. </u>
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	T	Nonrecurring Currently Combined Network Elements Switch -As-	1												I		, 7
		s Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
		ETWORK ELEMENTS	l														
		sed as a part of a currently combined facility, the non-recurr															
		sed as ordinarily combined network elements in All States, the					As Is Charge of	does not.									
No	onrecu	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As- s Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.61	5.61	7.00	7.00						
\Box		o onargo - 2 WIID/4-VVIIO VO	L		OIVOVA	UNCCC		0.01	0.01	7.00	1.00	<u> </u>	L		l		

CATEGORY RATE ELEMENTS Suite Floridate Flori	xhibit: A
CATEGORY RATE ELEMENTS Intert	
## BCS USOC PATE (LEMENTS Autor Section Company Common Company Common Commo	- Charge -
Note	
Personner Pers	
Second S	
Nonecarring Currently Cu	
Nonescarring Currently Carebrade Network Elements Selects Adv.	2.007.441
Number Section Secti	
Is Change, finish along Nonemark Currently Contributed Network Elements Servicin - Net Nonemarking Currently Contributed Network Elements Servicin - Net No.	SOMAN
Noncouring Currently Contributed Network Elements Switch - April 16 Change - DS1 NONCOC S. 61 S. 61 7.00 7.00 NO.	
Is Charge-Del	
Numerouring Continent Network Elements Switch - As- Is Change - DS3 Numerouring Continent Network Elements Switch - As- Is Change - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS3 Numerouring - DS4 Numerouring - DS4 Numerouring - DS4 Numerouring - DS4 Numerouring - DS4 Numerouring - DS4 Numerouring - DS4 Numerouring - DS4 Nume	
S. Charge - Dists S. C	
Noncestring Currently Combined Network Elements Switch - A-F- Inc.	
Schange - ST81	
Optional Features & Functions:	
Clear Channel Capability Extended Frame Option - per DS1	
Clear Channel Capability Experted FrameOption - per DS1	
Clear Channel Cigabeliny Super FirstreCoption - per DS1	
Clase Channel Capability (SF/ESF) Option - Subsequent I NUNCTY, USIS NRCCC 185.285 28.885 1.985 0.785	
Activity - per DST 1	
Chell Parry Option - Subsequent Achiety - per D83	
C-oil Plantry Option - Subsequent Achievy - per DS3	
MULTIPLEXERS	
DS1 to DS0 Channel System per month	
DCU-DP COCI (data) - DS1 to DS0 Channel System - per	
month (24-64bs) used for a Local Loop UDL IDIDD 1.19 6.59 4.73	
OCU-PP COCI (data) - DS1 to DS0 Channel System - per month (24-64bb) used for connection to a channelized DS1 Local Channel in the same SWC as collocation UNITUD	
month (24-64kbg) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1DD 1.19 6.59 4.73	
Local Channel in the same SWC as collocation	
2.wire ISDN COCI (IBRTE). DS1 to DS0 Channel System - per UDN UC1CA 2.56 6.59 4.73	
month for a Local Loop	
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	
month used for connection to a channelized DS1 Local Channel U1TUB UC1CA 2.56 6.59 4.73	
In the same SWC as collocation	
Voice Grade COCI - DSt to DS0 Channel System - per month UEA	
Used for a Local Loop	
Voice Grade CCCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	
Same SWC as collocation	
DS3 to DS1 Channel System per month	
STS-1 to DS1 Channel System per month	
DS1 COCI (used with Loop per month USL UCID1 8.64 6.59 4.73	
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month	
Channel in the same SWC as collocation) per month	
DS1 COCI used with Interoffice Channel per month	
DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 8.64 6.59 4.73 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) ULDD1 UC1D1 8.64 6.59 4.73 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) ULDD1 UC1D1 8.64 6.59 4.73 ULDD1 UC1D1 8.64 6.59 4.73 ULDD1 UC1D1 8.64 6.59 4.73 ULDD1 UC1D1 8.64 6.59 4.73 ULDD1 ULDD1 ULDD1 UC1D1 8.64 6.59 4.73 ULDD1 ULDD1 ULDD1 ULDD1 ULDD1 UC1D1 8.64 6.59 4.73 ULDD1	_
MONTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs Exchange Ports	+
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRL 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled Sc outh Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33	
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs Set	+
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRL 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPRU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33	+
2-WIRE VOICE GRADE LINE PORT RATES (RES)	+
Exchange Ports - 2-Wire Analog Line Port Res.	
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33	
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.	
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.	
dialing parity Port with Caller ID - Res.	
Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 UEPSR UEPAJ With Caller ID (LUM) UEPSR UEPAD 1.65 2.38 2.28 1.42 1.33	
Calling port with Caller ID - Res (LW8)	
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33	
with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33	_
	+
Exchange Ports - 2-Wire VG South Carolina Residence Dialing Plan without Caller ID	

CATEGORY RATE ELEMENTS Intering Monrecurring Disconnect Submitted Electronic-List Add'l Disc 1st Disc	UNBUND	DLED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
APER CONTROL - PROPERTY - PROPERT												Svc Order	Svc Order				
APER CONTROL - PROPERTY - PROPERT												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
### CAPE OF PRATE (LEMENTS ### Zone BCS USOC ### LAND SPATE (LEMENTS Becoming Section Becoming Section Becoming Section Becoming Becomin			Intent														
Becampor Parts 2 Van VS Suith Control Register Suith Control Regist	CATEGORY	RY RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Text			m									per Lore	per Lore				Electronic-
State Stat																	
Section of Prints - Viver No. State Control Residence Area Legisland Leg														151	Addi	DISC ISL	DISC Add I
Section of Prints - Viver No. State Control Residence Area Legisland Leg							_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
Exchange Pens - 2-We Vol Such Carolina Resistance Area							Rec					SOMEC	SOMAN			SOMAN	SOMAN
College Pers - Winter Carlot Department of the College Colle		Exchange Ports - 2-Wire VG South Carolina Residence Area															
2-Vive voice antiturated Lord Suspe Line Port without Collet ID					UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
Copubility				1	02. 0.0	02.110	1.00	2.00	2.20	2							
Subsequent Activity					LIEPSR	LIEPRT	1.65	2 38	2 28	1 42	1 33						
PRATURES UEPGR U	-		+	 							1.00						
All Available Vintoria Features UIPPR UI	EE/		+	1	OLFOR	USASC	0.00	0.00	0.00								
Description Description	I'L'		+	+	LIEDED	LIED\/E	2.04	0.00	0.00		 	-	-				
Exchange Points - 2-We for without Caller ID - UEPSB UEPSC 1.65 2.36 2.26 1.42 1.33	0.14		+	-	UEFSK	UEFVF	3.04	0.00	0.00								
Bus	Z-VV			-		+											
Exchange Ports - 2-Wer Volumented for with cutter 1486 P - Sus. LEPRB LE																	
Unbursted pot with Califer C-604 DC - 68a				<u> </u>	UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire Mouthanded Scrinford Iron Exchange Ports - 2-Wire Vig unbundled Scrinford Iron Exchange Ports - 2-Wire Vig Unbundled Scrinford Iron Exchange Ports - 2-Wire Vig Unbundled Scrinford Iron Exchange Ports - 2-Wire Vig Unbundled Scrinford Iron Exchange Ports - 2-Wire Vig Unbundled Scrinford Iron Exchange Ports - 2-Wire Vig Unbundled Scrinford Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange Ports - 2-Wire Vigo Iron Exchange									= :		l						
Exchange Ports - 2-Wire VS unbundled SC extended local defining parks Port with Cultiful To. Bus. UEPSB UEPAZ 1.66 2.38 2.28 1.42 1.33	\vdash	unbundled port with Caller+E484 ID - Bus.	1	1	UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VS unbundled SC extended local defining parks Port with Cultiful To. Bus. UEPSB UEPAZ 1.66 2.38 2.28 1.42 1.33			1	1							I	1	1	1		1	1
Galling party Pert with Caller ID - Bus. UEPS UEPA2 1.86 2.38 2.28 1.42 1.33					UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33						
Estimatipe Ports - 2-Wire VG unbunded incoming only port with Caller ID - Bus															l		l
Caller D- Bus		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - ZWIRV Violanded South Caronina Business Daling LePAB 1.65 2.38 2.28 1.42 1.33		Exhange Ports - 2-Wire VG unbundled incoming only port with															
Area Calling Port with Caller ID. 19st (LMB) UEPSB UEPAB 1.65 2.38 2.28 1.42 1.33		Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire Voce South Carolina Business Daling Pina without Caller ID UEPSB UEPWM 1.65 2.38 2.28 1.42 1.33		Exchange Ports - 2-Wire VG unbundled South Carolina Bus		i													
Exchange Ports - 2-Wire Voice South Carolina Business Dalling Plan without Caller ID UEPSB UEPWB 1.65 2.38 2.28 1.42 1.33		Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
Pian without Caller ID		Exchange Ports - 2-Wire Voice South Carolina Business Dialing															
Exchange Ports - ZWire Votor South Carolina Business Area Calling Port without Caller ID UEPSB UEPSB UEPSB 1.65 2.38 2.28 1.42 1.33					UEPSB	UEPWM	1 65	2.38	2 28	1 42	1.33						
Calling Fort without Caller ID				1	02. 05	02	1.00	2.00	2.20	2							
Capability UEPSB UEPBE 1.65 2.38 2.28 1.42 1.33					LIEPSB	LIEPRR	1.65	2 38	2 28	1 42	1 33						
Capability			+	+	OLI OD	OLI DD	1.00	2.00	2.20	1.72	1.00						
Subsequent Activity					LIEDOD	LIEDDE	1.65	2 20	2 20	1 /2	1 22						
FEATURES	-		+	+							1.33	-	-				
All Available Vertical Features			+	-	UEFSB	USASC	0.00	0.00	0.00								
All Available Vertical Features UEPVF 3.04 0.00 0.00	FEF		+	<u> </u>	HEDOD	LIED\/E	2.04	0.00	0.00								
EXCHANGE PORT RATES (DID & PBX)	\vdash			-	UEPSB												
2-Wire VG Unbundled 2-Way PBX Trunk - Res				-		UEPVF	3.04	0.00	0.00								
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus UEPSP UEPPC 1.65 31.34 14.88 13.97 0.90	EXC			<u> </u>													
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus UEPSP UEPPO 1.65 31.34 14.88 13.97 0.90				<u> </u>													
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus UEPSP UEPLD 1.65 31.34 14.88 13.97 0.90																	
2-Wire Nation Long Distance Terminal PBX Trunk - Bus UEPSP UEPLD 1.65 31.34 14.88 13.97 0.90																	
2-Wire Voice Unbundled PBX LD Terminal Ports																	
2-Wire Voice Unbundled 2-Way PBX Usage Port																	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPSP UEPXB 1.65 31.34 14.88 13.97 0.90			1														
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPSP UEPXC 1.65 31.34 14.88 13.97 0.90																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90					UEPSP		1.65	31.34	14.88	13.97							
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPSP UEPXE 1.65 31.34 14.88 13.97 0.90					UEPSP	UEPXD			14.88	13.97	0.90						
Capable Port UEPSP UEPXE 1.65 31.34 14.88 13.97 0.90																	
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPSP UEPXL 1.65 31.34 14.88 13.97 0.90	1 1				UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90						
Administrative Calling Port			1	1	-	1				1	1			İ			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPSP UEPXM 1.65 31.34 14.88 13.97 0.90					LIEPSP	UEPXI	1.65	31 34	14 88	13 97	0 90						
Room Calling Port			1	1		J /\L	1.00	01.04	14.00	10.07	0.00	†	†	†		 	1
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPSP UEPXO 1.65 31.34 14.88 13.97 0.90			1	1	LIEPSP	HEDYM	1 65	21 24	1/ 90	13.07	0.00	1	1	1		1	1
Discount Room Calling Port	 		+	+	OLI 01	OLI AIVI	1.00	31.34	14.00	13.97	0.90	-	-	1	 	 	
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXS 1.65 31.34 14.88 13.97 0.90			1	1	LIEDOD	LIEDVO	1.65	24 24	44.00	12.07	0.00	1	1	1		1	1
2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus UEPSP UEPXT 1.65 31.34 14.88 13.97 0.90	 		+	+-								-	-			-	-
Calling Port	 		+	+	UEPOP	UEPXS	1.65	31.34	14.88	13.97	0.90	-	-	 	-	-	-
Subsequent Activity					LIEDOD	LIEDVE	4.0-	24.01	44.00	10.00	0.00						
FEATURES	\vdash		+	-							0.90						
All Available Vertical Features	<u> </u>		4	1	UEPSP	USASC	0.00	0.00	0.00	ļ							
EXCHANGE PORT RATES (COIN)	FEA			1		<u> </u>				ļ	L						
Exchange Ports - Coin Port 1.65 2.38 2.28 1.42 1.33	\vdash	All Available Vertical Features		1	UEPSP UEPSE	UEPVF	3.04	0.00	0.00	ļ	L						
Local Switching Features offered with Port	EXC			<u> </u>		1				ļ	ļ						ļ
	\vdash			<u> </u>		1	1.65	2.38	2.28	1.42	1.33						ļ
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.											L						
Try	NO	OTE: Transmission/usage charges associated with POTS circuit	witched	l usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Cl	hannels assoc	ated with 2	wire ISDN	oorts.			

UNBI	JNDLEI	O NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	_	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
	NOTE	Access to B Channel or D Channel Packet capabilities will be	:	-11	. there were DED/New	Dueinese De	aurest Dueses	First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
HINDH		OCAL EXCHANGE SWITCHING(PORTS)	avanai	T Only	/ Illiough BFR/New	Dusiliess Re	quest Process.	Rates for the	раскет сарав	littes will be de	termined via t	ne bona ric	l Request	livew busines:	i Request Fro	cess.	
ONBO		NGE PORT RATES															
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57			3.77						
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
<u> </u>	NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			atad colds a	I IODA:		 		
\vdash		Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be													Poguest Bro	0000	
—	EXCHA	NGE PORT RATES (continued)	z avanal	le only	, anough brk/New	Lusiness Ke	quest riocess.	rates for the	Packer Capab	inges will be de	remmeu via t	ine bolla fil	ae nequest/	New Dusines:	s Nequest Pro	cess.	
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		†									<u> </u>				
	1	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10						
	1	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10		İ	l	İ		
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
		Virtual collocation - Special Access & UNE,cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			UEPEX	LIEDAA	0.00	4 000 00		450.40							
-	-	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		<u> </u>	UEPEX	UEP1A	0.00	1,808.00		156.43							
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	175.53									
	New or	Additional PRI Telephone Numbers			02. 27.	02	0.00	110.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or															
		Additional			UEPDX	UEP1E	0.00	0.49	0.49								
	1	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OLI DX	OLI IL	0.00	0.43	0.43								
1	1	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07								
	LOCAL	NUMBER PORTABILITY											İ	İ			
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	ACE (Provsioning Only)			-			•									
<u> </u>		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
<u> </u>	1	Digital Data		<u> </u>	UEPEX	PR71D	0.00	0.00	0.00								
-	Many	Inward Data		-	UEPDX	PR71E	0.00	0.00	0.00						-		
-	new or	Additional Channel New or Additional - Voice/Data "B" Channel	-	-	UEPEX	PR7BV	0.00	14.56	-			-		-	-		
\vdash	+	New or Additional - Voice/Data B Channel New or Additional - Digital Data "B" Channel	1	 	UEPEX	PR7BF	0.00	14.56				 		 	 		
	+	New or Additional Inward Data "B" Channel		t	UEPDX	PR7BD	0.00	14.56				-					
	1	New or Additional Useage Sensitive Voice Data "B" Channel		†	UEPEX	PR7BS	0.00								İ		
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00								1		
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.56									
	CALL 1																
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	1	Outward	ļ	<u> </u>	UEPEX	PR7CO	0.00	0.00	0.00								
-	LINDUS	Two-way IDLED PORT with REMOTE CALL FORWARDING CAPABILITY		-	UEPEX	PR7CC	0.00	0.00	0.00						-		
-		IDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-			-		-			-		-	-		
—	ONBON	Unbundled Remote Call Forwarding Service, Area Calling, Res	 	-	UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33	 	1	 	 		
		one and the motor of the and the grant of the and the state of the sta	<u> </u>		U-1 VIX	3211/10	1.00	2.30	2.20	1.42	1.33	L	1		·		

ARTEORY RATE ELEMENTS May Service S	UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATTEMPS AND ANY RELEMENTS ANY RELEMENTS AND APPLIED NOT APPLIE													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Color Colo				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
	CATE	ORY	RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													l .	'	Electronic-	Electronic-	Electronic-	Electronic-
March September Septembe															1st	Add'l	Disc 1st	Disc Add'l
March September Septembe		1							Nonros	u.vein a	Monroquerina	Disconnect			220	Potos (¢)		
Description Provided Person Col Forwarding Service, Load Culting, Fig. 1.65 2.55 2.28 1.60 1.55 1.	-							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Libroration Remote California Services (California Services (California Services) (Cal									11130	Auu i	THOU	Auu i	OOMILO	JOINAIN	JONAN	JONIAN	JOWAN	JONAN
Libroration Remote California Services (California Services (California Services) (Cal			Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						1
Non-Recurring Non-Recurrin							UERTE											
Unburded Remote Cell Forwarding Service - Conversion with USPAC 0.10 0.			Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Santh-ase Upper		Non-Re																
Unbunded Remote Cell Fromating Service - Conversion with allowed design EPC and LPDC U. U. U. U. U. U. U. U																		1
International Control (PC)						UEPVR	USAC2		0.10	0.10								
Unbundled Remote Call Forwarding Service, Decad Calling - Suns UEPVB UERIC 1.65 2.38 2.28 1.42 1.33																		1
Unbounded Ramete Call Forwarding Sentice, Local Calling - Bas UEPVB UERAC 1.60 2.38 2.28 1.42 1.33						UEPVR	USACC		0.10	0.10								
Unbundled Remote Call Forwarding Sentes, Local Calling - Bus UFP/NB UFPIC 1.65 2.38 2.28 1.42 1.33	-	UNBU	IDLED REMOTE CALL FORWARDING - Bus								1							├
Unbundled Remote Call Forwarding Sentes, Local Calling - Bus UFP/NB UFPIC 1.65 2.38 2.28 1.42 1.33		1	Unbundled Remote Call Forwarding Sonico Area Calling Bus			LIED\/R	LIERAC	1 65	2 20	2.20	1 40	1 22		1				1
Unbounded Remote Call Forwarding Service, InterAIA.* Bus UEPVB UERTE 1.65 2.38 2.28 1.42 1.33	-	 	Combunitied Remote Call Forwarding Service, Area Calling - Bus		1	ULF VD	UERAC	1.03	2.38	2.28	1.42	1.33				 		\vdash
Unbounded Remote Call Forwarding Service, InterAIA.* Bus UEPVB UERTE 1.65 2.38 2.28 1.42 1.33		1	Unbundled Remote Call Forwarding Service Local Calling - Rus			UEPVB	UFRI C	1.65	2 38	2 28	1 42	1 33	1	1				1
Unbounted Remote Call Provading Service Expanded and Exception Local Calling UEPVB UERV 1.65 2.38 2.28 1.42 1.33	—	 			t									 				\vdash
Unbundled Ferroration Grant Crising Service Equanded and Exercising Service Conversion - UEPVB UERVJ 1.65 2.38 2.28 1.42 1.33																		
Exception Local Calling																		
Unburnded Remote Call Forwarding Service - Conversion - UEPVB USAC2						UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
Sanch-as-is		Non-Re	ecurring															
Unbundled Remote Call Florwarding Service - Conversion with all purply USACC			Unbundled Remote Call Forwarding Service - Conversion -															
Blowed change (PIC and LPIC)						UEPVB	USAC2		0.10	0.10								
UNBUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching (Purcles), Pet MOU End Office Switching (Purcles), Pet MOU End Office Trush For Shared, Pet MOU End Office Trush For Shared, Pet MOU End Office Trush For Shared, Pet MOU End Office Trush For Shared, Pet MOU End Office Trush For Shared, Pet MOU End Office Trush For Shared, Pet MOU End Office Trush For Shared, Pet MOU (Medded) End																		1
End Office Switching (Port Usage)		<u> </u>				UEPVB	USACC		0.10	0.10								
End Office Switching Function, Per MOU	UNBU																	
End Office Trunk Port - Shared, Per MOU		End Of						0.0040540										
Tandem Switching (Port Usage) (Local or Access Tandem)	-	-			<u> </u>						-							
Tandem Tourk Port - Shared, Per MOU		Tander					1	0.0002136			1							\vdash
Tandem Trunk Port - Shared, Per MOU Moleded		rander						0.0001634										
Tandem Switching Function Per MOU (Melded)																		
Melded Factor: 30.30% of the Tandern Rate																		
Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per MOU Common Transport - Realities Termination Per Mount			Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749										
Common Transport - Fer Mile, Per MOU Common Transport - Facilities Termination Per MOU UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. End office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges shall be those identified in the Nonrecurring churrently Combined Scottons. 2 WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates																		
Common Transport - Facilities Termination Per MOU 0.0004095		Comm																
UNBENDLED PORTALOOP COMBINATIONS - COST BASED RATES Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. 2-Wire Voic GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates UNE port/Loop Combination Rates 2-Wire ViG Loop/Port Combo - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																		
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. 2-Wire VOICE GRADE LOOP WITH 2-WIRE LUBP PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								0.0004095										
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	UNBU			l/ C4	-4- 0		and also Underson	diad Land Cui	talainan an Cunite	la Danta	1							├
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combos the nonrecurring charges shall be those identified in the Nonrecurring. Currently Combined Sections. UNE PORTLOOP Combination Rates UNE PORT (RES) UNE PORT (RES) UNE PORT (RES) UNE PORT (RES) UNE PORT (RES) UNE PORT (RES) UNE PORT (RES) UNE PORT (RES) UNE Value Val	—										nd Port section	of this Pate 5	l vhihit					\vdash
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE PORT/Loop Combination Rates	-													n Port/Loor	Combination	ns.		\vdash
2-Wire Voice Grade Loop WiTH 2-WiRE LINE PORT (RES)																		\vdash
UNE Port/Loop Combination Rates				, 3			,			, goo ciid						T		
2-Wire VG Loop/Port Combo - Zone 1				1							1		İ			İ		
2-Wire VG Loop/Port Combo - Zone 3 3 27.17		i –			1			14.89								1		
UNE Loop Rates					2													
2-Wire Voice Grade Loop (SL1) - Zone 1					3			27.17										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 20.38		UNE L			<u> </u>		L				1					ļ		↓
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 26.04	L	ļ									ļ							
2-Wire Voice Grade Line Port Rates (Res)	<u> </u>	!									 							\vdash
2-Wire voice unbundled port - residence	—	2-///:			3	UEPKX	UEPLX	26.04			-				-		-	\vdash
2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled port outgoing only - res UEPRX UEPRO 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled South Carolina extended local dialing parity port with Caller ID - res UEPRX UEPAU 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res UEPRX UEPAU 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled South Carolina Area Calling port with	—	z-wire			1	LIEPRX	LIEPRI	1 12	40 30	10 00	24 00	6 65				 		\vdash
2-Wire voice unbundled port outgoing only - res UEPRX UEPRO 1.13 40.30 19.90 24.98 6.65 LUEPRX UEP	-	 			†								 					\vdash
2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res UEPRX UEPAU 1.13 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.13 40.30 19.90 24.98 6.65		†		†	†								†	 				\vdash
dialing parity port with Caller ID - res UEPRX UEPAU 1.13 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.24 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 6.65 UEPRX UEPAU 1.34 40.30 19.90 24.98 19.90 UEPRX UEPAU 1.34 40.30 19.90 24.98 19.90 UEPRX UEPAU 1.34 40.30 19.90 24.98 19.90 UEPRX UEPAU 1.34 40.30 19.90 24.98 19.90 UEPRX UEPAU 1.34 40.30 19.90 24.98 19.90 UEPRX UEPAU 1.34 40.30 19.90 UEPRX UEPAU 1.34 40.30 UEPAU 1.3		1						0	.0.00		250	0.30				1		\vdash
2-Wire voice unbundled South Carolina Area Calling port with	1	1				UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65	1	1				1
Caller ID - res (LW8) UEPRX UEPAJ 1.13 40.30 19.90 24.98 6.65			2-Wire voice unbundled South Carolina Area Calling port with															
	L	<u> </u>	Caller ID - res (LW8)		Ш.	UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65	<u> </u>					<u>1 </u>

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
CHECHEL	The state of the s										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAD	4.40	07.00	40.70								
\vdash	(LUM)			UEPRX	UEPAP	1.13	37.93	16.72				-				
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
\vdash	2-Wire voice unbundled South Carolina Area Calling Port	-	-	ULFRA	OLFVVL	1.13	40.30	19.50	24.90	0.03	1					
	without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITON	OLI IXO	1.10	40.00	10.00	24.00	0.00	1					
	Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	•														
L	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	USAS2	0.00	0.00	0.00								
	Activity Unburdled Missellensons Bots Flowert Tog Lean at End User		-	UEPRX	USAS2	0.00	0.00	0.00			-					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS			ULFRA	UNLIL		0.33	0.03			1					
0.17	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32	-					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0.14/17	or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				+							-				
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		+	14.89					-					
 	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.52										
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		+ -	27.17					 	-				
UNE	Loop Rates	l	Ť		+ +								1			
15.52	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	13.76						1	İ	l		
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port (Bus)									·						
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
\vdash	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65	-		ļ	 		
	2-Wire voice Grade unbundled South Carolina extended local			LIEDDY	LIEDA7	4.40	40.00	40.00	04.00	0.05						
\vdash	dialing parity port with Caller ID - bus	-	-	UEPBX UEPBX	UEPAZ UEPB1	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	1		 	-		
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	 	 	OLPDA	UEPBI	1.13	40.30	19.90	24.98	60.0		-	1	 		
	with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	†		OLI DA	טבו אט	1.13	70.50	13.30	24.30	0.00	 	-				
	without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Business Area Calling				1							İ		İ		
	Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
LOCA	L NUMBER PORTABILITY															

UNBUNDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
CHECHEL			1	I							Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\longrightarrow	Level Newton Boots Pile (4 and and)			LIEDDY	LNDOV		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35										
FEAT	All Features Offered		-	UEPBX	UEPVF	3.04	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFBX	OLF VI	3.04	0.00	0.00								
- Itoltic	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-													
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1								1	1				
055/0	Premise		ļ	UEPBX	URETL		8.33	0.83			ļ		 	ļ	 	
OFF/C	N PREMISES EXTENSION CHANNELS		4	LIEDBY	LIEAEN	4404	27.00	47.00	00.50	F 00				-		
\vdash	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design	-		UEPBX UEPBX	UEAEN UEAEN	14.94 21.39	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32		-	-	-	1	
 	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
—	2 Wire Analog Voice Grade Extension Loop – Non-Besign		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTER	OFFICE TRANSPORT		ĺ													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L	or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-													
UNE	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 1	-	2			21.52										
 	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE L	oop Rates					27.17										
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY			LIEDDO	LNDOD	0.45	0.00	0.00								
EEAT	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	All Features Offered	-	-	UEPRG	UEPVF	3.04	0.00	0.00			-					
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI INO	OLI VI	3.04	0.00	0.00				 				
THE REAL PROPERTY.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l			1									1		
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.93	1.91								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LIEBBO	110400							1				
\vdash	Subsequent Activity		<u> </u>	UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group		1		1		7.34	7.34			1	1				
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	 		+		1.34	1.34					 	 	 	
	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	IN PREMISES EXTENSION CHANNELS	l					3.33	0.00						1		
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	İ		İ		İ	
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
	Local Channel Voice grade, per termination			UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71		l	<u> </u>	l	<u> </u>	

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
CIVECIVEL	Oddin odronna	1	1	I							Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									'	'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		l
		 				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade	1	3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71	0020	00		00		00
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	ļ		UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDO	LIATION	0.0407	0.00	0.00								
2.W/ID	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		UEPRG	U1TVM	0.0167	0.00	0.00			1					
	Port/Loop Combination Rates	 														
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	2	UEPPX UEPPX	UEPLX	20.38 26.04										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	1	3	UEPPA	UEPLA	20.04										
	Voice Grade Enter of traces (BGG 1 BA)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports	ļ		UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>		UEPPX UEPPX	UEPXA UEPXB	1.13 1.13	69.26 69.26	32.50 32.50	37.53 37.53	6.22 6.22						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								2.1.00							
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	ļ		UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		UEPPA	UEPAIVI	1.13	09.20	32.50	37.53	0.22						
	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY	ļ		LIEBBY .	LUBOR	0.15										
EEAT	Local Number Portability (1 per port) URES	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00								
FLAT	All Features Offered	1		UEPPX	UEPVF	3.04	0.00	0.00								
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.04	0.00	0.00								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	i –										Ì				
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l												
45	Conversion - Switch with Change	-		UEPPX	USACC		7.93	1.91								
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>														
	Subsequent Activity		l	UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	t -	<u> </u>		00.02	0.00	0.00	0.00								
	Group	<u></u>	L	<u> </u>			7.34	7.34			<u></u>	<u></u>	<u> </u>			<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	 		UEPPX	URETL		8.33	0.83			ļ					
OFF/0	ON PREMISES EXTENSION CHANNELS	<u> </u>	L .	LIEDDY	DO ILIV	40.00	405.00	00.40	F2.05	40.01	<u> </u>		ļ			
\vdash	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	 	2	UEPPX UEPPX	P2JHX P2JHX	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61	1					
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	 	3	UEPPX	P2JHX P2JHX	28.46	105.98	68.43	53.05	10.61	1					
	Non-Wire Direct Serve Channel Voice Grade	t	1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42	1					
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	INTER	DFFICE TRANSPORT	-	-													-
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDDY	LIATVO	24.20	40.00	07.47	40.77	0.04						
-	-		-	-	UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						-
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0407	0.00	0.00								
	2 MIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR)		UEPPX	U1TVM	0.0167	0.00	0.00			-					
		ort/Loop Combination Rates	K I	-		+											+
	UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		+	14.89										-
		2-Wire VG Coin Port/Loop Combo – Zone 2	-	2		+	21.52										+
	-	2-Wire VG Coin Port/Loop Combo – Zone 3	-	3		+	27.17					-	-				-
-	LINE L	pop Rates		3			21.11									1	-
	OIVE EV	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
-	 	2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPCO	UEPLX	26.04						 				
	2-Wire	Voice Grade Line Ports (COIN)	†			52. Z/	20.04					-	 				†
	2 ******	2-Wire Coin 2-Way without Operator Screening and without															†
		Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,									0.00						
		900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
		with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward without Blocking and without Operator															
		Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						ļ
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			LIEDOO	LIEBOD	4.40	40.00	40.00	04.00	0.05						
-	-	011+, Local; Enhanced Calling OPT 3YW (SC)	-	-	UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						-
	-	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except	-		UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
l	1	LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		1				
-	ADDIT	ONAL UNE COIN PORT/LOOP (RC)	 	-	ULPCU	UEFUR	1.13	40.30	19.90	∠4.98	0.05	-	 		 	 	
-	ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)	 	-	UEPCO	URECU	4.05	0.00	0.00	0.00	0.00	-	 		 	 	
-	LOCAL	NUMBER PORTABILITY	 	-	OLFOO	UNLOU	4.00	0.00	0.00	0.00	0.00	-	 		 	 	
-	LOUAL	Local Number Portability (1 per port)	 		UEPCO	LNPCX	0.35						-		 	 	
-	NONPE	ECURRING CHARGES - CURRENTLY COMBINED	 		02100	LIVIOA	0.55						-		 	 	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				_						-	 				†
l	1	Switch-as-is	1		UEPCO	USAC2		0.10	0.10				1				
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						00	5.70						1	1	
l		Switch with change			UEPCO	USACC		0.10	0.10								
	ADDIT	ONAL NRCs	İ														
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					İ										
	<u> </u>	Premise	<u> </u>		UEPCO	URETL		8.33	0.83							<u> </u>	
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	PORT (RES)												
	UNE P	ort/Loop Combination Rates															ļ
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Inter.			1						Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonred			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.46										
2-Wii	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local			LIEDED	L.ED									1		
	dialing parity port with Caller ID - res	!		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33				-		
	2-Wire voice unbundled South Carolina Area Calling port with	1		LIEDED	[1	1		I		
	Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33				_		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	!		UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33				-		
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1											
	or Fraction Mile			UEPFR	1L5XX	0.0134										
FEA	TURES					,										
	AL NUMBER PORTABILITY		_	UEPFR	UEPVF	3.04	0.00	0.00								
LOCA		<u> </u>	-	LIEDED	LNDOV	0.05										
NON	Local Number Portability (1 per port)	<u> </u>		UEPFR	LNPCX	0.35					-		-			
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	110400		0.50	4.07								
	Combination - Conversion - Switch-as-is	<u> </u>		UEPFR	USAC2		8.50	1.87			-		-			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACC		8.50	1.87								
	Combination - Conversion - Switch-With-Change	1	-	UEPFR	USACC		8.50	1.87								-
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.24	1.10								
0.14/11	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI		ODT (UKETN		11.24	1.10			-		-			
	Port/Loop Combination Rates	LINE	JORT (l Busj												
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1		+	18.00			ļ		-	-	-	-		-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ł	2		+ +	24.45			1					-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u> </u>	3		+	29.78			ļ		-	-	-	-		-
LINE	Loop Rates	 	3		+	29.18			1		-	-	 	 	 	1
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	16.68			1	 	1	-	1	 	1	ł
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFB	UECF2	23.13			1	 	1	-	1	 	1	ł
	2-Wire Voice Grade Loop (SL2) - Zone 2	 		UEPFB	UECF2	28.46				 			 	 	 	1
2-Wii	re Voice Grade Line Port (Bus)	 	-	02.10	32012	20.40							 	 	 	1
2-4411	2-Wire voice unbundled port without Caller ID - bus	 		UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33			 	 	 	1
 	2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33			 	 	 	1
	2-Wire voice unbundled port with Carlet + E464 ID - bus	 		UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33		-		t		†
	2-Wire voice Grade unbundled South Carolina extended local	t		02.10	32. 50	1.02	100.00	70.71	1.42	1.55				<u> </u>		
	dialing parity port with Caller ID - bus	1		UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33	1	1		I		
	2-Wire voice unbundled incoming only port with Caller ID - Bus	 		UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33		-		t		†
	2-Wire voice unburidled South Carolina Bus Area Calling Port	l -			(52. 51	1.02	100.00	70.71	172	1.55			i	†	i	1
	with Caller ID (LMB)			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				1		
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	l -			02.7.0	1.02	100.00	70.71	172	1.55			i	†	i	1
	without Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33				1		
LOCA	AL NUMBER PORTABILITY	†	—		7=								i	1	i	1
	Local Number Portability (1 per port)	†		UEPFB	LNPCX	0.35				i			i	1	i	İ
INTE	ROFFICE TRANSPORT	t				0.00				İ			İ	1	İ	Ì
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		İ	1 1						1	İ	İ	İ	İ	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
			l								1	Submitted		Charge -	Charge -	Charge -
		Inter!	1								Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonre		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0134										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.24	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE F	ORT (PBX)							ļ		ļ		ļ	
UNE	Port/Loop Combination Rates	ļ	<u> </u>								ļ		ļ		ļ	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			18.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			29.78					ļ		ļ		ļ	
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	16.68										1
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	23.13										1
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										1
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	l	1						1					
	Room Calling Port	ļ		UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51	ļ		ļ		ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	ļ		UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51	ļ		ļ		ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51	1			ļ		_
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port		<u> </u>	UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51	1			ļ		_
LOCA	AL NUMBER PORTABILITY	!		LIEDED	LNDCD				-		<u> </u>	-	.	ļ	.	
	Local Number Portability (1 per port)		<u> </u>	UEPFP	LNPCP	3.15	0.00	0.00			1			ļ		.
INTE	ROFFICE TRANSPORT	!			+						-					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	LIEDED	11477.00			:-			1					
	Termination	!		UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91	<u> </u>	-	.	ļ	.	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5727	0.040.										
	or Fraction Mile	!		UEPFP	1L5XX	0.0134			-		<u> </u>	-	.	ļ	.	
FEAT	TURES	!		LIEDED	LIED) (E	0.01	0.00	0.00	-		<u> </u>	-	.	ļ	.	
110	All Features Offered	!	<u> </u>	UEPFP	UEPVF	3.04	0.00	0.00	 		 	-	-	1	-	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	!	-		+						}	 	 	1	 	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.50	4.6=								
	Combination - Conversion - Switch-as-is	<u> </u>	<u> </u>	UEPFP	USAC2		8.50	1.87			ļ			ļ		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110466											
	Combination - Conversion - Switch with change	!		UEPFP	USACC		8.50	1.87	-		<u> </u>	-	.	ļ	.	├
ı l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.51	4								
LINDUNE: ==	End User Premise	!	-	UEPFP	URETN		11.24	1.10			}	 	 	1	 	
	PORT/LOOP COMBINATIONS - COST BASED RATES	1	<u> </u>		4						ļ	-		ļ		
2-WII	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	CPORT											l			<u> </u>

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fyhi	bit: A
OIADC	MULL	NETWORK ELEMENTS - South Carolina	I	T .			1	1					Svc Order	Svc Order	Incremental		Incremental	
														Submitted		Charge -	Charge -	Charge -
			l										Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m		_					== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
															151	Add I	DISC ISL	DISC Add I
							Ī	Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
	ļ	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	ļ	2			ļ	30.20										
	LINIE I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			1	35.52										
-	UNE LO	pop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX		UECD1	16.68					-					
-	-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	-		UEPPX		UECD1	23.13					-					
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
	UNF P	ort Rate		<u> </u>	OLITA		OLOD1	20.40					-					
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
<u> </u>	<u> </u>	Switch-as-is	<u> </u>	<u></u>	UEPPX		USAC1		7.32	1.87					<u></u>		<u> </u>	<u> </u>
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
		with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
	ADDITI	ONAL NRCs																
	ļ	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ		UEPPX		USAS1		26.84									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	T - 1 1	End User Premise			UEPPX		URETN		11.24	1.10								\vdash
-	reiepn	one Number/Trunk Group Establisment Charges	-	<u> </u>	UEPPX		NDT	0.00	0.00	0.00			-					
-	1	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group	1	1	UEFFA		וטוו	0.00	0.00	0.00			1					
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers		1	UEPPX		ND4	0.00	0.00	0.00			-					
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE Po	ort/Loop Combination Rates	ļ				ļ											
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDDD	HEDDD	.1	00.00										1
-	-	UNE Zone 1	-	1	UEPPB	UEPPR		30.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		38.60										1
	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1		UEPPB	UEPPR	+	30.00					1					
		UNE Zone 3		3	UEPPB	UEPPR		44.23										
	UNE L	pop Rates		ľ	OLITE	OLITIK	1	44.20										
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
	l	·	l				1									1		
	<u> </u>	2-Wire ISDN Digital Grade Loop - UNE Zone 2	<u> </u>	2	UEPPB	UEPPR	USL2X	29.64									<u></u>	<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
	UNE P	ort Rate					L											
		Exchange Port - 2-Wire ISDN Line Side Port	ļ		UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	ļ	<u> </u>		+						-		 	ļ	 	
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	HEDDD	LICACD	0.00	20.52	07.00								1
-	ADDIT	Combination - Conversion ONAL NRCs	 	 	UEFFB	UEPPR	USACB	0.00	38.59	27.08			 	 	 	 	 	
 	755111	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 	 	1		<u> </u>	 					 		 	 	 	
		End User Premise			UEPPB	UEPPR	URETN		11.24	1.10								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			1		1	1		0					İ	İ	İ	
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								1
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
	ļ	CVS/CSD (DMS/5ESS)	ļ	<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	_	CVS (EWSD)	_		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
<u> </u>	D CITA	CSD	C MC ^	TAIL	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00				 	 	.	-	\vdash
	p-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	∪,IVI S, &	: IN)	l		1						1	l	l	L	l	

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fxhi	bit: A
ONDONDE	The first the fi	1					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				Rec	Nonre		Nonrecurring		001450	001111		Rates (\$)	001141	001141
	CVS/CSD (DMS/5ESS)	-	-	UEPPB	UEPPR	U1UCD	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
L	facilities termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
4 14/10	Interoffice Channel mileage each, additional mile E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K DODT	1	UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
	NE-P DS1 combination rates below for in this rate exhibit appl			Idad hase	in nlace a	e of 10/2/03 i	Intil 4/1/04 Af	tor 4/1/04 these	rates shall re	ert to tariff rat	os or a sonara	te commerc	al agreeme	nt			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital																
	Port/Loop Combination Rates		1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			176.82										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP		ļ	347.84										
UNE L	oop Rates		1	UEPPP		1101 4D	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPPP		USL4P USL4P	155.43										
-	4-Wire DS1 Digital Loop - UNE Zone 2	1	3	UEPPP		USL4P	261.89					-					
LINE F	Port Rate		3	UEFFF		USL4F	201.09										
ONE !	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								1
ADDIT	TONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)	ļ	ļ	UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TO		44.54	44.54								
-	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	+	UEPPP		PR/10		11.54	11.54			-					
1 1	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07				1				, [
LOCA	L NUMBER PORTABILITY			OLITI		110/21		20.07	20.07								
	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75								İ		
	Voice/Data		1	UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel	L	<u> </u>	LIEBBE		DD#D\/							ļ		ļ		,
	New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BV	0.00	14.56									
\vdash	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	1	1	UEPPP		PR7BF PR7BD	0.00	14.56 14.56				1					
CALL	TYPES	 	1	UEPPP		LKIBD	0.00	14.56			 	 			 		
CALL	Inward	t	 	UEPPP		PR7C1	0.00	0.00	0.00			-	 				
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way	1		UEPPP		PR7CC	0.00	0.00	0.00		l				ĺ		
Intero	ffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	<u> </u>	<u> </u>		1	L			L			L				
The U	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embed	ided base	in place a	is of 10/2/03 ι	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	ert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eftert/Loop Combination Rates	rective o	ate of	tnis amer	iament sha	iii be provide	ea pursuant to	a separate agre	ernent or tarif	at BeilSouth's	aiscretion.	1					
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC		1	149.77	1			 	 			 		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC		+	214.33	1		 	 	H			 		
\Box	Do. Digital Loop/TV DDITO Hallict Oil CIVE Zolle Z			00.00		1	217.00	L		L	L		L		1		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ł		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
1																
1													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC		320.78	11100	Auui	11100	Addi	COMILO	COMPAN	OOMAN	COMPAN	OOMAN	COMPAR
LINE	Loop Rates	_		OLI DO	+	320.70										
OIAL I	4-Wire DS1 Digital Loop - UNE Zone 1	_	1	UEPDC	USLDC	90.87										
	4-Wire DC4 Digital Loop - UNE Zone 1	<u> </u>		UEPDC	USLDC											
$\vdash \vdash \vdash$	4-Wire DS1 Digital Loop - UNE Zone 2	-	2			155.43					ļ					
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ļ		UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20	ļ					
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
i l	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
i l	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
1	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	İ	1						1	İ	İ	İ		i
ı l	- Conversion with Change - Trunk (E:4/1/2004)		1	UEPDC	USAWB		129.78	67.17				l		l		1
ADDI	TIONAL NRCs	 	 	02.100	30,440		123.10	07.17	1		1	 	 	 		
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	+	-	-	+				1		 	-	-	-		-
1				UEPDC	LIDTTA		44.54	44.54								
$\vdash \vdash \vdash$	Subsequent Channel Activation/Chan - 2-Way Trunk	-		UEPDC	UDTTA		14.51	14.51			ļ					
i l	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
\sqsubseteq	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51								
i l	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51								
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
i l	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan										İ					
i l	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51								
BIPO	LAR 8 ZERO SUBSTITUTION			02. 50	05.12			1 1.01			1					
15.1.0	B8ZS -Superframe Format	 	 	UEPDC	CCOSF		0.00i	605.00s			1					
	B8ZS - Extended Superframe Format	_	 	UEPDC	CCOEF			605.00s								
Alton	nate Mark Inversion	-	-	OLFDC	CCOLI		0.001	003.008			-					
Aiteri		<u> </u>		LIEDDO	140005		0.00	0.00								
$\vdash \vdash \vdash$	AMI -Superframe Format	-		UEPDC	MCOSF		0.00	0.00			ļ					
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group	ļ		UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
ı T	DID Numbers, Establish Trunk Group and Provide First Group		1													l
I	of 20 DID Numbers	<u></u>	<u>L</u>	UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers, Per Number		1	UEPDC	ND5	0.00	0.00	0.00				ĺ	ĺ	ĺ		l
\Box	Reserve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00			1	İ	İ	İ		i
	Reserve DID Numbers	1	t	UEPDC	NDV	0.00	0.00	0.00			1	i e	i e	i e		i
Dedir	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Dinita	Loon			0.00	0.00	0.00			1	 	l	 		1
Deale	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	. Digital			ank i Oit						1	 	 	 		
ı I	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
	remination)	1	-	UEPDC	ILINUT	77.14	89.47	81.99	16.39	14.48	 	.	ļ	-		
1					1											
$\vdash \vdash$	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	 	!	UEPDC	1LNOA	0.3415	0.00	0.00								
1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
\sqsubseteq	Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00			1					
1 -	Interoffice Channel Mileage - Additional rate per mile - 9-25															
I	miles	<u></u>	<u>L</u>	UEPDC	1LNOB	0.3415	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
ı l	Termination)	1	1	UEPDC	1LNO3	0.00	0.00	0.00				l	l	l		1
\Box	, , , , , , , , , , , , , , , , , , ,		1	İ	1	2.20	2.30	2.30			1	İ	İ	İ		i
ı I	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3415	0.00	0.00								
	Local Number Portability, per DS0 Activated	t	t	UEPDC	LNPCP	3.15	0.00	0.00			1	 	 	 		
	Central Office Termininating Point	+	 	UEPDC	CTG	0.00	0.00	0.00	1		1	 	 	-		
\vdash		1	1	ULFDU	UIG	0.00		ı	1	ı	1	1	1	1	1	
4 18/15		i -	1													
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT om is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	dissatia														

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
						I					Svc Order	Svc Order	Incremental			
Ì			l			1					I .	Submitted	Charge -	Charge -	Charge -	Charge -
í		l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec		curring		g Disconnect				Rates (\$)		
\longrightarrow							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	<u> </u>
	uests for 4-Wire DS1 Loop with Channelization with Port after the	e effecti	ve dat	e of this amendme	nt shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discreti	on.					
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	ļ		UEPMG	USLDC	90.87	0.00	0.00								↓
	4-Wire DS1 Loop - UNE Zone 2	ļ		UEPMG	USLDC	155.43	0.00	0.00								↓
	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	261.89	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	-	LIEDMO) (I II) 40 4	00.70	0.00	0.00			1					-
	24 DSO Channel Capacity - 1 per DS1	<u> </u>	-	UEPMG UEPMG	VUM24 VUM48	82.78	0.00	0.00			1					-
+-	48 DSO Channel Capacity - 1 per 2 DS1s	<u> </u>		UEPMG	VUM96	165.56	0.00	0.00			-		-			+
	96 DSO Channel Capacity -1per 4 DS1s	<u> </u>				331.12		0.00			-		-			+
+-	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s	 	 	UEPMG UEPMG	VUM14 VUM19	496.68 662.24	0.00	0.00				 	-		-	+
-+-	240 DS0 Channel Capacity - 1 per 8 DS1s	 	 	UEPMG	VUM19 VUM2O	827.80	0.00	0.00			}	 	 	 	 	+
	288 DS0 Channel Capacity - 1 per 10 DS1s	 	 	UEPMG	VUM28	993.36	0.00	0.00			 	-		 		+
	384 DS0 Channel Capacity - 1 per 12 DS1s	 	 	UEPMG	VUM38	1,324.48	0.00	0.00			}	 	 	 	 	+
-+-	480 DS0 Channel Capacity - 1 per 16 DS1s	 	-	UEPMG	VUM4O	1,655.60	0.00	0.00			 		-	+		+
-	576 DS0 Channel Capacity - 1 per 20 DS1s	1	 	UEPMG	VUM57	1,986.72	0.00	0.00			1		1	+	1	+
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84	0.00	0.00			<u> </u>		1		1	+
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chanr						0.00								
	nimum System configuration is One (1) DS1, One (1) D4 Channe						Sterri				<u> </u>		1		1	+
	iples of this configuration functioning as one are considered A										†					+
Michie	NRC - Conversion (Currently Combined) with or without	I	1110 11	linninanii system oo	Illigaration is	l l					1					
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat					0.00			1					
	(Not Currently Combined) in all states, except in Density Zone										İ					
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1		1							İ					†
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent	İ														1
	Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exch	ange Ports	ļ				ļ		ļ				ļ	ļ	1	ļ	
	Line Side Combination Channelized PBX Trunk Port - Business			LIEBBY	LIEBOY									1		1
	(E:4/1/2004)	<u> </u>	<u> </u>	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	1					
1	Line Side Outward Channelized PBX Trunk Port - Business		1	LIEDDY	LIEDOY							1		I		
	(E:4/1/2004)	 	-	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	ļ	-	-	 	-	+
. 1	Line Side Inward Only Channelized PBX Trunk Port without DID	1	1	LIEDDY	LIEDAY	1 440	0.00	0.00	0.00	0.00		1		I		1
	(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	 	<u> </u>	UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00	 		 	 	 	+
. 1	(E:4/1/2004)		1	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00		1		I		1
Eoot.	ure Activations - Unbundled Loop Concentration	 	 	OLPPA	UEPDIVI	7.09	0.00	0.00	0.00	0.00	}	 	 	 	 	+
realt	Feature (Service) Activation for each Line Port Terminated in D4	 	\vdash		+	 		 	 				 	 	 	+
	Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17				1		1
-+-	Feature (Service) Activation for each Trunk Port Terminated in	 	-	OLI I A	II SQ V V IVI	0.30	20.40	15.44	7.20	7.17	 	-	 	 	 	+
1	D4 Bank		1	UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60		1		I		1
Teler	phone Number/ Group Establishment Charges for DID Service	†			~***	0.50	70.01	10.40	55.57	11.50			1	<u> </u>	1	<u> </u>
1.0.00	DID Trunk Termination (1 per Port)	t		UEPPX	NDT	0.00	0.00	0.00		İ			İ	1	İ	1
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	l		UEPPX	NDZ	0.00	0.00	0.00					İ	t	İ	†
	DID Numbers - groups of 20 - Valid all States	t		UEPPX	ND4	0.00	0.00	0.00		İ			i	1	i	1
	Non-Consecutive DID Numbers - per number	1	i –	UEPPX	ND5	0.00	0.00	0.00	1		1		İ	İ	İ	†
	Reserve Non-Consecutive DID Numbers	1	Ì	UEPPX	ND6	0.00	0.00	0.00		l			İ	1	İ	1
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00								1
	I Number Portability	1								1	1	1	İ		İ	1
Loca	ii Number i Ortability															

					_											
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											1		Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			1					1
LOOKI	KATE ELEMENTO	m	20116	ВСО	0000			IXATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	1	Monro	urrina	Monroquerina	Disconnoct	-		000	Dotoo (\$)	l .	
$-\!\!\!\!-$						Rec		urring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															<u> </u>
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								
BUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3														
1. Cos	t Based Rates are applied where BellSouth is required by FCC	and/or	State C	Commission rule to	provide Unbi	undled Local Sv	vitching or Sw	ritch Ports.								
2. Fear	tures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rate	e section in the sam	ne manner as	they are applied	d to the Stand	-Alone Unbune	dled Port secti	on of this Rate	Exhibit.					ĺ
3. End	Office and Tandem Switching Usage and Common Transport	Usage r	ates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
4. The	first and additional Port nonrecurring charges apply to Not Cu	ırrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecui	rring - Curre	ently Combine	ed sections.	Additional NR	₹Cs may
	also and are categorized accordingly.	•			•							ū	•			•
	rket Rates for Unbundled Centrex Port/Loop Combination will	he nead	tiated	on an Individual Ca	se Basis, un	til further notice).				l					
	CENTREX - 5ESS (Valid in All States)	0090					-				1			 	 	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						1		 	 	1	
	Port/Loop Combination Rates (Non-Design)				+	-					 		 	-	1	+
UNE P					+						1		-	 	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		,											1		
	Non-Design		1	UEP95	1	14.89					1					↓
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ī			Ι Π							l			
	Non-Design		2	UEP95		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					i i										
	Non-Design		3	UEP95		27.17										
LINE P	Port/Loop Combination Rates (Design)				1						1					
- OILL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	. , ,		4	UEP95		17.81										
-+-	Design		1	UEP95	<u> </u>	17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					0.4.00										
	Design		2	UEP95		24.26					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		29.59										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										ĺ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	26.04										
\neg	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	16.68					1					<u> </u>
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	23.13									1	
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	28.46										
LINE			3	UEF95	UEC32	20.40					-				1	
	ort Rate															<u> </u>
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		Ī			Ι Π							l			
	Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65				1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					l i										
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94				1		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94			1	l		
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OL: 33	OLI IZ	1.13	100.30	70.71	54.47	11.54	 			 	 	
				UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65			1	1		
$-\!\!\!\!\!-$	- Basic Local Area			OLF90	UEF 19	1.13	40.30	19.90	24.98	0.05	 		 	!	}	├
	2-Wire Voice Grade Port Terminated on 800 Service Term -					l ,	40	40					1	1		
——	Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65						
AL, KY	Y, LA, MS, SC, & TN Only										ļ				ļ	
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65			<u> </u>		<u> </u>	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1								l	İ		1
	Center)2.3			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94			1	1		
+-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				J S(V)	1.10	100.00	70.71	54.47	11.54	t			l	1	†
	Term 2,3			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94			1	l		
-	101111 2,10			OL: 30	OLI QZ	1.13	100.30	70.71	54.47	11.54	 			 	 	\leftarrow
	O Mine Veice Conde Bort terminal all and Manufacture			LIEDOE	LIEDOS		40.00	10.00	04.00	0.00			1	1		
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65	<u> </u>		<u> </u>	1	ļ	
\bot	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ĺ		""									p = = = = = = = = = = = = = = = = = = =	,	Electronic-	Electronic-	Electronic-	Electronic-
İ													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec			Disconnect				Rates (\$)		
		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port	<u> </u>	-	UEP95	URECS	0.7996										
Loca	Number Portability	1		LIEDOE	LNDCC	0.25					-					
Featu	Local Number Portability (1 per port)	1		UEP95	LNPCC	0.35					-					
realt	All Standard Features Offered, per port	-		UEP95	UEPVF	3.04										-
\vdash	All Select Features Offered, per port	 		UEP95	UEPVS	0.00	406.42							-		1
 	All Centrex Control Features Offered, per port	+	-	UEP95	UEPVC	3.04	400.42								1	
NARS		1		OLI 33	OLI VO	3.04										
IVAIN	Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial	1		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				1		1
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations					5.55	0.00	3.30	3.30	5.50				1	İ	1
	re Trunk Side	1			1						1			1	İ	1
	Trunk Side Terminations, each	1		UEP95	CEND6	8.86	119.57	18.78	60.03	3.77	1			1	İ	1
4-Wir	e Digital (1.544 Megabits)	1													1	
	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51									
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
1																
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.56										
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOE	400147	0.50										
\vdash	Slot	1		UEP95	1PQW7	0.56					-					
i l	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56										
	Different wife Center	-		UEF95	IPQVP	0.56										-
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
 	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	+	-	OLF 93	IFQVVV	0.50									1	
i l	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP95	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	1		02. 00		0.00								1		1
1.0	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70									
	New Centrex Customized Common Block	1		UEP95	M1ACC	0.00	668.70				1			1	İ	1
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89									
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use											1				
	Premise			UEP95	URETL		8.33	0.83								
1	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
\vdash	End Use Premise			UEP95	URETN		11.24	1.10						1	ļ	1
	P CENTREX - DMS100 (Valid in All States)	1												ļ		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1												-	ļ	-
UNE	Port/Loop Combination Rates (Non-Design)	1												-	ļ	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOD		44.00						1		I		I
 	Non-Design	+	1	UEP9D	+	14.89				-				 	 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	2	UEP9D		21.52						1		I		I
 	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEP9D	+	21.52						-	-	 		
	Non-Design 2-wire voice Grade Port (Centrex)Port Combo -	1	3	UEP9D		27.17						1		I		1
LIME	Port/Loop Combination Rates (Design)	 	3	OFLAD	+	21.17					-	 		+		
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	! 			+									 	 	
	Design		1	UEP9D		17.81								1		1
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		021 30	+	17.01						-		t	 	
			1	UEP9D						1						1

ATFOUR PLAYER LEMENTS NOT RECEIVED TO THE PROPERTY OF THE PROP	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	oit: A
Second Price April Price April Apr				Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Note Note			1	1			D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Design D							Rec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
New Notion New Note Control Later CEL V. Zone 1 1 1 1 1 1 1 1 1																	
2-Wee Voter Control Long 15 7-Zenc 2	I I I		ļ	3	UEP9D		29.59										
Divine views Control Expt (131 2 / 2 / 2 2 1690 1 1600 1 1600 1 1 1 1 1 1 1 1 1	UNE L		1	1	LIEDOD	LIEC91	12.76										
2-Wine Verse Closed Expo (E. 97, 20rd 3)			1	2													
2-We Vise Grade Dop (18, 2- Zera 1			1														
SWEV Vision Grade Local Sc. 2) - Zere 2				_													
All STATE All				2													
ALE STATES		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
2-Wive Value Grade Pert (Centrex E85-RESCR) Basic Local Anna LEPPO LEPYA 1.13 40.30 19.00 24.98 6.65			ļ			ļ											,
2-Wire Votor Grade Port (Centrex / EBS-RST)386sic Local UEPRO UEPYC 1.13 40.30 19.90 24.98 6.65	ALL S		.	<u> </u>	LIEDOD	LIEDVA	4.40	40.00	40.00	04.00	0.05						
Avea Avea	\vdash		 	!	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65	-	-				
2-Week Yooks Grade Port (Centrex / EBS-M5009)3 Basic Local UEPSO UEPYO 1.13 40.30 19.90 24.88 6.65					UFP9D	UEPYB	1 13	40.30	19 90	24 98	6.65						,
Area Area			 	 	021 00	JE: 15	1.13	+0.50	13.30	24.30	0.00						
2-Wire Vision Grade Port (Centrex / EBS-M5009)3 Basic Local Area	1 1				UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						,
2-Wire Voice Grade Port (Centrex / EBS-MS1712) 3 Basic Local UEP9D UEPVF 1.13 40.30 18.90 24.88 6.66																	
Area Very Vote Grade Port (Centrex / EBS-M6512))3 Basic Local VEP9D VEPYF 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						1
2-Vitro Voice Grade Port (Centrex / EBS-M6512))3 Basic Local		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
Area					UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-M5310)38asic Local Area UEP90 UEPY1 1.13 40.30 19.90 24.98 6.65	1 1							40.00	40.00								
Area Area Lepho	\vdash		ļ		UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
2-Wire Visioe Grade Port (Centrex / EBS-M6508)] 8 Basic Local Area UEPPD UEPYT 1.13 40.30 19.90 24.98 6.65	1 1				LIEDOD	LIEDVC	1 12	40.20	10.00	24.09	6.65						
Area	+ + -				OLI 3D	OLI 10	1.10	40.50	13.30	24.30	0.00						
2-Wire Voice Grade Port (Centrex/EBS-M5209))					UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						1
Area Carrier Vice Grade Port (Centrex / EBS-MS216)3 Basic Local Area Carrier Vice Grade Port (Centrex / EBS-MS216)3 Basic Local Area Carrier Vice Grade Port (Centrex / EBS-MS316)3 Basic Local Area Carrier Vice Grade Port (Centrex / EBS-MS316)3 Basic Local Area Carrier Vice Grade Port (Centrex with Caller ID) Basic Local Area Carrier Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vi		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
Area		Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M5316)3 Basic Local Area UEPPD UEPY 1.13 40.30 19.90 24.98 6.65		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
Area Area					UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9D UEPYH 1.13 40.30 19.90 24.98 6.65								40.00	10.00								
Area UEP9D UEPYH 1.13 40.30 19.90 24.98 6.65			ļ		UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Lie P9D Li					LIEDOD	LIEDVL	1 12	40.20	10.00	24.09	6.65						1
Indication) A Basic Local Area	\vdash		1	1	OLF3D	OLFIII	1.13	40.30	19.90	24.90	0.05						
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65	1 1				UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
Basic Local Area																	
2.3-Basic Local Area	1 1				UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD																	
Basic Local Area					UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94	1 1							400.00									
Basic Local Area	—		ļ		UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94	1 1				LIEDOD	LIEDVD	1 12	109.26	70.71	54.47	11 04						1
Basic Local Area	 				OLF3D	OLFIF	1.13	100.30	70.71	34.47	11.54						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 1.19 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94	1 1				UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						
Basic Local Area			1	t		1	0			2,							
Basic Local Area		Basic Local Area	<u> </u>	L	UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						<u></u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94																	
Basic Local Area			ļ	<u> </u>	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94					LIEDOD	LIEDV4	4 40	400.00	70.74	F4 47	44.04						,
Basic Local Area	\vdash		-	-	UEP9D	UEPY4	1.13	108.36	/0./1	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94					UFP9D	UEPY5	1 13	108 36	70 71	54 47	11 0/						,
Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			†	 	021 00	JL1 10	1.13	100.50	70.71	54.47	11.34		-				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			1	1	UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						,
Basic Local Area UEP9D UEPY7 1.13 108.36 70.71 54.47 11.94																	
		Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						1

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A											
												Svc Order	Svc Order	Incremental														
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -											
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc												
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.											
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-											
														1st	Add'l	Disc 1st	Disc Add'l											
																2.00 .00	2.007.000											
							Rec	Nonred			g Disconnect				Rates (\$)													
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN											
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service																										
		Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						ļ											
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	4.40	40.00	40.00	04.00	0.05																	
		Basic Local Area	-	-	UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						-											
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65																	
	AI KV	LA, MS, SC, & TN Only	-		UEP9D	UEP 12	1.13	40.30	19.90	24.90	0.00	1	1		-		-											
	AL, KI	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65	 	1	1		1	-											
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65	1	1		-		-											
		2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90		6.65		1															
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90		6.65						+											
		2-Wire Voice Grade Fort (Centrex / EBS-M5303)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65	1			<u> </u>		†											
		2-Wire Voice Grade Fort (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65			1	<u> </u>	1												
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65	1			<u> </u>		†											
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90		6.65			1	<u> </u>	1												
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65																	
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65																	
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90		6.65																	
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90		6.65																	
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp																										
		Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65																	
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65																	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)												ĺ		ĺ												
		2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94																	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						ļ											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94																	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94																	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94																	
		2-ville voice Grade Port (Ceritiex/diller SVVC/EBS-ivi5112)2,5,4	-		UEP9D	UEFQR	1.13	100.30	70.71	54.47	11.94	1	1		-		-											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94																	
		2-ville voice diade i dit (derittexalilei divo/Ebo-ivi3312)2,3,4			OLI 3D	OLI QO	1.15	100.50	70.71	54.47	11.54																	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94																	
		2 VIII VOICE GIAGE FOR (CENTRONGING GVV 6 / EBG 100000)2,0,4			OLI OD	OLI QT	1.10	100.00	70.71	04.47	11.54	1																
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94																	
		,	1								İ				1													
L		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	<u></u>	L	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94	<u></u>	<u></u>	<u></u>	L	<u></u>												
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94	ļ		L		L	ļ											
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l	[I					I													
igwdown		Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94	ļ		ļ	1	ļ	<u> </u>											
		O Million Market Complete Book to analysis at the second s			LIEDOD	LIEDOS									I													
\vdash		2-Wire Voice Grade Port terminated in on Megalink or equivalent	-		UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65	ļ	-	-	 	-	 											
\vdash	Lacele	2-Wire Voice Grade Port Terminated on 800 Service Term	-	-	UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65	 	1	 	 	 	1											
\vdash	Local S	Switching Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0.7996			 		<u> </u>			 		-											
\vdash	Local	lumber Portability	 	 	OLFBD	UNLUS	0.7330			 	1	 	 	H	!	UEP9D	LNPCC	0.35			 	 	 	—	 	t	 	
	Feature		-		OLI 3D	LIVIOU	0.35			 			-	 	 	 	 											
	. catalt	All Standard Features Offered, per port	†	†	UEP9D	UEPVF	3.04			I		 	 		I		†											
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42		<u> </u>	1			1	<u> </u>	1												
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04			i	İ	1		İ	1	İ												
	NARS		1		-	1 1				1	İ			İ	1	İ												
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00																	
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00																	
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00																	

UNBUNDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		lI									Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscell	aneous Terminations					ĺ										
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51									
	ice Channel Mileage - 2-Wire			02. 03		0.00										
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167	40.00	21.71	10.77	0.01						
	Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI OD	WITODWI	0.0107										
	nnel Bank Feature Activations	,e			1											\vdash
D4 Clia	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56					-	-				
—	reature Activation on D-4 Channel Bank Centrex Loop Siot			UEP9D	IFQVIS	0.56					-	-				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
———				UEP9D	IFQVV	0.36										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
\vdash	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
	Different Wire Center			UEP9D	1PQWP	0.56										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
Additio	nal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use								,							
	Premise			UEP9D	URETL	<u> </u>	8.33	0.83			<u> </u>	<u> </u>				<u>1</u>
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.24	1.10								1 1
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD						İ									
	- Requres Interoffice Channel Mileage						İ									
Note 3	Installation is combination of Installation charge for SL2 Lo	op and F	ort													
	- Requires Specific Customer Premises Equipment															
	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth in	General Terr	ns and Conditio	ns.					İ				
				-							•	•	•	•	•	

UNRI	JNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
0.400	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J. I. T. J. J. C. LEWIE 110 - Tellile3366		l I			1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonrecurring		Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m					,							
OPER.		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	1	ther the state specific Commission ordered rates for the servi	ice orde	ering ch	narges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	LEC can not o	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	ion contract e	stablished in
		f the 9 states.															
	1	(2) Any element that can be ordered electronically will be bill		•						•	` '		•			•	
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic order	ng capabilities	s come on-li	ine for that o	element. Oth	erwise, the ma	anual ordering	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to B						1	1			1	1	1			
<u> </u>	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nıy **Ple	ease se	ee applicable rate ele	ment for SO	MAN charge**	-	-	 	 	 	ļ	 	 	 	
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00				1	1	
LINE	EDVICE	DATE ADVANCEMENT CHARGE		ļ		SOMEC		3.50	0.00	3.50	0.00	 	-				
UNE S		The Expedite charge will be maintained commensurate with	Policon	th's EC	C No 1 Toriff Contin	n E oo onnii	anhla				-	 	-				
	NOTE:	The Expedite charge will be maintained commensurate with	Delisou	IIII S FC	l No.1 Tariii, Sectio	п э аз аррп	Labie.					 	 				
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA. UHL. ULC.												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00			I	1			I	I	
UNBU	NDLED E	EXCHANGE ACCESS LOOP		1		İ	İ			İ	1	1	1		İ	İ	
		ANALOG VOICE GRADE LOOP		1													
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	13.32
	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	l –	Unbundled Miscellaneous Rate Element, Tag Loop at End User		ΙŤ			00	000	20.02	. 5.00				20.00	.5.04	.0.02	.5.02
		Premise			UEANL	URETL		8.33	0.83		1			20.35	10.54	13.32	13.32
\vdash	t	Loop Testing - Basic 1st Half Hour	—	t	UEANL	URET1		78.92	78.92		t	†	†	20.35	10.54	13.32	13.32
 	 	Loop Testing - Basic Additional Half Hour	-	 	UEANL	URETA		23.33	23.33		+			20.35	10.54	13.32	13.32
—	t	CLEC to CLEC Conversion Charge Without Outside Dispatch	—	t	O = / 11 11 =	SILIA		20.00	20.00		t	†	†	20.00	10.34	10.02	13.32
		(UVL-SL1)			UEANL	UREWO		15.80	8.95		1		1	20.35	10.54	13.32	13.32
	1	1/0 0/	<u> </u>	1	O-/ 11 1L	- 1 L + V O	I .	15.50	0.33	ı	1	1	1	20.00	10.34	10.02	10.02

ATTECONY BATE LEMENTS Hard Bank Company BATE LEMENTS Hard Bank Company Bank Com	UNBU	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
ANTE CLEMENTS PART E	0.1.2.												Svc Order	Svc Order				
ATT CLEAR ON PARTY CL																	Charge -	Charge -
Control Cont				Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Second S	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.		Order vs.	Order vs.
Part																		
March Print Aug Print Aug Print Aug Print Aug South Sout															1st	Add'l	Disc 1st	Disc Add'l
Distributed Work Dates Non-Propried Not Success Non-Propried Not Success Non-Propried Not Success Non-Propried Not Success Non-Propried Not Success Non-Propried Not Success Non-Propried Non-Propried Not Success Non-Propried Not Success Non-Propried N								Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		-
Provided professional photographic photogr								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Manual Duel Confidention For LAT, Set per legg																		
October Confession for Specified Conversion from for UV-0-14 Confession from for UV-0-14	-	1			-						-							
	-	1			1	ULANL	ULAIVIC		30.32	30.32	+							
Paymer Unbounded Corper LOOP 1						UEANL	OCOSL		34.29	34.29								
2 West Inhumbed Corporat Corporat Corporat Corporat Corporation 1 2 0.00 0.00 0.00 0.00 1.0		2-WIRE																
2 Virte Unburnded Copper Logo - Non-Designed - Zone 3					1													
Unbunded Miceolanesco Rate Element, Tig Loop at End Mark Premise Premi																		
Premise		1		-	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Manual Order Controllation 2 Vive Unknowned Copper Loop Non-Designal (gire loop) Expense (special order) Non-Designal (gire loop) Expense (special order) Non-Designal (gire loop) Expense (special order) Non-Designal (gire loop)						UEO	URFTI		8.33	0.83					20.35	10 54	13.32	13.32
Unburnied Cooper Loop, Non-Design Cooper Loop, Non-D		†				024	UNLIE		0.00	0.00					20.00	10.01	10.02	10.02
SET proceding rease-up (Engineering Information - E.) UEO UEONU 2880 2880 2880 2035 1054 13.32 13.			Non-Designed (per loop)			UEQ	USBMC		36.52	36.52								
Loop Testings -Base false felt Place File Place Fil																		
Lings Testing - Baser Antistroal Hard National Hard College College Conversion Charge Willhood Obside Dispatch (Incl. Nat) Click College C	-				1													
CLEC IN CLEC COVERNOOR Charge Without Outside Repair UEC	-	-			-						-							
UCQ		+			1	ULQ	UKLTA		23.33	23.33					20.33	10.54	13.32	13.32
NBBUNDLED EXCHANGE ACCESS LOOP						UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
2 Wife Analog Vice Grade Loop-Service Level 1-Line Spitting-Zone 1 UEPSR UEPSB UEALS 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13	UNBU	NDLED I																
Zone 1 Lipes Lip		2-WIRE																
2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 3 UEPSR UEPSR UEALS 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 3 UEPSR UEPSR UEALS 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 2 Wire Analog Voce Grade Loop-Service Level 1-Line Spitting- 3 UEPSR UEPSR UEALS 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 2-W.Loop or Ground Start Signaling - Zone 1 1 UEA UEAL2 16.56 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 2-W.Loop or Ground Start Signaling - Zone 2 2 UEA UEAL2 21.63 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 2-W.Loop or Ground Start Signaling - Zone 2 2 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 2-W.Loop or Ground Start Signaling - Zone 2 2 UEA UEAR2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 2 Wire Analog Voce Grade Loop-Service Level 2-W.Roop or Grade Loop-Service Level 2-W.Roop or Grade Loop-Service Level 2-W.Roop or Grade Loop-Service Level 2-W.Roop or Grade Loop-Service Level 2-W.Roop or Grade Loop-Service Level 2-W.Roop or Grade					١.													40.00
Zone 1 Leps up Leps Leas 1.19 21.99 20.02 10.65 1.41 20.35 10.54 13.32		1			1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop- Service Level 2 Wire Analog Voice Grade Loop					1	LIEPSR LIEPSR	LIFARS	13 10	31 99	20.02	10.65	1 41			20.35	10.54	13 32	13 32
Zone 2						OEI OIL OEI OB	CENEC	10.10	01.00	20.02	10.00	1.41			20.00	10.04	10.02	10.02
Zone 2 Zone 2 Zone 2 Zone 2 Zoue Person Level 1-Line Splitting			Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 3 UEPSR UEAS 2.53 31.99 2.00.2 10.65 1.41 2.0.35 10.54 13.32 13.32 13.32 2.00.63 2.00.63 2.00.63 2.00.65																		
Zone 3		-			2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 2 Deal					3	LIEPSR LIEPSR	LIFALS	22 53	31 99	20.02	10.65	1 41			20.35	10.54	13 32	13 32
Zone 3 10,54 13,32 13,						OEI OIL OEI OB	OL/ (LO	22.00	01.00	20.02	10.00	1.41			20.00	10.04	10.02	10.02
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or 1 UEA					3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2-Wire Analog Voice Grade Loop - Service Level 2 WiLoop or Ground Start Signaling - Zone 1	UNBU																	
Ground Start Signaling - Zone 1		2-WIRE																
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2 UEA UEAL2 21.63 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 3 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 3 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 3 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 3 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 4 UEAL2 28.28 75.06 48.20 28.70 17.64 20.3					1	LIEA	LIEVIO	16.56	75.06	49.20	29.70	17.64			20.25	10.54	12 22	12 22
Ground Start Signaling - Zone 2		+			'	ULA	ULALZ	10.50	73.00	40.20	20.70	17.04			20.33	10.54	13.32	13.32
Ground Start Signaling - Zone 3 3 UEA UEA 2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32					2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
Corder Coordination for Specified Conversion Time (per LSR)																		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 1 UEA UEAR2 16.56 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32					3			28.28		48.20	28.70	17.64			20.35	10.54	13.32	13.32
Battery Signaling - Zone 1	-	1			-	UEA	OCOSL		34.29		-							
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2 UEA UEAR2 21.63 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 17.64 20.35 10.54 13.32 13.32 28.70 28.7					1	HΕΔ	HEAR2	16 56	75.06	48 20	28 70	17 64			20.35	10 54	13 32	13 32
Battery Signaling - Zone 2					<u> </u>	027.	027412	10.00	7 0.00	10.20	20.70				20.00	10.01	10.02	10.02
Battery Signaling - Zone 3					2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)																		
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13					3			28.28		48.20	28.70	17.64			20.35	10.54	13.32	13.32
Loop Tagging - Service Level 2 (SL2)	-	1			1					26.44	 		-		20.25	10.54	12 22	12.22
4-WIRE ANALOG VOICE GRADE LOOP	-	+			-													
4-Wire Analog Voice Grade Loop - Zone 1		4-WIRE					2		20						20.00	10.04	.0.02	.3.02
4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 42.17 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 34.29 50.00 <td< td=""><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td>122.76</td><td>85.57</td><td>76.35</td><td>39.16</td><td></td><td></td><td></td><td>10.54</td><td>13.32</td><td></td></td<>					1				122.76	85.57	76.35	39.16				10.54	13.32	
Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 34.29																		
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13.32 2-WIRE ISDN DIGITAL GRADE LOOP DIGITAL G		1			3			42.17		85.57	76.35	39.16			20.35	10.54	13.32	13.32
2-WIRE ISDN DIGITAL GRADE LOOP	-	1			1					26.44	 		-		20.25	10.54	12 22	12 22
	-	2-WIRF			 	ULA	JILVVU		75.06	30.41	 		 		20.33	10.54	13.32	13.32
					1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		_	+		+		Nonrecurring		Nonrecurring	. Dianamant			222	Rates (\$)		
		_	1			Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88		39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-W	/IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) CO	MPATIRI	FLOOR													
	2 Wire Unbundled ADSL Loop including manual service inqu		1								1	1	1			
	& facility reservation - Zone 1	,	1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
\vdash			+ '	UAL	UALZA	13.02	270.01	234.03	74.54	39.14			20.33	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inqu	У	1 -													
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
i I	2 Wire Unbundled ADSL Loop including manual service inqu	y	1							1			1	1	1	1
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	2 Wire Unbundled ADSL Loop without manual service inquiry	&														
	facility reservaton - Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
 	2 Wire Unbundled ADSL Loop without manual service inquiry	2.	+ -		U,	10.02	01.00	20.02	10.00	1,-91	1	1	20.00	10.04	10.02	10.02
	facility reservation - Zone 2	α	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		- 1		UAL	UALZVV	18.05	31.99	20.02	10.65	1.41	ļ	ļ	20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry	&	_													
	facility reservaton - Zone 3		3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-W	/IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COM	PATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inqu															
	& facility reservation - Zone 1	7	1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inqu	n/	+ -	OLIE	OTILEX	10.00	270.01	204.00	14.04	00.14	1	1	20.00	10.04	10.02	10.02
		ı y		l		44.45	070.04	004.00	74.54	00.44			00.05	40.54	40.00	40.00
	& facility reservation - Zone 2	_	2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inqu	ry														
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry				1				1				1			
	and facility reservation - Zone 2	1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry		T -													
	and facility reservation - Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		- '	3		OCOSL	16.30		20.02	10.65	1.41			20.33	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		+	UHL			34.29				ļ	ļ		10 = 1	10.00	10.00
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	/IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COM		LOOP													<u> </u>
	4 Wire Unbundled HDSL Loop including manual service inqu	ry														ĺ
	and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inqu	ry														
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inqu	rv			1				1				1			
	and facility reservation - Zone 3	.,	3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	-	Ť	UHL	OCOSL	20.00	34.29		7 1.01	00.11			20.00	10.01	10.02	10.02
	4-Wire Unbundled HDSL Loop without manual service inquiry	-	+	OTTE	OCCOL		04.20				1	1				
			1 .	l		40.00	04.00	00.00	40.05				00.05	40.54	13.32	40.00
	and facility reservation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41	ļ	ļ	20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	/IRE DS1 DIGITAL LOOP	1	1						i e				1			
T T T T T T T T T T	4-Wire DS1 Digital Loop - Zone 1	_	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45	1	1	18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2	_	2	USL	USLXX	75.40	313.08	219.72		40.45	t	t	18.98	8.43	11.95	
 	4-Wire DS1 Digital Loop - Zone 2	_	3	USL	USLXX	98.59	313.08	219.72		40.45	1	1	18.98	8.43	11.95	11.95
\vdash		+	- 3	USL	OCOSL	90.39	34.59	219.72	90.00	40.45	1	1	10.98	0.43	11.95	11.95
\vdash	Order Coordination for Specified Conversion Time (per LSR)	-	+					40.11	 		1	1	20.05	40.54	40.00	40.00
 	CLEC to CLEC Conversion Charge without outside dispatch		+	USL	UREWO		130.47	40.11	!	 			20.35	10.54	13.32	13.32
ı 14-W	/IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			1						l	<u> </u>		1			1

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	bit: A
		101110000		l								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			to to a									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Loix	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	Disc Add'l
														1st	Add'l	DISC 1St	DISC Add I
				1			D	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual				į i		İ									
		service inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2	I	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP N	IODIFIC	CATION															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												ĺ
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
					UAL, UHL, UCL,										l	I	1
					UEQ, ULS, UEA,	1						1	1				1
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	1						1	1				1
		per unbundled loop		<u> </u>	UEPSB	ULMBT		65.44	65.44	ļ				20.35	10.54	13.32	13.32
SUB-LC				<u> </u>													
	Sub-Lo	op Distribution												I	l	l	1

UNBU	INDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
5.120		Tomosoo										Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
			Intan:									Elec	Manually		Manual Svc	Manual Svc	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc ist	DISC Add I
							Rec	Nonrecurring			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up		ļ	UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
								40.00								40.00	
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		-	UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
-		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- '-	1	UEAINL	USBSC		313.01	313.01			1	1	20.33	10.54	13.32	13.32
		Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '	1	OLANE	OODOD		100.00	100.00				1	20.55	10.54	10.02	10.02
		Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		otatomao			027.112	005.12	10.02	1 10.0 1	112.01	70.11	00.00	1		20.00	10.01	10.02	10.02
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								1
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -											1				
		Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		ļ	UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
																	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBMC USBR4	2.26	34.29	34.29					20.35	10.54	13.32	13.32
-		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1	1	UEANL	USBR4	2.26	116.14	37.10				1	20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Leans, nor sub-lean pair			UEANL	USBMC		34.29	34.29								1
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		78.92	78.92			1	1				
-		Loop Testing - Basic Additional Half Hour		 	UEANL	URETA		23.33	23.33			1	 				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09		1	20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-i	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09	1	1	20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09	1		20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98		ĺ	20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
																	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29	Į				ļ.	ļ		igcup
		Loop Testing - Basic 1st Half Hour			UEF	URET1		78.92	78.92				ļ				
-		Loop Testing - Basic Additional Half Hour		1	UEF	URETA		23.33	23.33	ļ		-	1		ļ	 	\vdash
-	Unbun	Hed Network Terminating Wire (UNTW)	-	-	UENTW	UENPP	0.4555	0.40	2.48	1		-	<u> </u>	20.05	40.54	40.00	13.32
-	Notice	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)		1	UENTW	UENPP	0.4555	2.48	2.48	1		-	1	20.35	10.54	13.32	13.32
-		Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		89.69	54.56	0.6391	0.6391	-	1	20.35	10.54	13.32	13.32
		Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		1	UENTW	UND16		129.65	94.51	0.6522	0.6522		1	20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC2		11.11	11.11	0.0322	0.0322	1		20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
UNE O		ROVISIONING ONLY - NO RATE					İ							20.50		.0.02	
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							İ	İ	
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00								<u> </u>	
UNE O	THER, P	ROVISIONING ONLY - NO RATE															
					_												
					UAL,UCL,UDC,UDL,												1
		Unbundled Contact Name, Provisioning Only - no rate		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00									ullet
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															1
		rate		1	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				1		1		l	

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				HODED	0.00	0.00									
		Inhundled DC4 Leap Superframe Formet Option, no rate		1	UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00						-			
-		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00				1	-	-			
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP			002		0.00	0.00						t			
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDL 6V	11 END	0.40							1			
		month High Capacity Unbundled Local Loop - STS-1 - Facility	-	-	UDLSX	1L5ND	9.19	-						-			
		Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
): Rates provided in TN for both electronic and manual Loop	Makeu	p are ir								nents from t	he Tenness				1
LOOP N									, , , ,								1
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
I INE SE	ANDING	S AND LINE SPLITTING	R	<u> </u>	UIVIK	UIVIKIVIQ		0.76	0.76								1
		1: The Line Sharing monthly recurring rates for all installation	ıs comi	oleted 1	rom October 02, 200	3 through m	idnight Octobe	er 01. 2004 shal	l be billed as f	follows:		1					1
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					 	T		1							1
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	100000	1		ľ											
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	cuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING															
-		ERS-CENTRAL OFFICE BASED			111.0	ULSDA	100.00	150.00	0.00	0.00	0.00	1		20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		<u> </u>	ULS	ULSDA	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODB	23.00	150.00	0.00	0.00	0.00			20.55	10.54	10.02	10.02
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING							0.00		0.00						
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1				LII ODT	0.04	40.00	04.00	0.00	0.00						
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00	-	-	-			
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00						
		Line Share Service, TRO per line activation, BST owned splitter -			020	0202.	0.01	10.00	01.00	0.00	0.00						1
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1			1	1						I			
		(E:10/2/2005)		<u></u>	ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
		Line Sharing - per Subsequent Activity per Line	l														
		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS	ļ	30.00	15.00	1	ļ	ļ		20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line	1	1		111.000	1	20.00	45.00					20.05	40.54	40.00	40.00
-		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -	 	!	ULS	ULSCS	-	30.00	15.00	1		 	1	20.35	10.54	13.32	13.32
		OBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned	 	 	020	JLUUU	0.01	47.44	19.31	0.00	0.00	†	 	20.35	10.34	13.32	13.32
		splitter - Central Office Located (25% of UCLND) - please see												1			
		NOTE 1 (E:10/2/2003)	1	1	ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			I			
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see	1				1	1						1			
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.87	47.44	19.31	0.00	0.00						

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge -			Incremental Charge - Manual Svc Order vs.
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see															
	LINE	NOTE 1 (E:10/2/2005) PLITTING		-	ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
		SER ORDERING-CENTRAL OFFICE BASED		1		1											
	LIVE O	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium		1		+		120.00 160.00	82.50 110.00								
LINBIII	IDI ED I	DEDICATED TRANSPORT		1		+		160.00	110.00								-
ONDO		OFFICE CHANNEL - DEDICATED TRANSPORT		1		+				1							-
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				†											
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade						35.55	17.57	21.30	3.31			20.55	21.03		
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0054										
		Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										ļ
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				U1TV4		07.07	20.00	00.70	10.07			45.00	45.00		
		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX		24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	-	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0174										<u> </u>
		Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						00.00	17.01	27.00	0.01			20.00	21.00		
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.3562										
		Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		-
		month			U1TD3	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.04			36.84	36.84		
DARK	FIREP	Termination		1	01181	01115	849.30	395.29	176.56	109.04	105.91	1		30.84	30.84	-	
DAKK	IDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		 				1									
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.74										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17		İ	20.35	10.54	13.32	13.32
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
<u> </u>	ļ	Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	58.83	4 404 00	450.10	500.00	057 :-	1	<u> </u>	00.00	10 = 1	40.00	40.00
SYV A	CESS	NRC Dark Fiber - Local Loop TEN DIGIT SCREENING		1	UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17	1	 	20.35	10.54	13.32	13.32
OAA A	JUE33	8XX Access Ten Digit Screening, Per Call		 	OHD	1	0.0005192	1		1		 	 	1			
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX		<u> </u>		LIOD (::	0.0003192										
		Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O		 	OHD	N8R1X		5.21	0.76			 		20.35	20.35	13.28	13.28
		POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge -			Incremental Charge -
							Rec	Nonrecurring		Nonrecurring			·		Rates (\$)		
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	40.00	42.00
-		8XX Access Ten Digit Screening, Customized Area of Service			OHD	INSFIX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.		ļ	OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
-		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		l	OHD	N8FAX		5.97	0.76	1				20.35	20.35	13.28	13.28
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE II	NFORM	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000354										
-	-	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change		<u> </u>	OQU OQT, OQU	NRBPX	0.0117403	49.03						20.35	20.35	13.28	13.28
SIGNA	LING (C			 	OQ1, OQU	MINDLY	<u> </u>	49.03		1			 	20.33	20.33	13.28	13.∠8
-		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
-	-	CCS7 Signaling Usage, Per ISUP Message			UDB	111177	0.0000373	130.04	130.04					20.55	20.55	10.02	13.32
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment															
CALLI	NC NAM	or Change, per STP IE (CNAM) SERVICE			UDB	CCAPO		121.77	121.77	1				20.35	20.35	13.32	13.32
CALLI	NG IVAIV	CNAM For DB Owners - Service Establishment			OQV	+		43.27						 			
		CNAM For Non DB Owners - Service Establishment		1	OQV			43.27						1			
		CNAM For DB Owners - Service Provisioning With Point Code															
		Establishment		ļ	OQV			1,868.00	1,382.00								
		CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			645.50	432.23								1
		CNAM for DB Owners, Per Query			OQV		0.0010541	045.50	432.23								
		CNAM for Non DB Owners, Per Query			OQV		0.0010541										
		CNAM (Non-Databs Owner), NRC, applies when using the															
CEL EC	TIVE D	Character Based User Interface (CHUI) DUTING			OQV	CDDCH				1				20.35	20.35	13.28	13.28
SELEC	IIVER	Selective Routing Per Unique Line Class Code Per Request Per				+								<u> </u>			
		Switch						179.60	179.60					20.35	20.35		1
VIRTU	AL COL	LOCATION															
1		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	VE41.0	0.55	44.00	0.00	10.00	0.00			10.00	10.00	10.00	10.00
PHYSI	CAL CO	Splitting LLOCATION		 	UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66		-	19.99	19.99	19.99	19.99
	JAL 00	Physical Collocation-2 Wire Cross Connects (Loop) for Line		t		†	1			1							
		Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SE	LECTIV	E CARRIER ROUTING															
-	-	Regional Service Establishment End Office Establishment		<u> </u>	SRC SRC	SRCEC SRCEO		190,638.00 317.55	317.55	3.19	3.19			20.35 20.35	20.35	13.28	13.28
		Query NRC, per query			SRC	SRCEU	0.0206047	317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN - E	ELLSO	UTH AIN SMS ACCESS SERVICE			0.10		0.0200011										
		AIN SMS Access Service - Service Establishment, Per State,						l i									
	ļ	Initial Setup		ļ	A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
1		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
—		AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		 	A1N	CAM1P		41.75	41.75				 	20.35	20.35	13.28	13.28
		AIN SMS Access Service - User Identification Codes - Per User		i –													
		ID Code		<u> </u>	A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<u> </u>		1	0.0024										
	<u> </u>	AIN SMS Access Service - Session, Per Minute		L		1	0.0820123					l	1	L	L	l	

CATEGORY RATE ELEMENTS Interimant In	UNDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
Nonrecurring Nonr			I	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
AN SEG Access Service - Company Performed Session, Per 2.277								This		T. N	B'						
ANI-SIGN Sciences Service - Company Performed Session. Per	+		-				Rec		A -1 -111			COMEC	COMAN			COM AN	SOMAN
Manuscript	Α.	AIN SMS Access Service Company Performed Session Per	-				-	FIISt	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
All Total Service - Trigger Access Charge, Per Trigger, Per DAPTD SEPT							2 27										
ART TOGAL Service - Service Establishment Charge, Per State, Indied Setup ART TOGAL Service - Training Session, Per Customer ART TOGAL Service - Training Session, Per Customer ART TOGAL Service - Training Session, Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART TOGAL Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Access Charge, Per Training Per Customer ART Togal Service - Training Per Customer ART Togal Service - Training Per Customer ART Togal Service - Service - Training Per Customer ART Togal Service - Service - Training Per Customer ART Togal Service - Service - Training Per Customer ART Togal Service - Service - Training Per Customer ART Togal Service - Service - Training Per ART Togal Service - Se												1					
ANT Toolds Service - Training Sesson, Per Customer SAPVX 7915.00 7,915.00 20.35 20.35 13.2																	
ABT Toolds Service - Trigger Access Charge, Per Trigger, Per BAPTT 3121 3121 20.35 20.35 13.2					CAM											13.28	13.28
DN. Term. Attempt SAPTT 31.21 31.21 20.35 20.35 13.2						BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
AN Toolks Service - Trigger Access Charge, Per Trigger, Per BAPTD 31.21 31.21 20.35 20.36 13.2																	
DN. Off-Hook Delay BAPTD 31.21 31.21 20.35 20.35 13.2 All Nockit Service - Trigger Access Charge, Per Trigger, Per BAPTM 31.21 31.21 20.35 20.35 13.2 All Nockit Service - Trigger Access Charge, Per Trigger, Per BAPTM 31.21 31.21 20.35 20.35 13.2 DN. 10-Digit PODP BAPTC 85.24 20.35 20.35 20.35 13.2 DN. 10-Digit PODP BAPTC 85.24 20.35						BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
DN, Off-Hock Immediate						BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
AN TOOKS Service - Trigger Access Charge, Per Trigger, Per BAPTO 85,24 85,24 20,35 20,35 13,2						BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
AN Toolid Service - Trigger Access Charge, Per Trigger, Per BAPTC 85.24 85.24 20.35 20.35 13.2	A	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
ANT Toolit Service - Trigger Access Charge, Per Trigger, Per BAPTF	A	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															13.28
DN, Feature Code	D	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
AlN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Mode, Per Query 0.0054774	D	DN, Feature Code				BAPTF	0.0044000	85.24	85.24					20.35	20.35	13.28	13.28
Subscription, Per Node, Per Query			-				0.0211882										
Account, Per 100 Kilobytes							0.0054774										
ANI Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription ANI Toolkit Service - Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS 17.35 33.52 33.52 ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS 17.35 33.52 33.52 DENIAL Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS 17.35 33.52 33.52 DENIAL Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service ANI Toolkit Service - Call Event Special Study - Per AIN Toolkit Service ANI Toolkit Service - Cal							1.50										
Subscription												i e					
Subscription					CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 17.35 33.52 33.52 20.35 20.35 13.2 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.0511435 36.23 36.23 20.35 2					CAM	BAPI S	0 1321116	36 23	36 23					20.35	20.35	13.28	13.28
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.0511435 36.23 36.23 36.23 36.23 20.35 20.35 20.35 13.2	A	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
ENHANCED EXTENDED LINK (EELs)					CAW	BAPDS	17.35	33.52	33.52					20.35	20.35		13.28
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.					CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					0		l										
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
First 2-Wire VG Loop (SL2) in Combination - Zone 1							I COMBINAL	lons provisione	das Current	ly Combined i	VELWOIK LIEITIE	1111.5.					
First 2-Wire VG Loop (SL2) in Combination - Zone 2			I LD DO				16.56	108.76	35.47	72.94	10.86			20.35	21.09		
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month				2													
Der month	F	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3											21.09		
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X					UNC1X	1L5XX	0.3562										
1/0 Channelization System in combination Per Month	İr	nteroffice Transport - Dedicated - DS1 combination - Facility						474.04	440.40	70.07	20.00			20.25	24.22		
Voice Grade COCI - Per Month UNCVX 1D1VG 0.91 5.70 4.42 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 16.56 108.76 35.47 72.94 10.86 20.35 21.09			 									 	-	∠0.35	∠1.09		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 16.56 108.76 35.47 72.94 10.86 20.35 21.09			 							3.04	2.14	†		 	 		
														22.2-	21.2-		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 21.63 108.76 35.47 72.94 10.86 20.35 21.09	E	acn Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	-	1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	E	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09				3						72.94	10.86			20.35	21.09		
Voice Grade COCI - Per Month UNCVX 1D1VG 0.91 5.70 4.42					UNCVX	1D1VG	0.91	5.70	4.42								
Is Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	Is	s Charge		1 INTE				52.73	24.62	9.12	9.12			20.35	21.09		
LATERDED 4-WINE VOICE GRADE EATERDED COOF WITH DEDICATED DSTINIEROPFICE TRANSPORT	EVIENDI		15009	INIC	TOFFICE IRANSPUR	\	 						-				
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09	F	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 32.26 108.76 35.47 72.94 10.86 20.35 21.09	F	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												1	Submitted		Charge -	Charge -	Charge -
			to to a									Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										ĺ
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ĺ
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	0.01	2						
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10171	1.5.110	0.01	00	2			†					
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLIVET	24.70	100.70	00.41	12.04	10.00	†		20.00	21.00		
l		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		1
	t	Additional 4-Wire Analog Voice Grade Loop in same DS1			J. 1.5 V/	JE/ILT	52.20	100.70	00.47	72.34	10.00	t	<u> </u>	20.00	21.00		—
l		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		1
-	 	Additional Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.91	5.70	4.42		10.00	1		20.00	21.00		
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.31	3.70	7.72								
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED I	OS1 IN				32.73	24.02	3.12	3.12			20.55	21.03		
-	LATEN	DED 4-WIKE 30 KBI 3 EXTENDED DIGITAL EGGI WITH DEDK	JAILD I	501 IIV	TEROTTIOE TRAIN	J OK I											
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		1 1131 4-Wile Soltops Digital Grade Loop III Combination - Zone 1			ONODA	ODLOG	31.10	100.70	33.47	12.54	10.00			20.55	21.03		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		I list 4-Wile Sorops Digital Grade Loop in Combination - Zone 2			UNCDA	ODLSO	40.01	100.70	33.47	12.34	10.00			20.33	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		- 5	ONODA	ODLSO	33.11	100.70	33.47	72.34	10.00	1		20.55	21.03		
		Per Month			UNC1X	1L5XX	0.3562										ĺ
		Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIX	ILSAA	0.3302					1					
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-	-	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	-	-	20.33	21.09		├
<u> </u>	-	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	3.04	2.74	-					
-	-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	טטוטו	0.91	5.70	4.42	ļ		-	-	-	-		
		Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
-	-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	UDLS6	31.10	100.76	33.47	12.94	10.00	-	-	20.33	21.09		
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
-	-				UNCDX	UDLOO	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	LINODY	LIDI 50	50.44	400.70	05.47	70.04	40.00			00.05	04.00		
	-	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - in combination per month (2.4-			LINODY	10100	0.04	5.70	4.40								
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-			11041/	1111000		50.70	04.00	0.40	0.40			00.05	04.00		
	EVTEN	Is Charge	A TED 1	204 111	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXIEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	או דפע	TERUFFICE TRANS	SPUKI				1		-	-	 	 	-	
		First 4 Wiss CAI/Less District Const. Less 1: Const. Less 1: Const.		_	LINCDY	LIDI 64	04.40	400 70	05.47	70.01	10.00			00.00	04.00		1
<u> </u>	!	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	-		20.35	21.09	 	├
1	1										40		1			1	1
<u> </u>	!	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	-		20.35	21.09	 	├
l		First A Miles Only as Birthal Oracle Leave to Occale at the			LINODY	LIBLOA	F0	400 =0	05 1-	70.01	40.00			00.00	04.00		1
<u> </u>	!	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	-		20.35	21.09	 	├
l		Interoffice Transport - Dedicated - DS1 combination - Per Mile			111041/	41.500								1			1
	<u> </u>	Per Month			UNC1X	1L5XX	0.3562								_		├
l		interoffice Transport - Dedicated - DS1 combination - Facility				l											1
<u> </u>	!	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	-		20.35	21.09	 	├
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	ļ					
	ļ	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42					.	.		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1								1			1
	ļ	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
1	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				lune e :							1				1
<u> </u>		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	ļ		20.35	21.09		└
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									40		1			1	1
L	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1		20.35	21.09	l	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		I									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month															'
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	LIATE4	77.00	474.01	440.40	70.0-	00.00			00.0-	04.00		1
	Termination Per Month	!		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	 	-	20.35	21.09	-	
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINCOO		50.70	04.00	0.40	0.40			20.25	04.00		1
FVTE	Is Charge IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DOG	INITES	UNC1X	UNCCC		52.73	24.62	9.12	9.12	1		20.35	21.09	-	
EXIEN		ED D93		UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	-		20.35	21.09		-
	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2	1		UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88	1		20.35	21.09		
 	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	ONOTA	OOLAA	30.33	220.40	101.74	73.07	24.00			20.55	21.03		
	Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			ONOON	120701	2.04					1					
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			00.01	00.01		
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -													Î		
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86		-				—
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1		UNCVX	1L5XX	0.0174										1
	Interoffice Transport - 2-wire VG - Dedicated - Facility	 	-	DINOVA	ILUAA	0.0174					 	-				
	Termination per month	1		UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		1
	Nonrecurring Currently Combined Network Elements Switch -As-			S.13 V.	311172	21.75	7 0.00	00	00.02	31.00			20.00	21.03		—
	Is Charge	1		UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	INTE				520	252	J2	0.12			20.00	250		
	4-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86		1	l	İ	l	
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86				1		
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															1
	Month			UNCVX	1L5XX	0.0174										1
	Interoffice Transport - 4-wire VG - Dedicated - Facility			-									l		I	1
	Termination per month	ļ		UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1											1
	Is Charge	<u> </u>		UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		41.55:-											
	DS3 Local Loop in combination - per mile per month	.		UNC3X	1L5ND	9.19							 	.	-	
	DC2 Local Loop in combination Facility Terrain stice	1		LINICOV	LIESDY	070 47	040.00	400.07	400.70	45.04						1
\vdash	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month	 	 	UNC3X UNC3X	UE3PX 1L5XX	373.47 2.34	240.23	180.87	106.78	45.24		-	 	 	 	
	Interestine Transport - Dedicated - DOS - Fel Iville pel Month	1	<u> </u>	011007	ILUM	2.34					1	<u> </u>	L	<u> </u>	L	

UNBU	NDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
31400	HULL	D NET WORK LELWICHTO - Tellifessee	l			1	I					Svc Order	Svc Order	Incremental			
												1	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-	-		ļ		Managaranin a		Nonrecurring	- Diaaaaaaa			220	D-4 (A)		
							Rec	Nonrecurring							Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
		Nonrecurring Currently Combined Network Elements Switch -As-	i														
		Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.34										
		Interoffice Transport - Dedicated - STS-1 combination - Facility												1	1		ĺ
	1	Termination per month	1	1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		1	36.84	36.84		l
		Nonrecurring Currently Combined Network Elements Switch -As-	i –	l –		1 5	0.0.00	102.01	.00.01	5 70	33.10	1		33.54	33.54		i e
	1	Is Charge	1	1	UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	36.84	36.84		l
-	EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANG	SPORT		5,1000		02.73	27.02	0.12	5.12	1		00.04	55.04		
	LAILN	First 2-Wire ISDN Loop in Combination - Zone 1	INAN	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86	1		20.35	21.09		
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86	1		20.35	21.09		
		First 2-Wire ISDN Loop in Combination - Zone 3	-		UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86	†	-	20.35	21.09		
				3	UNCNA	UILZA	37.93	100.76	33.47	12.94	10.00			20.33	21.09		
		Interoffice Transport - Dedicated - DS1 combination - per mile															
-		per month			UNC1X	1L5XX	0.3562					ļ					
		Interoffice Transport - Dedicated - DS1 combination - Facility				l											
		Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month			UNCNX	UC1CA	3.24	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	-1 INTE							****	1					
	-XIL.	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	1		20.35	21.09		
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74		24.88			20.35	21.09		
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	1		20.35	21.09		
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1	J	CHOIN	JOLAA	90.39	220.40	101.74	19.01	24.00	 	-	20.35	21.09		
	1	Per Month	1	1	UNCSX	1L5XX	2.34						1	I			l
—	-		 	 	UNUOA	1LUAA	2.34	+		+		 	-	 	}		
	1	Interoffice Transport - Dedicated - STS-1 combination - Facility	1	1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		1	36.84	36.84		l
	—	Termination per month 3/1 Channel System in combination per month	!	 	UNCSX	MQ3	222.98	482.01 156.02	49.41	17.12	35.43 6.77	 	-	30.84	30.84		
——			 	-		UC1D1					0.77	1	-	 	1		
<u> </u>		DS1 COCI in combination per month	.	-	UNC1X	UCIDI	17.58	5.70	4.42	1		1		-	1		-
		Additional DS1Loop in the same STS-1 Interoffice Transport	l	Ι.													
		Combination - Zone 1	ļ	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
1	1	Additional DS1Loop in the same STS-1 Interoffice Transport	1	1	l								1	I			l
L		Combination - Zone 2	ļ	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88	ļ		20.35	21.09		ļ
		Additional DS1Loop in the same STS-1 Interoffice Transport	l											1			
		Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
		DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-					l										
1	1	Is Charge	1	1	UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	36.84	36.84		l
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF	ICE TRANSPORT			İ									
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						ĺ
		4-wire 56 kbps Local Loop in combination - Zone 3	i		UNCDX	UDL56	53.11	108.76	35.47		10.86						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	i –	Ť		1	1			1 = 131		1	İ	1	İ		İ
1	1	Per Mile per month	1	1	UNCDX	1L5XX	0.0174						1	I			l
ь		I. ss por monu.	!		12.102.1	1.20.00	0.0174					L		L			1

UNBUI	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
O.T.DO.	1022		1									Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			t				_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
			t				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
,	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT	EROFF	ICE TRANSPORT												1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	t														†
		Per Mile per month			UNCDX	1L5XX	0.0174										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	i –				† †		† †		1	1	İ	İ	İ	1
		Facility Termination per month	1	1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00	1	1	20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-		i –				1		1	230	1	1			İ	<u> </u>
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
l l	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w				-									
H		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	i	1
		First 2-wire VG Loop (SL2) in Combination - Zone 2	t		UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		†
		First 2-wire VG Loop (SL2) in Combination - Zone 3	t		UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		†
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť		-											
		Mile			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 combination -			0.10.1%	120701	0.0002										
		Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
- +		Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.91	5.70	4.42	0.01							
- +		3/1 Channel System in combination per month	1		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
- +		Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77			00.04	00.04		
- +		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		ONOTA	00101	17.00	0.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
+		Each Additional 2-Wire VG Loop(SL2) in the same DS1	-	i i	ONOVA	OLITICAL	10.00	100.70	00.41	72.04	10.00			20.00	21.00		+
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
+		Each Additional 2-Wire VG Loop(SL2) in the same DS1	-		ONOVA	ULALZ	21.00	100.70	33.47	12.54	10.00			20.55	21.03		+
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
\vdash		Each Additional Voice Grade COCI in combination - per month	<u> </u>		UNCVX	1D1VG	0.91	5.70	4.42	12.54	10.00			20.55	21.03		+
\vdash		Each Additional DS1 Interoffice Channel per mile in same 3/1	-		ONOVA	10110	0.01	0.70	7.72								+
		Channel System per month			UNC1X	1L5XX	0.3562										
\vdash		Each Additional DS1 Interoffice Channel Facility Termination in	<u> </u>	-	ONOTA	TESAX	0.5502										+
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42	70.07	00.00			20.00	21.00		
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	 	-	ONOTA	COIDI	17.00	0.70	7.72								+
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTFN	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	CF TR				02.70	24.02	0.12	0.12			20.00	21.00		
H	LX I LIV	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	<u> </u>	AITOI OITI W O/ I W	Ť									1		
		Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
\vdash		First 4-Wire Analog Voice Grade Local Loop in Combination -	 	-		J = 1 = 1	27.70	100.70	00.41	72.04	10.00		-	20.00	21.00		
		Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1	1	20.35	21.09		
\vdash		First 4-Wire Analog Voice Grade Local Loop in Combination -	l -	- -		J , T	02.20	100.70	55.41	72.04	10.00			20.00	21.00	i	
		Zone 3	1	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	1	1	20.35	21.09		
\vdash		First Interoffice Transport - Dedicated - DS1 combination - Per	<u> </u>	Ť			.2.10	.55.76	30.47	. 2.04		1		20.00	200	1	
		Mile Per Month	1	1	UNC1X	1L5XX	0.3562					1	1		I		
\vdash		First Interoffice Transport - Dedicated - DS1 - Facility	l -	t		1	3.0002							i	t	i	
		Termination Per Month		l	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
\vdash		Per each 1/0 Channel System in combination Per Month	†		UNC1X	MQ1	80.77	105.76	14.48		2.74			20.00	250	i	1
\vdash		Per each Voice Grade COCI in combination - per month	l -	t	UNCVX	1D1VG	0.91	5.70	4.42	0.04	2.77			i	t	i	
\vdash		3/1 Channel System in combination per month	l -	t	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84	i	
\vdash		Per each DS1 COCI in combination per month	†		UNC1X	UC1D1	17.58	5.70	4.42						1	i	1
\vdash		Additional 4-Wire Analog Voice Grade Loop in same DS1	†			1	50	50	/2					i	1	i	1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		1
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1	l		1						İ	İ	1		Ì	1
		Additional 4-Wife Arialog Voice Grade Loop in Same DS i															

UNBUNE	DLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0.1.20112												Svc Order	Svc Order	Incremental		Incremental	
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		ullet
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.3562	-									
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	7 0.07	00.00			20.00	21.00		
		Nonrecurring Currently Combined Network Elements Switch -As-						1									
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EX	TEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		1
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		-	ONCDA	UDLOG	31.10	100.76	35.47	12.94	10.86			20.35	21.09		\vdash
		Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		1
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		ldash
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAY	41.500/	0.0500										1
		Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination	-		UNC1X	1L5XX	0.3562	-									
		Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	UDLS6	31.10	106.76	35.47	72.94	10.00			20.33	21.09		
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		OCU-DP COCI (data) COCI in combination per month (2.4-				10.100											1
\vdash		64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	0.91	5.70	4.42								
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in			0.10171	120701	0.0002	†									
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EX	TEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				32.73	24.02	3.12	5.12			20.55	21.03		
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													1
		Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		1
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť		1		133.70									
		Mile Per Month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 combination -			LINIOAY												1
\vdash		Facility Termination Per Month Per each Channel System 1/0 in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74	-		20.35	21.09		\vdash
+		Per each OCU-DP COCI (data) in combination - per month (2.4-			UNUIA	IVIQI	00.77	105.76	14.48	3.04	2.74	 					\vdash
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								[
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								ldash
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		,	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		1
\sqsubseteq		interonice transport Combination - Zone i	1	_ '	ONCDV	UDL04	31.10	100.76	33.47	12.94	10.86	1	I	20.35	21.09		

ARTECUTY RATE ELEMENTS PARTY	UNBU	JNDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
ATTEMPORY RATE LEMENTS ## 200 BCS ## 1900 ## 1	01120												Svc Order	Svc Order				
ATTEMPT RATE ELEMENTS													1					Charge -
March Marc				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Additional of Victor Engine Clinate Lossy in June 2015 19 20 20 20 20 20 20 20 2	CATEG	SORY	RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Montecouring Mont														-	Electronic-	Electronic-	Electronic-	Electronic-
Mode Peter Mode South															1st	Add'l	Disc 1st	Disc Add'l
Mode Peter Mode South	-	1			-				Monroourring		Monroourring	Dissennest			220	Botos (\$)		
Addisors - Virtue Signature Commonston - Jones - Jon		1						Rec		Addil			SOMEC	SOMAN			SOMAN	SOMAN
Interesting Transport Conditional Court per nation (DIS)			Additional 4-Wire 64Khns Digital Grade Loop in same DS1						FIISL	Addi	FIISt	Addi	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
Additional 4-thine Melblock Digital Grade Loaps in areas DSI DMCDX					2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
Henderfile Transport Contractors - Zona 3 HickDX URL64 0.11 10 Pt 2 Ext 7.25 10 Me 2.025 21.09																		
Sortification - open month 24-6486ab Sortification -					3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		1
Sear Additional DS Interestina Convenien on mile name 31 October 10 October 1			Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
Channel System per month UNCIX 1.15.0X 0.3562						UNCDX	1D1DD	0.91	5.70	4.42								
Seath Additional DSF Interestings Channel Seath Formation in June 17 Channel System per result. UNCIX																		
Same St Calende System per mooth UNCIX UTF1 77.86 171.24 113.12 70.07 30.00 20.35 21.00						UNC1X	1L5XX	0.3562										
Each Additional DST COCI in the same 91 sharmed system UNCIX UCID 17.68 6.70 4.42						LINIOAV	LIATEA	77.00	474.04	440.40	70.07	00.00			00.05	04.00		1
Combination per month NACIX UCID1 17:58 5.70 4.42						UNCIX	UTIFT	77.86	1/1.24	113.12	70.07	30.90	-		20.35	21.09		-
Nonexuring Currently Combined Network Elements Switch - Au- Inch						LINC1Y	LIC1D1	17 58	5.70	1 12								1
It Charge MANCE						ONOTA	OCIDI	17.50	3.70	7.72			†					
EXEMPLED 2-WIRE ISSN LOOP WITH DST Intereffice Contribution						UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
First 2-Wire ISON Loop in a DS1 Interoffice Combination 1 UNCNX		EXTEN		RT w/ 3/	1 MUX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 2 UNCNX																		
Transport - Zone 2 QNCNX					1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
First 2-Wire SDN Loop in a DST Interoffice Combination Transport - Zone 3 First Interoffice Transport - Decisated - DST combination - Per Mile per month Mil																		
Transport_Zone 3					2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
First Interoffice Transport - Dedicated - DSI combination - Per UNC1X					_	LINIONIV	LIMLOV	27.05	400.70	25.47	70.04	40.00			20.25	24.00		1
Mile per month	-				3	UNCNX	UTLZX	37.95	108.76	35.47	72.94	10.86	-		20.35	21.09		\vdash
First Interoffice Transport - Decided of DS1 combination - Part Provided Pr						UNC1X	1I 5XX	0.3562										1
Facility Termination per month						ONOTA	120701	0.0002										
Per each Channel System (10 in combination - per month UNC1X MQ1 80.77 105.76 14.48 3.04 2.74						UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
31 Channel System in combination per month							MQ1					2.74						
31 Channel System in combination per month																		
Per each DST COCI in combination per month																		
Additional 2-wire ISDN Loop in same DSI Interoffice Transport Combination - Zone 1 Additional 2-wire ISDN Loop in same DSI Interoffice Transport Combination - Zone 2 UNCNX U112X 29.02 108.76 35.47 72.94 10.86 20.35 21.09 Additional 2-wire ISDN Loop in same DSI Interoffice Transport Combination - Zone 3 Additional 2-wire ISDN Loop in same DSI Interoffice Transport Combination - Zone 3 UNCNX U112X 29.02 108.76 35.47 72.94 10.86 20.35 21.09 20.35 21.09 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination - per month UNCNX UCICA 3.24 5.70 4.42 UNC1X USLXX 0.3562 Lach Additional DSI Interoffice Channel per mile in same 3/1 Channel System per month UNC1X UCID1 17.86 Each Additional DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel system Combination DSI Interoffice Channel psi Interoffice Channel p											17.12	6.77			36.84	36.84		
Combination - Zone 1	-				-	UNC1X	UCTD1	17.58	5.70	4.42			-					
Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCNX U1L2X 29.02 108.76 35.47 72.94 10.86 20.35 21.09 Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCNX U1L2X 37.95 108.76 35.47 72.94 10.86 20.35 21.09 Additional 2-wire ISDN LOCD (IRITE) in same 1/0 channel system combination per month UNCNX UC1CA 3.24 5.70 4.42 Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNCIX UNCIX U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09 EXEMBLOS 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W 3/7 MUX First 4-wire DS1 Digital Local Loop in Combination - Zone 2 UNCIX USLXX 75.40 228.40 161.74 79.87 24.88 First 4-wire DS1 Digital Local Loop in Combination - Zone 2 UNCIX USLXX 0.3662 EVENT ADDITIONAL CONTRACT OF CON					1	LINCNY	1111 2Y	22.22	108.76	35.47	72 04	10.86			20.35	21.00		1
Combination - Zone 2						ONONA	UTLZX	22.22	100.70	33.47	72.54	10.00	†		20.55	21.03		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 UNCNX ULL2X 37.95 108.76 3.442 4.43 4.44 4.42 4.43 4.44 4.43 4.44 4.4					2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		1
Combination - Zone 3 3 UNCNX U1(2X 37.95 108.76 35.47 72.94 10.86 20.35 21.09																		
System combination- per month					3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X																		
Channel System per month						UNCNX	UC1CA	3.24	5.70	4.42								
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month						LINIOAV	41.5007	0.0500										1
Same 3/1 Channel System per month	-					UNCTX	IL5XX	0.3562							-	-		\vdash
Each Additional DST COCI in the same 3/1 channel system UNC1X UC1D1 17.58 5.70 4.42						LINC1Y	LI1TE1	77.86	171 24	113 12	70.07	30.90			20.35	21.00		1
Combination per month			Each Additional DS1 COCI in the same 3/1 channel system			001/	3	77.00	17 1.24	110.12	7 0.07	55.90			20.00	21.09		\vdash
Nonrecurring Currently Combined Network Elements Switch -As- Scharge	1					UNC1X	UC1D1	17.58	5.70	4.42				1				1
Is Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09			Nonrecurring Currently Combined Network Elements Switch -As-															
First 4-wire DS1 Digital Load Loop in Combination - Zone 1			Is Charge				UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
First 4-wire DS1 Digital Loal Loop in Combination - Zone 2	<u> </u>	EXTEN		TRANS														\sqsubseteq
First 4-wire DS1 Digital Load Loop in Combination - Zone 3 3 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88	<u> </u>	1		1									1		ļ	ļ		\vdash
First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X	\vdash	1		1									1		-	-		\vdash
Mile Per Month	\vdash	+		 	3	ONCIA	USLAA	98.59	228.40	101.74	/9.8/	24.88	 		 	 		\vdash
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09 20.36 21.09 UNC3X MQ3 222.98 156.02 49.41 17.12 6.77 36.84 36.84 UNC1X	1					UNC1X	1L5XX	0.3562						1				1
Facility Termination Per Month				l			.20,51	0.0002					1					\vdash
3/1 Channel System in combination per month	1					UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
Per each DS1 COCI combination per month UNC1X UC1D1 17.58 5.70 4.42 Each Additional DS1 Interoffice Channel per mile in same 3/1			3/1 Channel System in combination per month			UNC3X	MQ3	222.98		49.41								
			Per each DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
Channel System per month							1											1 7
	Ц	1	Channel System per month	l		UNC1X	1L5XX	0.3562					1	<u> </u>	l	l		1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As-		Ė	-		22.30										·
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			LIDI EC		100 ==	.= :-		10.5-						
\vdash	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3 First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		1
ADDITIONAL I	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	bination)			-	ļ					 		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Ontion	nal Features & Functions:	 	t	01100/	514000		52.73	24.02	5.12	5.12		 	33.13	24.02		
Орио	and the same of th	1		U1TD1,	1				1		†			1		
	Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X U1TD1,	CCOEF		Ol	OI	OI	OI						<u> </u>
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI	OI	OI	OI						<u> </u>
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		UNC1X, USL	NRCCC		185.16S	23.85S	2.03\$	0.79S			45.68	1.76		
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os			45.68	1.76		
MULT	PLEXERS															
\vdash	DS1 to DS0 Channel System per month	ļ	_	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80		į

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		1			+		Nonrecurring		Nonrecurring	Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per							71441		7.44	0020	00	00	00	00	00
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	0010/1	0.10	0.07	4.00								
	used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
-	same SWC as collocation DS3 to DS1 Channel System per month	-		U1TUC UNC3X	1D1VG MQ3	0.91 222.98	6.07 156.02	4.66 49.41	17.12	6.77	-		20.35	9.80		
 	STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66		0.77			20.00	0.00		
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			111.004	UC1D1	47.50	0.07	4.00								
LINDUNDI ED	month LOCAL EXCHANGE SWITCHING(PORTS)			ULDD1	UC1D1	17.58	6.07	4.66								
	ange Ports				+											
	: Although the Port Rate includes all available features in GA,	KY, LA	& TN, th	ne desired features	will need to b	e ordered usi	ng retail USOCs	3								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
															40.00	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	-		UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local			OLI OIL	OLI ILO	1.00	0.00	0.10	0.00	2.02			20.00	10.04	10.02	1.40
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
	with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			LIEDOD	LIEDAK	1.89	9.93	9.19	2.00	2.92			20.35	10.54	13.32	1.40
 	port with Caller ID - Res (F2R) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			-												
	port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (1MF2X)	-		UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92	-		20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			OLI OIX	OLI 710	1.00	0.00	0.10	0.00	2.02			20.00	10.04	10.02	1.40
	with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan															
	without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	2-Wire voice unbundled Low Usage Line Port without Caller ID			ULFOR	UEFKK	1.89	9.93	9.19	3.00	2.92	 		20.35	10.54	13.32	1.40
1 1	Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	URES			•				-								
<u> </u>	All Available Vertical Features	ļ		UEPSR	UEPVF	0.00	0.00	0.00	ļ		1		20.35	10.54	13.32	1.40
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID -	 	\vdash		+		-		 		 	-				
1 1	Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
$\overline{}$	1				,		0.00	0.10	0.00				20.00		10.02	

UNBU	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
020												Svc Order	Svc Order	Incremental	Incremental		Incremental
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	I							Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates (\$)		l .
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	-	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled TN extended local	1		UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92		-	20.35	10.54	13.32	1.40
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OB	OLI AV	1.03	9.95	3.13	3.00	2.32			20.55	10.54	10.02	1.40
		Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
-	-	Calling Port Standard Option - Bus (TACC2)	1		UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92		-	20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville			OLI OD	OLI AL	1.03	3.33	3.13	3.00	2.02	+		20.55	10.54	10.02	1.40
		& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN, Business Line Inward,															
		Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Voice Tennessee Business Dialing															
-	-	Plan without Caller ID	1		UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92		-	20.35	10.54	13.32	1.40
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	1	Subsequent Activity	1		UEPSB	USASC	0.00	0.00	0.00	3.00	2.92			20.35	10.54	13.32	1.40
	FEATU				02. 02	00/100	0.00	0.00	0.00	1				20.00	10.01	10.02	
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCHA	NGE PORT RATES (DID & PBX)															
	ļ	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC UEPPO	1.79 1.79	9.93 9.93	9.19	3.66	2.92 2.92			20.35	10.54	13.32	1.40
-		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	\vdash		UEPSP UEPSP	UEPPO UEPP1	1.79	9.93	9.19 9.19	3.66 3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
-	1	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	1		UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Calling Port 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	T														l
		Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OF	OLF AL	1.79	5.93	5.19	3.00	2.92			20.33	10.54	13.32	1.40
1		Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDYO	4 =	2.22	0.40		0.00			00.0=	10.51	10.00	
—	-	Discount Room Calling Port Unbundled Exchange Ports, PBX Trunk Combination,	\vdash		UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92	-	 	20.35	10.54	13.32	1.40
1		Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination, first trunk,	1 1		0.	02.70	1.75	0.00	5.19	0.30	2.32	1		20.00	10.04	10.02	1.40
L	<u> </u>	Collierville and Memphis Local Calling Plan	<u> </u>		UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92		<u></u>	20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling														40	
Ц	L	Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

LINDI	INDIE	D NETWORK ELEMENTO, Tours															
UNB	UNDLE	D NETWORK ELEMENTS - Tennessee					1					In			ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	I
CATE	GORT	RATE ELEMENTS	m	Zone	BUS	0300			KATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	T					+		Nonrecurring		Nonrecurring	Disconnect	†	1	OSS	Rates (\$)		
	+			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ				1	1	11130	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	1	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00			i e		20.35	10.54	13.32	1.40
	FEATU			†								İ					
	1	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00			İ		20.35	10.54	13.32	1.40
	EXCH/	NGE PORT RATES (COIN)						0.00				İ					
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92	İ		20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage	will also apply to c	ircuit switch						iated with 2	wire ISDN ı				
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)			1							1	1	1	1		
	EXCH/	INGE PORT RATES															
	The DS	61 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	s rate exhibit apply t	o the embed	ded base in pla	ace as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												T			
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97		47.01	9.21	8.47			20.35	10.54	13.32	1.40
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00					Î			
	1	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels assoc	iated with 2	wire ISDN	oorts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New	Business Re	equest Process	. Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911												ĺ			
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						1
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															1
		State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in				l											1
	+	E911 profile [New or Additional]		-	UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															1
		Telephone Numbers - Inward Data Only Option [New or				l											1
	+	Additional]		-	UEPDX	UEP1E	0.00	0.94						20.35	10.54		
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			HEDEV	DDZZT	0.00	44.74	44.70					00.05	40.54		1
-	1.0041	Inward Tel Numbers [Customer Testing Purposes]	-	-	UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
	LOCAL	NUMBER PORTABILITY		-	HEDEY HEDDY	LNDON	4.75							00.05	40.54		
<u> </u>	INTEG	Local Number Portability (1 per port)	-	-	UEPEX UEPDX	LNPCN	1.75					}	-	20.35	10.54		\vdash
-	INTER	FACE (Provsioning Only)	-	-	LIEDEY	DDZ417	0.00	0.00	2.00			}	-	20.05	10.51		\vdash
<u> </u>	+	Voice/Data	-	-	UEPEX	PR71V	0.00	0.00	0.00			1		20.35	10.54 10.54		
<u> </u>	+	Digital Data Inward Data	-	-	UEPEX UEPDX	PR71D PR71E	0.00		0.00			1		20.35 20.35	10.54		
	Now -	Inward Data Additional Channel	-	-	UEPDA	PR/TE	0.00	0.00	0.00			}	-	20.35	10.54		1
-	ivew of			-	LIEDEV	DDZD\/	0.00	00.00				-		20.35	40.54		\vdash
-	+	New or Additional - Voice/Data "B" Channel		-	UEPEX	PR7BV PR7BF	0.00	28.39 29.11				-		20.35	10.54 10.54		\vdash
<u> </u>	+	New or Additional - Digital Data "B" Channel New or Additional Inward Data "B" Channel	-	-	UEPEX UEPDX	PR7BD	0.00	29.11				1		20.35	10.54		
<u> </u>	+	New or Additional Inward Data "B" Channel New or Additional Useage Sensitive Voice Data "B" Channel	-	-	UEPDX	PR7BD PR7BS	0.00	29.39				1		20.35	10.54		
-	+			-	UEPEX	PR7BU	0.00	29.39				-					\vdash
	1	New or Additional Useage Sensitive Digital Data "B" Channel	ı	I	UEPEX	FK/BU	0.00	∠9.39	1	1		1	I	20.35	10.54	l	1

IINRI	INDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONBC	MULL		I		I		1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	29.39						20.35	10.54		
	CALL				HEREY HERRY	DD=0.4											
-	-	Inward	-	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00				1				
-	-	Outward Two-way	-	-	UEPEX UEPEX	PR7CO PR7CC	0.00	0.00	0.00				.				
-	LINDIII	ITWO-WAY NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		UEPEX	PR/CC	0.00	0.00	0.00			1	1				
		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				+						1	†				
	ONEDO	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92		1	20.35	10.54	13.32	1.40
		gg								0.00			†				
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-R	ecurring															
1	1	Unbundled Remote Call Forwarding Service - Conversion -	1		l										1		[
<u> </u>	<u> </u>	Switch-as-is			UEPVR	USAC2	1	1.03	0.29			1		20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with															
	LINIDIII	allowed change (PIC and LPIC)	-	-	UEPVR	USACC		1.03	0.29				1				
	UNBUI	IDLED REMOTE CALL FORWARDING - Bus	-	-		-							1				
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-		Oriburided Remote Call Folwarding Service, Area Calling - Bus		-	OLF VB	ULKAC	1.09	9.93	5.15	3.00	2.52		<u> </u>	20.33	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92		İ	20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92		†	20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with						4.00									
LINIDLIA	IDI ED I	allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE	-	-	UEPVB	USACC		1.03	0.29				1				
UNBUI		fice Switching (Port Usage)	-	-		+							-				
-	Liiu Oi	End Office Switching Function, Per MOU				+	0.0008041						1				
	Tande	n Switching (Port Usage) (Local or Access Tandem)				+	0.0000041						+				
		Tandem Switching Function Per MOU					0.0009778						İ				
		Tandem Switching Function Per MOU (Melded)				1	0.000380364						İ				
		Melded Factor: 38.90% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000064										
	<u> </u>	Common Transport - Facilities Termination Per MOU					0.0003871								ļ		
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	L., _	<u> </u>	L.,	<u> </u>	<u> </u>						ļ				
		ased Rates are applied where BellSouth is required by FCC an								d Dant	of this Barrier	ulailaid					
-		es shall apply to the Unbundled Port/Loop Combination - Cos											n Dort#	Combinet	<u> </u>		
-		fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr														-	-
-		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	J.IIDIII	Su Combos. For Cur	Tentily Collib	inea Combos t		y citatyes Sild	i se tilose idei	ianeu in ale N	- Contecuning	- Currently	Combined St			
		ort/Loop Combination Rates	1			1	1								1		
	1	2-Wire VG Loop/Port Combo - Zone 1		1			14.18								İ		
	1	2-Wire VG Loop/Port Combo - Zone 2	1	2			18.01	1						l	İ	l	İ
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	12.48										
	1	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
<u> </u>	2-Wire	Voice Grade Line Port Rates (Res)	!	-	LIEDDY	LIEDDI	4.70	20.11	45.05	0.45	2.01		45.00	 	 	 	
\vdash	+	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	+	-	UEPRX UEPRX	UEPRL	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	15.69 15.69			-	
-	 	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	 	-	UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91	-	15.69				
		12 TYTE VOICE UTBUTUIEU POIL OULGOING OTHY - 165			OLI IVA	JEI NO	1.70	22.14	13.23	0.40	3.31	1	15.09		1	L	

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Submitted	Incremental Charge -		1	Incremental Charge - Manual Svo Order vs.
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Tennessee extended local															
\longrightarrow	dialing parity port with Caller ID - res	ļ		UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69			-	+
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID															1
EEAT	Capability URES			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69			-	+
FLAT	All Features Offered	-		UEPRX	UEPVF	0.00	0.00	0.00				15.69			<u> </u>	+
LOC#	L NUMBER PORTABILITY				1										t	<u> </u>
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										1
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		1.03	0.29				15.69				
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPKX	USACZ		1.03	0.29				15.69			-	+
	Switch with change			UEPRX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
VDDI.	Subsequent Database Update FIONAL NRCs				+		0.76					15.69			-	+
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+										1	+
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
0554	Premise ON PREMISES EXTENSION CHANNELS			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/C	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design				UEAEN	17.23	31.99	20.02	10.65	1.41	+		20.35	10.54	13.32	
-+	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41	1	1	20.35		13.32	
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64	İ		20.35		13.32	
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates	ļ	L						ļ		ļ				ļ	
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			14.18					ļ				ļ	4
\longrightarrow	2-Wire VG Loop/Port Combo - Zone 2	 	2		+	18.01			1	-	ļ		 	1	 	+
LIMIT	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	1	3		+	23.02			 		1	1	-	1	 	+
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.48					<u> </u>		 	1	 	+
-+-	2-Wire Voice Grade Loop (SL1) - Zone 1	 	2	UEPBX	UEPLX	16.31			+		†	-		1	t	+
	2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPBX	UEPLX	21.32	1		t	 	 	 	 	1	 	+

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
0.12	JIIDEL											Svc Order	Svc Order	Incremental		Incremental	
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									P =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-																	
	ļ						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	0.140	Marine Constal in Proof (Boss)	-	-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91	 	45.00				
-	+	2-Wire voice unbundled port with Caller + E484 ID - bus	1	-	UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91	1	15.69 15.69				
	+	2-Wire voice unbundled port with Callet + E464 ID - bus	1	-	UEPBX	UEPBO	1.70		15.25	8.45	3.91	1	15.69				
	+	2-Wire voice Grade unbundled Tennessee extended local		-	OLI DX	OLI DO	1.70	22.17	10.20	0.40	0.01	†	10.00				
		dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				İ
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
	1	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
		Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
		Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	1	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and		1	LIEBBY				.=								1
	1	Memphis Local Calling Port (B2F)	_		UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan			LIEDDY	LIEDIAGO	4.70	00.44	45.05	0.45	0.04		45.00				İ
<u> </u>	1	without Caller ID Tennessee Inward Collierville and Memphis Local Calling Plan	 	-	UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91	-	15.69				
	1	(BUS)		1	UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				1
	+	Tennessee 2-Way Collierville and Memphis Local Calling Plan			ULFBA	OLFBZ	1.70	22.14	13.23	0.43	3.51		13.09				
		(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				ĺ
	1	2-Wire voice unbundled Incoming Only Port without Caller ID			02. 5%	02. 20			10.20	0.10	0.01	1	10.00				
		Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL	NUMBER PORTABILITY															
	1	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	RES															
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -											4= 00				ĺ
		Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPBX	USACC		1.03	0.29				15.69				ĺ
	+	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBA	USACC		1.03	0.29			ł	15.69				
		Subsequent Database Update						0.76					15.69				ĺ
	ADDIT	IONAL NRCs				+		0.70				1	10.00				
	7122111	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1							i e				
		Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				ĺ
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	_		UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
<u> </u>	+	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPBX UEPBX	UEAEN	22.53 16.56	31.99 75.06	20.02 48.20	10.65	1.41 17.64	-	-	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
 	+	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	 		UEPBX	UEAED	21.63	75.06 75.06	48.20	28.70 28.70	17.64			20.35	10.54	13.32	13.32
-	+	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	1		UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	13.32
-	INTER	OFFICE TRANSPORT	 	٦	OLI DA	JEALD	20.20	75.00	70.20	20.70	17.04	 	†	20.33	10.34	10.32	15.52
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
		Termination		l	UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L		or Fraction Mile	<u> </u>	<u> </u>	UEPBX	U1TVM	0.0174	0.00	0.00							<u></u>	<u> </u>
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE P	ort/Loop Combination Rates		L.													
	1	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			14.18					ļ	ļ				
	1	2-Wire VG Loop/Port Combo - Zone 2	!	2		+	18.01	<u> </u>				ļ	ļ	 	.	-	-
<u> </u>	+	2-Wire VG Loop/Port Combo - Zone 3	1	3	LIEDDC	LIEDLY	23.02	 				-	-		-		
 	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPRG UEPRG	UEPLX	12.48 16.31	<u> </u>									
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 		UEPRG	UEPLX	21.32	 				 	†		 		
-	2-Wire	Voice Grade Line Port Rates (RES - PBX)	†		021110	OLI ZX	21.32					1	1				—
				!	l			1						·		·	

CATEGORY RATE ELEMENTS Interimant In	IBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
RATE ELEMENS IN 1895 1995	.BONDELL	THE THORK ELEMENTO TO MIGGOOD	1				1					Svc Order	Svc Order				
RATE CINE RATE ELIMINTS												I .				1	Charge -
CATEGORY RATE ELEMENTS May Zone BCS USC Substitution			Intent													Manual Svc	
Part Part	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second Content			m									per Lore	per Lore				Electronic-
Note Note																1	Disc Add'l
No. No.																Disc 1st	Disc Add I
SMIN VS UNITAGE CONTINUES CAN PER TYPE AND THE PER TYPE FOR THE PER TYPE AND THE PER TYPE							Por										
Res							INCC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DOCAL NAMER PORTABLETY																	
Cook Number Processing (* per port)		1.00			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
PERTURES																	
Mile Features (Direct Money Course Miles Money Course Miles Money Course Miles					UEPRG	LNPCP	3.15	0.00	0.00				15.69				
NONTECURRING CHARGES (NECK) - UNRETHY COMBINED			ļ														
2-Were Votes Gratel Loay Line Port Combination (PRI) - Common - Switch-field part Port Combination (PRI) - Common - Switch-field part Port Combination (PRI) - Common - Switch-field part Port Combination (PRI) - Common - Switch with Change Com					UEPRG	UEPVF	0.00	0.00	0.00				15.69				
Conversion - Such Acels UPPR USAC2 103 0.28 15.69			<u> </u>	-								1					
2-Wire Voice Grade Loog Line Prot Confession (PRX) UEPRG					LIEDDO	110400		4.00	0.00				45.00				ĺ
Convessor - Swifty with Charge USACC 1.00 0.29 1.569			<u> </u>	-	UEPRG	USAC2		1.03	0.29			1	15.69				-
2-Wise Voca Grada Logo Ture Port Combriston - Conversion Subsequent Database Variety V					LIEDDO	110400		4.00	0.00				45.00				
Subsequent Database Lyciates			-		UEPRG	USACC		1.03	0.29			 	15.69				-
ADDITIONAL NRCS 2-We Voor Girde Loop/ Line Port Combination (PSV) - Subsequent Activity - Change Rearrange Multime Hunt UEPRG USAS2 0.00 0.00 0.00 15.69			1					0.76					15.60				
2-Wive Voice Grade Loop Line Prot Combination (PBX) Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Change Resirring Multitine Hunt Subsequent Activity - Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Resirring Multitine Hunt Subsequent Res			 	-		+		0.76		1		 	15.09		1	+	
Subsequent Activity - Change/Rearrange Multiline Hunt Chour Chou			ł	-		+		1				1	1			-	
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 14,64 14,64 14,64 15,69 15			1	1	LIEPRG	LISAS2	0.00	0.00	0.00				15.60			I	1
Group			<u> </u>	-	OLI IKO	UUAUZ	0.00	0.00	0.00			†	13.03				
Unburided Moscellaneous Rate Element, Tag Loop at End User UEPRG URETL 8.33 0.83 20.35 10.54 13.								14 64	14 64				15 69				
Premise			<u> </u>	-		+		14.04	14.04			†	10.00				
Comparison					LIEPRG	LIRETI		8 33	0.83					20.35	10.54	13.32	13.32
Local Channel Voice grade, per termination 1 UEPRG P2JHK 16.56 75.06 48.20 28.70 17.64 20.35 10.54 13.1	OFF/ON				OLI IKO	OIKETE		0.00	0.00			1	1	20.00	10.04	10.02	10.02
Local Channel Voice grade, per termination 2 UEPRG P2JHK 21,83 75,06 48,20 28,70 17,64 20,35 10,54 13. Local Channel Voice grade, per termination 3 UEPRG P2JHK 28,28 75,06 48,20 28,70 17,64 20,35 10,54 13. Non-Wire Direct Serve Channel Voice Grade SW UEPRG SDDZX 10,02 148,84 112,34 73,14 36,65 20,35 10,54 13. Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Ter				1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64	İ		20.35	10.54	13.32	13.32
Local Channel Voice grade, per termination			1	2								İ				13.32	13.32
Non-Wire Direct Serve Channel Voice Grade SW UEPRG SDDZX 10.02 148.84 112.34 73.14 36.65 20.35 10.54 13.1				3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPRG U1TVZ 18.58 55.39 17.37 7.796 3.51				SW					112.34						10.54	13.32	13.32
Termination	INTERC	OFFICE TRANSPORT															
Interoffice Transport - Decicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
UFPRG U1TVM 0.0174 0.00 0.0		Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LIBE PORT (BUS - PBX)																	
WIK Port/Loop Combination Rates					UEPRG	U1TVM	0.0174	0.00	0.00								
2-Wire VG Loop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 2 2 18.01 2.00			ļ														
2-Wire Voice Grade Loop (St. 1) - Zone 1																	
UNE Loop Rates			<u> </u>									1					
2-Wire Voice Grade Loop (St. 1) - Zone 1			<u> </u>	3			23.02					-		-			
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 16.31			ł	1	LIEDDY	LIEDLY	12.49	1				1	1			-	
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 21.32												<u> </u>	1	1			
2-Wire Voice Grade Line Port Rates (BUS - PBX)												<u> </u>	1	1			
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 1.70 22.14 15.25 8.45 3.91 15.69 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPPX UEPP1 1.70 22.14 15.25 8.45 3.91 15.69 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPPX UEPP1 1.70 22.14 15.25 8.45 3.91 15.69 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPPX UEPPX UEPPX UEPD 1.70 22.14 15.25 8.45 3.91 15.69 Line Side Unbundled PBX LD Terminal Ports UEPPX UEPPX UEPPX UEPD 1.70 22.14 15.25 8.45 3.91 15.69 LEPPX UEPPX UEPTS 1.70 22.14 15.25 8.45 3.91 15.69 LEPPX UEPPX			<u> </u>	-	OLITA	OLI LX	21.02					†	-				-
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPP0 1.70 22.14 15.25 8.45 3.91 15.69	2 11110	Voice Grade Ellie Fort Rates (Boo F BX)										1	1			1	
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPP0 1.70 22.14 15.25 8.45 3.91 15.69		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
Line Side Unbundled Incoming PBX Trunk Port - Bus			1									İ					
2-Wire Voice Unbundled PBX LD Terminal Ports												İ			İ		
2-Wire Voice Unbundled 2-Way Combination PBX Tennessee UEPPX UEPT2 1.70 22.14 15.25 8.45 3.91 15.69		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
Calling Port																	
Calling Port					UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPXA 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPX UEPX UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPX UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPX UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 15.69		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPXB 1.70 22.14 15.25 8.45 3.91 15.69		Calling Port	<u> </u>				1.70	22.14	15.25				15.69			<u> </u>	<u> </u>
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPXC 1.70 22.14 15.25 8.45 3.91 15.69							1.70										
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPXD 1.70 22.14 15.25 8.45 3.91 15.69																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69																	
Capable Port UEPPX UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69			ļ		UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69				1	l	I										I	1
Administrative Calling Port UEPPX UEPXL 1.70 22.14 15.25 8.45 3.91 15.69			!	<u> </u>	UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91	ļ	15.69			ļ	
				l	LIEDDY	LIEDVI	4 70	00.44	45.05	0.45	2.01		45.00			1	1
I			-	-	UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91	-	15.69		1	 	
Room Calling Port UEPPX UEPXM 1.70 22.14 15.25 8.45 3.91 15.69			1	1	LIEDDY	LIEDVM	4 70	22.44	45.05	0 45	2.04		15.00			I	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
ONDONDE			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															i l
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					4.70						4= 00				1
	Discount Room Calling Port	-		UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91	1	15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling	1	1	UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91	 	15.69				
	Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				i l
 	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	 		ULFFX	ULFAU	1.70	22.14	13.23	0.45	3.91	<u> </u>	13.09				
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				1
	Tennessee PBX 2-Way Combo Each Additional Trunk			OZ. TX	02.70			.0.20	00	0.01	1	10.00				
1 1	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				1
	Tennessee PBX 2-Way Combo First Trunk Collierville and									0.0.						
1 1	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				1
LOCA	L NUMBER PORTABILITY	1	1													
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEAT																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch-As-Is	ļ		UEPPX	USAC2		1.03	0.29				15.69				
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						4.00					4= 00				1
	Conversion - Switch with Change	-		UEPPX	USACC		1.03	0.29			1	15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1					0.76					15.69				1
ADDIT	TONAL NRCs	1			+		0.76				 	15.69				—
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	-						-		1	1				
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI I X	00/102	0.00	0.00	0.00			1	10.00				
	Group						14.64	14.64				15.69				1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1									İ					
1 1	Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/C	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDY	11477.60	40.50	55.00	47.07	07.00	0.54						l .
	Termination	-		UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0174	0.00	0.00	I							1
IINE E	Port/Loop Combination Rates	1	1	ULPFA	O I I VIVI	0.0174	0.00	0.00	 		+					
UNEF	2-Wire VG Coin Port/Loop Combo – Zone 1	 	1	 	+	14.18			t		 	-				
 	2-Wire VG Coin Port/Loop Combo – Zone 2	 	2	 	+	18.01			t		 	-				
	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		_	23.02			<u> </u>							
UNE I	oop Rates		Ť	İ	1	20.02			1		†		İ	İ		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	12.48					İ					ſ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31	l i									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-Wire	Voice Grade Line Ports (COIN)															
_	2-Wire Coin 2-Way without Operator Screening and without	1	-													1
\vdash	Blocking (TN)	L	<u> </u>	UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91	ļ	15.69				
] [2-Wire Coin 2-Way with Operator Screening and Blocking: 011,								l			1= 65				1
\vdash	900/976, 1+DDD (NC, TN)	1	<u> </u>	UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
1 1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEDCO	LIEDTA	4.70	00.44	45.05		2.04		45.00				1
\vdash	(TN) 2 Wire Coin 2 Way with Operator Screening: 000 Blocking:	1	 	UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91	-	15.69			-	\vdash
1 1	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				1
	DOGGOTO, ITDDD, OTTT, and Local (NO, TN)	1	1	1021 00	OLI OA	1.70	22.14	13.23	0.45	3.91	I.	15.09	L	L		

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
\vdash						1		Nonrecurring		Nonrecurring	Disconnect		ı	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
oxdot		(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Coin Outward with Operator Screening and Blocking:					. =-						4.5.00				
\vdash		900/976, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO UEPCO	UEPOT	1.70 1.88	22.14	15.25	8.45	3.91		15.69 15.69				
\vdash		2-Wire Coin Outward Smartline with 900/976 (all states except			DEPCO	UEPCK	1.00						15.09				+
		LA)			UEPCO	UEPCR	1.88						15.69				
AD	DITIO	DNAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
		Local Number Portability (1 per port)		ļ	UEPCO	LNPCX	0.35										<u> </u>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			LIEDCO	LICACO		1.00	0.00				15.00				
$\vdash \vdash$		Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	UEPCO	USAC2		1.03	0.29	1		-	15.69	1			+
		Switch with change			UEPCO	USACC		1.03	0.29				15.69				
\vdash		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1			0.20	1			.0.00	1			†
		Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												ļ
UN		rt/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	18.45	-		 				 			-
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			23.52	1									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UN		op Rates						†									
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
2-W		/oice Grade Line Port Rates (Res)			LIEDED	UEPRL	1.89	04.00	57.39	32.36	20.56		45.00				ļ
\vdash		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR UEPFR	UEPRC	1.89	84.99 84.99	57.39	32.36	20.56		15.69 15.69	 			-
		2-Wire voice unburidled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39		20.56		15.69				
		2-Wire voice Grade unbundled Tennessee extended local			OLITIK	OLI ILO	1.00	04.00	07.00	02.00	20.00		10.00				
		dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
		res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				ļ
		2-Wire voice unbundled Tennessee Area Calling port with Caller			LIEDED	LIEDAK	4.00	04.00	F7.00	00.00	00.50		45.00				
		ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69	<u> </u>			
		ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller			OLITIK	OLI /IL	1.00	04.00	07.00	02.00	20.00		10.00	1			1
		ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (2MR)		-	UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				-
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
\vdash	-	2-Wire Voice Unbundled Tennessee Residence Dialing Plan		1	OLFIK	OLFAF	1.05	04.99	37.39	32.30	20.30		13.03	†			+
		without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
INT		FFICE TRANSPORT												1			
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
$\sqcup \!\!\! \perp$		Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51			ļ			<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.500	0.04=:										
	ATUF	or Fraction Mile		-	UEPFR	1L5XX	0.0174				-	1	ļ	 	-	 	-
FE/		All Features Offered		 	UEPFR	UEPVF	0.00	0.00	0.00	+	 	 	15.69	1	 	 	+
LO		NUMBER PORTABILITY			0=1111	JL: VI	0.00	0.00	0.00	†		t	10.08	1		1	†
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35	1					Ì	1	l		1
1		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
		1	1	1	1 1						1	Submitted		Charge -	Charge -	Charge -
		Inter'	1	1	1						Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
$\!\!\!+\!\!\!-$	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFR	URETN		44.00	4.40					20.25	10.54	13.32	42.22
2 WI	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELIMET	ODT /		UREIN		11.23	1.10			-		20.35	10.54	13.32	13.32
	Port/Loop Combination Rates	LINE	I AO	l .							1					+
UNL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			18.45					1					+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										1
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17					1					1
UNE	Loop Rates		Ť			00.11								İ	İ	
- 10.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56	† †						İ			1
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	21.63								İ	İ	
-	2-Wire Voice Grade Loop (SL2) - Zone 3	1		UEPFB	UECF2	28.28						İ	İ			1
2-Wi	re Voice Grade Line Port (Bus)															1
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			l												
\longrightarrow	Port Standard Option (TACC2)	-	-	UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				1
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
$\!\!\!\!+\!\!\!\!-$	Memphis Local Calling Port (B2F) 2-Wire Voice Unbundled Tennessee Business Dialing Plan			UEPFB	UEPAE	1.89	84.99	57.39	32.30	20.56		15.69	-			+
	without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
-+-	Tennessee Inward Collierville and Memphis Local Calling Plan	1	-	UEPFB	UEPWO	1.09	04.99	57.39	32.30	20.56	1	15.69				+
	(BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
-+	Tennessee 2-Way Collierville and Memphis Local Calling Plan			OLITB	OLI DZ	1.00	04.33	37.33	32.30	20.50		13.03				1
	(BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOC	AL NUMBER PORTABILITY			02.1.5	02. 50	1.00	0 1.00	07.00	02.00	20.00	1	10.00				+
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35								İ	İ	
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1	1	UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51		1				1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L	or Fraction Mile	<u> </u>	L_	UEPFB	1L5XX	0.0174	l		<u> </u>							<u> </u>
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	l	1							1				1
$-\!\!+\!\!-$	Combination - Conversion - Switch-as-is	ļ	<u> </u>	UEPFB	USAC2		16.94	3.72				15.69				ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		40.01	0 =0				45.00				1
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at	!		UEPFB	USACC		16.94	3.72				15.69		ļ		
				LIEDED	LIDETNI		44.00	4.40					00.05	10.54	40.00	40.00
2 14/1	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELIMET	OPT /	UEPFB	URETN		11.23	1.10			-	-	20.35	10.54	13.32	13.32
	Port/Loop Combination Rates	LLINE	OKI (F D A)	+		 					-	 	1	1	+
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1	 	+	18.45	 				H		 	1	1	+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2	 		23.52	 				 	-	-	1	1	+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3	 	+	30.17	 				-		 	 	 	+
UNF	Loop Rates	†		H		30.17					 	†		1	1	t
- 1011	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56							1			†
I																+
-+	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63										

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
01120												Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect	†		OSS	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)							7144	1 01	71441	0020	00				
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54	İ	15.69				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
		Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling					. =0	400.40		40.00							
		Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			LIEDED	LIEDVA (4.70	100.10	00.00	40.07	40.54		45.00				
-		Calling Port	-	-	UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				-
	LOCAL	. NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
	INTED	OFFICE TRANSPORT	1		UEPFF	LINECE	3.13	0.00	0.00			1	15.69				
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1									1					
		Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	OLITI	011172	10.50	33.33	17.57	27.30	3.31						-
		or Fraction Mile			UEPFP	1L5XX	0.0174										
	FEATU				OLITI	120/01	0.0174					†					†
	LAIG	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00			1	15.69				†
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
UNBUN	IDLED F	ORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87		·								
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	<u> </u>	3			24.78								ļ	ļ	1
	UNE L	pop Rates	ļ			1									ļ	ļ	ļ
ļ	ļ	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	ļ		UEPPX	UECD1	9.60								ļ	ļ	ļ
<u> </u>	!	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	ļ		UEPPX	UECD1	11.09										
<u> </u>		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	!	3	UEPPX	UECD1	16.00										
ļ	UNE P	ort Rate	!	-	LIEDDY	LIEDDA	0.70	45.44	20.24	0.45	2.24	 	-	20.00	7.00	 	1
	NONE	Exchange Ports - 2-Wire DID Port	-		UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91	-		30.89	7.03		
	NONKE	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>			1						1	1		l	l	

UNBUNDL	LED NETWORK ELEMENTS - Tennessee														ment: 2		bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m										po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
1														1st	Add'l	Disc 1st	Disc Add'l
1																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		<u> </u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.23	1.10								<u> </u>
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00					Î	Î		
2-WI	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SIDE	PORT			Î		ĺ						Î	Î		
UNE	Port/Loop Combination Rates							<u> </u>									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	i –														
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	i –														
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE	Loop Rates					Î		ĺ						Î	Î		
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USL2X	16.20										
		1	i														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25	ĺ						Î	Î		
UNE	Port Rate			ĺ										ĺ			
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED					Î		ĺ						Î	Î		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADD	DITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy			ĺ										ĺ			
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise	<u></u>	<u>L_</u>	UEPPB	UEPPR	URETL		8.33	0.83	<u> </u>	<u> </u>	<u></u>	<u></u>	<u> </u>			1
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-Cl-	HANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CI	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE							j									
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37	1				19.99	19.99		1
'																	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
								5.55									

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
CHECHEL	- I TOTAL ELEMENTO TOMOGOGO	1									Svc Order	Svc Order	Incremental			
											1	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk Po	rt afte	r the effective date o	f this amend	ment shall be	provided pursu	uant to a separ	ate agreement	or tariff at Bel	lSouth's di	scretion.				
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD		470.44										
LINE	Zone 3	<u> </u>	3	UEPPP		173.44					1					
UNE	Loop Rates	<u> </u>	_	UEPPP	USL4P	F7.70					1					
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPPP	USL4P USL4P	57.73 75.40					 					
-	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	-	_	UEPPP	USL4P USL4P	98.59					 	-				
LIME	Port Rate	 	3	ULFFF	USL4F	90.59					 	 	+	+		
UNE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	-	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43	 	 	19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED	 	-	0=111	JL	77.00	710.00	300.30	03.20	11.43	 	-	13.35	13.33		
INOIN	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<u> </u>	-								†	-				
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADD	TIONAL NRCs			02	00/101	0.00	020.00	020.00			İ		10.00	10.00		
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										İ					
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
N	Inward Data	<u> </u>	-	UEPPP	PR71E	0.00	0.00	0.00			1					
New	or Additional "B" Channel New or Additional - Voice/Data B Channel	<u> </u>		UEPPP	PR7BV	0.00	28.39				 		19.99	19.99		
	New or Additional - Voice/Data B Channel	ł	-	UEPPP	PR7BF	0.00	29.11				1	1	19.99	19.99		
 	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39				 		19.99	19.99		
CAL	TYPES			OLITI	TRADO	0.00	25.55						13.33	13.33		
- OAL	Inward	1		UEPPP	PR7C1	0.00	0.00	0.00			1	1	1	1		
	Outward	1		UEPPP	PR7CO	0.00		0.00			İ					
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage										İ					
	Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.	L		↓
	lests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	ate of	this amendment sha	II be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.	ļ		1	1		1
UNE	Port/Loop Combination Rates	 	L .	LIEDDO	ļ	20.5-	ļ					-			 	
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 		UEPDC	1	93.28			-	-	 	-	19.99	19.99		
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC UEPDC		110.95 134.14					-		19.99 19.99	19.99 19.99		
HME	Loop Rates	 	3	OLPDO	1	134.14	1				 	-	19.99	19.99	-	
DIVE	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	57.53	1		1	 	1	H	t	t	l	
 	4-Wire DS1 Digital Loop - UNE Zone 1	 		UEPDC	USLDC	75.40					 	-	t	t		
	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>		UEPDC	USLDC	98.59							<u> </u>	<u> </u>		
UNE	Port Rate	t	Ť			55.55			İ	İ			1	1	İ	
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1		UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99	İ	
NON	RECURRING CHARGES - CURRENTLY COMBINED								<u> </u>							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)	ļ		UEPDC	USAC4		312.91	312.91]		19.99	19.99		<u> </u>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		l		l								1	1		1
	- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>	l	UEPDC	USAWA		312.91	312.91]	l	19.99	19.99		1

CATEGORY	.ED NETWORK ELEMENTS - Tennessee												l Attach	ment: 2	Exhil	bit: A
CATEGORY											Svc Order	Svc Order	Incremental		Incremental	Incrementa
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY		Inter'									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDI	ITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1		LIEDDO	LIDTTO		100.0-	100.00				1	10.00	10.00		1
\vdash	Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	-	UEPDC	UDTTC		108.67	108.67	 		1		19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDHS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD		108.67	108.67				1	19.99	19.99		1
\vdash	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	 	 	OLFDO	טווטט		100.07	100.07				 	19.99	19.99		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIPO	DLAR 8 ZERO SUBSTITUTION	 	 	02.100	SDITE		100.07	100.07				 	10.99	13.33		
<u> </u>	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
Alter	rnate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teler	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99 19.99		
\vdash	DID Numbers, Non- consecutive DID Numbers, Per Number Reserve Non-Consecutive DID Nos.			UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00					19.99	19.99		
	Reserve DID Numbers	-	-	UEPDC	NDV	0.00	0.00	0.00			-					
Dedic	icated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loon			0.00	0.00	0.00								
Deale	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	With 4-Wile DDITS	I I I I I I						1					
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00		L				L		
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles	ļ		UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1		l	1		l .	_				1				1
\vdash	Termination)	_		UEPDC	1LNO3	0.00	0.00	0.00								
	Intereffice Channel Milegge Additional acts and additional			LIEDDO	11 NOC	0.0505	0.00	0.00				1				
\vdash	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated	+	-	UEPDC UEPDC	1LNOC LNPCP	0.3525 3.15	0.00	0.00			-	-	-		-	-
\vdash	Central Office Termininating Point	 	-	UEPDC	CTG	0.00		0.00								
4-14/11	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT	1		021 00	510	0.00	 	1	 	 	H			 		
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			+		+				-	 				
	n System can have up to 24 combinations of rates depending on			ber of ports used			1							İ		
The U	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	Channel	ization	with Port in this ra								shall revert	to tariff rates	or a separate	agreement.	
Requ	uests for 4-Wire DS1 Loop with Channelization with Port after th															
UNE	DS1 Loop					_										
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40										
	4-Wire DS1 Loop - UNE Zone 3	Ц	3	UEPMG	USLDC	98.59	0.00	0.00								
		ns)	1				ļ				1					
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	··-,														
UNE	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00			-		19.99	19.99		
UNE	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
UNE	24 DSO Channel Capacity - 1 per DS1						0.00									

IINBI	NDI FI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONDO	NULL	NETWORK ELEMENTS - Telliessee	1				1					Svc Order	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
071120	• • • • • • • • • • • • • • • • • • • •		m		200	0000			101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs. Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		ĺ
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00	ĺ				19.99	19.99		Î
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conve	ersion Charge	Based on a Sy	stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
	Multipl	es of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system coı	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
		Additions at End User Locations Where 4-Wire DS1 Loop with				oination Curre	ently Exists and	l									
	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port									. <u></u>						
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchar	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID															
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
1		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
1		(AL, KY, LA, MS, & TN) (Conversion from Network Access			LIEDDY	LIEBOT	4.70	0.00	0.00	0.00	0.00	1	1	20.00	7.00		
-		Service) (E:4/1/2004)	—		UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00	}	-	30.89	7.03	-	
1		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	UEPCZ	1.70	0.00	0.00	0.00	0.00	1	1	20.00	7.00		
 	-	Tennessee Only – Calling Plan - Regionserv (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	-	-	UEPPX	UEPUZ	1.70	0.00	0.00	0.00	0.00	1		30.89	7.03	-	-
1		Tennessee Only – Calling Plan - Regionsery (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00	1	1	30.89	7.03		
-	Feature	Activations - Unbundled Loop Concentration	 		CLIIA	JL1 00	1.70	0.00	0.00	0.00	0.00	1	-	30.09	1.03	 	1
	. catale	Feature (Service) Activation for each Line Port Terminated in D4		\vdash		+	 	 	<u> </u>			 		 	 	 	
1		Bank (includes Q.1.4. P50.1. P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80	1	1	30.89	7.03		
		Feature (Service) Activation for each Trunk Port Terminated in	—		OLI I A	11 00 4 4 1 1 1	2.02	20.34	12.04	3.02	5.50	†	-	30.09	7.03	 	
1		D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57	1	1	30.89	7.03		
	Telenh	one Number/ Group Establishment Charges for DID Service	<u> </u>		52. T //		2.02	70.07	17.57	54.00	10.07			55.65	7.00		
-	· cicpii	DID Trunk Termination (1 per Port)	<u> </u>		UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00					i	i		i
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00					i	i		i
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			1		i	i	 	i
	Local N	lumber Portability				1	2.30	2.30	2.30					i	i	i	i
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	1				i	i	i	i
	FEATU	RES - Vertical and Optional				1 2.	5.70	5.50	5.50					İ	İ	İ	İ
		switching Features Offered with Line Side Ports Only				1	İ			i		1	1	İ	İ		İ
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00					İ	İ		İ
			•		•							•					

HINDI	INDI E	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	hi4. A
OND	NULL	D NETWORK ELEMENTS - Termessee		1		1	I					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				
0,112		10112 ======	m			0000			(+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3			ĺ											
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage i	rates ir	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For (Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecui	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
-		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-													
-	UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-						-					
		Non-Design		1	UEP91		14.18										
-	!	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		'	UEF91		14.10										
		Non-Design		2	UEP91		18.01										
—	 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OE1 31		10.01				 				l		
		Non-Design		3	UEP91		23.02										
	UNF P	ort/Loop Combination Rates (Design)		Ŭ	02. 0.		20.02										
	0.1.2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		18.26										
	<u> </u>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		29.98										
	UNE L	pop Rate				ĺ											
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	ļ	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
	UNE P																
	All Sta	tes (Except North Carolina and Sout Carolina)					4 = 0	20.11	45.05	0.45							
-	<u> </u>	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			LIED04	UEPYB	1.70	22.14	15.05	8.45	3.91		30.89	7.03			
	-	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEP91	UEFTB	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
		Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			DEP91	UEPTH	1.70	22.14	15.25	0.45	3.91		30.69	7.03			
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
—	t	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		†		J IVI	1.70	22.17	10.20	5.45	0.91	-	30.00	7.00			
1	1	Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent								0.10							
	1	- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	İ	2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only				Ì											
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire													l		
<u> </u>	<u> </u>	Center)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			l	l											
	!	Service Term		<u> </u>	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1	1	OME VALVA COLLA BOLLANDIA COLL			LIEDO4	LIEDOS			.=								
<u> </u>	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 		
—	1	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 		ļ
-	Local	Switching Centrex Intercom Funtionality, per port		-	UEP91	URECS	0.6381										
-	Local	Number Portability		-	UEF91	UKEUS	0.0381								-		
	LUCdi i	number Funavilly			l	1	<u> </u>				<u> </u>	1			<u> </u>		

UNRUNDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
CINDONDE	LE NETWORK ELEMENTO Termessee	I	1								Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1			+		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)	l	<u> </u>
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)	1		UEP91	LNPCC	0.35										
Feat																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port	ļ		UEP91	UEPVS	0.00	433.78					30.89	7.03			
NAR	All Centrex Control Features Offered, per port	<u> </u>		UEP91	UEPVC	0.00						30.89	7.03			
INAK	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Misc	ellaneous Terminations															
2-Wi	re Trunk Side															
I	Trunk Side Terminations, each	<u> </u>		UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
Inter	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade	-	-	UEP91	M1GBC	18.58	22.14	15.05	8.45	3.91	1	30.89	7.03	-	-	
	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	 	-	UEP91 UEP91	M1GBC M1GBM	0.0174	22.14	15.25	8.45	3.91	-	30.89	7.03			
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		OLI 91	WITODW	0.0174										
	hannel Bank Feature Activations	Ī														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	4 DOW/7	0.00										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		UEP91	1PQW7	0.66										
	Different Wire Center			UEP91	1PQWP	0.66										1
					1 2 1											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															ĺ
	Slot	ļ		UEP91	1PQWQ	0.66										!
Non	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP91	1PQWA	0.66										
NOII-	Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed	1			+											
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			1
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
Addi	tional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<u> </u>			+											—
	Premise		1	UEP91	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<u> </u>			3.12.2		2.00	2.00					1	1	1	
	End Use Premise	<u> </u>	<u> </u>	UEP91	URETN		11.23	1.10	<u> </u>			<u></u>				<u> </u>
	P CENTREX - 5ESS (Valid in All States)					1										
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>				1										—
UNE	Port/Loop Combination Rates (Non-Design)	 	-		+	1					ļ	-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	1	1	UEP95	1	14.18										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	- -	OL1 90	1	14.10					 	 				<u> </u>
	Non-Design		2	UEP95		18.01										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ì				į į									
	Non-Design	<u> </u>	3	UEP95		23.02										L
UNE	Port/Loop Combination Rates (Design)	<u> </u>														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP95		18.26										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	-	OFLAD	+	18.26					-	-				
	Design		2	UEP95		23.33										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	Ī		1											
	Design		3	UEP95		29.98										
UNE	Loop Rate															<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP95	UECS1	12.48					<u> </u>	1				L

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
ł		Intori									Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
					\bot											
						Rec	Nonrecurring		Nonrecurring		201150	SOMAN		Rates (\$)	001111	001141
+-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP95	UECS1	21.32					1					-
\leftarrow	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56					-					
\leftarrow	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	28.28										
UNE	Port Rate															
All St	tates															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
i l	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
\longrightarrow	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
ı I	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	LIEDOE	LIEDVAA	4 =		45.00				00.00	7.00			1
	Center)2,3 Basic Local Area		<u> </u>	UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	-	
ı I	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	LIEBOE	LIEDVZ	1.70	22.44	15.05	0.45	2.04		20.00	7.00			1
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	 	-	-
ı I	- Basic Local Area		1	UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
\leftarrow	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 95	OLI 13	1.70	22.14	10.20	0.43	3.31		30.03	7.03			
i l	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL. K	(Y, LA, MS, SC, & TN Only				1				0.10							
, , , , , , , , , , , , , , , , , , ,	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l											
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
i l	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated in on Megalink of equivalent			UEP95	UEPQ2	1.70		15.25	8.45	3.91	-	30.89	7.03			
FI &	GA Only			OLF 95	ULFQZ	1.70	22.14	13.23	0.43	3.91		30.09	7.03			
	I Switching				+ +											
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port		<u> </u>	UEP95	UEPVC	0.00	ļ					30.89	7.03			1
NARS		<u> </u>		LIEDOE	LIADOY	2.00	2.22	2.00	0.00	0.00		0.00	7.00	1	.	-
+	Unbundled Network Access Register - Combination	-	<u> </u>	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03	1	 	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	-	UEP95 UEP95	UARTX	0.00	0.00	0.00	0.00	0.00		0.00	7.03 7.03			
Misc	ellaneous Terminations	 	 	OLF 30	UANUA	0.00	0.00	0.00	0.00	0.00	 	0.00	7.03	1	 	
	re Trunk Side	-	-		+ +		 				-		 	1	 	t
- 12.11	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wir	re Digital (1.544 Megabits)		Ì		1 1	20				2.11			1		İ	
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire					•		•								
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile	l	<u> </u>	UEP95	M1GBM	0.0174	ļ									1
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>		+		ļ									1
D4 Ci	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	<u> </u>	UEP95	1PQWS	0.66					1	-	 		 	-
	reacure Activation on D-4 Channel Bank Centrex Loop Slot	-	 	UEP95	TPQW5	0.66	 				-	-		1		
ı l	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		l	UEP95	1PQW6	0.66										
\leftarrow	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OL1 33	11 Q V V O	0.00						 		1		-
		1	ı	UEP95	1PQW7	0.66	1		1	1	1	1	1	1	1	1

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												I .	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	_		-					Nonrecurring		Nonrecurring	Disconnect	1		000	Rates (\$)		
	1		-	-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						Filat	Add I	FIISt	Addi	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Different Wire Center			UEP95	1PQWP	0.66										'
	1	Sincial Villa Contai			02. 00		0.00					İ					
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1													
		Slot			UEP95	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															l
		changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	1	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	1	New Centrex Customized Common Block	-		UEP95 UEP95	M1ACC	0.00	658.60				1	30.89 30.89	7.03 7.03			
	A dditi	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)		1	UEP95	URECA	0.00	68.57				-	30.89	7.03			
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-	-								1	1		-		
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			OL1 00	OKETE		0.00	0.00			1	1				
		End Use Premise			UEP95	URETN		11.23	1.10								ĺ
	UNE-P	CENTREX - DMS100 (Valid in All States)										†					
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo										İ					
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design		1	UEP9D		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	LINE D	Non-Design	-	3	UEP9D		23.02					1					
	UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1				-				-					
		Design		1	UEP9D		18.26										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 3D		10.20					†					
		Design		2	UEP9D		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>								İ					
		Design		3	UEP9D		29.98										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		_	UEP9D	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	 	2-Wire Voice Grade Loop (SL 2) - Zone 2	!		UEP9D	UECS2	21.63	 		-	-	ļ		 	 	 	
	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate	-	3	UEP9D	UECS2	28.28	-				.	-		-		
	ALL ST			1				1				1	1		1		
	ALL	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91	†	30.89	7.03	 		
	1	2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local	t	 		02. 17.	1.70	22.17	10.20	5.40	5.91	1	30.00	7.55	I		—
		Area	1		UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		1
	1	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	i –	i –								İ					
	<u> </u>	Area	<u> </u>	L	UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u> </u>	<u> </u>	1
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															1
	1	Area	<u> </u>	<u> </u>	UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03	L		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1		LIEBOR										I		1
	 	Area	!	<u> </u>	UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	 	 	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area	1		UEP9D	UEPYF	1.70	22 44	15.25	8.45	3.91		30.89	7.03	I		1
	1	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	 	 	OFLAD	UEFIF	1.70	22.14	15.25	0.45	3.91		30.89	1.03	+		
ı		Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
	1	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		†	02. 00	02.10	1.70	22.17	10.20	5.45	3.91		55.55	7.00	<u> </u>		
		Area	1		UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		1
	•	•			•							•					

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
0.1.20												Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									P = 0 = 0 = 1	P = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			Disconnect				Rates (\$)		
-		O.M. Vicin Orala Bart (Oralas (EDO MESSON)) David Land	-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	LIEDVII	4.70	20.44	45.05	0.45	2.04		20.00	7.00			1
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			
		Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		-	OLI OD	OLI IV	1.70	22.14	10.20	0.40	0.01	†	00.00	7.00			
		Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
		Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															1
		Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDVA	4.70	20.11	45.05	0.45	2.04		20.00	7.00			į l
<u> </u>		2,3-Basic Local Area		-	UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			\vdash
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			[]
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		-	UEP9D	UEPTO	1.70	22.14	15.25	0.40	3.91	1	30.69	7.03			\vdash
		Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			02.02	02			.0.20	00	0.01	i e	00.00	7.00			
		Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
		Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
		Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															1
		Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
-		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		-	UEP9D	UEP15	1.70	22.14	15.25	0.40	3.91	 	30.69	7.03			
		Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			OLI OD	OLI 10	1.70	22.14	10.20	0.40	0.01	1	00.00	7.00			
		Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic					. =0		4= 0=								
	AL KY	Local Area		<u> </u>	UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			\vdash
-	AL, KI	, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)	-	-	UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			\vdash
—		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	—	 	UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4	 	l —	UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<u> </u>	UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91	Ì	30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
L		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			\vdash
<u> </u>		2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
<u> </u>		2-Wire Voice Grade Port (Centrex / EBS-M5216)4	<u> </u>		UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			\vdash
<u> </u>	-	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	-	<u> </u>	UEP9D	UEPQ3	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	 	30.89 30.89	7.03 7.03	-	-	
—		2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	 	 	UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	†	<u> </u>	UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<u> </u>	-		0			2.10	2.51		1	1.50			
		2,3	<u></u>	<u> </u>	UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
																	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1

UNRI	BUNDLED NETWORK ELEMENTS - Tennessee													Δttach	ment: 2	Evhi	bit: A
ONDO	HULL	NETWORK ELEMENTO Termessee					I					Svc Order	Svc Order	Incremental			Incremental
												1	Submitted		Charge -	Charge -	Charge -
			to to at									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
l																	
	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wile Voice Grade Port (Certifex differ SVVC /EBS-WiSS12)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	0.40	3.91	-	30.69	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1	2-ville voice Grade i oit (Centrex diller GVVG / EBG-IVISOGO)2,5,4			OLI 3D	OLI Q4	1.70	22.14	10.20	0.43	3.31	†	30.03	7.05			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1				-	1 77	•			1	2.31			1	ĺ	1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	ļ	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	11	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381			-		1		-			
	I ocal I	Number Portability			OLI 3D	OKEGO	0.0301			 							
	Looui i	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Featur				02.05	2.1. 00	0.00										
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		laneous Terminations Trunk Side															
	z-wire	Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91	-	30.89	7.03			
	4-Wire	Digital (1.544 Megabits)			OLF3D	OLINDO	0.78	22.14	15.25	0.45	3.91	 	30.09	7.03	 	 	
		DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15	I		 	30.89	7.03	 		1
	<u> </u>	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67	33.10	<u> </u>			30.89	7.03			
	Interof	fice Channel Mileage - 2-Wire			-		2.30			1				1	İ		
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0174										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
	ļ	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66							ļ			
		Factors Astination on D.4 Observal Book EVIII - City			LIEDOD	400000	0.00			1				1			
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.66			 		-	-	 			-
	1	Slot			UEP9D	1PQW7	0.66			1				I			
	l	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02.00	5,117	0.00			 			<u> </u>	-			
	1	Different Wire Center			UEP9D	1PQWP	0.66			I				I			
	1														1		
	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66			<u> </u>		<u></u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	<u> </u>	Slot			UEP9D	1PQWQ	0.66			L				L	ļ		
	N	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66					1				ļ	
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				1				 		1	-	1	 	-	-
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		1.03	0.29	1			30.89	7.03			
	1	onanges, per puri			OLFBD	UUAUZ	l	1.03	0.29	1		1	30.09	1.03	L	l	l

UNBUNDL	.ED NETWORK ELEMENTS - Tennessee	Attachment: 2		Exhi	bit: A											
											Svc Order	Svc Order	Incremental			
											1	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
Addi	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.23	1.10								
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1												1		1
	Non-Design		1	UEP9E		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				Ι Τ		Ι Τ		[_		_
	Non-Design		2	UEP9E		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\vdash	Non-Design		3	UEP9E		23.02										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		1	UEP9E		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\longrightarrow	Design		3	UEP9E		29.98										
UNE	Loop Rate															
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	16.31										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9E	UECS2	28.28										
	Port Rate												-			
AL, I	FL, KY, LA, MS, & TN only	-	-	LIEDOE	LIEDVA	4.70	00.44	45.05	0.45	2.04		20.00	7.00			
	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	-	UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOE	LIEDVE	4 70	22.14	45.05	0.45	3.91		20.00	7.00	1		1
	Area	-		UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	 	-	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		I
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	-	OLFSE	JEFTH	1.70	22.14	15.25	0.45	3.91		30.89	1.03		-	-
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		I
 	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		OLF 9L	OLF TIVI	1.70	22.14	15.25	0.45	3.91	 	30.09	1.03	+	1	+
	Service Term - Basic Local Area	1		UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		I
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 		OL1 0L	OLI IZ	1.70	22.14	10.20	0.40	3.91	H	30.09	1.03	 	 	t
	- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
 	2-Wire Voice Grade Port Terminated on 800 Service Term -	 		J_1 J_	OL: 13	1.70	22.14	10.20	0.43	5.31	H	30.03	7.03	 	 	t
	Basic Local Area	1		UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		I
AI I	KY, LA, MS, & TN Only	†			J 12	1.70	22.17	10.20	5.45	0.01		30.00	7.55	t	i	t
75,1	2-Wire Voice Grade Port (Centrex)	1		UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>	1	T
	2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>		<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1	t	—	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	i	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				7=: =::	0	==:		27.10	2.01		22.00	1.00	t	İ	İ
	Center)2,3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			1									1		ĺ	
	Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		I
															1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	l Switching															
Loca	Centrex Intercom Funtionality, per port	1		UEP9E	URECS	0.6381										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature					ļ <u>.</u>											
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			\longleftarrow
NABO	All Centrex Control Features Offered, per port		-	UEP9E	UEPVC	0.00						30.89	7.03			\vdash
NARS	Habita diad Nationals Assess Designation Combination	1		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Combination		-			0.00	0.00	0.00		0.00						
—	Unbundled Network Access Register - Indial	1		UEP9E	UAR1X				0.00			0.00	7.03			
Missel	Unbundled Network Access Register - Outdial laneous Terminations	 	-	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03		-	\vdash
	Trunk Side	1	 		1	1			1		 				 	\vdash
Z-vvire	Trunk Side Trunk Side Terminations, each	 		UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	H	30.89	7.03		l	\vdash
1-Wiro	Digital (1.544 Megabits)	 	1	OLI BL	CLINDO	0.70	22.14	15.25	0.45	3.91	 	30.09	1.03			\vdash
4-44116	DS1 Circuit Terminations, each	1	 	UEP9E	M1HD1	35.55	75.93	38.15	1		 	30.89	7.03		 	\vdash
 	DS0 Channel Activated Per Channel	 	 	UEP9E	M1HDO	0.00	108.67	30.13				30.89	7.03			
Interof	fice Channel Mileage - 2-Wire			OLI OL	WITIEG	0.00	100.01				1	00.00	7.00			
Interor	Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174		10.20	0.10	0.01	1	00.00	7.00			
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	annel Bank Feature Activations	Ì			i e											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1 1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	i														
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										
																1 1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										ullet
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1											1 1
	Slot			UEP9E	1PQWQ	0.66										\vdash
No. 5	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										\vdash
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		-		-											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			1 1
	New Centrex Standard Common Block	1	-	UEP9E	M1ACS	0.00	658.60	0.29			-	30.89	7.03			
	New Centrex Standard Common Block	1		UEP9E	M1ACC	0.00	658.60				1	30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57				1	30.89	7.03			
Additio	onal Non-Recurring Charges (NRC)	1		OLI OL	ORLON	0.00	00.01				-	00.00	7.00			
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	†			1											
	Premise			UEP9E	URETL		8.33	0.83								1 1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		0.00									
	End Use Premise			UEP9E	URETN		11.23	1.10								1
UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design	ļ	1	UEP93		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1					Ι Τ									1
	Non-Design	ļ	2	UEP93	1	18.01	ļ		ļ							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design	ļ	3	UEP93	1	23.02										
UNE P	ort/Loop Combination Rates (Design)	!	-		1	 						ļ			 	\vdash
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP93		18.26						1				1
\vdash	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	1	UEF93	+	18.26						 				\vdash
	Design	1	2	UEP93		23.33						1				1
\Box	12-55-g	1		021 00	1	20.00	1		1		1	·			l	

JNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32	1									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
LINE P	Port Rate		Ť				1								1	
	Y, LA, MS, & TN only	†		 	1								i	i	†	
, . <u>_</u> , , ,	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	t	UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	i e
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	†			5=. 1/1	1.70	22.17	10.20	5.45	5.51		30.00	7.55	i	†	
1	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	t	02.00	JE1 15	1.70	22.17	10.20	0.40	0.01		55.55	7.00	 	1	+
1	Area	1		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		I	l
- 1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	 	OL1 33	JLI III	1.70	22.14	10.20	0.40	0.81		30.09	7.03	 	 	
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	-	-	ULF 93	OLFTIVI	1.70	22.14	13.23	0.43	3.31		30.09	7.03			
				UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Service Term - Basic Local Area	-	-	UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	LIEDVO	4.70	20.44	45.05	0.45	2.04		20.00	7.00			
	- Basic Local Area	-	-	UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOO	LIEDVO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Basic Local Area		-	UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)		-	UEP93	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					. =-										
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)	ļ		UEP93	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00		0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00		0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Misce	Ilaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)								l i							
1	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67		l i			30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP93	M1GBM	0.0174								ĺ		
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		1					į į				ĺ	ĺ		
	annel Bank Feature Activations		i i				1		į į			İ				ĺ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP93	1PQWS	0.66			į į				ĺ	ĺ		1
		1	1	İ			1		į i			i .	İ	İ		İ
l l																

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intan:									Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
	Different Wire Center			UEP93	1PQWP	0.66										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															1
	Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.23	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Conditi	ons.									

Version 3Q03: 11/12/2003 Page 348 of 348

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Competitive Communications nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Competitive Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing..

 BellSouth shall provide Competitive Communications with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Competitive Communications and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Competitive Communications requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Competitive Communications, BellSouth will not assess Competitive Communications additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Competitive Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that Competitive Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Competitive Communications to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Competitive Communications's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Competitive Communications can

perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Competitive Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Competitive Communications shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Competitive Communications shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Competitive Communications shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon. the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission.

 Competitive Communications will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Competitive Communications's access to customer record information. If a BellSouth audit of Competitive Communications's access to customer record information reveals that Competitive Communications is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Competitive Communications may take corrective action, including but not limited to suspending or terminating Competitive Communications's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Competitive Communications electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Competitive Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Competitive Communications electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and

repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Competitive Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Competitive Communications agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Competitive Communications nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Competitive Communications agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Competitive Communications agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Competitive Communications at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by Competitive Communications will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Competitive Communications shall be required to submit a new service request. Incorrect or invalid requests returned to Competitive Communications for correction or clarification will be held for thirty (30) calendar days. If Competitive Communications does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Competitive Communications will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Competitive Communications to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Competitive Communications and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization

will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Competitive Communications to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Competitive Communications that such a request has been processed but will not be required to notify Competitive Communications in advance of such processing.

- 3.2.1 Neither BellSouth nor Competitive Communications shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Competitive Communications shall return a FOC to BellSouth within thirty-six (36) hours after Competitive Communications's receipt from BellSouth of a valid LSR.
- 3.2.4 Competitive Communications shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Competitive Communications elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Competitive Communications by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Competitive Communications that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the

local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.

- 3.5.1 When Competitive Communications's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Competitive Communications, which has the billing relationship with that End User, and Competitive Communications may pass such charge to the End User.
- 3.6 Cancellation Charges. If Competitive Communications cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Competitive Communications places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Competitive Communications places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Competitive Communications may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Competitive Communications elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Competitive Communications, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.