#### Amendment to the Interconnection Agreement Between

## **BellSouth Telecommunications, Inc.**

and

#### CBX One-Stop, LLC d/b/a CBX Communications

This agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, and CBX One-Stop, LLC d/b/a CBX Communications ("CBX One-Stop"), a South Carolina corporation and may refer to either BellSouth or CBX One-Stop or both as a "Party" or "Parties". This Amendment will be effective thirty (30) days from the date of last signature executing the Amendment.

WHEREAS, BellSouth and CBX One-Stop entered into the Agreement on July 31, 2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the United States Court of Appeals for the District of Columbia Circuit's mandate, effective June 16, 2004, in the appeal of the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) that was effective on October 2, 2003;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. All of the other provisions of the Agreement, dated July 31, 2003, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

By:

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

CBX One Step, LLC Aba CBX Communications

Name: Kristen Rowe Name: 1000 Magain

Title: Director Title: Tresider

Date: 8/3/1-/ Date: 07/28/04

CBX One-Stop, LLC dba CBX Communications - TRO Post Vacatur Amendment

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	5
3	LINE SHARING	24
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	29
5	TRANSPORT	30
6	SS7 NETWORK INTERCONNECTION	•••••
7	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	33
8	OPERATIONAL SUPPORT SYSTEMS (OSS)	34
Ra	entes Exhib	it A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

## 1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements that BellSouth agrees to offer to CBX One-Stop in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to CBX One-Stop (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require CBX One-Stop to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 CBX One-Stop may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of CBX One-Stop, and to the extent technically feasible, provide to CBX One-Stop access to its Network Elements for the provision of CBX One-Stop's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 CBX One-Stop may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to CBX One-Stop under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CBX One-Stop and BellSouth.
- 1.6.1 Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.7 CBX One-Stop may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(8) and (e)(5). If BellSouth has anticipated such RNMs and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A of this Attachment, then BellSouth shall perform such RNMs at no additional charge. RNMs shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A of this Attachment, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from CBX One-Stop, BellSouth shall perform the RNM.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

### 1.10 **Commingling of Services**

- 1.10.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that CBX One-Stop has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.10.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.10.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.10.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher bandwidth circuit and the Central Office Channel Interfaces

(COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the lower bandwidth circuit.

- 1.11 If CBX One-Stop reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge CBX One-Stop for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.12 Rates
- 1.12.1 The prices that CBX One-Stop shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If CBX One-Stop purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.12.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.12.3 If CBX One-Stop modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by CBX One-Stop in accordance with FCC No. 1 Tariff, Section 5.
- 1.12.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

#### 2 Unbundled Loops

#### 2.1 General

2.1.1 The local loop Network Element (Loop) is defined as a narrowband transmission facility (i.e., below the DS1 level) between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. CBX One-Stop shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to CBX One-Stop on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by CBX One-Stop. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 A hybrid loop is a local Loop, below the DS1 level, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide CBX One-Stop with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 CBX One-Stop may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to CBX One-Stop's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.4 The Loop shall be provided to CBX One-Stop in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If CBX One-Stop wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), CBX One-Stop may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by CBX One-Stop (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill CBX One-Stop for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.6 <u>Loop Testing/Trouble Reporting</u>

- 2.1.6.1 CBX One-Stop will be responsible for testing and isolating troubles on the Loops. CBX One-Stop must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, CBX One-Stop will be required to provide the results of the CBX One-Stop test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once CBX One-Stop has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If CBX One-Stop reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge CBX One-Stop for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by CBX One-Stop (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill CBX One-Stop for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and CBX One-Stop to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to CBX One-Stop's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows CBX One-Stop to order a specific time for OC to take place. BellSouth will make every effort to accommodate CBX One-Stop's specific conversion time request. However, BellSouth reserves the right to negotiate with CBX One-Stop a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. CBX One-Stop may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If CBX One-Stop specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as	Charged for Dispatch inside and outside

Post Vacatur Version: 06/21/2004

					rage 9
Designed)				Engineering Information Document	Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, CBX One-Stop must order and will be billed for both OC and OC-TS if requesting OC-TS.

#### 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by CBX One-Stop when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in CBX One-Stop's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to CBX One-Stop pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

#### 2.1.9 **Bulk Migration**

2.1.9.1 If CBX One-Stop requests to migrate twenty-five (25) or more port/loop combination customers to Loops (UNE-L) in the same Central Office on the same due date, CBX One-Stop must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package. This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at <a href="https://www.interconnection.bellsouth.com/guides/html/unes.html">www.interconnection.bellsouth.com/guides/html/unes.html</a>. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the

Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

### 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, CBX One-Stop should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:

  <a href="http://www.interconnection.bellsouth.com/">http://www.interconnection.bellsouth.com/</a>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

### 2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that CBX One-Stop will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by CBX One-Stop. CBX One-Stop may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information

normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that CBX One-Stop may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to CBX One-Stop. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow CBX One-Stop to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

#### 2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. CBX One-Stop will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by CBX One-Stop or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. CBX One-Stop may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

#### 2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

#### 2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.

- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by CBX One-Stop.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by CBX One-Stop to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by CBX One-Stop or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

### 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, CBX One-Stop can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that CBX One-Stop may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by CBX One-Stop to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 CBX One-Stop may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

## 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by CBX One-Stop which has over 6,000 feet of combined bridged tap will be modified, upon request from CBX One-Stop, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to CBX One-Stop. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 CBX One-Stop may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If CBX One-Stop requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. CBX One-Stop will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 CBX One-Stop shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that CBX One-Stop desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for CBX One-Stop, CBX One-Stop will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by CBX One-Stop is available at the location for which the ULM was requested, CBX One-Stop will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, CBX One-Stop will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where CBX One-Stop has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to CBX One-Stop. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for CBX One-Stop (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from CBX One-Stop, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. CBX One-Stop will then have the option of paying the one-time SC rates to place the Loop.

### 2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit CBX One-Stop to connect CBX One-Stop's Loop facilities to the End User's premises wiring through the BellSouth NID or at any other technically feasible point.

## 2.7.3 Access to NID

- 2.7.3.1 CBX One-Stop may access the End User's premises wiring by any of the following means and CBX One-Stop shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow CBX One-Stop to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 CBX One-Stop may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be CBX One-Stop's responsibility to ensure there is no safety hazard, and CBX One-Stop will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 CBX One-Stop shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 CBX One-Stop shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with CBX One-Stop to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to CBX One-Stop's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. CBX One-Stop may request BellSouth to do additional work to the NID on a time and material basis. When CBX One-Stop deploys its own local Loops in a multiple-line termination device, CBX One-Stop shall specify the quantity of NID connections that it requires within such device.

### 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If CBX One-Stop requests a UCSL and it is not available, CBX One-Stop may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from CBX One-Stop, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for CBX One-Stop's use on this cross-connect panel. CBX

One-Stop will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, CBX One-Stop shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. CBX One-Stop's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by CBX One-Stop is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet CBX One-Stop's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before CBX One-Stop can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice CBX One-Stop's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, CBX One-Stop will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when CBX One-Stop requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by CBX One-Stop for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the

property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

## 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, CBX One-Stop will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate CBX One-Stop for each pair activated commensurate to the price specified in CBX One-Stop's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the

Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 2.8.4 **Unbundled Loop Concentration**

2.8.4.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's

TR73600 until such time as they are disconnected by CBX One-Stop, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

#### 2.9 **Loop Makeup**

#### 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to CBX One-Stop LMU information so that CBX One-Stop can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment CBX One-Stop intends to install and the services CBX One-Stop wishes to provide. This section addresses LMU as a preordering transaction, distinct from CBX One-Stop ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide CBX One-Stop LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to CBX One-Stop as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 CBX One-Stop may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by CBX One-Stop and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee CBX One-Stop's ability to provide advanced data services over the ordered Loop type. Further, if CBX One-Stop orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN

compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. CBX One-Stop is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

### 2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 CBX One-Stop may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if CBX One-Stop needs further Loop information in order to determine Loop service capability, CBX One-Stop may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

  <a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

#### 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, CBX One-Stop may reserve up to ten (10) Loop facilities. For a Manual LMUSI, CBX One-Stop may reserve up to three (3) Loop facilities.
- 2.9.3.2 CBX One-Stop may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to CBX One-Stop. During and prior to CBX One-Stop placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If CBX One-Stop does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. CBX One-Stop will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, CBX One-Stop does not reserve facilities upon an initial LMUSI, CBX One-Stop's placement of

an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.

2.9.3.5 Where CBX One-Stop has reserved multiple Loop facilities on a single reservation, CBX One-Stop may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to CBX One-Stop, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by CBX One-Stop.

### 3 <u>Line Sharing</u>

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which CBX One-Stop provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and CBX One-Stop using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with CBX One-Stop. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, CBX One-Stop may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003 and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, CBX One-Stop may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with CBX One-Stop, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow CBX One-Stop the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400

Hertz, depending on equipment and facilities) for the purposes of providing voice service. CBX One-Stop shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to CBX One-Stop on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If CBX One-Stop requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, CBX One-Stop shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and CBX One-Stop desires to continue providing xDSL service on such Loop, CBX One-Stop shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give CBX One-Stop notice in a reasonable time prior to disconnect, which notice shall give CBX One-Stop an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and CBX One-Stop purchases the full stand-alone Loop, CBX One-Stop may elect the type of Loop it will purchase. CBX One-Stop will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event CBX One-Stop purchases a voice grade Loop, CBX One-Stop acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If CBX One-Stop reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge CBX One-Stop for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of Line Sharing and Splitter Space

- 3.2.1 BellSouth will provide CBX One-Stop with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, CBX One-Stop must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 CBX One-Stop may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of CBX One-Stop's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of CBX One-Stop in a central office in which CBX One-Stop is located, CBX One-Stop shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and CBX One-Stop shall pay the electronic or manual ordering charges as applicable when CBX One-Stop orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for CBX One-Stop's data.

#### 3.3 <u>BellSouth Provided Splitter – Line Sharing</u>

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide CBX One-Stop access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to CBX One-Stop's xDSL equipment in CBX One-Stop's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide CBX One-Stop with a carrier notification letter, informing CBX One-Stop of change. CBX One-Stop shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. CBX One-Stop shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to CBX One-Stop's collocation area, if possible; or (ii) in a BellSouth relay rack as close to CBX One-Stop's DS0 termination point as possible. CBX One-Stop shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for CBX One-Stop on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter

data ports to a specified CBX One-Stop DS0 at such time that a CBX One-Stop End User's service is established.

#### 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 CBX One-Stop may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. CBX One-Stop may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by CBX One-Stop in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. CBX One-Stop may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

### 3.5 **Ordering – Line Sharing**

- 3.5.1 CBX One-Stop shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide CBX One-Stop the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide CBX One-Stop access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and CBX One-Stop shall pay the rates for such services, as described in Exhibit A.

### 3.6 **Maintenance and Repair – Line Sharing**

- 3.6.1 CBX One-Stop shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If CBX One-Stop is using a BellSouth owned splitter, CBX One-Stop may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If CBX One-Stop provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. CBX One-Stop will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 CBX One-Stop shall inform its End Users to direct data problems to CBX One-Stop, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to CBX One-Stop, BellSouth will notify CBX One-Stop. CBX One-Stop will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, CBX One-Stop will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue CBX One-Stop's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and the Data LEC may be the same or different carriers.
- 3.7.2 In the event CBX One-Stop provides its own switching or obtains switching from a third party, CBX One-Stop may engage in line splitting arrangements with another CLEC using a splitter, provided by CBX One-Stop, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 CBX One-Stop shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if CBX One-Stop will not provide voice and data services.
- 3.7.4 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing CBX One-Stop for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of CBX One-Stop or its authorized agent to determine if the Loop is compatible for Line Splitting Service. CBX One-Stop or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and CBX One-Stop or its authorized agent submits an LSR to BellSouth to change the Loop.

### 3.8 Provisioning Line Splitting and Splitter Space

3.8.1 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

### 3.9 <u>Maintenance – Line Splitting</u>

- 3.9.1 CBX One-Stop shall inform its End Users to direct all problems to CBX One-Stop or its authorized agent.
- 3.9.2 If CBX One-Stop is not the data provider, CBX One-Stop shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### 4. <u>Unbundled Network Element Combinations</u>

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by CBX One-Stop are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by CBX One-Stop are not already combined by BellSouth in the location requested by CBX One-Stop but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by CBX One-Stop are not elements that BellSouth combines for its use in its network.
- 4.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

### 4.2 Enhanced Extended Links (EELs)

- 4.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide CBX One-Stop with EELs where the underlying UNEs are available.
- 4.2.2 In the event CBX One-Stop converts special access services to UNEs, CBX One-Stop shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

### 4.3 Rates

- 4.3.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.3.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the nonrecurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.3.3 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to CBX One-Stop in addition to those specifically referenced in this Section 4above, where available. To the extent CBX One-Stop requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

### 5. Transport

- BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to DS0 and voice grade interoffice transmission facilities described in this Section 5 on an unbundled basis to CBX One-Stop for the provision of a qualifying service, as set forth herein.
- 5.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that CBX One-Stop uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 5.2 BellSouth shall:
- 5.2.1 Provide CBX One-Stop exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 5.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;

- 5.2.3 Permit, to the extent technically feasible, CBX One-Stop to connect such interoffice facilities to equipment designated by CBX One-Stop, including but not limited to, CBX One-Stop's collocated facilities; and
- Permit, to the extent technically feasible, CBX One-Stop to obtain the functionality provided by BellSouth's digital cross-connect systems.

### 5.3 **Dedicated Transport**

- 5.3.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 5.3.1.1 As capacity on a shared UNE facility.
- 5.3.1.2 As a circuit (e.g., DS0 and voice grade) dedicated to CBX One-Stop.
- 5.3.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 5.3.4 Technical Requirements
- 5.3.4.1 The entire designated transmission service (e.g., DS0 or voice grade) shall be dedicated to CBX One-Stop designated traffic.
- 5.3.4.2 BellSouth shall offer the following interface transmission rates for DS0 or voice grade Dedicated Transport: DS0 Equivalent
- 5.3.4.3 BellSouth shall design Dedicated Transport according to its network infrastructure. CBX One-Stop shall specify the termination points for Dedicated Transport.
- 5.3.4.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 5.3.4.5 <u>BellSouth Technical Reference</u>: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

#### 6. **SS7 Network Interconnection**

SS7 Network Interconnection is the interconnection of CBX One-Stop local signaling transfer point switches or CBX One-Stop local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, CBX One-Stop local or tandem switching

systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and CBX One-Stop or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 6.3 If traffic is routed based on dialed or translated digits between a CBX One-Stop local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the CBX One-Stop local signaling transfer point switches and BellSouth or other third-party local switch.
- 6.4 SS7 Network Interconnection shall provide:
- 6.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 6.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 6.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 6.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a CBX One-Stop local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of CBX One-Stop local STPs and shall not include SCCP Subsystem Management of the destination.
- SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 6.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 6.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 6.9 Interface Requirements

- 6.9.1 The following SS7 Network Interconnection interface options are available to connect CBX One-Stop or CBX One-Stop-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 6.9.1.1 A-link interface from CBX One-Stop local or tandem switching systems; and B-link interface from CBX One-Stop STPs.
- 6.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 6.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 6.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 6.9.5 BellSouth shall set message screening parameters to accept messages from CBX One-Stop local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the CBX One-Stop switching system has a valid signaling relationship.

### 7. Automatic Location Identification/Data Management System (ALI/DMS)

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. CBX One-Stop will be required to provide BellSouth daily updates to E911 database. CBX One-Stop shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

### 7.2 <u>Technical Requirements</u>

- 7.2.1 BellSouth shall provide CBX One-Stop the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to CBX One-Stop after CBX One-Stop provides End User information for input into the ALI/DMS database.
- 7.2.2 CBX One-Stop shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

## 8. **Operational Support Systems**

- 8.1 BellSouth has developed and made available electronic interfaces by which CBX One-Stop may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

### 8.3 <u>Denial/Restoral OSS Charge</u>

8.3.1 In the event CBX One-Stop provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

#### 8.4 Cancellation OSS Charge

- 8.4.1 CBX One-Stop will incur an OSS charge for an accepted LSR that is later cancelled.
- 8.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

#### 8.6 Network Elements and Other Services Manual Additive

8.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

														1			
UNBU	NDLE	NETWORK ELEMENTS - Alabama		1	T		1					10 0 1	10 0 1		ment: 2	Exhi	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									- (1)			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								,									
							Rec	Nonrec		Nonrecurring					Rates(\$)		
-	Th - 117	one" shown in the sections for stand-alone loops or loops as p						First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		ww.interconnection.bellsouth.com/become a clec/html/interco			ation refers to Geogr	apriically De	averaged UNE	Zones. To view	Geographican	y Deaveraged (	INE Zone Desi	gnations by	Central Offi	ce, refer to int	ernet website	•	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	mnectic	m.nun		1							1	I	1		
OI LIKE		(1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	lered by the	State Commissi	ons. The OSS	charges curren	tly contained i	this rate exhi	bit are the B	ellSouth "re	aional" servic	ce orderina ch	arges. CLEC	mav elect
		he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
	be orde	red electronically at present per the LOH, the listed SOMEC rate	in this	catego	ry reflects the charge	e that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	hat element	. Otherwise	the manual o	ordering charg	e, SOMAN, wi	II be applied
		OSS - Electronic Service Order Charge, Per Local Service Request															
-		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
LINE SI	ERVICE I	DATE ADVANCEMENT CHARGE				SOMAN		15.00	0.00	1.97	0.00						
OIVE O		The Expedite charge will be maintained commensurate with Be	IISouth'	's FCC	No.1 Tariff. Section 5	as applicab	le.						1				
		,			, , , , , , , , , , , , , , , , , , , ,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX, UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
					U1TUD, U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP	ļ	200.00									
ORDER	MODIF	CATION CHARGE Order Modification Charge (OMC)					1	35.13	0.00	0.00	0.00				-		
-	1	Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)				<del>                                     </del>	+	35.13 150.00	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del> </del>		
UNBUN	NDLED E	EXCHANGE ACCESS LOOP					1	130.00	0.00	0.00	0.00						
,		ANALOG VOICE GRADE LOOP												İ			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
	<b>!</b>	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1 2	UEANL	UEASL	12.58	37.81	17.56 17.56	23.49 23.49	5.30				-		
<b>-</b>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	21.05 34.34	37.81 37.81	17.56 17.56	23.49	5.30 5.30	-	-	1	-		
<b>—</b>	<b>†</b>	Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OLAINL	JULAGE	34.34	31.01	17.30	23.49	5.30	<b>-</b>	<b>-</b>				
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
1		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-															
-	1	SL1)			UEANL	UREWO	1	15.78	8.94			-	-				
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
		providing make-up (Engineering information - E.I.)			UEAINL	UEANIVI	L	13.44				<u> </u>	<u> </u>		1		

Version 6/29/04 Page 1 of 71

UNBUND	DLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGOR	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Boo	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
	I.	Order Coordination for Specified Conversion Time for UVL-SL1 (per				00001		40.00									
- 2	WIDE	UNBUNDLED COPPER LOOP - NON-DESIGNED	+	1	UEANL	OCOSL	-	18.09		-							
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<del> </del>	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>i</del>	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i	3	UEQ	UEQ2X	15.07	34.14	15.10	21,25	4.15						
$\neg \neg$		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83								
	1	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)	1	<b>-</b>	UEQ	UEQMU		13.44							ļ		
$-\!+$		Loop Testing - Basic 1st Half Hour	<del> </del>	-	UEQ	URET1	<del>                                     </del>	34.16	0.00	<del>                                     </del>					<b> </b>	<b> </b>	1
-+	-	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	+	+	UEQ	URETA	<del>                                     </del>	19.85	19.85	<del>                                     </del>		-		-	-	-	1
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL- ND)	1	1	UEQ	UREWO		14.27	7.43								
UNBLINDI		(CHANGE ACCESS LOOP	1	<del>                                     </del>	UEW	UNEWU		14.27	1.43								
		ANALOG VOICE GRADE LOOP															
Ť		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				†										
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	- 2	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
	(	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1	1	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	LIEADO	22.85	00.00	55.00	47.04	7.44						
+		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+		UEA	UEAR2	22.00	88.00	55.00	47.24	7.44						
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch	1	J	UEA	UREWO	30.14	87.72	36.36	47.24	7.44						
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL	†	11.21	1.10								
4-		ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 2	1	2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-		SDN DIGITAL GRADE LOOP				1											
—∔		2-Wire ISDN Digital Grade Loop - Zone 1	<b> </b>	1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						1
<del></del>		2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
$-\!\!+$		2-Wire ISDN Digital Grade Loop - Zone 3	<del> </del>	3	UDN	U1L2X	48.55	117.24	79.77 44.16	52.88	10.54				<b> </b>	<b> </b>	ļ
-		CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	IDIELO	OP.	UDN	UREWO		91.63	44.16			-		-	-	-	-
2-		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATE 2 Wire Unbundled ADSL Loop including manual service inquiry &	IDLE LO	UP T		+	<del>                                     </del>			<del>                                     </del>		-	-		<b> </b>	<b> </b>	<b> </b>
		facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
-+		2 Wire Unbundled ADSL Loop including manual service inquiry &	+	+	U/ IL	UNLEA	11.01	110.00	00.00	41.24	1.44						1
		facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
-+		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	T-		1	.20		33.30						İ	İ	
		facility reservation - Zone 3	<u></u>	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	<u> </u>	<u></u>		<u></u>	<u> </u>	
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1	1	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
[		2 Wire Unbundled ADSL Loop without manual service inquiry &		1	l	Ī —	ı 7			ı 7							
		facility reservaton - Zone 2	1	2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3	<del> </del>	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44				<b> </b>	<b> </b>	ļ
		CLEC to CLEC Conversion Charge without outside dispatch	l E : oo		UAL	UREWO	<del>                                     </del>	86.20	40.40	<del>                                     </del>					-	-	ļ
2-1		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	DLE LUO	<u> </u>		+	<del>                                     </del>			<del>                                     </del>		-	-		<b> </b>	<b> </b>	}
J		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
			1	-	OTTL	UTILZA	0.74	110.00	00.00	41.24	1.44		-		<b> </b>	<b> </b>	<b> </b>
		2 Wire Unbundled HDSL Loop including manual service inquiry &					1	l l									

UNBUNI	DLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGOR	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry &	1			1					-				1		
		facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and					0.74	00.00	57.00	47.04	7.44						
$\vdash$	- 1	facility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and	1	1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	í	facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and		_	0112	OTTEE V		00.00	07.00								
	1	facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	UREWO		86.14	40.40								
4-		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry and	-	-	OFIL	UTIL4X	13.93	146.30	00.00	31.70	9.73						
	1	facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry and	1														
$\vdash \vdash$		facility reservation - Zone 3	1	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	11111 4147	40.05	94.00	57.00	54.70	9.73						
-		facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and	1	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						-
		facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry and						2									
	1	facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			LIDI	LIDI 40	22.22	100.07	20.00	50.44	11.50						
$\vdash$		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	1	1 2	UDL UDL	UDL19 UDL19	26.09 35.95	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						-
$\vdash$		4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						1
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
<u> </u>		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	<b>†</b>	3	UDL UDL	UDL64 UREWO	37.88	126.27 102.13	88.80 49.75	59.14	14.50						-
2.		Unbundled COPPER LOOP	-		ODL	UKEWO		102.13	49.73								
		2-Wire Unbundled Copper Loop-Designed including manual service															
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed including manual service															
<b></b>		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.50	8.15	8.15	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual service	1														1
$oxed{oxed}$		inquiry and facility reservation - Zone 1	ı	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual service	Ι.	_	UCL	LIGI EVA	10.7-	24.45	-10-	47.0.	<b>-</b>						
$\vdash \vdash$		inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						<del>                                     </del>
		reguiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)	T .	Ť	UCL	UCLMC		8.15	8.15						İ		
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
$\sqcup \bot$		Des)	1		UCL	UREWO		97.23	42.48						ļ		
4-		COPPER LOOP	1			1											
	1	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	1	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	- [	4-Wire Copper Loop-Designed including manual service inquiry and															
$\vdash$	1	facility reservation - Zone 3	1	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	ľ	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
		4-Wire Copper Loop-Designed without manual service inquiry and	<del>- '-</del>	+-	OOL	JOLTVV	17.30	114.21	07.05	51.70	9.13				<b> </b>		<del>                                     </del>
$\vdash$	Į.	4-Wile Copper Loop-Designed without manual service mounty and															

UNBU	NDLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-										per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	
														1st	Addi	DISC 1St	Disc Add'l
			1			+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Copper Loop-Designed without manual service inquiry and	<del>                                     </del>			+		11130	Addi	11100	Auui	COMILO	COMPAN	COMPAR	COMPLE	OOMAN	COMPAR
		facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
$\vdash$			<u> </u>	3	UCL	UCLMC	20.21	8.15	8.15	31.70	9.13	-			<del>                                     </del>	-	<del></del>
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch	-	-	UCL	UREWO		97.23	42.48								<del> </del>
$\vdash$				-													<b>├</b>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15						ļ		<b></b>
					UEA, UDN, UAL,												
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL, UDL	OCOSL		18.09									<b>↓</b>
LOOP N	ODIFIC	ATION	ļ														<b></b>
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,												
		less than or equal to 18k ft. per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
		than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
		,	T i		UAL, UHL, UCL,	1			2.30			i	i	i	1	1	
				1	UEQ,ULS,UEA,							1	l				
		Unbundled Loop Modification Removal of Bridged Tap Removal, per		1	UEANL, UEPSR,							1	l				
		unbundled loop			UEPSB	ULMBT		32.41	32.41								
SUB-LC	ODE	ariburided 100p	<u> </u>		UEFSB	OLIVIBT		32.41	32.41			-			<del>                                     </del>	-	<del></del>
		l op Distribution	-	-		+											<del> </del>
	Sub-Lo	op distribution	-	-		+											<del> </del>
						110004		044.40									
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		244.42							ļ		<b></b>
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									L
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
		Set-Up	- 1		UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
		1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			-												
		2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1		02/1112	000.12		00.00	00.00	10.20	00				1		
		3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
$\vdash$			1	3	OLANE	OODINZ	10.00	05.00	30.30	43.23	0.70						<del>                                     </del>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
			-	-	UEANL	USBIVIC		0.10	0.13								₩
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07	1	l				
$\vdash \vdash$		0.11 0.11 0.0 0.11 0.11	<b>├</b>	1	UEANL	USBN4	8.46	79.03	44.19	49./1	9.07	<b>!</b>	<b> </b>	<b> </b>	1	1	<b>├</b>
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone										1	l				
igwdot		[2	<b>!</b>	2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						<b>↓</b>
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1								1	l				
$ldsymbol{ldsymbol{\sqcup}}$		3	L	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						L
l T			1	1	<u> </u>							<u> </u>	l	1			
L		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L	L	UEANL	USBMC		8.15	8.15	L		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.15	8.15			1	l				
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	i .	İ	İ			
			<del></del>	1	- · · · · · · ·	1	50	33.20	271		0.01	t	l	1	1	1	<b>†</b>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		8.15	8.15			I	1	1	1	1	
		Loop Testing - Basic 1st Half Hour	t	t	UEANL	URET1		34.16	0.00			<del> </del>	1	<b> </b>	t	<b>†</b>	t
$\vdash$		Loop Testing - Basic 1st Hall Hour	<del>                                     </del>	<del>                                     </del>	UEANL	URETA		19.85	19.85	<del> </del>		<del>                                     </del>	<b> </b>	l	<del>                                     </del>	<del>                                     </del>	+
$\vdash$		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	+
$\vdash$			<del>                                     </del>									<b>!</b>	<b> </b>	-	1	1	<del>                                     </del>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	8.76	65.80	30.96	45.25	6.70	<b>I</b>			<del>                                     </del>	1	<del>                                     </del>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		ļ				<del>                                     </del>
				1								1	l				
$\vdash \vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<b>!</b>		UEF	USBMC		8.15	8.15	ļ		ļ			<b></b>	<b></b>	
$ldsymbol{ldsymbol{\sqcup}}$		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	L	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						<u> </u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
		<u> </u>															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEF	USBMC		8.15	8.15	1		I	l	l	1	1	1

UNBU	INDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
											S	vc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Si	ubmitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Discon					Rates(\$)		
							Neo	First	Add'l	First Ad	d'l S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
-	<b>.</b>	Designed and Distribution Subloops	-	-	UEF, UEANL	URETL		8.94 34.16	0.88		-						
-	<b>.</b>	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-	-	UEF UEF	URET1 URETA		34.16 19.85	0.00 19.85		-						
-	Habua	lled Sub-Loop Modification	-	-	UEF	UKETA		19.00	19.00		-						
-	Olibuli	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		-													
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		175.78	5.10								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip			02.	O L.III.L/I			0.10								
		Removal per 4-W PR			UEF	ULM4X		175.78	5.10								
	1	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
L	<u></u>	loop	<u></u>		UEF	ULMBT	<u> </u>	278.20	6.11	<u> </u>					<u> </u>	<u> </u>	<u> </u>
	Unbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01									
	Networ	k Interface Device (NID)															
	ļ	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38						ļ		ļ
L	ļ	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11						ļ		
<u> </u>	<b>!</b>	Network Interface Device Cross Connect - 2 W	<b>—</b>		UENTW	UNDC2		5.87	5.87						-	<b> </b>	-
		Network Interface Device Cross Connect - 4W	-	-	UENTW	UNDC4		5.87	5.87								
UNEO	I HEK, P	ROVISIONING ONLY - NO RATE	-	-	UENTW	UNDBX	0.00	0.00			-						
-	<u> </u>	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	-	UENTW	UENCE	0.00	0.00									
-	ł	ONTW Circuit id Establishment, Provisioning Only - No Rate	-	-	UEANL,UEF,UEQ,UE	UENCE	0.00	0.00			-						
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
		Cribanaled Contract Name, 1 Tovisioning Crity No reac			UAL, UCL, UDC,	ONLON	0.00	0.00									
					UDL, UDN, UEA,												
		Unbundled Contact Name, Provisioning Only - no rate			UHL,	UNECN	0.00	0.00									
LOOP I	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
		Loop Makeup - Preordering With Reservation, per spare facility															
-	<u> </u>	queried (Manual).	-	-	UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or spare			UMK	UMKMQ		0.59	0.59								
I INE CI	HARING	facility queried (Mechanized)	-	-	UIVIK	UNKINQ		0.59	0.59		-						
LIIVE O		: The Line Sharing monthly recurring rates for all installations	comple	ted from	n October 02 2003 th	rough midni	aht October 01	2004 shall be b	illed as follow	6.							
-		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop					I I	2004 Silali De L	illed as follow	o							
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and L	JLSCC	applies only to circui	ts installed a	ınd inservice or	or before Octo	ber 1, 2003								
	LINE SI														ļ		ļ
<u> </u>	SPLITT	ERS-CENTRAL OFFICE BASED				00.4	455.55	100 ==		477.00	0.00						
<b>—</b>	<del>                                     </del>	Line Sharing Splitter, per System 96 Line Capacity	-	-	ULS	ULSDA	155.97 38.99	188.79 188.79	0.00	177.98 177.98	0.00				<b> </b>	-	<b> </b>
<u> </u>	<del>                                     </del>	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		-	ULS ULS	ULSDB ULSD8	38.99 12.73	188.79 377.58	0.00	355.96	0.00				-	-	
<b>—</b>	<del>                                     </del>	Line Sharing Splitter, Per System, & Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation		<del>                                     </del>	OLO	OLODO	12./3	311.30	0.00	355.80	0.00				<del> </del>		<del> </del>
1		(per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING				22000		00.47	0.00	.5.04	0.00				1		1
	1	Line Sharing - per Line Activation (BST Owned splitter) -				1									İ		İ
L	L	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter -							-								
1	1	Central Office Located (25% of UCLND) - please see NOTE 1															
L	<u> </u>	(E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92				ļ	ļ	ļ
1		Line Share Service, TRO per line activation, BST owned splitter -				1											
		Central Office Located (50% of UCLND) - please see NOTE 1				00-				40.51	4.05						
<b>—</b>	<del>                                     </del>	(E:10/2/2004)	-	-	ULS	ULSDT	5.60	18.51	10.60	10.01	4.92				<b> </b>	-	<b> </b>
1		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1				1											
1		(E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
	<b>†</b>	Line Sharing - per Subsequent Activity per Line Rearrangement(BST			0-0	02001	3.40	10.01	10.00	10.01	7.02						
1		Owned Splitter			ULS	ULSDS		16.39	8.19								
			•														

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					†	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19								
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
MAINT	ENANCE	1														<b></b>
$\overline{}$	No Trouble Found - per 1/2 hour increments - Basic	+	<u> </u>		-		80.00 120.00	55.00 82.50		-	1			-	-	+
-+-	No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium	-					120.00	110.00			-					
IINBIINDI ED I	DEDICATED TRANSPORT	1					160.00	110.00			1					+
	OFFICE CHANNEL - DEDICATED TRANSPORT															<b>—</b>
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade						40.54	21.41	10.74	6.90						1
-+-	Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-		U1TVX	1L5XX	0.008838										
	Facility Termination   Interoffice Channel - Dedicated Transport - 4-Wire Volce Grade -			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Per Mile per month			U1TVX	1L5XX	0.008838										<u> </u>
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Interroffice Channel - Dedicated Transport - 64 kbps - per mile per month					0.008838	40.54	27.41	10.74	6.90						
-+-	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		U1TDX	1L5XX	0.008838										+
	Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
SIGNALING (CO																1
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1				0.008838										<del></del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					21.13	40.54	27.41	16.74	6.90						
	Local Channel - Dedicated - DS1 - Zone 1					35.76	177.47	153.72	22.19	15.26						
	Local Channel - Dedicated - DS1 - Zone 2	1				49.98	177.47	153.72	22.19	15.26						<del></del>
	Local Channel - Dedicated - DS1 - Zone 3	1				107.63	177.47	153.72	22.19	15.26				ļ	<b> </b>	
	Interoffice Transport - Dedicated - DS1 Per Mile					0.18										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination (TENDED LINK (EELs)					60.16	89.27	81.81	16.35	14.44	<u> </u>					<del>                                     </del>

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
$\vdash$						Rec		urring	Nonrecurring		SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
NOTE	I : The monthly recurring and the Switch-As-Is Charge and not the	non ro		charges below will	apply for UNI	- combinations	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	ADF IN	TEROF	FICE TRANSPORT	apply for ONI	Combinations	provisioneu as	Currently Co	I Networ	k Elements.						<del>                                     </del>
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00		7.44						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN			LIENIA	05.04	404.07	04.54	50.11	44.50						<b>!</b>
<del>                                     </del>	4-WireVG Loop in combination - Zone 1		2	UNCVX	UEAL4 UEAL4	25.34 38.58	131.97 131.97	94.51 94.51	59.14 59.14	14.50 14.50					-	+
<del>                                     </del>	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51		14.50			-	<del> </del>		<del>                                     </del>
<del>                                     </del>	- VVII O V O LOOP III COMBINIAUON - ZONE 3	<b>†</b>	3	0140 4 V	JLAL4	00.02	131.37	34.31	39.14	14.30	<b>†</b>	<b>†</b>		1		<del>                                     </del>
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0.008838										-
	per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						-
EXTE	Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE	UNCVX TRANSPORT	UNCCC		5.59	5.59	6.98	6.98						
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	-	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64 UDL64	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50	-					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per		3				120.21	00.00	59.14	14.50						
	Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.008838	10.5:	27 ::	10=:	0.55						
	Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
EVTE	Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	POEE	E TD A	UNCDX	UNCCC		5.59	5.59	6.98	6.98		-				<del>                                     </del>
EVIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	LINGERIC	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	<b>-</b>					<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				İ		1
	First 4-wire 56 kbps Local Loop in combination - Zone 3 First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	UDL56	37.88	126.27	88.80		14.50						
	month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.008838					-					
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
EXTE	Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA	UNCDX NSPORT	UNCCC		5.59	5.59	6.98	6.98						
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.008838										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
ADDITI	ONAL N	ETWORK ELEMENTS															
	When t	used as a part of a currently combined facility, the non-recurrng	charge	s do no	ot apply, but a Switch	As Is charg	e does apply.										
	When t	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and th	e Switch As	Is Charge does	not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne app	lies to each combina	ition)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	Miscell	aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	- 1		UN1CX	OCOSR		18.93	18.93						Î		
LNP Qu	iery Ser	vice		Ì													
		LNP Charge Per query					0.000757										
		LNP Service Establishment Manual						12.52		11.51	•						
		LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74						
	Note: R	ates displaying an "R" in the interim column are interim and su	biect to	rate tru	ue-up as set forth in	General Term	s and Conditio	ns.			_						

Version 6/29/04 Page 8 of 71

														T		ı	
UNBU	NDLE	NETWORK ELEMENTS - Florida			T		1					10 0 1	10 0 1		ment: 2	Exhi	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				L		L		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	raphically De	eaveraged UNE 2	Zones. To view	Geographical	ly Deaveraged (	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
ODED (		ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	on.htm	1		1			1		1	1	1		1	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	"ctata c	pocific	" OSS charges as ore	lored by the	State Commissi	one The OSS	harane curron	tly contained is	n this rate ovhi	hit are the B	ollSouth "re	gional" convi	no ordoring ob	argos CLEC	mayoloot
		he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
		ered electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	II Courth	's FCC	No 4 Tariff Castion F	as spoliagh	la la				-	-	-				
-	NOTE.	The Expedite charge will be maintained commensurate with be	lisoutii	3 FCC	No.1 Tariii, Section 5	as applicas	ie.				<del> </del>	<del> </del>	<u> </u>	1			
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X, UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
					U1TUD, U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
ORDE	MODIF	CATION CHARGE	ļ				ļ				<u> </u>	ļ		ļ	1		
	<b> </b>	Order Modification Charge (OMC)	<b> </b>	-		-	1	26.21	0.00	0.00	0.00	<b></b>	ļ	<del>                                     </del>	<del>                                     </del>	<b> </b>	
IINDIII	IDI ED E	Order Modification Additional Dispatch Charge (OMCAD)	<b>!</b>	+		<del>                                     </del>	1	150.00	0.00	0.00	0.00	1	<del>                                     </del>		<del></del>		
JIVEUI		ANALOG VOICE GRADE LOOP		<del>                                     </del>			<del> </del>				<del>                                     </del>		<b>†</b>	<b> </b>	<del>                                     </del>		
	_ ****	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57				<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
	<b>_</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57				-		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		LIFANI	LIDET		0.00	0.00		I				I		
<u> </u>	<del>                                     </del>	Premise Loop Testing - Basic 1st Half Hour	<b>!</b>	+	UEANL UEANL	URETL URET1	1	8.33 48.65	0.83		<del>                                     </del>	1	<del>                                     </del>		<del>                                     </del>	-	
-	1	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour	<del>                                     </del>	<del>                                     </del>	UEANL	URETA	1	48.65 23.95	23.95	-	<del>                                     </del>	<b> </b>	}	<del> </del>	+	<b> </b>	
	<b>†</b>	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-	<b> </b>		OLAINL	ONETA	<b>†</b>	23.95	23.95		<b>†</b>		<b>†</b>		t		
		SL1)	1		UEANL	UREWO		15.78	8.94		I				I		
	l	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	İ						2.31				İ	1			
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM	L	13.49								<u> </u>	

Version 06/29/04 Page 9 of 71 [CCCS Amendment 45 of 107]

IINRI	INDI ED	NETWORK ELEMENTS - Florida												Attach	mont: 2	Evhi	hit: A
CIADO	MULEL	ALIWORK ELEWIENTS - FIORIDA			1	1						Svc Order	Svc Order		ment: 2 Incremental	Incremental	bit: A Incremental
												Submitted	1	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
-	2 MIDE	LSR) UNBUNDLED COPPER LOOP - NON-DESIGNED	-		UEANL	OCOSL		23.02				-	-				
	Z-VVIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45	1	1				-
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 1	i i		UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45		<b>†</b>				<del>                                     </del>
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-						0.55									
-	1	Designed (per loop)	1	-	UEQ	USBMC	<del>                                     </del>	9.00		-		1	1			-	<del>                                     </del>
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
		Loop Testing - Basic 1st Half Hour	l		UEQ	URET1		48.65	0.00	1			1		1		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-							<u> </u>								
		ND)		<u> </u>	UEQ	UREWO		14.27	7.43								<u> </u>
UNBU		XCHANGE ACCESS LOOP		-						1							<b>├</b>
-	2-WIRE	ANALOG VOICE GRADE LOOP				+											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	ULA	OLALZ	12.24	133.73	02.47	03.33	12.01						<del> </del>
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.													
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OLARZ	17.40	100.70	02.47	00.00	12.01		1				
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
-		ANALOG VOICE GRADE LOOP	-	4	LIEA	LIEAL 4	40.00	407.00	445.45	67.00	45.50	-	-				
		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		2	UEA UEA	UEAL4 UEAL4	18.89 26.84	167.86 167.86	115.15 115.15	67.08 67.08	15.56 15.56						<u> </u>
-		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						+
		CLEC to CLEC Conversion Charge without outside dispatch		Ť	UEA	UREWO		87.71	36.35	01.00	10.00						
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN UDN	U1L2X UREWO	48.62	147.69 91.61	94.41 44.15	62.23	10.71						
<b>—</b>	2-WIRE	CLEC to CLEC Conversion Charge without outside dispatch  ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BI F I O	OP	אועט	UKEWU	1	91.01	44.15	1		<del>                                     </del>	<b>—</b>				-
	- · · · · · · · · · · · · · · · · · · ·	2 Wire Unbundled ADSL Loop including manual service inquiry &		Ĭ.		1	1					t	<u> </u>		1	1	<b>†</b>
		facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						<u> </u>
		2 Wire Unbundled ADSL Loop including manual service inquiry &		3		LIALOV	00.04	440.50	400.05	75.05	45.00						
-	1	facility reservation - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &	<b>-</b>	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63	-	-	-	-	1	+
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		Ė			2.00	.230	2	55.04	0.12				İ		
		facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12					<u> </u>	
		2 Wire Unbundled ADSL Loop without manual service inquiry &							<u> </u>								
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						ļ
<u> </u>	O MIDE	CLEC to CLEC Conversion Charge without outside dispatch	15166		UAL	UREWO	1	86.19	40.39	1				-	<b> </b>	-	<b>├</b>
-	∠-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB 2 Wire Unbundled HDSL Loop including manual service inquiry &	LE LOO	P		1	+ -			+		1	<del>                                     </del>				<del>                                     </del>
		facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry &		Ė				.00.00		. 5.55	.0.30				İ		
	<u> </u>	facility reservation - Zone 2	<u></u>	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63				L	<u> </u>	
											_				_		

facili	RATE ELEMENTS  Wire Unbundled HDSL Loop including manual service inquiry & sility reservation - Zone 3  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 3  EC to CLEC Conversion Charge without outside dispatch SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 3  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2	Interim	3 1 2 3	DHL UHL UHL UHL UHL UHL UHL UHL	UHL2X UHL2W UHL2W UHL2W UHL2W UREWO	Rec 18.21 7.22 10.26	Nonrec First 159.09 134.40	RATES(\$)	Nonrecurring First 75.05	Disconnect Add'l 15.63	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
facili	cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and bility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 3 EC to CLEC Conversion Charge without outside dispatch SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2	BLE LOO	1 2 3 DPP	UHL UHL UHL	UHL2W UHL2W UHL2W	18.21 7.22 10.26	<b>First</b> 159.09	Add'I 113.41	75.05	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
facili	cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and bility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 3 EC to CLEC Conversion Charge without outside dispatch SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2	BLE LOO	1 2 3 DPP	UHL UHL UHL	UHL2W UHL2W UHL2W	7.22 10.26	159.09	113.41	75.05		COMEC	COMPAR	COMPAR	COMPAN	COMPAR	OOMAN
facili	cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and bility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 3 EC to CLEC Conversion Charge without outside dispatch SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2	BLE LOO	1 2 3 DPP	UHL UHL UHL	UHL2W UHL2W UHL2W	7.22 10.26				15.63						Į.
facili	ility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 3 EC to CLEC Conversion Charge without outside dispatch 3H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and ility reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and ility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and ility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 2	BLE LOO	3 DP	UHL UHL UHL	UHL2W UHL2W	10.26	134.40	80.69								
2 Wi facili   2 Wi facili   2 Wi facili   2 Wi facili   6 LE   4-WIRE HIGG   4 Wi facili   4-Wi faci	Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 3 EC to CLEC Conversion Charge without outside dispatch SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2	BLE LOO	3 DP	UHL UHL UHL	UHL2W UHL2W	10.26	134.40	80.69								
facili	cility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and bility reservation - Zone 3  EC to CLEC Conversion Charge without outside dispatch and the conversion Charge without outside dispatch and the conversion Charge without outside dispatch and the conversion of the	BLE LOO	3 DP	UHL UHL	UHL2W				60.64	9.12						L
2 Wi facili CLE 4-WIRE HIGH 4 -Wi facili 4	Wire Unbundled HDSL Loop without manual service inquiry and  illity reservation - Zone 3  EC to CLEC Conversion Charge without outside dispatch  3H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATII  Wire Unbundled HDSL Loop including manual service inquiry and  illity reservation - Zone 1  Wire Unbundled HDSL Loop including manual service inquiry and  illity reservation - Zone 2  Wire Unbundled HDSL Loop including manual service inquiry and  illity reservation - Zone 3  Wire Unbundled HDSL Loop without manual service inquiry and  illity reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and  illity reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and  illity reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and  illity reservation - Zone 2	BLE LOO	3 DP	UHL UHL	UHL2W											l
facili	ility reservation - Zone 3 EC to CLEC Conversion Charge without outside dispatch 3H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATII Wire Unbundled HDSL Loop including manual service inquiry and slifty reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and slifty reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and slifty reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and slifty reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and slifty reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and slifty reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and	BLE LOO	)P	UHL			134.40	80.69	60.64	9.12						
CLE	EC to CLEC Conversion Charge without outside dispatch SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI Wire Unbundled HDSL Loop including manual service inquiry and Sility reservation - Zone 1 Wire Unbundled HDSL Loop including manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and Sility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and Sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and	BLE LOO	)P	UHL		18.21	134.40	80.69	60.64	9.12						l
4-WIRE HIGH  4 Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 5-CLE 4-WIRE 19.2 4-Wi 4-Wi 4-Wi 4-Wi 4-Wi 4-Wi 4-Wi 4-Wi	SH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATING Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 2  Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 3  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2	BLE LOO	1		OKEWO	10.21	86.12	40.39	60.64	9.12						<del></del>
4 Wi facili 4-Wi facili 6-Wi f	Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 1 Mire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 2 Mire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 3 Mire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1 Mire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1 Mire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2 Mire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2		1	UHL			00.12	40.00								
4-Wind facili 4-Wind facili 4-Wind facili 4-Wind facili 4-Wind facili 4-Wind facili 4-Wind facili 6-Wind facili 6-Wind facili 7-	Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and sility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2		Ė	UHL												
facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 4-Wi facili 6-Wi facili	cility reservation - Zone 2 Wire Unbundled HDSL Loop including manual service inquiry and cility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and		2		UHL4X	10.86	193.31	138.98	77.15	12.61						
4-Wi facili 4-W. facili 4-W. facili 4-W. facili 4-W. facili 4-W. facili 4-W. facili 4-W. facili 6-W. facili 6-W. facili 6-W. facili 7-W. facili 7-W. facili 6-W. facili 7-W. f	Wire Unbundled HDSL Loop including manual service inquiry and illity reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and illity reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and illity reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	I												
facili 4-Wi facili 4-Wy facili 4-Wy facili CLE 4-WIRE 19.2, 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi	Sility reservation - Zone 3  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 1  Wire Unbundled HDSL Loop without manual service inquiry and sility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
4-Wind facili 4-Wind facili 4-Wind facili 4-Wind facili 4-Wind facili 6-Wind facili 6-Wind facili 7-	Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and ility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and		1 ^			07.00	400.04	100.00	77.45	10.01						ĺ
facili 4-Wi facili 4-Wi facili 14-Wi facili CLE 4-WiRE 19.2 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi	cility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry and cility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						<del></del>
4-W/ facili 4-W/ facili CLE 4-WIRE 19.2, 4 W/ 4 W/ 4 W/ 4 W/ 4 W/ 4 W/ 4 W/ 4 W/	Nire Unbundled HDSL Loop without manual service inquiry and illity reservation - Zone 2 Nire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						l
facili 4-Wine facili 4-Wine facili CLE 4-Wine facili 4 Wine facili 4 Wine facili 4 Wine facili 4 Wine facili 4 Wine facili 4 Wine facili 4 Wine facili 5 Wine facili 6 Wine facili 6 Wine facili 7 Wine facili 7 Wine facili	cility reservation - Zone 2  Wire Unbundled HDSL Loop without manual service inquiry and			OTIL	OTILAVV	10.00	100.02	113.47	02.74	11.22						<del></del>
4-Wife facili fa	Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						l
facili CLE 4-WIRE 19.2 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi		1														
4-WIRE 19.2, 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi	cility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi	EC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								L
4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi	2, 56 OR 64 KBPS DIGITAL GRADE LOOP	4	<u> </u>													
4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 5 CLE 2-WIRE Unbi	Vire Unbundled Digital 19.2 Kbps	_	1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						⊢—
4 Wi 4 Wi 4 Wi 4 Wi 4 Wi 4 Wi CLE 2-WIRE Unbi	Wire Unbundled Digital 19.2 Kbps Wire Unbundled Digital 19.2 Kbps	+	3	UDL UDL	UDL19 UDL19	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56						<del></del>
4 Wi 4 Wi 4 Wi 4 Wi 4 Wi CLE 2-WIRE Unb	Wire Unbundled Digital Loop 56 Kbps - Zone 1	+	1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						<del></del>
4 Wi 4 Wi 4 Wi 4 Wi CLE 2-WIRE Unb	Vire Unbundled Digital Loop 56 Kbps - Zone 2	+	2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
4 Wi 4 Wi CLE 2-WIRE Unb	Vire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
4 Wi	Vire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
2-WIRE Unb	Vire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
2-WIRE Unb	Vire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	EC to CLEC Conversion Charge without outside dispatch	+	1	UDL	UREWO		102.11	49.74								<b>—</b>
1Z-VV.	bundled COPPER LOOP  Wire Unbundled Copper Loop-Designed including manual service	+	+													<del></del>
	juiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	Wire Unbundled Copper Loop-Designed including manual service	+	<u> </u>	002	COLIB	0.00	140.00	102.02	70.00	10.00						
	uiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						1
2 Wi	Vire Unbundled Copper Loop-Designed including manual service															
	uiry & facility reservation - Zone 3	1	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	Wire Unbundled Copper Loop-Designed without manual service		1	UCL	LICL DW	0.00	400.04	70.00	00.04	9.12						1
	uiry and facility reservation - Zone 1  Wire Unbundled Copper Loop-Designed without manual service	+	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						<del></del>
	uiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						1
	Wire Unbundled Copper Loop-Designed without manual service	1				11.50	120.01	70.00	00.04	0.12						
inqui	uiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						<u></u>
	.EC to CLEC Conversion Charge without outside dispatch (UCL -															
Des)		1		UCL	UREWO		97.21	42.47								
	OPPER LOOP	1	1		+											
	Wire Copper Loop-Designed including manual service inquiry and		4	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						1
	cility reservation - Zone 1  Nire Copper Loop-Designed including manual service inquiry and	+	1	UUL	UCL45	11.83	1//.8/	132./6	77.15	17.73						<del></del>
	cility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						1
	AND TEST AGRANT - CAME C	1	T-			10.01		.02.70	0	0						
			3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						<u></u>
	Nire Copper Loop-Designed including manual service inquiry and bility reservation - Zone 3															
	Nire Copper Loop-Designed including manual service inquiry and bility reservation - Zone 3 Wire Copper Loop-Designed without manual service inquiry and	1	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	Wire Copper Loop-Designed including manual service inquiry and illity reservation - Zone 3 Wire Copper Loop-Designed without manual service inquiry and illity reservation - Zone 1	+	_								1					1
	Wire Copper Loop-Designed including manual service inquiry and Jility reservation - Zone 3 Wire Copper Loop-Designed without manual service inquiry and Jility reservation - Zone 1 Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	16.81	153.18	100.03	62.74							1
4-VVI facili	Wire Copper Loop-Designed including manual service inquiry and illity reservation - Zone 3 Wire Copper Loop-Designed without manual service inquiry and illity reservation - Zone 1						1		02.14	11.22						<del></del>

	DLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								N		N	Di			000	D-4(f)		
							Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-+	_	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47	11130	Addi	JONILO	JONAN	JOWAN	JOWAN	JOWAN	JOHAN
-		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		oraci occidination or oribanalog copper 20050 (por 1005)			UEA, UDN, UAL,	0020		0.00	0.00								
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.02									
LOOP MOI	DIFIC	ATION															
					UAL, UHL, UCL,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	l	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-LOOF	PS																
Su	ub-Loc	pp Distribution							•		•						
	T																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	- 1		UEANL	USBSA		487.23									
.		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	i i		027.1112	00202		0.20									
		Set-Up	- 1		UEANL	USBSC		169.25									
		•															
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
		1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
-+		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			UEANL	USBINZ	9.10	00.19	21.76	47.50	5.20						
		3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
-+		3		3	UEANL	USBIN4	10.56	00.03	30.42	49.71	0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						1
		Onder Occadination for Habrardted Orbit Land			LIFANII	LICDMO		0.00	0.00								1
-+		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	<b>-</b>	-	UEANL UEANL	USBMC URET1		9.00 48.65	9.00	1				-		-	<del>                                     </del>
-+		Loop Testing - Basic 1st Hair Hour  Loop Testing - Basic Additional Half Hour	<b>H</b>		UEANL	URETA		23.95	23.95	1					<del> </del>		<del>                                     </del>
-+	- +	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
-	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	İ	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
, T		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00							<u>-</u>	
-+		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60				<del> </del>		<del>                                     </del>
-+		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						<del>                                     </del>
-+	$\neg \dagger$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						1
-	1			Ť	-	1		22.00			2.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
1										. –							1
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF. UEANL	URETL		8.93	0.88								

UNBU	NDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	l .
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ODV	DATE ELEMENTO		<b>7</b>	BCS	USOC			DATEC(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORT	RATE ELEMENTS	Interim	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	urring	Nonrecurring Disc					Rates(\$)	•	•
						1	Nec	First	Add'l	First /	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour	ļ		UEF	URETA		23.95	23.95								ļ
-	Unbune	dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load	-	<u> </u>		<b>-</b>											<del> </del>
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled			UEF	ULMBT		15.58	15.58								
	Unbun	dled Network Terminating Wire (UNTW)			UEF	ULIVIDI		15.56	15.56								
	Onban	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4572	18.02									
	Networ	k Interface Device (NID)	t			1	55.2								İ		
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE O	THER, P	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
-		UNTW Circuit Id Establishment, Provisioning Only - No Rate	ļ		UENTW	UENCE	0.00	0.00									ļ
		Habitania de Contro de Norma Brancia in aire a Cabita No Boto			UEANL,UEF,UEQ,UE NTW	LINIEON	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UAL,UCL,UDC,UDL,	UNECN											
	MAKE-U	Unbundled Contact Name, Provisioning Only - no rate		-	UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP	MAKE-U	Loop Makeup - Preordering Without Reservation, per working or	-	<u> </u>		<b>-</b>											-
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE S	HARING		L			<u> </u>											ļ
		: The Line Sharing monthly recurring rates for all installations					ght October 01,	2004 shall be i	oilled as follow	S:							
-		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop : 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per loop	non-a	esigned ("UCLND")	1											<b>+</b>
-		: 10/02/2004 - 10/01/2005: 50% of the rate for OCEND				+									1		-
		: Above will apply to USOCS: ULSDT and ULSCT				+											
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and l	II SCC	applies only to circui	its installed a	and inservice or	or before Oct	ober 1, 2003								<del> </del>
		HARING	1		,,				,						İ	İ	
		ERS-CENTRAL OFFICE BASED			<u> </u>										<u> </u>		
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
	ļ	Line Sharing Splitter, Per System, 8 Line Capacity	ļ		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00				ļ	ļ	<u> </u>
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -						<u> </u>									
		Central Office Located (25% of UCLND) - please see NOTE 1	1		l	L				[ ]							
<u> </u>	-	(E:10/2/2003)	<b>!</b>	<u> </u>	ULS	ULSDT	1.99	29.68	21.28	19.57	9.61				ļ	<b> </b>	<b>├</b>
		Line Share Service, TRO per line activation, BST owned splitter -	1			1											
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
		Line Sharing - per Subsequent Activity per Line Rearrangement -															
-	-	(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement -	<b> </b>	-	ULS	ULSDS		21.68	16.44								-
		(DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNRU	NDI FI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
OIADO	INDELL		1			1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									- (1)			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
			1				_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter -				i						1					
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -	1														
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -										İ					
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic	1	1		i i	i	80.00	55.00			1	İ	İ	1	İ	İ
		No Trouble Found - per 1/2 hour increments - Overtime	1	İ		1		120.00	82.50				İ				
		No Trouble Found - per 1/2 hour increments - Premium	1	1		i i	i	160.00	110.00			1	İ	İ	1	İ	İ
UNBU	IDLED I	DEDICATED TRANSPORT	1			İ	i			1			1	İ	İ	İ	İ
		OFFICE CHANNEL - DEDICATED TRANSPORT	1			1								i	t	i	i
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	1		i i	i			i i		1	İ	İ	1	İ	İ
		Per Mile per month			U1TVX	1L5XX	0.0091						1		I	1	
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1				0.0001						İ				İ
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	<del>                                     </del>		OTTVX	OTTVE	20.02	47.00	01.70	10.01	7.00						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			OTTVX	TESAX	0.0031										
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			OTTVX	OTTINZ	20.02	47.55	31.70	10.51	7.00						
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	<del>                                     </del>		OTTVX	TEOXIX	0.0001										
		Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			OTTVX	01114	22.30	47.55	31.70	10.51	7.00						
		Imneronice Charliner - Dedicated Transport - 36 kbps - per fille per			U1TDX	1L5XX	0.0091										
-		Interoffice Channel - Dedicated Transport - 56 kbps - Facility	_	-	OTTEX	TESAX	0.0031										
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
-		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	_	-	UTIDA	01103	10.44	41.33	31.76	10.31	7.03						
		month			U1TDX	1L5XX	0.0091										
-		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>		UTIDA	ILSAA	0.0091			1		<b>†</b>	-		<del>                                     </del>		
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
SIGNA	LING (CO		+	-	UTIDA	סטווט	10.44	47.35	31.70	10.31	7.03	<b>-</b>	-		-		
SIGIVA	40 (C(	CCS7 Signaling Termination, Per STP Port	+	<del>                                     </del>	UDB	PT8SX	135.05					<del>                                     </del>	<del>                                     </del>		<del>                                     </del>		<b> </b>
$\vdash$		CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Connection, Per DS1 level link (A link)	+	<del>                                     </del>	UDB	TPP6A	17.93	43.57	43.57	18.31	18.31	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>		<del> </del>
$\vdash$	<b>H</b>	CCS7 Signaling Connection, Per DS3 level link (A link)	t		UDB	TPP9A	17.93	43.57	43.57		18.31	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<b>—</b>	<del>                                     </del>	CCS7 Signaling Connection, Per DS3 level link (A link)  CCS7 Signaling Connection, Per DS1 level link (B link) (also known	<del>                                     </del>		000	1FF3A	17.93	43.57	43.37	10.31	10.31	<del>                                     </del>	<b>-</b>	<b>l</b>	+	<b>l</b>	1
1		las D link)	1	1	UDB	TPP6B	17.93	43.57	43.57	18.31	18.31	1	l	1	1	1	l
<b></b>	<b>-</b>	CCS7 Signaling Connection, Per DS3 level link (B link) (also known	1	<del>                                     </del>	000	IFFUD	17.93	43.57	43.37	10.31	10.31	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del></del>	<b> </b>	<del>                                     </del>
1		las D link)	1	1	UDB	TPP9B	17.93	43.57	43.57	18.31	18.31	1	l	1	1	1	l
$\vdash$	<del>                                     </del>	CCS7 Signaling Point Code, per Originating Point Code	1	<del>                                     </del>	000	11 1 3D	11.53	40.07	40.07	10.01	10.31	t	<del> </del>	<b> </b>	t	<b> </b>	1
		Establishment or Change, per STP affected		1	UDB	CCAPO		46.03	46.03	46.03	46.03				1		
E011 C	ERVICE	Lotabilotition Offange, per off affected	+	<del>                                     </del>	000	COMPO		40.03	40.03	40.03	40.03	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>		<del> </del>
E311 S		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	<del>                                     </del>			1	21.94	265.84	46.97	37.63	4.00	<del>                                     </del>	<b>-</b>	<b>l</b>	+	<b>l</b>	1
$\vdash$		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	+	<del>                                     </del>		1	29.62	265.84	46.97	37.63	4.00	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>		<del> </del>
<b></b>	<b>-</b>	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	1	<del>                                     </del>		+	57.22	265.84	46.97		4.00	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del></del>	<b> </b>	<del>                                     </del>
$\vdash$	<del>                                     </del>	Interoffice Transport - Dedicated - 2-wr Voice Grade - Zone 3	1	<del>                                     </del>	<b> </b>	1	0.0091	200.04	40.97	31.03	4.00	t	<del> </del>	<b> </b>	t	<b> </b>	<b> </b>
$\vdash$	<del>                                     </del>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	<del>                                     </del>	<b> </b>	1	0.0081					t	<del> </del>	<b> </b>	t	<b> </b>	<b> </b>
		Termination		1			25.32	47.35	31.78	18.31	7.03				1		
$\vdash$	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 1	1	<del>                                     </del>	<b> </b>	1	35.28	216.65	183.54	21.47	19.05	t	<del> </del>	<b> </b>	t	<b> </b>	<b> </b>
$\vdash$	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 1	1	<del>                                     </del>	<b> </b>	1	47.63	216.65	183.54		19.05	t	<del> </del>	<b> </b>	t	<b> </b>	<b> </b>
$\vdash$	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3	1	<del>                                     </del>	<b> </b>	1	92.01	216.65	183.54		19.05	t	<del> </del>	<b> </b>	t	<b> </b>	<u> </u>
<b></b>	<b>-</b>	Interoffice Transport - Dedicated - DS1 - Zone 3	1	<del>                                     </del>		+	0.1856	∠10.05	103.34	21.47	19.05	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	<del>                                     </del>	Interoffice Transport - Dedicated - DST Per Mile	1	<del>                                     </del>	<b> </b>	1	0.1000					t	<del> </del>	<b> </b>	t	<b> </b>	<u> </u>
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05				1		
ENHAN	ICED EV	(TENDED LINK (EELs)	1			+	00.44	105.54	90.47	21.47	19.05	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
FIALINI		The monthly recurring and non-recurring charges below will a	nnly and	the Su	itch-As-Is Chargo w	ill not apply fo	or LINE combine	ations provision	ned as ' Ordina	arily Combined	Notwork Flore	nte	<del> </del>	<b> </b>	t	<b> </b>	<del>                                     </del>
$\vdash$	NOTE:	The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the	ppiy aliu	curring	charges below will	annly for LINE	Combinations	nrovisioned se	'Currently Co	mhined' Networ	k Flemente		<del> </del>	<b> </b>	t	<b> </b>	<del>                                     </del>
<b>—</b>		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI				I I	- COMBINATIONS	provisioned as	- Carrently Co	I I I I I I I I I I I I I I I I I I I	K EIGHIGHIA.	<del> </del>	<del> </del>		<del> </del>		<del>                                     </del>
	I⊏VIEN	DED 2-WINE VOICE GRADE EXTENDED LOUP/ 2 WIRE VOICE GI	MUEIN	LKUP	INCETRANSPORT	1	1			1		1	i .	1	1	l	1

ACREADAY  RATE ELEMENTS  INSURING  RATE SUBMINIST  RATE SUBMIN	UNBUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATT FLEMENTS AND ALL PROPERTY OF THE PROPERTY																	
ATTEMPT - RATE ELEMENTS   Steven Date   Doc   Do												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Second Column   Second Colum												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
Per   Per	CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Temporary   Temp												<b>P</b>	p				Electronic-
																	Disc Add'l
Secretary Control Co														131	Addi	D130 131	DISC Add I
Piet   Add   State							_	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		-
Secretary   Secr							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
EVERTORS Long Interference Journal Communication Communi		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59		42.79	2.81						
Bottom   Comment   Comme				2			17.40	127.59		42.79							
New York Transport - 2-wile Visit - Declarated Feet Name Free Visits   New York - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				3		UEAL2	30.87	127.59	60.54	42.79							
Interestinal Transport - Average Communication   ONCOX   OLTOX   OLtox   Olt																	
Intercentive Transport - 2-view VCP - Decidence - Facility Termination   UNICOX   UTIVIZ   25.52   94.70   52.56   50.60   21.55		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
Section																	
Nonceauring Country Contract Network Internet States   Nonce					UNCVX	U1TV2	25.32	94 70	52 59	50 49	21.53						
Chapp   198   99					O. CO TA	02	20.02	0 0	02.00	00.10	21.00	1					
EXTENDED 4-WINE VOICE GRADE EXTENDED LOOP A WINE VOICE GRADE INTEROPPLET PRANSPORT   1 UNCX   VIEW   2.50   1.75   1.50   1.75   1.50   1.75   1.50   1.75   1.50   1.75   1.50   1.75   1.50   1.75   1.50   1.75					LINCVX	LINCCC		8 98	8 98	8 98	8 98						
4-ViverVist Comp combination - Zero 1   1   RECVIX   NEAL4   118.89   127.89   60.54   42.79   2.98	EYTENI		ADE IN	FPOE		011000		0.00	0.00	0.00	0.00	1					<del>                                     </del>
### A-WING Coop nombroston - Zono 2			TADE III			LIEAL 4	18.80	127 50	60.54	12.70	2.81						<del> </del>
A-VINEY® CLOSED INCORPORATION - ZONO 9			<del>                                     </del>									1	<del>                                     </del>		<b> </b>		<del>                                     </del>
Interceting Transport - 4-ster VG - Decideatid - Fee Mail Per Morth   UNCVX   11,50X   0,0091			<del>                                     </del>									1	<del>                                     </del>		-		+
Seterofice Transport - 4-wire VG - Deckands - Facility Termination   UNCX		T-VVII G VO LOOP IT COTIDITIATION - ZONG 3	<del>                                     </del>	3	OINOVA	OEAL4	41.02	121.59	00.54	42.79	2.01	1	<del>                                     </del>		-		+
Seterofice Transport - 4-wire VG - Deckands - Facility Termination   UNCX		Intereffice Transport A wire VG Dedicated Der Mile Der Mande			LINCVY	11.5	0.0004										
Decrease   Decrease			-		UNCVX	ILDXX	0.0091					<del> </del>	-		-	<b> </b>	<del>                                     </del>
Nonexacraring Currently Contributed Newton's Elements Switch - As-les   UNCOX   UNCO			1		LINIOVO	LIATE (A	00.50	04.70	50.50	50.40	04.50		l		l	1	
Charge   Letter   L			-		UNCVX	U11V4	22.58	94.70	52.59	50.49	21.53	1	1		<b>-</b>		<del>                                     </del>
EXTENDED - AWRE SK RPS DORTAL EXTENDED LOOP WITH 56 KRPS NTENDFFICE TRANSPORT																	
4-wer 66 Maps, Local Loop in combination - Zone 1						UNCCC		8.98	8.98	8.98	8.98						<b>↓</b>
4-weie Siktegs Local Loop in contrination - Zone 2   2 UNCDX   UDL56   5.599   127.595   60.54   42.79   2.81			INTERO														<b>↓</b>
Harter 65 kbps Local Loop in contribution - Zone 3																	ļ
InterOffice Transport - Declarated - 4-wire 68 kbps cornination - Per   UNCDX   LEXX   UNCDX   UTD5   18.44   94.70   52.59   50.49   21.53																	ļ
Mile per month     UNCDX   LEXX   0.0091				3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	ļ					ļ
Interdifice Transport - Dedicated -4-wee 64 kbps combination -																	
Facility Termination per month					UNCDX	1L5XX	0.0091										ļ
Nonrecurring Currently Combined Network Elements Switch - As-Is   UNCDX   UNCCC   8.98   8.98   8.98   8.98   8.98   8.98   Section 1.00																	
Charge   UNCOX					UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
EXTENDED 4-WIRE 64 KRPS DIGITAL EXTENDED LOOP WITH 64 KRPS NTEROFFICE TRANSPORT  4-wer 64 ktps Local Loop in Combination - Zone 1 1 UNCDX UDL64 22.0 127.59 60.54 42.79 2.81		Nonrecurring Currently Combined Network Elements Switch -As-Is															
A-wire 64 kbps Local Loop in Combination - Zone 1		Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
4-wire 64 kbps Local Loop in Combination - Zone 2			INTERO	FFICE													
A-wire 64 kbgs_Local Loop in Combination - Zone 3   3 UNCDX   UDL64   55.99   127.59   60.54   42.79   2.81		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
Interoffice Transport - Decicated -4-wire 64 kt/ps combination - Per   UNCDX		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2			31.56	127.59			2.81						
Mile per month		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
Interoffice Transport - Dedicated - 4-wire 64 ktps combination - Facility Termination per month		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
Facility Termination per month   UNCDX   U1TD6   18.44   94.70   52.59   50.49   21.53		Mile per month			UNCDX	1L5XX	0.0091										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
Nonrecurring Currently Combined Network Elements Switch -As-is   UNCDX   UNCCC   8.9.8   8.9.8   8.9.8   8.9.8   8.9.8   8.9.8		Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
Charge   UNCDX   UNCCC   8.89   8.98   8.9		Nonrecurring Currently Combined Network Elements Switch -As-Is															
EXTENDED 4-WIRE 56 KBps Digital EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT    First 4-wire 56 kbps Local Loop in combination - Zone 1		Charge	1		UNCDX	UNCCC		8.98	8.98	8.98	8.98		I		l	1	
First 4-wire 56 kbps Local Loop in combination - Zone 1			EROFFIC	E TRA		1	1						ĺ		ĺ	1	
First 4-wire 56 kbps Local Loop in combination - Zone 2						UDL56	22.20	127.59	60.54	42.79	2.81						
First 4-wire 56 kbps Local Loop in combination - Zone 3   3 UNCDX   UDL56   55.99   127.59   60.54   42.79   2.81			1	2									ĺ		ĺ	1	
First 4-wire 68 kbps Interoffice Transport - Dedicated - Per Mile per month															İ	l	
month			İ				1						İ				
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month   UNCDX   U1TD5   18.44   94.70   52.59   50.49   21.53			1		UNCDX	1L5XX	0.0091						l		l	1	
Termination per month		********	1		-	T						1	İ		İ	İ	
Nonrecurring Currently Combined Network Elements Switch -As-Is   UNCDX   UNCCC   8.98   8.9					UNCDX	U1TD5	18.44	94.70	52 59	50.49	21.53						
Charge						1		0 0	02.00	330	21.50	1	i e		i e		1
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTÉROFFICE TRANSPORT			1		UNCDX	UNCCC		8 08	8 08	8 08	8 08		l		l	1	
First 4-wire 64 kbps Local Loop in combination - Zone 1	FYTENI		ROFFIC	F TR A		311000	1	0.30	0.30	0.30	0.30	1	<del> </del>		<b> </b>	<b> </b>	t
First 4-wire 64 kbps Local Loop in combination - Zone 2   2 UNCDX   UDL64   31.58   127.59   60.54   42.79   2.81	- ZXI EIVE			1		UDI 64	22.20	127 50	60.54	<i>1</i> 2 70	2.21	1	<del> </del>		<b> </b>	<b> </b>	t
First 4-wire 64 kbps Local Loop in combination - Zone 3   3 UNCDX   UDL64   55.99   127.59   60.54   42.79   2.81			<del>                                     </del>	2								1	<del>                                     </del>		<b> </b>		<del>                                     </del>
First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month  UNCDX 1L5XX 0.0091  First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month  UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  ADDITIONAL NETWORK ELEMENTS			<del>                                     </del>									1	<del>                                     </del>		<b> </b>		<del>                                     </del>
Month	+ +		<del>                                     </del>	J	OHODA	CDLOT	55.55	121.00	00.54	72.73	2.01	<del> </del>	<del> </del>		<del>                                     </del>		<del>                                     </del>
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month  UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53  Nonrecurring Currently Combined Network Elements Switch - As-Is Charge UNCDX UNCCC 8.98 8.98 8.98 8.98			1		LINCDY	11.5	0.0004						l		l	1	
Termination per month		*******	-		UNUDA	ILDAA	0.0091					<del> </del>	-		-	-	<del>                                     </del>
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNCDX UNCCC 8.98 8.98 8.98 8.98 8.98 ADDITIONAL NETWORK ELEMENTS			1		LINCDY	LIATE	40.44	04.70	E0 E0	E0 40	24 52		l		l	1	
Charge			+		UINCDA	טעווט	18.44	94.70	5∠.59	50.49	21.53	<del> </del>	-			-	<del>                                     </del>
ADDITIONAL NETWORK ELEMENTS					LINIODY	LINICOC	1	0.00	0.00	0.00	0.00						
	A DDITICALLA		-		UNCDX	UNCCC	<del>                                     </del>	8.98	8.98	8.98	8.98	1	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>
				- d.	tameli bi ta a ti	  - A = I= - 1	1					1	<b>.</b>		-	-	<b>├</b>
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.  When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.												<b></b>	<b></b>		<b></b>	<b> </b>	<del></del>

UN	IBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
																Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ														
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
			ed Network Elements "Switch As Is" Charge (One applies to each combination of the complex of the														
			tly Combined Network Elements "Switch As Is" Charge (One applies to each combined Network Elements Switch -As-Is b/4-Wire VG UNCVX  UNCVX						Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrec	urring Currently Combined Network Elements "Switch As Is" C	harge (C	One app	olies to each combina	tion)	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		urring Currently Combined Network Elements "Switch As Is" C Nonrecurring Currently Combined Network Elements Switch -As-Is	harge (C	One app	olies to each combina	tion)	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			harge (C	One app		tion)	Rec	First 8.98	Add'I 8.98	First 8.98	Add'I 8.98	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is	harge (C	One app		,	Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG	harge (C	One app	UNCVX	,	Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps	UNCCC	Rec	8.98	8.98	8.98	8.98	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Miscell	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps	harge (C	One app	UNCVX	UNCCC	Rec	8.98	8.98	8.98	8.98	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN

HINRI	NDI EL	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
UNDU	NULEL	NETWORK ELEMENTS - Georgia			I	1	ı					Cua Ordan	Svc Order				Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svo
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
071120						0000						per Lon	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															71441	2.00 .00	2.007.444.
							Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC				SOMAN	SOMAN
	The "Zo	ne" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	averaged UNE	Zones. To view	Geographical	ly Deaveraged L	NE Zone Desi	gnations by	Central Offi	ice, refer to Int	ternet Website	:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection.	onnectio	on.htm													
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		1) CLEC should contact its contract negotiator if it prefers the															
		he state specific Commission ordered rates for the service orde															
		<ol><li>Any element that can be ordered electronically will be billed</li></ol>															
	be orde	red electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charg	that would	be billed to a C	LEC once elect	ronic ordering	capabilities cor	ne on-line for	hat element	. Otherwise	e, the manual	ordering char	ge, SOMAN, w	ill be applied
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only	ļ			SOMAN	ļ	11.73	0.00	6.13	0.00				ļ		ļ
UNE S		DATE ADVANCEMENT CHARGE													1		
	NOTE:	The Expedite charge will be maintained commensurate with Be	ISouth	's FCC	No.1 Tariff, Section 5	as applicab	le.								ļ	<b>.</b>	ļ
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX, U1TO3, U1TS1,												
					U1TVX. UC1BC.												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
1	1	INSEE 15 01 01 11 11 11 11 11 11 11 11 11 11 11	1		U1TUD, U1TUB,	00405							1			I	I
OBSET	Mone	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE	Ή	-	U1TUA	SDASP	<del> </del>	200.00		1		<del>                                     </del>	-	1	<del>                                     </del>	<del>                                     </del>	<b> </b>
OKDE	NIODIFI	Order Modification Charge (OMC)	<del>                                     </del>	<del>                                     </del>			1	26,21	0.00	0.00	0.00	-	-	1	1	<del></del>	-
<b>-</b>	1	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	1	<del>                                     </del>		1	1	150.00	0.00	0.00	0.00	<del>                                     </del>	<b>-</b>	ł	1	+	<b>l</b>
UNRIII	NDI ED E	XCHANGE ACCESS LOOP	<del>                                     </del>	<del>                                     </del>			<b>†</b>	130.00	0.00	0.00	0.00		-	<b>†</b>	1	<b>+</b>	<b> </b>
5,4201		ANALOG VOICE GRADE LOOP	<b>†</b>				1								1	<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	t	1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72				İ	1	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72		İ	1	1	İ	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	ļ	<u> </u>	UEANL	URETL		8.33	0.83							L	
L	ļ	Loop Testing - Basic 1st Half Hour	ļ	1	UEANL	URET1	ļ	25.12	0.00						ļ	<b>.</b>	
<u> </u>	ļ	Loop Testing - Basic Additional Half Hour	<b></b>	-	UEANL	URETA		13.62	13.62							-	
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-	1			LIDEWO		45					1			I	1
	1	SL1)	1	1	UEANL	UREWO		15.75	8.92	1		1		1	1	1	

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONDONDE		1	1		1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OATEOORT	NATE ELEMENTO		200	500	0000			NATEO(ψ)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
		1				_ 1	Nonrec	urring	Nonrecurring	Disconnect	i e		oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC	ĺ	18.92	18.92					Î	Î	Î	
	Order Coordination for Specified Conversion Time for UVL-SL1 (per					ĺ							Î	Î	Î	
	LSR)			UEANL	OCOSL		57.79									
2-WIF	RE UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40		0.00						
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								ļ
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			LIEO								1				
	Designed (per loop)	1	<u> </u>	UEQ	USBMC		18.92	18.92								<del>                                     </del>
1	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			LIEO								1				
	providing make-up (Engineering Information - E.I.)	₩	-	UEQ	UEQMU		7.30	7.30	1		}	-	<b> </b>	<del> </del>	<b> </b>	-
	Loop Testing - Basic 1st Half Hour	-	<del>                                     </del>	UEQ	URET1		25.12	0.00			<del> </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	1	-	UEQ	URETA		13.62	13.62			-					<del>                                     </del>
	ND)	1		UEQ	UREWO		14.25	7.42								
LINDUNDI ED	EXCHANGE ACCESS LOOP	1	-	UEQ	UREWU		14.25	7.42			-					<del>                                     </del>
	RE ANALOG VOICE GRADE LOOP	1	<b>-</b>		1											
2-9911	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>	<u> </u>		+	1					<u> </u>		1	1	1	-
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	<u> </u>	OLA	OLITICA	11.07	70.00	24.00	10.52	7.07	1					<del>                                     </del>
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1									i e					i e
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					ĺ							Î	Î	Î	
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIF	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2	ļ	2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						<b>.</b>
0.15	CLEC to CLEC Conversion Charge without outside dispatch	₩	-	UEA	UREWO		87.72	36.36	1		}	-	<b> </b>	<del> </del>	<b> </b>	-
2-WIF	RE ISDN DIGITAL GRADE LOOP	₩	<b>.</b>	LIDN	1141.024	04.0-	400.00	05.5-	40.00		}	-	<b> </b>	<del> </del>	<b> </b>	-
	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97	1		-		-	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97	1		-		-	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 3	1	3	UDN UDN	U1L2X UREWO	40.17	180.06 120.98	35.25 33.04	18.23	6.97	1		-		-	<del>                                     </del>
2 18/11	CLEC to CLEC Conversion Charge without outside dispatch RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IDIEIO		אועט	UKEWU		120.98	33.04	-		1	-	-		-	<del>                                     </del>
∠-vVII	2 Wire Unbundled ADSL Loop including manual service inquiry &	IDLE LO	UP T	+	+				-		-		-	-	-	+
1	facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00		1				
+	2 Wire Unbundled ADSL Loop including manual service inquiry &	+ '-	+	OAL	UNLEA	11.23	44.09	31.35	0.00	0.00	<del> </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
1	facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00		1				
	2 Wire Unbundled ADSL Loop including manual service inquiry &	<u> </u>	-	OAL	ONEZA	12.57	44.00	01.00	0.00	0.00	1					<del>                                     </del>
1	facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00		1				
1	2 Wire Unbundled ADSL Loop without manual service inquiry &	t i	Ť	† <del>-</del>		20.02		050	0.00	0.50			i	i	i	
1	facility reservaton - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		1				
<u> </u>	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ė	1	1	0		230		2.30	1	1	İ	İ	İ	
1	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00		1				
i	2 Wire Unbundled ADSL Loop without manual service inquiry &		ΤĒ							2.30	1		ĺ	ĺ	ĺ	
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
i	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		44.69	29.29								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
1	2 Wire Unbundled HDSL Loop including manual service inquiry &										Ì	İ	İ		İ	
	facility reservation - Zone 1	1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00	1					

UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		1				Rec	Nonrec First		Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1			+		FIRST	Add'l	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
	facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						İ
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	ı	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	ı	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	i		UHL	UREWO	14.40	44.69	31.55	0.00	0.00						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1	I	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	ı	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						<u> </u>
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	ı	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	Į.	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		44.69	31.55								
4-VVIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP  4 Wire Unbundled Digital 19.2 Kbps	<b>-</b>	1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20	-					<del></del>
	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	28.36	196.66	37.00	18.82	7.20						-
	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	38.22	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ		UDL UDL	UDL64 UDL64	21.86	196.66 196.66	37.00 37.00	18.82	7.20 7.20						<b>—</b>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<b>-</b>		UDL	UDL64	28.36 38.22	196.66	37.00	18.82 18.82	7.20	-					<del></del>
+	CLEC to CLEC Conversion Charge without outside dispatc h		3	UDL	UREWO	30.22	101.95	49.66	10.02	7.20						
2-WIR	E Unbundled COPPER LOOP		1													
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						L
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	ı	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	l ,	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						İ
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	<u>'</u>	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	<u> </u>	3	UCL	UREWO	22.07			0.00	0.00						
1-WID	Des) E COPPER LOOP		<del>                                     </del>	UCL	UKEWU		44.69	31.55			-			-		-
7 00110	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	i	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry and		<u> </u>													
	facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00	l .			l		1

ATTEMPT BATE LEMBYS MADE AND BOS USOS SUBSECTIONS AND BOS USOS SUBSECTI	UNBUNDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
A WITH CROSS COMPAN DECOMPAN AND ADMINISTRATION OF THE MART   First   Add1   First   Add1   SOSC   SOMAN   S	CATEGORY		Interim	Zone	BCS	USOC						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo
### Affice Congress C			ļ			-	Rec					001150	001111			001111	001111
Insidity received a	<b></b>	4 Wise Copper Lean Designed without manual service inquiry and	<u> </u>			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CLEC to CASE Contension Charge without calculated depoted.   CASE   CASE Contension Charge without calculated depoted on the feet body   CASE   CASE CONTENSION   CASE CONTE			1 1	3	UCI	UCL4W	30.55	44 69	31.55	0.00	0.00						
Color Coordisation of Disperted Corpor Lose (per Log)			<del>L i</del>	Ŭ			00.00			0.00	0.00						
Other Concentration   Security Concentration																	
Uncorded Logo Modification Removal of Load Cobs - 2 Wiley pay   Uncorded Logo Modification Removal of Load Cobs - 2 Wiley pay   Uncorded Logo Modification Removal of Load Cobs - 2 Wiley pay   Uncorded Logo Modification Removal of Load Cobs - 2 Wiley pay   Uncorded Logo Modification Removal of Load Cobs - 2 Wiley pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal, pay   Uncorded Logo Modification Removal of Brogked Top Removal pay   Uncorded Logo Modification Removal Removal Pay Pay Par Pay Removal pay   Uncorded Logo Modification Removal Pay Pay Pay Pay Remail Search   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay Logo, Working and   Uncorded Schools, Rose Code, 2 Wire pay																	
Understed Logs   March   Lock   Loc			ļ		UHL, UDL	OCOSL		57.79									<b></b>
Control   Cont	LOOP MODIFIC	ATION	ļ	-	1141 1111 1101	+											
Brant or equal to IRR, per Urbanded Lop		less than or equal to 18k ft, per Unbundled Loop	ı		UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L		0.00	0.00								
Under Company   Under Compan			١,		LILLI LICI LIEA	LILMAL		0.00	0.00								
Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set Up		Unbundled Loop Modification Removal of Bridged Tap Removal, per	'		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,				0.00								
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up   UEANL USBSS   255.76   UEANL USBSS   255.76   UEANL USBSS   7.29   UEANL USBSS   7.29   UEANL USBSS   7.29   UEANL USBSS   7.20	SUB-LOOPS																
Sub-Loop - Per Cross Box Location - Per 25 Pair Pariel Set-Up   UEANL USBSB   7,29   UEANL USBSC   175,09   UEANL USBSC   175,09   UEANL USBSC   175,09   UEANL USBSC   175,09   UEANL USBSC   UEANL	Sub-Lo	oop Distribution															
Siz-Loop - Per Building Equipment Room - CLEC Feeder Facility   UEANL   USBSC   175,00		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
Siz-Loop - Per Building Equipment Room - CLEC Feeder Facility   UEANL   USBSC   175,00		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Lin			LIFANI	USBSB		7 29									
Sub-Loop - Per Bulking Equipment Room - Per 25 Pair Panel Set-Up   UEANL   USBSD   51.61   UFANL   USBSD   Usbs. Loops, Riser Cable, 2-Wire per Loop, Working and Sparte Loop Activation   USBSD   U					027412	00000		7.20							t		
Unbunded Sub-Loope, Riser Cable, 2-Wire per Loop, Working and Spare Loop Per Loop, Working and Unbunded Sub-Loope, Riser Cable, 4-Wire per Loop, Working and Super Loop Alphanded Sub-Loope, Riser Cable, 4-Wire per Loop, Working and Super Loop Alphanded Sub-Loope, Riser Cable, 4-Wire per Loop, Working and Upfanl. USBRD 7.67 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 6.52 28.46 3.85 2.20 0.01   Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN2 10.18 28.46 3.85 2.20 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 19.51 28.46 3.85 2.20 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 19.51 28.46 3.85 2.20 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 5.93 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 5.93 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 5.91 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 5.91 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 5.91 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 5.85 31.07 4.79 2.27 0.01   Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 31.07 4.79 2.27 0.01   UEANL USBN4 5.85 4.86 3.85 2.20 0.01   UEANL USBN4 5.85 4.86 3.85 2.20 0.01   UEANL USBN4 5.85 4.86 3.85 2.20 0.01   UEANL USBN4 5.85 4.86 3.85 2.20 0.01   UEANL USBN4 5.85 4.86 3.85 2.20 0.01   UEANL USBN4 5		Set-Up			UEANL	USBSC		175.09									
Spare Loop Activation   UEANL   USBRC   3.61   28.46   3.85   2.20   0.01					UEANL	USBSD		51.61									
Ubbunded Sib-Loop, Riser Cable, 4-Wire per Loop, Working and Spare Loop optimized from Per 2-Wire Analog Voice Grade Loop - Zone 1					ΠΕΔΝΙ	LISBRC	3.61	28.46	3.85	2 20	0.01						
Spare Loop Activation   Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone   1 UEANL USBNZ   6.52   28.46   3.85   2.20   0.01	<b>—</b>		1		OLANE	OOBICO	3.01	20.40	3.03	2.20	0.01				<u> </u>		<del> </del>
1					UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone   2   UEANL   USBN2   10.18   28.46   3.85   2.20   0.01		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
2 UEANL USBN2 10.18 28.46 3.85 2.20 0.01  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 19.1 28.46 3.85 2.20 0.01  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 5.93 31.07 4.79 2.27 0.01  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 9.71 31.07 4.79 2.27 0.01  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 9.71 31.07 4.79 2.27 0.01  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 18.85 31.07 4.79 2.27 0.01  Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBNC 18.92 18.92  Sub-Loop 2-Wire Intrabuliding Network Cable (INC) UEANL USBNC 18.92 18.92  Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USBNC 18.92 18.92  UEANL USENC 18.92 18.92  UEANL	<b></b>	1	ļ	1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone   3 UEANL USBN2   19.51   28.46   3.85   2.20   0.01   3		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		_	LIEANI	LICENIO	40.40	00.40	2.05	0.00	0.04						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone   1		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	<b>-</b>	2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01				-		<b>-</b>
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone   2   UEANL   USBN4   9.71   31.07   4.79   2.27   0.01		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1				ĺ										
2		1	<u> </u>	1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone   3 UEANL USBN4   18.85   31.07   4.79   2.27   0.01		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		_	LIEANII	LICDNIA	0.74	24.07	4	0.07	0.01						
3   UEANL   USBNC   18.92   18.92		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1	-2	UEAINL	USBN4	9.71	31.07	4.79	2.27	0.01	-			-		<del> </del>
Order Coordination for Unbundled Sub-Loops, per sub-loop pair   UEANL USBMC   18.92   18.92		3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01				1		
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			1	Ť							2.31						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair   UEANL USBMC   18.92   18.92			<u> </u>														
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	$\vdash$	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<del>                                     </del>	<b> </b>	UEANL	USBR2	3.61	28.46	3.85	2.20	0.01	1					
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		Order Coordination for Linbundled Sub-Leans, nor sub-lean pair			LIEANI	LISPMC		19.02	10.02								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair   UEANL USBMC   18.92   18.92     UEANL URET1   UEANL URET1   UEANL URET3   UEANL URET4   UEANL URET4   UEANL URET4   UEANL URET5   UEANL URET5   UEANL URET6   UEANL URET7   UEANL URET7   UEANL URET7   UEANL URET7   UEANL URET8   UEANL URET9   UE				<del>                                     </del>			7,67			2.27	0.01				<del> </del>		<del>                                     </del>
Loop Testing - Basic 1st Half Hour			<u> </u>			1200	7.07	31.07		2.27	0.01						
Loop Testing - Basic Additional Half Hour		Order Coordination for Unbundled Sub-Loops, per sub-loop pair															
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1																	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<del>                                     </del>		<del>                                     </del>	4			5.04			2.20	0.04	-					<u> </u>
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>                                     </del>		+	<del></del>								1	-		+		<del>                                     </del>
Order Coordination for Unbundled Sub-Loopp, per sub-loop pair         UEF         USBMC         18.92         18.92         0.01           4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1         I         1         UEF         UCS4X         6.37         31.07         4.79         2.27         0.01 <td></td> <td></td> <td><del>l i</del></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><b>-</b></td> <td></td> <td></td> <td>t</td> <td></td> <td><del>                                     </del></td>			<del>l i</del>									<b>-</b>			t		<del>                                     </del>
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 I 1 UEF UCS4X 6.37 31.07 4.79 2.27 0.01 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 I 2 UEF UCS4X 6.32 31.07 4.79 2.27 0.01		Z T Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	<u> </u>	Ť	1	1002/	U.EE	23.40	0.00	2.20	0.01						
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 I 2 UEF UCS4X 6.32 31.07 4.79 2.27 0.01																	
															ļ		
	$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>                                     </del>	2	UEF	UCS4X UCS4X	6.32 9.10	31.07 31.07	4.79 4.79	2.27 2.27	0.01			-	<del>                                     </del>	-	<b>├</b>

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0.1.20												Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates(\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								<b></b>
		Loop tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00								ļ
		Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								<b>_</b>
	Unbun	dled Sub-Loop Modification															<b></b>
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR Unbundled Loop Modification, Removal of bridge Tap, per unbundled	-	<u> </u>	UEF	ULM4X	<del>                                     </del>	0.00	0.00	-		<u> </u>					-
		loop			UEF	ULMBT		17.91	17.91								
	Unbun	dled Network Terminating Wire (UNTW)		<u> </u>						ļ		ļ					<b>↓</b>
-	Nat····	Unbundled Network Terminating Wire (UNTW) per Pair	-	<u> </u>	UENTW	UENPP	0.533	25.12	12.28			1	-		<del>                                     </del>	-	-
<u> </u>	networ	k Interface Device (NID)  Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	<del>                                     </del>	32.86	20.69			1	-				<b>├</b> ──
-		Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	+		UENTW	UND12 UND16		56.03	43.86								<del>                                     </del>
-		Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		2.45	2.45								1
		Network Interface Device Cross Connect - 4W	· ·		UENTW	UNDC4		2.45	2.45								
UNE O	HER, P	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
					UAL,UCL,UDC,UDL,												
	/IAKE-U	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP	AKE-U	Loop Makeup - Preordering Without Reservation, per working or								+							<b></b>
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE SI	IARING				- Cimit	oa		0.02	0.02								
		: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	ght October 01,	2004 shall be b	illed as follow	s:							1
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															<u> </u>
		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND										1					<del>                                     </del>
<u> </u>	NOTE 1	: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULSD	)C 2241	11 800	applies only to size ::	ite inetallad	and incomics -	or hofors O-4	hor 1 2002	<b> </b>		<del>                                     </del>					<del>                                     </del>
<b>—</b>		: 2: The Line Sharing monthly recurring rates with USOCS ULSE HARING	o anu t		applies only to cifcul	no motanea a	and moet vice of	i or perore octo	nuel 1, 2003	+		<del>                                     </del>		<del> </del>	<del>                                     </del>	l	<del>                                     </del>
		ERS-CENTRAL OFFICE BASED	l												1		
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00					l	1
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -		<u> </u>	0_0	32000	0.01	10.51	1.10	7.00	4.20						<b>†</b>
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -			525	32001	2.10	10.01	7.70	7.00	4.20						
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23	16.94	1.69						

UNRI	INDI FI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
ONDO	JINDEL		I	1			1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						0000						per Lon	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														1St	Addi	DISC 1St	DISC Add I
-	T		1					Nonrec	curring	Nonrecurring	Disconnect	1		088	Rates(\$)	l	
-	+		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Line Sharing - per Subsequent Activity per Line	+			+		11130	Addi	11130	Addi	JOINEC	JOWAN	JOWAN	JONAN	JOINAIN	JOWAN
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	+	1	ULS	ULGUG		30.23	13.23	10.54	1.09	1	-		<del>                                     </del>		
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
	+	Line Share Service, TRO per line activation, CLEC owned splitter -	1		OLO	OLOCC	0.01	17.02	3.30	0.55	4.50	<b>†</b>					
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
	+	Line Share Service, TRO per line activation, CLEC owned splitter -	1		OLO	OLOC I	2.70	17.02	3.30	0.55	4.50	<b>†</b>					
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	+	Line Share Service, TRO per line activation, CLEC owned splitter -	1	<b>†</b>	020	02001	0.01	17.02	5.00	0.00	4.00	1					
		Central Office Located (75% of UCLND) - please see NOTE 1										1			1		
1	1	(E:10/2/2005)	1		ULS	ULSCT	8.27	17.82	9.36	8.53	4.30	I	1	1	1	1	l
<b>—</b>	MAINT	ENANCE	<del>                                     </del>		0_0	02001	0.21	17.02	9.30	0.33	4.30	<del> </del>	<b> </b>		t		<b>†</b>
-	INITALIA I	No Trouble Found - per 1/2 hour increments - Basic	+		<b> </b>	+		80.00	55.00	1		1	<b>-</b>	<b> </b>	t	<b> </b>	<u> </u>
-	+	No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime	+			+		120.00	82.50			<del> </del>			1		<b> </b>
-	+	No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium	+		<b> </b>	+		160.00	110.00			1	<b>-</b>	<b> </b>	t	<b> </b>	<u> </u>
LINE	NDI ED I	DEDICATED TRANSPORT	+			+		160.00	110.00	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
ONDO		OFFICE CHANNEL - DEDICATED TRANSPORT	+			+				1		<u> </u>					
-	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	+			_											
		Per Mile per month			U1TVX	1L5XX	0.0057										
-	+	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	+		UTIVA	ILSAA	0.0037										
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
-	+	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	+		UTIVA	01172	12.01	40.40	19.40	10.56	5.00						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
-	+	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	+		UTIVA	ILSAA	0.0037										
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	+	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1		OTTVA	OTTINZ	12.07	40.40	13.40	10.50	5.00	<b>†</b>					
		Per Mile per month			U1TVX	1L5XX	0.0057										
	+	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	1	<b>†</b>	OTTVX	120707	0.0001					1					
		Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1		OTTVA	01114	10.70	40.40	13.40	10.50	5.00	1					
		month			U1TDX	1L5XX	0.0057										
	1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1		OTTEX	TLOXX	0.0037			1		1					
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
-	+	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	+		OTIDA	01103	7.00	40.40	13.40	10.50	3.00	<u> </u>					
		month			U1TDX	1L5XX	0.0057										
<b>—</b>	+	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>		0.10/	ILOXX	0.0037			<u> </u>		<del> </del>	<b> </b>		t		<b>†</b>
		Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00	1			1		
SIGNA	LING (C		1	$\vdash$	U.10A	01150	7.03	40.40	13.40	10.36	3.00	<b>†</b>	<b>-</b>	<b> </b>	<b>†</b>	1	
CIGITA	1 0 (0	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	1		UDB	TPP6A	8.73	34.77	34.77	16.91	16.91	1		<b> </b>	<b>†</b>	<b> </b>	<b>i</b>
	1	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	†		UDB	TPP9A	8.73	34.77	34.77		16.91	1			1		1
	1	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	†		UDB	TPP6B	8.73	34.77	34.77		16.91	1			1		1
	1	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	1		UDB	TPP9B	8.73	34.77	34.77	16.91	16.91	1		<b> </b>	<b>†</b>	<b> </b>	<b>i</b>
	1	CCS7 Signaling Connection, 1 et 30(tabps 1 actility B-Etrik DGS	1		UDB	PT8SX	108.80	04.77	54.77	10.51	10.91	1	<b>†</b>	<b> </b>	t	<b> </b>	<b>†</b>
	1	CCS7 Signaling Point Code, Establishment or Change, per STP	1			1.00/	100.00			1		1		<b> </b>	<b>†</b>	<b> </b>	<b>i</b>
		affected			UDB	CCAPO		28.15	28.15	33.32	33.32		1		I	1	
E911 9	SERVICE		1		T	1		200	20.10	33.32	00.02	İ			1		i e
		Local Channel - Dedicated - 2-wr Voice Grade	†				7.74	121.07	53.30	46.40	13.37	1			1		1
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	†				0.0057	121.07	33.30	40.40	10.07	1			1		1
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1			1	0.0007			1		1		<b> </b>	<b>†</b>	<b> </b>	<b>i</b>
1	1	Termination	1			1	12.87	48.46	19.48	16.58	5.00	I	1	1	1	1	l
	1	Local Channel - Dedicated - DS1 - Zone 1	1		İ	1	18.47	149.46	111.20		26.12	İ			1		i e
	1	Local Channel - Dedicated - DS1 - Zone 2	†				56.30	149.46	111.20		26.12	1			1		1
	1	Local Channel - Dedicated - DS1 - Zone 3	t			1	164.70	149.46	111.20		26.12			i	i e	i	i
	1	Interoffice Transport - Dedicated - DS1 Per Mile	t			1	0.1154		20	.5.50	20.12			i	i e	i	i
	1		1			1	3			İ		İ	İ	İ	1	İ	İ
1		Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73	1			1		
ENHAI	NCED EX	(TENDED LINK (EELs)	1			1	2 0		22.20	1		1					ĺ
		The monthly recurring and non-recurring charges below will a	pply and	the Sv	itch-As-Is Charge	will not apply fo	or UNE combina	ations provision	ned as ' Ordina	arily Combined'	Network Eleme	ents.		1		1	ĺ
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not th	e non-re	curring	charges below wil	II apply for UNE	combinations	provisioned as	' Currently Co	mbined' Networ	k Elements.	1	İ	İ	1	İ	İ
		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G							, , , ,	1		1		1		1	ĺ
												•	•				

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
$\vdash$	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF													
$\vdash$	4-WireVG Loop in combination - Zone 1	1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			<b> </b>		<b> </b>	ļ
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
<del></del>	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86	ļ					-
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0.0057										
	per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC				21.22										
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
<b>—</b>	4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86	-					
-	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	<b> </b>					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE	TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1				I T										
<u> </u>	Charge	<u> </u>		UNCDX	UNCCC	ļ	5.70	5.70	6.61	6.61	ļ					
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC			LIDLES	24.00	405.01	20.55	10.10	0.00	ļ	<b> </b>	<b> </b>		<b> </b>	<b>.</b>
$\vdash$	First 4-wire 56 kbps Local Loop in combination - Zone 1	<del>                                     </del>	1 2	UNCDX	UDL56	21.86 28.36	195.94 195.94	36.38 36.38	18.42 18.42	6.86	1					-
$\vdash$	First 4-wire 56 kbps Local Loop in combination - Zone 2	<del>                                     </del>		UNCDX UNCDX	UDL56 UDL56	28.36 38.22	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86	}	<b> </b>	<b> </b>		<b> </b>	<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 3 First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	+	3	UNUDA	ODLOG	30.22	195.94	30.38	10.42	0.86	<b> </b>					-
	month			UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC			ļ											
$\vdash$	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
$\vdash$	First 4-wire 64 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
<del></del>	First 4-wire 64 kbps Local Loop in combination - Zone 3	₩	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	}	ļ	-		-	<b> </b>
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurrng															
When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and t	he Switch As	Is Charge does	not.					l	<u> </u>		l	ļ

Version 06/29/04 Page 23 of 71 [CCCS Amendment 59 of 107]

U١	NBUNDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
																Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
			etwork Elements "Switch As Is" Charge (One applies to each combination etwork Elements Switch -As-Is  UNCVX UN etwork Elements Switch -As-Is  UNCDX UNCDX														
			ombined Network Elements "Switch As is" Charge (One applies to each combined Network Elements Switch -As-Is    UNCVX						Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrec	urring Currently Combined Network Elements "Switch As Is" C	harge (C	One app	olies to each combina	tion)	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		urring Currently Combined Network Elements "Switch As Is" C Nonrecurring Currently Combined Network Elements Switch -As-Is	harge (C	One app	olies to each combina	tion)	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			harge (C	One app		tion) UNCCC	Rec	First 5.70	Add'I 5.70	First 6.61	<b>Add'I</b> 6.61	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is	harge (C	One app			Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG	charge (C	One app	UNCVX		Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps	UNCCC	Rec	5.70	5.70	6.61	6.61	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Miscell	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps	harge (C	One app	UNCVX	UNCCC	Rec	5.70	5.70	6.61	6.61	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN

Version 06/29/04 Page 24 of 71

														ı		ı	
UNBU	NDLE	NETWORK ELEMENTS - Kentucky			T		1					10 0 1	10 0 1		ment: 2	Exhi	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				L		L		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	raphically De	averaged UNE	Zones. To view	Geographical	ly Deaveraged (	JNE Zone Desi	gnations by	Central Offi	ce, reter to Int	ernet Website	:	
ODED (		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	on.htm	1		1			1	1		1	1		1	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	"ctata c	pocific	" OSS charges as ore	lored by the	State Commissi	one The OSS	harane curron	tly contained is	thic rate ovhi	hit are the P	ollSouth "ro	gional" convi	no ordoring ob	argos CLEC	mayalaat
		he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only		<u> </u>		SOMAN		7.86	0.00	0.99	0.00						
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	II Caush	's ECC	No 4 Tariff Castion F	as spoliagh	la la										
-	NOTE.	The Expedite charge will be maintained commensurate with be	iioutii	3 FCC	No.1 Tariii, Section 5	as applicas	ie.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX, UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC.												
					U1TUD, U1TUB,												
	<u> </u>	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
ORDE	MODIF	CATION CHARGE															
	<b>_</b>	Order Modification Charge (OMC)		<u> </u>			-	33.37	0.00	0.00	0.00				-		
LIMBUT	IDLES S	Order Modification Additional Dispatch Charge (OMCAD)		-		-	1	150.00	0.00	0.00	0.00			<b> </b>	<del>                                     </del>	<b> </b>	
ONBUI		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP		<del>                                     </del>			+								+		
-	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>-</b>	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65				<del>                                     </del>		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65				<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65			İ	1	İ	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIFANII	LIDET:		0.0-	0.5-						1		
-	-	Premise		├	UEANL	URETL	<del> </del>	8.33	0.83			-	-		<del>                                     </del>		
-	+	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	<b>-</b>	+	UEANL UEANL	URET1 URETA	1	46.88 24.16	0.00 24.16			-	-	-	<del>                                     </del>		
<b>—</b>	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-		<del>                                     </del>	ULANL	UKETA	1	24.16	24.16	1	<del> </del>	<b>H</b>	<b>H</b>	l	t	<b>l</b>	
	1	SL1)		1	UEANL	UREWO		15.78	8.94						I		
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST					1	.5.76	0.04					İ	1	İ	
L	<u> </u>	providing make-up (Engineering Information - E.I.)		L	UEANL	UEANM	<u> </u>	13.49	13.49						<u> </u>	<u> </u>	

Version 06/29/04 Page 25 of 71 [CCCS Amendment 61 of 107]

UNBUN	NDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			-			-	Rec	Nonrec First	urring Add'l	Nonrecurring I	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
$\vdash$		Manual Order Coordination for UVL-SL1s (per loop)	<del>                                     </del>		UEANL	UEAMC		9.00	9.00	Filst	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
		LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	!	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ UEQ	UEQ2X UEQ2X	11.51 13.19	44.97 44.97	20.89 20.89	25.64 25.64	6.65 6.65						<del> </del>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEQ	UEQZX	13.19	44.57	20.09	25.04	0.03						
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)	1		UEQ	USBMC		9.00	9.00								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		l													
		providing make-up (Engineering Information - E.I.)	+	├	UEQ UEQ	UEQMU URET1		13.49 46.88	13.49			-	-	-	-	-	<u> </u>
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	1	-	UEQ	URETA	+	46.88 24.16	24.16	+				-	1		<del>                                     </del>
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			ULW	UNEIA	1	24.10	24.10			<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
		ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				l											
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	17.45	134.09	01.07	73.03	14.00						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2	ļ	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3		LIEADO		404.00	04.07	70.05	4400						
		Battery Signaling - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	1	3	UEA UEA	UEAR2 UREWO	33.22	134.89 87.72	81.87 36.36	73.65	14.88						1
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								<del>                                     </del>
	4-WIRE	ANALOG VOICE GRADE LOOP			027	OKETE											
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
	2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP	-	-	UEA	UREWO		87.72	36.36							-	
	z-WIKE	2-Wire ISDN Digital Grade Loop - Zone 1	<del>                                     </del>	1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83	-	-				<del> </del>
		2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	<del>                                     </del>	2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83	<u> </u>	<u> </u>				<del>                                     </del>
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83					İ	<b>†</b>
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 1  2 Wire Unbundled ADSL Loop including manual service inquiry &	1	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry &	<u> </u>		UAL	UALZA	11.79	141.90	19.13	09.02	11.47						<del>                                     </del>
		facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1													1	
		facility reservaton - Zone 1	1	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54			ļ	ļ		
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_ ا													
		facility reservator - Zone 2	1	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
		facility reservaton - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	3	UAL	UREWO	12.0/	86.20	40.40	69.09	11.54					<del> </del>	<del>                                     </del>
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	BLE LOO	P		0		00.20	40.40							1	
ı		2 Wire Unbundled HDSL Loop including manual service inquiry &	T							1						1	
		facility reservation - Zone 1	1	1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
T		2 Wire Unbundled HDSL Loop including manual service inquiry &	1	_	Ī					IT							
		facility reservation - Zone 2	1	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		<del> </del>			+	Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
$\vdash$	2 Wire Unbundled HDSL Loop including manual service inquiry &	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		Ŭ	0112	OTTLEX	10.01	101.01	00.20	00.00	11.01						
	facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2	-	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch	+		UHL	UREWO	10.01	86.14	40.40	03.03	11.54						
4-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						ļ
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	١.,	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	+ '-		OFIL	UTIL4X	13.00	165.75	123.50	74.95	14.05						+
	facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1	ļ	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	15.68	164.05	114.04	77.32	15.80						
	facility reservation - Zone 2  4-Wire Unbundled HDSL Loop without manual service inquiry and	1		UHL	UHL4VV	15.68	164.95	114.04	11.32	15.80						1
	facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-W	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-		UDL UDL	UDL19 UDL19	32.48 36.37	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06		18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ		UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<del> </del>		UDL UDL	UDL64 UDL64	32.48 36.37	157.81	106.06	78.91 78.91	18.66						-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	+	3	UDL	UREWO	36.37	157.81 102.13	106.06 49.75	78.91	18.66						
2-W	IRE Unbundled COPPER LOOP	+		ODE	OKETTO		102.10	40.70								
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						ļ
	2-Wire Unbundled Copper Loop-Designed including manual service		_	1101	LICI DD	44.70	440.05	70.70	00.00	44.54						
	inquiry & facility reservation - Zone 2  2 Wire Unbundled Copper Loop-Designed including manual service	-	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						<b>-</b>
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service		2	1101	LICI DW	44.70	100.15	07.07	00.00	44.54						
	inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop-Designed without manual service	1		UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						1
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)			UCL	UREWO		97.23	42.48								ļ
4-W	IRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and	+	+	UUL	UUL43	10.92	170.31	100.00	74.95	14.69	<del>                                     </del>					<del>                                     </del>
	facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 3	1	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69	ļ					ļ
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
$\vdash$	4-Wire Copper Loop-Designed without manual service inquiry and	+		UUL	UCL4VV	16.92	149.52	97.33	74.95	14.69	<del>                                     </del>					+
	facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and															
$\Box$	facility reservation - Zone 3	1	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					1	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-			UCL	UREWO		97.23	42.48								
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		9.00	9.00								1
		İ		UEA, UDN, UAL,												
LOOP MODIE	Order Coordination for Specified Conversion Time (per LSR)		ļ	UHL, UDL	OCOSL		23.01									<u> </u>
LOOP MODIF	CATION	1		UAL, UHL, UCL,												-
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,												
	less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		9.24	9.24								ļ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
	than or ordan to rorry, por oribandoa 200p			UAL, UHL, UCL,	022		0.21	0.21								
				UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
SUB-LOOPS		1	<del>                                     </del>	UEPSB	ULIVIDI		10.47	10.47								<del> </del>
	Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		<u> </u>	UEANL	USBSA		207.91	207.91								<b>-</b>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
	Set-Up	- 1		UEANL	USBSC		80.87	80.87								ļ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-U			UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1		ULANL	USBSD		45.04	43.04								<del> </del>
	1	- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						<b>-</b>
	3	1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-		UEANL	USBMC		9.00	9.00								<b></b>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	†	<u> </u>	0271112	002.11	0	102.01	00.02	00.21	10.00						
	2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	3	1	3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	<u> </u>		i –													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	<u> </u>	UEANL	USBMC		9.00	9.00								<del>                                     </del>
<del>                                     </del>	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	+	<del>                                     </del>	UEANL UEANL	URET1 URETA		46.88 24.16	0.00 24.16			<del>                                     </del>					<del> </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90	<u> </u>					<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						<b>†</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	İ	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88	-	ļ				<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	1	t	102.	CODIVIO		3.00	5.00								<b>†</b>
	Designed and Distribution Subloops	<u></u>	<u>L</u>	UEF, UEANL	URETL		8.94	0.88		<u></u>						<u> </u>

UNRU	NDI FI	NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Evhi	bit: A
ONDO	NULLI	HETWORK ELLINENTS - Remacky	1	Ι	I	1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,112						0000			101120(4)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISI	DISC Add I
							_	Nonrec	urrina	Nonrecurring D	Disconnect	İ		oss	Rates(\$)		
						Î	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip								1							
		Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
		loop			UEF	ULMBT		7.97	7.97								
	Unbun	dled Network Terminating Wire (UNTW)															
<u> </u>		Unbundled Network Terminating Wire (UNTW) per Pair	-		UENTW	UENPP	0.53	23.51	23.51	<del>                                     </del>					-		<b>├</b>
<u> </u>	Networ	k Interface Device (NID)			LIENITIA	LINDAG	<del>                                     </del>	70.50	40.7-	+		-	ļ	<b> </b>	-		<b>├</b>
<b></b>	<b>!</b>	Network Interface Device (NID) - 1-2 lines	₩	-	UENTW	UND12	<del>                                     </del>	73.53	49.47	<del>                                     </del>		-	ļ	<b> </b>	<del>                                     </del>		<del>                                     </del>
<b></b>	<b>!</b>	Network Interface Device (NID) - 1-6 lines	₩	-	UENTW	UND16	<del>                                     </del>	115.96	91.91	<del>                                     </del>		-	ļ	<b> </b>	<del>                                     </del>		<del></del>
<del></del>	-	Network Interface Device Cross Connect - 2 W	<del>                                     </del>		UENTW UENTW	UNDC2 UNDC4	<del>                                     </del>	8.56	8.56	+		<u> </u>		-	<del>                                     </del>		<del></del>
LINE		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE	<del>                                     </del>		UENIW	UNDC4	<del>                                     </del>	8.56	8.56	+		<u> </u>			<del>                                     </del>		<del></del>
UNE U	I HEK, P	NID - Dispatch and Service Order for NID installation	1	-	UENTW	UNDBX	0.00	0.00				<b>-</b>	-		-		<del></del>
-	1	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<del>                                     </del>	-	UENTW	UENCE	0.00	0.00		+		1			-		
		ONTW Circuit to Establishment, Frovisioning Only - No Rate	1		UEANL,UEF,UEQ,UE	DENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
		Oribundied Contract Name, 1 Tovisioning Only - No Itale			UAL,UCL,UDC,UDL,	ONLON	0.00	0.00		<b>-</b>							
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP	MAKE-U				0511,0271,0112	CITEOIT	0.00	0.00									
		Loop Makeup - Preordering Without Reservation, per working or	1														
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or spare				ĺ											
		facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE S	HARING																
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	s:							
	NOTE 1	: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULSE	C and L	ILSCC	applies only to circui	ts installed a	and inservice or	or before Octo	ber 1, 2003	$\vdash$							
-	LINE SI			_													<b></b>
<b></b>	SPLITT	ERS-CENTRAL OFFICE BASED	₩	-	111.0	LII OD A	100.00	070.0-	2.55	050.55	2.55	-	ļ	<b> </b>	<del>                                     </del>		<del>                                     </del>
<b>-</b>	1	Line Sharing Splitter, per System 96 Line Capacity	<del>                                     </del>	-	ULS	ULSDA ULSDB	198.83	379.05	0.00		0.00		<b> </b>	-	<del></del>		<del></del>
<b>-</b>	-	Line Sharing Splitter, per System 24 Line Capacity	<del>                                     </del>	<del>                                     </del>	ULS		49.71 16.94	379.05 377.71	0.00	358.55	0.00	-	<b> </b>	-	<del>                                     </del>		<del></del>
-	1	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	,	-	ULO	ULSD8	16.94	3/1./1	0.00	357.29	0.00	<del>                                     </del>		<b>l</b>	+		<del>                                     </del>
		(per LSOD)	Ί		ULS	ULSDG		173.62	0.00	100.40	0.00				1		1
$\vdash$	END II	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	t		020	OLODG	<del>                                     </del>	173.02	0.00	100.40	0.00	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	,,,,	Line Sharing - per Line Activation (BST Owned splitter) -	t -	<b>†</b>						<del>                                     </del>					<u> </u>		<b>—</b>
1	1	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90		1	1	I		1
		Line Share Service, TRO per line activation, BST owned splitter -	t -		-		2.01	20	20		2.00				t		
1	1	Central Office Located (25% of UCLND) - please see NOTE 1											1	1	I		1
		(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90				1		1
		Line Share Service, TRO per line activation, BST owned splitter -															
	1	Central Office Located (50% of UCLND) - please see NOTE 1											1	I	I		1
	<u></u>	(E:10/2/2004)	<u></u>		ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						<u></u>
		Line Share Service, TRO per line activation, BST owned splitter -															1
l	1	Central Office Located (75% of UCLND) - please see NOTE 1											1	I	I		1
		(E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90				L		<b></b>
l	1	Line Sharing - per Subsequent Activity per Line Rearrangement(BST	1										1	I	I		1
ļ	ļ	Owned Splitter)	<u> </u>		ULS	ULSDS	ļ	32.90	16.43						<b></b>		1
l	1	Line Sharing - per Subsequent Activity per Line			l								1	I	I		1
	<u> </u>	Rearrangement(DLEC Owned Splitter)	<b>—</b>	<u> </u>	ULS	ULSCS	ļ	32.90	16.43						<b>_</b>		<del></del>
		Line Sharing - per Line Activation (DLEC owned Splitter) -						,	40.51	00.0-	40 = 1				1		1
	l	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		l	l	1		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						r.ec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
MAINT	ENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
$\vdash$	No Trouble Found - per 1/2 hour increments - Overtime	1	<u> </u>			ļ	120.00	82.50								
IIIIIIIII S	No Trouble Found - per 1/2 hour increments - Premium	<u> </u>	-		1	<del>                                     </del>	160.00	110.00					<b> </b>		-	<b>!</b>
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT	+	-		+						1	-	-		-	<del>                                     </del>
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination  Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0115		01.70		0.70						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0115										
	Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
SIGNALING (C	CS7)															
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
$\vdash$	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	1	<b>_</b>	UDB	TPP9A	20.71	43.56	43.56	22.45	22.45	1		ļ			
$\vdash$	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	+	-	UDB UDB	TPP6B TPP9B	20.71 20.71	43.56 43.56	43.56 43.56	22.45 22.45	22.45 22.45	1	-	-		-	<del>                                     </del>
	CCS7 Signaling Connection, Per sockops Facility B-Link DS3 CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	20.71	46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 SERVICE																
$\vdash$	Local Channel - Dedicated - 2-wr Voice Grade	1	-		1	18.57	265.78	46.96	46.79	4.98						
$\vdash$	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	-		+	0.0115					-		1		-	-
	Termination					29.11	47.34	31.78	22.77	8.75						
	Local Channel - Dedicated - DS1 - Zone 1	1			İ	40.46	209.60	176.51	30.21	21.07			İ			
	Local Channel - Dedicated - DS1 - Zone 2					43.39	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.23										
ENHANCES	Interoffice Transport - Dedicated - DS1 Per Facility Termination  XTENDED LINK (EELs)		-		1	96.04	105.52	98.46	23.09	20.49	-					
	XTENDED LINK (EELs) : The monthly recurring and non-recurring charges below will a	unly and	the Su	itch-As-Is Charge w	ill not apply fo	or LINE combine	tions provision	ned as ' Ordina	rily Combined	Network Flam	nts	1	<del> </del>		<b> </b>	<del> </del>
	: The monthly recurring and non-recurring charges below will a : The monthly recurring and the Switch-As-Is Charge and not the															
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	RADE IN	TEROF	FICE TRANSPORT				Ja Jilly 00	11011701							
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	2-WireVG Loop in combination - Zone 3	1	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84			<u> </u>		<u> </u>	İ

UNB	JNDLE	NETWORK ELEMENTS - Kentucky		•										Attach	ment: 2	Exhi	bit: A
	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	-		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										
	+	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			ONOVA	120701	0.01			1							
		per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
	EVTEN	Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	DADEIN	TEDO	UNCVX	UNCCC		8.98	8.98	11.17	11.17				-		
	EXIEN	4-WireVG Loop in combination - Zone 1	KADE IN	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84	-			-		
	+	4-WireVG Loop in combination - Zone 1	<b>+</b>	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	1	4-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	1	4-Wile VO Loop in combination - Zone 3	1	3	ONCVA	OLAL	03.00	120.22	00.40	33.03	7.04	1					
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01						1		I		
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination															
	1	per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-Is			Linionar					ll			1		I		
	EVTEN	Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	L	UNCVX	UNCCC		8.98	8.98	11.17	11.17	1	-		1		-
	EXIEN	4-wire 56 kbps Local Loop in combination - Zone 1	HILEKO	7 <b>7 FIGE</b>	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			-	<del>                                     </del>		
	1	4-wire 56 kbps Local Loop in combination - Zone 1	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84	1					
	1	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
		Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	0.00	44.47	11.17						
	EYTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	EEICE		UNCCC		8.98	8.98	11.17	11.17	-			-		
	LATEN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	+	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EYTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EPOEEIC	FTDA		UNCCC		0.90	0.90	11.17	11.17	1			1		
	EXTER	First 4-wire 56 kbps Local Loop in combination - Zone 1	I	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			]												
	+	month	<u> </u>	1	UNCDX	1L5XX	0.01			+ +			<b> </b>	ļ	<del>                                     </del>		<b> </b>
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINCDY	U1TD5	17.25	98.09	E0.07	EC 24	22.42		1		I		
	+	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is	+	<del>                                     </del>	UNCDX	01105	17.25	98.09	53.67	56.31	22.42	1			+		
		Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		1		I		
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	ETRA					2.50								
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	1					
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01								1		
	+	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	$\vdash$	GINODA	ILOAA	0.01			+ +		<del>                                     </del>			<del> </del>		
		Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		1		I		
	1	Nonrecurring Currently Combined Network Elements Switch -As-Is	1														
		Charge	1		UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDIT		ETWORK ELEMENTS								$oxed{\Box}$							
	When	used as a part of a currently combined facility, the non-recurring	g charge	s do n	ot apply, but a Swite	ch As Is charge	does apply.	n o t				-			1		
		used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is" C					is unarge does	not.		+ +		-	-	<b> </b>	<del>                                     </del>		<b> </b>
	Noniec	Nonrecurring Currently Combined Network Elements "Switch As Is" C	iiaige (C	nie ap	ones to each combir	iation)				+ +		<del>                                     </del>			<del> </del>		
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17		1		I		
	-	1						2.00	5.00								

U	NBUN	NDLED	NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	oit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
													Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	ATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	
															1st	Add'l	Disc 1st	Disc Add'l
⊢														l				
$\perp$								Rec	Nonrec		Nonrecurring					Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			Nonrecurring Currently Combined Network Elements Switch -As-Is															
			Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
			aneous															
			NRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.87	18.87		•						
LI	NP Que	uery Service		1						·		·				-		

Version 06/29/04 Page 32 of 71

LIMBLE	NDI EF	NETWORK ELEMENTS Lauisiana												A441-		F.4.0	-14. A
ONBO	IANTEL	NETWORK ELEMENTS - Louisiana	l		I							Svc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Exhil Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			<u> </u>					N		N	Di			000	D-4(f)		
			-	-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
-	The "70	l one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Georg	ranhically De	averaged LINE										SUMAN
		ww.interconnection.bellsouth.com/become a clec/html/interco				apilically De	averaged ONL	Lones. To view	Geograpinoai	iy Deaverageu (	THE ZOITE DESI	gilations by	Central Only	ce, refer to lift	erriet Website	•	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	I	1			1			1			I				
0. 2.0	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	dered by the	State Commissi	ons. The OSS	charges currer	ntly contained in	this rate exhi	oit are the B	ellSouth "re	gional" servic	e ordering ch	arges. CLEC	nav elect
		he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
	be orde	red electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	e that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	hat element	. Otherwise	the manual o	ordering charg	e, SOMAN, wi	II be applied
		OSS - Electronic Service Order Charge, Per Local Service Request															
-		(LSR) - UNE Only	<u> </u>			SOMEC		3.50	0.00	3.50	0.00						
1		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00		1				
UNF SE	RVICE	DATE ADVANCEMENT CHARGE	<b>†</b>			CONTAIN	1	13.20	0.00	13.20	0.00	<del>                                     </del>					
5.4E 5E		The Expedite charge will be maintained commensurate with Be	ellSouth'	's FCC	No.1 Tariff, Section 5	as applicab	le.			1							
			T		,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3, ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
1					UXTS1, U1TUC,								1				
1		INNEE 15 01 01 5 11 11 11 11 11 11 11 11 11 11 11 11			U1TUD, U1TUB,	00.465							1				
OBSES	MODIE	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE	Ή	-	U1TUA	SDASP	<del> </del>	200.00		<del> </del>							
OKDER	WOULL	Order Modification Charge (OMC)	<del>                                     </del>	-			+	26.21	0.00	0.00	0.00	-					
$\vdash$	<b>-</b>	Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)	<del>                                     </del>			<del>                                     </del>	<del> </del>	150.00	0.00	0.00	0.00		<b>-</b>				
UNBUN	DLED F	XCHANGE ACCESS LOOP	<u> </u>					100.00	0.00	3.00	0.00						
		ANALOG VOICE GRADE LOOP	1				1			1		İ		İ			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	L	1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87	ļ							
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>	1	UEANL	UEASL	12.90	36.54	16.87								
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<b> </b>	2	UEANL	UEASL	23.33	36.54	16.87	1			<b> </b>	<b> </b>	ļ		
$\vdash$	<b>-</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>	3	UEANL	UEASL	48.43	36.54	16.87	1		-	-			-	
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				1				
		Loop Testing - Basic 1st Half Hour	<b>1</b>		UEANL	URET1	1	33.17	0.00	1		<b>-</b>	<b> </b>				
		Loop Testing - Basic Additional Half Hour	<u> </u>		UEANL	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-							. 5.20								
		SL1)			UEANL	UREWO		15.75	8.93								
1		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST												I	l		-
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								

UNBUN	DLED	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
										,						
				<u> </u>			Rec	Nonrec		Nonrecurring Disconnec				Rates(\$)		
-		Manual Onder Consideration for LIVI, CL 4- (	-	-	UEANL	UEAMC		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	_	Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1 (per	-		UEANL	UEAMC		7.92	7.92	<del>                                     </del>	_	-				<del></del>
		LSR)			UEANL	OCOSL		17.56	17.56							
2	-WIRF	UNBUNDLED COPPER LOOP - NON-DESIGNED		1	OLANE	OCCOL		17.50	17.50	<del>                                     </del>						<del>                                     </del>
H		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	12.40	35.27	15.60	1						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	14.32	35.27	15.60							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	16.87	35.27	15.60							
		Unbundled Miscellaneous Rate Element, Tag Loop at End User														
		Premise			UEQ	URETL		8.33	0.83							
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-														
<del>                                     </del>		Designed (per loop)  Light undled Copper Loop, Non-Design Copper Loop, billing for BST.	1	-	UEQ	USBMC		7.92	7.92			1		<del>                                     </del>		<del></del>
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU		13.04	13.04	]	1			I		1
<b> </b>		Loop Testing - Basic 1st Half Hour	<del>                                     </del>	<b>t</b>	UEQ	URET1		33.17	0.00	<del>                                     </del>	+			<del>                                     </del>		<del>                                     </del>
<b>-</b>		Loop Testing - Basic Ist Hall Hour	<b>†</b>	<del>                                     </del>	UEQ	URETA	1	19.28	19.28		_	<del>                                     </del>	1	<b>I</b>		<b>—</b>
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	1	i i	1			10.20					l	1		
		ND)			UEQ	UREWO		14.25	7.42							
		XCHANGE ACCESS LOOP														
2	2-WIRE	ANALOG VOICE GRADE LOOP														
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														ĺ
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72	<b>.</b>						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2		11541.0	05.05	100.10	05.70							
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	2	UEA	UEAL2	25.35	102.10	65.72		-	-		-		<del></del>
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	OLA	OLALZ	30.40	102.10	03.72	<del>                                     </del>						<del></del>
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							****	1						
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72							
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
		Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72							
		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.59	36.30	<b>.</b>						
L .		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10		_					<b>——</b>
4	-WIKE	ANALOG VOICE GRADE LOOP		1	LIEA	UEAL4	30.81	127.40	04.00	-	_					<del></del>
-	_	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-	2	UEA UEA	UEAL4	38.32	127.40	91.02 91.02	<del>                                     </del>	_	-				<del></del>
		4-Wire Analog Voice Grade Loop - Zone 3		3	+	UEAL4	60.39	127.40	91.02	<del>                                     </del>						<del>                                     </del>
		CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UEA	UREWO	00.00	87.59	36.30			1				
2		ISDN DIGITAL GRADE LOOP								1						
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96							
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96							
$oxed{oxed}$		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96							<b>└</b>
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDN	UREWO		91.49	44.09					ļ		<del>                                     </del>
2	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLE LO	OP	1	_					+			<del>                                     </del>		<del></del>
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	4	UAL	UAL2X	12.29	117.08	68.36	]	1			I		1
$\vdash$		2 Wire Unbundled ADSL Loop including manual service inquiry &	<del>                                     </del>	-	UAL	UALZĀ	12.29	117.08	68.36	<del>                                     </del>	+		<b> </b>	+		<del>                                     </del>
		facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36		1			1		1
		2 Wire Unbundled ADSL Loop including manual service inquiry &		<u> </u>	J	JALLA	14.03	117.00	00.00					<u> </u>		
		facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36	]	1			I		1
		2 Wire Unbundled ADSL Loop without manual service inquiry &														
		facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02							
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		Ī	Ī								_		1
$\vdash \!$		facility reservaton - Zone 2	ļ	2	UAL	UAL2W	14.09	92.83	56.02					ļ		<del>                                     </del>
		2 Wire Unbundled ADSL Loop without manual service inquiry &						00.55	50	1	1			I		1
<del>                                     </del>		facility reservator - Zone 3	-	3	UAL	UAL2W	15.75	92.83	56.02	<del>                                     </del>	+			<del>                                     </del>		<del></del>
<del>   </del>	-WIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	IFLOO	D.	UAL	UREWO		86.07	40.34	<del>                                     </del>	+			+		<del></del>
-	-vvirE	2 Wire Unbundled HDSL Loop including manual service inquiry &	LE LOO	Ť-	+	+				<del>                                     </del>	+			<del>                                     </del>		<del>                                     </del>
		facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77	]	1			I		1
		2 Wire Unbundled HDSL Loop including manual service inquiry &		<u> </u>		J	5.79	120.00	10.11					<u> </u>		
1		facility reservation - Zone 2	1	2	UHL	UHL2X	11.52	125.50	76.77	1	1		1	I		1

JNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring Di	sconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	2 Wire Unbundled HDSL Loop including manual service inquiry &	1			1	1		, .ww I		, two 1	55.AL5		JUNIA!			COMPAN
	facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1	-	1	UHL	UHL2W	9.79	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
-+	2 Wire Unbundled HDSL Loop without manual service inquiry and	1		OTIL	OTILZVV	11.02	101.24	04.43								
	facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL		40.04	450.00	10151								
+-	facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry and	+	1	UHL	UHL4X	16.24	153.26	104.54								
	facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1												İ		
	facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry and	<del> </del>	1	UHL	UHL4W	16.24	129.00	92.20								
	facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and			OTIE	OTILATO	10.00	120.00	52.20								
	facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL UDL	UDL19 UDL19	36.78 38.92	121.86 121.86	85.48 85.48								-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	+	1	UDL	UDL19	30.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36.78	121.86	85.48								
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	UDL64	38.92	121.86	85.48								
2 WIE	CLEC to CLEC Conversion Charge without outside dispatch E Unbundled COPPER LOOP	-		UDL	UREWO		101.97	49.67								
Z-WIK	2-Wire Unbundled Copper Loop-Designed including manual service	+			+											
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	14.09	116.18	67.46								
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed without manual service	+	3	UCL	UCLPB	15.75	110.10	67.40								
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service								İ							
	inquiry and facility reservation - Zone 2	ļ	2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service		3	UCL	UCLPW	15.75	91.92	EE 40								
	inquiry and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch (UCL-	1	3	UUL	UCLPVV	15./5	91.92	55.12								
	Des)			UCL	UREWO		91.92	42.47								
4-WIR	E COPPER LOOP	1					01.02	12.71						İ		
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 1	1	1	UCL	UCL4S	22.27	139.69	90.96	<b> </b>							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
	4-Wire Copper Loop-Designed without manual service inquiry and							<u> </u>								
	facility reservation - Zone 1	1	1	UCL	UCL4W	22.27	115.43	78.63	<b> </b>							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	racinty reservation - Zone Z	1		UUL	UCL4VV	10.95	115.43	10.03								
-+	4-Wire Copper Loop-Designed without manual service inquiry and															

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		<b>-</b>					Nonrec	urring	Nonrecurring D	Disconnect			OSS	Rates(\$)		
		<u> </u>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				İ											
	Des)	ļ		UCL	UREWO		91.92	42.47								
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL UEA, UDN, UAL,	UCLMC		7.92	7.92								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		17.56									
LOOP MODIFIC	ATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	1		OEFSB	ULIVIZE		0.00	0.00								
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								
SUB-LOOPS	undurated toop	1		OLI OB	CLIVID		12.10	12.10								
Sub-Lo	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		144.09	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
	Set-Up	1	-	UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	<del>                                     </del>		OL/ IIVL	COBOB		27.10	27.10								
	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1	1	UEANL	USBN2	7.57	63.89	30.06								
	2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	12.75	63.89	30.06								
	3	I	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		١.													
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	<u> </u>	1	UEANL	USBN4	11.76	76.75	42.92								
	2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
	Order Coordination for Unbundled City Language			UEANL	USBMC		7.00	7.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	<del>                                     </del>	UEANL	USBR2	2.91	7.92 51.48	7.92 17.65	<del>                                     </del>							
		T .														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I	-	UEANL	USBR4	6.58	57.54	23.71								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL UEANL	USBMC URET1		7.92 33.17	7.92 0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
	Wire Copper Unbundled Sub-Loop Distribution - Zone 2     Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06								
		<del>                                     </del>	3			12.70										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L.	<u> </u>	UEF	USBMC		7.92	7.92								
	Wire Copper Unbundled Sub-Loop Distribution - Zone 1     Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	1	UEF UEF	UCS4X UCS4X	8.03 10.71	76.75 76.75	42.92 42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2  4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>                                     </del>	3	UEF	UCS4X UCS4X	6.08	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	Ĺ	Ĺ	UEF	USBMC	0.00	7.92	7.92								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		0.89	0.88								

HNRH	NDI FE	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Evhi	bit: A
21400	ADLEL	ALL I II ON LELINILIA I O - Louisiana	1		l	I	I				Syc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		<del>-</del>									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Addi	Disc 1st	Disc Add i
							_	Nonrec	urrina	Nonrecurring Disconnec	t		oss	Rates(\$)		
						Î	Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	0.00							
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28							
	Unbun	dled Sub-Loop Modification														
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load														
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00							
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip														
		Removal per 4-W PR			UEF	ULM4X		0.00	0.00							
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled														
		loop		_	UEF	ULMBT		224.55	4.29		_					<b></b>
	Unbun	dled Network Terminating Wire (UNTW)		_	LIENITA/	LIENDO	0.0454	44.70	1170		_					<b></b>
<del></del>	Matri	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)	<del>                                     </del>		UENTW	UENPP	0.3454	14.72	14.72		_	1		<del>                                     </del>		<del></del>
<del></del>	Networ	Network Interface Device (NID) - 1-2 lines	<del>                                     </del>		UENTW	UND12	<del>                                     </del>	42.26	27.83		_	1		<del>                                     </del>		<del></del>
<b>-</b>		Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	<del>                                     </del>	-	UENTW	UND12 UND16	<del>                                     </del>	42.26 62.86	48.43		-	-	-	<del></del>		<del></del>
<b>-</b>		Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<del>                                     </del>		UENTW	UNDC2	<del>                                     </del>	5.73	5.73		+	}	<b>l</b>	<del>                                     </del>		<del>                                     </del>
<b>—</b>		Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W	<del>                                     </del>	<del>                                     </del>	UENTW	UNDC4	<del>                                     </del>	5.73	5.73	<del>                                     </del>	+			<del>                                     </del>		<del>                                     </del>
LINE O		ROVISIONING ONLY - NO RATE	<del>                                     </del>		OFIAIAA	JINDU4	<del>                                     </del>	0.13	5.73		+	<del> </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
ONLO	IILIX, I	NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00		†	+	1				
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0.00		†	+	1				
		office and the Local Month of the French of thing of the French of the F			UEANL,UEF,UEQ,UE	02.102	0.00	0.00								
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00								
		, , , , , , , , , , , , , , , , , , ,			UAL,UCL,UDC,UDL,					i i						
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00								
LOOP N	AKE-U	P	İ													
		Loop Makeup - Preordering Without Reservation, per working or														
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29							
		Loop Makeup - Preordering With Reservation, per spare facility														
		queried (Manual).			UMK	UMKLP		24.70	24.70							
		Loop MakeupWith or Without Reservation, per working or spare														
		facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19							
	IARING		l	<u> </u>		L					_					<b>└</b>
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	rs:	_					<b></b>
	NOTE 1	: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")		-			ł – – – – – – – – – – – – – – – – – – –	-	-				
<u> </u>		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND : 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	1	-			_			<b> </b>		-				
		: Above will apply to USOCS: ULSDT and ULSCT	-	-						<b> </b>	_	<b> </b>				<del></del>
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and I	II SCC	annline anly to circui	ite inetalled :	and incorpies or	or before Octo	hor 1 2002	<del>                                     </del>						
-		HARING	T and C	Lacc	applies only to circui	Its ilistalleu a	III III Sei vice oi	i di beldie dell	DDei 1, 2003	1	+	1				<del> </del>
		ERS-CENTRAL OFFICE BASED	<b>†</b>			1								<u> </u>		<b>—</b>
	J	Line Sharing Splitter, per System 96 Line Capacity	<b>1</b>		ULS	ULSDA	187.17	183.33	0.00			1	<b> </b>	<b>†</b>		<b></b>
		Line Sharing Splitter, per System 36 Line Capacity	l		ULS	ULSDB	46.79	183.33	0.00					t		
		Line Sharing Splitter, Per System 8 Line Capacity	1		ULS	ULSD8	15.59	183.33	0.00	i i		1	İ	İ		
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	n l				1									
1		(per LSOD)	1		ULS	ULSDG		83.98	0.00					I		1
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING														
		Line Sharing - per Line Activation (BST Owned splitter) -														1
		OBSOLETE see **NOTE 2	ļ		ULS	ULSDC	0.61	17.97	10.29							
		Line Share Service, TRO per line activation, BST owned splitter -	1		<u> </u>		ı 7						I	_		1
		Central Office Located (25% of UCLND) - please see NOTE 1	1		l	l								I		1
		(E:10/2/2003)	<u> </u>		ULS	ULSDT	3.10	17.97	10.29		_	ļ		<b>_</b>		<del></del>
		Line Share Service, TRO per line activation, BST owned splitter -												1		1
		Central Office Located (50% of UCLND) - please see NOTE 1						47.5-	40.55			1		1		1
		(E:10/2/2004)	<b>!</b>	-	ULS	ULSDT	6.20	17.97	10.29		-	}	<b> </b>	<del>                                     </del>		<del>                                     </del>
		Line Share Service, TRO per line activation, BST owned splitter -	1											I		1
		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)	1		ULS	ULSDT	9.30	17.97	10.29					I		1
		(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST	<del>                                     </del>		ULO	OLODI	9.30	17.97	10.29		+	}	<b>l</b>	+		<del>                                     </del>
		Owned Splitter)			ULS	ULSDS		15.91	7.95					I		1
<del>                                     </del>		Line Sharing - per Subsequent Activity per Line	<del>                                     </del>		010	JEJUJ		10.01	7.35		_	<b>†</b>	1	t		<b>—</b>
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95					I		1
		Line Sharing - per Line Activation (DLEC owned Splitter) -	<b>1</b>			32000		10.01	7.33			1	<b> </b>	<b>†</b>		<b></b>
l .		OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31			1	1	1		1

UNBUND	LED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	y I	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
o,oo	.											per Lon	per Lon			Electronic-	
														Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-+		1			+ -	1	Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates(\$)	I.	1
	$\rightarrow$		<b>†</b>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_	Line Share Service, TRO per line activation, CLEC owned splitter -	1	<u> </u>		+		11130	Addi	11130	Addi	JOINEC	SOMAN	JOINAIN	JONAN	JOWAN	JONAN
		Central Office Located (25% of UCLND) - please see NOTE 1															
						ш оот	0.40	47.44	10.01								
		(E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter -	1		ULS	ULSCT	3.10	47.44	19.31	<b>-</b>		1					
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
			1		ULS	ULSCI	6.20	47.44	19.31	<b>-</b>		1					
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)	_		ULS	ULSCT	9.30	47.44	19.31								
MAI		NANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00	<b> </b>		<b></b>	<b> </b>	ļ		ļ	
		No Trouble Found - per 1/2 hour increments - Overtime	1	<b>!</b>				120.00	82.50			<u> </u>			ļ		ļ
		No Trouble Found - per 1/2 hour increments - Premium	1	<b>!</b>				160.00	110.00			<u> </u>			ļ		ļ
		EDICATED TRANSPORT	<u> </u>	<u> </u>								ļ					
INT		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -						l									
		Per Mile per month	1	1	U1TVX	1L5XX	0.013					ļ	ļ				
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	1	Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	1	Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	1	Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -								ĺ							
	1	Facility Termination .			U1TVX	U1TV4	19.81	39.36	26.62								
i		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per					ĺ	i				1					
		month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
		month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		01127	120707	0.010			i i							
		Termination			U1TDX	U1TD6	15.61	39.37	26.62								
SIGNALING			1		OTTEX	01120	10.01	00.07	20.02	+			1				
		CCS7 Signaling Termination, Per STP Port	1		UDB	PT8SX	147.60					1					
		CCS7 Signaling Connection, Per DS1 level link (A link)	1		UDB	TPP6A	15.77	34.50	34.50	+			1				
		CCS7 Signaling Connection, Per DS3 level link (A link)	1		UDB	TPP9A	15.77	34.50	34.50			1					
		CCS7 Signaling Connection, Per DS3 level link (A link)	<del>                                     </del>	t	555	1110/	13.11	34.50	34.30	<del>                                     </del>		<del>                                     </del>	<b> </b>		<b>†</b>		<del>                                     </del>
		as D link)			UDB	TPP6B	15.77	34.50	34.50				l				
-+		CCS7 Signaling Connection, Per DS3 level link (B link) (also known	<del>                                     </del>	t	555	11100	13.11	34.50	34.30	+		<del>                                     </del>	<b> </b>		<b>†</b>		<del>                                     </del>
		as D link)	1	1	UDB	TPP9B	15.77	34.50	34.50				1	1	l	1	l
-		CCS7 Signaling Point Code, per Originating Point Code	+	<del>                                     </del>	000	11 1 3D	15.77	34.50	34.30	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<b> </b>	1	<b> </b>	<del> </del>
		Establishment or Change, per STP affected	1	1	UDB	CCAPO		28.17	28.17				1	1	l	1	l
		CCS7 Signaling Point Code, per Destination Point Code	+	<del>                                     </del>	מסט	COAFO		20.17	20.17	<del>                                     </del>		<del> </del>			-		-
		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17				l				
E911 SERVI		Lotabiloninant of Change, Fer Stp Affected	+	1	000	COAPD		20.17	20.17	<del>                                     </del>		<del>                                     </del>	<del> </del>	<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
LJII SEKVI		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	+	+		+	18.32	187.51	32.21	<del>                                     </del>		1	-	-		-	-
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1  Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	+	1		+ -	18.32	187.51 187.51	32.21	<del>                                     </del>		<del>                                     </del>	<del> </del>	<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2  Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	+	<del>                                     </del>		+ -	18.32	187.51	32.21	<del>                                     </del>		+	-	-	-	-	-
			+	+		+	0.013	187.51	32.21	<del>                                     </del>		1	-	-		-	-
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	+	+		+	0.013			<del>                                     </del>		1	-	-		-	-
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	1			22.60	39.36	26.62				1	1	l	1	l
		Termination	+	1		+ -				<del>                                     </del>		<del>                                     </del>	-	-	<del>                                     </del>	-	<del>                                     </del>
		Local Channel - Dedicated - DS1 - Zone 1	+	-		+	39.18	172.34	149.27	<del>                                     </del>		<del>                                     </del>			<u> </u>		<del>                                     </del>
		Local Channel - Dedicated - DS1 - Zone 2	+	1		+	121.58	172.34	149.27	<del>                                     </del>		<del>                                     </del>	-	-	<del>                                     </del>	-	<del>                                     </del>
		Local Channel - Dedicated - DS1 - Zone 3	+	-		+	70.02	172.34	149.27	<b></b>		<b>.</b>	<b> </b>	<b> </b>	<b>.</b>	-	<b>.</b>
	!	nteroffice Transport - Dedicated - DS1 Per Mile	+	-		+	0.2652			<b></b>		<b>.</b>	<b> </b>	<b> </b>	<b>.</b>	-	$\vdash$
	- 1.		1	1									1	1	l	1	l
ENILLA		Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44	<b> </b>		<b></b>	ļ	ļ		ļ	
		ENDED LINK (EELs)	1	1	l	1 1				1		1	1	ı	I	ı	1

Page 39 of 71

CATEGORY  NOTE: TI EXTENDI  2 2 1 II II P C EXTENDI  4 4 4 II II P C EXTENDI  4 4 4 4 II II P N C EXTENDI  1 II P N C EXTENDI  1 II P N C EXTENDI  1 II P N C EXTENDI  1 II P N C EXTENDI  1 II P N C EXTENDI  1 II P N C EXTENDI  1 II P N II II II II II II II II II II II II I	RATE ELEMENTS  RATE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP AS A WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE EXTENDED LOOP WITH 56 KBPS LOCAL LOOP IN COmbination - Zone 1 4-WIRE 56 kbps Local Loop in combination - Zone 2 4-WIRE 56 kbps Local Loop in combination - Zone 2 4-WIRE 56 kbps Local Loop in combination - Zone 3	RADE IN	curring TEROF 1 2 3	FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	USOC  apply for UNE  UEAL2  UEAL2  UEAL2  1L5XX  U1TV2  UNCCC  UEAL4  UEAL4  UEAL4  1L5XX	14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	Nonrec First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	Add'l	Nonrecurring Disconnect First Add'I mbined' Network Elements.	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Exhit Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l  SOMAN
NOTE: TI	The monthly recurring and the Switch-As-Is Charge and not the IED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRAWING LOOP in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge IED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRAWING LOOP in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	e non-rec RADE IN	TEROF 1 2 3	g charges below will FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	apply for UNE UEAL2 UEAL2 UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	urring Add'l 'Currently Co 45.09 45.09 41.75 5.43	First Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
NOTE: TI	The monthly recurring and the Switch-As-Is Charge and not the IED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRAWING LOOP in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge IED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRAWING LOOP in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	e non-rec RADE IN	TEROF 1 2 3	g charges below will FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	apply for UNE UEAL2 UEAL2 UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	urring Add'l 'Currently Co 45.09 45.09 41.75 5.43	First Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
NOTE: TI	The monthly recurring and the Switch-As-Is Charge and not the IED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRAWING LOOP in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge IED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRAWING LOOP in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	e non-rec RADE IN	TEROF 1 2 3	g charges below will FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	apply for UNE UEAL2 UEAL2 UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	urring Add'l 'Currently Co 45.09 45.09 41.75 5.43	First Add'l			Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
EXTENDI	JED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE S6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	RADE IN	TEROF 1 2 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	Add'l Currently Co 45.09 45.09 45.09 45.09 45.09 45.09	First Add'l	SOMEC	SOMAN	1st OSS	Add'l Rates(\$)	Disc 1st	Disc Add'l
EXTENDI	JED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE S6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	RADE IN	TEROF 1 2 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	Add'l Currently Co 45.09 45.09 45.09 45.09 45.09 45.09	First Add'l	SOMEC	SOMAN	oss	Rates(\$)		
EXTENDI	JED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE S6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	RADE IN	TEROF 1 2 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	Add'l Currently Co 45.09 45.09 45.09 45.09 45.09 45.09	First Add'l	SOMEC	SOMAN			SOMAN	SOMAN
EXTENDI	JED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE S6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	RADE IN	TEROF 1 2 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	Ecombinations 14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	First provisioned as 94.21 94.21 94.21 72.60 5.43 94.21 94.21	Add'l Currently Co 45.09 45.09 45.09 45.09 45.09 45.09	First Add'l	SOMEC	SOMAN			SOMAN	SOMAN
EXTENDI	JED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE S6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	RADE IN	TEROF 1 2 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	94.21 94.21 94.21 94.21 72.60 5.43 94.21 94.21	45.09 45.09 45.09 41.75 5.43							
EXTENDI	JED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 1-ED 4-WIRE S6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2	RADE IN	TEROF 1 2 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	14.93 25.35 50.46 0.013 22.60 30.81 38.32 60.39	94.21 94.21 94.21 72.60 5.43 94.21 94.21	45.09 45.09 45.09 41.75 5.43							
2   2	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1		7 3 3 TEROF 1 2	UNCVX UNCVX  UNCVX  UNCVX  UNCVX  FICE TRANSPORT  UNCVX  UNCVX  UNCVX  UNCVX	UEAL2 UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	25.35 50.46 0.013 22.60 30.81 38.32 60.39	94.21 94.21 72.60 5.43 94.21 94.21	45.09 45.09 41.75 5.43							
2   Ir   Ir   P   P   P   P   P   P   P   P   P	2-WireVG Loop in combination - Zone 3  Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch - As-Is Charge  IED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR  4-WireVG Loop in combination - Zone 1  4-WireVG Loop in combination - Zone 2  4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch - As-Is Charge  IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 2		3 TEROF 1 2	UNCVX UNCVX UNCVX -FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2  1L5XX  U1TV2  UNCCC  UEAL4  UEAL4  UEAL4	50.46 0.013 22.60 30.81 38.32 60.39	94.21 72.60 5.43 94.21 94.21	41.75 5.43 45.09							
Ir	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Pacility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  JED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VOICE GRAWIRE VG Loop in combination - Zone 2  4-Wire VG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  JED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 2		TEROF	UNCVX  UNCVX  FICE TRANSPORT  UNCVX  UNCVX  UNCVX  UNCVX	1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4	0.013 22.60 30.81 38.32 60.39	72.60 5.43 94.21 94.21	41.75 5.43 45.09							
Ir   P   C   C   C   C   C   C   C   C   C	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is  Charge  IED 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month  Interoffice Transport - 4-wire VG - Dedicated - Facility Termination  per month  Nonrecurring Currently Combined Network Elements Switch -As-Is  Charge  IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 3		1 2	UNCVX  UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4	22.60 30.81 38.32 60.39	5.43 94.21 94.21	5.43							
Ir   P   C   C   C   C   C   C   C   C   C	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is  Charge  IED 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month  Interoffice Transport - 4-wire VG - Dedicated - Facility Termination  per month  Nonrecurring Currently Combined Network Elements Switch -As-Is  Charge  IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 3		1 2	UNCVX  UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4	22.60 30.81 38.32 60.39	5.43 94.21 94.21	5.43							
P	per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  DED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GR  4-WireVG Loop in combination - Zone 1  4-WireVG Loop in combination - Zone 2  4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 2		1 2	UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX	UNCCC UEAL4 UEAL4 UEAL4	30.81 38.32 60.39	5.43 94.21 94.21	5.43							
EXTENDI	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge <b>SED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G! 4-WireVG</b> Loop in combination - Zone 1 <b>4-WireVG</b> Loop in combination - Zone 2 <b>4-WireVG</b> Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge <b>1ED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 1-wire 56 kbps Local Loop in combination - Zone 1 1-wire 56 kbps Local Loop in combination - Zone 2 1-wire 56 kbps Local Loop in combination - Zone 2</b>		1 2	UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX	UNCCC UEAL4 UEAL4 UEAL4	30.81 38.32 60.39	5.43 94.21 94.21	5.43							
C   EXTENDI   4   4   4   4   1   1   1   1   1   1	Charge  IED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE HOT A-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE HOT A-WIRE VG Loop in combination - Zone 1  4-WireVG Loop in combination - Zone 2  4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  IED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 3		1 2	FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4	38.32 60.39	94.21 94.21	45.09							
4	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2		1 2	UNCVX UNCVX UNCVX	UEAL4 UEAL4	38.32 60.39	94.21								
4   4	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	SINTERO	2	UNCVX UNCVX UNCVX	UEAL4 UEAL4	38.32 60.39	94.21								
4	4-WireVG Loop in combination - Zone 3  Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	SINTERO		UNCVX	UEAL4	60.39		45.09	<b></b>						4
Ir   Ir   Ir   Ir   Ir   Ir   Ir   Ir	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	SINTERO	3	UNCVX			94.21								
Ir   P   N   C   C   C   C   C   C   C   C   C	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 3	SINTERO			1L5XX			45.09							<b>├</b>
Ir   P   N   C   C   C   C   C   C   C   C   C	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 3	BINTERO			ILDAX	0.040								J	i
P   N   C   C   EXTENDI   4   4   4   4   4     I   I     N     I     F   F     N   N   N   N   N   N   N	per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	BINTERO		UNCVX		0.013				+		<b> </b>			
EXTENDI  4  4  1  II  II  II  N	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	SINTERO	t		U1TV4	19.81	72.60	41.75						J	i
C   EXTENDI   4   4   4   4   1   1   1   1   1   1	Charge  JED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS  4-Wire 56 kbps Local Loop in combination - Zone 1  4-wire 56 kbps Local Loop in combination - Zone 2  4-wire 56 kbps Local Loop in combination - Zone 3	SINTERO			01114	13.01	72.00	41.73		1					<b>—</b>
4   4   4   4   1   1   1   1   1   1	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	INTERO	1	UNCVX	UNCCC		5.43	5.43							1
4 4 Ir	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3		OFFICE	TRANSPORT											
4 Ir	4-wire 56 kbps Local Loop in combination - Zone 3		1	UNCDX	UDL56	30.99	94.21	45.09							
Ir N Ir F			2	UNCDX	UDL56	36.78	94.21	45.09							<b></b>
Ir F			3	UNCDX	UDL56	38.92	94.21	45.09							<b></b>
lr F	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per			LINODY	41.577	0.040									1
F	Mile per month  Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	+	_	UNCDX	1L5XX	0.013				+					<b>—</b>
N	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75							1
	Nonrecurring Currently Combined Network Elements Switch -As-Is	+		ONODA	01120	10.01	72.00	41.70							
	Charge			UNCDX	UNCCC		5.43	5.43							1
EXTEND	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	OFFICE	TRANSPORT											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							<b></b>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							<b></b>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			LINORY	41.5707	0.040									l .
	Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1	UNCDX	1L5XX	0.013				1					<b></b>
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75						J	1
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1	<del>                                     </del>	011007	01100	15.01	12.00	41.75		<del>                                     </del>					
	Charge			UNCDX	UNCCC		5.43	5.43						J	1
EXTENDI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	<u>EROFFIC</u>		NSPORT											
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							$\vdash$
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		1		-			
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month	1		UNCDX	1L5XX	0.013								J	i
	montn First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1	1	ONCDA	ILDAX	0.013				+		<b> </b>			
	First 4-wire 56 kbps interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75						J	i
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1		5.10DA	31123	13.01	72.00	41.75		1					
	Charge			UNCDX	UNCCC		5.43	5.43							1
EXTEND	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	CE TRA	NSPORT											
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							<del></del>
	First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	38.92	94.21	45.09		1		ļ			<del></del>
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			LINCDY	11.5	0.040	J							J	1
	month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1	UNCDX	1L5XX	0.013				1					<del></del>
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75						J	1
		<del>                                     </del>	1	CINODA	01100	10.01	12.00	41.75		+					
	Nonrecurring Currently Combined Network Flements Switch - Ac-le	1		UNCDX	UNCCC		5.43	5.43						J	1
ADDITIONAL NET	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		+ -	1	1		00	0.70	<del></del>			1	1		

UNI	BUNDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												ļ -	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		used as a part of a currently combined facility, the non-recurrng															
	When t	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and th	e Switch As	Is Charge does	not.									
		urring Currently Combined Network Elements "Switch As Is" C	harge (O	ne app	lies to each combina	tion)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
	Miscell	aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	Ī		UN1CX	OCOSR		18.85	18.85								
LNP	Query Ser	vice															

LINIBLE	NDI EE	NETWORK ELEMENTO Missississis															
UNBU	NDLEL	NETWORK ELEMENTS - Mississippi					1					Svc Order	Svc Order		ment: 2 Incremental	Exhi Incremental	bit: A Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												J	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
						L		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as pa			ation refers to Geogr	aphically De	averaged UNE 2	Zones. To view	Geographical	ly Deaveraged I	JNE Zone Desi	gnations by	Central Offi	ice, refer to Int	ernet Website	:	ļ
0.050.4		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm	1		1		1	1	1			1			
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	"ototo o	ifi -	" OCC abargas as and	arad butba (	State Commissis	ana Tha OCC a		thy contained in	this rate avhi	hit ara tha D	allCauth "re	mianal" aanda		arman CLEC	mayalaat
		he state specific Commission ordered rates for the service orde															
-		(2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request			.,									1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						]
UNE SI		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL. UENTW. UDN.												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX.												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
					U1TUD, U1TUB,												
L	<u> </u>	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00		ļ	ļ				1		
ORDER	MODIF	CATION CHARGE						00.71		0.55	0.55						<b>↓</b>
<u> </u>	<del>                                     </del>	Order Modification Charge (OMC)						26.21 150.00	0.00	0.00	0.00	1	1	1	<del>                                     </del>	-	$\vdash$
IINDII	IDI ED E	Order Modification Additional Dispatch Charge (OMCAD)  XCHANGE ACCESS LOOP	<b>-</b>	<u> </u>		-	1	150.00	0.00	0.00	0.00	-	-	1	<del></del>		<del></del>
UNDUI		ANALOG VOICE GRADE LOOP										<del>                                     </del>	<del>                                     </del>	1	+		$\vdash$
$\vdash$	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25				<del>                                     </del>		<del>                                     </del>
	l -	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25				<u> </u>		
	<b> </b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25				<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25				t		
	1	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1			UEANL	UEASL	12.03	37.92	17.55	23.48	5.25			1	İ		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	16.87	37.92	17.55	23.48	5.25			1	İ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
L		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								$\Box$
	ļ	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97	ļ	ļ						$\vdash$
	l	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92		l			l	1		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ONBONEL	NETWORK ELEMENTS IMPOSSOPPI										Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)	ļ		UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
2-WI	RE UNBUNDLED COPPER LOOP - NON-DESIGNED	1		UEANL	UCUSL		10.19	10.19			1					<del></del>
12 11.	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	11.51	36.53	16.16		4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	- 1	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															ĺ
$\vdash$	Designed (per loop)	1		UEQ	USBMC		8.20	8.20			1					
1 1	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			UEQ	UEQMU		13.51	13.51								1
$\vdash$	providing make-up (Engineering Information - E.I.)  Loop Testing - Basic 1st Half Hour	+	<del>                                     </del>	UEQ	URET1		13.51 34.36	0.00	1			<b> </b>	<b> </b>	<del> </del>		<del></del>
	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
UNBUNDLE	EXCHANGE ACCESS LOOP	1														
2-WII	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	LIEADO	40.75	405.00	00.00	50.00	40.07						ĺ
	Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				UEAR2	18.75	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
$\vdash$	Battery Signaling - Zone 4		4	UEA UEA	UEAR2 UREWO	45.72	105.96 87.56	68.28 36.29	52.82	10.37						<b>——</b>
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	<del>                                     </del>	-	UEA	URETL		11.19	1.10			1					<del></del>
4-WII	RE ANALOG VOICE GRADE LOOP			UEA	UKETL		11.19	1.10								<del>                                     </del>
7 771	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64				İ		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64				ļ		
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	-	UEA	UREWO		87.56	36.29	1			<b> </b>	ļ	<b> </b>		<del></del>
2-WI	RE ISDN DIGITAL GRADE LOOP	+	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37	1	-		<del>                                     </del>		<del></del>
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	+	2	UDN	U1L2X U1L2X	21.01	117.61	79.92	52.82 52.82	10.37	<del>                                     </del>			<del> </del>		<del>                                     </del>
<del></del>	2-Wire ISDN Digital Grade Loop - Zone 2	<b>t</b>	3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37	<del>                                     </del>	<b> </b>				<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37			İ	İ		
	CLEC to CLEC Conversion Charge without outside dispatch	1		UDN	UREWO		91.46	44.07						1		
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1											-	l <sup>*</sup>	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
+-		1	1			Rec	Nonrec First		Nonrecurring		SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1		1		riist	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SUMAN	SUMAN	SOWAN
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		0712	O/ILLIV		00.10	00.00	00.00	7.00						+
	facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	UAL	UREWO		86.04	40.33								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOC	P		-											+
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1		UNL	UNLZA	0.75	129.90	79.52	50.36	7.93	1					+
	facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &		<u> </u>													1
	facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
. [	2 Wire Unbundled HDSL Loop without manual service inquiry and		l .													
$\overline{}$	facility reservation - Zone 1	ļ	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						+
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and			OFIL	UTILZVV	9.22	104.60	00.74	30.36	7.93						+
	facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOC	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
$\overline{}$	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and	ļ	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						+
	facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1		OTIL	OTILAX	13.43	130.74	100.20	30.72	10.00	1					+
	facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															1
	facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1		UNL	UHL4W	13.43	133.02	95.50	30.72	10.00	1					$\leftarrow$
	facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1		OTIE	OTILTW	10.00	100.02	30.00	00.72	10.00						+
	facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIRI	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps	ļ		UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
+-	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	1		UDL UDL	UDL19 UDL19	40.76 32.25	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	-					
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		UDL	UDL19	27.44	126.53	88.85	60.68	14.64	1					+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64	1					<b>†</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	i –		UDL	UDL56	40.76	126.53	88.85	60.68	14.64				İ		<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85	60.68	14.64						$\bot$
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ		UDL	UDL64	40.76	126.53	88.85	60.68	14.64						<b>↓</b>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	1	4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64	1			<del> </del>	-	+
2 14/15	CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP	1	<del>                                     </del>	UDL	UREWO		101.94	49.66					-			+
Z-VVIKE	2-Wire Unbundled Copper Loop-Designed including manual service	<b>†</b>	<b>†</b>		+									<b> </b>		+
. [	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
		t	<del></del>		- 02. 2		.20.04	55.67	55.00		1	1		<b>-</b>	l	<del>                                     </del>
	2-Wire Unbundled Copper Loop-Designed including manual service															

Version 06/29/04 Page 43 of 71 [CCCS Amendment 79 of 107]

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		<u> </u>				Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2 Wire Unbundled Copper Loop-Designed including manual service	1			+		FIISL	Auu i	Filst	Addi	SOWIEC	JOWAN	SOWAN	JOWAN	SOWAN	JOWAN
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service			UCL	UCLPVV	11.47	95.21	57.09	50.36	7.93						
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
	Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		95.21	42.40								
4-WIR	E COPPER LOOP	1		UUL	UKEWU		95.27	42.40								<del>                                     </del>
	4-Wire Copper Loop-Designed including manual service inquiry and				İ											
	facility reservation - Zone 1	1	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						<del>                                     </del>
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
<b></b>	Des) Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL UCL	UREWO UCLMC		95.21 8.20	42.40 8.20								
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL	OCOSL		18.19	6.20								
LOOP MODIFI		1		0112,002	00002		10.10									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less										İ					
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA,	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS	·															
Sub-L	oop Distribution	-			+				-							
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		259.69									<del>                                     </del>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	-1		UEANL	USBSB		22.77									
	Set-Up	ı		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone  1  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	2	1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						

UNBUN	IDLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	l	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
		3	- 1	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
		4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						ļ
						USBMC		0.00	0.00								
$\vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	-		UEANL	USBINC		8.20	8.20			<b> </b>					<b>+</b>
		1 Sub-Loop Distribution Per 4-Wire Arialog Voice Grade Loop - Zone		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		<u> </u>	OLANL	O O D I V 4	7.50	75.45	44.45	31.27	9.55	1					
		2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
$\vdash \!$		4	ļ	4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						<b>_</b>
		Order Coordination for Habandled Cat Large Transition			UEANL	USBMC		8.20	8.20								
$\vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	<del>                                     </del>	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71	1	-		1	-	<del>                                     </del>
$\vdash$		Sub-Loop 2-Wire Intrabuliding NetWork Cable (INC)	<del>- '-</del>	<del>                                     </del>	UEAINL	USDKZ	2.29	53.32	18.28	45.36	6./1	1			<b> </b>	<del> </del>	<del></del>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35	†					
		. ,															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
$\vdash$		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14		6.71	ļ					
$\vdash$		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+	3	UEF UEF	UCS2X UCS2X	7.09 8.16	66.18 66.18	31.14 31.14		6.71 6.71	<b> </b>					<del> </del>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	<u> </u>	4	UEF	UCS2X	9.90	66.18	31.14		6.71						<del> </del>
		2 Wife Copper Cribanaled Cab 200p Biotribution 2016 4		-	OLI	OOOZX	0.00	00.10	01.14	40.00	0.71						<b>†</b>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
-		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35	ļ					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OLF	USBIVIC		6.20	0.20			<b>+</b>					
		Designed and Distribution Subloops			UEF. UEANL	URETL		8.92	0.88								
		Loop Testing - Basic 1st Half Hour			UEF	URET1	1	34.36	0.00			Ì			1		
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
U	Unbunc	lled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
$\vdash$		Coil/Equip Removal per 2-W PR	1	-	UEF	ULM2X	1	176.80	5.13			ļ	-		-	<del> </del>	<u> </u>
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
$\vdash$		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled	<del>                                     </del>		OLI	OLIVI4A		170.00	5.13	<del>                                     </del>		<b> </b>	<b> </b>			<b> </b>	<del>                                     </del>
		loop		1	UEF	ULMBT		279.81	6.15								
l l	Unbund	dled Network Terminating Wire (UNTW)			-				2.10						İ		
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
	Networl	k Interface Device (NID)							· · · · ·		· · · · ·						
igsquare		Network Interface Device (NID) - 1-2 lines	ļ		UENTW	UND12		43.84	28.90								
$\vdash \!$		Network Interface Device (NID) - 1-6 lines	-	<u> </u>	UENTW	UND16		65.30	50.36	<u> </u>					<b> </b>	ļ	<b></b>
$\vdash$		Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	1	-	UENTW UENTW	UNDC2 UNDC4		5.94 5.94	5.94 5.94	<del>                                     </del>		ļ			-	<b> </b>	<del> </del>
LINE OT		ROVISIONING ONLY - NO RATE	1	<del>                                     </del>	OFINIAN	UNDU4	1	5.94	5.94			1			<b>l</b>	<del> </del>	<del>                                     </del>
JIVE OII	, P	NID - Dispatch and Service Order for NID installation	<del>                                     </del>		UENTW	UNDBX	0.00	0.00		<del>                                     </del>		<del>                                     </del>	<b>-</b>			<b> </b>	<del>                                     </del>
$\vdash$		UNTW Circuit Id Establishment, Provisioning Only - No Rate	<b>†</b>		UENTW	UENCE	0.00	0.00								1	
		,g,	1		UEANL,UEF,UEQ,UE	T		2.20							l	İ	
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00							<u> </u>		
					UAL, UCL, UDC,						-						
			1	1	UDL, UDN, UEA,								1				
1 1		Unbundled Contact Name, Provisioning Only - no rate	<u> </u>		UHL	UNECN	0.00	0.00		I		<u> </u>	<u> </u>		l	İ	<u> </u>

Version 06/29/04 Page 45 of 71 [CCCS Amendment 81 of 107]

LIMBI	NDI EF	NETWORK ELEMENTS - Mississippi												A441-		F.d.	Inite. A
ONBL	NULEL	NETWORK ELEMENTS - MISSISSIPPI		ı		l	l					Svc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Incremental	bit: A Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1										<b>D</b> : .				D ( (A)		
	-		-				Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
LOOP	MAKE-U							FIISL	Auu i	FIISL	Auu i	SOIVIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	I C	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								ĺ
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or spare															ĺ
		facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652			1					⊢
LINE S	HARING	: The Line Sharing monthly recurring rates for all installations	comple	od fro	m Octobor 02, 2002 th	rough midni	aht October 01	2004 chall bo b	silled as follow	(C)		<b> </b>			-		<del></del>
	NOTE 1	: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	ner loon	non-d	esigned ("IICLND")	l	I October 01,	2004 Silali be i	Jilleu as Tollow	5.							<del>                                     </del>
	NOTE 1	: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per roop	11011 0	coigned ( COLIND )												
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and U	ILSCC	applies only to circui	ts installed a	and inservice o	or before Octo	ober 1, 2003		· · · · ·						
	LINE SH		ļ	<u> </u>						ļ							<b>├</b>
<u> </u>	SPLITT	ERS-CENTRAL OFFICE BASED	<u> </u>	<u> </u>		LII OD A	100	100	0	470				<b> </b>	-		<b>├</b>
<u> </u>	1	Line Sharing Splitter, per System 96 Line Capacity	1	<u> </u>	ULS	ULSDA ULSDB	186.67 46.67	189.89 189.89	0.00	178.41 178.41	0.00			-	<del>                                     </del>		<del></del>
	-	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSDB ULSD8	15.55	189.89	0.00	178.41	0.00						<del></del>
-	1	Line Sharing Splitter, Per System, & Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	1	-	ULS	ULSDo	15.55	109.09	0.00	170.41	0.00	1			-		
		(per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END US	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING								10.00							
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						<u> </u>
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															ĺ
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						<b>└</b>
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															ĺ
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						ĺ
	<b>-</b>	Line Share Service, TRO per line activation, BST owned splitter -			ULO	OLSDI	5.51	10.02	10.00	10.04	4.53						<del>                                     </del>
		Central Office Located (75% of UCLND) - please see NOTE 1															ĺ
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						ĺ
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST															
		Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line															ĺ
<u> </u>	-	Rearrangement(DLEC Owned Splitter)	<u> </u>	<u> </u>	ULS	ULSCS		16.48	8.24	ļ				<b> </b>	-		<b>├</b>
		Line Sharing - per Line Activation (DLEC owned Splitter) -		1	ULS	ULSCC	0.61	47 44	19.31	20.67	12.74		1		I		1
-	1	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter -	1	<del>                                     </del>	ULO	ULOUU	0.61	47.44	19.31	20.67	12.74	1		<b> </b>	<del>                                     </del>		<del>                                     </del>
1		Central Office Located (25% of UCLND) - please see NOTE 1		1									1		I		1
		(E:10/2/2003)		1	ULS	ULSCT	2.75	47.44	19.31	20.67	12.74		1		I		1
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1		l											1		1
	ļ	(E:10/2/2004)	ļ		ULS	ULSCT	5.51	47.44	19.31	20.67	12.74				ļ		<b></b>
		Line Share Service, TRO per line activation, CLEC owned splitter -		l											1		1
		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)		l	111.6	III COT	8.26	47.44	19.31	20.67	12.74				1		1
-	MAINT	(E:10/2/2005)	<del>                                     </del>	-	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74				+		<del></del>
<b>—</b>		No Trouble Found - per 1/2 hour increments - Basic	<b>†</b>	<del>                                     </del>				80.00	55.00				<b> </b>		t		<u> </u>
	<b>†</b>	No Trouble Found - per 1/2 hour increments - Overtime	<b>†</b>				1	120.00	82.50						1		
	1	No Trouble Found - per 1/2 hour increments - Premium	1	Ì		1	İ	160.00	110.00					l	1		
UNBU		EDICATED TRANSPORT															
	INTERC	FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		l											1		1
<u> </u>	<b> </b>	Per Mile per month	<b> </b>	<u> </u>	U1TVX	1L5XX	0.0098			<del>                                     </del>		ļ	<b> </b>	<b> </b>	<del>                                     </del>		<del></del>
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination		l	U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11				1		1
<b>—</b>	<del>                                     </del>	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	<del>                                     </del>		UTIVA	UTIVZ	22.52	40.77	21.51	17.20	1.11		<b> </b>		<del>                                     </del>		<del></del>
1		Rev Bat Per Mile per month		1	U1TVX	1L5XX	0.0098						1		I		1
<b>—</b>	1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1			. 20701	0.0000								<u> </u>		
		Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11				1		1

LINDIIN	חו בי	NETWORK ELEMENTS - Mississippi												A 44 n - 1-	ment: 2	E <sub>v</sub> t.:	bit: A
UNBUN	DLEL	NETWORK ELEWIENTS - WISSISSIPPI	1	1	I	1	1					Svc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Incremental	Incremental
			1			1	I					Submitted		Charge -	Charge -	Charge -	Charge -
												1					
CATEGO	DV.	DATE ELEMENTO		<b>7</b>	D00	usoc			DATEC(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			ļ			1	<del>                                     </del>	Name		N	Di			000	D-4(f)		<u> </u>
-						+	Rec	Nonrec		Nonrecurring		201150			Rates(\$)	0011411	201111
$\vdash$				_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			11477.07	1L5XX	0.0000										1
$\vdash$		Per Mile per month			U1TVX	1L5XX	0.0098					ļ					<del></del>
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			11477.07		40.70	40.77	07.57	47.00	7.44						1
$\vdash$		Facility Termination	1	-	U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11	-					<del> </del>
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										1
$\vdash$			<u> </u>	-	UTIDA	ILSAA	0.0096					<b>-</b>	-				<del>                                     </del>
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						1
$\vdash$		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	<u> </u>	-	UTIDX	01105	15.68	40.78	27.57	17.26	7.11	<b>-</b>	-				<del></del>
		month			U1TDX	1L5XX	0.0098										1
+		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>		UTIDA	ILDVY	0.0098			<del>                                     </del>		1	-	-			<del>                                     </del>
		Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						1
SIGNALIN	NG (CC		<del>                                     </del>	-	UTIDA	סטווט	80.01	40.78	21.57	17.26	7.11	-		-	-		<del></del>
SIGNALII	4G (CC		<del>                                     </del>		LIDB	PT8SX	132.21			<del>                                     </del>		1	-	-			<del>                                     </del>
+		CCS7 Signaling Termination, Per STP Port	<del>                                     </del>		UDB	TPP6A	132.21	35.74	05.71	40.50	40.50	<del>                                     </del>					<b>—</b>
+		CCS7 Signaling Connection, Per DS1 level link (A link)	<del>                                     </del>	<b>-</b>	UDB	TPP6A TPP9A	16.55	35.74	35.74 35.74	16.53 16.53	16.53	<del>                                     </del>	-	-	-		
+		CCS7 Signaling Connection, Per DS3 level link (A link)	<del>                                     </del>		UDB	IPP9A	16.55	35.74	35.74	16.53	16.53	1	-	-			<del></del>
		CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						1
+			<del>                                     </del>	-	סטט	IPPOB	16.55	35.74	35.74	16.53	16.53	-		-	-		<b></b>
		CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						1
+		CCS7 Signaling Point Code, per Originating Point Code	<del>                                     </del>		סטט	ILLAR	16.55	35.74	35.74	16.53	16.53	1	-	-			<del></del>
		Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						1
E911 SEF	21/105	Establishment of Change, per STP affected	-	-	UDB	CCAPO		29.10	29.10	35.76	33.76						<del></del>
E911 SEF	RVICE	Local Channel - Dedicated - 2-wr Voice Grade	1	-			14.91	194.22	33.36	37.79	3.30	-					<del></del>
-		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	<u> </u>	-		+	0.0098	194.22	33.36	37.79	3.30	<b>-</b>	-				<del></del>
<b>-</b>			-	-		+	0.0096										<del></del>
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.52	40.77	27.57	17.26	7.11						1
<b>-</b>		Local Channel - Dedicated - DS1 - Zone 1	-	-		+		178.50	154.61								<del></del>
$\vdash$		Local Channel - Dedicated - DS1 - Zone 1	1	-			36.83 35.99	178.50	154.61	22.89 22.89	15.74 15.74	-					<del></del>
-		Local Channel - Dedicated - DS1 - Zone 2	<u> </u>	-		+	221.63	178.50	154.61	22.89	15.74	<b>-</b>	-				<del></del>
<b>-</b>		Local Channel - Dedicated - DS1 - Zone 4	-	-		+	221.63	178.50	154.61	22.89	15.74						<b>——</b>
-		Interoffice Transport - Dedicated - DS1 - Zone 4	<u> </u>	-		+	0.2010	178.50	154.61	22.89	15.74	<b>-</b>	-				<del>                                     </del>
<b>-</b>		Interoffice Transport - Dedicated - DST Per Mile	-	-		+	0.2010										<del></del>
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						1
ENULANO	ED EV	TENDED LINK (EELs)	1	-			57.33	89.79	82.28	16.86	14.90	-					<del> </del>
			anlı and	the Cu	itah As Is Charas u	ill not onnly f	or UNE combine	tiono neoviolo	and an I Ordina	wils Cambinadi	letwerk Flowe	nto.					<del> </del>
		The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the										iiio.	-	-	-		
		The monthly recurring and the Switch-As-is Charge and not the DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR				apply for UNI	Combinations	provisioned as	Currently Co	IIIDIIIeu NetWor	k Elements.	-		-	-		<del></del>
<del></del>	- A I E IN	2-Wire VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR 2-WireVG Loop in combination - Zone 1	ADE IN	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>		
$\vdash$		2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2	<del>                                     </del>	2	UNCVX	UEAL2	13.89	105.96	68.28	52.82 52.82	10.37	-		-	-		<del></del>
+		2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3	<del>                                     </del>	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	<del>                                     </del>	<del>                                     </del>		<u> </u>		
$\vdash$		2-vvii 6 v O LOOP III COMBINATION - ZONE 3	1	3	OINOVA	JEALZ	21.00	105.96	00.28	52.02	10.37	<del>                                     </del>	<b>-</b>	<b>l</b>	1		
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1		UNCVX	1L5XX	0.00088					1	l	1	1		1
+		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination	<del>                                     </del>		0140 4 7	ILUAA	0.00000			<del>                                     </del>		t	<del> </del>	<b> </b>	1		
		per month	1		UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11	1	l	1	l		1
+		Nonrecurring Currently Combined Network Elements Switch -As-Is	<del>                                     </del>		UNUVA	01172	20.32	40.77	21.51	17.20	1.11	<del>                                     </del>	<del>                                     </del>		<del> </del>		
		Charge	1		UNCVX	UNCCC		5.63	5.63	7.20	7.20	1	l	1	l		1
-	YTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GF	A DE IVI	TEPOF		UNCCC	<del>                                     </del>	0.03	5.03	1.20	1.20	<del>                                     </del>	<del>                                     </del>		<del> </del>		
	-V I EIN	4-WireVG Loop in combination - Zone 1	ADE IN	- ERUF	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64	<del>                                     </del>	<b>-</b>	<b>l</b>	1		
+		4-WireVG Loop in combination - Zone 2	<b>†</b>	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64	1	<b> </b>		<b> </b>		
$\vdash$		4-WireVG Loop in combination - Zone 3	<del>                                     </del>	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	<b>H</b>		<del>                                     </del>	<del>                                     </del>		
+		T	<del>                                     </del>	3	UNUVA	UEAL4	50.03	132.21	34.33	00.00	14.04	<del>                                     </del>	<del>                                     </del>		<del> </del>		
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	1		UNCVX	1L5XX	0.00088						1				1
$\vdash$		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month  Interoffice Transport - 4-wire VG - Dedicated - Facility Termination	1		OINOVA	ILOAA	0.00008			<del>                                     </del>		<del>                                     </del>	<b>-</b>	<b>l</b>	1		
		per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						1
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-Is	1		OINOVA	01174	17.00	40.77	16.12	17.20	7.11	<del>                                     </del>	<b>-</b>	<b>l</b>	1		
		Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						1
<del>   </del>	XTENI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE		JINOOO	<del>                                     </del>	0.03	0.03	1.20	1.20	<b>H</b>		<del>                                     </del>	<del>                                     </del>		
H 15	-VIEW	4-wire 56 kbps Local Loop in combination - Zone 1	HILEKO	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1	<b> </b>		<b> </b>		
$\vdash$		4-wire 56 kbps Local Loop in combination - Zone 1	<del>                                     </del>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	<b>H</b>		<del>                                     </del>	<del>                                     </del>		
$\vdash$		4-wire 56 kbps Local Loop in combination - Zone 2	1	3	UNCDX	UDL56	34.55 40.76	126.53	88.85	60.68	14.64	1	<del>                                     </del>		-		
-		I	1	J	עמטאוט	ODESO	40.76	120.03	00.00	80.00	14.04	L	L	L	l		

HINBHINDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: A
UNDUNDLI	ED NETWORK ELEMENTS - MISSISSIPPI	1	1		1	1					Cyc Order	Cua Ordar				
													Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			_								Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -								i i							
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															1
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EYTE	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTER	FEICE		0.1000		0.00	0.00	7.20	7.20	1				†	1
LAIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I	1 1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	1					+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	<del> </del>	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	<b>}</b>	-		<b>-</b>	<b>-</b>	+
		1	3	UNCDX	UDL64	40.76	126.53	88.85	80.08	14.64				ļ		+
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
	Mile per month	ļ		UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC	ETRA	NSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64					1	1
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						<b>†</b>
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	1					<del>                                     </del>
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			ONODA	ODLOO	02.20	120.00	00.00	00.00	17.07						+
	month			UNCDX	1L5XX	0.0098										
<b></b>	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	<del> </del>		UNCDA	ILSAA	0.0096					<b>}</b>	-		<b>-</b>	<b>-</b>	+
	Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
		1		UNCDX	01105	22.52	40.78	27.57	17.26	7.11				ļ		+
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge	<u> </u>		UNCDX	UNCCC		5.63	5.63	7.20	7.20						<del>                                     </del>
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	ļ					ļ
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0098										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility								i i							
	Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															1
	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDITIONAL	NETWORK ELEMENTS			ONOBA	0.1000		0.00	0.00	7.20	7.20	1				†	1
	n used as a part of a currently combined facility, the non-recurring		0 40 20	t anniu but a Cuit	ah Aa la ahara	a daga annly					1					+
	n used as a part of a currently combined facility, the hori-recurring						n.a4				1					+
						is charge does	not.							<b> </b>		+
Nonr	ecurring Currently Combined Network Elements "Switch As Is" C	narge (C	ne app	lies to each combi	nation)											+
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.63	5.63	7.20	7.20						<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As-Is											1				1
	Charge - 56/64 kbps	1		UNCDX	UNCCC		5.63	5.63	7.20	7.20	<b>!</b>					<del></del>
Misc	ellaneous	1	$\vdash$													<del></del>
	NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR		18.87	18.87			1					1
LNP Query Se																
	LNP Charge Per query					0.0008477										
	LNP Service Establishment Manual						12.59	12.59	11.58	11.58						
	LNP Service Provisioning with Point Code Establishment				1		596.94	304.96	270.49	198.89	Ì					1

UNBU	NDLED	NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
												Svc Order			Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILO	OKI	NATE ELLMENTO	internin	Zone	B00	0300			KATEO(ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	Disc Add I
							Rec	Nonrec	curring	Nonrecurring	Disconnect		•	OSS	Rates(\$)		
								First	Add'l	First	Add'l		SOMAN			SOMAN	SOMAN
		ne" shown in the sections for stand-alone loops or loops as p				raphically De	averaged UNE 2	Zones. To view	Geographical	lly Deaveraged U	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/bell	onnectio	n.htm	ı	1		1		1						1	
OPERA		UPPORT SYSTEMS (OSS) - "REGIONAL RATES"		.,.	1 000 1			<b>TI 000</b>	Ļ			1			L	0.50	
	NOIE: (	<ol> <li>CLEC should contact its contract negotiator if it prefers the ne state specific Commission ordered rates for the service order</li> </ol>	"State s	pecific	" USS charges as ord	ered by the t	State Commissio	ons. The USS of	charges currer	ntiy contained ir	this rate exhi	bit are the B	eliSouth "re	egionai" servi	ce ordering ch	arges. CLEC	nay elect
	NOTE:	<ol> <li>Any element that can be ordered electronically will be billed</li> </ol>	l accordi	ing to t	he SOMEC rate lister	l in this cate	nory Please ref	fer to BellSouth	's Local Order	ot obtain a mixti	I OH) to detern	nine if a pro	duct can be	ordered electr	onically For	hose element	s that cannot
		red electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request	1													,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	п по прриот
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						i .
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
		ATE ADVANCEMENT CHARGE	l	L	<u> </u>	]											<b></b>
	NOTE:	The Expedite charge will be maintained commensurate with Be	ellSouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										<b></b>
					UAL, UEANL, UCL,												1
					UEF, UDF, UEQ.												1
					UDL, UENTW, UDN,												l .
					UEA, UHL, ULC,												i .
					USL, U1T12, U1T48,												i .
					U1TD1, U1TD3,												1
					U1TDX, U1TO3,												1
					U1TS1, U1TVX,												i .
					UC1BC, UC1BL,												i .
					UC1CC, UC1CL,												i .
					UC1DC, UC1DL,												i .
					UC1EC, UC1EL,												1
					UC1FC, UC1FL,												1
					UC1GC, UC1GL,												1
					UC1HC, UC1HL,												1
					UDL12, UDL48,												1
					UDLO3, UDLSX,												1
					UE3, ULD12, ULD48,												i .
					ULDD1, ULDD3,												1
					ULDDX, ULDO3,												1
					ULDS1, ULDVX,												i .
					UNC1X, UNC3X,												1
					UNCDX, UNCNX,												1
					UNCSX, UNCVX,												1
					UNLD1, UNLD3, UXTD1, UXTD3,												i .
					UXTS1, U1TUC,												1
			1	1	U1TUD, U1TUB,							1		I			1
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	,l	1	U1TUA	SDASP		200.00				1		I			1
ORDER	MODIFI	CATION CHARGE	t					200.00		İ				1	İ	İ	
		Order Modification Charge (OMC)	1	Ì	İ			26.21	0.00	0.00	0.00	1		1	İ	l	ſ
		Order Modification Additional Dispatch Charge (OMCAD)	Ì					0.00	0.00	0.00	0.00						
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ļ	1	UEANL	UEAL2	12.11	57.99	42.37	ļ					ļ		<del></del>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>	2	UEANL	UEAL2	21.24	57.99	42.37								<b></b>
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	<del>                                     </del>	3	UEANL	UEAL2	33.65	57.99	42.37			1	1	<del>                                     </del>	<b> </b>	-	<del></del>
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>	2	UEANL UEANL	UEASL UEASL	12.11 21.24	57.99 57.99	42.37 42.37			<del>                                     </del>		<del>                                     </del>			<del> </del>
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	<del>                                     </del>	3	UEANL	UEASL	33.65	57.99 57.99	42.37			+	<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>	
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>	3	OLAINL	UEAGL	33.05	97.16	42.37	1		+	<b>—</b>	t	<del>                                     </del>	<b>l</b>	
		Premise		1	UEANL	URETL		8.33	0.83			1		I			1
		Loop Testing - Basic 1st Half Hour	<b>1</b>	<del>                                     </del>	UEANL	URET1	1	76.24	0.00	1		<del>                                     </del>	<del>                                     </del>	<b>I</b>			
		Loop Testing - Basic Additional Half Hour	<b>†</b>	<u> </u>	UEANL	URETA		39.51	39.51	1		<b>†</b>		<u> </u>			
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-	1	Ì				55.51	55.51	İ		1		1	İ	l	ſ
		SL1)	<u></u>	L	UEANL	UREWO	<u>                                       </u>	15.76	8.93	<u> </u>		<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	1
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)	<u></u>	L	UEANL	UEANM	<u>                                       </u>	28.74	28.74	<u> </u>		<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	1

Version 06/29/04 Page 49 of 71 [CCCS Amendment 85 of 107]

UNBUND	LED	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	pit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
										T.,	_					<u> </u>
			1				Rec	Nonrec First	urring Add'l	Nonrecurring Disconne First Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)	<u> </u>		UEANL	UEAMC		61.38	61.38	FIIST Add I	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			ULANL	ULAIVIC		01.30	01.30			<b>+</b>				<del>                                     </del>
		LSR)			UEANL	OCOSL		45.34	45.34							1
2-V	WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED	1		02/1112	00002		10.01	10.01			†	t			
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.55	35.27	15.60							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60							<b></b>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			1150	LIDETI		0.00	2.22							1
		Premise	ļ		UEQ	URETL		8.33	0.83				-			<del></del>
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		61.38	61.38							1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST	<del>                                     </del>	<b>†</b>	0-4	OODIVIC		01.30	01.30	+ + + + + + + + + + + + + + + + + + + +	+	<b> </b>	t	t		<del>                                     </del>
		providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		28.74	28.74				I	I		1
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1	i	76.24	0.00				1	1		ſ
		Loop Testing - Basic Additional Half Hour	i		UEQ	URETA		39.51	39.51							
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	1													1
		ND)			UEQ	UREWO		14.26	7.42							<b></b>
		(CHANGE ACCESS LOOP								1						<b>——</b>
2-V	WIRE	ANALOG VOICE GRADE LOOP														<del></del>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	14.97	142.97	106.56							i .
-		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	1	UEA	UEAL2	14.97	142.97	106.56	+ + + + + + + + + + + + + + + + + + + +		<b> </b>				<b>——</b>
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56							1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		OLA	ULALZ	23.93	142.51	100.50			1				
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56							l .
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56							1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56							<b></b>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														1
		Battery Signaling - Zone 3	ļ	3	UEA	UEAR2 UREWO	40.81	142.97 87.64	106.56				-			<del></del>
-		CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	-	-	UEA UEA	URETL		11.20	36.33 1.10	+ + + + + + + + + + + + + + + + + + + +		<b> </b>				<b>——</b>
4-V		ANALOG VOICE GRADE LOOP			UEA	UKEIL		11.20	1.10			<b>+</b>				<del>                                     </del>
17.		4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	21.32	288.47	237.45							
		4-Wire Analog Voice Grade Loop - Zone 2	1	2		UEAL4	36.27	288.47	237.45			†	t			
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56.57	288.47	237.45							
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33							
2-V		SDN DIGITAL GRADE LOOP														<b></b>
$\vdash$		2-Wire ISDN Digital Grade Loop - Zone 1	<b>!</b>	1	UDN	U1L2X	19.42	325.91	251.31				ļ	ļ		<b></b>
$\vdash \vdash$		2-Wire ISDN Digital Grade Loop - Zone 2	<b>!</b>	2	UDN	U1L2X	32.88	325.91	251.31		_	ļ	<del>                                     </del>	<del>                                     </del>		
$\vdash$		2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	3	UDN UDN	U1L2X UREWO	51.14	325.91 91.55	251.31 44.12				<del>                                     </del>	+		<del>                                     </del>
2_W		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	IBLE LO	OP	אומט	UNEWU	<del>                                     </del>	91.00	44.12	1	+	1	t	t		
2-1		2 Wire Unbundled ADSL Loop including manual service inquiry &	T	Ĭ		+		+			+		<b>†</b>	<b>-</b>		
		facility reservation - Zone 1	1	1	UAL	UAL2X	11.00	264.71	145.60				I	I		1
	T	2 Wire Unbundled ADSL Loop including manual service inquiry &			1	1						İ				
		facility reservation - Zone 2	<u> </u>	2	UAL	UAL2X	18.39	264.71	145.60				<u> </u>		<u> </u>	<u> </u>
		2 Wire Unbundled ADSL Loop including manual service inquiry &							<del>-</del>							1
$oxed{oxed}$		facility reservation - Zone 3	ļ	3	UAL	UAL2X	28.42	264.71	145.60				1	1		<b></b>
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		L.,,,	1141 014/	44.00	400.05	44400				I	I		1
<del>                                     </del>		facility reservaton - Zone 1  Wire Unbundled ADSL Loop without manual service inquiry &	<del>                                     </del>	1	UAL	UAL2W	11.00	190.25	114.82	<del>                                     </del>	-	1	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190,25	114.82				I	I		i
<del>                                     </del>	-+	2 Wire Unbundled ADSL Loop without manual service inquiry &	<b>-</b>		UAL	UALZVV	10.39	190.25	114.02	<del>                                     </del>		<b> </b>	<del>                                     </del>	<del>                                     </del>		<del></del>
	l	facility reservaton - Zone 3	1	3	UAL	UAL2W	28.42	190.25	114.82				I	I		1
		CLEC to CLEC Conversion Charge without outside dispatch	t	Ŭ	UAL	UREWO	20.72	86.12	40.36				1	1		
2-V		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	SLE LOO	P		1	i						1	1		
	Ī	2 Wire Unbundled HDSL Loop including manual service inquiry &						İ								
		facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54							
		2 Wire Unbundled HDSL Loop including manual service inquiry &														1
		facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	14.87	284.74	163.54							

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		
	2 Wire Unbundled HDSL Loop including manual service inquiry &	-					First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54							ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry and		Ŭ	0112	UTILEX	22.02	20	100.01					t		
	facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05							1
	2 Wire Unbundled HDSL Loop without manual service inquiry and														ĺ
	facility reservation - Zone 2	<del> </del>	2	UHL	UHL2W	14.87	207.48	132.05		_			-		<del>                                     </del>
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05							ĺ
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	22.02	86.06	40.36							
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	Р												
	4 Wire Unbundled HDSL Loop including manual service inquiry and														[
	facility reservation - Zone 1	1	1	UHL	UHL4X	10.62	341.65	220.45		+			-		<del></del>
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					1		ĺ
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1		UIIL	JIIL4A	17.07	341.00	220.45	<del>                                     </del>	+			<b>†</b>		
	facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45							ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry and														
	facility reservation - Zone 1	ļ	1	UHL	UHL4W	10.62	264.39	188.96							<b></b>
	4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	17.67	264.39	188.96							ĺ
	facility reservation - Zone 2  4-Wire Unbundled HDSL Loop without manual service inquiry and	1		UHL	UHL4VV	17.67	264.39	188.96		-					<b>—</b>
	facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96							ĺ
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36							
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	25.32	489.04	337.51							<b>!</b>
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-	2	UDL UDL	UDL19 UDL19	43.11 67.26	489.04 489.04	337.51 337.51	-	-			-		<b>—</b>
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	UDL	UDL56	25.32	489.04	337.51		+					<b>——</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	25.32	489.04	337.51							<b>!</b>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL UDL	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51 337.51	-	-			-		<b>—</b>
	CLEC to CLEC Conversion Charge without outside dispatch	1	3	UDL	UREWO	07.20	102.03	49.70		-					<b> </b>
2-WIR	E Unbundled COPPER LOOP			052	UNLING		102.00	10.10					t		
	2-Wire Unbundled Copper Loop-Designed including manual service														
	inquiry & facility reservation - Zone 1	ļ	1	UCL	UCLPB	13.26	262.86	143.75							<b></b>
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75							ĺ
	2 Wire Unbundled Copper Loop-Designed including manual service	+		UCL	UCLPB	22.39	202.00	143.75					<del> </del>		<del>                                     </del>
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75					1		1
	2-Wire Unbundled Copper Loop-Designed without manual service														
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.26	188.39	112.96		1			<b></b>		<del></del>
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96							ĺ
	2-Wire Unbundled Copper Loop-Designed without manual service	1		UCL	UCLFW	22.39	100.39	112.90		-					<b> </b>
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96							ĺ
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-														
4.1	Des)	1		UCL	UREWO		97.14	42.44		4			ļ		<b>—</b>
4-WIR	E COPPER LOOP  4-Wire Copper Loop including manual service inquiry and facility	1	-										<del>                                     </del>		<del></del>
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93					1		1
	4-Wire Copper Loop including manual service inquiry and facility	1	Ė		00270	17.50	311.00	101.00	<del>                                     </del>	1			1		
	reservation - Zone 2	1	2	UCL	UCL4S	29.61	311.03	191.93							
	4-Wire Copper Loop including manual service inquiry and facility														1
	reservation - Zone 3	<del> </del>	3	UCL	UCL4S	46.26	311.03	191.93		+			<del>                                     </del>		<b>——</b>
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14					1		1
1	4-Wire Copper Loop without manual service inquiry and facility	1		001	JOLTVV	17.30	230.37	101.14		1			1		
	reservation - Zone 2	<u> </u>	2	UCL	UCL4W	29.61	236.57	161.14					<u></u>		<u> </u>
	4-Wire Copper Loop without manual service inquiry and facility														1
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14	1				1		1

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
<b></b>		1				Rec	Nonrec		Nonrecurring Disco					Rates(\$)		
	01 50 4- 01 50 0	<del> </del>	1		+		First	Add'l	First A	dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		97.14	42.44								l
	Order Coordination for Unbundled Copper Loops (per loop)	1	1	UCL	UCLMC		61.38	61.38								<del></del>
	eradi e deramation for embanaica e oppor 2000 (per 1000)			UEA, UDN, UAL,	0020		01.00	01.00								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		45.34									l
LOOP MODIFIC	ATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24								
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84								
SUB-LOOPS	Bit 4 II - d				+											⊢—
Sub-Lo	op Distribution	<del>                                     </del>	<del>                                     </del>		+							-				<del></del>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		373.57									<u> </u>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		33.78									l
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	1														
	Set-Up	ı		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	) I		UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone  1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	ı	1	UEANL	USBN2	7.31	126.03	54.54								
	2	l ,	2	UEANL	USBN2	11.93	126.03	54.54								l
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	i	3	UEANL	USBN2	18.20	126.03	54.54								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	LIFANI	USBN4	8.44	450.50	79.66								İ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1	1	UEANL	USBN4	8.44	156.52	79.66								<del></del>
	2		2	UEANL	USBN4	13.81	156.52	79.66								l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10	156.52	79.66								
		1			Ī											1
<del>                                     </del>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC	0.70	61.38	61.38								⊢—
$\vdash$	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	<del>                                     </del>	UEANL	USBR2	2.79	114.05	37.20				-		-		-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								İ
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	3.74	127.67	50.82								
	, , ,	1														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u> </u>	UEANL	USBMC		61.38	61.38								
<b></b>	Loop Testing - Basic 1st Half Hour	1	-	UEANL	URET1		76.24	0.00								<b>├</b>
$\vdash$	Loop Testing - Basic Additional Half Hour  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<del>                                     </del>	1	UEANL UEF	URETA UCS2X	6.10	39.51 137.10	39.51 60.24				-		-		<del></del>
<del>                                     </del>	2 Wire Copper Unburialed Sub-Loop Distribution - Zone 1	H	2	UEF	UCS2X	9.70	137.10	60.24								<del>                                     </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	İ	3	UEF	UCS2X	14.59	137.10	60.24								
İ	·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEF	USBMC		61.38	61.38				ļ				
<del>                                     </del>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	++	1	UEF	UCS4X	6.58	162.24	85.38				<b> </b>		<b> </b>		-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS4X UCS4X	10.51 15.84	162.24 162.24	85.38 85.38						-		<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEF	USBMC	15.84	61.38	61.38								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								

UNBL	INDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring Disco					Rates(\$)		
	1	Loop Testing - Basic 1st Half Hour			UEF	URET1		First 76.24	Add'l 0.00	First A	\dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Loop Testing - Basic 1st Hall Hour			UEF	URETA		39.51	39.51								
	Unbun	dled Sub-Loop Modification			OLI	OKLIA		39.31	39.31								
	Onban	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		124.51	1.82								
	1	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
		loop			UEF	ULMBT		249.25	47.30								
	Unbun	dled Network Terminating Wire (UNTW)			LIENITIA	LIENDO	0.4054	04.00									
<b>-</b>	Notres	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)		-	UENTW	UENPP	0.4351	64.98						-		-	
<b>—</b>	Networ	Network Interface Device (NID) - 1-2 lines		<del>                                     </del>	UENTW	UND12		86.37	56.69						<del> </del>		<del> </del>
	<del>                                     </del>	Network Interface Device (NID) - 1-6 lines	i i		UENTW	UND16	1	127.93	98.21								
<b> </b>	t	Network Interface Device (ND) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<del>l i</del>	<del>                                     </del>	UENTW	UNDC2	1	11.68	11.68						<b> </b>		
		Network Interface Device Cross Connect - 4W	i i		UENTW	UNDC4		11.68	11.68						İ		İ
UNE O	THER, P	ROVISIONING ONLY - NO RATE		Ì	İ				30						İ		l
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
					UAL, UCL, UDC,												
					UDL, UDN, UEA,												
LOOD	MAKE-U	Unbundled Contact Name, Provisioning Only - no rate		-	UHL	UNECN	0.00	0.00									
LOOP	MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
	1	Loop Makeup - Preordering With Reservation, per spare facility		-	OWIK	OWINE		55.44	33.44								
		queried (Manual).			UMK	UMKLP		55.73	55.73								
		Loop MakeupWith or Without Reservation, per working or spare															
		facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE S	HARING																
		: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01,	2004 shall be b	illed as follow	s:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and I	II SCC	applies only to circui	ts installed a	nd inservice or	or before Octo	oher 1, 2003						<del> </del>		-
<b> </b>		HARING	Jana		ppines only to encur	motaneu a	IIIGGI VICE UI								<b> </b>		
		ERS-CENTRAL OFFICE BASED															İ
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00								
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00								
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	424.61	0.00								
1		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation		1	l a												
<u> </u>	END	(per LSOD)		<u> </u>	ULS	ULSDG		146.32	31.27						ļ		<b> </b>
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		-	<del> </del>										-		
1		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2		1	ULS	ULSDC	0.61	54.71	28.77								
<b>-</b>	<del>                                     </del>	Line Share Service, TRO per line activation, BST owned splitter -	<b>-</b>		010	OLODO	0.01	54.7 l	20.77						<b> </b>		
		Central Office Located (25% of UCLND) - please see NOTE 1			1												
1		(E:10/2/2003)		1	ULS	ULSDT	3.49	54.71	28.77								
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1		1	1												
L	1	(E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77						ļ		
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1					40.5	-, l									
	<u> </u>	(E:10/2/2005)		<u> </u>	ULS	ULSDT	10.48	54.71	28.77						<del>                                     </del>		<b> </b>
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57								
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29								

UNBU	NDLE	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring Disconnec		1		Rates(\$)		
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31							1
		Line Share Service, TRO per line activation, CLEC owned splitter -	1		ULS	ULSCC	0.61	47.44	19.31		+		-			
		Central Office Located (25% of UCLND) - please see NOTE 1														1
		(E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31							1
		Line Share Service, TRO per line activation, CLEC owned splitter -														
		Central Office Located (50% of UCLND) - please see NOTE 1														1
		(E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter -	-		ULS	ULSCT	6.99	47.44	19.31		_		-	-		<del>                                     </del>
		Central Office Located (75% of UCLND) - please see NOTE 1														1
		(E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31							1
	MAINT	ENANCE														
		No Trouble Found - per 1/2 hour increments - Basic	1		-			80.00	55.00					<del>                                     </del>		<b></b>
$\vdash$		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	1	<del>                                     </del>	<del>                                     </del>	+		120.00 160.00	82.50 110.00	<del>                                     </del>	+	-	<del>                                     </del>	<del>                                     </del>		<b>—</b>
UNBUN		DEDICATED TRANSPORT	<del>                                     </del>					160.00	110.00		+					
		OFFICE CHANNEL - DEDICATED TRANSPORT														
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -														
		Per Mile per month			U1TVX	1L5XX	0.0125									<b></b>
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LIATIVIX	L14 T) (0	40.00	407.40	52.58							
		Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1		U1TVX	U1TV2	18.00	137.48	52.58		+		-			
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125									1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat														
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58							
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -														
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	1		U1TVX	1L5XX	0.0125						-	-		<b></b>
		Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95							
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			OTT VA	0	22.10	100	00.00							
		month			U1TDX	1L5XX	0.0282									
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility														
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	1		U1TDX	U1TD5	17.40	137.48	52.58				-	-		<b></b>
		month			U1TDX	1L5XX	0.0282									
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTTEX	TEOXIX	0.0202	İ								
		Termination			U1TDX	U1TD6	17.40	137.48	52.58							
SIGNAL	ING (CO															
		CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A TPP9A	18.22	278.02	278.02		_			ļ		<b>—</b>
		CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known	1		UDB	TPP9A	18.22	278.02	278.02		+		<del> </del>	<del> </del>		<del></del>
		as D link)			UDB	TPP6B	18.22	278.02	278.02					1		1
		CCS7 Signaling Connection, Per DS3 level link (B link) (also known														
		as D link)			UDB	TPP9B	18.22	278.02	278.02							L
		CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	132.83				-	ļ	-	<del>                                     </del>		<del>                                     </del>
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					1		1
		CCS7 Signaling Point Code, per Destination Point Code	1			00/110		40.00	40.00			1				
		Establishment or Change, Per Stp Affected	<u> </u>	L_	UDB	CCAPD		8.00	8.00					<u></u>		<u> </u>
E911 S	RVICE															
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	1	1			11.24	553.80	89.69							<u> </u>
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	<del>                                     </del>	3		+ -	19.91 31.70	553.80 553.80	89.69 89.69		+		-	-		<del>                                     </del>
		Interoffice Transport - Dedicated - 2-wr Voice Grade - Zone 3	t	3	<b>+</b>	+ -	0.0282	333.60	03.09		+	1	<del>                                     </del>	<b>+</b>		<b> </b>
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1											1		
		Termination	1		1		18.00	137.48	52.58							
		Local Channel - Dedicated - DS1 - Zone 1	1	1			27.05	534.48	462.69			1		<b></b>		<del>                                     </del>
$\vdash$		Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	2	<del>                                     </del>	+	47.94 76.32	534.48 534.48	462.69 462.69	<del>                                     </del>	+	-	<del>                                     </del>	<del>                                     </del>		<del></del>
$\vdash$		Interoffice Transport - Dedicated - DS1 Per Mile	1	3	<del> </del>	+	0.5753	554.48	402.09		+	<del>                                     </del>		<del>                                     </del>		<u> </u>
		The control of the sport Decided Do i i of this	l l		1	+	0.0700	+					1	1		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75	]			I	I		1

UNBU	NDLF	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
3.450		Total Elemento Moral Garonna										Svc Order	Svc Order	Incremental		Incremental	Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									•••					Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L															1		
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	<u> </u>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		TENDED LINK (EELs)	L	l		1				<u> </u>							ļ
	NOTE:	The monthly recurring and non-recurring charges below will ap	ply and	the Sv	itch-As-Is Charge w	ill not apply f	or UNE combina	tions provision	ed as 'Ordina	rily Combined' I	Network Eleme	nts.					<b></b>
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	non-red	curring	charges below will	apply for UNE	combinations	provisioned as	' Currently Co	mbined' Networ	k Elements.						ļ
_	EXIEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	KADE IN	LEKUF		UEAL2	4407	142.97	106.56			-					
-		2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	14.97 25.93	142.97	106.56			-					<b>+</b>
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
		2-WileVG Loop in combination - Zone 3		3	UNCVA	UEALZ	40.01	142.57	100.50	1							-
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										
		Nonrecurring Currently Combined Network Elements Switch -As-Is			ONOVA	120701	0.0202					1					<b>†</b>
		Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF													<b>†</b>
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45						İ		
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45	1					ĺ		
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45	į į					ĺ		
	<u> </u>	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		L_	UNCVX	1L5XX	0.0282							<u> </u>	L	<u> </u>	
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERO	FFICE	TRANSPORT												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
		Mile per month			UNCDX	1L5XX	0.0282										ļ
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
	EVEEN	Charge	IN ITED O		UNCDX	UNCCC		21.75	21.75	32.28	10.96						-
	EXIEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS 4-wire 64 kbps Looal Loop in Combination - Zone 1	INTERO	FFICE	UNCDX	UDL64	25.32	489.04	337.51								<del>                                     </del>
	-	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	-	2	UNCDX	UDL64	43.11	489.04	337.51			<b>-</b>	-				<b>-</b>
-	-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	-	3	UNCDX	UDL64	67.26	489.04	337.51			<b>-</b>	-				<b>-</b>
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per		3	UNCDA	UDL04	07.20	409.04	337.31								+
		Mile per month			UNCDX	1L5XX	0.0282										
		Nonrecurring Currently Combined Network Elements Switch -As-Is			ONCDX	TESKA	0.0202					1					<b>†</b>
		Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA		0.1000		20	20	02.20	10.00						
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51			İ					
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			İ					
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per						İ		İ							
		month			UNCDX	1L5XX	0.0282										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	ļ	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58						ļ		ļ
1 7	1	Nonrecurring Currently Combined Network Elements Switch -As-Is		l -	<u> </u>									I		I	
		Charge	<u> </u>	<u> </u>	UNCDX	UNCCC		21.75	21.75	32.28	10.96						<u> </u>
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA		LIDLG:											<b> </b>
<u> </u>		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								<del>                                     </del>
	-	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			-			-		<del>                                     </del>
<b>—</b>	<del>                                     </del>	First 4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	67.26	489.04	337.51			-					<del>                                     </del>
	1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		1	UNCDX	1L5XX	0.0282						1				
<b>-</b>	<del>                                     </del>	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	<b>-</b>	<del>                                     </del>	UNCDA	ILDVY	0.0282			<del>                                     </del>		-	<b> </b>	-	-	-	<del>                                     </del>
	1	Termination per month		1	UNCDX	U1TD6	17.40	137.48	52.58				1				
<b>—</b>	<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-Is	-	<u> </u>	UNUDA	01100	17.40	131.40	52.50			<del> </del>	l		<u> </u>		<del>                                     </del>
	1	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
ADDIT	ONAL N	ETWORK ELEMENTS	<b>—</b>	$\vdash$	0.1007	311000		21.73	21.73	32.20	10.30	<u> </u>	<b> </b>	<b> </b>		<b> </b>	<del> </del>
		sed as a part of a currently combined facility, the non-recurrng	charge:	s do n	ot apply, but a Swite	h As Is charg	e does apply.			1				i	i	i	
		sed as ordinarily combined network elements in All States, the						not.		1				i	i	i	
		urring Currently Combined Network Elements "Switch As Is" Cl					gc uoco							l	İ	l	
	1	Nonrecurring Currently Combined Network Elements Switch -As-Is	3 ( ( )			Τ΄											
1	I	Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	1	1	1	

U	NBUN	IDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: A
Г													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
													Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	TEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	
															1st	Add'l	Disc 1st	Disc Add'l
							1											
_							<del> </del>							L		·		
								Poo	Nonrec	urring	Nonrecurring	Disconnect		ı	oss	Rates(\$)	ı	
F								Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
			Nonrecurring Currently Combined Network Elements Switch -As-Is					Rec					SOMEC	SOMAN			SOMAN	SOMAN
			Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC	Rec					SOMEC	SOMAN			SOMAN	SOMAN
		Miscella	Charge - 56/64 kbps aneous					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN			SOMAN	SOMAN
	1	Miscella	Charge - 56/64 kbps	I			UNCCC	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN			SOMAN	SOMAN

Version 06/29/04 Page 56 of 71

														1		1	
UNBU	INDLEL	NETWORK ELEMENTS - South Carolina		ı	ı		1					Cva Ordar	Cua Ordar	Attach Incremental	ment: 2 Incremental	Exhi Incremental	bit: A Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									.,			por zort	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				<u> </u>		L		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as p			ation refers to Geogi	raphically De	averaged UNE	Zones. To view	Geographical	ly Deaveraged (	JNE Zone Desi	gnations by	Central Offi	ce, reter to Int	ernet Website	:	
OPER		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	on.htm	ı		1			1	1		1			1	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	"ctata c	pocific	" OSS charges as ore	lored by the	State Commissi	one The OSS	harane curron	tly contained is	thic rate ovhi	hit are the P	ollSouth "re	ngional" convi	no ordoring ch	argos CLEC	mayalaat
		he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
	İ	OSS - Electronic Service Order Charge, Per Local Service Request			ľ				Ĭ								
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE S		DATE ADVANCEMENT CHARGE				<u> </u>											
-	NOTE:	The Expedite charge will be maintained commensurate with Be	IISouth	's FCC	No.1 Tariff, Section 5	as applicab	le.						1				
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3.												
					U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX, UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC.												
					U1TUD, U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00						I	I		
ORDE	R MODIF	CATION CHARGE			-												
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBUI		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP					ļ										
	<b>!</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		ļ	ļ	ļ		
<u> </u>	<b>!</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		-	-	-		
<u> </u>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62	23.56	5.32		-	<del>                                     </del>	<del>                                     </del>		
-	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	<b>-</b>	1 2	UEANL UEANL	UEASL	14.94 21.39	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		
<b></b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL	UEASL	21.39	37.92 37.92	17.62	23.56	5.32	<del>                                     </del>	}	<del>                                     </del>	+	<b> </b>	
<b>-</b>	<del>                                     </del>	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>-</b>	3	OLAINE	JULAUL	20.72	31.32	17.02	23.30	0.32	<b>-</b>	<del>                                     </del>	t	<del>                                     </del>		
		Premise			UEANL	URETL		8.33	0.83					1	1		
	<b>†</b>	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00	1	1			<u> </u>	<u> </u>		
	<b>†</b>	Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	19.90	19.90	i	i			1	1		
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-					1			İ	İ			1	1	l	
L	<u></u>	SL1)	<u></u>	L	UEANL	UREWO	<u> </u>	15.81	8.96		<u> </u>	<u></u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
L	<u></u>	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47						<u> </u>		

Version 06/29/04 Page 57 of 71 [CCCS Amendment 93 of 107]

UNB	JNDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						1	Rec	Nonrec		Nonrecurring D		COMEO	COMAN		Rates(\$)	COMAN	COMAN
	1	Manual Order Coordination for UVL-SL1s (per loop)	1		UEANL	UEAMC		<b>First</b> 8.17	Add'l 8.17	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			OLANE	OLAWC		0.17	0.17								
		LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	!	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ UEQ	UEQ2X UEQ2X	14.51 15.02	36.40 36.40	16.10 16.10	22.66 22.66	4.42 4.42						<b>.</b>
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u>'</u>	3	UEQ	UEQZX	15.02	30.40	10.10	22.00	4.42						+
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	1	Designed (per loop)	1		UEQ	USBMC		8.17	8.17								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			LIEO	LIEONALI		40.47	40.47								
	+	providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour	1	<b>-</b>	UEQ UEQ	UEQMU URET1	<del>                                     </del>	13.47 34.23	13.47	<del>                                     </del>		-		1	1	-	<del>                                     </del>
	+	Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	<u> </u>	<del>                                     </del>	UEQ	URETA		19.90	19.90								<del>                                     </del>
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	t	1	0-4	JACETA		15.50	10.90								
		ND)	<u> </u>		UEQ	UREWO		14.30	7.45								
UNBU		XCHANGE ACCESS LOOP							· · · · ·								
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				LIEALO	40.00	405.00	00.40	50.05	40.04						
	-	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	-					-
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLITICE	20.10	100.00	00.40	55.55	10.01						1
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2		LIEADO	00.40	405.00	00.40	50.05	40.04						
	-	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61	-					-
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	20.40	87.90	36.44	33.03	10.01	1					
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						ļ
	1	4-Wire Analog Voice Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	1	3	UEA UEA	UEAL4 UREWO	43.38	132.38 87.90	94.83 36.44	59.35	14.61						-
	2-WIRE	ISDN DIGITAL GRADE LOOP	1	<del>                                     </del>	OEA	UNEWU		06.10	30.44			<del>                                     </del>		<b> </b>	<b> </b>		<del>                                     </del>
		2-Wire ISDN Digital Grade Loop - Zone 1	t -	1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61	<b>†</b>	<b>†</b>	1	1		<b>†</b>
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	UDN	UREWO		91.82	44.25								ļ
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP	1	+											<del></del>
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	+	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	+-	UAL	UALZA	12.19	120.84	70.56	50.37	1.93						
		facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry &	1								00			İ	İ		
		facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &												l	l		
	-	facility reservaton - Zone 1	<u> </u>	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93			<b> </b>	<b> </b>	-	<del>                                     </del>
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del>                                     </del>		UAL	UALZV	13.71	30.01	51.02	50.57	1.93						<del>                                     </del>
		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch		Ť	UAL	UREWO		86.38	40.48	22.21	00						
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	Р													
1	1	2 Wire Unbundled HDSL Loop including manual service inquiry &	1		I	I				Ι Τ							
	-	facility reservation - Zone 1	1	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						<del>                                     </del>
	1	2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
		facility reservation - Zone 2	1		IOIJE	UNLZX	10.92	129.52	79.24	50.37	7.93	1	i	l	l	l	ь

JNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		N	RATES(\$)	I Name and the state of the sta	Discourse	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		+	-		+	Rec	Nonrec First		Nonrecurring First	Add'I	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
$\overline{}$	2 Wire Unbundled HDSL Loop including manual service inquiry &	+	<del>                                     </del>		+		FIISU	Add'l	FifSt	Auu I	JOIVIEC	JONIAN	SOMAN	JUNIAN	SOWAN	JOWAN
	facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	+	3	UHL	UREWO	11.40	86.32	40.48	50.37	7.93	1					1
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	RIFIOO	P	OTIL	OIKEWO		00.52	40.40								
	4 Wire Unbundled HDSL Loop including manual service inquiry and	1	i													İ
[	facility reservation - Zone 1	<u></u>	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38	<u></u>	<u></u>			<u></u>	
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2	1	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
1 -	4-Wire Unbundled HDSL Loop including manual service inquiry and		_		L											
	facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
-	facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry and	+	-	UNL	UHL4VV	16.02	133.14	95.16	55.12	10.36	1					
	facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1		0112	0112111	1 1.00	100.11	00.10	00.12	10.00						İ
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+	2	UDL UDL	UDL56 UDL56	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61	-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WIR	E Unbundled COPPER LOOP	ļ														
	2-Wire Unbundled Copper Loop-Designed including manual service		1		1101 00	40.40	440.04	00.00	50.07	7.00						
	inquiry & facility reservation - Zone 1  2-Wire Unbundled Copper Loop-Designed including manual service	+	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	-					
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
-	2 Wire Unbundled Copper Loop-Designed including manual service	1			000.0	15.71	110.01	03.02	30.37	1.33	<u> </u>					
1	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		1				
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		ļ				
1	2-Wire Unbundled Copper Loop-Designed without manual service		2	1101	LICE BY	10.71	0.4.0=	50.55	50.0-	7.0-		1				
$\longrightarrow$	inquiry and facility reservation - Zone 2	+	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93	1					
1	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		1				
-	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	1			OOL! W	14.14	34.07	30.09	30.37	1.33	<del>                                     </del>	<b> </b>				1
	Des)			UCL	UREWO		94.87	42.57								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 1	1	1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		ļ				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and															
1	facility reservation - Zone 1	1	1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38					ļ	
			1	l	1	1			1		1	1	1	1	ı	1
$\dashv$	4-Wire Copper Loop-Designed without manual service inquiry and		_													
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						

UNBUNDLEI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring I					Rates(\$)		
		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		94.87	42.57	1							
	Order Coordination for Unbundled Copper Loops (per loop)	<del>                                     </del>	-	UCL	UCLMC		8.17	8.17	+		1					<del></del>
	Cordination for oribunded copper Loops (per loop)			UEA, UDN, UAL,	UCLIVIC		0.17	0.17	+							
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.13		1							
LOOP MODIFIC	ATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
SUB-LOOPS	Bi 4 ii a															
Sub-Lo	op Distribution	1			+				<del>                                     </del>							
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		241.42	241.42								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.69	22.69	1							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	1														
	Set-Up	ı		UEANL	USBSC		177.84	177.84								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	) I		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone  1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	ı	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	i	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	t		OLAINE	JUDINA	15.40	13.21	44.29	45.02	5.09	1	<b> </b>	<b> </b>			<del>                                     </del>
	3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
									1							
$\vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL UEANL	USBMC USBR2	2.41	8.17 53.13	8.17 18.21	45.35	6.71	1					<del>                                     </del>
<del>                                     </del>	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	+ '-	1	OPAINL	USDKZ	2.41	53.13	18.21	45.35	0./1	1					<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		8.17	8.17	<b></b>		1					<del></del>
<del>                                     </del>	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	1	-	UEANL UEANL	URET1 URETA		34.23 19.90	0.00 19.90	+		-	-				<del></del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						<del>                                     </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<del>l i</del>	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
					11001:0				1 T							
<del>                                     </del>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair  4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	7.85	8.17 79.21	8.17 44.29	49.82	9.09	ļ	-		<del> </del>		<del>                                     </del>
<del>                                     </del>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+ +	2	UEF	UCS4X UCS4X	7.85 14.17	79.21 79.21	44.29	49.82 49.82	9.09	1			<del> </del>		<del>                                     </del>
<del>                                     </del>	4 Wire Copper Unburidled Sub-Loop Distribution - Zone 3	<del>i</del>	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09	1	<b> </b>	<b> </b>			<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	12.04	8.17	8.17	40.02	5.03						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								

CATEGORY  Unbunc  Unbunc  Networ  UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1  NOTE 1	RATE ELEMENTS  RATE ELEMENTS  Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour ILCOOP Testing - Basic Additional Half Hour Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE INID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		Zone	BCS  UEF UEF  UEF  UEF	URET1 URETA ULM2X ULM4X	Rec	Nonrec First 34.23 19.90	RATES(\$)  surring Add'I 0.00 19.90	Nonrecurring First	Disconnect Add'l		Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Exhit Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st  SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Unbund  Unbund  Unbund  Networ  UNE OTHER, PI  LINE SHARING  NOTE 1  NOTE 1  NOTE 1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour ILoop Testing - Basic Additional Half Hour Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		Zone	UEF UEF UEF	URET1 URETA ULM2X	Rec	First 34.23	urring Add'l 0.00			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
Unbund  Unbund  Unbund  Networ  UNE OTHER, PI  LINE SHARING  NOTE 1  NOTE 1  NOTE 1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour ILoop Testing - Basic Additional Half Hour Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		Zone	UEF UEF UEF	URET1 URETA ULM2X	Rec	First 34.23	urring Add'l 0.00			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
Unbund  Unbund  Unbund  Networ  UNE OTHER, PI  LINE SHARING  NOTE 1  NOTE 1  NOTE 1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour ILoop Testing - Basic Additional Half Hour Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		Zone	UEF UEF UEF	URET1 URETA ULM2X	Rec	First 34.23	urring Add'l 0.00			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l  Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Unbund  Unbund  Unbund  Networ  UNE OTHER, PI  LINE SHARING  NOTE 1  NOTE 1  NOTE 1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour ILoop Testing - Basic Additional Half Hour Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URET1 URETA ULM2X	Rec	First 34.23	urring Add'l 0.00					Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Testing - Basic Additional Half Hour  Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URETA ULM2X	Rec	First 34.23	Add'I 0.00			SOMEC	SOMAN	1st OSS	Add'l Rates(\$)	Disc 1st	Disc Add'l
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Testing - Basic Additional Half Hour  Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URETA ULM2X	Rec	First 34.23	Add'I 0.00			SOMEC	SOMAN	oss	Rates(\$)		
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Testing - Basic Additional Half Hour  Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URETA ULM2X	Rec	First 34.23	Add'I 0.00			SOMEC	SOMAN			SOMAN	SOMAN
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Testing - Basic Additional Half Hour  Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URETA ULM2X	Rec	First 34.23	Add'I 0.00			SOMEC	SOMAN			SOMAN	SOMAN
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Testing - Basic Additional Half Hour  Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URETA ULM2X		34.23	0.00	FIISt	Add I	SOIVIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Testing - Basic Additional Half Hour  Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair  Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF UEF UEF	URETA ULM2X				-		1 1				•	
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Idled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rrk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UEF UEF	ULM2X		19.90	19.90						$\overline{}$	$\overline{}$	
Unbund Networ UNE OTHER, PI LOOP MAKE-UI LINE SHARING NOTE 1 NOTE 1 NOTE 1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Inded Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UEF							<b>├</b>	$\vdash$				
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UEF							<b></b>					
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device (Toss Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UEF								1	, ,	ı .	ı	į.
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop Indled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UEF	ULM4X	'	176.17	5.11			ļ					<del></del>
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop  Modled Network Terminating Wire (UNTW)  Unbundled Network Terminating Wire (UNTW) per Pair  rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UEF	ULM4X	1						1	, ,	ı .	ı	į.
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	loop Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation						176.17	5.11								
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation											1	, ,	ı .	ı	į.
UNE OTHER, PI  LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Unbundled Network Terminating Wire (UNTW) per Pair rrk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation				ULMBT		278.82	6.13				ĺ		i	i	1
LINE SHARING NOTE 1 NOTE 1 NOTE 1	rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation															
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UENPP	0.3303	30.20	30.20								
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation															
LOOP MAKE-UI  LINE SHARING  NOTE 1  NOTE 1	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UND12		43.68	28.79					,	, ,		i
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UND16	i i	64.42	49.53					,	<sub>(</sub>	<i></i>	i Total
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Network Interface Device Cross Connect - 4W  PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UENTW	UNDC2	i	5.92	5.92				$\overline{}$				
LINE SHARING NOTE 1 NOTE 1 NOTE 1	PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation	t	1	UENTW	UNDC4		5.92	5.92				$\overline{}$				(
LINE SHARING NOTE 1 NOTE 1	NID - Dispatch and Service Order for NID installation	1	<del>1                                    </del>		2.12.54		0.02	0.02	<b> </b>		$\vdash$	$\vdash$			$\overline{}$	(
LINE SHARING NOTE 1 NOTE 1 NOTE 1			1	UENTW	UNDBX	0.00	0.00		<del>                                     </del>		$\vdash$		$\overline{}$	$\overline{}$	$\leftarrow$	
LINE SHARING NOTE 1 NOTE 1	TOTALLY CITCUIT IN ESTADIISTITIETIL, FTUVISIOTIITIS OTIIS - NO RALE	1	+	UENTW	UENCE	0.00	0.00		<u> </u>			+		$\overline{}$	$\overline{}$	
LINE SHARING NOTE 1 NOTE 1 NOTE 1	1	-	-	UEANL,UEF,UEQ,UE	UENCE	0.00	0.00				<b>├</b>	$\vdash$				
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Habitania de Contro et Norre - Broninia de Colo. No Boto			NTW	UNECN	0.00	0.00					1	, ,	ı .	ı	į.
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Unbundled Contract Name, Provisioning Only - No Rate	-	_		UNECN	0.00	0.00					$\longmapsto$				
LINE SHARING NOTE 1 NOTE 1 NOTE 1				UAL,UCL,UDC,UDL,								í l	, ,	ı l	ı l	í
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Unbundled Contact Name, Provisioning Only - no rate	<b>!</b>	<del>  </del>	UDN,UEA,UHL	UNECN	0.00	0.00					$\vdash$				<b></b>
LINE SHARING NOTE 1 NOTE 1 NOTE 1		<del>                                     </del>	1		-						ļ	$\vdash$				<b></b>
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Makeup - Preordering Without Reservation, per working or	1	1	l							1	1 1	, ,	, ,	, ,	1
LINE SHARING NOTE 1 NOTE 1 NOTE 1	spare facility queried (Manual).	ļ	1	UMK	UMKLW		24.04	24.04								
LINE SHARING NOTE 1 NOTE 1 NOTE 1	Loop Makeup - Preordering With Reservation, per spare facility	1	1					· <u> </u>	T		l 7	<sub>1</sub> T	, 7	, 7	, J	1
LINE SHARING NOTE 1 NOTE 1 NOTE 1	queried (Manual).	<u></u>	<u></u>	UMK	UMKLP		25.49	25.49								<u> </u>
NOTE 1 NOTE 1 NOTE 1	Loop MakeupWith or Without Reservation, per working or spare												, — —	, — —		ı <del></del>
NOTE 1 NOTE 1 NOTE 1	facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34				( l	, ,	, ,	, J	ł
NOTE 1 NOTE 1 NOTE 1													,	, ,		i
NOTE 1 NOTE 1	1: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	ght October 01.	2004 shall be b	illed as follow	s:				,	, ,		i
NOTE 1	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop					ĺ			T I				, ,			i
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	1	1			i i							,	<sub>(</sub>	<i></i>	i Total
INUIE?	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															·
	1: Above will apply to USOCS: ULSDT and ULSCT	1			1										$\overline{}$	$\overline{}$
	E 2: The Line Sharing monthly recurring rates with USOCs ULSI	C and I	II SCC	annlies only to circui	ts installed a	nd inservice or	or before Octo	her 1 2003							$\overline{}$	$\overline{}$
	HARING	J and C	1	applied only to circui	motaned a	a moorvice of					++		$\overline{}$	$\overline{}$	$\leftarrow$	
	TERS-CENTRAL OFFICE BASED	t -	+	<del> </del>	t				<del>                                     </del>			+		$\overline{}$	$\overline{}$	
JELII II	Line Sharing Splitter, per System 96 Line Capacity	1	+	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00	$\vdash$	$\vdash$	$\overline{}$	$\overline{}$	$\overline{}$	
	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity	1	+	ULS	ULSDA	54.05	189.21	0.00	178.38	0.00	$\vdash$	$\vdash$	$\overline{}$	$\overline{}$	$\longrightarrow$	
		<del>                                     </del>	+	ULS	ULSDB ULSD8	18.02	189.21	0.00	178.38	0.00	$\vdash$	<del></del>			<del></del>	
,—— <u> </u>	Line Sharing Splitter, Per System, 8 Line Capacity		+	ULO	ULSUS	18.02	189.21	0.00	178.38	0.00	₩	<del>                                     </del>				·
. 1 '	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation	Ί	1				00	0	40.5-	0		1 1	, ,	, ,	, J	ł
	(per LSOD)	<del>                                     </del>	1	ULS	ULSDG		86.67	0.00	49.95	0.00	ļ	$\vdash$				<b></b>
END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<b>!</b>	<del>  </del>	L								$\vdash$				
, [ '	Line Sharing - per Line Activation (BST Owned splitter) -	1	1	L							1	1 1	, ,	, ,	, ,	ł .
·	OBSOLETE see **NOTE 2	L		ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		igwdot				
	Line Share Service, TRO per line activation, BST owned splitter -	1	1					· <u> </u>	T		l 7	<sub>1</sub> T	, 7	, 7	, J	1
.   '	Central Office Located (25% of UCLND) - please see NOTE 1			1							1	1 1	, ,	, ,	, ,	ł
<u> </u>	(E:10/2/2003)		Щ_	ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
, —	Line Share Service, TRO per line activation, BST owned splitter -												, — —	, — —		ı <del></del>
. 1 '	Central Office Located (50% of UCLND) - please see NOTE 1			1								( l	, ,	, ,	, J	ł
, [ '		1	1	ULS	ULSDT	6.47	18.55	10.62	10.04	4.93	1	1 1	, ,	, ,	, ,	ł .
	(E:10/2/2004)	1	1	İ									,	<i>i</i>	<i></i>	i Total
.   '				1							1	1 1	, ,	, ,	, ,	ł .
, [ '	(E:10/2/2004)		1	ULS	ULSDT	9.71	18.55	10.62	10.04	4.93	1	1 1	, ,	, ,	, ,	ł .
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1		1	1		Ü.7 1	.0.00									í
, [ '	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)	1	1	ULS	ULSDS		16.42	8.21			1	1 1	, ,	, ,	, ,	ł .
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST		<del>1                                    </del>	0.0	01000		10.42	0.21	<b> </b>		$\vdash$	$\vdash$			$\overline{}$	(
.   '	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			1	ULSCS		16.42	8.21			1	1 1	, ,	, ,	, ,	ł .
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			LILS			10.42	0.21								
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS					<b>+</b>		<del>                                     </del>	$\vdash$	<del></del>	ч——	<del>                                     </del>	

Version 06/29/04 Page 61 of 71 [CCCS Amendment 97 of 107]

UNBUND	LEC	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.201.12												Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	
CATEGOR	Υ	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -	+		ULS	ULSCI	3.24	47.44	19.31	20.67	12.74	1					1
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1					0.74	47.44	10.01	00.07	10.71						
N/	AINITE	(E:10/2/2005) ENANCE	-		ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						ļ
IVIZ	AIIN I L	No Trouble Found - per 1/2 hour increments - Basic	+			+		80.00	55.00	+		<b>+</b>					
		No Trouble Found - per 1/2 hour increments - Overtime	1			İ		120.00	82.50						İ		<b>†</b>
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		EDICATED TRANSPORT							· · · · ·		· · · · ·						
IN	TERC	PFFICE CHANNEL - DEDICATED TRANSPORT	1	<b>.</b>						1		1					<del></del>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	1		U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	+		UTIVA	ILSAA	0.0167			+		<b>+</b>					
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1														
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						ļ
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			UTIVA	ILSAA	0.0167			<del>                                     </del>							-
		Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
		month	+		U1TDX	1L5XX	0.0167			1							<del> </del>
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	1		UTIDA	01103	10.70	40.03	21.41	10.77	0.91						1
		month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	İ							İ							
		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
SIGNALING	G (CC																<b>_</b>
-		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	+	<u> </u>	UDB UDB	TPP6A TPP9A	16.93 16.93	35.61 35.61	35.61 35.61	16.48 16.48	16.48 16.48	<b>.</b>					<del> </del>
		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	+		UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						+
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
		CCS7 Signaling Point Code, per Originating Point Code															
$\vdash \vdash$		Establishment or Change, per STP affected	1	<b>.</b>	UDB	CCAPO		29.08	29.08	35.65	35.65	1					<u> </u>
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SER\	VICE	Lotabilotitietit of Griange, Fer Sip Affected	+	<del>                                     </del>	000	COAPD		29.08	29.08	33.05	30.05	1			<del> </del>		<del></del>
		Local Channel - Dedicated - 2-wr Voice Grade	1			1	15.33	193.53	33.24	36.72	3.21	1	<b>†</b>		1		<u> </u>
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
$\vdash \vdash$		Termination	₩	<u> </u>			24.30	40.63	27.47	16.77	6.91	ļ					
$\vdash$		Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	+	-		+	42.62 70.32	177.87 177.87	154.06 154.06	22.24 22.24	15.30 15.30	ļ	-		<del>                                     </del>	-	<u> </u>
$\vdash$		Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3	+			+	70.32 190.68	177.87	154.06	22.24	15.30	}					-
<del>                                     </del>		Interoffice Transport - Dedicated - DS1 Per Mile	1			1	0.3415	177.07	154.00	22.24	15.50	1	<b>†</b>		1		<b>—</b>
			1			İ	0.01.0								İ		<b>†</b>
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					77.14	89.47	81.99	16.39	14.48						
		TENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will a										ents.					
		The monthly recurring and the Switch-As-Is Charge and not th				I apply for UNE	combinations	provisioned as	Currently Co	mbined' Networl	k Elements.	ļ					<u> </u>
EX	IENI	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G 2-WireVG Loop in combination - Zone 1	KAUE IN	TEROF 1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	1		-	-	-	<del>                                     </del>
$\vdash$		2-WireVG Loop in combination - Zone 1	+	2	UNCVX	UEAL2	23.13	105.98	68.43		10.61	<b> </b>					<del>                                     </del>
		2 THE COUNTY OF THE PROPERTY O	1		J. 10 VA	U L / \L L	20.10	100.00	00.43	55.05	10.01	1	1	l	1		1

UNBUNDL	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs.
													Electronic- 1st	Electronic- Add'l	Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3	<del> </del>	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	1					<u> </u>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF		ONCCC		3.01	3.01	7.00	7.00				<u> </u>		1
	4-WireVG Loop in combination - Zone 1	T	1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61	1					
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83		14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
					41.5007									I		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	<u> </u>	-	UNCVX	1L5XX	0.0134					ļ		-	<del>                                     </del>	-	<del>                                     </del>
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
FXTE	IDER MONTH  NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE		01174	17.03	40.63	21.41	10.77	0.91			<del> </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>
LATE	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	1					1
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															1
	Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	<del> </del>	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	1					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
EYTE	Facility Termination per month  NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EPOEEIC	FTDA		01106	13.41	40.63	21.41	16.77	6.91	1			1		1
LAIL	First 4-wire 56 kbps Local Loop in combination - Zone 1	I	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	1					1
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	1					
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12		14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1														
	month			UNCDX	1L5XX	0.0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	ETRA		000		0.01	3.01	7.50	7.50				1	1	<u> </u>
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61					<u> </u>	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						<b>↓</b>
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			LINODY	41.577	0.0404								1		
	month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	-	UNCDX	1L5XX	0.0134			1					<del>                                     </del>		+
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91				1		
	Nonrecurring Currently Combined Network Elements Switch -As-Is	l l		OITODA	01100	15.41	70.03	21.41	10.77	0.91				1	1	
	Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00				I		
	NETWORK ELEMENTS															
Wher	used as a part of a currently combined facility, the non-recurring	g charge	s do n	ot apply, but a Switch	ch As Is charge	e does apply.			ļ						ļ	ļ
	n used as ordinarily combined network elements in All States, the					Is Charge does	not.				ļ		-	<del>                                     </del>	-	<del>                                     </del>
Nonr	ecurring Currently Combined Network Elements "Switch As Is" C  Nonrecurring Currently Combined Network Elements Switch -As-Is	narge (C	ne app	nies to each combin	iation)				1					<del>                                     </del>		+
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1											1		1	
	Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00						<u> </u>
Misc	ellaneous				1											
	NRC - Order Coordination Specific Time - Dedicated Transport		<u> </u>	UN1CX	OCOSR		18.90	18.90			<u> </u>			<b>_</b>		<b>.</b>
	All Available Vertical Features	1			UEPVF	3.04	0.00	0.00			1			1		1

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Doo	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Query Serv	rice															

UNBU	NDLEC	NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
													Svc Order			Incremental	Incremental
												Submitted Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									,			por zorc	po. zo.t	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											<b>D</b> : .				D ( (A)		l
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	averaged UNE										JONAN
		ww.interconnection.bellsouth.com/become_a_clec/html/interco			<b>3</b>	,			3 .	,		,					
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
-		he state specific Commission ordered rates for the service orde (2) Any element that can be ordered electronically will be billed															
	be orde	red electronically at present per the LOH, the listed SOMEC rate	accoru in this	catedo	rv reflects the charge	that would	be billed to a C	I FC once electi	onic ordering	canabilities co	me on-line for	hat elemen	t. Otherwise	the manual	ordering char	ie. SOMAN. w	ill he applied
		(3) OSS - Manual Service Order Charge, Per Element - UNE Only														,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		OSS - Electronic Service Order Charge, Per Local Service Request															
	D) #0E F	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
UNE SE		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	IISouth	'c ECC	No 1 Tariff Section 5	as applicabl	l .	-							-		
	NOTE.	The Expedite charge will be maintained commensurate with be	iioutii	3 1 0 0	No.1 Tariii, Section 5	аз аррпсаы	I .										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC, USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL, UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX, UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
					U1TUD, U1TUB,												
ORDE	MODIFI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE			U1TUA	SDASP	<del>                                     </del>	200.00			<del> </del>		-	1	<del>                                     </del>		
CINDER		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBUN		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP		4	LIEANI	LIEALO	44.74	24.00	20.00	40.05	4.44			20.25	40.54	40.00	40.00
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEAL2 UEAL2	11.74 17.59	31.99 31.99	20.02	10.65 10.65	1.41 1.41	-	-	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL	1	8.33	0.83					20.35	10.54	13.32	13.32
<b>—</b>		Loop Testing - Basic 1st Half Hour		<b>†</b>	UEANL	URET1	<b>-</b>	57.67	0.00			<b> </b>	<b> </b>	20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44		<u> </u>			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-															
		SL1)			UEANL	UREWO	-	15.80	8.95					20.35	10.54	13.32	13.32
1		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM	1	25.33	25.33					0.00	0.00	0.00	0.00
<b>—</b>		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	<del>                                     </del>	25.33 36.52	25.33 36.52				<del>                                     </del>	0.00	0.00	0.00	0.00
		manaa oraci occidination or L-outs (per loop)		-	O-/ 111L	O L7 11VIO		30.02	30.32	·				0.00	0.00	0.00	0.00

Version 06/29/04 Page 65 of 71

UNBUN	IDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
<u> </u>	) 14/ID E	LSR)	ļ		UEANL	OCOSL		34.29						0.00	0.00	0.00	0.00
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-	_	2 Wire Unbundled Copper Loop - Non-Designed 2011e 1	<u> </u>	2	UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<del>l i</del>		UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť													
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		36.52	36.52					0.00	0.00	0.00	0.00
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		l	LIEO	LIEONALI		05.00	05.00				1	20.05	40.54	40.00	40.00
$\vdash$		providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour	1	-	UEQ UEQ	UEQMU URET1		25.33 57.67	25.33 0.00	<del>                                     </del>		-	<b> </b>	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
$\vdash$		Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour	<del>                                     </del>	<del>                                     </del>	UEQ	URETA		37.44	37.44			<del>                                     </del>	<b> </b>	20.35	10.54	13.32	
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	1	<del>                                     </del>	«	UNLIA		57.74	31.44			<u> </u>		20.33	10.54	10.02	10.32
		ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
<b></b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<b>!</b>		UEA	UEALZ	22.00	75.06	46.20	20.70	17.04	1		20.35	10.54	13.32	13.32
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		Ť	027	O E / KEE	00.01	7 0.00	10.20	200				20.00	10.01	10.02	10.02
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
<b>-</b>		Battery Signaling - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	-	3	UEA UEA	UEAR2 UREWO	36.87	75.06 75.06	48.20 36.41	28.70	17.64	-		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP	1		OLA	OKETE		11.20	1.10			1		20.00	10.04	10.02	10.02
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
		ISDN DIGITAL GRADE LOOP	ļ	1	LIDN	U1L2X	19.77	440.70	88.88	70.05	39.16			20.25	40.54	13.32	13.32
-		2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN UDN	U1L2X	29.63	142.76 142.76	88.88	76.35 76.35	39.16	-		20.35 20.35	10.54 10.54	13.32	13.32
$\vdash$		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	<b>1</b>	3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch	1	J	UDN	UREWO	40.47	91.77	44.22	70.00	00.10	1		20.35	10.54	13.32	13.32
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	IBLE LO	OP													
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 1		1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry &					40	450.5-	04	00.51	40.55			00	40	40.55	46.55
-		facility reservation - Zone 2	ļ	2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93		1	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		OAL	UALZX	30.77	130.93	04.54	03.04	10.93	1		20.55	10.54	13.32	13.32
		facility reservaton - Zone 1	- 1	1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &								1							
		facility reservaton - Zone 2	I	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
I		2 Wire Unbundled ADSL Loop without manual service inquiry &				I			· ·					_			
$\vdash \vdash$		facility reservaton - Zone 3	<u> </u>	3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
<del>   </del>		CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	I I	L D	UAL	UREWO		31.99	20.02	<del>                                     </del>		1		20.35	10.54	13.32	13.32
+	-vviKE	2 Wire Unbundled HDSL Loop including manual service inquiry &	LE 100			+				<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	<del> </del>		<del>                                     </del>
		facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry &	1	T -	ĺ		2.31			1						1	1
1		facility reservation - Zone 2	<u></u>	2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93	L	<u></u>	20.35	10.54	13.32	13.32

UNBU	NDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry &						Filst	Auu i	Filst	Auu i	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	ı	1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry and	<u> </u>		OTIL	UNLZW	14.44	89.40	33.91	72.02	11.40			20.33	10.54	13.32	13.32
		facility reservation - Zone 3	- 1	3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	P													
		4 Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL	1161.47	12.40	169.62	75.90	39.73	19.53			20.35	10.54	13.32	13.32
		facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and	<del>                                     </del>	-	UTIL	UHL4X	12.40	109.62	75.89	38.73	19.53			20.35	10.54	13.32	13.32
		facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL												13.32
		facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and	'			UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	
		facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	I	3	UHL UHL	UHL4W UREWO	31.03	100.09 31.99	46.60 20.02	75.75	13.97			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OFIL	UKEWO		31.33	20.02					20.33	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps	i -	1	UDL	UDL19	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	69.24	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ	1	UDL	UDL56	27.68	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL UDL	UDL56 UDL56	41.47 69.24	207.01 207.01	141.38 141.38		44.18 44.18	-	-	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	27.68	207.01	141.38		44.18	1	1	20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	i -	2	UDL	UDL64	41.47	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	69.24	207.01	141.38		44.18			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual service	<u>'</u>		UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service	I	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		inquiry and facility reservation - Zone 1	ı	1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	ı	2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	T:	Ť	UCL	UREWO	20.07	31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRF	COPPER LOOP	<del>                                     </del>		UUL	UKEWU		31.99	20.02	1		<del>                                     </del>	<del>                                     </del>	20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry and	<u> </u>			1								1	1		
		facility reservation - Zone 1	ı	1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry and		4	UCL				85.57		39.16						
		facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and		1		UCL4W	21.98	122.76		76.35		<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
		facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and	!	2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16	-	-	20.35	10.54	13.32	13.32
		facility reservation - Zone 3	I	3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32

UNBUN	DLED	NETWORK ELEMENTS - Tennessee								•				Attach	ment: 2	Exhi	bit: A
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-	١.		UCL	LIDEIMO		04.00	00.00					00.05	40.54	40.00	40.00
-		200)	- 1		UCL	UREWO UCLMC		31.99 36.52	20.02 36.52			-	-	20.35	10.54	13.32 0.00	13.32
		Order Coordination for Unbundled Copper Loops (per loop)	-	-	UEA, UDN, UAL,	UCLIVIC		30.32	30.52			1		0.00	0.00	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		34.29						0.00	0.00	0.00	0.00
OOP MC	DDIFIC	ATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
		and or equal to Tolk it, per emburidied Loop			UAL, UHL, UCL,	JLIVI+L		00.40	05.40			1		20.33	10.54	13.32	13.32
SUB-LOO	nps	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
		pp Distribution										1					
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
		Set-Up			UEANL	USBSC		313.01	313.01			<b>.</b>		20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			027.1112	00000		100.00	100.00			†		20.00	10.01	10.02	10.02
		Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29			ļ		0.00	0.00	0.00	0.00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		<u> </u>	OLANE	OOBIV4	0.54	100.03	31.20	74.00	11.55			20.55	10.54	13.32	13.32
		2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Onder One-stimution for University of Code I are a control large series			LIEANI	LICDMO		24.00	04.00					0.00	0.00	0.00	0.00
	-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL UEANL	USBMC USBR2	1.35	34.29 94.56	34.29 29.35			<b> </b>		0.00 20.35	0.00 10.54	0.00 13.32	0.00
		Sub-Loop 2-Wife Intrabuliding Network Cable (INC)	-		UEANL	USBRZ	1.33	94.50	29.33					20.33	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	T				l												
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		34.29	34.29			1		0.00	0.00	0.00	0.00
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	1		UEANL UEANL	URET1 URETA		57.67 37.44	0.00 37.44			1	-	0.00	0.00	0.00	
-		Loop Testing - Basic Additional Half Hour  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	4.67	37.44 81.40	25.75	70.82	9.55	}		20.35	10.54	13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54	13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	11.67	81.40	25.75	70.82	9.55	<u> </u>		20.35	10.54	13.32	
		·															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF UEF	UCS4X	8.76	81.74 81.74	26.08	74.08 74.08	11.55	ļ	-	20.35	10.54	13.32	13.32 13.32
+		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>- '</del>	3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55		-	20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-						220	2.120				Ì	2.00	2.00	2.00	3.00
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								
	]	Loop Testing - Basic 1st Half Hour			UEF	URET1		57.67	0.00					0.00	0.00	0.00	
		Loop Testing - Basic Additional Half Hour	l .	1	UEF	URETA		37.44	37.44	1		1	1	0.00	0.00	0.00	0.00

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
ONDONDE	TO THE PART OF THE											Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interin	Zone	всѕ	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		528.48	9.74					20.35	10.54	13.32	13.32
Unbu	Indled Network Terminating Wire (UNTW)		-													
Note	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		-	UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.3
Netw	Network Interface Device (NID) - 1-2 lines		+	UENTW	UND12		63.46	31.06	0.6391	0.6391	1		20.35	10.54	13.32	13.3
	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND16		63.46	31.06	0.6522	0.6522	1		20.35	10.54	13.32	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.75	8.75		3.3322		İ	20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.75	8.75					20.35	10.54	13.32	13.32
UNE OTHER	PROVISIONING ONLY - NO RATE									_						
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							ļ		ļ
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
				UAL,UCL,UDC,UDL,												
N-4-	Unbundled Contact Name, Provisioning Only - no rate	-1	!	UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP MAKE	(1): Rates provided in TN for both electronic and manual Loop Ma	акеир а Г	re inte	im and subject to reti	o-active true	e-up adjustmen I	ts pending a pe	rmanent rate r	uling on these	rate elements	rom the Ten	nessee Reg	ulatory Autho	rity.		
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					0.00	0.00	0.00	0.00
	Loop Makeup - Preordering With Reservation, per spare facility										1					
	queried (Manual).  Loop MakeupWith or Without Reservation, per working or spare	R		UMK	UMKLP		0.76	0.76					0.00	0.00	0.00	0.00
	facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76					0.00	0.00	0.00	0.0
LINE SHARIN																
	E 1: The Line Sharing monthly recurring rates for all installations				rough midni	ght October 01	2004 shall be b	oilled as follow	s:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")							1					
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND		-								-					<del> </del>
	E 1: 10/02/2005 - 10/01/2006: 75% of the rate for OCEND		+													
	TE 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and	JLSCC	applies only to circui	ts installed a	nd inservice o	n or before Octo	ober 1, 2003			1					1
	SHARING	l and	1					.,			i e					
SPLI	ITERS-CENTRAL OFFICE BASED															1
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.3
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
FND	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING		+	ULS	ULSDG		103.00	0.00	92.11	0.00			20.33	10.54	13.32	13.32
LIND	Line Share Service, TRO per line activation, BST owned splitter -										1					1
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Share Service, TRO per line activation, BST owned splitter -		1			2.54	.0.00	050	5.50	3.50	1		20.00	10.04	.0.02	
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Share Service, TRO per line activation, BST owned splitter -					0.07	40.00	01.09	5.50	0.00			20.00	10.04	10.02	10.02
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS	0.01	30.00	15.00	0.30	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.3
	Line Share Service, TRO per line activation, CLEC owned splitter -			020	02000		33.00	10.00					20.00	10.54	10.02	10.02
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.3
	Line Share Service, TRO per line activation, CLEC owned splitter -		1			2.54	77.77	10.01	5.50	0.00	1		20.00	10.04	10.02	10.0.
	Central Office Located (50% of UCLND) - please see NOTE 1				00=											
	(E:10/2/2004)		1	ULS	ULSCT	5.87	47.44	19.31	0.00	0.00	1	l	20.35	10.54	13.32	13.32

ADOIADEE	D NETWORK ELEMENTS - Tennessee										1	1	Attachr			ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
		<u> </u>			+	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter -	1			+		FIISL	Addi	Filst	Auu i	JOINEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
	Central Office Located (75% of UCLND) - please see NOTE 1													i '	i	
	(E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.3
MAINT	ENANCE													<b></b> '	<b></b>	
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00					0.00	0.00	0.00	0.0
	No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium	1	<u> </u>		+		120.00 160.00	82.50 110.00			-	-	0.00	0.00	0.00	0.0
IDIINDI ED	DEDICATED TRANSPORT	1	1		+		160.00	110.00			1	1	0.00	0.00	0.00	0.
	OFFICE CHANNEL - DEDICATED TRANSPORT	1	1		+										$\overline{}$	+
IIII	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										1	1				
	Per Mile per month			U1TVX	1L5XX	0.0174							1	í '	í	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						1								1	
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1											i T	·	·	
	Rev Bat Per Mile per month	ļ		U1TVX	1L5XX	0.0174					ļ			ļ	<b></b>	<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat													·	í	
	Facility Termination		-	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	1L5XX	0.0174							1	ł '	i	
_	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	<u> </u>	1	UTIVX	TLSXX	0.0174					1	-	<b>—</b>			<del> </del>
	Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			OTTVX	01114	24.00	07.07	20.02	00.70	10.07	1	1	10.00	10.00	0.00	
	month			U1TDX	1L5XX	0.0174							1	í '	í	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	i														1
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per													·	i	
	month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility				====									l'		
NALING (C	Termination	1		U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51	-		20.35	21.09	9.80	10.
NALING (C	CCS7 Signaling Termination, Per STP Port	1	1	UDB	PT8SX	138.41					1	1	$\vdash$			<del>                                     </del>
-	CCS7 Signaling Connection, Per DS1 level link (A link)	1	1	UDB	TPP6A	17.84	130.84	130.84					20.35	0.00	0.00	0
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.84	130.84	130.84			1	1	20.35	0.00	0.00	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known			000	1110/1		100.01	100.01					20.00	0.00	0.00	
	as D link)			UDB	TPP6B	17.84	130.84	130.84					20.35	0.00	0.00	0
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known													í ,	i	
	as D link)			UDB	TPP9B	17.84	130.84	130.84					20.35	0.00	0.00	0
	Signaling Point Code, per Originating Point Code Establishment or												1	ł '	i	
	Change, per STP			UDB	CCAPO		121.77	121.77					20.35	0.00	0.00	0.
	XTENDED LINK (EELs)		th - Co	:: A - I- Ob	-:11	- !!!!!				N-4			<del>                                     </del>	<b></b> '	<b></b>	
	The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the										ents.	-	$\vdash$	<u>'</u>		<del>                                     </del>
	The monthly recurring and the Switch-As-is Charge and not the IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE				apply for UNE	COMBINATIONS	provisioneu as	Guirellity CO	IIIDIIIEU NEIWOF	K Elements.	1	<b>-</b>				<b>†</b>
EX.L	2-WireVG Loop in combination - Zone 1	I IV	1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.
	2-WireVG Loop in combination - Zone 2	t	2	UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86	1		31.26	10.42	0.00	0
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0
									l i					1	i	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	ļ		UNCVX	1L5XX	0.0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination	1			I $\neg$								i . J			
_	per month	<u> </u>	ļ	UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00	1	-	20.35	21.09	9.80	10.
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1		LINICVY	UNCCC		50.70	04.00	0.40	9.12			04.00	10.42	0.00	_
EVTE	Charge IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	A DE IN	TEPOF	UNCVX	UNCCC		52.73	24.62	9.12	9.12	<b> </b>		31.26	10.42	0.00	0.
EVIEN	4-WireVG Loop in combination - Zone 1	ADE IN	1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.
	4-WireVG Loop in combination - Zone 2	t	2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0
$\top$	4-WireVG Loop in combination - Zone 3	t	3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86	1		31.26	10.42	0.00	0.
		ĺ												i	1	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		1	UNCVX	1L5XX	0.0174					ļ			ļ'	<u> </u>	ļ
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination												ļ j	١,	1	
				UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			15.08	15.08	8.66	8.

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	+	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Manually	Manual Svc			_
CATEGORY	RATE ELEMENTS	Interim	7000	BCS	usoc			RATES(\$)			Elec			Manual Svc		
ATEGORY	RATE ELEMENTS	interim	Zone	BUS	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ							T			l	L			
$\longrightarrow$						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
					_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge		1	UNCDX	UNCCC		52.73	24.62	9.12	9.12	l	l	31.26	10.42	0.00	0.00
EXTF	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE		1								5.20	122	2.00	5.00
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	T	1	UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
-+-	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	t -	2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86	<del>                                     </del>	<del>                                     </del>	20.35	10.54	13.32	
-+-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	1	3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
-+-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per	<b>.</b>	3	UNCDX	UDL04	09.24	100.70	33.47	12.54	10.00			20.33	10.54	13.32	0.00
				LINODY	1L5XX	0.0474										
	Mile per month	<u> </u>	-	UNCDX	TLSXX	0.0174										1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				=====											
	Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	ETRA													
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per								ĺ							
	month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
-	Nonrecurring Currently Combined Network Elements Switch -As-Is			CHOBA	01120	17.00	7 0.00	11.00	00.02	01.00			20.00	21.00	0.00	10.0
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
EYTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EBUEEK	FTPA		011000		02.70	24.02	J.12	0.12			01.20	10.72	0.00	0.00
EVIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	I	1 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
+-	First 4-wire 64 kbps Local Loop in combination - Zone 1	<b>-</b>	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	<b> </b>	<b> </b>	20.35	10.54	13.32	
+-		<b>-</b>	3		UDL64 UDL64	40.61 53.11	108.76	35.47		10.86	<b> </b>	<b> </b>	20.35	10.54	13.32	
$\longrightarrow$	First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	53.11	108.76	35.47	12.94	10.86	-	-	20.35	10.54	13.32	0.00
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		1	LINIODY	41.577	0017:					l	l				
$\!\!\!+\!\!\!-$	month	1	-	UNCDX	1L5XX	0.0174					<b> </b>	<b> </b>	<b> </b>	<b></b>	<b> </b>	<b>+</b>
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1								l	l				
	Termination per month	L		UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1	1		1						1	1	1	1		
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurring	charge	s do no	ot apply, but a Swit	ch As Is charge	does apply.										
When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and	the Switch As	ls Charge does	not.									
	curring Currently Combined Network Elements "Switch As Is" C						ĺ									
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1 3 1 (4	1		1 '		i		1		i	i	İ	İ	İ	
	Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		52.73	24.62	9.12	9.12	l	l	53.73	24.62	0.00	0.00
	Nonrecurring Currently Combined Network Elements Switch -As-Is	t	<del>                                     </del>	5.15 17	311000	1	JZ.73	24.02	0.12	5.12			55.75	24.02	0.00	3.00
1		1	1	UNCDX	UNCCC		50.70	24.62	9.12	9.12	l	l	20.35	10.54	0.00	0.00
																1 0.00
Minc-	Charge - 56/64 kbps	<u> </u>		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.33	10.54	0.00	
Miscel	Charge - 56/64 kbps     Ianeous   NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR		18.93	18.93	9.12	9.12			0.00	0.00	0.00	

Version 06/29/04 Page 71 of 71